


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	2.17764G	26.97	68.20	-41.23	3	Vertical	215	1.91	-
Mode 1	Pass	AV	3.76018G	30.00	54.00	-24.00	3	Vertical	8	1.50	-
Mode 1	Pass	AV	4.9995G	34.03	54.00	-19.97	3	Vertical	126	1.59	-
Mode 1	Pass	PK	2.17764G	47.68	88.20	-40.52	3	Vertical	215	1.91	-
Mode 1	Pass	PK	3.76018G	42.04	74.00	-31.96	3	Vertical	8	1.50	-
Mode 1	Pass	PK	4.9995G	46.95	74.00	-27.05	3	Vertical	126	1.59	-
Mode 1	Pass	AV	2.27815G	26.64	54.00	-27.36	3	Horizontal	110	1.50	-
Mode 1	Pass	AV	3.12545G	29.74	68.20	-38.46	3	Horizontal	206	1.00	-
Mode 1	Pass	AV	5.06971G	33.16	54.00	-20.84	3	Horizontal	3	1.99	-
Mode 1	Pass	PK	2.27815G	39.42	74.00	-34.58	3	Horizontal	110	1.50	-
Mode 1	Pass	PK	3.12545G	42.45	88.20	-45.75	3	Horizontal	206	1.00	-
Mode 1	Pass	PK	5.06971G	51.08	74.00	-22.92	3	Horizontal	3	1.99	-
Mode 2	Pass	AV	2.17636G	26.57	68.20	-41.63	3	Vertical	212	2.00	-
Mode 2	Pass	AV	3.17583G	30.06	68.20	-38.14	3	Vertical	10	1.07	-
Mode 2	Pass	AV	4.95532G	33.75	54.00	-20.25	3	Vertical	15	1.51	-
Mode 2	Pass	PK	2.17636G	49.67	88.20	-38.53	3	Vertical	212	2.00	-
Mode 2	Pass	PK	3.17583G	41.90	88.20	-46.30	3	Vertical	10	1.07	-
Mode 2	Pass	PK	4.95532G	46.00	74.00	-28.00	3	Vertical	15	1.51	-
Mode 2	Pass	AV	2.24248G	26.84	54.00	-27.16	3	Horizontal	27	1.50	-
Mode 2	Pass	AV	3.78961G	30.30	54.00	-23.70	3	Horizontal	0	1.50	-
Mode 2	Pass	AV	5.10762G	33.38	54.00	-20.62	3	Horizontal	0	1.95	-
Mode 2	Pass	PK	2.24248G	39.25	74.00	-34.75	3	Horizontal	27	1.50	-
Mode 2	Pass	PK	3.78961G	42.57	74.00	-31.43	3	Horizontal	0	1.50	-
Mode 2	Pass	PK	5.10762G	53.72	74.00	-20.28	3	Horizontal	0	1.95	-
Mode 3	Pass	AV	2.18459G	26.06	68.20	-42.14	3	Vertical	330	1.76	-
Mode 3	Pass	AV	3.26952G	29.89	68.20	-38.31	3	Vertical	258	1.50	-
Mode 3	Pass	AV	5.03707G	33.33	54.00	-20.67	3	Vertical	81	1.50	-
Mode 3	Pass	PK	2.18459G	48.41	88.20	-39.79	3	Vertical	330	1.76	-
Mode 3	Pass	PK	3.26952G	42.09	88.20	-46.11	3	Vertical	258	1.50	-
Mode 3	Pass	PK	5.03707G	45.77	74.00	-28.23	3	Vertical	81	1.50	-
Mode 3	Pass	AV	2.18378G	25.94	68.20	-42.26	3	Horizontal	163	1.74	-
Mode 3	Pass	AV	3.79813G	30.56	54.00	-23.44	3	Horizontal	320	1.50	-
Mode 3	Pass	AV	5.08993G	33.05	54.00	-20.95	3	Horizontal	4	1.96	-
Mode 3	Pass	PK	2.18378G	47.77	88.20	-40.43	3	Horizontal	163	1.74	-
Mode 3	Pass	PK	3.79813G	42.73	74.00	-31.27	3	Horizontal	320	1.50	-
Mode 3	Pass	PK	5.08993G	52.95	74.00	-21.05	3	Horizontal	4	1.96	-
Mode 4	Pass	AV	2.18749G	26.42	68.20	-41.78	3	Vertical	213	2.00	-
Mode 4	Pass	AV	3.81104G	30.45	54.00	-23.55	3	Vertical	346	1.98	-
Mode 4	Pass	AV	4.9957G	34.01	54.00	-19.99	3	Vertical	332	1.50	-
Mode 4	Pass	PK	2.18749G	50.87	88.20	-37.33	3	Vertical	213	2.00	-
Mode 4	Pass	PK	3.81104G	42.93	74.00	-31.07	3	Vertical	346	1.98	-
Mode 4	Pass	PK	4.9957G	46.56	74.00	-27.44	3	Vertical	332	1.50	-
Mode 4	Pass	AV	2.18559G	26.38	68.20	-41.82	3	Horizontal	191	1.50	-
Mode 4	Pass	AV	3.64999G	30.01	54.00	-23.99	3	Horizontal	102	1.50	-
Mode 4	Pass	AV	5.09649G	35.14	54.00	-18.86	3	Horizontal	2	1.92	-
Mode 4	Pass	PK	2.18559G	46.84	88.20	-41.36	3	Horizontal	191	1.50	-
Mode 4	Pass	PK	3.64999G	42.61	74.00	-31.39	3	Horizontal	102	1.50	-
Mode 4	Pass	PK	5.09649G	52.78	74.00	-21.22	3	Horizontal	2	1.92	-
Mode 5	Pass	AV	1.19715G	26.63	54.00	-27.37	3	Vertical	212	1.97	-
Mode 5	Pass	AV	2.41862G	30.55	68.20	-37.65	3	Vertical	0	1.58	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 5	Pass	AV	4.1165G	32.90	54.00	-21.10	3	Vertical	67	1.44	-
Mode 5	Pass	PK	1.19813G	38.92	74.00	-35.08	3	Vertical	212	1.97	-
Mode 5	Pass	PK	2.41875G	54.51	88.20	-33.69	3	Vertical	0	1.58	-
Mode 5	Pass	PK	4.1175G	45.64	74.00	-28.36	3	Vertical	67	1.44	-
Mode 5	Pass	AV	1.5873G	25.63	54.00	-28.37	3	Horizontal	79	1.43	-
Mode 5	Pass	AV	1.59713G	30.36	54.00	-23.64	3	Horizontal	251	1.53	-
Mode 5	Pass	AV	2.4124G	35.57	68.20	-32.63	3	Horizontal	32	1.36	-
Mode 5	Pass	PK	1.59625G	38.31	74.00	-35.69	3	Horizontal	79	1.43	-
Mode 5	Pass	PK	2.41G	51.24	88.20	-36.96	3	Horizontal	251	1.52	-
Mode 5	Pass	PK	5.0975G	48.45	74.00	-25.55	3	Horizontal	32	1.36	-
Mode 6	Pass	AV	1.48341G	25.59	54.00	-28.41	3	Vertical	213	1.00	-
Mode 6	Pass	AV	2.417G	40.22	68.20	-27.98	3	Vertical	25	2.13	-
Mode 6	Pass	AV	5.1732G	35.69	68.20	-32.51	3	Vertical	22	2.54	-
Mode 6	Pass	PK	1.48375G	37.44	74.00	-36.56	3	Vertical	213	1.00	-
Mode 6	Pass	PK	2.415G	63.83	88.20	-24.37	3	Vertical	25	2.13	-
Mode 6	Pass	PK	5.175G	48.90	88.20	-39.30	3	Vertical	22	2.54	-
Mode 6	Pass	AV	1.58931G	25.62	54.00	-28.38	3	Horizontal	55	1.50	-
Mode 6	Pass	AV	2.41134G	30.58	68.20	-37.62	3	Horizontal	82	1.50	-
Mode 6	Pass	AV	5.81434G	36.97	68.20	-31.23	3	Horizontal	64	1.56	-
Mode 6	Pass	PK	1.59625G	37.27	74.00	-36.73	3	Horizontal	55	1.50	-
Mode 6	Pass	PK	2.41125G	51.29	88.20	-36.91	3	Horizontal	82	1.50	-
Mode 6	Pass	PK	5.81875G	58.22	88.20	-29.98	3	Horizontal	64	1.56	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.17764G	26.97	68.20	-41.23	-3.42	3	Vertical	215	1.91	-	30.39	27.30	4.31	35.03
AV	3.76018G	30.00	54.00	-24.00	0.85	3	Vertical	8	1.50	-	29.15	30.16	5.83	35.14
AV	4.9995G	34.03	54.00	-19.97	4.85	3	Vertical	126	1.59	-	29.18	33.20	6.72	35.07
PK	2.17764G	47.68	88.20	-40.52	-3.42	3	Vertical	215	1.91	-	51.10	27.30	4.31	35.03
PK	3.76018G	42.04	74.00	-31.96	0.85	3	Vertical	8	1.50	-	41.19	30.16	5.83	35.14
PK	4.9995G	46.95	74.00	-27.05	4.85	3	Vertical	126	1.59	-	42.10	33.20	6.72	35.07

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.27815G	26.64	54.00	-27.36	-3.53	3	Horizontal	110	1.50	-	30.17	27.12	4.41	35.06
AV	3.12545G	29.74	68.20	-38.46	-0.31	3	Horizontal	206	1.00	-	30.05	29.65	5.27	35.23
AV	5.06971G	33.16	54.00	-20.84	4.59	3	Horizontal	3	1.99	-	28.57	32.92	6.74	35.07
PK	2.27815G	39.42	74.00	-34.58	-3.53	3	Horizontal	110	1.50	-	42.95	27.12	4.41	35.06
PK	3.12545G	42.45	88.20	-45.75	-0.31	3	Horizontal	206	1.00	-	42.76	29.65	5.27	35.23
PK	5.06971G	51.08	74.00	-22.92	4.59	3	Horizontal	3	1.99	-	46.49	32.92	6.74	35.07

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.17636G	26.57	68.20	-41.63	-3.42	3	Vertical	212	2.00	-	29.99	27.30	4.31	35.03
AV	3.17583G	30.06	68.20	-38.14	-0.22	3	Vertical	10	1.07	-	30.28	29.70	5.31	35.23
AV	4.95532G	33.75	54.00	-20.25	4.62	3	Vertical	15	1.51	-	29.13	33.02	6.67	35.07
PK	2.17636G	49.67	88.20	-38.53	-3.42	3	Vertical	212	2.00	-	53.09	27.30	4.31	35.03
PK	3.17583G	41.90	88.20	-46.30	-0.22	3	Vertical	10	1.07	-	42.12	29.70	5.31	35.23
PK	4.95532G	46.00	74.00	-28.00	4.62	3	Vertical	15	1.51	-	41.38	33.02	6.67	35.07

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.24248G	26.84	54.00	-27.16	-3.48	3	Horizontal	27	1.50	-	30.32	27.20	4.37	35.05
AV	3.78961G	30.30	54.00	-23.70	1.06	3	Horizontal	0	1.50	-	29.24	30.34	5.85	35.13
AV	5.10762G	33.38	54.00	-20.62	4.54	3	Horizontal	0	1.95	-	28.84	32.85	6.76	35.07
PK	2.24248G	39.25	74.00	-34.75	-3.48	3	Horizontal	27	1.50	-	42.73	27.20	4.37	35.05
PK	3.78961G	42.57	74.00	-31.43	1.06	3	Horizontal	0	1.50	-	41.51	30.34	5.85	35.13
PK	5.10762G	53.72	74.00	-20.28	4.54	3	Horizontal	0	1.95	-	49.18	32.85	6.76	35.07

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.18459G	26.06	68.20	-42.14	-3.48	3	Vertical	330	1.76	-	29.54	27.25	4.31	35.04
AV	3.26952G	29.89	68.20	-38.31	-0.23	3	Vertical	258	1.50	-	30.12	29.60	5.41	35.24
AV	5.03707G	33.33	54.00	-20.67	4.71	3	Vertical	81	1.50	-	28.62	33.05	6.73	35.07
PK	2.18459G	48.41	88.20	-39.79	-3.48	3	Vertical	330	1.76	-	51.89	27.25	4.31	35.04
PK	3.26952G	42.09	88.20	-46.11	-0.23	3	Vertical	258	1.50	-	42.32	29.60	5.41	35.24
PK	5.03707G	45.77	74.00	-28.23	4.71	3	Vertical	81	1.50	-	41.06	33.05	6.73	35.07

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.18378G	25.94	68.20	-42.26	-3.47	3	Horizontal	163	1.74	-	29.41	27.26	4.31	35.04
AV	3.79813G	30.56	54.00	-23.44	1.13	3	Horizontal	320	1.50	-	29.43	30.39	5.86	35.12
AV	5.08993G	33.05	54.00	-20.95	4.52	3	Horizontal	4	1.96	-	28.53	32.84	6.75	35.07
PK	2.18378G	47.77	88.20	-40.43	-3.47	3	Horizontal	163	1.74	-	51.24	27.26	4.31	35.04
PK	3.79813G	42.73	74.00	-31.27	1.13	3	Horizontal	320	1.50	-	41.60	30.39	5.86	35.12
PK	5.08993G	52.95	74.00	-21.05	4.52	3	Horizontal	4	1.96	-	48.43	32.84	6.75	35.07

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.18749G	26.42	68.20	-41.78	-3.49	3	Vertical	213	2.00	-	29.91	27.23	4.32	35.04
AV	3.81104G	30.45	54.00	-23.55	1.23	3	Vertical	346	1.98	-	29.22	30.47	5.88	35.12
AV	4.9957G	34.01	54.00	-19.99	4.83	3	Vertical	332	1.50	-	29.18	33.18	6.72	35.07
PK	2.18749G	50.87	88.20	-37.33	-3.49	3	Vertical	213	2.00	-	54.36	27.23	4.32	35.04
PK	3.81104G	42.93	74.00	-31.07	1.23	3	Vertical	346	1.98	-	41.70	30.47	5.88	35.12
PK	4.9957G	46.56	74.00	-27.44	4.83	3	Vertical	332	1.50	-	41.73	33.18	6.72	35.07

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.18559G	26.38	68.20	-41.82	-3.48	3	Horizontal	191	1.50	-	29.86	27.24	4.32	35.04
AV	3.64999G	30.01	54.00	-23.99	0.16	3	Horizontal	102	1.50	-	29.85	29.60	5.75	35.19
AV	5.09649G	35.14	54.00	-18.86	4.49	3	Horizontal	2	1.92	-	30.65	32.81	6.75	35.07
PK	2.18559G	46.84	88.20	-41.36	-3.48	3	Horizontal	191	1.50	-	50.32	27.24	4.32	35.04
PK	3.64999G	42.61	74.00	-31.39	0.16	3	Horizontal	102	1.50	-	42.45	29.60	5.75	35.19
PK	5.09649G	52.78	74.00	-21.22	4.49	3	Horizontal	2	1.92	-	48.29	32.81	6.75	35.07

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.19715G	26.63	54.00	-27.37	-6.31	3	Vertical	212	1.97	-	32.94	26.10	3.15	35.56
AV	2.41862G	30.55	68.20	-37.65	-2.96	3	Vertical	0	1.58	-	33.51	27.59	4.56	35.11
AV	4.1165G	32.90	54.00	-21.10	1.97	3	Vertical	67	1.44	-	30.93	30.90	6.11	35.04
PK	1.19813G	38.92	74.00	-35.08	-6.31	3	Vertical	212	1.97	-	45.23	26.10	3.15	35.56
PK	2.41875G	54.51	88.20	-33.69	-2.96	3	Vertical	0	1.58	-	57.47	27.59	4.56	35.11
PK	4.1175G	45.64	74.00	-28.36	1.97	3	Vertical	67	1.44	-	43.67	30.90	6.11	35.04

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.5873G	25.63	54.00	-28.37	-5.84	3	Horizontal	79	1.43	-	31.47	25.60	3.65	35.09
AV	1.59713G	30.36	54.00	-23.64	-5.88	3	Horizontal	251	1.53	-	36.24	25.53	3.67	35.08
AV	2.4124G	35.57	68.20	-32.63	-3.03	3	Horizontal	32	1.36	-	38.60	27.52	4.55	35.10
PK	1.59625G	38.31	74.00	-35.69	-5.87	3	Horizontal	79	1.43	-	44.18	25.54	3.67	35.08
PK	2.41G	51.24	88.20	-36.96	-3.05	3	Horizontal	251	1.52	-	54.29	27.50	4.55	35.10
PK	5.0975G	48.45	74.00	-25.55	4.49	3	Horizontal	32	1.36	-	43.96	32.81	6.75	35.07

Radiated Emissions above 1GHz_Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.48341G	25.59	54.00	-28.41	-6.18	3	Vertical	213	1.00	-	31.77	25.43	3.52	35.13
AV	2.417G	40.22	68.20	-27.98	-2.98	3	Vertical	25	2.13	-	43.20	27.57	4.56	35.11
AV	5.1732G	35.69	68.20	-32.51	4.76	3	Vertical	22	2.54	-	30.93	33.05	6.78	35.07
PK	1.48375G	37.44	74.00	-36.56	-6.18	3	Vertical	213	1.00	-	43.62	25.43	3.52	35.13
PK	2.415G	63.83	88.20	-24.37	-2.99	3	Vertical	25	2.13	-	66.82	27.55	4.56	35.10
PK	5.175G	48.90	88.20	-39.30	4.76	3	Vertical	22	2.54	-	44.14	33.05	6.78	35.07

Radiated Emissions above 1GHz_Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.58931G	25.62	54.00	-28.38	-5.83	3	Horizontal	55	1.50	-	31.45	25.60	3.66	35.09
AV	2.41134G	30.58	68.20	-37.62	-3.04	3	Horizontal	82	1.50	-	33.62	27.51	4.55	35.10
AV	5.81434G	36.97	68.20	-31.23	5.97	3	Horizontal	64	1.56	-	31.00	33.93	7.24	35.20
PK	1.59625G	37.27	74.00	-36.73	-5.87	3	Horizontal	55	1.50	-	43.14	25.54	3.67	35.08
PK	2.41125G	51.29	88.20	-36.91	-3.04	3	Horizontal	82	1.50	-	54.33	27.51	4.55	35.10
PK	5.81875G	58.22	88.20	-29.98	5.98	3	Horizontal	64	1.56	-	52.24	33.94	7.24	35.20