


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

16/10/2024

CF (Hz)
6.685G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.691498G	3.29	6.74645G	-41.68	-36.56	-5.12	1
6.691648G	2.69	6.75245G	-47.79	-37.31	-10.48	2


6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6705MHz_TX

16/10/2024

CF (Hz)
6.705G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7157G	3.23	6.8281G	-42.05	-36.58	-5.47	1
6.6925G	3.20	6.8264G	-43.75	-36.69	-7.06	2


6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6665MHz_TX

16/10/2024

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60422G	2.51	6.9334G	-43.93	-37.20	-6.73	1
6.60402G	2.75	6.4202G	-42.25	-37.05	-5.20	2

**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	5.963673G	2.94	5.986175G	-42.29	-36.30	-5.99	1
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	5.970599G	4.41	6.03025G	-40.29	-35.59	-4.70	2
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	5.9947G	3.97	6.1134G	-38.22	-34.96	-3.26	2
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	5.99961G	4.08	6.2666G	-39.37	-35.92	-3.45	2
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	6.30259G	2.36	6.747G	-38.78	-36.98	-1.80	2
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	6.703073G	4.84	6.717275G	-28.08	-24.03	-4.05	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	6.861996G	3.95	6.8891G	-29.99	-26.41	-3.58	1
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	6.65429G	5.25	6.7463G	-38.59	-34.71	-3.88	1
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	6.58942G	4.63	6.9102G	-40.03	-35.23	-4.80	1

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.963673G	2.94	5.986175G	-42.29	-36.30	-5.99	1
5955MHz	Pass	5.953425G	2.62	5.987625G	-43.94	-37.38	-6.56	2
6195MHz	Pass	6.197274G	3.79	6.22715G	-44.38	-36.21	-8.17	1
6195MHz	Pass	6.1938G	3.79	6.2274G	-45.48	-36.21	-9.27	2
6415MHz	Pass	6.409626G	2.72	6.400325G	-26.69	-18.48	-8.21	1
6415MHz	Pass	6.406952G	2.72	6.391525G	-37.02	-26.95	-10.07	2
6535MHz	Pass	6.541598G	4.41	6.569225G	-45.22	-35.59	-9.63	1
6535MHz	Pass	6.528677G	3.70	6.5672G	-44.93	-36.30	-8.63	2
6695MHz	Pass	6.689901G	3.96	6.725425G	-40.75	-34.08	-6.67	1
6695MHz	Pass	6.703073G	4.84	6.717275G	-28.08	-24.03	-4.05	2
6855MHz	Pass	6.862473G	4.94	6.872925G	-24.97	-17.60	-7.37	1
6855MHz	Pass	6.848127G	4.27	6.83835G	-22.90	-16.60	-6.30	2
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.982546G	3.92	6.0261G	-42.29	-36.08	-6.21	1
5965MHz	Pass	5.970599G	4.41	6.03025G	-40.29	-35.59	-4.70	2
6205MHz	Pass	6.210449G	2.60	6.2643G	-42.99	-37.14	-5.85	1
6205MHz	Pass	6.191503G	2.43	6.2632G	-42.41	-36.75	-5.66	2
6405MHz	Pass	6.398352G	4.19	6.3433G	-40.82	-34.24	-6.58	1
6405MHz	Pass	6.399901G	3.89	6.343G	-45.44	-36.11	-9.33	2
6565MHz	Pass	6.56315G	2.72	6.62685G	-45.58	-37.28	-8.30	1
6565MHz	Pass	6.548504G	3.30	6.6261G	-45.24	-36.70	-8.54	2
6685MHz	Pass	6.680751G	5.04	6.75405G	-42.34	-34.32	-8.02	1
6685MHz	Pass	6.699946G	5.98	6.7231G	-25.14	-17.39	-7.75	2
6845MHz	Pass	6.861996G	3.95	6.8891G	-29.99	-26.41	-3.58	1
6845MHz	Pass	6.849149G	3.11	6.8144G	-23.82	-17.94	-5.88	2
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.994G	4.64	6.1131G	-40.14	-35.36	-4.78	1
5985MHz	Pass	5.9947G	3.97	6.1134G	-38.22	-34.96	-3.26	2
6225MHz	Pass	6.2323G	4.76	6.3482G	-39.73	-35.24	-4.49	1
6225MHz	Pass	6.19731G	4.40	6.3577G	-39.10	-34.91	-4.19	2
6385MHz	Pass	6.3746G	4.46	6.5075G	-40.87	-35.54	-5.33	1
6385MHz	Pass	6.3737G	4.07	6.507G	-42.49	-35.80	-6.69	2
6625MHz	Pass	6.65429G	5.25	6.7463G	-38.59	-34.71	-3.88	1
6625MHz	Pass	6.6132G	5.17	6.7622G	-41.45	-34.83	-6.62	2
6705MHz	Pass	6.73249G	1.42	6.5829G	-49.90	-38.58	-11.32	1
6705MHz	Pass	6.717G	1.44	6.583G	-49.18	-38.53	-10.65	2
6785MHz	Pass	6.7705G	3.53	6.9039G	-41.73	-35.91	-5.82	1
6785MHz	Pass	6.74751G	4.63	6.8846G	-35.61	-28.50	-7.11	2
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.0428G	3.86	6.2954G	-40.70	-35.85	-4.85	1
6025MHz	Pass	5.99961G	4.08	6.2666G	-39.37	-35.92	-3.45	2
6185MHz	Pass	6.26198G	4.17	6.379G	-34.11	-28.28	-5.83	1
6185MHz	Pass	6.15841G	3.42	6.427G	-41.83	-36.06	-5.77	2
6345MHz	Pass	6.3644G	3.83	6.5888G	-41.22	-36.11	-5.11	1
6345MHz	Pass	6.40558G	3.70	6.5872G	-39.97	-36.01	-3.96	2
6665MHz	Pass	6.58942G	4.63	6.9102G	-40.03	-35.23	-4.80	1
6665MHz	Pass	6.72758G	4.36	6.9346G	-40.79	-35.33	-5.46	2
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.00782G	2.90	6.547G	-36.54	-33.86	-2.68	1
6105MHz	Pass	6.20937G	2.59	6.5238G	-34.70	-32.20	-2.50	2
6265MHz	Pass	6.36697G	3.01	6.7726G	-41.47	-36.95	-4.52	1
6265MHz	Pass	6.30259G	2.36	6.747G	-38.78	-36.98	-1.80	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

11/11/2024




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

11/11/2024




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

11/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.994G	4.64	6.1131G	-40.14	-35.36	-4.78	1
5.9947G	3.97	6.1134G	-38.22	-34.96	-3.26	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

11/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.0428G	3.86	6.2954G	-40.70	-35.85	-4.85	1
5.99961G	4.08	6.2666G	-39.37	-35.92	-3.45	2

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

11/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.36697G	3.01	6.7726G	-41.47	-36.95	-4.52	1
6.30259G	2.36	6.747G	-38.78	-36.98	-1.80	2

6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

11/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.689901G	3.96	6.725425G	-40.75	-34.08	-6.67	1
6.703073G	4.84	6.717275G	-28.08	-24.03	-4.05	2

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

11/11/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.861996G	3.95	6.8891G	-29.99	-26.41	-3.58	1
6.849149G	3.11	6.8144G	-23.82	-17.94	-5.88	2

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

11/11/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.65429G	5.25	6.7463G	-38.59	-34.71	-3.88	1
6.6132G	5.17	6.7622G	-41.45	-34.83	-6.62	2




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

11/11/2024

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.58942G	4.63	6.9102G	-40.03	-35.23	-4.80	1
6.72758G	4.36	6.9346G	-40.79	-35.33	-5.46	2



RSE TX below 1GHz_Non-Beamforming_Radio 3_1T1S_SPAP Appendix E.5

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	PK	40.67M	31.98	40.00	-8.02	3	Vertical	360	1.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6265MHz	Pass	PK	40.67M	31.98	40.00	-8.02	3	Vertical	360	1.00
6265MHz	Pass	PK	61.04M	28.49	40.00	-11.51	3	Vertical	360	1.00
6265MHz	Pass	PK	106.63M	27.51	43.50	-15.99	3	Vertical	360	1.00
6265MHz	Pass	PK	270.56M	25.55	46.00	-20.45	3	Vertical	360	1.00
6265MHz	Pass	PK	482.99M	24.11	46.00	-21.89	3	Vertical	360	1.00
6265MHz	Pass	PK	703.18M	32.28	46.00	-13.72	3	Vertical	360	1.00
6265MHz	Pass	PK	61.04M	24.85	40.00	-15.15	3	Horizontal	0	1.00
6265MHz	Pass	PK	79.47M	25.90	40.00	-14.10	3	Horizontal	0	1.00
6265MHz	Pass	PK	107.6M	31.30	43.50	-12.20	3	Horizontal	0	1.00
6265MHz	Pass	PK	142.52M	24.58	43.50	-18.92	3	Horizontal	0	1.00
6265MHz	Pass	PK	302.57M	26.36	46.00	-19.64	3	Horizontal	0	1.00
6265MHz	Pass	PK	703.18M	34.52	46.00	-11.48	3	Horizontal	0	1.00

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX


6265MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	40.67M	31.98	40.00	-8.02	-9.09	3	Vertical	360	1.00	41.07	17.82	0.47	27.38
PK	61.04M	28.49	40.00	-11.51	-15.28	3	Vertical	360	1.00	43.77	11.48	0.58	27.34
PK	106.63M	27.51	43.50	-15.99	-10.09	3	Vertical	360	1.00	37.60	16.35	0.78	27.22
PK	270.56M	25.55	46.00	-20.45	-7.49	3	Vertical	360	1.00	33.04	17.91	1.25	26.65
PK	482.99M	24.11	46.00	-21.89	-3.87	3	Vertical	360	1.00	27.98	22.47	1.67	28.01
PK	703.18M	32.28	46.00	-13.72	-2.34	3	Vertical	360	1.00	34.62	24.00	1.99	28.33

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6265MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	61.04M	24.85	40.00	-15.15	-15.28	3	Horizontal	0	1.00	40.13	11.48	0.58	27.34
PK	79.47M	25.90	40.00	-14.10	-14.41	3	Horizontal	0	1.00	40.31	12.20	0.68	27.29
PK	107.6M	31.30	43.50	-12.20	-9.92	3	Horizontal	0	1.00	41.22	16.51	0.79	27.22
PK	142.52M	24.58	43.50	-18.92	-10.20	3	Horizontal	0	1.00	34.78	15.98	0.91	27.09
PK	302.57M	26.36	46.00	-19.64	-7.00	3	Horizontal	0	1.00	33.36	18.37	1.32	26.69
PK	703.18M	34.52	46.00	-11.48	-2.34	3	Horizontal	0	1.00	36.86	24.00	1.99	28.33



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	12.38136G	38.84	54.00	-15.16	3	Horizontal	304	1.46
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	11.91284G	38.21	54.00	-15.79	3	Horizontal	20	2.80
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.9245G	54.92	68.20	-13.28	3	Vertical	222	2.03
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.925G	58.49	68.20	-9.71	3	Vertical	211	2.18
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	5.9235G	60.83	68.20	-7.37	3	Vertical	209	2.18
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	AV	5.925G	56.30	68.20	-11.90	3	Vertical	212	2.60
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	13.39378G	40.51	54.00	-13.49	3	Vertical	286	1.05
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	13.3985G	40.08	54.00	-13.92	3	Vertical	193	2.74
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	13.3766G	40.12	54.00	-13.88	3	Vertical	106	2.19
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	PK	13.25084G	49.89	74.00	-24.11	3	Horizontal	185	1.50
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	13.33424G	41.61	54.00	-12.39	3	Vertical	80	1.93

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	46.69	68.20	-21.51	3	Vertical	230	2.30
5955MHz	Pass	AV	5.9616G	102.41	Inf	-Inf	3	Vertical	230	2.30
5955MHz	Pass	PK	5.9241G	62.94	88.20	-25.26	3	Vertical	230	2.30
5955MHz	Pass	PK	5.9592G	110.53	Inf	-Inf	3	Vertical	230	2.30
5955MHz	Pass	PK	11.90806G	48.50	74.00	-25.50	3	Vertical	198	2.00
5955MHz	Pass	AV	11.9111G	38.66	54.00	-15.34	3	Vertical	198	2.00
5955MHz	Pass	PK	11.9089G	47.58	74.00	-26.42	3	Horizontal	229	1.35
5955MHz	Pass	AV	11.90154G	38.61	54.00	-15.39	3	Horizontal	229	1.35
6195MHz	Pass	PK	12.39844G	47.87	74.00	-26.13	3	Vertical	46	1.78
6195MHz	Pass	AV	12.39166G	38.65	54.00	-15.35	3	Vertical	46	1.78
6195MHz	Pass	PK	12.38184G	47.02	74.00	-26.98	3	Horizontal	304	1.46
6195MHz	Pass	AV	12.38136G	38.84	54.00	-15.16	3	Horizontal	304	1.46
6415MHz	Pass	PK	12.83652G	49.00	88.20	-39.20	3	Vertical	83	2.23
6415MHz	Pass	AV	12.83354G	40.12	68.20	-28.08	3	Vertical	83	2.23
6415MHz	Pass	PK	12.82788G	49.05	88.20	-39.15	3	Horizontal	237	2.23
6415MHz	Pass	AV	12.82146G	39.97	68.20	-28.23	3	Horizontal	237	2.23
6535MHz	Pass	PK	13.07292G	49.42	88.20	-38.78	3	Vertical	193	1.56
6535MHz	Pass	AV	13.06594G	39.90	68.20	-28.30	3	Vertical	193	1.56
6535MHz	Pass	PK	13.06508G	49.53	88.20	-38.67	3	Horizontal	51	1.88
6535MHz	Pass	AV	13.06722G	39.93	68.20	-28.27	3	Horizontal	51	1.88
6695MHz	Pass	PK	13.39938G	51.27	74.00	-22.73	3	Vertical	286	1.05
6695MHz	Pass	AV	13.39378G	40.51	54.00	-13.49	3	Vertical	286	1.05
6695MHz	Pass	PK	13.39296G	50.42	74.00	-23.58	3	Horizontal	108	1.30
6695MHz	Pass	AV	13.39538G	40.39	54.00	-13.61	3	Horizontal	108	1.30
6855MHz	Pass	PK	13.70152G	49.88	88.20	-38.32	3	Vertical	27	2.86
6855MHz	Pass	AV	13.71264G	41.42	68.20	-26.78	3	Vertical	27	2.86
6855MHz	Pass	PK	13.70728G	50.06	88.20	-38.14	3	Horizontal	188	2.45
6855MHz	Pass	AV	13.71296G	41.21	68.20	-26.99	3	Horizontal	188	2.45
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9247G	50.42	68.20	-17.78	3	Vertical	231	2.32
5955MHz	Pass	AV	5.9634G	101.71	Inf	-Inf	3	Vertical	231	2.32
5955MHz	Pass	PK	5.9238G	66.67	88.20	-21.53	3	Vertical	231	2.32
5955MHz	Pass	PK	5.9628G	112.84	Inf	-Inf	3	Vertical	231	2.32
5955MHz	Pass	PK	11.90836G	47.37	74.00	-26.63	3	Vertical	77	1.47
5955MHz	Pass	AV	11.91308G	38.20	54.00	-15.80	3	Vertical	77	1.47
5955MHz	Pass	PK	11.91702G	48.00	74.00	-26.00	3	Horizontal	20	2.80
5955MHz	Pass	AV	11.91284G	38.21	54.00	-15.79	3	Horizontal	20	2.80
6195MHz	Pass	PK	12.39042G	47.66	74.00	-26.34	3	Vertical	104	2.63
6195MHz	Pass	AV	12.3826G	38.09	54.00	-15.91	3	Vertical	104	2.63
6195MHz	Pass	PK	12.3917G	47.02	74.00	-26.98	3	Horizontal	100	2.46
6195MHz	Pass	AV	12.38574G	38.11	54.00	-15.89	3	Horizontal	100	2.46
6415MHz	Pass	PK	12.83062G	49.41	88.20	-38.79	3	Vertical	60	1.95
6415MHz	Pass	AV	12.83822G	39.59	68.20	-28.61	3	Vertical	60	1.95
6415MHz	Pass	PK	12.83186G	50.87	88.20	-37.33	3	Horizontal	244	1.16
6415MHz	Pass	AV	12.83876G	39.53	68.20	-28.67	3	Horizontal	244	1.16
6535MHz	Pass	PK	13.07826G	49.87	88.20	-38.33	3	Vertical	328	2.53
6535MHz	Pass	AV	13.0678G	39.43	68.20	-28.77	3	Vertical	328	2.53
6535MHz	Pass	PK	13.06058G	48.75	88.20	-39.45	3	Horizontal	350	3.00
6535MHz	Pass	AV	13.06828G	39.39	68.20	-28.81	3	Horizontal	350	3.00
6695MHz	Pass	PK	13.38956G	50.82	74.00	-23.18	3	Vertical	193	2.74
6695MHz	Pass	AV	13.3985G	40.08	54.00	-13.92	3	Vertical	193	2.74
6695MHz	Pass	PK	13.3838G	50.12	74.00	-23.88	3	Horizontal	94	2.81
6695MHz	Pass	AV	13.39832G	39.98	54.00	-14.02	3	Horizontal	94	2.81
6855MHz	Pass	PK	13.7047G	51.08	88.20	-37.12	3	Vertical	128	1.45
6855MHz	Pass	AV	13.7153G	40.88	68.20	-27.32	3	Vertical	128	1.45
6855MHz	Pass	PK	13.70774G	50.78	88.20	-37.42	3	Horizontal	122	1.66
6855MHz	Pass	AV	13.71156G	40.70	68.20	-27.50	3	Horizontal	122	1.66
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9245G	54.92	68.20	-13.28	3	Vertical	222	2.03
5965MHz	Pass	AV	5.9782G	98.62	Inf	-Inf	3	Vertical	222	2.03



RSE TX above 1GHz Non-Beamforming Radio 3_1T1S_SPAP Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5965MHz	Pass	PK	5.9245G	73.70	88.20	-14.50	3	Vertical	222	2.03
5965MHz	Pass	PK	5.9677G	109.94	Inf	-Inf	3	Vertical	222	2.03
5965MHz	Pass	PK	11.93264G	47.95	74.00	-26.05	3	Vertical	282	1.97
5965MHz	Pass	AV	11.92974G	37.93	54.00	-16.07	3	Vertical	282	1.97
5965MHz	Pass	PK	11.93506G	46.89	74.00	-27.11	3	Horizontal	197	2.67
5965MHz	Pass	AV	11.93038G	37.91	54.00	-16.09	3	Horizontal	197	2.67
6205MHz	Pass	PK	12.4017G	48.35	74.00	-25.65	3	Vertical	25	1.81
6205MHz	Pass	AV	12.41576G	38.09	54.00	-15.91	3	Vertical	25	1.81
6205MHz	Pass	PK	12.40996G	48.41	74.00	-25.59	3	Horizontal	337	2.25
6205MHz	Pass	AV	12.4175G	38.10	54.00	-15.90	3	Horizontal	337	2.25
6405MHz	Pass	PK	12.8171G	50.24	88.20	-37.96	3	Vertical	123	1.09
6405MHz	Pass	AV	12.80496G	39.54	68.20	-28.66	3	Vertical	123	1.09
6405MHz	Pass	PK	12.80848G	49.70	88.20	-38.50	3	Horizontal	4	2.70
6405MHz	Pass	AV	12.80936G	39.51	68.20	-28.69	3	Horizontal	4	2.70
6565MHz	Pass	PK	13.13198G	49.09	88.20	-39.11	3	Vertical	179	2.93
6565MHz	Pass	AV	13.13664G	39.68	68.20	-28.52	3	Vertical	179	2.93
6565MHz	Pass	PK	13.1317G	49.08	88.20	-39.12	3	Horizontal	152	1.43
6565MHz	Pass	AV	13.13402G	39.62	68.20	-28.58	3	Horizontal	152	1.43
6685MHz	Pass	PK	13.36944G	49.82	74.00	-24.18	3	Vertical	106	2.19
6685MHz	Pass	AV	13.3766G	40.12	54.00	-13.88	3	Vertical	106	2.19
6685MHz	Pass	PK	13.36604G	49.95	74.00	-24.05	3	Horizontal	284	1.63
6685MHz	Pass	AV	13.37846G	39.98	54.00	-14.02	3	Horizontal	284	1.63
6845MHz	Pass	PK	13.69932G	50.75	88.20	-37.45	3	Vertical	194	1.00
6845MHz	Pass	AV	13.68024G	40.91	68.20	-27.29	3	Vertical	194	1.00
6845MHz	Pass	PK	13.68386G	51.64	88.20	-36.56	3	Horizontal	90	2.96
6845MHz	Pass	AV	13.68008G	40.78	68.20	-27.42	3	Horizontal	90	2.96
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	58.49	68.20	-9.71	3	Vertical	211	2.18
5985MHz	Pass	AV	5.9915G	96.45	Inf	-Inf	3	Vertical	211	2.18
5985MHz	Pass	PK	5.919G	73.11	88.20	-15.09	3	Vertical	211	2.18
5985MHz	Pass	PK	5.995G	107.48	Inf	-Inf	3	Vertical	211	2.18
5985MHz	Pass	AV	11.964G	39.06	54.00	-14.94	3	Vertical	279	1.50
5985MHz	Pass	PK	11.98344G	48.47	74.00	-25.53	3	Vertical	279	1.50
5985MHz	Pass	AV	11.9622G	39.04	54.00	-14.96	3	Horizontal	156	2.04
5985MHz	Pass	PK	11.97588G	48.62	74.00	-25.38	3	Horizontal	156	2.04
6225MHz	Pass	AV	12.43964G	40.12	54.00	-13.88	3	Vertical	148	1.31
6225MHz	Pass	PK	12.44704G	49.08	74.00	-24.92	3	Vertical	148	1.31
6225MHz	Pass	AV	12.46004G	39.68	54.00	-14.32	3	Horizontal	344	1.50
6225MHz	Pass	PK	12.46144G	49.29	74.00	-24.71	3	Horizontal	344	1.50
6385MHz	Pass	AV	12.78572G	40.73	68.20	-27.47	3	Vertical	297	1.50
6385MHz	Pass	PK	12.75928G	49.66	88.20	-38.54	3	Vertical	297	1.50
6385MHz	Pass	AV	12.78896G	40.65	68.20	-27.55	3	Horizontal	162	1.50
6385MHz	Pass	PK	12.77812G	49.05	88.20	-39.15	3	Horizontal	162	1.50
6625MHz	Pass	AV	13.2478G	42.61	68.20	-25.59	3	Vertical	78	2.88
6625MHz	Pass	PK	13.24264G	51.91	88.20	-36.29	3	Vertical	78	2.88
6625MHz	Pass	AV	13.23416G	40.92	68.20	-27.28	3	Horizontal	185	1.50
6625MHz	Pass	PK	13.25084G	49.89	74.00	-24.11	3	Horizontal	185	1.50
6705MHz	Pass	AV	13.41352G	42.37	68.20	-25.83	3	Vertical	76	1.21
6705MHz	Pass	PK	13.4118G	50.42	88.20	-37.78	3	Vertical	76	1.21
6705MHz	Pass	AV	13.41208G	41.16	68.20	-27.04	3	Horizontal	128	2.49
6705MHz	Pass	PK	13.42976G	49.84	88.20	-38.36	3	Horizontal	128	2.49
6785MHz	Pass	AV	13.55572G	42.56	68.20	-25.64	3	Vertical	208	1.40
6785MHz	Pass	PK	13.56808G	51.84	88.20	-36.36	3	Vertical	208	1.40
6785MHz	Pass	AV	13.5618G	42.16	68.20	-26.04	3	Horizontal	184	1.73
6785MHz	Pass	PK	13.57056G	50.30	88.20	-37.90	3	Horizontal	184	1.73
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9235G	60.83	68.20	-7.37	3	Vertical	209	2.18
6025MHz	Pass	AV	5.993G	94.15	Inf	-Inf	3	Vertical	209	2.18
6025MHz	Pass	PK	5.9245G	73.97	88.20	-14.23	3	Vertical	209	2.18
6025MHz	Pass	PK	5.9885G	104.77	Inf	-Inf	3	Vertical	209	2.18
6025MHz	Pass	AV	12.04176G	39.45	54.00	-14.55	3	Vertical	39	2.65
6025MHz	Pass	PK	12.02984G	48.78	74.00	-25.22	3	Vertical	39	2.65




RSE TX above 1GHz Non-Beamforming Radio 3_1T1S_SPAP Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6025MHz	Pass	AV	12.0104G	39.15	54.00	-14.85	3	Horizontal	287	1.50
6025MHz	Pass	PK	12.01288G	47.23	74.00	-26.77	3	Horizontal	287	1.50
6185MHz	Pass	AV	12.3556G	39.73	54.00	-14.27	3	Vertical	266	1.50
6185MHz	Pass	PK	12.36368G	48.76	74.00	-25.24	3	Vertical	266	1.50
6185MHz	Pass	AV	12.35712G	39.73	54.00	-14.27	3	Horizontal	77	1.50
6185MHz	Pass	PK	12.36952G	47.99	74.00	-26.01	3	Horizontal	77	1.50
6345MHz	Pass	AV	12.72464G	40.23	68.20	-27.97	3	Vertical	330	1.50
6345MHz	Pass	PK	12.69816G	48.90	74.00	-25.10	3	Vertical	330	1.50
6345MHz	Pass	AV	12.72472G	40.24	68.20	-27.96	3	Horizontal	51	1.50
6345MHz	Pass	PK	12.66816G	49.13	74.00	-24.87	3	Horizontal	51	1.50
6665MHz	Pass	AV	13.33424G	41.61	54.00	-12.39	3	Vertical	80	1.93
6665MHz	Pass	PK	13.34616G	50.55	74.00	-23.45	3	Vertical	80	1.93
6665MHz	Pass	AV	13.36992G	40.87	54.00	-13.13	3	Horizontal	259	1.50
6665MHz	Pass	PK	13.36304G	50.65	74.00	-23.35	3	Horizontal	259	1.50
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	56.30	68.20	-11.90	3	Vertical	212	2.60
6105MHz	Pass	AV	5.997G	91.80	Inf	-Inf	3	Vertical	212	2.60
6105MHz	Pass	PK	5.924G	71.30	88.20	-16.90	3	Vertical	212	2.60
6105MHz	Pass	PK	5.997G	103.24	Inf	-Inf	3	Vertical	212	2.60
6105MHz	Pass	AV	12.27928G	39.68	54.00	-14.32	3	Vertical	254	1.08
6105MHz	Pass	PK	12.2444G	48.57	74.00	-25.43	3	Vertical	254	1.08
6105MHz	Pass	AV	12.27736G	39.71	54.00	-14.29	3	Horizontal	226	1.43
6105MHz	Pass	PK	12.2564G	48.17	74.00	-25.83	3	Horizontal	226	1.43
6265MHz	Pass	AV	12.50264G	39.68	54.00	-14.32	3	Vertical	187	1.90
6265MHz	Pass	PK	12.55288G	50.29	74.00	-23.71	3	Vertical	187	1.90
6265MHz	Pass	AV	12.51928G	39.66	54.00	-14.34	3	Horizontal	12	1.50
6265MHz	Pass	PK	12.58616G	48.66	74.00	-25.34	3	Horizontal	12	1.50
6425MHz	Pass	AV	12.90424G	40.94	68.20	-27.26	3	Vertical	181	2.85
6425MHz	Pass	PK	12.79896G	49.40	88.20	-38.80	3	Vertical	181	2.85
6425MHz	Pass	AV	12.90232G	40.87	68.20	-27.33	3	Horizontal	297	1.50
6425MHz	Pass	PK	12.85608G	50.19	88.20	-38.01	3	Horizontal	297	1.50


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_1TX

6195MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_1TX

6195MHz_TX



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9247G	50.42	68.20	-17.78	1.89	3	Vertical	231	2.32	48.53	34.55	5.18	37.84
AV	5.9634G	101.71	Inf	-Inf	1.93	3	Vertical	231	2.32	99.78	34.50	5.24	37.81
PK	5.9238G	66.67	88.20	-21.53	1.89	3	Vertical	231	2.32	64.78	34.55	5.18	37.84
PK	5.9628G	112.84	Inf	-Inf	1.92	3	Vertical	231	2.32	110.92	34.50	5.23	37.81

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	11.90836G	47.37	74.00	-26.63	9.53	3	Vertical	77	1.47	37.84	39.12	8.35	37.94
AV	11.91308G	38.20	54.00	-15.80	9.55	3	Vertical	77	1.47	28.65	39.13	8.36	37.94


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	58.49	68.20	-9.71	1.89	3	Vertical	211	2.18	56.60	34.55	5.18	37.84
AV	5.9915G	96.45	Inf	-Inf	1.99	3	Vertical	211	2.18	94.46	34.50	5.28	37.79
PK	5.919G	73.11	88.20	-15.09	1.88	3	Vertical	211	2.18	71.23	34.56	5.17	37.85
PK	5.995G	107.48	Inf	-Inf	2.00	3	Vertical	211	2.18	105.48	34.50	5.28	37.78

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.964G	39.06	54.00	-14.94	9.65	3	Vertical	279	1.50	29.41	39.23	8.38	37.96
PK	11.98344G	48.47	74.00	-25.53	9.69	3	Vertical	279	1.50	38.78	39.27	8.39	37.97


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6025MHz_TX






5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	56.30	68.20	-11.90	1.89	3	Vertical	212	2.60	54.41	34.55	5.18	37.84
AV	5.997G	91.80	Inf	-Inf	2.01	3	Vertical	212	2.60	89.79	34.50	5.29	37.78
PK	5.924G	71.30	88.20	-16.90	1.89	3	Vertical	212	2.60	69.41	34.55	5.18	37.84
PK	5.997G	103.24	Inf	-Inf	2.01	3	Vertical	212	2.60	101.23	34.50	5.29	37.78

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.27928G	39.68	54.00	-14.32	9.80	3	Vertical	254	1.08	29.88	39.34	8.56	38.10
PK	12.2444G	48.57	74.00	-25.43	9.87	3	Vertical	254	1.08	38.70	39.41	8.54	38.08


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_1TX

6695MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_1TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	13.36992G	40.87	54.00	-13.13	10.83	3	Horizontal	259	1.50	30.04	40.30	9.17	38.64				
PK	13.36304G	50.65	74.00	-23.35	10.82	3	Horizontal	259	1.50	39.83	40.30	9.16	38.64				



RSE TX below 1GHz_Non-Beamforming_Radio 3_2T1S_SPAP Appendix E.7

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	PK	32.91M	30.62	40.00	-9.38	3	Vertical	360	1.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6265MHz	Pass	PK	32.91M	30.62	40.00	-9.38	3	Vertical	360	1.00
6265MHz	Pass	PK	61.04M	28.56	40.00	-11.44	3	Vertical	360	1.00
6265MHz	Pass	PK	89.17M	27.90	43.50	-15.60	3	Vertical	360	1.00
6265MHz	Pass	PK	271.53M	25.69	46.00	-20.31	3	Vertical	360	1.00
6265MHz	Pass	PK	302.57M	24.47	46.00	-21.53	3	Vertical	360	1.00
6265MHz	Pass	PK	671.17M	33.20	46.00	-12.80	3	Vertical	360	1.00
6265MHz	Pass	PK	61.04M	22.20	40.00	-17.80	3	Horizontal	0	1.00
6265MHz	Pass	PK	86.26M	24.97	40.00	-15.03	3	Horizontal	0	1.00
6265MHz	Pass	PK	107.6M	32.70	43.50	-10.80	3	Horizontal	0	1.00
6265MHz	Pass	PK	142.52M	24.28	43.50	-19.22	3	Horizontal	0	1.00
6265MHz	Pass	PK	271.53M	24.40	46.00	-21.60	3	Horizontal	0	1.00
6265MHz	Pass	PK	671.17M	30.48	46.00	-15.52	3	Horizontal	0	1.00

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6265MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	32.91M	30.62	40.00	-9.38	-4.98	3	Vertical	360	1.00	35.60	21.97	0.43	27.38
PK	61.04M	28.56	40.00	-11.44	-15.28	3	Vertical	360	1.00	43.84	11.48	0.58	27.34
PK	89.17M	27.90	43.50	-15.60	-12.63	3	Vertical	360	1.00	40.53	13.92	0.71	27.26
PK	271.53M	25.69	46.00	-20.31	-7.50	3	Vertical	360	1.00	33.19	17.90	1.25	26.65
PK	302.57M	24.47	46.00	-21.53	-7.00	3	Vertical	360	1.00	31.47	18.37	1.32	26.69
PK	671.17M	33.20	46.00	-12.80	-2.38	3	Vertical	360	1.00	35.58	24.07	1.95	28.40

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	61.04M	22.20	40.00	-17.80	-15.28	3	Horizontal	0	1.00	37.48	11.48	0.58	27.34
PK	86.26M	24.97	40.00	-15.03	-13.13	3	Horizontal	0	1.00	38.10	13.45	0.69	27.27
PK	107.6M	32.70	43.50	-10.80	-9.92	3	Horizontal	0	1.00	42.62	16.51	0.79	27.22
PK	142.52M	24.28	43.50	-19.22	-10.20	3	Horizontal	0	1.00	34.48	15.98	0.91	27.09
PK	271.53M	24.40	46.00	-21.60	-7.50	3	Horizontal	0	1.00	31.90	17.90	1.25	26.65
PK	671.17M	30.48	46.00	-15.52	-2.38	3	Horizontal	0	1.00	32.86	24.07	1.95	28.40



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	12.38868G	43.97	54.00	-10.03	3	Vertical	227	2.03
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	12.38937G	43.84	54.00	-10.16	3	Vertical	227	2.12
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.9248G	60.31	68.20	-7.89	3	Vertical	210	2.64
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.9245G	64.72	68.20	-3.48	3	Vertical	206	2.52
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.9245G	66.39	68.20	-1.81	3	Vertical	209	2.67
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	5.925G	61.67	68.20	-6.53	3	Vertical	206	2.55
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	13.3891G	48.68	54.00	-5.32	3	Vertical	166	1.31
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	13.38955G	48.13	54.00	-5.87	3	Vertical	166	1.20
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	13.36952G	46.26	54.00	-7.74	3	Vertical	166	1.19
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	13.25426G	45.13	54.00	-8.87	3	Vertical	203	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.32932G	43.96	54.00	-10.04	3	Vertical	168	1.08

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	49.11	68.20	-19.09	3	Vertical	206	2.22
5955MHz	Pass	AV	5.9595G	105.15	Inf	-Inf	3	Vertical	206	2.22
5955MHz	Pass	PK	5.9238G	67.81	88.20	-20.39	3	Vertical	206	2.22
5955MHz	Pass	PK	5.9589G	112.98	Inf	-Inf	3	Vertical	206	2.22
5955MHz	Pass	AV	11.91261G	42.57	54.00	-11.43	3	Vertical	39	2.25
5955MHz	Pass	PK	11.9067G	53.33	74.00	-20.67	3	Vertical	39	2.25
5955MHz	Pass	AV	11.9118G	39.24	54.00	-14.76	3	Horizontal	210	1.50
5955MHz	Pass	PK	11.92401G	49.38	74.00	-24.62	3	Horizontal	210	1.50
6195MHz	Pass	AV	12.38858G	43.97	54.00	-10.03	3	Vertical	227	2.03
6195MHz	Pass	PK	12.38748G	53.28	74.00	-20.72	3	Vertical	227	2.03
6195MHz	Pass	AV	12.38775G	39.37	54.00	-14.63	3	Horizontal	360	2.93
6195MHz	Pass	PK	12.39372G	48.91	74.00	-25.09	3	Horizontal	360	2.93
6415MHz	Pass	AV	12.83138G	41.26	68.20	-26.94	3	Vertical	171	2.05
6415MHz	Pass	PK	12.83867G	50.93	88.20	-37.27	3	Vertical	171	2.05
6415MHz	Pass	AV	12.84428G	40.07	68.20	-28.13	3	Horizontal	32	2.58
6415MHz	Pass	PK	12.83372G	50.57	88.20	-37.63	3	Horizontal	32	2.58
6535MHz	Pass	AV	13.07339G	44.53	68.20	-23.67	3	Vertical	31	1.49
6535MHz	Pass	PK	13.07333G	52.86	88.20	-35.34	3	Vertical	31	1.49
6535MHz	Pass	AV	13.06859G	42.21	68.20	-25.99	3	Horizontal	31	3.00
6535MHz	Pass	PK	13.07828G	50.76	88.20	-37.44	3	Horizontal	31	3.00
6695MHz	Pass	AV	13.3891G	48.68	54.00	-5.32	3	Vertical	166	1.31
6695MHz	Pass	PK	13.38934G	58.08	74.00	-15.92	3	Vertical	166	1.31
6695MHz	Pass	AV	13.39132G	43.75	54.00	-10.25	3	Horizontal	227	1.08
6695MHz	Pass	PK	13.38601G	52.71	74.00	-21.29	3	Horizontal	227	1.08
6855MHz	Pass	AV	13.70997G	46.15	68.20	-22.05	3	Vertical	162	1.41
6855MHz	Pass	PK	13.71018G	55.45	88.20	-32.75	3	Vertical	162	1.41
6855MHz	Pass	AV	13.71051G	43.47	68.20	-24.73	3	Horizontal	223	2.23
6855MHz	Pass	PK	13.70994G	53.29	88.20	-34.91	3	Horizontal	223	2.23
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9247G	53.78	68.20	-14.42	3	Vertical	210	2.53
5955MHz	Pass	AV	5.9622G	105.79	Inf	-Inf	3	Vertical	210	2.53
5955MHz	Pass	PK	5.9241G	72.04	88.20	-16.16	3	Vertical	210	2.53
5955MHz	Pass	PK	5.9595G	115.46	Inf	-Inf	3	Vertical	210	2.53
5955MHz	Pass	AV	11.91132G	41.93	54.00	-12.07	3	Vertical	39	2.20
5955MHz	Pass	PK	11.9118G	52.00	74.00	-22.00	3	Vertical	39	2.20
5955MHz	Pass	AV	11.91138G	39.53	54.00	-14.47	3	Horizontal	192	1.00
5955MHz	Pass	PK	11.91897G	48.85	74.00	-25.15	3	Horizontal	192	1.00
6195MHz	Pass	AV	12.38937G	43.84	54.00	-10.16	3	Vertical	227	2.12
6195MHz	Pass	PK	12.38424G	52.99	74.00	-21.01	3	Vertical	227	2.12
6195MHz	Pass	AV	12.38925G	39.14	54.00	-14.86	3	Horizontal	197	2.23
6195MHz	Pass	PK	12.39921G	49.56	74.00	-24.44	3	Horizontal	197	2.23
6415MHz	Pass	AV	12.83024G	42.53	68.20	-25.67	3	Vertical	180	2.96
6415MHz	Pass	PK	12.82733G	51.25	88.20	-36.95	3	Vertical	180	2.96
6415MHz	Pass	AV	12.83471G	40.07	68.20	-28.13	3	Horizontal	315	1.01
6415MHz	Pass	PK	12.82931G	49.81	88.20	-38.39	3	Horizontal	315	1.01
6535MHz	Pass	AV	13.06937G	44.69	68.20	-23.51	3	Vertical	36	2.19
6535MHz	Pass	PK	13.07918G	53.29	88.20	-34.91	3	Vertical	36	2.19
6535MHz	Pass	AV	13.06934G	42.44	68.20	-25.76	3	Horizontal	31	1.27
6535MHz	Pass	PK	13.07396G	52.68	88.20	-35.52	3	Horizontal	31	1.27
6695MHz	Pass	AV	13.38955G	48.13	54.00	-5.87	3	Vertical	166	1.20
6695MHz	Pass	PK	13.39438G	57.18	74.00	-16.82	3	Vertical	166	1.20
6695MHz	Pass	AV	13.39063G	43.30	54.00	-10.70	3	Horizontal	227	1.00
6695MHz	Pass	PK	13.39573G	52.91	74.00	-21.09	3	Horizontal	227	1.00
6855MHz	Pass	AV	13.71027G	45.49	68.20	-22.71	3	Vertical	353	1.61
6855MHz	Pass	PK	13.7073G	54.91	88.20	-33.29	3	Vertical	353	1.61
6855MHz	Pass	AV	13.7106G	42.69	68.20	-25.51	3	Horizontal	38	2.81
6855MHz	Pass	PK	13.71321G	51.98	88.20	-36.22	3	Horizontal	38	2.81
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	60.31	68.20	-7.89	3	Vertical	210	2.64
5965MHz	Pass	AV	5.9821G	103.62	Inf	-Inf	3	Vertical	210	2.64

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5965MHz	Pass	PK	5.9245G	79.10	88.20	-9.10	3	Vertical	210	2.64
5965MHz	Pass	PK	5.9773G	113.45	Inf	-Inf	3	Vertical	210	2.64
5965MHz	Pass	AV	11.92868G	39.86	54.00	-14.14	3	Vertical	40	2.09
5965MHz	Pass	PK	11.90198G	49.33	74.00	-24.67	3	Vertical	40	2.09
5965MHz	Pass	AV	11.91302G	38.45	54.00	-15.55	3	Horizontal	208	1.12
5965MHz	Pass	PK	11.91512G	49.01	74.00	-24.99	3	Horizontal	208	1.12
6205MHz	Pass	AV	12.40928G	41.11	54.00	-12.89	3	Vertical	226	2.09
6205MHz	Pass	PK	12.40472G	49.47	74.00	-24.53	3	Vertical	226	2.09
6205MHz	Pass	AV	12.38636G	38.89	54.00	-15.11	3	Horizontal	198	1.50
6205MHz	Pass	PK	12.38108G	48.41	74.00	-25.59	3	Horizontal	198	1.50
6405MHz	Pass	AV	12.8079G	41.54	68.20	-26.66	3	Vertical	180	2.95
6405MHz	Pass	PK	12.80598G	51.73	88.20	-36.47	3	Vertical	180	2.95
6405MHz	Pass	AV	12.80454G	40.24	68.20	-27.96	3	Horizontal	68	2.67
6405MHz	Pass	PK	12.83472G	50.83	88.20	-37.37	3	Horizontal	68	2.67
6565MHz	Pass	AV	13.1315G	44.87	68.20	-23.33	3	Vertical	36	1.72
6565MHz	Pass	PK	13.13162G	52.74	88.20	-35.46	3	Vertical	36	1.72
6565MHz	Pass	AV	13.13654G	42.91	68.20	-25.29	3	Horizontal	91	2.17
6565MHz	Pass	PK	13.13402G	51.00	88.20	-37.20	3	Horizontal	91	2.17
6685MHz	Pass	AV	13.36952G	46.26	54.00	-7.74	3	Vertical	166	1.19
6685MHz	Pass	PK	13.37444G	54.09	74.00	-19.91	3	Vertical	166	1.19
6685MHz	Pass	AV	13.37552G	42.01	54.00	-11.99	3	Horizontal	227	1.03
6685MHz	Pass	PK	13.3754G	51.08	74.00	-22.92	3	Horizontal	227	1.03
6845MHz	Pass	AV	13.68538G	44.16	68.20	-24.04	3	Vertical	355	1.95
6845MHz	Pass	PK	13.69096G	53.05	88.20	-35.15	3	Vertical	355	1.95
6845MHz	Pass	AV	13.68268G	42.05	68.20	-26.15	3	Horizontal	197	1.39
6845MHz	Pass	PK	13.7095G	51.33	88.20	-36.87	3	Horizontal	197	1.39
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9245G	64.72	68.20	-3.48	3	Vertical	206	2.52
5985MHz	Pass	AV	5.9975G	100.70	Inf	-Inf	3	Vertical	206	2.52
5985MHz	Pass	PK	5.925G	77.17	88.20	-11.03	3	Vertical	206	2.52
5985MHz	Pass	PK	5.987G	110.81	Inf	-Inf	3	Vertical	206	2.52
5985MHz	Pass	AV	11.94612G	38.60	54.00	-15.40	3	Vertical	40	1.50
5985MHz	Pass	PK	12.02856G	49.32	74.00	-24.68	3	Vertical	40	1.50
5985MHz	Pass	AV	11.94384G	38.20	54.00	-15.80	3	Horizontal	246	2.03
5985MHz	Pass	PK	11.97372G	48.55	74.00	-25.45	3	Horizontal	246	2.03
6225MHz	Pass	AV	12.43404G	39.69	54.00	-14.31	3	Vertical	202	2.83
6225MHz	Pass	PK	12.5052G	48.84	74.00	-25.16	3	Vertical	202	2.83
6225MHz	Pass	AV	12.50964G	39.07	54.00	-14.93	3	Horizontal	55	1.27
6225MHz	Pass	PK	12.45972G	49.50	74.00	-24.50	3	Horizontal	55	1.27
6385MHz	Pass	AV	12.75512G	40.75	68.20	-27.45	3	Vertical	164	2.07
6385MHz	Pass	PK	12.71348G	49.79	88.20	-38.41	3	Vertical	164	2.07
6385MHz	Pass	AV	12.80756G	40.07	68.20	-28.13	3	Horizontal	224	1.50
6385MHz	Pass	PK	12.782G	49.64	88.20	-38.56	3	Horizontal	224	1.50
6625MHz	Pass	AV	13.25426G	45.13	54.00	-8.87	3	Vertical	203	1.50
6625MHz	Pass	PK	13.25231G	56.45	74.00	-17.55	3	Vertical	203	1.50
6625MHz	Pass	AV	13.25146G	41.79	54.00	-12.21	3	Horizontal	93	1.02
6625MHz	Pass	PK	13.25152G	53.55	74.00	-20.45	3	Horizontal	93	1.02
6705MHz	Pass	AV	13.40976G	43.20	68.20	-25.00	3	Vertical	168	1.00
6705MHz	Pass	PK	13.43052G	53.19	88.20	-35.01	3	Vertical	168	1.00
6705MHz	Pass	AV	13.43064G	40.99	68.20	-27.21	3	Horizontal	92	2.60
6705MHz	Pass	PK	13.43796G	50.68	88.20	-37.52	3	Horizontal	92	2.60
6785MHz	Pass	AV	13.56052G	43.77	68.20	-24.43	3	Vertical	109	1.38
6785MHz	Pass	PK	13.55824G	53.04	88.20	-35.16	3	Vertical	109	1.38
6785MHz	Pass	AV	13.55368G	42.23	68.20	-25.97	3	Horizontal	341	1.32
6785MHz	Pass	PK	13.52668G	51.93	88.20	-36.27	3	Horizontal	341	1.32
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9245G	66.39	68.20	-1.81	3	Vertical	209	2.67
6025MHz	Pass	AV	6G	99.06	Inf	-Inf	3	Vertical	209	2.67
6025MHz	Pass	PK	5.925G	74.41	88.20	-13.79	3	Vertical	209	2.67
6025MHz	Pass	PK	5.995G	107.94	Inf	-Inf	3	Vertical	209	2.67
6025MHz	Pass	AV	12.05628G	39.89	54.00	-14.11	3	Vertical	50	2.66
6025MHz	Pass	PK	12.04776G	49.66	74.00	-24.34	3	Vertical	50	2.66




RSE TX above 1GHz Non-Beamforming Radio 3 2T1S SPAP Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6025MHz	Pass	AV	12.05448G	39.48	54.00	-14.52	3	Horizontal	157	1.50
6025MHz	Pass	PK	12.05416G	48.88	74.00	-25.12	3	Horizontal	157	1.50
6185MHz	Pass	AV	12.36186G	40.24	54.00	-13.76	3	Vertical	228	2.03
6185MHz	Pass	PK	12.3694G	49.51	74.00	-24.49	3	Vertical	228	2.03
6185MHz	Pass	AV	12.36042G	39.44	54.00	-14.56	3	Horizontal	92	2.14
6185MHz	Pass	PK	12.3794G	49.04	74.00	-24.96	3	Horizontal	92	2.14
6345MHz	Pass	AV	12.69266G	40.34	54.00	-13.66	3	Vertical	75	1.50
6345MHz	Pass	PK	12.68476G	50.25	74.00	-23.75	3	Vertical	75	1.50
6345MHz	Pass	AV	12.69268G	40.32	54.00	-13.68	3	Horizontal	124	2.51
6345MHz	Pass	PK	12.69748G	51.57	74.00	-22.43	3	Horizontal	124	2.51
6665MHz	Pass	AV	13.32932G	43.96	54.00	-10.04	3	Vertical	168	1.08
6665MHz	Pass	PK	13.32196G	53.15	74.00	-20.85	3	Vertical	168	1.08
6665MHz	Pass	AV	13.33254G	41.05	54.00	-12.95	3	Horizontal	214	1.50
6665MHz	Pass	PK	13.3281G	51.10	74.00	-22.90	3	Horizontal	214	1.50
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	PK	5.923G	72.23	88.20	-15.97	3	Vertical	206	2.55
6105MHz	Pass	AV	5.925G	61.67	68.20	-6.53	3	Vertical	206	2.55
6105MHz	Pass	PK	6.21G	105.10	Inf	-Inf	3	Vertical	206	2.55
6105MHz	Pass	AV	6.245G	95.27	Inf	-Inf	3	Vertical	206	2.55
6105MHz	Pass	AV	12.21096G	39.77	54.00	-14.23	3	Vertical	360	2.04
6105MHz	Pass	PK	12.20748G	49.89	74.00	-24.11	3	Vertical	360	2.04
6105MHz	Pass	AV	12.21732G	39.78	54.00	-14.22	3	Horizontal	0	1.50
6105MHz	Pass	PK	12.21016G	49.41	74.00	-24.59	3	Horizontal	0	1.50
6265MHz	Pass	AV	12.52816G	39.43	54.00	-14.57	3	Vertical	182	2.12
6265MHz	Pass	PK	12.53422G	49.44	74.00	-24.56	3	Vertical	182	2.12
6265MHz	Pass	AV	12.53064G	39.38	54.00	-14.62	3	Horizontal	143	1.35
6265MHz	Pass	PK	12.53156G	50.63	74.00	-23.37	3	Horizontal	143	1.35
6425MHz	Pass	AV	12.85364G	40.32	68.20	-27.88	3	Vertical	14	2.96
6425MHz	Pass	PK	12.85914G	50.13	88.20	-38.07	3	Vertical	14	2.96
6425MHz	Pass	AV	12.8536G	40.32	68.20	-27.88	3	Horizontal	272	1.14
6425MHz	Pass	PK	12.85878G	49.95	88.20	-38.25	3	Horizontal	272	1.14


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

6195MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.9248G	60.31	68.20	-7.89	1.89	3	Vertical	210	2.64	58.42	34.55	5.18	37.84
AV	5.9821G	103.62	Inf	-Inf	1.96	3	Vertical	210	2.64	101.66	34.50	5.26	37.80
PK	5.9245G	79.10	88.20	-9.10	1.89	3	Vertical	210	2.64	77.21	34.55	5.18	37.84
PK	5.9773G	113.45	Inf	-Inf	1.96	3	Vertical	210	2.64	111.49	34.50	5.26	37.80

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	11.92868G	39.86	54.00	-14.14	9.58	3	Vertical	40	2.09	30.28	39.16	8.36	37.94
PK	11.90198G	49.33	74.00	-24.67	9.52	3	Vertical	40	2.09	39.81	39.10	8.35	37.93


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)	(°)	(m)	(dBuV)	(dB)	(dB)	(dB)	(dB)
AV	5.9245G	66.39	68.20	-1.81	1.89	3	Vertical	209	2.67	64.50	34.55	5.18	37.84
AV	6G	99.06	Inf	-Inf	2.01	3	Vertical	209	2.67	97.05	34.50	5.29	37.78
PK	5.925G	74.41	88.20	-13.79	1.89	3	Vertical	209	2.67	72.52	34.55	5.18	37.84
PK	5.995G	107.94	Inf	-Inf	2.00	3	Vertical	209	2.67	105.94	34.50	5.28	37.78

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)	(°)	(m)	(dBuV)	(dB)	(dB)	(dB)	(dB)
AV	12.05628G	39.89	54.00	-14.11	9.84	3	Vertical	50	2.66	30.05	39.41	8.43	38.00
PK	12.04776G	49.66	74.00	-24.34	9.83	3	Vertical	50	2.66	39.83	39.40	8.43	38.00


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX



6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX


6695MHz_TX






6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX


6695MHz_TX






6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX


6685MHz_TX






6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss2,(MCS0)_2TX	Pass	PK	61.04M	30.23	40.00	-9.77	3	Vertical	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6265MHz_PoE	Pass	PK	31.94M	29.74	40.00	-10.26	3	Vertical	0	1.00
6265MHz_PoE	Pass	PK	61.04M	30.23	40.00	-9.77	3	Vertical	0	1.00
6265MHz_PoE	Pass	PK	83.35M	30.17	40.00	-9.83	3	Vertical	0	1.00
6265MHz_PoE	Pass	PK	271.53M	25.75	46.00	-20.25	3	Vertical	0	1.00
6265MHz_PoE	Pass	PK	549.92M	30.17	46.00	-15.83	3	Vertical	0	1.00
6265MHz_PoE	Pass	PK	673.11M	35.72	46.00	-10.28	3	Vertical	0	1.00
6265MHz_PoE	Pass	PK	61.04M	24.16	40.00	-15.84	3	Horizontal	360	1.00
6265MHz_PoE	Pass	PK	105.66M	30.11	43.50	-13.39	3	Horizontal	360	1.00
6265MHz_PoE	Pass	PK	148.34M	24.43	43.50	-19.07	3	Horizontal	360	1.00
6265MHz_PoE	Pass	PK	201.69M	31.65	43.50	-11.85	3	Horizontal	360	1.00
6265MHz_PoE	Pass	PK	302.57M	28.07	46.00	-17.93	3	Horizontal	360	1.00
6265MHz_PoE	Pass	PK	428.67M	32.89	46.00	-13.11	3	Horizontal	360	1.00

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6265MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.94M	29.74	40.00	-10.26	-4.49	3	Vertical	0	1.00	34.23	22.46	0.43	27.38
PK	61.04M	30.23	40.00	-9.77	-15.28	3	Vertical	0	1.00	45.51	11.48	0.58	27.34
PK	83.35M	30.17	40.00	-9.83	-13.81	3	Vertical	0	1.00	43.98	12.79	0.68	27.28
PK	271.53M	25.75	46.00	-20.25	-7.50	3	Vertical	0	1.00	33.25	17.90	1.25	26.65
PK	549.92M	30.17	46.00	-15.83	-2.73	3	Vertical	0	1.00	32.90	23.94	1.74	28.41
PK	673.11M	35.72	46.00	-10.28	-2.36	3	Vertical	0	1.00	38.08	24.09	1.95	28.40

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6265MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	61.04M	24.16	40.00	-15.84	-15.28	3	Horizontal	360	1.00	39.44	11.48	0.58	27.34
PK	105.66M	30.11	43.50	-13.39	-10.23	3	Horizontal	360	1.00	40.34	16.22	0.78	27.23
PK	148.34M	24.43	43.50	-19.07	-10.40	3	Horizontal	360	1.00	34.83	15.75	0.92	27.07
PK	201.69M	31.65	43.50	-11.85	-11.41	3	Horizontal	360	1.00	43.06	14.32	1.09	26.82
PK	302.57M	28.07	46.00	-17.93	-7.00	3	Horizontal	360	1.00	35.07	18.37	1.32	26.69
PK	428.67M	32.89	46.00	-13.11	-4.51	3	Horizontal	360	1.00	37.40	21.61	1.57	27.69



RSE TX above 1GHz_Non-Beamforming_Radio 3_2T2S_SPAP Appendix E.10

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	12.3897G	41.21	54.00	-12.79	3	Vertical	228	2.15
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.9242G	59.82	68.20	-8.38	3	Vertical	206	2.66
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.923G	63.42	68.20	-4.78	3	Vertical	211	2.80
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	5.923G	65.33	68.20	-2.87	3	Vertical	209	2.66
802.11be EHT320_Nss2,(MCS0)_2TX	Pass	AV	5.924G	61.25	68.20	-6.95	3	Vertical	204	2.63
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	13.38968G	45.86	54.00	-8.14	3	Vertical	168	1.01
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	13.36972G	43.86	54.00	-10.14	3	Vertical	165	1.31
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	13.24456G	43.68	68.20	-24.52	3	Vertical	202	1.51
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	13.32032G	41.67	54.00	-12.33	3	Vertical	202	1.79

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	52.05	68.20	-16.15	3	Vertical	211	2.48
5955MHz	Pass	AV	5.9622G	103.63	Inf	-Inf	3	Vertical	211	2.48
5955MHz	Pass	PK	5.9238G	67.64	88.20	-20.56	3	Vertical	211	2.48
5955MHz	Pass	PK	5.9616G	113.35	Inf	-Inf	3	Vertical	211	2.48
5955MHz	Pass	AV	11.91132G	40.96	54.00	-13.04	3	Vertical	41	2.28
5955MHz	Pass	PK	11.91696G	49.78	74.00	-24.22	3	Vertical	41	2.28
5955MHz	Pass	AV	11.9098G	38.48	54.00	-15.52	3	Horizontal	212	1.50
5955MHz	Pass	PK	11.9142G	49.66	74.00	-24.34	3	Horizontal	212	1.50
6195MHz	Pass	AV	12.3897G	41.21	54.00	-12.79	3	Vertical	228	2.15
6195MHz	Pass	PK	12.39144G	51.82	74.00	-22.18	3	Vertical	228	2.15
6195MHz	Pass	AV	12.38932G	38.61	54.00	-15.39	3	Horizontal	41	2.60
6195MHz	Pass	PK	12.38472G	49.16	74.00	-24.84	3	Horizontal	41	2.60
6415MHz	Pass	AV	12.83136G	40.09	68.20	-28.11	3	Vertical	177	2.41
6415MHz	Pass	PK	12.8367G	50.75	88.20	-37.45	3	Vertical	177	2.41
6415MHz	Pass	AV	12.83144G	39.49	68.20	-28.71	3	Horizontal	261	1.50
6415MHz	Pass	PK	12.82016G	50.34	88.20	-37.86	3	Horizontal	261	1.50
6535MHz	Pass	AV	13.06876G	42.33	68.20	-25.87	3	Vertical	34	1.49
6535MHz	Pass	PK	13.07328G	53.13	88.20	-35.07	3	Vertical	34	1.49
6535MHz	Pass	AV	13.07134G	41.11	68.20	-27.09	3	Horizontal	33	3.00
6535MHz	Pass	PK	13.0738G	52.38	88.20	-35.82	3	Horizontal	33	3.00
6695MHz	Pass	AV	13.38968G	45.86	54.00	-8.14	3	Vertical	168	1.01
6695MHz	Pass	PK	13.38368G	56.98	74.00	-17.02	3	Vertical	168	1.01
6695MHz	Pass	AV	13.39022G	41.68	54.00	-12.32	3	Horizontal	174	2.73
6695MHz	Pass	PK	13.38986G	52.23	74.00	-21.77	3	Horizontal	174	2.73
6855MHz	Pass	AV	13.70974G	43.23	68.20	-24.97	3	Vertical	163	2.52
6855MHz	Pass	PK	13.71092G	55.04	88.20	-33.16	3	Vertical	163	2.52
6855MHz	Pass	AV	13.71126G	41.53	68.20	-26.67	3	Horizontal	164	1.68
6855MHz	Pass	PK	13.71596G	52.78	88.20	-35.42	3	Horizontal	164	1.68
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9242G	59.82	68.20	-8.38	3	Vertical	206	2.66
5965MHz	Pass	AV	5.9824G	101.48	Inf	-Inf	3	Vertical	206	2.66
5965MHz	Pass	PK	5.9248G	77.04	88.20	-11.16	3	Vertical	206	2.66
5965MHz	Pass	PK	5.9797G	112.28	Inf	-Inf	3	Vertical	206	2.66
5965MHz	Pass	AV	11.92854G	39.43	54.00	-14.57	3	Vertical	40	2.17
5965MHz	Pass	PK	11.92964G	51.03	74.00	-22.97	3	Vertical	40	2.17
5965MHz	Pass	AV	11.92954G	38.07	54.00	-15.93	3	Horizontal	320	1.50
5965MHz	Pass	PK	11.92322G	48.67	74.00	-25.33	3	Horizontal	320	1.50
6205MHz	Pass	AV	12.41006G	38.73	54.00	-15.27	3	Vertical	146	1.14
6205MHz	Pass	PK	12.41632G	49.49	74.00	-24.51	3	Vertical	146	1.14
6205MHz	Pass	AV	12.41988G	38.18	54.00	-15.82	3	Horizontal	41	2.87
6205MHz	Pass	PK	12.41066G	48.51	74.00	-25.49	3	Horizontal	41	2.87
6405MHz	Pass	AV	12.80914G	39.55	68.20	-28.65	3	Vertical	173	1.75
6405MHz	Pass	PK	12.8093G	50.29	88.20	-37.91	3	Vertical	173	1.75
6405MHz	Pass	AV	12.80426G	39.43	68.20	-28.77	3	Horizontal	265	1.50
6405MHz	Pass	PK	12.80238G	49.85	88.20	-38.35	3	Horizontal	265	1.50
6565MHz	Pass	AV	13.129G	43.23	68.20	-24.97	3	Vertical	36	1.64
6565MHz	Pass	PK	13.13934G	53.96	88.20	-34.24	3	Vertical	36	1.64
6565MHz	Pass	AV	13.13394G	40.35	68.20	-27.85	3	Horizontal	320	1.00
6565MHz	Pass	PK	13.12218G	51.35	88.20	-36.85	3	Horizontal	320	1.00
6685MHz	Pass	AV	13.36972G	43.86	54.00	-10.14	3	Vertical	165	1.31
6685MHz	Pass	PK	13.3745G	54.22	74.00	-19.78	3	Vertical	165	1.31
6685MHz	Pass	AV	13.37124G	40.85	54.00	-13.15	3	Horizontal	226	1.11
6685MHz	Pass	PK	13.3713G	51.97	74.00	-22.03	3	Horizontal	226	1.11
6845MHz	Pass	AV	13.69106G	42.60	68.20	-25.60	3	Vertical	354	1.77
6845MHz	Pass	PK	13.6913G	52.99	88.20	-35.21	3	Vertical	354	1.77
6845MHz	Pass	AV	13.68098G	41.42	68.20	-26.78	3	Horizontal	224	2.17
6845MHz	Pass	PK	13.6981G	52.53	88.20	-35.67	3	Horizontal	224	2.17
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.923G	63.42	68.20	-4.78	3	Vertical	211	2.80
5985MHz	Pass	AV	5.997G	99.44	Inf	-Inf	3	Vertical	211	2.80

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz	Pass	PK	5.92G	79.45	88.20	-8.75	3	Vertical	211	2.80
5985MHz	Pass	PK	5.995G	110.41	Inf	-Inf	3	Vertical	211	2.80
5985MHz	Pass	AV	11.96302G	38.90	54.00	-15.10	3	Vertical	2	1.50
5985MHz	Pass	PK	11.97304G	48.33	74.00	-25.67	3	Vertical	2	1.50
5985MHz	Pass	AV	11.97466G	39.03	54.00	-14.97	3	Horizontal	53	2.98
5985MHz	Pass	PK	11.96164G	49.66	74.00	-24.34	3	Horizontal	53	2.98
6225MHz	Pass	AV	12.45216G	38.14	54.00	-15.86	3	Vertical	84	1.50
6225MHz	Pass	PK	12.44756G	48.69	74.00	-25.31	3	Vertical	84	1.50
6225MHz	Pass	AV	12.4428G	38.13	54.00	-15.87	3	Horizontal	85	1.50
6225MHz	Pass	PK	12.44864G	49.35	74.00	-24.65	3	Horizontal	85	1.50
6385MHz	Pass	AV	12.77638G	39.40	68.20	-28.80	3	Vertical	328	1.50
6385MHz	Pass	PK	12.7639G	50.77	88.20	-37.43	3	Vertical	328	1.50
6385MHz	Pass	AV	12.77822G	39.35	68.20	-28.85	3	Horizontal	136	1.50
6385MHz	Pass	PK	12.76194G	50.02	88.20	-38.18	3	Horizontal	136	1.50
6625MHz	Pass	AV	13.24456G	43.68	68.20	-24.52	3	Vertical	202	1.51
6625MHz	Pass	PK	13.24626G	54.69	88.20	-33.51	3	Vertical	202	1.51
6625MHz	Pass	AV	13.24068G	41.23	68.20	-26.97	3	Horizontal	92	2.06
6625MHz	Pass	PK	13.2417G	52.10	88.20	-36.10	3	Horizontal	92	2.06
6705MHz	Pass	AV	13.40188G	41.49	68.20	-26.71	3	Vertical	169	1.05
6705MHz	Pass	PK	13.40972G	52.81	88.20	-35.39	3	Vertical	169	1.05
6705MHz	Pass	AV	13.41158G	40.64	68.20	-27.56	3	Horizontal	93	1.00
6705MHz	Pass	PK	13.40776G	51.21	88.20	-36.99	3	Horizontal	93	1.00
6785MHz	Pass	AV	13.56084G	42.25	68.20	-25.95	3	Vertical	111	1.19
6785MHz	Pass	PK	13.57104G	52.22	88.20	-35.98	3	Vertical	111	1.19
6785MHz	Pass	AV	13.56004G	40.77	68.20	-27.43	3	Horizontal	231	2.82
6785MHz	Pass	PK	13.56448G	52.31	88.20	-35.89	3	Horizontal	231	2.82
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.923G	65.33	68.20	-2.87	3	Vertical	209	2.66
6025MHz	Pass	AV	5.9995G	97.44	Inf	-Inf	3	Vertical	209	2.66
6025MHz	Pass	PK	5.9245G	78.10	88.20	-10.10	3	Vertical	209	2.66
6025MHz	Pass	PK	6.008G	105.57	Inf	-Inf	3	Vertical	209	2.66
6025MHz	Pass	AV	12.0434G	39.11	54.00	-14.89	3	Vertical	256	1.19
6025MHz	Pass	PK	12.05162G	49.15	74.00	-24.85	3	Vertical	256	1.19
6025MHz	Pass	AV	12.05858G	39.09	54.00	-14.91	3	Horizontal	355	1.50
6025MHz	Pass	PK	12.05254G	49.06	74.00	-24.94	3	Horizontal	355	1.50
6185MHz	Pass	AV	12.3732G	39.00	54.00	-15.00	3	Vertical	54	1.50
6185MHz	Pass	PK	12.36476G	49.20	74.00	-24.80	3	Vertical	54	1.50
6185MHz	Pass	AV	12.36956G	39.01	54.00	-14.99	3	Horizontal	307	1.50
6185MHz	Pass	PK	12.3655G	48.04	74.00	-25.96	3	Horizontal	307	1.50
6345MHz	Pass	AV	12.69526G	40.07	54.00	-13.93	3	Vertical	9	1.50
6345MHz	Pass	PK	12.69278G	49.96	74.00	-24.04	3	Vertical	9	1.50
6345MHz	Pass	AV	12.69676G	40.11	54.00	-13.89	3	Horizontal	135	1.73
6345MHz	Pass	PK	12.68928G	49.95	74.00	-24.05	3	Horizontal	135	1.73
6665MHz	Pass	AV	13.32032G	41.67	54.00	-12.33	3	Vertical	202	1.79
6665MHz	Pass	PK	13.3302G	51.75	74.00	-22.25	3	Vertical	202	1.79
6665MHz	Pass	AV	13.33386G	40.74	54.00	-13.26	3	Horizontal	300	1.50
6665MHz	Pass	PK	13.32218G	50.67	74.00	-23.33	3	Horizontal	300	1.50
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	PK	5.92G	74.06	88.20	-14.14	3	Vertical	204	2.63
6105MHz	Pass	AV	5.924G	61.25	68.20	-6.95	3	Vertical	204	2.63
6105MHz	Pass	PK	6.243G	104.31	Inf	-Inf	3	Vertical	204	2.63
6105MHz	Pass	AV	6.208G	94.62	Inf	-Inf	3	Vertical	204	2.63
6105MHz	Pass	AV	12.21062G	39.01	54.00	-14.99	3	Vertical	354	2.21
6105MHz	Pass	PK	12.21892G	50.32	74.00	-23.68	3	Vertical	354	2.21
6105MHz	Pass	AV	12.2002G	38.84	54.00	-15.16	3	Horizontal	37	2.35
6105MHz	Pass	PK	12.2194G	49.85	74.00	-24.15	3	Horizontal	37	2.35
6265MHz	Pass	AV	12.53286G	38.48	54.00	-15.52	3	Vertical	118	2.18
6265MHz	Pass	PK	12.52392G	48.62	74.00	-25.38	3	Vertical	118	2.18
6265MHz	Pass	AV	12.52838G	38.49	54.00	-15.51	3	Horizontal	319	1.50
6265MHz	Pass	PK	12.5272G	49.45	74.00	-24.55	3	Horizontal	319	1.50
6425MHz	Pass	AV	12.8525G	39.47	68.20	-28.73	3	Vertical	172	1.50
6425MHz	Pass	PK	12.85802G	50.63	88.20	-37.57	3	Vertical	172	1.50




RSE TX above 1GHz_Non-Beamforming_Radio 3_2T2S_SPAP Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6425MHz	Pass	AV	12.85274G	39.40	68.20	-28.80	3	Horizontal	37	1.76
6425MHz	Pass	PK	12.84402G	50.85	88.20	-37.35	3	Horizontal	37	1.76




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6195MHz_TX



5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9242G	59.82	68.20	-8.38	1.89	3	Vertical	206	2.66	57.93	34.55	5.18	37.84
AV	5.9824G	101.48	Inf	-Inf	1.97	3	Vertical	206	2.66	99.51	34.50	5.26	37.79
PK	5.9248G	77.04	88.20	-11.16	1.89	3	Vertical	206	2.66	75.15	34.55	5.18	37.84
PK	5.9797G	112.28	Inf	-Inf	1.96	3	Vertical	206	2.66	110.32	34.50	5.26	37.80

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.92854G	39.43	54.00	-14.57	9.58	3	Vertical	40	2.17	29.85	39.16	8.36	37.94
PK	11.92964G	51.03	74.00	-22.97	9.58	3	Vertical	40	2.17	41.45	39.16	8.36	37.94




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.923G	65.33	68.20	-2.87	1.88	3	Vertical	209	2.66	63.45	34.55	5.17	37.84
AV	5.9995G	97.44	Inf	-Inf	2.01	3	Vertical	209	2.66	95.43	34.50	5.29	37.78
PK	5.9245G	78.10	88.20	-10.10	1.89	3	Vertical	209	2.66	76.21	34.55	5.18	37.84
PK	6.008G	105.57	Inf	-Inf	2.01	3	Vertical	209	2.66	103.56	34.50	5.29	37.78

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.0434G	39.11	54.00	-14.89	9.81	3	Vertical	256	1.19	29.30	39.39	8.42	38.00
PK	12.05162G	49.15	74.00	-24.85	9.83	3	Vertical	256	1.19	39.32	39.40	8.43	38.00


5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6105MHz_TX






5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6105MHz_TX






6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6695MHz_TX



6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX


6695MHz_TX






6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX



6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX


6685MHz_TX






6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6665MHz_TX



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	11.88504G	42.15	54.00	-11.85	3	Horizontal	21	1.50
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.9248G	61.85	68.20	-6.35	3	Vertical	213	2.96
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.921G	65.99	68.20	-2.21	3	Vertical	208	2.52
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	5.9245G	63.54	68.20	-4.66	3	Vertical	207	2.81
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	5.924G	60.84	68.20	-7.36	3	Vertical	222	2.60
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	13.39452G	44.16	54.00	-9.84	3	Horizontal	218	2.13
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.37084G	49.43	54.00	-4.57	3	Vertical	195	1.96
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	13.3536G	49.59	54.00	-4.41	3	Horizontal	220	1.03
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	13.28824G	47.10	54.00	-6.90	3	Vertical	352	1.22


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9244G	52.12	68.20	-16.08	3	Vertical	16	1.46
5955MHz	Pass	AV	5.964G	107.49	Inf	-Inf	3	Vertical	16	1.46
5955MHz	Pass	PK	5.9205G	65.85	88.20	-22.35	3	Vertical	16	1.46
5955MHz	Pass	PK	5.964G	116.93	Inf	-Inf	3	Vertical	16	1.46
5955MHz	Pass	AV	11.91748G	41.96	54.00	-12.04	3	Vertical	269	2.80
5955MHz	Pass	PK	11.91132G	53.74	74.00	-20.26	3	Vertical	269	2.80
5955MHz	Pass	AV	11.88504G	42.15	54.00	-11.85	3	Horizontal	21	1.50
5955MHz	Pass	PK	11.90648G	52.86	74.00	-21.14	3	Horizontal	21	1.50
6195MHz	Pass	AV	12.38044G	41.54	54.00	-12.46	3	Vertical	192	1.50
6195MHz	Pass	PK	12.39176G	52.91	74.00	-21.09	3	Vertical	192	1.50
6195MHz	Pass	AV	12.39244G	41.65	54.00	-12.35	3	Horizontal	60	1.50
6195MHz	Pass	PK	12.39952G	53.30	74.00	-20.70	3	Horizontal	60	1.50
6415MHz	Pass	AV	12.83404G	43.39	68.20	-24.81	3	Vertical	23	2.86
6415MHz	Pass	PK	12.83464G	55.49	88.20	-32.71	3	Vertical	23	2.86
6415MHz	Pass	AV	12.84452G	43.48	68.20	-24.72	3	Horizontal	205	1.50
6415MHz	Pass	PK	12.84194G	55.91	88.20	-32.29	3	Horizontal	205	1.50
6535MHz	Pass	AV	13.06952G	46.66	68.20	-21.54	3	Vertical	32	1.21
6535MHz	Pass	PK	13.06934G	58.65	88.20	-29.55	3	Vertical	32	1.21
6535MHz	Pass	AV	13.07762G	44.91	68.20	-23.29	3	Horizontal	186	2.07
6535MHz	Pass	PK	13.085G	56.10	88.20	-32.10	3	Horizontal	186	2.07
6695MHz	Pass	AV	13.3928G	43.99	54.00	-10.01	3	Vertical	196	2.03
6695MHz	Pass	PK	13.38492G	55.60	74.00	-18.40	3	Vertical	196	2.03
6695MHz	Pass	AV	13.39452G	44.16	54.00	-9.84	3	Horizontal	218	2.13
6695MHz	Pass	PK	13.397G	56.20	74.00	-17.80	3	Horizontal	218	2.13
6855MHz	Pass	AV	13.70736G	49.57	68.20	-18.63	3	Vertical	174	2.00
6855MHz	Pass	PK	13.7061G	60.77	88.20	-27.43	3	Vertical	174	2.00
6855MHz	Pass	AV	13.7088G	49.42	68.20	-18.78	3	Horizontal	223	2.17
6855MHz	Pass	PK	13.69872G	59.72	88.20	-28.48	3	Horizontal	223	2.17
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	61.85	68.20	-6.35	3	Vertical	213	2.96
5965MHz	Pass	AV	5.9596G	103.78	Inf	-Inf	3	Vertical	213	2.96
5965MHz	Pass	PK	5.9248G	76.16	88.20	-12.04	3	Vertical	213	2.96
5965MHz	Pass	PK	5.9491G	113.89	Inf	-Inf	3	Vertical	213	2.96
5965MHz	Pass	AV	11.92308G	41.85	54.00	-12.15	3	Vertical	13	2.00
5965MHz	Pass	PK	11.9324G	53.22	74.00	-20.78	3	Vertical	13	2.00
5965MHz	Pass	AV	11.93548G	41.90	54.00	-12.10	3	Horizontal	300	1.50
5965MHz	Pass	PK	11.9368G	53.48	74.00	-20.52	3	Horizontal	300	1.50
6205MHz	Pass	AV	12.41432G	41.48	54.00	-12.52	3	Vertical	21	1.53
6205MHz	Pass	PK	12.4012G	52.45	74.00	-21.55	3	Vertical	21	1.53
6205MHz	Pass	AV	12.41484G	41.40	54.00	-12.60	3	Horizontal	98	2.57
6205MHz	Pass	PK	12.41364G	53.89	74.00	-20.11	3	Horizontal	98	2.57
6405MHz	Pass	AV	12.81304G	43.31	68.20	-24.89	3	Vertical	306	1.50
6405MHz	Pass	PK	12.80068G	56.84	88.20	-31.36	3	Vertical	306	1.50
6405MHz	Pass	AV	12.81116G	43.32	68.20	-24.88	3	Horizontal	106	1.50
6405MHz	Pass	PK	12.80292G	54.58	88.20	-33.62	3	Horizontal	106	1.50
6565MHz	Pass	AV	13.13672G	48.37	68.20	-19.83	3	Vertical	34	1.00
6565MHz	Pass	PK	13.1054G	55.09	88.20	-33.11	3	Vertical	34	1.00
6565MHz	Pass	AV	13.13408G	45.05	68.20	-23.15	3	Horizontal	166	2.63
6565MHz	Pass	PK	13.11116G	54.81	88.20	-33.39	3	Horizontal	166	2.63
6685MHz	Pass	AV	13.37084G	49.43	54.00	-4.57	3	Vertical	195	1.96
6685MHz	Pass	PK	13.34504G	56.18	74.00	-17.82	3	Vertical	195	1.96
6685MHz	Pass	AV	13.343G	47.83	54.00	-6.17	3	Horizontal	218	2.21
6685MHz	Pass	PK	13.3526G	63.37	74.00	-10.63	3	Horizontal	218	2.21
6845MHz	Pass	AV	13.67116G	48.33	68.20	-19.87	3	Vertical	178	2.00
6845MHz	Pass	PK	13.6714G	63.71	88.20	-24.49	3	Vertical	178	2.00
6845MHz	Pass	AV	13.69516G	47.58	68.20	-20.62	3	Horizontal	217	1.97
6845MHz	Pass	PK	13.66816G	57.43	88.20	-30.77	3	Horizontal	217	1.97
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.921G	65.99	68.20	-2.21	3	Vertical	208	2.52
5985MHz	Pass	AV	5.9545G	101.59	Inf	-Inf	3	Vertical	208	2.52

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz	Pass	PK	5.9245G	82.49	88.20	-5.71	3	Vertical	208	2.52
5985MHz	Pass	PK	5.991G	113.08	Inf	-Inf	3	Vertical	208	2.52
5985MHz	Pass	AV	11.93424G	42.57	54.00	-11.43	3	Vertical	30	2.03
5985MHz	Pass	PK	11.93328G	54.97	74.00	-19.03	3	Vertical	30	2.03
5985MHz	Pass	AV	12.0192G	42.54	54.00	-11.46	3	Horizontal	307	2.90
5985MHz	Pass	PK	11.98176G	54.25	74.00	-19.75	3	Horizontal	307	2.90
6225MHz	Pass	AV	12.4836G	42.31	54.00	-11.69	3	Vertical	295	2.49
6225MHz	Pass	PK	12.47016G	54.47	74.00	-19.53	3	Vertical	295	2.49
6225MHz	Pass	AV	12.50736G	42.25	54.00	-11.75	3	Horizontal	300	1.50
6225MHz	Pass	PK	12.4464G	54.05	74.00	-19.95	3	Horizontal	300	1.50
6385MHz	Pass	AV	12.71072G	43.76	68.20	-24.44	3	Vertical	301	1.10
6385MHz	Pass	PK	12.81248G	55.41	88.20	-32.79	3	Vertical	301	1.10
6385MHz	Pass	AV	12.81824G	43.69	68.20	-24.51	3	Horizontal	40	1.77
6385MHz	Pass	PK	12.79136G	55.61	88.20	-32.59	3	Horizontal	40	1.77
6625MHz	Pass	AV	13.25432G	48.03	54.00	-5.97	3	Vertical	169	1.81
6625MHz	Pass	PK	13.19312G	59.85	88.20	-28.35	3	Vertical	169	1.81
6625MHz	Pass	AV	13.19264G	47.12	68.20	-21.08	3	Horizontal	220	1.00
6625MHz	Pass	PK	13.26872G	58.86	74.00	-15.14	3	Horizontal	220	1.00
6705MHz	Pass	AV	13.35432G	48.64	54.00	-5.36	3	Vertical	195	1.97
6705MHz	Pass	PK	13.416G	59.67	88.20	-28.53	3	Vertical	195	1.97
6705MHz	Pass	AV	13.3536G	49.59	54.00	-4.41	3	Horizontal	220	1.03
6705MHz	Pass	PK	13.40136G	59.65	88.20	-28.55	3	Horizontal	220	1.03
6785MHz	Pass	AV	13.5172G	47.27	68.20	-20.93	3	Vertical	197	2.19
6785MHz	Pass	PK	13.54528G	56.93	88.20	-31.27	3	Vertical	197	2.19
6785MHz	Pass	AV	13.51696G	46.33	68.20	-21.87	3	Horizontal	220	1.94
6785MHz	Pass	PK	13.5568G	56.96	88.20	-31.24	3	Horizontal	220	1.94
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9245G	63.54	68.20	-4.66	3	Vertical	207	2.81
6025MHz	Pass	AV	5.961G	103.74	Inf	-Inf	3	Vertical	207	2.81
6025MHz	Pass	PK	5.9195G	76.63	88.20	-11.57	3	Vertical	207	2.81
6025MHz	Pass	PK	6.043G	111.26	Inf	-Inf	3	Vertical	207	2.81
6025MHz	Pass	AV	12.06296G	42.53	54.00	-11.47	3	Vertical	118	1.98
6025MHz	Pass	PK	12.16952G	53.94	74.00	-20.06	3	Vertical	118	1.98
6025MHz	Pass	AV	12.05576G	42.53	54.00	-11.47	3	Horizontal	214	2.44
6025MHz	Pass	PK	12.03752G	53.72	74.00	-20.28	3	Horizontal	214	2.44
6185MHz	Pass	AV	12.48616G	42.50	54.00	-11.50	3	Vertical	250	2.13
6185MHz	Pass	PK	12.47896G	53.72	74.00	-20.28	3	Vertical	250	2.13
6185MHz	Pass	AV	12.47848G	42.49	54.00	-11.51	3	Horizontal	169	1.50
6185MHz	Pass	PK	12.38584G	53.49	74.00	-20.51	3	Horizontal	169	1.50
6345MHz	Pass	AV	12.69864G	43.73	54.00	-10.27	3	Vertical	329	1.50
6345MHz	Pass	PK	12.73944G	54.89	88.20	-33.31	3	Vertical	329	1.50
6345MHz	Pass	AV	12.78216G	43.73	68.20	-24.47	3	Horizontal	145	1.50
6345MHz	Pass	PK	12.75816G	55.13	88.20	-33.07	3	Horizontal	145	1.50
6665MHz	Pass	AV	13.28824G	47.10	54.00	-6.90	3	Vertical	352	1.22
6665MHz	Pass	PK	13.34824G	57.05	74.00	-16.95	3	Vertical	352	1.22
6665MHz	Pass	AV	13.43848G	44.47	68.20	-23.73	3	Horizontal	193	2.76
6665MHz	Pass	PK	13.402G	55.98	88.20	-32.22	3	Horizontal	193	2.76
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.924G	60.84	68.20	-7.36	3	Vertical	222	2.60
6105MHz	Pass	AV	5.952G	99.14	Inf	-Inf	3	Vertical	222	2.60
6105MHz	Pass	PK	5.913G	74.39	88.20	-13.81	3	Vertical	222	2.60
6105MHz	Pass	PK	5.957G	112.65	Inf	-Inf	3	Vertical	222	2.60
6105MHz	Pass	AV	12.0516G	42.56	54.00	-11.44	3	Vertical	303	1.50
6105MHz	Pass	PK	11.9892G	54.01	74.00	-19.99	3	Vertical	303	1.50
6105MHz	Pass	AV	12.05256G	42.52	54.00	-11.48	3	Horizontal	311	1.50
6105MHz	Pass	PK	12.05256G	53.82	74.00	-20.18	3	Horizontal	311	1.50
6265MHz	Pass	AV	12.69896G	43.75	54.00	-10.25	3	Vertical	149	1.20
6265MHz	Pass	PK	12.5444G	55.05	74.00	-18.95	3	Vertical	149	1.20
6265MHz	Pass	AV	12.68744G	43.65	54.00	-10.35	3	Horizontal	165	2.63
6265MHz	Pass	PK	12.62024G	55.17	74.00	-18.83	3	Horizontal	165	2.63


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.924G	60.84	68.20	-7.36	7.95	3	Vertical	222	2.60	52.89	34.35	8.64	35.04
AV	5.952G	99.14	Inf	-Inf	7.90	3	Vertical	222	2.60	91.24	34.30	8.64	35.04
PK	5.913G	74.39	88.20	-13.81	7.97	3	Vertical	222	2.60	66.42	34.37	8.64	35.04
PK	5.957G	112.65	Inf	-Inf	7.90	3	Vertical	222	2.60	104.75	34.30	8.64	35.04

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.0516G	42.56	54.00	-11.44	8.78	3	Vertical	303	1.50	33.78	39.20	12.36	42.78
PK	11.9892G	54.01	74.00	-19.99	8.53	3	Vertical	303	1.50	45.48	38.98	12.33	42.78


5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	2.36493G	46.22	54.00	-7.78	Vertical
Mode 2	Pass	AV	2.36578G	49.20	54.00	-4.80	Vertical
Mode 3	Pass	AV	2.36473G	48.12	54.00	-5.88	Vertical
Mode 4	Pass	AV	2.3659G	48.24	54.00	-5.76	Vertical

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.59392G	20.47	54.00	-33.53	3	Vertical	14	2.47	-
Mode 1	Pass	AV	2.36493G	46.22	54.00	-7.78	3	Vertical	128	1.55	-
Mode 1	Pass	AV	4.00327G	33.25	54.00	-20.75	3	Vertical	329	1.56	-
Mode 1	Pass	PK	1.59351G	39.02	74.00	-34.98	3	Vertical	14	2.47	-
Mode 1	Pass	PK	2.36371G	56.69	74.00	-17.31	3	Vertical	128	1.55	-
Mode 1	Pass	PK	4.00327G	41.76	74.00	-32.24	3	Vertical	329	1.56	-
Mode 1	Pass	AV	1.79004G	20.33	68.20	-47.87	3	Horizontal	84	1.26	-
Mode 1	Pass	AV	2.36568G	41.75	54.00	-12.25	3	Horizontal	123	1.39	-
Mode 1	Pass	AV	4.00324G	30.61	54.00	-23.39	3	Horizontal	244	1.61	-
Mode 1	Pass	PK	1.78804G	34.18	88.20	-54.02	3	Horizontal	84	1.26	-
Mode 1	Pass	PK	2.36422G	50.53	74.00	-23.47	3	Horizontal	123	1.39	-
Mode 1	Pass	PK	4.00337G	40.31	74.00	-33.69	3	Horizontal	244	1.61	-
Mode 2	Pass	AV	1.71096G	25.65	68.20	-42.55	3	Vertical	192	1.62	-
Mode 2	Pass	AV	2.36578G	49.20	54.00	-4.80	3	Vertical	316	2.28	-
Mode 2	Pass	AV	4.00336G	33.66	54.00	-20.34	3	Vertical	309	1.89	-
Mode 2	Pass	PK	1.71051G	36.66	88.20	-51.54	3	Vertical	235	1.56	-
Mode 2	Pass	PK	2.35901G	57.35	74.00	-16.65	3	Vertical	316	2.28	-
Mode 2	Pass	PK	4.00309G	42.09	74.00	-31.91	3	Vertical	198	1.63	-
Mode 2	Pass	AV	1.71873G	20.43	68.20	-47.77	3	Horizontal	170	1.89	-
Mode 2	Pass	AV	2.36716G	42.48	54.00	-11.52	3	Horizontal	7	1.64	-
Mode 2	Pass	AV	5.08996G	29.87	54.00	-24.13	3	Horizontal	300	1.57	-
Mode 2	Pass	PK	1.70871G	33.61	74.00	-40.39	3	Horizontal	170	1.89	-
Mode 2	Pass	PK	2.36986G	52.15	74.00	-21.85	3	Horizontal	7	1.64	-
Mode 2	Pass	PK	5.09497G	52.63	74.00	-21.37	3	Horizontal	300	1.57	-
Mode 3	Pass	AV	1.78833G	21.36	68.20	-46.84	3	Vertical	19	2.32	-
Mode 3	Pass	AV	2.36473G	48.12	54.00	-5.88	3	Vertical	270	2.22	-
Mode 3	Pass	AV	4.00337G	33.75	54.00	-20.25	3	Vertical	306	1.14	-
Mode 3	Pass	PK	1.78323G	40.57	88.20	-47.63	3	Vertical	19	2.32	-
Mode 3	Pass	PK	2.36459G	55.67	74.00	-18.33	3	Vertical	270	2.22	-
Mode 3	Pass	PK	4.00309G	41.27	74.00	-32.73	3	Vertical	306	1.14	-
Mode 3	Pass	AV	1.7879G	21.04	68.20	-47.16	3	Horizontal	350	1.66	-
Mode 3	Pass	AV	2.36498G	44.05	54.00	-9.95	3	Horizontal	211	2.29	-
Mode 3	Pass	AV	3.23599G	24.41	68.20	-43.79	3	Horizontal	35	2.25	-
Mode 3	Pass	PK	1.78617G	39.88	88.20	-48.32	3	Horizontal	350	1.66	-
Mode 3	Pass	PK	2.36475G	50.95	74.00	-23.05	3	Horizontal	211	2.29	-
Mode 3	Pass	PK	3.2444G	37.92	88.20	-50.28	3	Horizontal	35	2.25	-
Mode 4	Pass	AV	1.70568G	20.65	54.00	-33.35	3	Vertical	192	2.29	-
Mode 4	Pass	AV	2.3659G	48.24	54.00	-5.76	3	Vertical	44	2.35	-
Mode 4	Pass	AV	4.00329G	38.33	54.00	-15.67	3	Vertical	245	2.39	-
Mode 4	Pass	PK	1.70592G	33.45	74.00	-40.55	3	Vertical	192	2.29	-
Mode 4	Pass	PK	2.35862G	58.82	74.00	-15.18	3	Vertical	44	2.35	-
Mode 4	Pass	PK	4.00335G	44.60	74.00	-29.40	3	Vertical	245	2.39	-
Mode 4	Pass	AV	2.36493G	42.17	54.00	-11.83	3	Horizontal	132	1.99	-
Mode 4	Pass	AV	3.10757G	25.77	68.20	-42.43	3	Horizontal	97	2.44	-
Mode 4	Pass	AV	4.00331G	30.52	54.00	-23.48	3	Horizontal	52	2.01	-
Mode 4	Pass	PK	2.36098G	52.48	74.00	-21.52	3	Horizontal	132	1.99	-
Mode 4	Pass	PK	3.10828G	39.21	88.20	-48.99	3	Horizontal	97	2.44	-
Mode 4	Pass	PK	4.00365G	40.31	74.00	-33.69	3	Horizontal	52	2.01	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.59392G	20.47	54.00	-33.53	-9.33	3	Vertical	14	2.47	29.80	25.46	2.21	37.00
AV	2.36493G	46.22	54.00	-7.78	-7.60	3	Vertical	128	1.55	53.82	27.40	2.79	37.79
AV	4.00327G	33.25	54.00	-20.75	-3.08	3	Vertical	329	1.56	36.33	31.01	4.03	38.12
PK	1.59351G	39.02	74.00	-34.98	-9.33	3	Vertical	14	2.47	48.35	25.46	2.21	37.00
PK	2.36371G	56.69	74.00	-17.31	-7.60	3	Vertical	128	1.55	64.29	27.40	2.79	37.79
PK	4.00327G	41.76	74.00	-32.24	-3.08	3	Vertical	329	1.56	44.84	31.01	4.03	38.12

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.79004G	20.33	68.20	-47.87	-9.97	3	Horizontal	84	1.26	30.30	25.10	2.25	37.32
AV	2.36568G	41.75	54.00	-12.25	-7.60	3	Horizontal	123	1.39	49.35	27.40	2.79	37.79
AV	4.00324G	30.61	54.00	-23.39	-3.08	3	Horizontal	244	1.61	33.69	31.01	4.03	38.12
PK	1.78804G	34.18	88.20	-54.02	-9.99	3	Horizontal	84	1.26	44.17	25.08	2.25	37.32
PK	2.36422G	50.53	74.00	-23.47	-7.60	3	Horizontal	123	1.39	58.13	27.40	2.79	37.79
PK	4.00337G	40.31	74.00	-33.69	-3.08	3	Horizontal	244	1.61	43.39	31.01	4.03	38.12

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.71096G	25.65	68.20	-42.55	-9.85	3	Vertical	192	1.62	35.50	25.10	2.24	37.19
AV	2.36578G	49.20	54.00	-4.80	-7.60	3	Vertical	316	2.28	56.80	27.40	2.79	37.79
AV	4.00336G	33.66	54.00	-20.34	-3.08	3	Vertical	309	1.89	36.74	31.01	4.03	38.12
PK	1.71051G	36.66	88.20	-51.54	-9.85	3	Vertical	235	1.56	46.51	25.10	2.24	37.19
PK	2.35901G	57.35	74.00	-16.65	-7.61	3	Vertical	316	2.28	64.96	27.39	2.79	37.79
PK	4.00309G	42.09	74.00	-31.91	-3.08	3	Vertical	198	1.63	45.17	31.01	4.03	38.12

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.71873G	20.43	68.20	-47.77	-9.86	3	Horizontal	170	1.89	30.29	25.10	2.24	37.20
AV	2.36716G	42.48	54.00	-11.52	-7.60	3	Horizontal	7	1.64	50.08	27.40	2.79	37.79
AV	5.08996G	29.87	54.00	-24.13	-0.62	3	Horizontal	300	1.57	30.49	33.22	4.34	38.18
PK	1.70871G	33.61	74.00	-40.39	-9.85	3	Horizontal	170	1.89	43.46	25.10	2.24	37.19
PK	2.36986G	52.15	74.00	-21.85	-7.60	3	Horizontal	7	1.64	59.75	27.40	2.79	37.79
PK	5.09497G	52.63	74.00	-21.37	-0.63	3	Horizontal	300	1.57	53.26	33.21	4.34	38.18

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.78833G	21.36	68.20	-46.84	-9.99	3	Vertical	19	2.32	31.35	25.08	2.25	37.32
AV	2.36473G	48.12	54.00	-5.88	-7.60	3	Vertical	270	2.22	55.72	27.40	2.79	37.79
AV	4.00337G	33.75	54.00	-20.25	-3.08	3	Vertical	306	1.14	36.83	31.01	4.03	38.12
PK	1.78323G	40.57	88.20	-47.63	-10.03	3	Vertical	19	2.32	50.60	25.03	2.25	37.31
PK	2.36459G	55.67	74.00	-18.33	-7.60	3	Vertical	270	2.22	63.27	27.40	2.79	37.79
PK	4.00309G	41.27	74.00	-32.73	-3.08	3	Vertical	306	1.14	44.35	31.01	4.03	38.12

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.7879G	21.04	68.20	-47.16	-9.99	3	Horizontal	350	1.66	31.03	25.08	2.25	37.32
AV	2.36498G	44.05	54.00	-9.95	-7.60	3	Horizontal	211	2.29	51.65	27.40	2.79	37.79
AV	3.23599G	24.41	68.20	-43.79	-4.73	3	Horizontal	35	2.25	29.14	29.90	3.32	37.95
PK	1.78617G	39.88	88.20	-48.32	-10.00	3	Horizontal	350	1.66	49.88	25.06	2.25	37.31
PK	2.36475G	50.95	74.00	-23.05	-7.60	3	Horizontal	211	2.29	58.55	27.40	2.79	37.79
PK	3.2444G	37.92	88.20	-50.28	-4.73	3	Horizontal	35	2.25	42.65	29.90	3.32	37.95

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.70568G	20.65	54.00	-33.35	-9.84	3	Vertical	192	2.29	30.49	25.10	2.24	37.18				
AV	2.3659G	48.24	54.00	-5.76	-7.60	3	Vertical	44	2.35	55.84	27.40	2.79	37.79				
AV	4.00329G	38.33	54.00	-15.67	-3.08	3	Vertical	245	2.39	41.41	31.01	4.03	38.12				
PK	1.70592G	33.45	74.00	-40.55	-9.84	3	Vertical	192	2.29	43.29	25.10	2.24	37.18				
PK	2.35862G	58.82	74.00	-15.18	-7.61	3	Vertical	44	2.35	66.43	27.39	2.79	37.79				
PK	4.00335G	44.60	74.00	-29.40	-3.08	3	Vertical	245	2.39	47.68	31.01	4.03	38.12				

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.36493G	42.17	54.00	-11.83	-7.60	3	Horizontal	132	1.99	49.77	27.40	2.79	37.79				
AV	3.10757G	25.77	68.20	-42.43	-4.80	3	Horizontal	97	2.44	30.57	29.92	3.23	37.95				
AV	4.00331G	30.52	54.00	-23.48	-3.08	3	Horizontal	52	2.01	33.60	31.01	4.03	38.12				
PK	2.36098G	52.48	74.00	-21.52	-7.60	3	Horizontal	132	1.99	60.08	27.40	2.79	37.79				
PK	3.10828G	39.21	88.20	-48.99	-4.80	3	Horizontal	97	2.44	44.01	29.92	3.23	37.95				
PK	4.00365G	40.31	74.00	-33.69	-3.08	3	Horizontal	52	2.01	43.39	31.01	4.03	38.12				