



5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX



**Summary**


Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
a80_Nss1,(6Mbps)_1TX	Pass	PK	191.02M	30.51	43.50	-12.99	3	Horizontal	360	1.00

Result

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)
a80_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5775MHz_Adapter	Pass	PK	88.2M	27.67	43.50	-15.83	3	Vertical	0	1.00
5775MHz_Adapter	Pass	PK	189.08M	22.86	43.50	-20.64	3	Vertical	0	1.00
5775MHz_Adapter	Pass	PK	449.04M	30.12	46.00	-15.88	3	Vertical	0	1.00
5775MHz_Adapter	Pass	PK	549.92M	26.65	46.00	-19.35	3	Vertical	0	1.00
5775MHz_Adapter	Pass	PK	650.8M	26.77	46.00	-19.23	3	Vertical	0	1.00
5775MHz_Adapter	Pass	PK	860.32M	28.97	46.00	-17.03	3	Vertical	0	1.00
5775MHz_Adapter	Pass	PK	51.34M	24.63	40.00	-15.37	3	Horizontal	360	1.00
5775MHz_Adapter	Pass	PK	191.02M	30.51	43.50	-12.99	3	Horizontal	360	1.00
5775MHz_Adapter	Pass	PK	338.46M	23.00	46.00	-23.00	3	Horizontal	360	1.00
5775MHz_Adapter	Pass	PK	449.04M	26.10	46.00	-19.90	3	Horizontal	360	1.00
5775MHz_Adapter	Pass	PK	738.1M	27.31	46.00	-18.69	3	Horizontal	360	1.00
5775MHz_Adapter	Pass	PK	945.68M	31.19	46.00	-14.81	3	Horizontal	360	1.00

5.725-5.85GHz_a80_Nss1,(6Mbps)_1TX


5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	88.2M	27.67	43.50	-15.83	-22.48	3	Vertical	0	1.00	50.15	13.60	1.06	37.14
PK	189.08M	22.86	43.50	-20.64	-21.29	3	Vertical	0	1.00	44.15	13.80	1.61	36.70
PK	449.04M	30.12	46.00	-15.88	-12.56	3	Vertical	0	1.00	42.68	21.96	2.57	37.09
PK	549.92M	26.65	46.00	-19.35	-10.43	3	Vertical	0	1.00	37.08	24.14	2.91	37.48
PK	650.8M	26.77	46.00	-19.23	-9.04	3	Vertical	0	1.00	35.81	25.32	3.21	37.57
PK	860.32M	28.97	46.00	-17.03	-6.00	3	Vertical	0	1.00	34.97	28.10	3.81	37.91

5.725-5.85GHz_a80_Nss1,(6Mbps)_1TX

5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	51.34M	24.63	40.00	-15.37	-23.95	3	Horizontal	360	1.00	48.58	12.68	0.79	37.42
PK	191.02M	30.51	43.50	-12.99	-21.23	3	Horizontal	360	1.00	51.74	13.83	1.62	36.68
PK	338.46M	23.00	46.00	-23.00	-15.56	3	Horizontal	360	1.00	38.56	19.08	2.22	36.86
PK	449.04M	26.10	46.00	-19.90	-12.56	3	Horizontal	360	1.00	38.66	21.96	2.57	37.09
PK	738.1M	27.31	46.00	-18.69	-7.60	3	Horizontal	360	1.00	34.91	26.74	3.43	37.77
PK	945.68M	31.19	46.00	-14.81	-3.97	3	Horizontal	360	1.00	35.16	29.55	4.05	37.57

Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	AV	5.1492G	53.51	54.00	-0.49	3	Horizontal	310	1.91
a40_Nss1,(6Mbps)_1TX	Pass	AV	5.1492G	53.60	54.00	-0.40	3	Horizontal	303	2.02
a80_Nss1,(6Mbps)_1TX	Pass	AV	5.147G	53.59	54.00	-0.41	3	Horizontal	308	1.93
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	AV	5.35G	53.80	54.00	-0.20	3	Horizontal	306	1.96
a40_Nss1,(6Mbps)_1TX	Pass	AV	5.3508G	53.80	54.00	-0.20	3	Horizontal	310	1.99
a80_Nss1,(6Mbps)_1TX	Pass	AV	5.351G	53.80	54.00	-0.20	3	Horizontal	311	1.94
a160_Nss1,(6Mbps)_1TX	Pass	AV	5.1324G	53.33	54.00	-0.67	3	Horizontal	310	2.02
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	PK	5.7264G	67.65	68.20	-0.55	3	Horizontal	291	1.87
a40_Nss1,(6Mbps)_1TX	Pass	AV	5.46G	53.77	54.00	-0.23	3	Horizontal	311	1.75
a80_Nss1,(6Mbps)_1TX	Pass	AV	5.459G	53.69	54.00	-0.31	3	Horizontal	306	1.88
a160_Nss1,(6Mbps)_1TX	Pass	AV	5.4584G	53.36	54.00	-0.64	3	Horizontal	303	1.87
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
a20_Nss1,(6Mbps)_1TX	Pass	PK	5.973G	63.12	68.20	-5.08	3	Horizontal	292	1.95
a40_Nss1,(6Mbps)_1TX	Pass	PK	5.6494G	65.49	68.20	-2.71	3	Horizontal	289	1.87
a80_Nss1,(6Mbps)_1TX	Pass	PK	5.649G	67.89	68.20	-0.31	3	Horizontal	290	1.77

Result

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)
a20_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1494G	53.25	54.00	-0.75	3	Horizontal	308	1.93
5180MHz	Pass	AV	5.1772G	101.88	Inf	-Inf	3	Horizontal	308	1.93
5180MHz	Pass	PK	5.1498G	68.03	74.00	-5.97	3	Horizontal	308	1.93
5180MHz	Pass	PK	5.1842G	110.08	Inf	-Inf	3	Horizontal	308	1.93
5180MHz	Pass	PK	10.36268G	56.24	68.20	-11.96	3	Vertical	336	1.50
5180MHz	Pass	PK	10.35992G	56.43	68.20	-11.77	3	Horizontal	93	1.50
5200MHz	Pass	AV	5.1492G	53.51	54.00	-0.49	3	Horizontal	310	1.91
5200MHz	Pass	AV	5.1984G	106.19	Inf	-Inf	3	Horizontal	310	1.91
5200MHz	Pass	PK	5.1488G	64.73	74.00	-9.27	3	Horizontal	310	1.91
5200MHz	Pass	PK	5.204G	114.47	Inf	-Inf	3	Horizontal	310	1.91
5200MHz	Pass	PK	10.38992G	56.21	68.20	-11.99	3	Vertical	263	1.50
5200MHz	Pass	PK	10.40288G	56.66	68.20	-11.54	3	Horizontal	275	2.39
5240MHz	Pass	AV	5.1434G	50.84	54.00	-3.16	3	Horizontal	306	1.99
5240MHz	Pass	AV	5.2352G	107.17	Inf	-Inf	3	Horizontal	306	1.99
5240MHz	Pass	AV	5.3654G	50.31	54.00	-3.69	3	Horizontal	306	1.99
5240MHz	Pass	PK	5.132G	59.36	74.00	-14.64	3	Horizontal	306	1.99
5240MHz	Pass	PK	5.246G	115.54	Inf	-Inf	3	Horizontal	306	1.99
5240MHz	Pass	PK	5.3618G	58.66	74.00	-15.34	3	Horizontal	306	1.99
5240MHz	Pass	PK	10.4972G	56.01	68.20	-12.19	3	Vertical	11	1.98
5240MHz	Pass	PK	10.47696G	55.88	68.20	-12.32	3	Horizontal	317	2.11
5260MHz	Pass	AV	5.14G	47.50	54.00	-6.50	3	Horizontal	309	2.00
5260MHz	Pass	AV	5.2612G	101.51	Inf	-Inf	3	Horizontal	309	2.00
5260MHz	Pass	AV	5.35G	47.62	54.00	-6.38	3	Horizontal	309	2.00
5260MHz	Pass	PK	5.1454G	60.22	74.00	-13.78	3	Horizontal	309	2.00
5260MHz	Pass	PK	5.263G	115.32	Inf	-Inf	3	Horizontal	309	2.00
5260MHz	Pass	PK	5.374G	60.59	74.00	-13.41	3	Horizontal	309	2.00
5260MHz	Pass	PK	10.506G	57.12	68.20	-11.08	3	Vertical	316	1.50
5260MHz	Pass	PK	10.52424G	55.95	68.20	-12.25	3	Horizontal	3	1.64
5300MHz	Pass	AV	5.3012G	101.32	Inf	-Inf	3	Horizontal	310	1.95
5300MHz	Pass	AV	5.35G	52.70	54.00	-1.30	3	Horizontal	310	1.95
5300MHz	Pass	PK	5.3016G	115.30	Inf	-Inf	3	Horizontal	310	1.95
5300MHz	Pass	PK	5.3508G	72.03	74.00	-1.97	3	Horizontal	310	1.95
5300MHz	Pass	PK	10.6024G	56.96	74.00	-17.04	3	Vertical	120	1.50
5300MHz	Pass	PK	10.60576G	57.15	74.00	-16.85	3	Horizontal	104	1.25
5320MHz	Pass	AV	5.3164G	98.03	Inf	-Inf	3	Horizontal	306	1.96
5320MHz	Pass	AV	5.35G	53.80	54.00	-0.20	3	Horizontal	306	1.96
5320MHz	Pass	PK	5.3258G	112.80	Inf	-Inf	3	Horizontal	306	1.96
5320MHz	Pass	PK	5.3516G	73.09	74.00	-0.91	3	Horizontal	306	1.96
5320MHz	Pass	AV	10.63584G	44.22	54.00	-9.78	3	Vertical	258	1.37
5320MHz	Pass	PK	10.65488G	56.82	74.00	-17.18	3	Vertical	258	1.37
5320MHz	Pass	AV	10.63424G	44.22	54.00	-9.78	3	Horizontal	240	2.22
5320MHz	Pass	PK	10.63568G	56.96	74.00	-17.04	3	Horizontal	240	2.22
5500MHz	Pass	AV	5.4596G	47.51	54.00	-6.49	3	Horizontal	310	1.93
5500MHz	Pass	AV	5.4964G	95.36	Inf	-Inf	3	Horizontal	310	1.93
5500MHz	Pass	PK	5.4592G	63.16	74.00	-10.84	3	Horizontal	310	1.93
5500MHz	Pass	PK	5.4674G	67.60	68.20	-0.60	3	Horizontal	310	1.93
5500MHz	Pass	PK	5.506G	110.64	Inf	-Inf	3	Horizontal	310	1.93
5500MHz	Pass	AV	10.9986G	45.64	54.00	-8.36	3	Vertical	359	1.50
5500MHz	Pass	PK	11.00856G	57.86	74.00	-16.14	3	Vertical	359	1.50
5500MHz	Pass	AV	11.00868G	45.60	54.00	-8.40	3	Horizontal	359	1.50
5500MHz	Pass	PK	11.00732G	57.44	74.00	-16.56	3	Horizontal	359	1.50
5580MHz	Pass	AV	5.4558G	47.31	54.00	-6.69	3	Horizontal	309	1.85
5580MHz	Pass	AV	5.5812G	100.14	Inf	-Inf	3	Horizontal	309	1.85
5580MHz	Pass	PK	5.445G	58.40	74.00	-15.60	3	Horizontal	309	1.85
5580MHz	Pass	PK	5.466G	59.06	68.20	-9.14	3	Horizontal	309	1.85
5580MHz	Pass	PK	5.5764G	114.40	Inf	-Inf	3	Horizontal	309	1.85
5580MHz	Pass	PK	5.7264G	59.28	68.20	-8.92	3	Horizontal	309	1.85
5580MHz	Pass	AV	11.16468G	46.00	54.00	-8.00	3	Vertical	111	2.84
5580MHz	Pass	PK	11.15584G	58.31	74.00	-15.69	3	Vertical	111	2.84
5580MHz	Pass	AV	11.16944G	46.02	54.00	-7.98	3	Horizontal	174	1.50

5580MHz	Pass	PK	11.16872G	58.22	74.00	-15.78	3	Horizontal	174	1.50
5700MHz	Pass	AV	5.7012G	94.41	Inf	-Inf	3	Horizontal	291	1.87
5700MHz	Pass	PK	5.7052G	109.21	Inf	-Inf	3	Horizontal	291	1.87
5700MHz	Pass	PK	5.7264G	67.65	68.20	-0.55	3	Horizontal	291	1.87
5700MHz	Pass	AV	11.3938G	45.90	54.00	-8.10	3	Vertical	197	1.86
5700MHz	Pass	PK	11.40292G	58.00	74.00	-16.00	3	Vertical	197	1.86
5700MHz	Pass	AV	11.40308G	45.82	54.00	-8.18	3	Horizontal	130	1.50
5700MHz	Pass	PK	11.39204G	58.27	74.00	-15.73	3	Horizontal	130	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4452G	50.39	54.00	-3.61	3	Horizontal	297	1.66
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	106.19	Inf	-Inf	3	Horizontal	297	1.66
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4464G	59.70	74.00	-14.30	3	Horizontal	297	1.66
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	59.10	68.20	-9.10	3	Horizontal	297	1.66
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	114.18	Inf	-Inf	3	Horizontal	297	1.66
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9348G	62.64	68.20	-5.56	3	Horizontal	297	1.66
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44132G	44.31	54.00	-9.69	3	Vertical	16	2.21
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43942G	57.13	74.00	-16.87	3	Vertical	16	2.21
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4374G	44.31	54.00	-9.69	3	Horizontal	185	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43562G	57.80	74.00	-16.20	3	Horizontal	185	1.50
5745MHz	Pass	AV	5.4546G	47.31	54.00	-6.69	3	Horizontal	292	1.95
5745MHz	Pass	AV	5.7462G	99.05	Inf	-Inf	3	Horizontal	292	1.95
5745MHz	Pass	PK	5.5614G	60.22	68.20	-7.98	3	Horizontal	292	1.95
5745MHz	Pass	PK	5.7498G	112.11	Inf	-Inf	3	Horizontal	292	1.95
5745MHz	Pass	PK	5.973G	63.12	68.20	-5.08	3	Horizontal	292	1.95
5745MHz	Pass	AV	11.48532G	44.78	54.00	-9.22	3	Vertical	269	2.80
5745MHz	Pass	PK	11.486G	58.24	74.00	-15.76	3	Vertical	269	2.80
5745MHz	Pass	AV	11.48668G	44.66	54.00	-9.34	3	Horizontal	239	2.76
5745MHz	Pass	PK	11.48608G	56.88	74.00	-17.12	3	Horizontal	239	2.76
5785MHz	Pass	AV	5.7862G	99.08	Inf	-Inf	3	Horizontal	290	1.83
5785MHz	Pass	PK	5.557G	59.56	68.20	-8.64	3	Horizontal	290	1.83
5785MHz	Pass	PK	5.7898G	111.91	Inf	-Inf	3	Horizontal	290	1.83
5785MHz	Pass	PK	6.0514G	61.87	68.20	-6.33	3	Horizontal	290	1.83
5785MHz	Pass	AV	11.57924G	46.10	54.00	-7.90	3	Vertical	49	1.00
5785MHz	Pass	PK	11.56064G	57.89	74.00	-16.11	3	Vertical	49	1.00
5785MHz	Pass	AV	11.57912G	46.25	54.00	-7.75	3	Horizontal	256	1.50
5785MHz	Pass	PK	11.5798G	58.08	74.00	-15.92	3	Horizontal	256	1.50
5825MHz	Pass	AV	5.8214G	97.43	Inf	-Inf	3	Horizontal	287	1.70
5825MHz	Pass	PK	5.6342G	59.29	68.20	-8.91	3	Horizontal	287	1.70
5825MHz	Pass	PK	5.819G	110.26	Inf	-Inf	3	Horizontal	287	1.70
5825MHz	Pass	PK	5.969G	62.50	68.20	-5.70	3	Horizontal	287	1.70
5825MHz	Pass	AV	11.64044G	46.16	54.00	-7.84	3	Vertical	84	1.50
5825MHz	Pass	PK	11.65032G	58.09	74.00	-15.91	3	Vertical	84	1.50
5825MHz	Pass	AV	11.64936G	46.16	54.00	-7.84	3	Horizontal	206	1.50
5825MHz	Pass	PK	11.6554G	58.35	74.00	-15.65	3	Horizontal	206	1.50
a40_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1496G	53.51	54.00	-0.49	3	Horizontal	308	1.80
5190MHz	Pass	AV	5.1956G	95.24	Inf	-Inf	3	Horizontal	308	1.80
5190MHz	Pass	PK	5.1488G	65.60	74.00	-8.40	3	Horizontal	308	1.80
5190MHz	Pass	PK	5.184G	102.79	Inf	-Inf	3	Horizontal	308	1.80
5190MHz	Pass	PK	10.36376G	57.04	68.20	-11.16	3	Vertical	82	1.50
5190MHz	Pass	PK	10.37224G	56.79	68.20	-11.41	3	Horizontal	320	1.50
5230MHz	Pass	AV	5.1492G	53.60	54.00	-0.40	3	Horizontal	303	2.02
5230MHz	Pass	AV	5.2244G	99.96	Inf	-Inf	3	Horizontal	303	2.02
5230MHz	Pass	PK	5.15G	63.07	74.00	-10.93	3	Horizontal	303	2.02
5230MHz	Pass	PK	5.2224G	107.58	Inf	-Inf	3	Horizontal	303	2.02
5230MHz	Pass	PK	10.46008G	57.02	68.20	-11.18	3	Vertical	341	2.63
5230MHz	Pass	PK	10.45904G	56.77	68.20	-11.43	3	Horizontal	0	1.50
5270MHz	Pass	AV	5.3508G	53.80	54.00	-0.20	3	Horizontal	310	1.99
5270MHz	Pass	PK	5.3536G	64.34	74.00	-9.66	3	Horizontal	310	1.99
5270MHz	Pass	AV	5.2752G	99.89	Inf	-Inf	3	Horizontal	310	1.99
5270MHz	Pass	PK	5.2792G	107.64	Inf	-Inf	3	Horizontal	310	1.99
5270MHz	Pass	PK	10.55912G	57.38	68.20	-10.82	3	Vertical	335	3.00
5270MHz	Pass	PK	10.53128G	57.19	68.20	-11.01	3	Horizontal	87	1.94
5310MHz	Pass	AV	5.3156G	94.88	Inf	-Inf	3	Horizontal	307	1.96
5310MHz	Pass	AV	5.3528G	53.55	54.00	-0.45	3	Horizontal	307	1.96

5310MHz	Pass	PK	5.302G	102.67	Inf	-Inf	3	Horizontal	307	1.96
5310MHz	Pass	PK	5.3504G	67.10	74.00	-6.90	3	Horizontal	307	1.96
5310MHz	Pass	AV	10.63104G	45.45	54.00	-8.55	3	Vertical	203	1.50
5310MHz	Pass	PK	10.61624G	57.14	74.00	-16.86	3	Vertical	203	1.50
5310MHz	Pass	AV	10.62448G	45.30	54.00	-8.70	3	Horizontal	360	1.51
5310MHz	Pass	PK	10.61568G	57.36	74.00	-16.64	3	Horizontal	360	1.51
5510MHz	Pass	AV	5.4588G	52.48	54.00	-1.52	3	Horizontal	307	1.50
5510MHz	Pass	AV	5.514G	94.33	Inf	-Inf	3	Horizontal	307	1.50
5510MHz	Pass	PK	5.4596G	63.71	74.00	-10.29	3	Horizontal	307	1.50
5510MHz	Pass	PK	5.47G	67.74	68.20	-0.46	3	Horizontal	307	1.50
5510MHz	Pass	PK	5.5152G	102.39	Inf	-Inf	3	Horizontal	307	1.50
5510MHz	Pass	AV	11.0284G	45.40	54.00	-8.60	3	Vertical	360	1.43
5510MHz	Pass	PK	11.02424G	56.98	74.00	-17.02	3	Vertical	360	1.43
5510MHz	Pass	AV	11.03672G	45.20	54.00	-8.80	3	Horizontal	121	1.00
5510MHz	Pass	PK	11.01528G	57.60	74.00	-16.40	3	Horizontal	121	1.00
5550MHz	Pass	AV	5.46G	53.77	54.00	-0.23	3	Horizontal	311	1.75
5550MHz	Pass	AV	5.552G	100.51	Inf	-Inf	3	Horizontal	311	1.75
5550MHz	Pass	PK	5.4584G	64.87	74.00	-9.13	3	Horizontal	311	1.75
5550MHz	Pass	PK	5.4612G	65.73	68.20	-2.47	3	Horizontal	311	1.75
5550MHz	Pass	PK	5.5532G	108.27	Inf	-Inf	3	Horizontal	311	1.75
5550MHz	Pass	AV	11.11464G	45.58	54.00	-8.42	3	Vertical	134	2.64
5550MHz	Pass	PK	11.11576G	57.72	74.00	-16.28	3	Vertical	134	2.64
5550MHz	Pass	AV	11.09008G	45.65	54.00	-8.35	3	Horizontal	0	2.64
5550MHz	Pass	PK	11.09576G	57.62	74.00	-16.38	3	Horizontal	0	2.64
5670MHz	Pass	AV	5.676G	98.83	Inf	-Inf	3	Horizontal	288	2.00
5670MHz	Pass	PK	5.6742G	106.42	Inf	-Inf	3	Horizontal	288	2.00
5670MHz	Pass	PK	5.7282G	67.93	68.20	-0.27	3	Horizontal	288	2.00
5670MHz	Pass	AV	11.33656G	45.92	54.00	-8.08	3	Vertical	303	1.50
5670MHz	Pass	PK	11.34432G	58.24	74.00	-15.76	3	Vertical	303	1.50
5670MHz	Pass	AV	11.32344G	46.05	54.00	-7.95	3	Horizontal	146	1.47
5670MHz	Pass	PK	11.33648G	57.99	74.00	-16.01	3	Horizontal	146	1.47
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4568G	50.72	54.00	-3.28	3	Horizontal	294	1.82
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.716G	103.83	Inf	-Inf	3	Horizontal	294	1.82
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4448G	60.09	74.00	-13.91	3	Horizontal	294	1.82
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4628G	59.51	68.20	-8.69	3	Horizontal	294	1.82
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7136G	112.06	Inf	-Inf	3	Horizontal	294	1.82
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8588G	64.41	68.20	-3.79	3	Horizontal	294	1.82
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41514G	44.59	54.00	-9.41	3	Vertical	278	1.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42128G	56.60	74.00	-17.40	3	Vertical	278	1.00
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41852G	44.60	54.00	-9.40	3	Horizontal	15	2.58
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41758G	58.08	74.00	-15.92	3	Horizontal	15	2.58
5755MHz	Pass	AV	5.4586G	49.67	54.00	-4.33	3	Horizontal	289	1.87
5755MHz	Pass	AV	5.761G	102.53	Inf	-Inf	3	Horizontal	289	1.87
5755MHz	Pass	PK	5.6494G	65.49	68.20	-2.71	3	Horizontal	289	1.87
5755MHz	Pass	PK	5.761G	109.97	Inf	-Inf	3	Horizontal	289	1.87
5755MHz	Pass	PK	5.9506G	62.17	68.20	-6.03	3	Horizontal	289	1.87
5755MHz	Pass	AV	11.52696G	45.70	54.00	-8.30	3	Vertical	360	1.50
5755MHz	Pass	PK	11.52704G	58.00	74.00	-16.00	3	Vertical	360	1.50
5755MHz	Pass	AV	11.52888G	45.60	54.00	-8.40	3	Horizontal	287	1.90
5755MHz	Pass	PK	11.49704G	58.36	74.00	-15.64	3	Horizontal	287	1.90
5795MHz	Pass	AV	5.7902G	102.81	Inf	-Inf	3	Horizontal	291	1.93
5795MHz	Pass	PK	5.6498G	63.20	68.20	-5.00	3	Horizontal	291	1.93
5795MHz	Pass	PK	5.7902G	109.84	Inf	-Inf	3	Horizontal	291	1.93
5795MHz	Pass	PK	5.9342G	63.82	68.20	-4.38	3	Horizontal	291	1.93
5795MHz	Pass	AV	11.60584G	46.24	54.00	-7.76	3	Vertical	84	1.70
5795MHz	Pass	PK	11.58592G	57.64	74.00	-16.36	3	Vertical	84	1.70
5795MHz	Pass	AV	11.5924G	46.07	54.00	-7.93	3	Horizontal	10	1.50
5795MHz	Pass	PK	11.6072G	58.02	74.00	-15.98	3	Horizontal	10	1.50
a80_Nss1(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.147G	53.59	54.00	-0.41	3	Horizontal	308	1.93
5210MHz	Pass	AV	5.199G	93.24	Inf	-Inf	3	Horizontal	308	1.93
5210MHz	Pass	AV	5.362G	50.67	54.00	-3.33	3	Horizontal	308	1.93
5210MHz	Pass	PK	5.148G	64.97	74.00	-9.03	3	Horizontal	308	1.93
5210MHz	Pass	PK	5.184G	101.08	Inf	-Inf	3	Horizontal	308	1.93


5210MHz	Pass	PK	5.389G	59.12	74.00	-14.88	3	Horizontal	308	1.93
5210MHz	Pass	PK	10.42688G	57.58	68.20	-10.62	3	Vertical	35	1.36
5210MHz	Pass	PK	10.39584G	56.75	68.20	-11.45	3	Horizontal	359	1.50
5290MHz	Pass	AV	5.112G	50.68	54.00	-3.32	3	Horizontal	311	1.94
5290MHz	Pass	AV	5.296G	93.32	Inf	-Inf	3	Horizontal	311	1.94
5290MHz	Pass	AV	5.351G	53.80	54.00	-0.20	3	Horizontal	311	1.94
5290MHz	Pass	PK	5.105G	58.92	74.00	-15.08	3	Horizontal	311	1.94
5290MHz	Pass	PK	5.284G	101.60	Inf	-Inf	3	Horizontal	311	1.94
5290MHz	Pass	PK	5.35G	66.19	74.00	-7.81	3	Horizontal	311	1.94
5290MHz	Pass	PK	5.487G	60.01	68.20	-8.19	3	Horizontal	311	1.94
5290MHz	Pass	PK	10.61232G	57.81	74.00	-16.19	3	Vertical	23	1.50
5290MHz	Pass	PK	10.55056G	58.46	68.20	-9.74	3	Horizontal	68	1.50
5530MHz	Pass	AV	5.35G	49.87	54.00	-4.13	3	Horizontal	312	1.86
5530MHz	Pass	AV	5.449G	51.72	54.00	-2.28	3	Horizontal	312	1.86
5530MHz	Pass	AV	5.542G	92.33	Inf	-Inf	3	Horizontal	312	1.86
5530MHz	Pass	PK	5.289G	60.28	68.20	-7.92	3	Horizontal	312	1.86
5530MHz	Pass	PK	5.456G	66.32	74.00	-7.68	3	Horizontal	312	1.86
5530MHz	Pass	PK	5.47G	67.09	68.20	-1.11	3	Horizontal	312	1.86
5530MHz	Pass	PK	5.544G	100.41	Inf	-Inf	3	Horizontal	312	1.86
5530MHz	Pass	PK	5.727G	61.38	68.20	-6.82	3	Horizontal	312	1.86
5530MHz	Pass	AV	11.08912G	45.52	54.00	-8.48	3	Vertical	97	1.00
5530MHz	Pass	PK	11.06048G	57.68	74.00	-16.32	3	Vertical	97	1.00
5530MHz	Pass	AV	11.09872G	45.47	54.00	-8.53	3	Horizontal	108	1.68
5530MHz	Pass	PK	11.08512G	57.88	74.00	-16.12	3	Horizontal	108	1.68
5610MHz	Pass	AV	5.459G	53.69	54.00	-0.31	3	Horizontal	306	1.88
5610MHz	Pass	AV	5.596G	97.43	Inf	-Inf	3	Horizontal	306	1.88
5610MHz	Pass	PK	5.456G	62.59	74.00	-11.41	3	Horizontal	306	1.88
5610MHz	Pass	PK	5.47G	63.53	68.20	-4.67	3	Horizontal	306	1.88
5610MHz	Pass	PK	5.602G	104.60	Inf	-Inf	3	Horizontal	306	1.88
5610MHz	Pass	PK	5.727G	64.95	68.20	-3.25	3	Horizontal	306	1.88
5610MHz	Pass	AV	11.20224G	46.18	54.00	-7.82	3	Vertical	87	2.88
5610MHz	Pass	PK	11.25472G	58.14	74.00	-15.86	3	Vertical	87	2.88
5610MHz	Pass	AV	11.21728G	46.17	54.00	-7.83	3	Horizontal	308	1.50
5610MHz	Pass	PK	11.25136G	57.85	74.00	-16.15	3	Horizontal	308	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	52.32	54.00	-1.68	3	Horizontal	289	1.77
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6864G	100.99	Inf	-Inf	3	Horizontal	289	1.77
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4584G	61.75	74.00	-12.25	3	Horizontal	289	1.77
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	61.72	68.20	-6.48	3	Horizontal	289	1.77
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6828G	108.76	Inf	-Inf	3	Horizontal	289	1.77
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8532G	67.53	68.20	-0.67	3	Horizontal	289	1.77
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37614G	44.80	54.00	-9.20	3	Vertical	168	1.67
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37926G	57.10	74.00	-16.90	3	Vertical	168	1.67
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37638G	44.87	54.00	-9.13	3	Horizontal	336	2.29
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3771G	56.87	74.00	-17.13	3	Horizontal	336	2.29
5775MHz	Pass	AV	5.7678G	98.94	Inf	-Inf	3	Horizontal	290	1.77
5775MHz	Pass	PK	5.649G	67.89	68.20	-0.31	3	Horizontal	290	1.77
5775MHz	Pass	PK	5.7678G	105.86	Inf	-Inf	3	Horizontal	290	1.77
5775MHz	Pass	PK	5.9358G	65.16	68.20	-3.04	3	Horizontal	290	1.77
5775MHz	Pass	AV	11.5764G	46.18	54.00	-7.82	3	Vertical	62	1.47
5775MHz	Pass	PK	11.53448G	58.26	74.00	-15.74	3	Vertical	62	1.47
5775MHz	Pass	AV	11.56632G	47.99	54.00	-6.01	3	Horizontal	294	1.96
5775MHz	Pass	PK	11.5668G	59.61	74.00	-14.39	3	Horizontal	294	1.96
a160_Nss1_(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1324G	53.33	54.00	-0.67	3	Horizontal	310	2.02
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2212G	89.10	Inf	-Inf	3	Horizontal	310	2.02
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3868G	53.31	54.00	-0.69	3	Horizontal	310	2.02
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1432G	63.88	74.00	-10.12	3	Horizontal	310	2.02
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2632G	96.56	Inf	-Inf	3	Horizontal	310	2.02
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3844G	68.11	74.00	-5.89	3	Horizontal	310	2.02
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5236G	59.07	68.20	-9.13	3	Horizontal	310	2.02
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.53712G	56.90	68.20	-11.30	3	Vertical	84	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.57648G	57.30	68.20	-10.90	3	Horizontal	190	1.30
5570MHz	Pass	AV	5.4584G	53.36	54.00	-0.64	3	Horizontal	303	1.87
5570MHz	Pass	AV	5.582G	89.06	Inf	-Inf	3	Horizontal	303	1.87



5570MHz	Pass	PK	5.3372G	59.03	68.20	-9.17	3	Horizontal	303	1.87
5570MHz	Pass	PK	5.4524G	65.58	74.00	-8.42	3	Horizontal	303	1.87
5570MHz	Pass	PK	5.4668G	64.76	68.20	-3.44	3	Horizontal	303	1.87
5570MHz	Pass	PK	5.564G	96.67	Inf	-Inf	3	Horizontal	303	1.87
5570MHz	Pass	PK	5.726G	62.40	68.20	-5.80	3	Horizontal	303	1.87
5570MHz	Pass	AV	11.20592G	46.11	54.00	-7.89	3	Vertical	151	1.50
5570MHz	Pass	PK	11.19536G	57.65	74.00	-16.35	3	Vertical	151	1.50
5570MHz	Pass	AV	11.2152G	46.17	54.00	-7.83	3	Horizontal	348	1.50
5570MHz	Pass	PK	11.13264G	57.48	74.00	-16.52	3	Horizontal	348	1.50


5.15-5.25GHz_a20_Nss1,(6Mbps)_1TX

5200MHz_TX




5.15-5.25GHz_a20_Nss1,(6Mbps)_1TX

5200MHz_TX




5.15-5.25GHz_a20_Nss1,(6Mbps)_1TX

5200MHz_TX




5.15-5.25GHz_a40_Nss1,(6Mbps)_1TX

5230MHz_TX




5.15-5.25GHz_a40_Nss1,(6Mbps)_1TX

5230MHz_TX




5.15-5.25GHz_a40_Nss1,(6Mbps)_1TX

5230MHz_TX



5.15-5.25GHz_a80_Nss1,(6Mbps)_1TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	53.59	54.00	-0.41	5.60	3	Horizontal	308	1.93	47.99	33.08	7.97	35.45
AV	5.199G	93.24	Inf	-Inf	5.59	3	Horizontal	308	1.93	87.65	33.00	8.03	35.44
AV	5.362G	50.67	54.00	-3.33	5.46	3	Horizontal	308	1.93	45.21	32.85	8.02	35.41
PK	5.148G	64.97	74.00	-9.03	5.61	3	Horizontal	308	1.93	59.36	33.09	7.97	35.45
PK	5.184G	101.08	Inf	-Inf	5.59	3	Horizontal	308	1.93	95.49	33.03	8.01	35.45
PK	5.389G	59.12	74.00	-14.88	5.35	3	Horizontal	308	1.93	53.77	32.74	8.02	35.41

5.15-5.25GHz_a80_Nss1,(6Mbps)_1TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.42688G	57.58	68.20	-10.62	12.99	3	Vertical	35	1.36	44.59	38.30	10.57	35.88


5.15-5.25GHz_a80_Nss1,(6Mbps)_1TX

5210MHz_TX




5.25-5.35GHz_a20_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_a20_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_a20_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_a40_Nss1,(6Mbps)_1TX

5270MHz_TX




5.25-5.35GHz_a40_Nss1,(6Mbps)_1TX

5270MHz_TX




5.25-5.35GHz_a40_Nss1,(6Mbps)_1TX

5270MHz_TX




5.25-5.35GHz_a80_Nss1,(6Mbps)_1TX

5290MHz_TX




5.25-5.35GHz_a80_Nss1,(6Mbps)_1TX

5290MHz_TX




5.25-5.35GHz_a80_Nss1,(6Mbps)_1TX

5290MHz_TX




5.25-5.35GHz_a160_Nss1,(6Mbps)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_a160_Nss1,(6Mbps)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_a160_Nss1,(6Mbps)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_a20_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_a20_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_a20_Nss1,(6Mbps)_1TX

5700MHz_TX



5.47-5.725GHz_a40_Nss1,(6Mbps)_1TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	53.77	54.00	-0.23	5.39	3	Horizontal	311	1.75	48.38	32.72	8.07	35.40
AV	5.552G	100.51	Inf	-Inf	5.51	3	Horizontal	311	1.75	95.00	32.70	8.16	35.35
PK	5.4584G	64.87	74.00	-9.13	5.39	3	Horizontal	311	1.75	59.48	32.72	8.07	35.40
PK	5.4612G	65.73	68.20	-2.47	5.40	3	Horizontal	311	1.75	60.33	32.72	8.08	35.40
PK	5.5532G	108.27	Inf	-Inf	5.50	3	Horizontal	311	1.75	102.77	32.70	8.16	35.36

5.47-5.725GHz_a40_Nss1,(6Mbps)_1TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.11464G	45.58	54.00	-8.42	14.07	3	Vertical	134	2.64	31.51	38.40	11.03	35.36
PK	11.11576G	57.72	74.00	-16.28	14.07	3	Vertical	134	2.64	43.65	38.40	11.03	35.36


5.47-5.725GHz_a40_Nss1,(6Mbps)_1TX

5550MHz_TX




5.47-5.725GHz_a80_Nss1,(6Mbps)_1TX

5610MHz_TX




5.47-5.725GHz_a80_Nss1,(6Mbps)_1TX

5610MHz_TX




5.47-5.725GHz_a80_Nss1,(6Mbps)_1TX

5610MHz_TX




5.47-5.725GHz_a160_Nss1,(6Mbps)_1TX

5570MHz_TX




5.47-5.725GHz_a160_Nss1,(6Mbps)_1TX

5570MHz_TX




5.47-5.725GHz_a160_Nss1,(6Mbps)_1TX

5570MHz_TX




5.725-5.85GHz_a20_Nss1,(6Mbps)_1TX

5745MHz_TX




5.725-5.85GHz_a20_Nss1,(6Mbps)_1TX

5745MHz_TX




5.725-5.85GHz_a20_Nss1,(6Mbps)_1TX

5745MHz_TX



5.725-5.85GHz_a40_Nss1,(6Mbps)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4586G	49.67	54.00	-4.33	5.39	3	Horizontal	289	1.87	44.28	32.72	8.07	35.40
AV	5.761G	102.53	Inf	-Inf	6.66	3	Horizontal	289	1.87	95.87	33.64	8.24	35.22
PK	5.6494G	65.49	68.20	-2.71	5.92	3	Horizontal	289	1.87	59.57	33.00	8.21	35.29
PK	5.761G	109.97	Inf	-Inf	6.66	3	Horizontal	289	1.87	103.31	33.64	8.24	35.22
PK	5.9506G	62.17	68.20	-6.03	7.25	3	Horizontal	289	1.87	54.92	34.00	8.35	35.10

5.725-5.85GHz_a40_Nss1,(6Mbps)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.52696G	45.70	54.00	-8.30	14.61	3	Vertical	360	1.50	31.09	38.55	11.31	35.25
PK	11.52704G	58.00	74.00	-16.00	14.61	3	Vertical	360	1.50	43.39	38.55	11.31	35.25


5.725-5.85GHz_a40_Nss1,(6Mbps)_1TX

5755MHz_TX




5.725-5.85GHz_a80_Nss1,(6Mbps)_1TX

5775MHz_TX




5.725-5.85GHz_a80_Nss1,(6Mbps)_1TX

5775MHz_TX



5.725-5.85GHz_a80_Nss1,(6Mbps)_1TX

5775MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.8809G	33.12	54.00	-20.88	Vertical
Mode 2	Pass	AV	4.91632G	33.14	54.00	-20.86	Vertical
Mode 3	Pass	PK	5.51869G	45.97	68.20	-22.23	Horizontal
Mode 4	Pass	PK	6.05561G	47.92	68.20	-20.28	Horizontal
Mode 5	Pass	PK	5.80922G	47.37	68.20	-20.83	Horizontal
Mode 6	Pass	AV	4.92403G	36.57	54.00	-17.43	Vertical

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	1.32996G	25.24	54.00	-28.76	3	Vertical	101	1.50
Mode 1	Pass	AV	1.79346G	25.32	68.20	-42.88	3	Vertical	214	2.63
Mode 1	Pass	AV	4.8809G	33.12	54.00	-20.88	3	Vertical	0	2.97
Mode 1	Pass	PK	1.33287G	39.23	74.00	-34.77	3	Vertical	101	1.50
Mode 1	Pass	PK	1.79286G	41.51	68.20	-26.69	3	Vertical	214	2.63
Mode 1	Pass	PK	4.88438G	46.19	74.00	-27.81	3	Vertical	0	2.97
Mode 1	Pass	AV	1.1634G	25.17	54.00	-28.83	3	Horizontal	237	1.50
Mode 1	Pass	AV	1.80196G	23.98	68.20	-44.22	3	Horizontal	278	1.50
Mode 1	Pass	AV	4.42262G	32.16	68.20	-36.04	3	Horizontal	206	2.67
Mode 1	Pass	PK	1.1532G	38.14	74.00	-35.86	3	Horizontal	237	1.50
Mode 1	Pass	PK	1.79194G	37.52	68.20	-30.68	3	Horizontal	278	1.50
Mode 1	Pass	PK	4.43513G	45.08	68.20	-23.12	3	Horizontal	206	2.67
Mode 2	Pass	AV	1.39178G	25.04	54.00	-28.96	3	Vertical	328	1.30
Mode 2	Pass	AV	3.05031G	29.88	68.20	-38.32	3	Vertical	172	2.16
Mode 2	Pass	AV	4.91632G	33.14	54.00	-20.86	3	Vertical	2	1.50
Mode 2	Pass	PK	1.38968G	37.85	74.00	-36.15	3	Vertical	328	1.30
Mode 2	Pass	PK	3.0447G	43.03	68.20	-25.17	3	Vertical	172	2.16
Mode 2	Pass	PK	4.9246G	46.42	74.00	-27.58	3	Vertical	2	1.50
Mode 2	Pass	AV	1.33146G	24.74	54.00	-29.26	3	Horizontal	241	1.50
Mode 2	Pass	AV	3.61472G	29.66	54.00	-24.34	3	Horizontal	96	1.48
Mode 2	Pass	AV	4.30443G	31.34	54.00	-22.66	3	Horizontal	271	1.50
Mode 2	Pass	PK	1.33341G	37.42	74.00	-36.58	3	Horizontal	241	1.50
Mode 2	Pass	PK	3.6266G	42.81	74.00	-31.19	3	Horizontal	96	1.48
Mode 2	Pass	PK	4.30149G	43.99	74.00	-30.01	3	Horizontal	271	1.50
Mode 3	Pass	AV	1.33104G	24.92	54.00	-29.08	3	Vertical	9	1.50
Mode 3	Pass	AV	2.79258G	28.48	54.00	-25.52	3	Vertical	150	1.27
Mode 3	Pass	AV	4.24451G	31.62	54.00	-22.38	3	Vertical	193	2.00
Mode 3	Pass	PK	1.3311G	37.95	74.00	-36.05	3	Vertical	9	1.50
Mode 3	Pass	PK	2.78208G	41.13	74.00	-32.87	3	Vertical	150	1.27
Mode 3	Pass	PK	4.24277G	44.08	74.00	-29.92	3	Vertical	193	2.00
Mode 3	Pass	AV	1.33105G	24.74	54.00	-29.26	3	Horizontal	171	1.50
Mode 3	Pass	AV	3.96585G	30.71	54.00	-23.29	3	Horizontal	60	1.50
Mode 3	Pass	AV	5.5216G	33.55	68.20	-34.65	3	Horizontal	279	1.50
Mode 3	Pass	PK	1.33114G	37.43	74.00	-36.57	3	Horizontal	171	1.50
Mode 3	Pass	PK	3.97863G	44.43	74.00	-29.57	3	Horizontal	60	1.50
Mode 3	Pass	PK	5.51869G	45.97	68.20	-22.23	3	Horizontal	279	1.50
Mode 4	Pass	AV	2.08191G	30.21	68.20	-37.99	3	Vertical	215	1.98
Mode 4	Pass	AV	3.71323G	29.69	54.00	-24.31	3	Vertical	168	1.50
Mode 4	Pass	AV	6.06147G	34.89	68.20	-33.31	3	Vertical	106	1.50
Mode 4	Pass	PK	2.08227G	40.18	68.20	-28.02	3	Vertical	215	1.98
Mode 4	Pass	PK	3.70657G	43.04	74.00	-30.96	3	Vertical	168	1.50
Mode 4	Pass	PK	6.05184G	47.72	68.20	-20.48	3	Vertical	106	1.50
Mode 4	Pass	AV	1.33114G	24.63	54.00	-29.37	3	Horizontal	278	1.50
Mode 4	Pass	AV	3.76321G	30.24	54.00	-23.76	3	Horizontal	166	1.50
Mode 4	Pass	AV	6.05252G	34.87	68.20	-33.33	3	Horizontal	187	2.22
Mode 4	Pass	PK	1.32919G	37.44	74.00	-36.56	3	Horizontal	278	1.50
Mode 4	Pass	PK	3.7645G	43.74	74.00	-30.26	3	Horizontal	166	1.50
Mode 4	Pass	PK	6.05561G	47.92	68.20	-20.28	3	Horizontal	187	2.22
Mode 5	Pass	AV	1.331G	24.60	54.00	-29.40	3	Vertical	48	1.50
Mode 5	Pass	AV	3.55042G	29.35	68.20	-38.85	3	Vertical	206	2.06


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 5	Pass	AV	4.44171G	31.95	68.20	-36.25	3	Vertical	265	1.19
Mode 5	Pass	PK	1.34426G	39.25	74.00	-34.75	3	Vertical	48	1.50
Mode 5	Pass	PK	3.5581G	42.98	68.20	-25.22	3	Vertical	206	2.06
Mode 5	Pass	PK	4.43247G	45.44	68.20	-22.76	3	Vertical	265	1.19
Mode 5	Pass	AV	3.04218G	29.79	68.20	-38.41	3	Horizontal	280	1.50
Mode 5	Pass	AV	4.42442G	31.93	68.20	-36.27	3	Horizontal	359	1.50
Mode 5	Pass	AV	5.80322G	34.63	68.20	-33.57	3	Horizontal	164	3.00
Mode 5	Pass	PK	3.05487G	42.58	68.20	-25.62	3	Horizontal	280	1.50
Mode 5	Pass	PK	4.42169G	45.35	68.20	-22.85	3	Horizontal	359	1.50
Mode 5	Pass	PK	5.80922G	47.37	68.20	-20.83	3	Horizontal	164	3.00
Mode 6	Pass	AV	1.22203G	24.81	54.00	-29.19	3	Vertical	72	1.50
Mode 6	Pass	AV	3.6004G	29.75	54.00	-24.25	3	Vertical	48	1.50
Mode 6	Pass	AV	4.92403G	36.57	54.00	-17.43	3	Vertical	32	2.91
Mode 6	Pass	PK	1.2013G	37.49	74.00	-36.51	3	Vertical	72	1.50
Mode 6	Pass	PK	3.60047G	43.34	74.00	-30.66	3	Vertical	48	1.50
Mode 6	Pass	PK	4.92409G	46.84	74.00	-27.16	3	Vertical	32	2.91
Mode 6	Pass	AV	1.60173G	24.70	54.00	-29.30	3	Horizontal	113	2.93
Mode 6	Pass	AV	3.60376G	29.99	54.00	-24.01	3	Horizontal	6	1.49
Mode 6	Pass	AV	4.96624G	33.67	54.00	-20.33	3	Horizontal	247	1.50
Mode 6	Pass	PK	1.59726G	40.12	74.00	-33.88	3	Horizontal	113	2.93
Mode 6	Pass	PK	3.60511G	43.38	74.00	-30.62	3	Horizontal	6	1.49
Mode 6	Pass	PK	4.99033G	46.85	74.00	-27.15	3	Horizontal	247	1.50

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.32996G	25.24	54.00	-28.76	-5.88	3	Vertical	101	1.50	31.12	25.90	3.58	35.36
AV	1.79346G	25.32	68.20	-42.88	-5.78	3	Vertical	214	2.63	31.10	25.03	4.22	35.03
AV	4.8809G	33.12	54.00	-20.88	4.64	3	Vertical	0	2.97	28.48	32.62	7.08	35.06
PK	1.33287G	39.23	74.00	-34.77	-5.87	3	Vertical	101	1.50	45.10	25.90	3.59	35.36
PK	1.79286G	41.51	68.20	-26.69	-5.78	3	Vertical	214	2.63	47.29	25.03	4.22	35.03
PK	4.88438G	46.19	74.00	-27.81	4.67	3	Vertical	0	2.97	41.52	32.64	7.09	35.06

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.1634G	25.17	54.00	-28.83	-6.25	3	Horizontal	237	1.50	31.42	26.03	3.33	35.61
AV	1.80196G	23.98	68.20	-44.22	-5.71	3	Horizontal	278	1.50	29.69	25.10	4.22	35.03
AV	4.42262G	32.16	68.20	-36.04	3.17	3	Horizontal	206	2.67	28.99	31.55	6.66	35.04
PK	1.1532G	38.14	74.00	-35.86	-6.24	3	Horizontal	237	1.50	44.38	26.07	3.31	35.62
PK	1.79194G	37.52	68.20	-30.68	-5.79	3	Horizontal	278	1.50	43.31	25.02	4.22	35.03
PK	4.43513G	45.08	68.20	-23.12	3.17	3	Horizontal	206	2.67	41.91	31.53	6.68	35.04

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.39178G	25.04	54.00	-28.96	-5.52	3	Vertical	328	1.30	30.56	26.06	3.69	35.27
AV	3.05031G	29.88	68.20	-38.32	0.08	3	Vertical	172	2.16	29.80	29.70	5.60	35.22
AV	4.91632G	33.14	54.00	-20.86	4.88	3	Vertical	2	1.50	28.26	32.80	7.14	35.06
PK	1.38968G	37.85	74.00	-36.15	-5.49	3	Vertical	328	1.30	43.34	26.10	3.68	35.27
PK	3.0447G	43.03	68.20	-25.17	0.06	3	Vertical	172	2.16	42.97	29.69	5.59	35.22
PK	4.9246G	46.42	74.00	-27.58	4.93	3	Vertical	2	1.50	41.49	32.85	7.15	35.07

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.33146G	24.74	54.00	-29.26	-5.87	3	Horizontal	241	1.50	30.61	25.90	3.59	35.36
AV	3.61472G	29.66	54.00	-24.34	0.49	3	Horizontal	96	1.48	29.17	29.53	6.16	35.20
AV	4.30443G	31.34	54.00	-22.66	3.00	3	Horizontal	271	1.50	28.34	31.41	6.63	35.04
PK	1.33341G	37.42	74.00	-36.58	-5.87	3	Horizontal	241	1.50	43.29	25.90	3.59	35.36
PK	3.6266G	42.81	74.00	-31.19	0.52	3	Horizontal	96	1.48	42.29	29.55	6.17	35.20
PK	4.30149G	43.99	74.00	-30.01	2.99	3	Horizontal	271	1.50	41.00	31.40	6.63	35.04

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.33104G	24.92	54.00	-29.08	-5.87	3	Vertical	9	1.50	30.79	25.90	3.59	35.36				
AV	2.79258G	28.48	54.00	-25.52	-1.42	3	Vertical	150	1.27	29.90	28.43	5.33	35.18				
AV	4.24451G	31.62	54.00	-22.38	2.67	3	Vertical	193	2.00	28.95	31.09	6.62	35.04				
PK	1.3311G	37.95	74.00	-36.05	-5.87	3	Vertical	9	1.50	43.82	25.90	3.59	35.36				
PK	2.78208G	41.13	74.00	-32.87	-1.45	3	Vertical	150	1.27	42.58	28.40	5.33	35.18				
PK	4.24277G	44.08	74.00	-29.92	2.67	3	Vertical	193	2.00	41.41	31.09	6.62	35.04				

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.33105G	24.74	54.00	-29.26	-5.87	3	Horizontal	171	1.50	30.61	25.90	3.59	35.36				
AV	3.96585G	30.71	54.00	-23.29	2.02	3	Horizontal	60	1.50	28.69	30.70	6.37	35.05				
AV	5.5216G	33.55	68.20	-34.65	5.29	3	Horizontal	279	1.50	28.26	32.84	7.53	35.08				
PK	1.33114G	37.43	74.00	-36.57	-5.87	3	Horizontal	171	1.50	43.30	25.90	3.59	35.36				
PK	3.97863G	44.43	74.00	-29.57	2.02	3	Horizontal	60	1.50	42.41	30.70	6.37	35.05				
PK	5.51869G	45.97	68.20	-22.23	5.29	3	Horizontal	279	1.50	40.68	32.84	7.53	35.08				

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.08191G	30.21	68.20	-37.99	-2.95	3	Vertical	215	1.98	33.16	27.48	4.57	35.00				
AV	3.71323G	29.69	54.00	-24.31	0.97	3	Vertical	168	1.50	28.72	29.88	6.25	35.16				
AV	6.06147G	34.89	68.20	-33.31	6.53	3	Vertical	106	1.50	28.36	34.00	7.84	35.31				
PK	2.08227G	40.18	68.20	-28.02	-2.95	3	Vertical	215	1.98	43.13	27.48	4.57	35.00				
PK	3.70657G	43.04	74.00	-30.96	0.92	3	Vertical	168	1.50	42.12	29.84	6.24	35.16				
PK	6.05184G	47.72	68.20	-20.48	6.52	3	Vertical	106	1.50	41.20	34.00	7.83	35.31				

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.33114G	24.63	54.00	-29.37	-5.87	3	Horizontal	278	1.50	30.50	25.90	3.59	35.36				
AV	3.76321G	30.24	54.00	-23.76	1.33	3	Horizontal	166	1.50	28.91	30.18	6.29	35.14				
AV	6.05252G	34.87	68.20	-33.33	6.52	3	Horizontal	187	2.22	28.35	34.00	7.83	35.31				
PK	1.32919G	37.44	74.00	-36.56	-5.87	3	Horizontal	278	1.50	43.31	25.91	3.58	35.36				
PK	3.7645G	43.74	74.00	-30.26	1.34	3	Horizontal	166	1.50	42.40	30.19	6.29	35.14				
PK	6.05561G	47.92	68.20	-20.28	6.52	3	Horizontal	187	2.22	41.40	34.00	7.83	35.31				

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.331G	24.60	54.00	-29.40	-5.87	3	Vertical	48	1.50	30.47	25.90	3.59	35.36				
AV	3.55042G	29.35	68.20	-38.85	0.25	3	Vertical	206	2.06	29.10	29.40	6.08	35.23				
AV	4.44171G	31.95	68.20	-36.25	3.17	3	Vertical	265	1.19	28.78	31.52	6.69	35.04				
PK	1.34426G	39.25	74.00	-34.75	-5.83	3	Vertical	48	1.50	45.08	25.90	3.61	35.34				
PK	3.5581G	42.98	68.20	-25.22	0.28	3	Vertical	206	2.06	42.70	29.42	6.09	35.23				
PK	4.43247G	45.44	68.20	-22.76	3.18	3	Vertical	265	1.19	42.26	31.54	6.68	35.04				

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	3.04218G	29.79	68.20	-38.41	0.05	3	Horizontal	280	1.50	29.74	29.68	5.59	35.22				
AV	4.42442G	31.93	68.20	-36.27	3.17	3	Horizontal	359	1.50	28.76	31.55	6.66	35.04				
AV	5.80322G	34.63	68.20	-33.57	6.54	3	Horizontal	164	3.00	28.09	33.91	7.83	35.20				
PK	3.05487G	42.58	68.20	-25.62	0.07	3	Horizontal	280	1.50	42.51	29.69	5.60	35.22				
PK	4.42169G	45.35	68.20	-22.85	3.18	3	Horizontal	359	1.50	42.17	31.56	6.66	35.04				
PK	5.80922G	47.37	68.20	-20.83	6.55	3	Horizontal	164	3.00	40.82	33.92	7.83	35.20				

Radiated Emissions above 1GHz_Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.22203G	24.81	54.00	-29.19	-6.01	3	Vertical	72	1.50	30.82	26.10	3.41	35.52				
AV	3.6004G	29.75	54.00	-24.25	0.44	3	Vertical	48	1.50	29.31	29.50	6.15	35.21				
AV	4.92403G	36.57	54.00	-17.43	4.92	3	Vertical	32	2.91	31.65	32.84	7.15	35.07				
PK	1.2013G	37.49	74.00	-36.51	-6.08	3	Vertical	72	1.50	43.57	26.10	3.37	35.55				
PK	3.60047G	43.34	74.00	-30.66	0.44	3	Vertical	48	1.50	42.90	29.50	6.15	35.21				
PK	4.92409G	46.84	74.00	-27.16	4.92	3	Vertical	32	2.91	41.92	32.84	7.15	35.07				

Radiated Emissions above 1GHz_Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.60173G	24.70	54.00	-29.30	-5.46	3	Horizontal	113	2.93	30.16	25.50	4.12	35.08				
AV	3.60376G	29.99	54.00	-24.01	0.45	3	Horizontal	6	1.49	29.54	29.51	6.15	35.21				
AV	4.96624G	33.67	54.00	-20.33	5.21	3	Horizontal	247	1.50	28.46	33.06	7.22	35.07				
PK	1.59726G	40.12	74.00	-33.88	-5.44	3	Horizontal	113	2.93	45.56	25.53	4.11	35.08				
PK	3.60511G	43.38	74.00	-30.62	0.45	3	Horizontal	6	1.49	42.93	29.51	6.15	35.21				
PK	4.99033G	46.85	74.00	-27.15	5.34	3	Horizontal	247	1.50	41.51	33.16	7.25	35.07				

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.77155G	32.72	54.00	-21.28	Horizontal
Mode 2	Pass	PK	6.05934G	47.82	68.20	-20.38	Horizontal
Mode 3	Pass	AV	4.98342G	33.39	54.00	-20.61	Horizontal
Mode 4	Pass	PK	5.7194G	47.69	68.20	-20.51	Horizontal
Mode 5	Pass	AV	5.07847G	33.40	54.00	-20.60	Vertical
Mode 6	Pass	AV	4.91332G	32.96	54.00	-21.04	Vertical

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.39122G	25.02	54.00	-28.98	3	Vertical	64	1.50	-
Mode 1	Pass	AV	3.04997G	30.13	68.20	-38.07	3	Vertical	44	3.00	-
Mode 1	Pass	AV	4.66482G	32.05	54.00	-21.95	3	Vertical	321	1.50	-
Mode 1	Pass	PK	1.41165G	38.49	74.00	-35.51	3	Vertical	64	1.50	-
Mode 1	Pass	PK	3.05108G	41.96	68.20	-26.24	3	Vertical	44	3.00	-
Mode 1	Pass	PK	4.67019G	44.85	74.00	-29.15	3	Vertical	321	1.50	-
Mode 1	Pass	AV	2.17917G	27.37	68.20	-40.83	3	Horizontal	157	1.46	-
Mode 1	Pass	AV	3.78453G	30.74	54.00	-23.26	3	Horizontal	352	1.50	-
Mode 1	Pass	AV	4.77155G	32.72	54.00	-21.28	3	Horizontal	167	1.36	-
Mode 1	Pass	PK	2.17878G	39.96	68.20	-28.24	3	Horizontal	157	1.46	-
Mode 1	Pass	PK	3.78519G	43.45	74.00	-30.55	3	Horizontal	352	1.50	-
Mode 1	Pass	PK	4.77098G	45.49	74.00	-28.51	3	Horizontal	167	1.36	-
Mode 2	Pass	AV	1.71989G	24.47	54.00	-29.53	3	Vertical	181	1.50	-
Mode 2	Pass	AV	3.30122G	29.27	68.20	-38.93	3	Vertical	281	1.50	-
Mode 2	Pass	AV	4.32666G	32.02	54.00	-21.98	3	Vertical	349	2.89	-
Mode 2	Pass	PK	1.71946G	37.43	74.00	-36.57	3	Vertical	181	1.50	-
Mode 2	Pass	PK	3.30857G	42.09	68.20	-26.11	3	Vertical	281	1.50	-
Mode 2	Pass	PK	4.31934G	44.81	74.00	-29.19	3	Vertical	349	2.89	-
Mode 2	Pass	AV	1.98087G	25.84	68.20	-42.36	3	Horizontal	252	3.00	-
Mode 2	Pass	AV	3.47063G	29.21	68.20	-38.99	3	Horizontal	32	1.50	-
Mode 2	Pass	AV	6.06216G	35.04	68.20	-33.16	3	Horizontal	189	1.50	-
Mode 2	Pass	PK	1.9902G	39.64	68.20	-28.56	3	Horizontal	252	3.00	-
Mode 2	Pass	PK	3.46331G	41.93	68.20	-26.27	3	Horizontal	32	1.50	-
Mode 2	Pass	PK	6.05934G	47.82	68.20	-20.38	3	Horizontal	189	1.50	-
Mode 3	Pass	AV	1.3319G	25.05	54.00	-28.95	3	Vertical	262	1.50	-
Mode 3	Pass	AV	2.11961G	25.91	68.20	-42.29	3	Vertical	42	1.50	-
Mode 3	Pass	AV	4.33374G	31.55	54.00	-22.45	3	Vertical	348	1.50	-
Mode 3	Pass	PK	1.34252G	37.33	74.00	-36.67	3	Vertical	262	1.50	-
Mode 3	Pass	PK	2.11712G	38.97	68.20	-29.23	3	Vertical	42	1.50	-
Mode 3	Pass	PK	4.30824G	44.65	74.00	-29.35	3	Vertical	348	1.50	-
Mode 3	Pass	AV	1.39412G	25.99	54.00	-28.01	3	Horizontal	130	1.50	-
Mode 3	Pass	AV	3.77698G	30.92	54.00	-23.08	3	Horizontal	35	1.58	-
Mode 3	Pass	AV	4.98342G	33.39	54.00	-20.61	3	Horizontal	290	2.82	-
Mode 3	Pass	PK	1.39994G	38.95	74.00	-35.05	3	Horizontal	130	1.50	-
Mode 3	Pass	PK	3.78715G	43.72	74.00	-30.28	3	Horizontal	35	1.58	-
Mode 3	Pass	PK	4.98363G	46.54	74.00	-27.46	3	Horizontal	290	2.82	-
Mode 4	Pass	AV	1.41013G	25.51	54.00	-28.49	3	Vertical	222	1.50	-
Mode 4	Pass	AV	3.7753G	30.80	54.00	-23.20	3	Vertical	210	1.50	-
Mode 4	Pass	AV	4.75191G	31.99	54.00	-22.01	3	Vertical	349	1.03	-
Mode 4	Pass	PK	1.40692G	38.38	74.00	-35.62	3	Vertical	222	1.50	-
Mode 4	Pass	PK	3.78835G	44.70	74.00	-29.30	3	Vertical	210	1.50	-
Mode 4	Pass	PK	4.74681G	45.37	74.00	-28.63	3	Vertical	349	1.03	-
Mode 4	Pass	AV	3.07038G	30.31	68.20	-37.89	3	Horizontal	24	1.50	-
Mode 4	Pass	AV	3.97578G	31.15	54.00	-22.85	3	Horizontal	258	1.06	-
Mode 4	Pass	AV	5.72078G	34.49	68.20	-33.71	3	Horizontal	96	1.76	-
Mode 4	Pass	PK	3.07287G	42.95	68.20	-25.25	3	Horizontal	24	1.50	-
Mode 4	Pass	PK	3.97686G	43.79	74.00	-30.21	3	Horizontal	258	1.06	-
Mode 4	Pass	PK	5.7194G	47.69	68.20	-20.51	3	Horizontal	96	1.76	-
Mode 5	Pass	AV	2.08242G	28.42	68.20	-39.78	3	Vertical	56	1.50	-
Mode 5	Pass	AV	3.78514G	30.70	54.00	-23.30	3	Vertical	295	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 5	Pass	AV	5.07847G	33.40	54.00	-20.60	3	Vertical	17	1.70	-
Mode 5	Pass	PK	2.08242G	41.31	68.20	-26.89	3	Vertical	56	1.50	-
Mode 5	Pass	PK	3.78514G	44.34	74.00	-29.66	3	Vertical	295	1.50	-
Mode 5	Pass	PK	5.07847G	46.70	74.00	-27.30	3	Vertical	17	1.70	-
Mode 5	Pass	AV	2.2772G	26.95	54.00	-27.05	3	Horizontal	36	1.50	-
Mode 5	Pass	AV	3.78626G	30.73	54.00	-23.27	3	Horizontal	211	1.50	-
Mode 5	Pass	AV	4.89082G	33.25	54.00	-20.75	3	Horizontal	95	1.50	-
Mode 5	Pass	PK	2.2772G	40.83	74.00	-33.17	3	Horizontal	36	1.50	-
Mode 5	Pass	PK	3.78626G	44.02	74.00	-29.98	3	Horizontal	211	1.50	-
Mode 5	Pass	PK	4.89082G	46.74	74.00	-27.26	3	Horizontal	95	1.50	-
Mode 6	Pass	AV	2.08222G	28.77	68.20	-39.43	3	Vertical	56	1.50	-
Mode 6	Pass	AV	3.78951G	30.44	54.00	-23.56	3	Vertical	296	1.50	-
Mode 6	Pass	AV	4.91332G	32.96	54.00	-21.04	3	Vertical	109	1.50	-
Mode 6	Pass	PK	2.08222G	40.92	68.20	-27.28	3	Vertical	56	1.50	-
Mode 6	Pass	PK	3.78951G	43.57	74.00	-30.43	3	Vertical	296	1.50	-
Mode 6	Pass	PK	4.91332G	46.96	74.00	-27.04	3	Vertical	109	1.50	-
Mode 6	Pass	AV	2.27389G	26.83	54.00	-27.17	3	Horizontal	43	1.50	-
Mode 6	Pass	AV	3.77814G	30.49	54.00	-23.51	3	Horizontal	36	1.50	-
Mode 6	Pass	AV	4.66608G	32.15	54.00	-21.85	3	Horizontal	255	2.00	-
Mode 6	Pass	PK	2.27389G	39.76	74.00	-34.24	3	Horizontal	43	1.50	-
Mode 6	Pass	PK	3.77814G	44.22	74.00	-29.78	3	Horizontal	36	1.50	-
Mode 6	Pass	PK	4.66608G	45.67	74.00	-28.33	3	Horizontal	255	2.00	-


Radiated Emissions above 1GHz_Mode 1



Radiated Emissions above 1GHz_Mode 1




Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.71989G	24.47	54.00	-29.53	-5.87	3	Vertical	181	1.50	30.34	25.00	4.18	35.05				
AV	3.30122G	29.27	68.20	-38.93	0.19	3	Vertical	281	1.50	29.08	29.60	5.83	35.24				
AV	4.32666G	32.02	54.00	-21.98	3.04	3	Vertical	349	2.89	28.98	31.45	6.63	35.04				
PK	1.71946G	37.43	74.00	-36.57	-5.86	3	Vertical	181	1.50	43.29	25.01	4.18	35.05				
PK	3.30857G	42.09	68.20	-26.11	0.17	3	Vertical	281	1.50	41.92	29.58	5.83	35.24				
PK	4.31934G	44.81	74.00	-29.19	3.03	3	Vertical	349	2.89	41.78	31.44	6.63	35.04				

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.98087G	25.84	68.20	-42.36	-3.90	3	Horizontal	252	3.00	29.74	26.62	4.46	34.98				
AV	3.47063G	29.21	68.20	-38.99	0.13	3	Horizontal	32	1.50	29.08	29.40	5.98	35.25				
AV	6.06216G	35.04	68.20	-33.16	6.53	3	Horizontal	189	1.50	28.51	34.00	7.84	35.31				
PK	1.9902G	39.64	68.20	-28.56	-3.70	3	Horizontal	252	3.00	43.34	26.80	4.48	34.98				
PK	3.46331G	41.93	68.20	-26.27	0.12	3	Horizontal	32	1.50	41.81	29.40	5.97	35.25				
PK	6.05934G	47.82	68.20	-20.38	6.53	3	Horizontal	189	1.50	41.29	34.00	7.84	35.31				

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.3319G	25.05	54.00	-28.95	-5.87	3	Vertical	262	1.50	30.92	25.90	3.59	35.36
AV	2.11961G	25.91	68.20	-42.29	-2.81	3	Vertical	42	1.50	28.72	27.60	4.61	35.02
AV	4.33374G	31.55	54.00	-22.45	3.06	3	Vertical	348	1.50	28.49	31.47	6.63	35.04
PK	1.34252G	37.33	74.00	-36.67	-5.83	3	Vertical	262	1.50	43.16	25.90	3.61	35.34
PK	2.11712G	38.97	68.20	-29.23	-2.84	3	Vertical	42	1.50	41.81	27.57	4.61	35.02
PK	4.30824G	44.65	74.00	-29.35	3.01	3	Vertical	348	1.50	41.64	31.42	6.63	35.04

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.39412G	25.99	54.00	-28.01	-5.56	3	Horizontal	130	1.50	31.55	26.02	3.69	35.27
AV	3.77698G	30.92	54.00	-23.08	1.43	3	Horizontal	35	1.58	29.49	30.26	6.30	35.13
AV	4.98342G	33.39	54.00	-20.61	5.30	3	Horizontal	290	2.82	28.09	33.13	7.24	35.07
PK	1.39994G	38.95	74.00	-35.05	-5.66	3	Horizontal	130	1.50	44.61	25.90	3.70	35.26
PK	3.78715G	43.72	74.00	-30.28	1.50	3	Horizontal	35	1.58	42.22	30.32	6.31	35.13
PK	4.98363G	46.54	74.00	-27.46	5.30	3	Horizontal	290	2.82	41.24	33.13	7.24	35.07

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.41013G	25.51	54.00	-28.49	-5.82	3	Vertical	222	1.50	31.33	25.70	3.72	35.24				
AV	3.7753G	30.80	54.00	-23.20	1.42	3	Vertical	210	1.50	29.38	30.25	6.30	35.13				
AV	4.75191G	31.99	54.00	-22.01	3.89	3	Vertical	349	1.03	28.10	32.01	6.94	35.06				
PK	1.40692G	38.38	74.00	-35.62	-5.78	3	Vertical	222	1.50	44.16	25.76	3.71	35.25				
PK	3.78835G	44.70	74.00	-29.30	1.51	3	Vertical	210	1.50	43.19	30.33	6.31	35.13				
PK	4.74681G	45.37	74.00	-28.63	3.88	3	Vertical	349	1.03	41.49	31.99	6.94	35.05				

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	3.07038G	30.31	68.20	-37.89	0.06	3	Horizontal	24	1.50	30.25	29.66	5.62	35.22				
AV	3.97578G	31.15	54.00	-22.85	2.02	3	Horizontal	258	1.06	29.13	30.70	6.37	35.05				
AV	5.72078G	34.49	68.20	-33.71	6.18	3	Horizontal	96	1.76	28.31	33.64	7.70	35.16				
PK	3.07287G	42.95	68.20	-25.25	0.05	3	Horizontal	24	1.50	42.90	29.65	5.62	35.22				
PK	3.97686G	43.79	74.00	-30.21	2.02	3	Horizontal	258	1.06	41.77	30.70	6.37	35.05				
PK	5.7194G	47.69	68.20	-20.51	6.17	3	Horizontal	96	1.76	41.52	33.64	7.69	35.16				

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.08242G	28.42	68.20	-39.78	-2.95	3	Vertical	56	1.50	31.37	27.48	4.57	35.00				
AV	3.78514G	30.70	54.00	-23.30	1.49	3	Vertical	295	1.50	29.21	30.31	6.31	35.13				
AV	5.07847G	33.40	54.00	-20.60	5.07	3	Vertical	17	1.70	28.33	32.89	7.25	35.07				
PK	2.08242G	41.31	68.20	-26.89	-2.95	3	Vertical	56	1.50	44.26	27.48	4.57	35.00				
PK	3.78514G	44.34	74.00	-29.66	1.49	3	Vertical	295	1.50	42.85	30.31	6.31	35.13				
PK	5.07847G	46.70	74.00	-27.30	5.07	3	Vertical	17	1.70	41.63	32.89	7.25	35.07				

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.2772G	26.95	54.00	-27.05	-3.17	3	Horizontal	36	1.50	30.12	27.13	4.76	35.06				
AV	3.78626G	30.73	54.00	-23.27	1.50	3	Horizontal	211	1.50	29.23	30.32	6.31	35.13				
AV	4.89082G	33.25	54.00	-20.75	4.70	3	Horizontal	95	1.50	28.55	32.66	7.10	35.06				
PK	2.2772G	40.83	74.00	-33.17	-3.17	3	Horizontal	36	1.50	44.00	27.13	4.76	35.06				
PK	3.78626G	44.02	74.00	-29.98	1.50	3	Horizontal	211	1.50	42.52	30.32	6.31	35.13				
PK	4.89082G	46.74	74.00	-27.26	4.70	3	Horizontal	95	1.50	42.04	32.66	7.10	35.06				

Radiated Emissions above 1GHz_Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.08222G	28.77	68.20	-39.43	-2.95	3	Vertical	56	1.50	31.72	27.48	4.57	35.00				
AV	3.78951G	30.44	54.00	-23.56	1.52	3	Vertical	296	1.50	28.92	30.34	6.31	35.13				
AV	4.91332G	32.96	54.00	-21.04	4.85	3	Vertical	109	1.50	28.11	32.78	7.13	35.06				
PK	2.08222G	40.92	68.20	-27.28	-2.95	3	Vertical	56	1.50	43.87	27.48	4.57	35.00				
PK	3.78951G	43.57	74.00	-30.43	1.52	3	Vertical	296	1.50	42.05	30.34	6.31	35.13				
PK	4.91332G	46.96	74.00	-27.04	4.85	3	Vertical	109	1.50	42.11	32.78	7.13	35.06				

Radiated Emissions above 1GHz_Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.27389G	26.83	54.00	-27.17	-3.15	3	Horizontal	43	1.50	29.98	27.16	4.75	35.06				
AV	3.77814G	30.49	54.00	-23.51	1.44	3	Horizontal	36	1.50	29.05	30.27	6.30	35.13				
AV	4.66608G	32.15	54.00	-21.85	3.63	3	Horizontal	255	2.00	28.52	31.76	6.92	35.05				
PK	2.27389G	39.76	74.00	-34.24	-3.15	3	Horizontal	43	1.50	42.91	27.16	4.75	35.06				
PK	3.77814G	44.22	74.00	-29.78	1.44	3	Horizontal	36	1.50	42.78	30.27	6.30	35.13				
PK	4.66608G	45.67	74.00	-28.33	3.63	3	Horizontal	255	2.00	42.04	31.76	6.92	35.05				

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	5.08641G	32.96	54.00	-21.04	Vertical
Mode 2	Pass	AV	4.90529G	32.68	54.00	-21.32	Vertical
Mode 3	Pass	AV	2.24223G	33.40	54.00	-20.60	Vertical
Mode 4	Pass	AV	5.06862G	35.42	54.00	-18.58	Horizontal
Mode 5	Pass	AV	2.24194G	33.96	54.00	-20.04	Vertical
Mode 6	Pass	AV	4.17344G	31.47	54.00	-22.53	Vertical

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	2.09491G	26.91	68.20	-41.29	3	Vertical	318	1.50
Mode 1	Pass	AV	3.77756G	30.52	54.00	-23.48	3	Vertical	13	1.37
Mode 1	Pass	AV	5.08641G	32.96	54.00	-21.04	3	Vertical	0	1.59
Mode 1	Pass	PK	2.09491G	41.50	68.20	-26.70	3	Vertical	318	1.50
Mode 1	Pass	PK	3.77756G	44.32	74.00	-29.68	3	Vertical	13	1.37
Mode 1	Pass	PK	5.08641G	46.44	74.00	-27.56	3	Vertical	0	1.59
Mode 1	Pass	AV	2.09174G	27.19	68.20	-41.01	3	Horizontal	358	1.50
Mode 1	Pass	AV	3.78425G	30.34	54.00	-23.66	3	Horizontal	95	1.50
Mode 1	Pass	AV	5.0412G	32.85	54.00	-21.15	3	Horizontal	12	1.50
Mode 1	Pass	PK	2.09174G	40.65	68.20	-27.55	3	Horizontal	358	1.50
Mode 1	Pass	PK	3.78425G	44.00	74.00	-30.00	3	Horizontal	95	1.50
Mode 1	Pass	PK	5.0412G	46.45	74.00	-27.55	3	Horizontal	12	1.50
Mode 2	Pass	AV	2.10831G	26.41	68.20	-41.79	3	Vertical	93	1.01
Mode 2	Pass	AV	3.53884G	29.20	68.20	-39.00	3	Vertical	20	1.50
Mode 2	Pass	AV	4.90529G	32.68	54.00	-21.32	3	Vertical	2	1.10
Mode 2	Pass	PK	2.10831G	40.39	68.20	-27.81	3	Vertical	93	1.01
Mode 2	Pass	PK	3.53884G	42.87	68.20	-25.33	3	Vertical	20	1.50
Mode 2	Pass	PK	4.90529G	47.38	74.00	-26.62	3	Vertical	2	1.10
Mode 2	Pass	AV	2.0928G	27.15	68.20	-41.05	3	Horizontal	198	1.50
Mode 2	Pass	AV	3.78654G	30.13	54.00	-23.87	3	Horizontal	32	1.50
Mode 2	Pass	AV	5.1187G	32.51	54.00	-21.49	3	Horizontal	5	1.50
Mode 2	Pass	PK	2.0928G	40.79	68.20	-27.41	3	Horizontal	198	1.50
Mode 2	Pass	PK	3.78654G	44.01	74.00	-29.99	3	Horizontal	32	1.50
Mode 2	Pass	PK	5.1187G	46.71	74.00	-27.29	3	Horizontal	5	1.50
Mode 3	Pass	AV	2.24223G	33.40	54.00	-20.60	3	Vertical	155	2.00
Mode 3	Pass	AV	3.78123G	30.00	54.00	-24.00	3	Vertical	11	1.82
Mode 3	Pass	AV	5.0419G	33.13	54.00	-20.87	3	Vertical	0	1.20
Mode 3	Pass	PK	2.24223G	42.36	74.00	-31.64	3	Vertical	155	2.00
Mode 3	Pass	PK	3.78123G	43.21	74.00	-30.79	3	Vertical	11	1.82
Mode 3	Pass	PK	5.0419G	46.26	74.00	-27.74	3	Vertical	0	1.20
Mode 3	Pass	AV	2.19493G	26.19	68.20	-42.01	3	Horizontal	173	1.76
Mode 3	Pass	AV	3.63375G	28.80	54.00	-25.20	3	Horizontal	216	1.31
Mode 3	Pass	AV	4.97186G	33.20	54.00	-20.80	3	Horizontal	37	1.44
Mode 3	Pass	PK	2.19493G	40.64	68.20	-27.56	3	Horizontal	173	1.76
Mode 3	Pass	PK	3.63375G	42.13	74.00	-31.87	3	Horizontal	216	1.31
Mode 3	Pass	PK	4.97186G	46.86	74.00	-27.14	3	Horizontal	37	1.44
Mode 4	Pass	AV	2.2416G	32.17	54.00	-21.83	3	Vertical	154	1.99
Mode 4	Pass	AV	3.76728G	29.98	54.00	-24.02	3	Vertical	53	1.50
Mode 4	Pass	AV	5.01523G	33.19	54.00	-20.81	3	Vertical	260	1.50
Mode 4	Pass	PK	2.2416G	42.56	74.00	-31.44	3	Vertical	154	1.99
Mode 4	Pass	PK	3.76728G	43.52	74.00	-30.48	3	Vertical	53	1.50
Mode 4	Pass	PK	5.01523G	46.49	74.00	-27.51	3	Vertical	260	1.50
Mode 4	Pass	AV	2.24192G	31.35	54.00	-22.65	3	Horizontal	165	1.16
Mode 4	Pass	AV	3.78442G	30.25	54.00	-23.75	3	Horizontal	278	1.50
Mode 4	Pass	AV	5.06862G	35.42	54.00	-18.58	3	Horizontal	8	1.50
Mode 4	Pass	PK	2.24192G	42.07	74.00	-31.93	3	Horizontal	165	1.16
Mode 4	Pass	PK	3.78442G	43.80	74.00	-30.20	3	Horizontal	278	1.50
Mode 4	Pass	PK	5.06862G	47.33	74.00	-26.67	3	Horizontal	8	1.50
Mode 5	Pass	AV	2.24194G	33.96	54.00	-20.04	3	Vertical	157	1.99
Mode 5	Pass	AV	3.5976G	29.47	68.20	-38.73	3	Vertical	337	1.50


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 5	Pass	AV	4.99456G	33.08	54.00	-20.92	3	Vertical	127	1.50
Mode 5	Pass	PK	2.24194G	42.04	74.00	-31.96	3	Vertical	157	1.99
Mode 5	Pass	PK	3.5976G	42.94	68.20	-25.26	3	Vertical	337	1.50
Mode 5	Pass	PK	4.99456G	46.61	74.00	-27.39	3	Vertical	127	1.50
Mode 5	Pass	AV	2.08251G	27.35	68.20	-40.85	3	Horizontal	154	1.93
Mode 5	Pass	AV	3.80467G	29.64	54.00	-24.36	3	Horizontal	179	1.50
Mode 5	Pass	AV	4.98237G	33.34	54.00	-20.66	3	Horizontal	58	1.50
Mode 5	Pass	PK	2.08251G	40.52	68.20	-27.68	3	Horizontal	154	1.93
Mode 5	Pass	PK	3.80467G	43.73	74.00	-30.27	3	Horizontal	179	1.50
Mode 5	Pass	PK	4.98237G	46.58	74.00	-27.42	3	Horizontal	58	1.50
Mode 6	Pass	AV	1.73337G	22.56	68.20	-45.64	3	Vertical	240	2.06
Mode 6	Pass	AV	3.0697G	30.51	68.20	-37.69	3	Vertical	275	1.50
Mode 6	Pass	AV	4.17344G	31.47	54.00	-22.53	3	Vertical	319	1.50
Mode 6	Pass	PK	1.72959G	35.73	68.20	-32.47	3	Vertical	240	2.06
Mode 6	Pass	PK	3.07792G	43.34	68.20	-24.86	3	Vertical	275	1.50
Mode 6	Pass	PK	4.16774G	44.21	74.00	-29.79	3	Vertical	319	1.50
Mode 6	Pass	AV	1.40288G	25.85	54.00	-28.15	3	Horizontal	26	1.50
Mode 6	Pass	AV	1.7236G	22.79	68.20	-45.41	3	Horizontal	240	1.50
Mode 6	Pass	AV	3.89256G	29.98	54.00	-24.02	3	Horizontal	345	1.49
Mode 6	Pass	PK	1.40354G	38.66	74.00	-35.34	3	Horizontal	26	1.50
Mode 6	Pass	PK	1.71496G	35.65	68.20	-32.55	3	Horizontal	240	1.50
Mode 6	Pass	PK	3.8784G	42.95	74.00	-31.05	3	Horizontal	345	1.49

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.09491G	26.91	68.20	-41.29	-3.08	3	Vertical	318	1.50	29.99	27.35	4.58	35.01
AV	3.77756G	30.52	54.00	-23.48	1.44	3	Vertical	13	1.37	29.08	30.27	6.30	35.13
AV	5.08641G	32.96	54.00	-21.04	5.03	3	Vertical	0	1.59	27.93	32.85	7.25	35.07
PK	2.09491G	41.50	68.20	-26.70	-3.08	3	Vertical	318	1.50	44.58	27.35	4.58	35.01
PK	3.77756G	44.32	74.00	-29.68	1.44	3	Vertical	13	1.37	42.88	30.27	6.30	35.13
PK	5.08641G	46.44	74.00	-27.56	5.03	3	Vertical	0	1.59	41.41	32.85	7.25	35.07

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.09174G	27.19	68.20	-41.01	-3.05	3	Horizontal	358	1.50	30.24	27.38	4.58	35.01
AV	3.78425G	30.34	54.00	-23.66	1.49	3	Horizontal	95	1.50	28.85	30.31	6.31	35.13
AV	5.0412G	32.85	54.00	-21.15	5.23	3	Horizontal	12	1.50	27.62	33.04	7.26	35.07
PK	2.09174G	40.65	68.20	-27.55	-3.05	3	Horizontal	358	1.50	43.70	27.38	4.58	35.01
PK	3.78425G	44.00	74.00	-30.00	1.49	3	Horizontal	95	1.50	42.51	30.31	6.31	35.13
PK	5.0412G	46.45	74.00	-27.55	5.23	3	Horizontal	12	1.50	41.22	33.04	7.26	35.07


Radiated Emissions above 1GHz_Mode 2



Radiated Emissions above 1GHz_Mode 2




Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.24223G	33.40	54.00	-20.60	-3.12	3	Vertical	155	2.00	36.52	27.20	4.73	35.05				
AV	3.78123G	30.00	54.00	-24.00	1.46	3	Vertical	11	1.82	28.54	30.29	6.30	35.13				
AV	5.0419G	33.13	54.00	-20.87	5.22	3	Vertical	0	1.20	27.91	33.03	7.26	35.07				
PK	2.24223G	42.36	74.00	-31.64	-3.12	3	Vertical	155	2.00	45.48	27.20	4.73	35.05				
PK	3.78123G	43.21	74.00	-30.79	1.46	3	Vertical	11	1.82	41.75	30.29	6.30	35.13				
PK	5.0419G	46.26	74.00	-27.74	5.22	3	Vertical	0	1.20	41.04	33.03	7.26	35.07				

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.19493G	26.19	68.20	-42.01	-3.16	3	Horizontal	173	1.76	29.35	27.20	4.68	35.04				
AV	3.63375G	28.80	54.00	-25.20	0.56	3	Horizontal	216	1.31	28.24	29.57	6.18	35.19				
AV	4.97186G	33.20	54.00	-20.80	5.24	3	Horizontal	37	1.44	27.96	33.09	7.22	35.07				
PK	2.19493G	40.64	68.20	-27.56	-3.16	3	Horizontal	173	1.76	43.80	27.20	4.68	35.04				
PK	3.63375G	42.13	74.00	-31.87	0.56	3	Horizontal	216	1.31	41.57	29.57	6.18	35.19				
PK	4.97186G	46.86	74.00	-27.14	5.24	3	Horizontal	37	1.44	41.62	33.09	7.22	35.07				

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.2416G	32.17	54.00	-21.83	-3.12	3	Vertical	154	1.99	35.29	27.20	4.73	35.05				
AV	3.76728G	29.98	54.00	-24.02	1.35	3	Vertical	53	1.50	28.63	30.20	6.29	35.14				
AV	5.01523G	33.19	54.00	-20.81	5.34	3	Vertical	260	1.50	27.85	33.14	7.27	35.07				
PK	2.2416G	42.56	74.00	-31.44	-3.12	3	Vertical	154	1.99	45.68	27.20	4.73	35.05				
PK	3.76728G	43.52	74.00	-30.48	1.35	3	Vertical	53	1.50	42.17	30.20	6.29	35.14				
PK	5.01523G	46.49	74.00	-27.51	5.34	3	Vertical	260	1.50	41.15	33.14	7.27	35.07				

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.24192G	31.35	54.00	-22.65	-3.12	3	Horizontal	165	1.16	34.47	27.20	4.73	35.05				
AV	3.78442G	30.25	54.00	-23.75	1.49	3	Horizontal	278	1.50	28.76	30.31	6.31	35.13				
AV	5.06862G	35.42	54.00	-18.58	5.12	3	Horizontal	8	1.50	30.30	32.93	7.26	35.07				
PK	2.24192G	42.07	74.00	-31.93	-3.12	3	Horizontal	165	1.16	45.19	27.20	4.73	35.05				
PK	3.78442G	43.80	74.00	-30.20	1.49	3	Horizontal	278	1.50	42.31	30.31	6.31	35.13				
PK	5.06862G	47.33	74.00	-26.67	5.12	3	Horizontal	8	1.50	42.21	32.93	7.26	35.07				

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.24194G	33.96	54.00	-20.04	-3.12	3	Vertical	157	1.99	37.08	27.20	4.73	35.05				
AV	3.5976G	29.47	68.20	-38.73	0.44	3	Vertical	337	1.50	29.03	29.50	6.15	35.21				
AV	4.99456G	33.08	54.00	-20.92	5.37	3	Vertical	127	1.50	27.71	33.18	7.26	35.07				
PK	2.24194G	42.04	74.00	-31.96	-3.12	3	Vertical	157	1.99	45.16	27.20	4.73	35.05				
PK	3.5976G	42.94	68.20	-25.26	0.44	3	Vertical	337	1.50	42.50	29.50	6.15	35.21				
PK	4.99456G	46.61	74.00	-27.39	5.37	3	Vertical	127	1.50	41.24	33.18	7.26	35.07				

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.08251G	27.35	68.20	-40.85	-2.96	3	Horizontal	154	1.93	30.31	27.47	4.57	35.00				
AV	3.80467G	29.64	54.00	-24.36	1.63	3	Horizontal	179	1.50	28.01	30.43	6.32	35.12				
AV	4.98237G	33.34	54.00	-20.66	5.30	3	Horizontal	58	1.50	28.04	33.13	7.24	35.07				
PK	2.08251G	40.52	68.20	-27.68	-2.96	3	Horizontal	154	1.93	43.48	27.47	4.57	35.00				
PK	3.80467G	43.73	74.00	-30.27	1.63	3	Horizontal	179	1.50	42.10	30.43	6.32	35.12				
PK	4.98237G	46.58	74.00	-27.42	5.30	3	Horizontal	58	1.50	41.28	33.13	7.24	35.07				

Radiated Emissions above 1GHz_Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.73337G	22.56	68.20	-45.64	-6.03	3	Vertical	240	2.06	28.59	24.83	4.19	35.05				
AV	3.0697G	30.51	68.20	-37.69	0.06	3	Vertical	275	1.50	30.45	29.66	5.62	35.22				
AV	4.17344G	31.47	54.00	-22.53	2.50	3	Vertical	319	1.50	28.97	30.95	6.59	35.04				
PK	1.72959G	35.73	68.20	-32.47	-6.06	3	Vertical	240	2.06	41.79	24.81	4.18	35.05				
PK	3.07792G	43.34	68.20	-24.86	0.05	3	Vertical	275	1.50	43.29	29.64	5.63	35.22				
PK	4.16774G	44.21	74.00	-29.79	2.48	3	Vertical	319	1.50	41.73	30.94	6.58	35.04				

Radiated Emissions above 1GHz_Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.40288G	25.85	54.00	-28.15	-5.70	3	Horizontal	26	1.50	31.55	25.84	3.71	35.25				
AV	1.7236G	22.79	68.20	-45.41	-5.94	3	Horizontal	240	1.50	28.73	24.93	4.18	35.05				
AV	3.89256G	29.98	54.00	-24.02	2.05	3	Horizontal	345	1.49	27.93	30.79	6.35	35.09				
PK	1.40354G	38.66	74.00	-35.34	-5.71	3	Horizontal	26	1.50	44.37	25.83	3.71	35.25				
PK	1.71496G	35.65	68.20	-32.55	-5.82	3	Horizontal	240	1.50	41.47	25.05	4.18	35.05				
PK	3.8784G	42.95	74.00	-31.05	2.01	3	Horizontal	345	1.49	40.94	30.76	6.34	35.09				