

**Result**

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-
5180MHz	Pass	12.19	4.88	4.88	10.81
5200MHz	Pass	12.19	4.66	4.66	10.81
5240MHz	Pass	12.19	2.96	2.96	10.81
5260MHz	Pass	12.18	3.91	3.91	4.82
5300MHz	Pass	12.18	4.65	4.65	4.82
5320MHz	Pass	12.18	4.30	4.30	4.82
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-
5180MHz	Pass	12.19	4.49	4.49	10.81
5200MHz	Pass	12.19	4.07	4.07	10.81
5240MHz	Pass	12.19	2.65	2.65	10.81
5260MHz	Pass	12.18	3.49	3.49	4.82
5300MHz	Pass	12.18	3.83	3.83	4.82
5320MHz	Pass	12.18	3.67	3.67	4.82
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-
5190MHz	Pass	12.19	1.69	1.69	10.81
5230MHz	Pass	12.19	0.70	0.70	10.81
5270MHz	Pass	12.18	0.77	0.77	4.82
5310MHz	Pass	12.18	-0.45	-0.45	4.82
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-
5210MHz	Pass	12.19	-4.31	-4.31	10.81
5290MHz	Pass	12.18	-3.58	-3.58	4.82

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5180MHz

07/05/2025

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
30.448

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.88	4.88	4.88

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5180MHz

07/05/2025

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
29.026

Detector Type
RMS




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.49	4.49	4.49

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5190MHz

07/05/2025




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5210MHz

09/05/2025




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5300MHz

07/05/2025




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5300MHz

07/05/2025



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5270MHz

07/05/2025

CF (Hz)
5.27G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
28.827

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.77	0.77	0.77

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5290MHz

07/05/2025

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
28.767

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.58	-3.58	-3.58



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_2TX	7.61
802.11be EHT20_Nss1,(MCS0)_2TX	6.62
802.11be EHT40_Nss1,(MCS0)_2TX	2.96
802.11be EHT80_Nss1,(MCS0)_2TX	-2.75
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_2TX	1.70
802.11be EHT20_Nss1,(MCS0)_2TX	1.66
802.11be EHT40_Nss1,(MCS0)_2TX	0.88
802.11be EHT80_Nss1,(MCS0)_2TX	-2.61

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5180MHz	Pass	15.20	4.93	4.34	7.61	7.80
5200MHz	Pass	15.20	4.69	3.71	7.18	7.80
5240MHz	Pass	15.20	3.01	2.94	5.88	7.80
5260MHz	Pass	15.19	-1.05	-1.48	1.70	1.81
5300MHz	Pass	15.19	-0.77	-1.70	1.65	1.81
5320MHz	Pass	15.19	-0.47	-2.31	1.60	1.81
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	15.20	3.64	3.35	6.42	7.80
5200MHz	Pass	15.20	4.10	3.14	6.62	7.80
5240MHz	Pass	15.20	2.63	2.51	5.45	7.80
5260MHz	Pass	15.19	-1.14	-1.54	1.61	1.81
5300MHz	Pass	15.19	-0.92	-1.80	1.57	1.81
5320MHz	Pass	15.19	-0.55	-2.05	1.66	1.81
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	15.20	-1.63	-2.17	1.05	7.80
5230MHz	Pass	15.20	0.48	-0.44	2.96	7.80
5270MHz	Pass	15.19	-1.97	-2.21	0.88	1.81
5310MHz	Pass	15.19	-1.32	-2.78	0.78	1.81
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	15.20	-5.37	-5.91	-2.75	7.80
5290MHz	Pass	15.19	-5.15	-5.98	-2.61	1.81

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5180MHz

07/05/2025

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
30.448

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.61	7.61	4.93	4.34

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5200MHz

07/05/2025

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
29.026

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.62	6.62	4.10	3.14


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5230MHz

07/05/2025

CF (Hz)
5.23G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
28.836
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.96	2.96	0.48	-0.44


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5210MHz

09/05/2025

CF (Hz)
5.21G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
28.776
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.75	-2.75	-5.37	-5.91

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5260MHz

07/05/2025

CF (Hz)
5.26G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
30.448

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
1.70	1.70	-1.05	-1.48

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

PSD

5320MHz

07/05/2025

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
29.026

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
1.66	1.66	-0.55	-2.05

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

PSD

5270MHz

07/05/2025

CF (Hz)
5.27G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
28.836

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.88	0.88	-1.97	-2.21

Sum ☒

Port 1 ☒

Port 2 ☒

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

PSD

5290MHz

07/05/2025

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
28.776

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.61	-2.61	-5.15	-5.98

Sum ☒

Port 1 ☒

Port 2 ☒



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT20_Nss2,(MCS0)_2TX	6.82
802.11be EHT40_Nss2,(MCS0)_2TX	3.20
802.11be EHT80_Nss2,(MCS0)_2TX	0.11
5.25-5.35GHz	-
802.11be EHT20_Nss2,(MCS0)_2TX	3.63
802.11be EHT40_Nss2,(MCS0)_2TX	1.10
802.11be EHT80_Nss2,(MCS0)_2TX	-2.08

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	12.19	3.08	2.82	5.88	10.81
5200MHz	Pass	12.19	4.37	3.24	6.82	10.81
5240MHz	Pass	12.19	2.65	2.44	5.47	10.81
5260MHz	Pass	12.18	0.79	0.36	3.54	4.82
5300MHz	Pass	12.18	1.23	-0.01	3.53	4.82
5320MHz	Pass	12.18	1.60	-0.41	3.63	4.82
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	12.19	-1.37	-2.04	1.20	10.81
5230MHz	Pass	12.19	0.88	-0.49	3.20	10.81
5270MHz	Pass	12.18	-1.48	-2.13	1.10	4.82
5310MHz	Pass	12.18	-1.33	-2.87	0.74	4.82
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	12.19	-2.42	-3.21	0.11	10.81
5290MHz	Pass	12.18	-4.55	-5.43	-2.08	4.82

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5200MHz

07/05/2025

CF (Hz)
5.2G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
28.886
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.82	6.82	4.37	3.24


5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5230MHz

07/05/2025

CF (Hz)
5.23G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
28.807
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.20	3.20	0.88	-0.49

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5210MHz

09/05/2025

CF (Hz)
5.21G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
28.807

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.11	0.11	-2.42	-3.21

Sum ☐

Port 1 ☐

Port 2 ☐

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5320MHz

07/05/2025

CF (Hz)
5.32G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
28.886

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.63	3.63	1.60	-0.41

Sum ☐

Port 1 ☐

Port 2 ☐

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5270MHz

07/05/2025

CF (Hz)
5.27G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
28.807

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.10	1.10	-1.48	-2.13

Sum ☒

Port 1 ☒

Port 2 ☒

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5290MHz

07/05/2025

CF (Hz)
5.29G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
28.807

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.08	-2.08	-4.55	-5.43

Sum ☒

Port 1 ☒

Port 2 ☒



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
a20_Nss1,(6Mbps)_1TX	7.13
a40_Nss1,(6Mbps)_1TX	0.22
a80_Nss1,(6Mbps)_1TX	-6.58
a160_Nss1,(6Mbps)_1TX	-10.63
5.25-5.35GHz	-
a20_Nss1,(6Mbps)_1TX	7.52
a40_Nss1,(6Mbps)_1TX	0.44
a80_Nss1,(6Mbps)_1TX	-5.72
a160_Nss1,(6Mbps)_1TX	-10.14
5.47-5.725GHz	-
a20_Nss1,(6Mbps)_1TX	7.44
a40_Nss1,(6Mbps)_1TX	2.10
a80_Nss1,(6Mbps)_1TX	-0.78
a160_Nss1,(6Mbps)_1TX	-8.95
5.725-5.85GHz	-
a20_Nss1,(6Mbps)_1TX	6.65
a40_Nss1,(6Mbps)_1TX	2.79
a80_Nss1,(6Mbps)_1TX	-0.52

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
a20_Nss1,(6Mbps)_1TX	-	-	-	-	-
5180MHz	Pass	5.00	2.50	2.50	17.00
5200MHz	Pass	5.00	6.30	6.30	17.00
5240MHz	Pass	5.00	7.13	7.13	17.00
5260MHz	Pass	5.00	7.52	7.52	11.00
5300MHz	Pass	5.00	7.29	7.29	11.00
5320MHz	Pass	5.00	5.66	5.66	11.00
5500MHz	Pass	5.00	3.55	3.55	11.00
5580MHz	Pass	5.00	7.44	7.44	11.00
5700MHz	Pass	5.00	2.55	2.55	11.00
5745MHz	Pass	5.00	5.65	5.65	30.00
5785MHz	Pass	5.00	5.57	5.57	30.00
5825MHz	Pass	5.00	5.04	5.04	30.00
a40_Nss1,(6Mbps)_1TX	-	-	-	-	-
5190MHz	Pass	5.00	-4.64	-4.64	17.00
5230MHz	Pass	5.00	0.22	0.22	17.00
5270MHz	Pass	5.00	0.44	0.44	11.00
5310MHz	Pass	5.00	-3.99	-3.99	11.00
5510MHz	Pass	5.00	-2.65	-2.65	11.00
5550MHz	Pass	5.00	2.10	2.10	11.00
5670MHz	Pass	5.00	0.67	0.67	11.00
5755MHz	Pass	5.00	2.39	2.39	30.00
5795MHz	Pass	5.00	2.79	2.79	30.00
a80_Nss1,(6Mbps)_1TX	-	-	-	-	-
5210MHz	Pass	5.00	-6.58	-6.58	17.00
5290MHz	Pass	5.00	-5.72	-5.72	11.00
5530MHz	Pass	5.00	-5.77	-5.77	11.00
5610MHz	Pass	5.00	-0.78	-0.78	11.00
5775MHz	Pass	5.00	-0.52	-0.52	30.00
a160_Nss1,(6Mbps)_1TX	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	5.00	-10.63	-10.63	17.00
5250MHz Straddle 5.25-5.35GHz	Pass	5.00	-10.14	-10.14	11.00
5570MHz	Pass	5.00	-8.95	-8.95	11.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.15-5.25GHz_a20_Nss1,(6Mbps)_1TX

PSD

5240MHz

18/03/2025

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.13	7.13	7.13

5.15-5.25GHz_a40_Nss1,(6Mbps)_1TX

PSD

5230MHz

18/03/2025

CF (Hz)
5.23G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.22	0.22	0.22

5.15-5.25GHz_a80_Nss1,(6Mbps)_1TX

PSD

5210MHz

18/03/2025




5.15-5.25GHz_a160_Nss1,(6Mbps)_1TX

PSD

5250MHz Straddle 5.15-5.25GHz

18/03/2025




5.25-5.35GHz_a20_Nss1,(6Mbps)_1TX

PSD

5260MHz

18/03/2025




5.25-5.35GHz_a40_Nss1,(6Mbps)_1TX

PSD

5270MHz

18/03/2025




5.25-5.35GHz_a80_Nss1,(6Mbps)_1TX

PSD

5290MHz

18/03/2025




5.25-5.35GHz_a160_Nss1,(6Mbps)_1TX

PSD

5250MHz Straddle 5.25-5.35GHz

18/03/2025




5.47-5.725GHz_a20_Nss1,(6Mbps)_1TX

PSD

5580MHz

18/03/2025




5.47-5.725GHz_a40_Nss1,(6Mbps)_1TX

PSD

5550MHz

18/03/2025




5.47-5.725GHz_a80_Nss1,(6Mbps)_1TX

PSD

5610MHz

18/03/2025




5.47-5.725GHz_a160_Nss1,(6Mbps)_1TX

PSD

5570MHz

18/03/2025




5.725-5.85GHz_a20_Nss1,(6Mbps)_1TX

PSD

5745MHz

18/03/2025





5.725-5.85GHz_a40_Nss1,(6Mbps)_1TX

PSD

5795MHz

18/03/2025







**RSE TX below 1GHz_Non-Beamforming_Radio 2_
Dipole Antenna_1T1S**

Appendix E.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	PK	30M	34.36	40.00	-5.64	3	Vertical	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1.(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5775MHz_Adapter	Pass	PK	30M	34.36	40.00	-5.64	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	97.9M	28.52	43.50	-14.98	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	249.22M	28.27	46.00	-17.73	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	468.44M	28.11	46.00	-17.89	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	549.92M	28.40	46.00	-17.60	3	Vertical	360	1.00
5775MHz_Adapter	Pass	QP	45.56M	33.26	40.00	-6.74	3	Vertical	272	1.00
5775MHz_Adapter	Pass	PK	45.52M	24.39	40.00	-15.61	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	97.9M	28.71	43.50	-14.79	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	148.34M	29.80	43.50	-13.70	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	249.22M	34.83	46.00	-11.17	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	474.26M	29.06	46.00	-16.94	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	549.92M	27.96	46.00	-18.04	3	Horizontal	0	1.00


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_Adapter



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_Adapter





RSE TX above 1GHz_Non-Beamforming_Radio 2_ Dipole Antenna_1T1S

Appendix E.2

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.1398G	48.48	54.00	-5.52	3	Vertical	182	1.92
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.1398G	50.26	54.00	-3.74	3	Vertical	183	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.1492G	51.92	54.00	-2.08	3	Vertical	182	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.149G	53.48	54.00	-0.52	3	Vertical	183	1.50
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.35G	50.90	54.00	-3.10	3	Vertical	4	1.50
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.3502G	51.24	54.00	-2.76	3	Vertical	182	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.35G	52.73	54.00	-1.27	3	Vertical	3	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.35G	52.75	54.00	-1.25	3	Vertical	183	1.59
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.35	54.00	-0.65	3	Vertical	184	1.50
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.4686G	67.49	68.20	-0.71	3	Vertical	7	1.50
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	PK	5.7268G	67.94	68.20	-0.26	3	Vertical	335	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	PK	5.7252G	67.82	68.20	-0.38	3	Vertical	205	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.459G	53.79	54.00	-0.21	3	Vertical	5	1.50
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	PK	5.4668G	67.13	68.20	-1.07	3	Vertical	7	1.50
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	6.0282G	63.27	68.20	-4.93	3	Vertical	203	1.50
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	PK	6.1238G	61.65	68.20	-6.55	3	Vertical	337	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	PK	6.0454G	61.83	68.20	-6.37	3	Vertical	203	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	PK	5.6502G	62.66	68.35	-5.69	3	Vertical	203	1.49



RSE TX above 1GHz_Non-Beamforming_Radio 2 Dipole Antenna_1T1S

Appendix E.2

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1398G	48.48	54.00	-5.52	3	Vertical	182	1.92
5180MHz	Pass	AV	5.1832G	103.02	Inf	-Inf	3	Vertical	182	1.92
5180MHz	Pass	PK	5.139G	61.24	74.00	-12.76	3	Vertical	182	1.92
5180MHz	Pass	PK	5.1776G	112.25	Inf	-Inf	3	Vertical	182	1.92
5180MHz	Pass	AV	5.139G	47.01	54.00	-6.99	3	Horizontal	167	1.00
5180MHz	Pass	AV	5.1752G	90.60	Inf	-Inf	3	Horizontal	167	1.00
5180MHz	Pass	PK	5.1312G	59.67	74.00	-14.33	3	Horizontal	167	1.00
5180MHz	Pass	PK	5.175G	100.14	Inf	-Inf	3	Horizontal	167	1.00
5180MHz	Pass	PK	10.34566G	53.92	68.20	-14.28	3	Vertical	284	1.50
5180MHz	Pass	PK	10.36858G	54.37	68.20	-13.83	3	Horizontal	4	1.29
5200MHz	Pass	AV	5.1498G	47.86	54.00	-6.14	3	Vertical	184	1.50
5200MHz	Pass	AV	5.1932G	102.99	Inf	-Inf	3	Vertical	184	1.50
5200MHz	Pass	PK	5.135G	60.23	74.00	-13.77	3	Vertical	184	1.50
5200MHz	Pass	PK	5.1972G	112.33	Inf	-Inf	3	Vertical	184	1.50
5200MHz	Pass	AV	5.137G	46.93	54.00	-7.07	3	Horizontal	167	1.31
5200MHz	Pass	AV	5.197G	89.71	Inf	-Inf	3	Horizontal	167	1.31
5200MHz	Pass	PK	5.139G	59.73	74.00	-14.27	3	Horizontal	167	1.31
5200MHz	Pass	PK	5.198G	99.78	Inf	-Inf	3	Horizontal	167	1.31
5200MHz	Pass	PK	10.40696G	53.73	68.20	-14.47	3	Vertical	264	1.88
5200MHz	Pass	PK	10.40732G	54.19	68.20	-14.01	3	Horizontal	293	1.21
5240MHz	Pass	AV	5.15G	47.39	54.00	-6.61	3	Vertical	184	1.50
5240MHz	Pass	AV	5.2349G	102.40	Inf	-Inf	3	Vertical	184	1.50
5240MHz	Pass	AV	5.3891G	47.57	54.00	-6.43	3	Vertical	184	1.50
5240MHz	Pass	PK	5.1428G	59.55	74.00	-14.45	3	Vertical	184	1.50
5240MHz	Pass	PK	5.24G	112.15	Inf	-Inf	3	Vertical	184	1.50
5240MHz	Pass	PK	5.3654G	60.24	74.00	-13.76	3	Vertical	184	1.50
5240MHz	Pass	AV	5.1362G	46.90	54.00	-7.10	3	Horizontal	166	1.12
5240MHz	Pass	AV	5.2415G	88.68	Inf	-Inf	3	Horizontal	166	1.12
5240MHz	Pass	AV	5.3837G	47.28	54.00	-6.72	3	Horizontal	166	1.12
5240MHz	Pass	PK	5.1215G	59.52	74.00	-14.48	3	Horizontal	166	1.12
5240MHz	Pass	PK	5.2376G	98.53	Inf	-Inf	3	Horizontal	166	1.12
5240MHz	Pass	PK	5.384G	59.29	74.00	-14.71	3	Horizontal	166	1.12
5240MHz	Pass	PK	10.4665G	54.53	68.20	-13.67	3	Vertical	116	1.50
5240MHz	Pass	PK	10.49278G	54.82	68.20	-13.38	3	Horizontal	314	1.50
5260MHz	Pass	AV	5.1496G	48.56	54.00	-5.44	3	Vertical	184	1.50
5260MHz	Pass	AV	5.2528G	103.08	Inf	-Inf	3	Vertical	184	1.50
5260MHz	Pass	AV	5.3788G	49.07	54.00	-4.93	3	Vertical	184	1.50
5260MHz	Pass	PK	5.1436G	61.39	74.00	-12.61	3	Vertical	184	1.50
5260MHz	Pass	PK	5.2648G	112.51	Inf	-Inf	3	Vertical	184	1.50
5260MHz	Pass	PK	5.3632G	61.89	74.00	-12.11	3	Vertical	184	1.50
5260MHz	Pass	PK	10.53326G	54.33	68.20	-13.87	3	Vertical	172	1.50
5260MHz	Pass	PK	10.52642G	55.33	68.20	-12.87	3	Horizontal	131	1.01
5300MHz	Pass	AV	5.3024G	102.70	Inf	-Inf	3	Vertical	181	1.50
5300MHz	Pass	AV	5.35G	49.49	54.00	-4.51	3	Vertical	181	1.50
5300MHz	Pass	PK	5.2976G	112.35	Inf	-Inf	3	Vertical	181	1.50
5300MHz	Pass	PK	5.3564G	61.99	74.00	-12.01	3	Vertical	181	1.50
5300MHz	Pass	AV	10.61224G	41.38	54.00	-12.62	3	Vertical	193	2.59
5300MHz	Pass	PK	10.61434G	54.40	74.00	-19.60	3	Vertical	193	2.59
5300MHz	Pass	AV	10.61544G	41.44	54.00	-12.56	3	Horizontal	185	1.50
5300MHz	Pass	PK	10.61334G	55.24	74.00	-18.76	3	Horizontal	185	1.50
5320MHz	Pass	AV	5.3154G	102.36	Inf	-Inf	3	Vertical	4	1.50
5320MHz	Pass	AV	5.35G	50.90	54.00	-3.10	3	Vertical	4	1.50
5320MHz	Pass	PK	5.3214G	111.71	Inf	-Inf	3	Vertical	4	1.50
5320MHz	Pass	PK	5.3602G	63.59	74.00	-10.41	3	Vertical	4	1.50
5320MHz	Pass	AV	10.65176G	41.58	54.00	-12.42	3	Vertical	360	2.69
5320MHz	Pass	PK	10.64246G	54.38	74.00	-19.62	3	Vertical	360	2.69
5320MHz	Pass	AV	10.65152G	41.52	54.00	-12.48	3	Horizontal	208	1.47
5320MHz	Pass	PK	10.64804G	54.27	74.00	-19.73	3	Horizontal	208	1.47
5500MHz	Pass	AV	5.4594G	50.37	54.00	-3.63	3	Vertical	7	1.50
5500MHz	Pass	AV	5.5014G	103.36	Inf	-Inf	3	Vertical	7	1.50



RSE TX above 1GHz_Non-Beamforming_Radio 2 Dipole Antenna_1T1S

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz	Pass	PK	5.4528G	63.50	74.00	-10.50	3	Vertical	7	1.50
5500MHz	Pass	PK	5.4686G	67.49	68.20	-0.71	3	Vertical	7	1.50
5500MHz	Pass	PK	5.498G	113.50	Inf	-Inf	3	Vertical	7	1.50
5500MHz	Pass	AV	10.98962G	41.02	54.00	-12.98	3	Vertical	228	2.95
5500MHz	Pass	PK	11.00138G	54.13	74.00	-19.87	3	Vertical	228	2.95
5500MHz	Pass	AV	10.98704G	40.97	54.00	-13.03	3	Horizontal	57	1.50
5500MHz	Pass	PK	10.98884G	53.68	74.00	-20.32	3	Horizontal	57	1.50
5580MHz	Pass	AV	5.454G	48.59	54.00	-5.41	3	Vertical	178	1.50
5580MHz	Pass	AV	5.5866G	102.92	Inf	-Inf	3	Vertical	178	1.50
5580MHz	Pass	PK	5.4522G	60.52	74.00	-13.48	3	Vertical	178	1.50
5580MHz	Pass	PK	5.4696G	60.51	68.20	-7.69	3	Vertical	178	1.50
5580MHz	Pass	PK	5.58G	112.58	Inf	-Inf	3	Vertical	178	1.50
5580MHz	Pass	PK	5.73G	61.31	68.20	-6.89	3	Vertical	178	1.50
5580MHz	Pass	AV	11.1546G	41.14	54.00	-12.86	3	Vertical	153	1.50
5580MHz	Pass	PK	11.1699G	53.91	74.00	-20.09	3	Vertical	153	1.50
5580MHz	Pass	AV	11.15796G	41.13	54.00	-12.87	3	Horizontal	226	2.74
5580MHz	Pass	PK	11.16366G	54.59	74.00	-19.41	3	Horizontal	226	2.74
5700MHz	Pass	AV	5.6964G	100.61	Inf	-Inf	3	Vertical	336	1.50
5700MHz	Pass	PK	5.698G	109.94	Inf	-Inf	3	Vertical	336	1.50
5700MHz	Pass	PK	5.7284G	66.01	68.20	-2.19	3	Vertical	336	1.50
5700MHz	Pass	AV	11.3982G	42.46	54.00	-11.54	3	Vertical	274	1.50
5700MHz	Pass	PK	11.38986G	55.89	74.00	-18.11	3	Vertical	274	1.50
5700MHz	Pass	AV	11.39882G	42.47	54.00	-11.53	3	Horizontal	294	1.01
5700MHz	Pass	PK	11.40876G	55.19	74.00	-18.81	3	Horizontal	294	1.01
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4224G	48.33	54.00	-5.67	3	Vertical	203	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	104.25	Inf	-Inf	3	Vertical	203	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4368G	60.49	74.00	-13.51	3	Vertical	203	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	60.17	68.20	-8.03	3	Vertical	203	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	113.02	Inf	-Inf	3	Vertical	203	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8604G	62.66	68.20	-5.54	3	Vertical	203	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4358G	42.33	54.00	-11.67	3	Vertical	316	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44576G	55.20	74.00	-18.80	3	Vertical	316	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43568G	42.23	54.00	-11.77	3	Horizontal	233	2.81
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43502G	55.21	74.00	-18.79	3	Horizontal	233	2.81
5745MHz	Pass	AV	5.457G	48.34	54.00	-5.66	3	Vertical	203	1.50
5745MHz	Pass	AV	5.7426G	105.00	Inf	-Inf	3	Vertical	203	1.50
5745MHz	Pass	PK	5.643G	60.90	68.20	-7.30	3	Vertical	203	1.50
5745MHz	Pass	PK	5.7498G	114.07	Inf	-Inf	3	Vertical	203	1.50
5745MHz	Pass	PK	6.0282G	63.27	68.20	-4.93	3	Vertical	203	1.50
5745MHz	Pass	AV	11.48742G	42.26	54.00	-11.74	3	Vertical	0	1.14
5745MHz	Pass	PK	11.4819G	55.02	74.00	-18.98	3	Vertical	0	1.14
5745MHz	Pass	AV	11.48244G	42.29	54.00	-11.71	3	Horizontal	25	1.73
5745MHz	Pass	PK	11.50434G	55.97	74.00	-18.03	3	Horizontal	25	1.73
5785MHz	Pass	AV	5.7825G	103.83	Inf	-Inf	3	Vertical	336	1.50
5785MHz	Pass	PK	5.61552G	61.29	68.20	-6.91	3	Vertical	336	1.50
5785MHz	Pass	PK	5.77887G	112.47	Inf	-Inf	3	Vertical	336	1.50
5785MHz	Pass	PK	6.04265G	62.70	68.20	-5.50	3	Vertical	336	1.50
5785MHz	Pass	AV	11.57024G	42.04	54.00	-11.96	3	Vertical	0	1.11
5785MHz	Pass	PK	11.57066G	55.21	74.00	-18.79	3	Vertical	0	1.11
5785MHz	Pass	AV	11.57006G	42.05	54.00	-11.95	3	Horizontal	257	1.50
5785MHz	Pass	PK	11.55596G	55.69	74.00	-18.31	3	Horizontal	257	1.50
5825MHz	Pass	AV	5.8226G	103.80	Inf	-Inf	3	Vertical	337	1.50
5825MHz	Pass	PK	5.6378G	61.06	68.20	-7.14	3	Vertical	337	1.50
5825MHz	Pass	PK	5.819G	112.77	Inf	-Inf	3	Vertical	337	1.50
5825MHz	Pass	PK	5.9486G	62.90	68.20	-5.30	3	Vertical	337	1.50
5825MHz	Pass	AV	11.64976G	42.03	54.00	-11.97	3	Vertical	249	1.50
5825MHz	Pass	PK	11.641G	55.11	74.00	-18.89	3	Vertical	249	1.50
5825MHz	Pass	AV	11.64994G	41.98	54.00	-12.02	3	Horizontal	149	2.81
5825MHz	Pass	PK	11.65654G	55.05	74.00	-18.95	3	Horizontal	149	2.81
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1398G	50.26	54.00	-3.74	3	Vertical	183	1.50
5180MHz	Pass	AV	5.189G	102.84	Inf	-Inf	3	Vertical	183	1.50



**RSE TX above 1GHz_Non-Beamforming_Radio 2_
Dipole Antenna_1T1S**

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5180MHz	Pass	PK	5.1388G	62.86	74.00	-11.14	3	Vertical	183	1.50
5180MHz	Pass	PK	5.1866G	115.24	Inf	-Inf	3	Vertical	183	1.50
5180MHz	Pass	PK	10.3519G	53.88	68.20	-14.32	3	Vertical	172	2.52
5180MHz	Pass	PK	10.35574G	54.18	68.20	-14.02	3	Horizontal	316	1.93
5200MHz	Pass	AV	5.1496G	48.28	54.00	-5.72	3	Vertical	183	1.50
5200MHz	Pass	AV	5.1924G	103.26	Inf	-Inf	3	Vertical	183	1.50
5200MHz	Pass	PK	5.1488G	61.05	74.00	-12.95	3	Vertical	183	1.50
5200MHz	Pass	PK	5.202G	114.93	Inf	-Inf	3	Vertical	183	1.50
5200MHz	Pass	PK	10.38878G	53.72	68.20	-14.48	3	Vertical	354	2.88
5200MHz	Pass	PK	10.39142G	54.01	68.20	-14.19	3	Horizontal	316	2.57
5240MHz	Pass	AV	5.15G	47.54	54.00	-6.46	3	Vertical	183	1.50
5240MHz	Pass	AV	5.2352G	102.43	Inf	-Inf	3	Vertical	183	1.50
5240MHz	Pass	AV	5.3522G	47.71	54.00	-6.29	3	Vertical	183	1.50
5240MHz	Pass	PK	5.117G	59.84	74.00	-14.16	3	Vertical	183	1.50
5240MHz	Pass	PK	5.2418G	114.62	Inf	-Inf	3	Vertical	183	1.50
5240MHz	Pass	PK	5.3834G	61.23	74.00	-12.77	3	Vertical	183	1.50
5240MHz	Pass	PK	10.48924G	54.15	68.20	-14.05	3	Vertical	80	1.50
5240MHz	Pass	PK	10.47718G	54.26	68.20	-13.94	3	Horizontal	293	2.78
5260MHz	Pass	AV	5.149G	47.51	54.00	-6.49	3	Vertical	184	1.50
5260MHz	Pass	AV	5.2516G	103.11	Inf	-Inf	3	Vertical	184	1.50
5260MHz	Pass	AV	5.3554G	47.73	54.00	-6.27	3	Vertical	184	1.50
5260MHz	Pass	PK	5.1364G	59.82	74.00	-14.18	3	Vertical	184	1.50
5260MHz	Pass	PK	5.2666G	115.03	Inf	-Inf	3	Vertical	184	1.50
5260MHz	Pass	PK	5.401G	61.13	74.00	-12.87	3	Vertical	184	1.50
5260MHz	Pass	PK	10.53014G	54.31	68.20	-13.89	3	Vertical	232	1.50
5260MHz	Pass	PK	10.51166G	54.91	68.20	-13.29	3	Horizontal	276	1.77
5300MHz	Pass	AV	5.3028G	102.60	Inf	-Inf	3	Vertical	181	1.50
5300MHz	Pass	AV	5.35G	49.08	54.00	-4.92	3	Vertical	181	1.50
5300MHz	Pass	PK	5.3068G	115.15	Inf	-Inf	3	Vertical	181	1.50
5300MHz	Pass	PK	5.352G	61.38	74.00	-12.62	3	Vertical	181	1.50
5300MHz	Pass	AV	10.6106G	41.02	54.00	-12.98	3	Vertical	141	1.44
5300MHz	Pass	PK	10.60536G	54.04	74.00	-19.96	3	Vertical	141	1.44
5300MHz	Pass	AV	10.61476G	41.42	54.00	-12.58	3	Horizontal	103	1.50
5300MHz	Pass	PK	10.615G	54.33	74.00	-19.67	3	Horizontal	103	1.50
5320MHz	Pass	AV	5.3158G	102.09	Inf	-Inf	3	Vertical	182	1.50
5320MHz	Pass	AV	5.3502G	51.24	54.00	-2.76	3	Vertical	182	1.50
5320MHz	Pass	PK	5.3182G	114.38	Inf	-Inf	3	Vertical	182	1.50
5320MHz	Pass	PK	5.36G	64.17	74.00	-9.83	3	Vertical	182	1.50
5320MHz	Pass	AV	10.65332G	41.55	54.00	-12.45	3	Vertical	311	2.77
5320MHz	Pass	PK	10.6478G	54.35	74.00	-19.65	3	Vertical	311	2.77
5320MHz	Pass	AV	10.65164G	41.51	54.00	-12.49	3	Horizontal	221	1.50
5320MHz	Pass	PK	10.6286G	54.85	74.00	-19.15	3	Horizontal	221	1.50
5500MHz	Pass	AV	5.4596G	50.57	54.00	-3.43	3	Vertical	8	1.50
5500MHz	Pass	AV	5.5052G	102.39	Inf	-Inf	3	Vertical	8	1.50
5500MHz	Pass	PK	5.4588G	66.48	74.00	-7.52	3	Vertical	8	1.50
5500MHz	Pass	PK	5.4606G	66.66	68.20	-1.54	3	Vertical	8	1.50
5500MHz	Pass	PK	5.5056G	114.48	Inf	-Inf	3	Vertical	8	1.50
5500MHz	Pass	AV	10.98956G	41.02	54.00	-12.98	3	Vertical	83	1.50
5500MHz	Pass	PK	11.01416G	53.74	74.00	-20.26	3	Vertical	83	1.50
5500MHz	Pass	AV	10.9883G	41.02	54.00	-12.98	3	Horizontal	191	1.50
5500MHz	Pass	PK	11.00168G	54.23	74.00	-19.77	3	Horizontal	191	1.50
5580MHz	Pass	AV	5.454G	47.56	54.00	-6.44	3	Vertical	8	1.50
5580MHz	Pass	AV	5.5872G	102.36	Inf	-Inf	3	Vertical	8	1.50
5580MHz	Pass	PK	5.433G	60.14	74.00	-13.86	3	Vertical	8	1.50
5580MHz	Pass	PK	5.4612G	59.19	68.20	-9.01	3	Vertical	8	1.50
5580MHz	Pass	PK	5.5878G	114.80	Inf	-Inf	3	Vertical	8	1.50
5580MHz	Pass	PK	5.727G	60.36	68.20	-7.84	3	Vertical	8	1.50
5580MHz	Pass	AV	11.15448G	41.15	54.00	-12.85	3	Vertical	278	1.50
5580MHz	Pass	PK	11.17476G	54.92	74.00	-19.08	3	Vertical	278	1.50
5580MHz	Pass	AV	11.15616G	41.15	54.00	-12.85	3	Horizontal	155	1.18
5580MHz	Pass	PK	11.15232G	54.30	74.00	-19.70	3	Horizontal	155	1.18
5700MHz	Pass	AV	5.6976G	99.95	Inf	-Inf	3	Vertical	335	1.50



RSE TX above 1GHz_Non-Beamforming_Radio 2_ Dipole Antenna_1T1S

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5700MHz	Pass	PK	5.6948G	112.46	Inf	-Inf	3	Vertical	335	1.50
5700MHz	Pass	PK	5.7268G	67.94	68.20	-0.26	3	Vertical	335	1.50
5700MHz	Pass	AV	11.39784G	42.50	54.00	-11.50	3	Vertical	196	1.50
5700MHz	Pass	PK	11.41398G	55.46	74.00	-18.54	3	Vertical	196	1.50
5700MHz	Pass	AV	11.39688G	42.48	54.00	-11.52	3	Horizontal	197	1.14
5700MHz	Pass	PK	11.38692G	55.52	74.00	-18.48	3	Horizontal	197	1.14
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	47.28	54.00	-6.72	3	Vertical	203	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7144G	104.02	Inf	-Inf	3	Vertical	203	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4248G	60.43	74.00	-13.57	3	Vertical	203	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	58.83	68.20	-9.37	3	Vertical	203	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7152G	115.46	Inf	-Inf	3	Vertical	203	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.87G	61.83	68.20	-6.37	3	Vertical	203	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4358G	42.29	54.00	-11.71	3	Vertical	131	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4487G	55.90	74.00	-18.10	3	Vertical	131	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43232G	42.30	54.00	-11.70	3	Horizontal	315	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43196G	55.49	74.00	-18.51	3	Horizontal	315	1.50
5745MHz	Pass	AV	5.457G	47.28	54.00	-6.72	3	Vertical	203	1.50
5745MHz	Pass	AV	5.7426G	104.62	Inf	-Inf	3	Vertical	203	1.50
5745MHz	Pass	PK	5.6274G	60.43	68.20	-7.77	3	Vertical	203	1.50
5745MHz	Pass	PK	5.7498G	116.20	Inf	-Inf	3	Vertical	203	1.50
5745MHz	Pass	PK	5.9382G	61.25	68.20	-6.95	3	Vertical	203	1.50
5745MHz	Pass	AV	11.48952G	42.31	54.00	-11.69	3	Vertical	275	1.50
5745MHz	Pass	PK	11.50416G	55.13	74.00	-18.87	3	Vertical	275	1.50
5745MHz	Pass	AV	11.47986G	42.32	54.00	-11.68	3	Horizontal	360	1.50
5745MHz	Pass	PK	11.49018G	55.11	74.00	-18.89	3	Horizontal	360	1.50
5785MHz	Pass	AV	5.78129G	103.41	Inf	-Inf	3	Vertical	336	1.50
5785MHz	Pass	PK	5.62762G	60.17	68.20	-8.03	3	Vertical	336	1.50
5785MHz	Pass	PK	5.77645G	114.47	Inf	-Inf	3	Vertical	336	1.50
5785MHz	Pass	PK	5.98941G	61.64	68.20	-6.56	3	Vertical	336	1.50
5785MHz	Pass	AV	11.57258G	42.14	54.00	-11.86	3	Vertical	19	1.50
5785MHz	Pass	PK	11.57678G	55.44	74.00	-18.56	3	Vertical	19	1.50
5785MHz	Pass	AV	11.56712G	42.21	54.00	-11.79	3	Horizontal	23	2.14
5785MHz	Pass	PK	11.58308G	55.18	74.00	-18.82	3	Horizontal	23	2.14
5825MHz	Pass	AV	5.8238G	103.42	Inf	-Inf	3	Vertical	337	1.50
5825MHz	Pass	PK	5.6138G	60.78	68.20	-7.42	3	Vertical	337	1.50
5825MHz	Pass	PK	5.8202G	114.54	Inf	-Inf	3	Vertical	337	1.50
5825MHz	Pass	PK	6.1238G	61.65	68.20	-6.55	3	Vertical	337	1.50
5825MHz	Pass	AV	11.64496G	42.06	54.00	-11.94	3	Vertical	298	1.50
5825MHz	Pass	PK	11.66008G	55.17	74.00	-18.83	3	Vertical	298	1.50
5825MHz	Pass	AV	11.64808G	42.04	54.00	-11.96	3	Horizontal	78	1.50
5825MHz	Pass	PK	11.64124G	54.80	74.00	-19.20	3	Horizontal	78	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1492G	51.92	54.00	-2.08	3	Vertical	182	1.50
5190MHz	Pass	AV	5.1928G	100.67	Inf	-Inf	3	Vertical	182	1.50
5190MHz	Pass	PK	5.15G	64.47	74.00	-9.53	3	Vertical	182	1.50
5190MHz	Pass	PK	5.1928G	113.15	Inf	-Inf	3	Vertical	182	1.50
5190MHz	Pass	PK	10.35504G	53.61	68.20	-14.59	3	Vertical	285	2.22
5190MHz	Pass	PK	10.371G	53.52	68.20	-14.68	3	Horizontal	129	1.89
5230MHz	Pass	AV	5.1492G	49.13	54.00	-4.87	3	Vertical	181	1.50
5230MHz	Pass	AV	5.234G	100.04	Inf	-Inf	3	Vertical	181	1.50
5230MHz	Pass	PK	5.1464G	62.11	74.00	-11.89	3	Vertical	181	1.50
5230MHz	Pass	PK	5.2308G	111.98	Inf	-Inf	3	Vertical	181	1.50
5230MHz	Pass	PK	10.4594G	54.04	68.20	-14.16	3	Vertical	284	2.16
5230MHz	Pass	PK	10.4558G	54.12	68.20	-14.08	3	Horizontal	4	1.47
5270MHz	Pass	AV	5.264G	101.46	Inf	-Inf	3	Vertical	182	1.68
5270MHz	Pass	AV	5.3504G	50.00	54.00	-4.00	3	Vertical	182	1.68
5270MHz	Pass	PK	5.2624G	113.78	Inf	-Inf	3	Vertical	182	1.68
5270MHz	Pass	PK	5.3504G	61.53	74.00	-12.47	3	Vertical	182	1.68
5270MHz	Pass	PK	10.5238G	54.08	68.20	-14.12	3	Vertical	257	1.50
5270MHz	Pass	PK	10.51396G	54.50	68.20	-13.70	3	Horizontal	87	1.50
5310MHz	Pass	AV	5.316G	99.94	Inf	-Inf	3	Vertical	3	1.50
5310MHz	Pass	AV	5.35G	52.73	54.00	-1.27	3	Vertical	3	1.50



RSE TX above 1GHz_Non-Beamforming_Radio 2 Dipole Antenna_1T1S

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz	Pass	PK	5.3172G	112.32	Inf	-Inf	3	Vertical	3	1.50
5310MHz	Pass	PK	5.354G	67.18	74.00	-6.82	3	Vertical	3	1.50
5310MHz	Pass	PK	10.59888G	54.12	68.20	-14.08	3	Vertical	320	1.50
5310MHz	Pass	PK	10.59276G	54.78	68.20	-13.42	3	Horizontal	59	2.31
5510MHz	Pass	AV	5.46G	50.39	54.00	-3.61	3	Vertical	6	1.50
5510MHz	Pass	AV	5.5032G	98.02	Inf	-Inf	3	Vertical	6	1.50
5510MHz	Pass	PK	5.4544G	63.73	74.00	-10.27	3	Vertical	6	1.50
5510MHz	Pass	PK	5.468G	66.51	68.20	-1.69	3	Vertical	6	1.50
5510MHz	Pass	PK	5.5024G	110.74	Inf	-Inf	3	Vertical	6	1.50
5510MHz	Pass	AV	10.99036G	41.02	54.00	-12.98	3	Vertical	137	2.77
5510MHz	Pass	PK	11.00932G	54.19	74.00	-19.81	3	Vertical	137	2.77
5510MHz	Pass	AV	10.9924G	41.07	54.00	-12.93	3	Horizontal	44	2.52
5510MHz	Pass	PK	11.00392G	54.38	74.00	-19.62	3	Horizontal	44	2.52
5550MHz	Pass	AV	5.46G	48.86	54.00	-5.14	3	Vertical	7	1.50
5550MHz	Pass	AV	5.5544G	99.04	Inf	-Inf	3	Vertical	7	1.50
5550MHz	Pass	PK	5.4588G	61.78	74.00	-12.22	3	Vertical	7	1.50
5550MHz	Pass	PK	5.4696G	62.81	68.20	-5.39	3	Vertical	7	1.50
5550MHz	Pass	PK	5.5448G	111.49	Inf	-Inf	3	Vertical	7	1.50
5550MHz	Pass	AV	11.07672G	41.09	54.00	-12.91	3	Vertical	0	1.50
5550MHz	Pass	PK	11.121G	54.02	74.00	-19.98	3	Vertical	0	1.50
5550MHz	Pass	AV	11.11092G	41.05	54.00	-12.95	3	Horizontal	224	1.50
5550MHz	Pass	PK	11.07192G	54.11	74.00	-19.89	3	Horizontal	224	1.50
5670MHz	Pass	AV	5.6718G	100.81	Inf	-Inf	3	Vertical	205	1.50
5670MHz	Pass	PK	5.6676G	112.58	Inf	-Inf	3	Vertical	205	1.50
5670MHz	Pass	PK	5.7252G	67.82	68.20	-0.38	3	Vertical	205	1.50
5670MHz	Pass	AV	11.35884G	42.22	54.00	-11.78	3	Vertical	44	1.66
5670MHz	Pass	PK	11.33112G	55.19	74.00	-18.81	3	Vertical	44	1.66
5670MHz	Pass	AV	11.36004G	42.21	54.00	-11.79	3	Horizontal	204	1.50
5670MHz	Pass	PK	11.35776G	56.53	74.00	-17.47	3	Horizontal	204	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.458G	47.37	54.00	-6.63	3	Vertical	204	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6992G	101.33	Inf	-Inf	3	Vertical	204	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.422G	59.38	74.00	-14.62	3	Vertical	204	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.47G	59.15	68.20	-9.05	3	Vertical	204	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7148G	112.97	Inf	-Inf	3	Vertical	204	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8528G	61.48	68.20	-6.72	3	Vertical	204	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.3942G	42.41	54.00	-11.59	3	Vertical	102	1.87
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.39276G	55.21	74.00	-18.79	3	Vertical	102	1.87
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.39888G	42.44	54.00	-11.56	3	Horizontal	337	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.43188G	55.46	74.00	-18.54	3	Horizontal	337	1.50
5755MHz	Pass	AV	5.4586G	47.25	54.00	-6.75	3	Vertical	203	1.50
5755MHz	Pass	AV	5.7418G	100.76	Inf	-Inf	3	Vertical	203	1.50
5755MHz	Pass	PK	5.6482G	60.60	68.20	-7.60	3	Vertical	203	1.50
5755MHz	Pass	PK	5.749G	113.34	Inf	-Inf	3	Vertical	203	1.50
5755MHz	Pass	PK	6.0454G	61.83	68.20	-6.37	3	Vertical	203	1.50
5755MHz	Pass	AV	11.48252G	42.36	54.00	-11.64	3	Vertical	269	1.50
5755MHz	Pass	PK	11.48876G	55.25	74.00	-18.75	3	Vertical	269	1.50
5755MHz	Pass	AV	11.48468G	42.39	54.00	-11.61	3	Horizontal	298	1.50
5755MHz	Pass	PK	11.5172G	55.06	74.00	-18.94	3	Horizontal	298	1.50
5795MHz	Pass	AV	5.7986G	99.79	Inf	-Inf	3	Vertical	203	1.50
5795MHz	Pass	PK	5.5478G	60.66	68.20	-7.54	3	Vertical	203	1.50
5795MHz	Pass	PK	5.783G	111.90	Inf	-Inf	3	Vertical	203	1.50
5795MHz	Pass	PK	6.0362G	61.72	68.20	-6.48	3	Vertical	203	1.50
5795MHz	Pass	AV	11.57188G	42.22	54.00	-11.78	3	Vertical	261	2.98
5795MHz	Pass	PK	11.61364G	55.76	74.00	-18.24	3	Vertical	261	2.98
5795MHz	Pass	AV	11.56276G	42.22	54.00	-11.78	3	Horizontal	259	2.52
5795MHz	Pass	PK	11.59912G	55.04	74.00	-18.96	3	Horizontal	259	2.52
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	53.48	54.00	-0.52	3	Vertical	183	1.50
5210MHz	Pass	AV	5.194G	97.30	Inf	-Inf	3	Vertical	183	1.50
5210MHz	Pass	AV	5.359G	48.08	54.00	-5.92	3	Vertical	183	1.50
5210MHz	Pass	PK	5.148G	64.87	74.00	-9.13	3	Vertical	183	1.50
5210MHz	Pass	PK	5.198G	109.43	Inf	-Inf	3	Vertical	183	1.50



RSE TX above 1GHz_Non-Beamforming_Radio 2_ Dipole Antenna_1T1S

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5210MHz	Pass	PK	5.418G	60.35	74.00	-13.65	3	Vertical	183	1.50
5210MHz	Pass	PK	10.42552G	54.20	68.20	-14.00	3	Vertical	301	1.50
5210MHz	Pass	PK	10.44976G	54.14	68.20	-14.06	3	Horizontal	0	1.46
5290MHz	Pass	AV	5.15G	49.09	54.00	-4.91	3	Vertical	183	1.59
5290MHz	Pass	AV	5.261G	97.61	Inf	-Inf	3	Vertical	183	1.59
5290MHz	Pass	AV	5.35G	52.75	54.00	-1.25	3	Vertical	183	1.59
5290MHz	Pass	PK	5.147G	60.41	74.00	-13.59	3	Vertical	183	1.59
5290MHz	Pass	PK	5.277G	109.90	Inf	-Inf	3	Vertical	183	1.59
5290MHz	Pass	PK	5.35G	64.62	74.00	-9.38	3	Vertical	183	1.59
5290MHz	Pass	PK	5.492G	60.56	68.20	-7.64	3	Vertical	183	1.59
5290MHz	Pass	AV	10.62344G	41.41	54.00	-12.59	3	Vertical	191	1.50
5290MHz	Pass	PK	10.62144G	54.46	74.00	-19.54	3	Vertical	191	1.50
5290MHz	Pass	AV	10.6232G	41.38	54.00	-12.62	3	Horizontal	329	1.50
5290MHz	Pass	PK	10.62124G	54.65	74.00	-19.35	3	Horizontal	329	1.50
5530MHz	Pass	AV	5.35G	47.61	54.00	-6.39	3	Vertical	5	1.50
5530MHz	Pass	AV	5.459G	53.79	54.00	-0.21	3	Vertical	5	1.50
5530MHz	Pass	AV	5.516G	95.38	Inf	-Inf	3	Vertical	5	1.50
5530MHz	Pass	PK	5.299G	59.76	68.20	-8.44	3	Vertical	5	1.50
5530MHz	Pass	PK	5.449G	66.26	74.00	-7.74	3	Vertical	5	1.50
5530MHz	Pass	PK	5.465G	66.69	68.20	-1.51	3	Vertical	5	1.50
5530MHz	Pass	PK	5.519G	107.04	Inf	-Inf	3	Vertical	5	1.50
5530MHz	Pass	PK	5.727G	61.21	68.20	-6.99	3	Vertical	5	1.50
5530MHz	Pass	AV	11.11616G	41.16	54.00	-12.84	3	Vertical	81	1.50
5530MHz	Pass	PK	11.05328G	53.93	74.00	-20.07	3	Vertical	81	1.50
5530MHz	Pass	AV	11.11736G	41.07	54.00	-12.93	3	Horizontal	232	2.20
5530MHz	Pass	PK	11.00336G	53.80	74.00	-20.20	3	Horizontal	232	2.20
5610MHz	Pass	AV	5.46G	48.47	54.00	-5.53	3	Vertical	336	1.50
5610MHz	Pass	AV	5.622G	97.69	Inf	-Inf	3	Vertical	336	1.50
5610MHz	Pass	PK	5.424G	61.04	74.00	-12.96	3	Vertical	336	1.50
5610MHz	Pass	PK	5.467G	60.40	68.20	-7.80	3	Vertical	336	1.50
5610MHz	Pass	PK	5.623G	109.72	Inf	-Inf	3	Vertical	336	1.50
5610MHz	Pass	PK	5.725G	62.10	68.20	-6.10	3	Vertical	336	1.50
5610MHz	Pass	AV	11.26944G	41.80	54.00	-12.20	3	Vertical	86	1.50
5610MHz	Pass	PK	11.21904G	54.74	74.00	-19.26	3	Vertical	86	1.50
5610MHz	Pass	AV	11.2716G	41.77	54.00	-12.23	3	Horizontal	224	2.56
5610MHz	Pass	PK	11.2776G	54.73	74.00	-19.27	3	Horizontal	224	2.56
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	47.44	54.00	-6.56	3	Vertical	204	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6996G	98.77	Inf	-Inf	3	Vertical	204	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.3936G	59.45	74.00	-14.55	3	Vertical	204	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	59.22	68.20	-8.98	3	Vertical	204	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6984G	110.88	Inf	-Inf	3	Vertical	204	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.876G	61.65	68.20	-6.55	3	Vertical	204	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39848G	42.39	54.00	-11.61	3	Vertical	266	2.71
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.40904G	55.65	74.00	-18.35	3	Vertical	266	2.71
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39608G	42.41	54.00	-11.59	3	Horizontal	270	2.99
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37328G	55.49	74.00	-18.51	3	Horizontal	270	2.99
5775MHz	Pass	AV	5.7438G	97.48	Inf	-Inf	3	Vertical	203	1.49
5775MHz	Pass	PK	5.6502G	62.66	68.35	-5.69	3	Vertical	203	1.49
5775MHz	Pass	PK	5.7702G	109.00	Inf	-Inf	3	Vertical	203	1.49
5775MHz	Pass	PK	5.931G	62.06	68.20	-6.14	3	Vertical	203	1.49
5775MHz	Pass	AV	11.5248G	42.38	54.00	-11.62	3	Vertical	295	1.50
5775MHz	Pass	PK	11.51736G	54.76	74.00	-19.24	3	Vertical	295	1.50
5775MHz	Pass	AV	11.52312G	42.39	54.00	-11.61	3	Horizontal	191	2.08
5775MHz	Pass	PK	11.52168G	55.04	74.00	-18.96	3	Horizontal	191	2.08
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	53.35	54.00	-0.65	3	Vertical	184	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1912G	93.27	Inf	-Inf	3	Vertical	184	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.35G	51.94	54.00	-2.06	3	Vertical	184	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.15G	69.98	74.00	-4.02	3	Vertical	184	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1876G	105.77	Inf	-Inf	3	Vertical	184	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.352G	66.49	74.00	-7.51	3	Vertical	184	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4672G	61.08	68.20	-7.12	3	Vertical	184	1.50




**RSE TX above 1GHz_Non-Beamforming_Radio 2_
Dipole Antenna_1T1S**

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.58208G	54.45	68.20	-13.75	3	Vertical	317	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.45824G	53.99	68.20	-14.21	3	Horizontal	257	1.50
5570MHz	Pass	AV	5.4596G	52.53	54.00	-1.47	3	Vertical	7	1.50
5570MHz	Pass	AV	5.6324G	92.31	Inf	-Inf	3	Vertical	7	1.50
5570MHz	Pass	PK	5.3G	60.30	68.20	-7.90	3	Vertical	7	1.50
5570MHz	Pass	PK	5.45G	67.61	74.00	-6.39	3	Vertical	7	1.50
5570MHz	Pass	PK	5.4668G	67.13	68.20	-1.07	3	Vertical	7	1.50
5570MHz	Pass	PK	5.5076G	103.92	Inf	-Inf	3	Vertical	7	1.50
5570MHz	Pass	PK	5.726G	65.35	68.20	-2.85	3	Vertical	7	1.50
5570MHz	Pass	AV	11.2576G	41.66	54.00	-12.34	3	Vertical	293	1.50
5570MHz	Pass	PK	11.24896G	54.36	74.00	-19.64	3	Vertical	293	1.50
5570MHz	Pass	AV	11.23168G	41.64	54.00	-12.36	3	Horizontal	25	1.65
5570MHz	Pass	PK	11.09872G	54.64	74.00	-19.36	3	Horizontal	25	1.65


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.61	54.00	-6.39	6.23	3	Vertical	5	1.50	41.38	33.10	8.14	35.01
AV	5.459G	53.79	54.00	-0.21	6.15	3	Vertical	5	1.50	47.64	32.94	8.24	35.03
AV	5.516G	95.38	Inf	-Inf	6.34	3	Vertical	5	1.50	89.04	33.10	8.28	35.04
PK	5.299G	59.76	68.20	-8.44	6.19	3	Vertical	5	1.50	53.57	33.10	8.09	35.00
PK	5.449G	66.26	74.00	-7.74	6.10	3	Vertical	5	1.50	60.16	32.90	8.23	35.03
PK	5.465G	66.69	68.20	-1.51	6.17	3	Vertical	5	1.50	60.52	32.96	8.24	35.03
PK	5.519G	107.04	Inf	-Inf	6.34	3	Vertical	5	1.50	100.70	33.10	8.28	35.04
PK	5.727G	61.21	68.20	-6.99	7.28	3	Vertical	5	1.50	53.93	33.81	8.51	35.04

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.11616G	41.16	54.00	-12.84	7.44	3	Vertical	81	1.50	33.72	38.70	11.84	43.10
PK	11.05328G	53.93	74.00	-20.07	7.32	3	Vertical	81	1.50	46.61	38.70	11.81	43.19


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	48.34	54.00	-5.66	6.14	3	Vertical	203	1.50	42.20	32.93	8.24	35.03
AV	5.7426G	105.00	Inf	-Inf	7.37	3	Vertical	203	1.50	97.63	33.87	8.54	35.04
PK	5.643G	60.90	68.20	-7.30	6.72	3	Vertical	203	1.50	54.18	33.37	8.39	35.04
PK	5.7498G	114.07	Inf	-Inf	7.41	3	Vertical	203	1.50	106.66	33.90	8.55	35.04
PK	6.0282G	63.27	68.20	-4.93	7.92	3	Vertical	203	1.50	55.35	34.30	8.67	35.05

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48742G	42.26	54.00	-11.74	8.48	3	Vertical	0	1.14	33.78	39.00	12.05	42.57
PK	11.4819G	55.02	74.00	-18.98	8.47	3	Vertical	0	1.14	46.55	39.00	12.05	42.58


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5825MHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4586G	47.25	54.00	-6.75	6.14	3	Vertical	203	1.50	41.11	32.93	8.24	35.03
AV	5.7418G	100.76	Inf	-Inf	7.37	3	Vertical	203	1.50	93.39	33.87	8.54	35.04
PK	5.6482G	60.60	68.20	-7.60	6.75	3	Vertical	203	1.50	53.85	33.39	8.40	35.04
PK	5.749G	113.34	Inf	-Inf	7.41	3	Vertical	203	1.50	105.93	33.90	8.55	35.04
PK	6.0454G	61.83	68.20	-6.37	7.91	3	Vertical	203	1.50	53.92	34.30	8.67	35.06

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48252G	42.36	54.00	-11.64	8.47	3	Vertical	269	1.50	33.89	39.00	12.05	42.58
PK	11.48876G	55.25	74.00	-18.75	8.48	3	Vertical	269	1.50	46.77	39.00	12.05	42.57


5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX





**RSE TX below 1GHz_Non-Beamforming_Radio 2_
Dipole Antenna_2T1S**

Appendix E.3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	QP	150M	40.39	43.50	-3.11	3	Horizontal	7	2.34



RSE TX below 1GHz_Non-Beamforming_Radio 2_ Dipole Antenna_2T1S


Appendix E.3

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz_Adapter	Pass	PK	99.84M	29.61	43.50	-13.89	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	148.34M	34.30	43.50	-9.20	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	249.22M	27.02	46.00	-18.98	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	350.1M	18.50	46.00	-27.50	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	474.26M	21.73	46.00	-24.27	3	Vertical	360	1.00
5775MHz_Adapter	Pass	QP	52.18M	31.84	40.00	-8.16	3	Vertical	356	1.00
5775MHz_Adapter	Pass	PK	43.58M	24.17	40.00	-15.83	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	97.9M	29.76	43.50	-13.74	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	249.22M	36.29	46.00	-9.71	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	342.34M	18.77	46.00	-27.23	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	460.68M	22.66	46.00	-23.34	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	QP	150M	40.39	43.50	-3.11	3	Horizontal	7	2.34


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_Adapter



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_Adapter





RSE TX above 1GHz_Non-Beamforming_Radio 2_ Dipole Antenna_2T1S

Appendix E.4

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.1482G	51.33	54.00	-2.67	3	Horizontal	141	2.67
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.1388G	51.80	54.00	-2.20	3	Horizontal	140	2.87
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.66	54.00	-0.34	3	Horizontal	143	2.54
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.147G	53.80	54.00	-0.20	3	Horizontal	142	2.63
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.35G	52.02	54.00	-1.98	3	Horizontal	144	2.88
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.3512G	51.78	54.00	-2.22	3	Horizontal	133	2.95
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.3508G	53.88	54.00	-0.12	3	Horizontal	146	2.93
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.84	54.00	-0.16	3	Horizontal	143	2.95
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.1492G	53.84	54.00	-0.16	3	Horizontal	140	2.90
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.468G	67.74	68.20	-0.46	3	Horizontal	325	3.00
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	5.7252G	67.17	68.20	-1.03	3	Horizontal	325	2.63
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.7258G	67.58	68.20	-0.62	3	Horizontal	146	2.62
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.459G	53.48	54.00	-0.52	3	Horizontal	134	2.89
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	PK	5.468G	67.96	68.20	-0.24	3	Horizontal	133	2.90
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	6.047G	61.80	68.20	-6.40	3	Horizontal	324	2.84
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	6.101G	62.12	68.20	-6.08	3	Horizontal	325	2.81
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.4598G	47.67	54.00	-6.33	3	Horizontal	324	2.61
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.6466G	62.35	68.20	-5.85	3	Horizontal	326	2.75



RSE TX above 1GHz_Non-Beamforming_Radio 2_ Dipole Antenna_2T1S

Appendix E.4

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1482G	51.33	54.00	-2.67	3	Horizontal	141	2.67
5180MHz	Pass	AV	5.1832G	108.37	Inf	-Inf	3	Horizontal	141	2.67
5180MHz	Pass	PK	5.1376G	63.83	74.00	-10.17	3	Horizontal	141	2.67
5180MHz	Pass	PK	5.178G	117.16	Inf	-Inf	3	Horizontal	141	2.67
5180MHz	Pass	PK	10.37218G	53.82	68.20	-14.38	3	Vertical	180	1.50
5180MHz	Pass	PK	10.3528G	53.97	68.20	-14.23	3	Horizontal	169	1.50
5200MHz	Pass	AV	5.1492G	48.65	54.00	-5.35	3	Horizontal	138	1.05
5200MHz	Pass	AV	5.2032G	108.25	Inf	-Inf	3	Horizontal	138	1.05
5200MHz	Pass	PK	5.1496G	61.40	74.00	-12.60	3	Horizontal	138	1.05
5200MHz	Pass	PK	5.2036G	117.22	Inf	-Inf	3	Horizontal	138	1.05
5200MHz	Pass	PK	10.40012G	53.94	68.20	-14.26	3	Vertical	67	1.50
5200MHz	Pass	PK	10.41434G	54.29	68.20	-13.91	3	Horizontal	292	2.03
5240MHz	Pass	AV	5.1446G	47.81	54.00	-6.19	3	Horizontal	140	2.95
5240MHz	Pass	AV	5.2346G	108.95	Inf	-Inf	3	Horizontal	140	2.95
5240MHz	Pass	AV	5.3882G	48.01	54.00	-5.99	3	Horizontal	140	2.95
5240MHz	Pass	PK	5.1032G	60.12	74.00	-13.88	3	Horizontal	140	2.95
5240MHz	Pass	PK	5.2442G	117.91	Inf	-Inf	3	Horizontal	140	2.95
5240MHz	Pass	PK	5.3846G	60.94	74.00	-13.06	3	Horizontal	140	2.95
5240MHz	Pass	PK	10.47298G	54.34	68.20	-13.86	3	Vertical	127	2.43
5240MHz	Pass	PK	10.47928G	53.91	68.20	-14.29	3	Horizontal	74	1.50
5260MHz	Pass	AV	5.15G	47.71	54.00	-6.29	3	Horizontal	142	2.97
5260MHz	Pass	AV	5.2588G	108.01	Inf	-Inf	3	Horizontal	142	2.97
5260MHz	Pass	AV	5.371G	47.91	54.00	-6.09	3	Horizontal	142	2.97
5260MHz	Pass	PK	5.1448G	59.68	74.00	-14.32	3	Horizontal	142	2.97
5260MHz	Pass	PK	5.254G	116.59	Inf	-Inf	3	Horizontal	142	2.97
5260MHz	Pass	PK	5.3788G	60.77	74.00	-13.23	3	Horizontal	142	2.97
5260MHz	Pass	PK	10.52978G	54.17	68.20	-14.03	3	Vertical	240	1.26
5260MHz	Pass	PK	10.51526G	54.24	68.20	-13.96	3	Horizontal	276	1.43
5300MHz	Pass	AV	5.3056G	106.95	Inf	-Inf	3	Horizontal	145	2.93
5300MHz	Pass	AV	5.3512G	48.74	54.00	-5.26	3	Horizontal	145	2.93
5300MHz	Pass	PK	5.2956G	115.86	Inf	-Inf	3	Horizontal	145	2.93
5300MHz	Pass	PK	5.3616G	60.58	74.00	-13.42	3	Horizontal	145	2.93
5300MHz	Pass	AV	10.6138G	41.58	54.00	-12.42	3	Vertical	59	1.50
5300MHz	Pass	PK	10.6144G	54.76	74.00	-19.24	3	Vertical	59	1.50
5300MHz	Pass	AV	10.61158G	41.56	54.00	-12.44	3	Horizontal	81	1.38
5300MHz	Pass	PK	10.60214G	55.47	74.00	-18.53	3	Horizontal	81	1.38
5320MHz	Pass	AV	5.325G	107.09	Inf	-Inf	3	Horizontal	144	2.88
5320MHz	Pass	AV	5.35G	52.02	54.00	-1.98	3	Horizontal	144	2.88
5320MHz	Pass	PK	5.3248G	116.51	Inf	-Inf	3	Horizontal	144	2.88
5320MHz	Pass	PK	5.36G	65.18	74.00	-8.82	3	Horizontal	144	2.88
5320MHz	Pass	AV	10.65368G	41.75	54.00	-12.25	3	Vertical	62	2.41
5320MHz	Pass	PK	10.64396G	54.76	74.00	-19.24	3	Vertical	62	2.41
5320MHz	Pass	AV	10.6517G	41.78	54.00	-12.22	3	Horizontal	283	1.50
5320MHz	Pass	PK	10.63064G	54.94	74.00	-19.06	3	Horizontal	283	1.50
5500MHz	Pass	AV	5.4592G	50.41	54.00	-3.59	3	Horizontal	325	3.00
5500MHz	Pass	AV	5.505G	107.19	Inf	-Inf	3	Horizontal	325	3.00
5500MHz	Pass	PK	5.4584G	62.97	74.00	-11.03	3	Horizontal	325	3.00
5500MHz	Pass	PK	5.468G	67.74	68.20	-0.46	3	Horizontal	325	3.00
5500MHz	Pass	PK	5.505G	116.09	Inf	-Inf	3	Horizontal	325	3.00
5500MHz	Pass	AV	10.9901G	41.08	54.00	-12.92	3	Vertical	272	1.50
5500MHz	Pass	PK	11.0135G	53.91	74.00	-20.09	3	Vertical	272	1.50
5500MHz	Pass	AV	10.99016G	41.05	54.00	-12.95	3	Horizontal	245	1.50
5500MHz	Pass	PK	10.99526G	54.27	74.00	-19.73	3	Horizontal	245	1.50
5580MHz	Pass	AV	5.4582G	47.95	54.00	-6.05	3	Horizontal	146	2.92
5580MHz	Pass	AV	5.5866G	107.17	Inf	-Inf	3	Horizontal	146	2.92
5580MHz	Pass	PK	5.4438G	59.72	74.00	-14.28	3	Horizontal	146	2.92
5580MHz	Pass	PK	5.4654G	60.19	68.20	-8.01	3	Horizontal	146	2.92
5580MHz	Pass	PK	5.5866G	115.96	Inf	-Inf	3	Horizontal	146	2.92
5580MHz	Pass	PK	5.7264G	60.02	68.20	-8.18	3	Horizontal	146	2.92
5580MHz	Pass	AV	11.14842G	41.30	54.00	-12.70	3	Vertical	204	2.06

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	11.15916G	54.93	74.00	-19.07	3	Vertical	204	2.06
5580MHz	Pass	AV	11.1477G	41.24	54.00	-12.76	3	Horizontal	12	2.91
5580MHz	Pass	PK	11.15832G	53.98	74.00	-20.02	3	Horizontal	12	2.91
5700MHz	Pass	AV	5.6948G	103.86	Inf	-Inf	3	Horizontal	326	2.64
5700MHz	Pass	PK	5.6952G	112.70	Inf	-Inf	3	Horizontal	326	2.64
5700MHz	Pass	PK	5.7296G	64.71	68.20	-3.49	3	Horizontal	326	2.64
5700MHz	Pass	AV	11.39958G	42.64	54.00	-11.36	3	Vertical	308	1.50
5700MHz	Pass	PK	11.40114G	55.63	74.00	-18.37	3	Vertical	308	1.50
5700MHz	Pass	AV	11.39682G	42.65	54.00	-11.35	3	Horizontal	160	1.92
5700MHz	Pass	PK	11.40276G	55.78	74.00	-18.22	3	Horizontal	160	1.92
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.426G	47.42	54.00	-6.58	3	Horizontal	317	2.96
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7164G	107.69	Inf	-Inf	3	Horizontal	317	2.96
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4452G	59.51	74.00	-14.49	3	Horizontal	317	2.96
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	58.78	68.20	-9.42	3	Horizontal	317	2.96
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	116.26	Inf	-Inf	3	Horizontal	317	2.96
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9024G	61.54	68.20	-6.66	3	Horizontal	317	2.96
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43508G	42.45	54.00	-11.55	3	Vertical	146	1.01
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43418G	54.98	74.00	-19.02	3	Vertical	146	1.01
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43538G	42.44	54.00	-11.56	3	Horizontal	161	1.01
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43418G	55.32	74.00	-18.68	3	Horizontal	161	1.01
5745MHz	Pass	AV	5.4546G	47.55	54.00	-6.45	3	Horizontal	325	2.60
5745MHz	Pass	AV	5.7402G	108.16	Inf	-Inf	3	Horizontal	325	2.60
5745MHz	Pass	PK	5.5818G	60.89	68.20	-7.31	3	Horizontal	325	2.60
5745MHz	Pass	PK	5.7402G	116.92	Inf	-Inf	3	Horizontal	325	2.60
5745MHz	Pass	PK	5.9922G	61.21	68.20	-6.99	3	Horizontal	325	2.60
5745MHz	Pass	AV	11.4846G	42.38	54.00	-11.62	3	Vertical	360	1.50
5745MHz	Pass	PK	11.48334G	55.51	74.00	-18.49	3	Vertical	360	1.50
5745MHz	Pass	AV	11.4897G	42.40	54.00	-11.60	3	Horizontal	81	1.50
5745MHz	Pass	PK	11.49906G	55.25	74.00	-18.75	3	Horizontal	81	1.50
5785MHz	Pass	AV	5.78008G	106.82	Inf	-Inf	3	Horizontal	138	2.64
5785MHz	Pass	PK	5.64214G	60.50	68.20	-7.70	3	Horizontal	138	2.64
5785MHz	Pass	PK	5.78008G	115.01	Inf	-Inf	3	Horizontal	138	2.64
5785MHz	Pass	PK	6.07048G	61.33	68.20	-6.87	3	Horizontal	138	2.64
5785MHz	Pass	AV	11.5721G	42.17	54.00	-11.83	3	Vertical	288	2.17
5785MHz	Pass	PK	11.56406G	55.49	74.00	-18.51	3	Vertical	288	2.17
5785MHz	Pass	AV	11.57132G	42.21	54.00	-11.79	3	Horizontal	28	1.50
5785MHz	Pass	PK	11.56982G	55.67	74.00	-18.33	3	Horizontal	28	1.50
5825MHz	Pass	AV	5.8214G	106.93	Inf	-Inf	3	Horizontal	324	2.84
5825MHz	Pass	PK	5.5814G	60.41	68.20	-7.79	3	Horizontal	324	2.84
5825MHz	Pass	PK	5.8202G	116.04	Inf	-Inf	3	Horizontal	324	2.84
5825MHz	Pass	PK	6.047G	61.80	68.20	-6.40	3	Horizontal	324	2.84
5825MHz	Pass	AV	11.64922G	42.13	54.00	-11.87	3	Vertical	284	1.50
5825MHz	Pass	PK	11.6449G	55.57	74.00	-18.43	3	Vertical	284	1.50
5825MHz	Pass	AV	11.6479G	42.09	54.00	-11.91	3	Horizontal	157	1.31
5825MHz	Pass	PK	11.65474G	55.25	74.00	-18.75	3	Horizontal	157	1.31
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1388G	51.80	54.00	-2.20	3	Horizontal	140	2.87
5180MHz	Pass	AV	5.1788G	106.51	Inf	-Inf	3	Horizontal	140	2.87
5180MHz	Pass	PK	5.1386G	66.04	74.00	-7.96	3	Horizontal	140	2.87
5180MHz	Pass	PK	5.1842G	118.23	Inf	-Inf	3	Horizontal	140	2.87
5180MHz	Pass	PK	10.34704G	53.92	68.20	-14.28	3	Vertical	12	1.50
5180MHz	Pass	PK	10.37044G	53.78	68.20	-14.42	3	Horizontal	226	1.50
5200MHz	Pass	AV	5.15G	48.94	54.00	-5.06	3	Horizontal	138	2.77
5200MHz	Pass	AV	5.198G	106.37	Inf	-Inf	3	Horizontal	138	2.77
5200MHz	Pass	PK	5.15G	60.31	74.00	-13.69	3	Horizontal	138	2.77
5200MHz	Pass	PK	5.1952G	117.29	Inf	-Inf	3	Horizontal	138	2.77
5200MHz	Pass	PK	10.40912G	54.28	68.20	-13.92	3	Vertical	58	1.50
5200MHz	Pass	PK	10.4135G	54.11	68.20	-14.09	3	Horizontal	330	1.25
5240MHz	Pass	AV	5.147G	47.58	54.00	-6.42	3	Horizontal	142	2.70
5240MHz	Pass	AV	5.237G	106.73	Inf	-Inf	3	Horizontal	142	2.70
5240MHz	Pass	AV	5.381G	47.71	54.00	-6.29	3	Horizontal	142	2.70
5240MHz	Pass	PK	5.1206G	60.54	74.00	-13.46	3	Horizontal	142	2.70

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	PK	5.2316G	117.86	Inf	-Inf	3	Horizontal	142	2.70
5240MHz	Pass	PK	5.3786G	60.36	74.00	-13.64	3	Horizontal	142	2.70
5240MHz	Pass	PK	10.47958G	54.34	68.20	-13.86	3	Vertical	179	1.50
5240MHz	Pass	PK	10.47412G	54.30	68.20	-13.90	3	Horizontal	321	1.03
5260MHz	Pass	AV	5.1478G	47.63	54.00	-6.37	3	Horizontal	141	2.84
5260MHz	Pass	AV	5.254G	106.66	Inf	-Inf	3	Horizontal	141	2.84
5260MHz	Pass	AV	5.3662G	47.95	54.00	-6.05	3	Horizontal	141	2.84
5260MHz	Pass	PK	5.1298G	60.20	74.00	-13.80	3	Horizontal	141	2.84
5260MHz	Pass	PK	5.2612G	117.76	Inf	-Inf	3	Horizontal	141	2.84
5260MHz	Pass	PK	5.3584G	61.14	74.00	-12.86	3	Horizontal	141	2.84
5260MHz	Pass	PK	10.5122G	54.82	68.20	-13.38	3	Vertical	212	1.37
5260MHz	Pass	PK	10.51304G	54.34	68.20	-13.86	3	Horizontal	0	2.31
5300MHz	Pass	AV	5.3028G	106.11	Inf	-Inf	3	Horizontal	145	2.94
5300MHz	Pass	AV	5.3504G	49.08	54.00	-4.92	3	Horizontal	145	2.94
5300MHz	Pass	PK	5.2956G	117.43	Inf	-Inf	3	Horizontal	145	2.94
5300MHz	Pass	PK	5.3508G	61.07	74.00	-12.93	3	Horizontal	145	2.94
5300MHz	Pass	AV	10.61326G	41.66	54.00	-12.34	3	Vertical	17	1.50
5300MHz	Pass	PK	10.62674G	54.69	74.00	-19.31	3	Vertical	17	1.50
5300MHz	Pass	AV	10.61326G	41.60	54.00	-12.40	3	Horizontal	81	1.50
5300MHz	Pass	PK	10.61014G	54.73	74.00	-19.27	3	Horizontal	81	1.50
5320MHz	Pass	AV	5.3288G	105.75	Inf	-Inf	3	Horizontal	133	2.95
5320MHz	Pass	AV	5.3512G	51.78	54.00	-2.22	3	Horizontal	133	2.95
5320MHz	Pass	PK	5.3286G	117.08	Inf	-Inf	3	Horizontal	133	2.95
5320MHz	Pass	PK	5.3616G	66.61	74.00	-7.39	3	Horizontal	133	2.95
5320MHz	Pass	AV	10.65128G	41.76	54.00	-12.24	3	Vertical	294	1.11
5320MHz	Pass	PK	10.63754G	55.02	74.00	-18.98	3	Vertical	294	1.11
5320MHz	Pass	AV	10.65242G	41.81	54.00	-12.19	3	Horizontal	137	1.01
5320MHz	Pass	PK	10.65398G	54.86	74.00	-19.14	3	Horizontal	137	1.01
5500MHz	Pass	AV	5.4598G	51.45	54.00	-2.55	3	Horizontal	145	3.00
5500MHz	Pass	AV	5.4978G	106.45	Inf	-Inf	3	Horizontal	145	3.00
5500MHz	Pass	PK	5.46G	67.75	74.00	-6.25	3	Horizontal	145	3.00
5500MHz	Pass	PK	5.4688G	65.12	68.20	-3.08	3	Horizontal	145	3.00
5500MHz	Pass	PK	5.503G	118.58	Inf	-Inf	3	Horizontal	145	3.00
5500MHz	Pass	AV	10.9877G	41.21	54.00	-12.79	3	Vertical	18	1.50
5500MHz	Pass	PK	11.00246G	54.19	74.00	-19.81	3	Vertical	18	1.50
5500MHz	Pass	AV	10.98596G	41.09	54.00	-12.91	3	Horizontal	220	1.89
5500MHz	Pass	PK	11.01434G	53.90	74.00	-20.10	3	Horizontal	220	1.89
5580MHz	Pass	AV	5.4594G	47.87	54.00	-6.13	3	Horizontal	148	2.94
5580MHz	Pass	AV	5.574G	106.05	Inf	-Inf	3	Horizontal	148	2.94
5580MHz	Pass	PK	5.43G	59.94	74.00	-14.06	3	Horizontal	148	2.94
5580MHz	Pass	PK	5.4618G	59.70	68.20	-8.50	3	Horizontal	148	2.94
5580MHz	Pass	PK	5.5764G	117.11	Inf	-Inf	3	Horizontal	148	2.94
5580MHz	Pass	PK	5.7252G	60.26	68.20	-7.94	3	Horizontal	148	2.94
5580MHz	Pass	AV	11.15298G	41.30	54.00	-12.70	3	Vertical	239	1.50
5580MHz	Pass	PK	11.14776G	54.66	74.00	-19.34	3	Vertical	239	1.50
5580MHz	Pass	AV	11.157G	41.37	54.00	-12.63	3	Horizontal	349	2.31
5580MHz	Pass	PK	11.15652G	54.21	74.00	-19.79	3	Horizontal	349	2.31
5700MHz	Pass	AV	5.6976G	102.16	Inf	-Inf	3	Horizontal	325	2.63
5700MHz	Pass	PK	5.698G	113.58	Inf	-Inf	3	Horizontal	325	2.63
5700MHz	Pass	PK	5.7252G	67.17	68.20	-1.03	3	Horizontal	325	2.63
5700MHz	Pass	AV	11.397G	42.71	54.00	-11.29	3	Vertical	206	1.50
5700MHz	Pass	PK	11.39946G	56.04	74.00	-17.96	3	Vertical	206	1.50
5700MHz	Pass	AV	11.39724G	42.67	54.00	-11.33	3	Horizontal	344	1.38
5700MHz	Pass	PK	11.39904G	56.03	74.00	-17.97	3	Horizontal	344	1.38
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	47.54	54.00	-6.46	3	Horizontal	326	2.60
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	106.62	Inf	-Inf	3	Horizontal	326	2.60
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4236G	59.39	74.00	-14.61	3	Horizontal	326	2.60
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	59.39	68.20	-8.81	3	Horizontal	326	2.60
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7224G	118.37	Inf	-Inf	3	Horizontal	326	2.60
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9192G	61.48	68.20	-6.72	3	Horizontal	326	2.60
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43514G	42.46	54.00	-11.54	3	Vertical	355	1.69
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.42878G	55.37	74.00	-18.63	3	Vertical	355	1.69



RSE TX above 1GHz_Non-Beamforming_Radio 2_ Dipole Antenna_2T1S

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4385G	42.65	54.00	-11.35	3	Horizontal	244	2.19
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43478G	55.28	74.00	-18.72	3	Horizontal	244	2.19
5745MHz	Pass	AV	5.457G	47.61	54.00	-6.39	3	Horizontal	325	2.60
5745MHz	Pass	AV	5.7402G	107.34	Inf	-Inf	3	Horizontal	325	2.60
5745MHz	Pass	PK	5.5854G	60.64	68.20	-7.56	3	Horizontal	325	2.60
5745MHz	Pass	PK	5.7522G	119.49	Inf	-Inf	3	Horizontal	325	2.60
5745MHz	Pass	PK	5.9862G	61.71	68.20	-6.49	3	Horizontal	325	2.60
5745MHz	Pass	AV	11.48814G	42.54	54.00	-11.46	3	Vertical	213	1.50
5745MHz	Pass	PK	11.50068G	55.39	74.00	-18.61	3	Vertical	213	1.50
5745MHz	Pass	AV	11.48688G	42.54	54.00	-11.46	3	Horizontal	350	1.50
5745MHz	Pass	PK	11.49594G	55.92	74.00	-18.08	3	Horizontal	350	1.50
5785MHz	Pass	AV	5.7825G	106.94	Inf	-Inf	3	Horizontal	324	2.71
5785MHz	Pass	PK	5.51509G	60.19	68.20	-8.01	3	Horizontal	324	2.71
5785MHz	Pass	PK	5.78008G	117.49	Inf	-Inf	3	Horizontal	324	2.71
5785MHz	Pass	PK	6.0245G	61.87	68.20	-6.33	3	Horizontal	324	2.71
5785MHz	Pass	AV	11.57078G	42.30	54.00	-11.70	3	Vertical	140	1.50
5785MHz	Pass	PK	11.56892G	55.53	74.00	-18.47	3	Vertical	140	1.50
5785MHz	Pass	AV	11.56592G	42.27	54.00	-11.73	3	Horizontal	338	2.99
5785MHz	Pass	PK	11.57552G	55.10	74.00	-18.90	3	Horizontal	338	2.99
5825MHz	Pass	AV	5.8226G	106.04	Inf	-Inf	3	Horizontal	325	2.81
5825MHz	Pass	PK	5.537G	60.07	68.20	-8.13	3	Horizontal	325	2.81
5825MHz	Pass	PK	5.8202G	116.75	Inf	-Inf	3	Horizontal	325	2.81
5825MHz	Pass	PK	6.101G	62.12	68.20	-6.08	3	Horizontal	325	2.81
5825MHz	Pass	AV	11.6479G	42.23	54.00	-11.77	3	Vertical	298	1.48
5825MHz	Pass	PK	11.64928G	54.90	74.00	-19.10	3	Vertical	298	1.48
5825MHz	Pass	AV	11.64982G	42.21	54.00	-11.79	3	Horizontal	356	1.50
5825MHz	Pass	PK	11.64004G	55.05	74.00	-18.95	3	Horizontal	356	1.50
802.11be EHT40_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.66	54.00	-0.34	3	Horizontal	143	2.54
5190MHz	Pass	AV	5.1944G	104.05	Inf	-Inf	3	Horizontal	143	2.54
5190MHz	Pass	PK	5.142G	67.09	74.00	-6.91	3	Horizontal	143	2.54
5190MHz	Pass	PK	5.1872G	116.38	Inf	-Inf	3	Horizontal	143	2.54
5190MHz	Pass	PK	10.40892G	54.17	68.20	-14.03	3	Vertical	48	1.84
5190MHz	Pass	PK	10.37136G	54.44	68.20	-13.76	3	Horizontal	262	1.50
5230MHz	Pass	AV	5.1496G	49.84	54.00	-4.16	3	Horizontal	143	2.63
5230MHz	Pass	AV	5.2348G	104.30	Inf	-Inf	3	Horizontal	143	2.63
5230MHz	Pass	PK	5.1496G	62.60	74.00	-11.40	3	Horizontal	143	2.63
5230MHz	Pass	PK	5.2348G	115.99	Inf	-Inf	3	Horizontal	143	2.63
5230MHz	Pass	PK	10.47116G	54.11	68.20	-14.09	3	Vertical	140	1.50
5230MHz	Pass	PK	10.46804G	54.22	68.20	-13.98	3	Horizontal	268	2.70
5270MHz	Pass	AV	5.274G	104.08	Inf	-Inf	3	Horizontal	141	2.85
5270MHz	Pass	AV	5.3516G	50.43	54.00	-3.57	3	Horizontal	141	2.85
5270MHz	Pass	PK	5.2616G	115.66	Inf	-Inf	3	Horizontal	141	2.85
5270MHz	Pass	PK	5.3516G	61.85	74.00	-12.15	3	Horizontal	141	2.85
5270MHz	Pass	PK	10.53652G	54.48	68.20	-13.72	3	Vertical	192	2.94
5270MHz	Pass	PK	10.56172G	54.10	68.20	-14.10	3	Horizontal	5	1.85
5310MHz	Pass	AV	5.3032G	103.31	Inf	-Inf	3	Horizontal	146	2.93
5310MHz	Pass	AV	5.3508G	53.88	54.00	-0.12	3	Horizontal	146	2.93
5310MHz	Pass	PK	5.2932G	114.51	Inf	-Inf	3	Horizontal	146	2.93
5310MHz	Pass	PK	5.3584G	66.57	74.00	-7.43	3	Horizontal	146	2.93
5310MHz	Pass	AV	10.6236G	41.66	54.00	-12.34	3	Vertical	331	1.50
5310MHz	Pass	PK	10.6182G	54.42	74.00	-19.58	3	Vertical	331	1.50
5310MHz	Pass	AV	10.61604G	41.66	54.00	-12.34	3	Horizontal	169	1.50
5310MHz	Pass	PK	10.61996G	54.93	74.00	-19.07	3	Horizontal	169	1.50
5510MHz	Pass	AV	5.46G	50.38	54.00	-3.62	3	Horizontal	146	2.99
5510MHz	Pass	AV	5.508G	102.28	Inf	-Inf	3	Horizontal	146	2.99
5510MHz	Pass	PK	5.4572G	64.07	74.00	-9.93	3	Horizontal	146	2.99
5510MHz	Pass	PK	5.468G	65.81	68.20	-2.39	3	Horizontal	146	2.99
5510MHz	Pass	PK	5.5232G	114.24	Inf	-Inf	3	Horizontal	146	2.99
5510MHz	Pass	AV	10.99156G	41.18	54.00	-12.82	3	Vertical	49	1.27
5510MHz	Pass	PK	11.00428G	53.93	74.00	-20.07	3	Vertical	49	1.27
5510MHz	Pass	AV	10.99288G	41.16	54.00	-12.84	3	Horizontal	19	1.00

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5510MHz	Pass	PK	10.99528G	53.99	74.00	-20.01	3	Horizontal	19	1.00
5550MHz	Pass	AV	5.4584G	48.65	54.00	-5.35	3	Horizontal	329	2.64
5550MHz	Pass	AV	5.5412G	102.91	Inf	-Inf	3	Horizontal	329	2.64
5550MHz	Pass	PK	5.4556G	61.51	74.00	-12.49	3	Horizontal	329	2.64
5550MHz	Pass	PK	5.466G	61.85	68.20	-6.35	3	Horizontal	329	2.64
5550MHz	Pass	PK	5.5536G	114.87	Inf	-Inf	3	Horizontal	329	2.64
5550MHz	Pass	AV	11.1174G	41.23	54.00	-12.77	3	Vertical	134	1.71
5550MHz	Pass	PK	11.11668G	55.04	74.00	-18.96	3	Vertical	134	1.71
5550MHz	Pass	AV	11.11716G	41.25	54.00	-12.75	3	Horizontal	41	1.77
5550MHz	Pass	PK	11.10852G	53.96	74.00	-20.04	3	Horizontal	41	1.77
5670MHz	Pass	AV	5.6754G	103.75	Inf	-Inf	3	Horizontal	146	2.62
5670MHz	Pass	PK	5.6652G	115.43	Inf	-Inf	3	Horizontal	146	2.62
5670MHz	Pass	PK	5.7258G	67.58	68.20	-0.62	3	Horizontal	146	2.62
5670MHz	Pass	AV	11.35848G	42.50	54.00	-11.50	3	Vertical	233	1.36
5670MHz	Pass	PK	11.35368G	55.07	74.00	-18.93	3	Vertical	233	1.36
5670MHz	Pass	AV	11.35752G	42.43	54.00	-11.57	3	Horizontal	284	1.50
5670MHz	Pass	PK	11.32728G	55.63	74.00	-18.37	3	Horizontal	284	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	47.56	54.00	-6.44	3	Horizontal	326	2.64
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7052G	104.08	Inf	-Inf	3	Horizontal	326	2.64
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.416G	60.25	74.00	-13.75	3	Horizontal	326	2.64
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4604G	59.31	68.20	-8.89	3	Horizontal	326	2.64
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7028G	115.26	Inf	-Inf	3	Horizontal	326	2.64
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8864G	61.25	68.20	-6.95	3	Horizontal	326	2.64
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.39792G	42.65	54.00	-11.35	3	Vertical	215	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.44352G	55.60	74.00	-18.40	3	Vertical	215	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.39636G	42.67	54.00	-11.33	3	Horizontal	128	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.43596G	55.50	74.00	-18.50	3	Horizontal	128	1.50
5755MHz	Pass	AV	5.4598G	47.67	54.00	-6.33	3	Horizontal	324	2.61
5755MHz	Pass	AV	5.7382G	104.25	Inf	-Inf	3	Horizontal	324	2.61
5755MHz	Pass	PK	5.6398G	60.93	68.20	-7.27	3	Horizontal	324	2.61
5755MHz	Pass	PK	5.7382G	116.48	Inf	-Inf	3	Horizontal	324	2.61
5755MHz	Pass	PK	6.0358G	61.55	68.20	-6.65	3	Horizontal	324	2.61
5755MHz	Pass	AV	11.4866G	42.53	54.00	-11.47	3	Vertical	26	1.69
5755MHz	Pass	PK	11.48312G	55.37	74.00	-18.63	3	Vertical	26	1.69
5755MHz	Pass	AV	11.525G	42.54	54.00	-11.46	3	Horizontal	69	1.50
5755MHz	Pass	PK	11.48252G	56.16	74.00	-17.84	3	Horizontal	69	1.50
5795MHz	Pass	AV	5.7806G	103.24	Inf	-Inf	3	Horizontal	325	2.71
5795MHz	Pass	PK	5.6378G	60.67	68.20	-7.53	3	Horizontal	325	2.71
5795MHz	Pass	PK	5.783G	113.99	Inf	-Inf	3	Horizontal	325	2.71
5795MHz	Pass	PK	5.9594G	61.85	68.20	-6.35	3	Horizontal	325	2.71
5795MHz	Pass	AV	11.56684G	42.36	54.00	-11.64	3	Vertical	273	1.50
5795MHz	Pass	PK	11.60416G	55.74	74.00	-18.26	3	Vertical	273	1.50
5795MHz	Pass	AV	11.56324G	42.34	54.00	-11.66	3	Horizontal	282	1.00
5795MHz	Pass	PK	11.56984G	55.57	74.00	-18.43	3	Horizontal	282	1.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.147G	53.80	54.00	-0.20	3	Horizontal	142	2.63
5210MHz	Pass	AV	5.222G	100.73	Inf	-Inf	3	Horizontal	142	2.63
5210MHz	Pass	AV	5.367G	48.64	54.00	-5.36	3	Horizontal	142	2.63
5210MHz	Pass	PK	5.147G	66.12	74.00	-7.88	3	Horizontal	142	2.63
5210MHz	Pass	PK	5.217G	112.10	Inf	-Inf	3	Horizontal	142	2.63
5210MHz	Pass	PK	5.42G	61.03	74.00	-12.97	3	Horizontal	142	2.63
5210MHz	Pass	PK	10.47832G	54.32	68.20	-13.88	3	Vertical	206	1.50
5210MHz	Pass	PK	10.46008G	54.06	68.20	-14.14	3	Horizontal	160	1.43
5290MHz	Pass	AV	5.15G	49.30	54.00	-4.70	3	Horizontal	143	2.95
5290MHz	Pass	AV	5.277G	100.75	Inf	-Inf	3	Horizontal	143	2.95
5290MHz	Pass	AV	5.35G	53.84	54.00	-0.16	3	Horizontal	143	2.95
5290MHz	Pass	PK	5.137G	60.79	74.00	-13.21	3	Horizontal	143	2.95
5290MHz	Pass	PK	5.28G	112.80	Inf	-Inf	3	Horizontal	143	2.95
5290MHz	Pass	PK	5.36G	64.90	74.00	-9.10	3	Horizontal	143	2.95
5290MHz	Pass	PK	5.462G	61.58	68.20	-6.62	3	Horizontal	143	2.95
5290MHz	Pass	AV	10.622G	41.73	54.00	-12.27	3	Vertical	83	1.50
5290MHz	Pass	PK	10.6172G	54.33	74.00	-19.67	3	Vertical	83	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	AV	10.6196G	41.65	54.00	-12.35	3	Horizontal	93	2.40
5290MHz	Pass	PK	10.6136G	55.26	74.00	-18.74	3	Horizontal	93	2.40
5530MHz	Pass	AV	5.35G	47.57	54.00	-6.43	3	Horizontal	134	2.89
5530MHz	Pass	AV	5.459G	53.48	54.00	-0.52	3	Horizontal	134	2.89
5530MHz	Pass	AV	5.516G	99.33	Inf	-Inf	3	Horizontal	134	2.89
5530MHz	Pass	PK	5.347G	59.86	68.20	-8.34	3	Horizontal	134	2.89
5530MHz	Pass	PK	5.456G	65.35	74.00	-8.65	3	Horizontal	134	2.89
5530MHz	Pass	PK	5.464G	65.59	68.20	-2.61	3	Horizontal	134	2.89
5530MHz	Pass	PK	5.519G	111.49	Inf	-Inf	3	Horizontal	134	2.89
5530MHz	Pass	PK	5.742G	61.65	68.20	-6.55	3	Horizontal	134	2.89
5530MHz	Pass	AV	11.11904G	41.30	54.00	-12.70	3	Vertical	6	2.47
5530MHz	Pass	PK	11.08088G	54.18	74.00	-19.82	3	Vertical	6	2.47
5530MHz	Pass	AV	11.08088G	41.25	54.00	-12.75	3	Horizontal	214	2.20
5530MHz	Pass	PK	11.01128G	54.06	74.00	-19.94	3	Horizontal	214	2.20
5610MHz	Pass	AV	5.458G	49.61	54.00	-4.39	3	Horizontal	146	2.99
5610MHz	Pass	AV	5.621G	100.75	Inf	-Inf	3	Horizontal	146	2.99
5610MHz	Pass	PK	5.46G	61.18	74.00	-12.82	3	Horizontal	146	2.99
5610MHz	Pass	PK	5.47G	61.98	68.20	-6.22	3	Horizontal	146	2.99
5610MHz	Pass	PK	5.628G	111.63	Inf	-Inf	3	Horizontal	146	2.99
5610MHz	Pass	PK	5.726G	62.50	68.20	-5.70	3	Horizontal	146	2.99
5610MHz	Pass	AV	11.2704G	42.03	54.00	-11.97	3	Vertical	234	2.60
5610MHz	Pass	PK	11.24712G	54.67	74.00	-19.33	3	Vertical	234	2.60
5610MHz	Pass	AV	11.26848G	41.99	54.00	-12.01	3	Horizontal	301	1.50
5610MHz	Pass	PK	11.1924G	54.45	74.00	-19.55	3	Horizontal	301	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4008G	47.96	54.00	-6.04	3	Horizontal	145	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6804G	101.53	Inf	-Inf	3	Horizontal	145	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.3936G	60.22	74.00	-13.78	3	Horizontal	145	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	59.40	68.20	-8.80	3	Horizontal	145	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7056G	112.87	Inf	-Inf	3	Horizontal	145	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.906G	61.27	68.20	-6.93	3	Horizontal	145	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39656G	42.69	54.00	-11.31	3	Vertical	172	2.99
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.39968G	55.35	74.00	-18.65	3	Vertical	172	2.99
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39728G	42.67	54.00	-11.33	3	Horizontal	42	2.95
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.40352G	56.16	74.00	-17.84	3	Horizontal	42	2.95
5775MHz	Pass	AV	5.745G	100.43	Inf	-Inf	3	Horizontal	326	2.75
5775MHz	Pass	PK	5.6466G	62.35	68.20	-5.85	3	Horizontal	326	2.75
5775MHz	Pass	PK	5.7654G	112.32	Inf	-Inf	3	Horizontal	326	2.75
5775MHz	Pass	PK	6.0246G	61.20	68.20	-7.00	3	Horizontal	326	2.75
5775MHz	Pass	AV	11.52384G	42.53	54.00	-11.47	3	Vertical	319	1.50
5775MHz	Pass	PK	11.5284G	55.22	74.00	-18.78	3	Vertical	319	1.50
5775MHz	Pass	AV	11.5188G	42.52	54.00	-11.48	3	Horizontal	68	1.50
5775MHz	Pass	PK	11.50584G	55.26	74.00	-18.74	3	Horizontal	68	1.50
802.11be EHT160_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1492G	53.84	54.00	-0.16	3	Horizontal	140	2.90
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1912G	95.94	Inf	-Inf	3	Horizontal	140	2.90
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.35G	53.46	54.00	-0.54	3	Horizontal	140	2.90
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1492G	68.82	74.00	-5.18	3	Horizontal	140	2.90
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.238G	107.94	Inf	-Inf	3	Horizontal	140	2.90
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.364G	68.53	74.00	-5.47	3	Horizontal	140	2.90
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4612G	61.69	68.20	-6.51	3	Horizontal	140	2.90
5250MHz Straddle 5.25-5.35GHz	Pass	AV	10.61712G	41.60	54.00	-12.40	3	Vertical	63	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.60176G	54.84	74.00	-19.16	3	Vertical	63	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	10.61664G	41.55	54.00	-12.45	3	Horizontal	292	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.6176G	54.34	74.00	-19.66	3	Horizontal	292	1.50
5570MHz	Pass	AV	5.4584G	53.16	54.00	-0.84	3	Horizontal	133	2.90
5570MHz	Pass	AV	5.5088G	95.50	Inf	-Inf	3	Horizontal	133	2.90
5570MHz	Pass	PK	5.3408G	61.36	68.20	-6.84	3	Horizontal	133	2.90
5570MHz	Pass	PK	5.4584G	68.69	74.00	-5.31	3	Horizontal	133	2.90
5570MHz	Pass	PK	5.468G	67.96	68.20	-0.24	3	Horizontal	133	2.90
5570MHz	Pass	PK	5.5064G	106.50	Inf	-Inf	3	Horizontal	133	2.90
5570MHz	Pass	PK	5.7296G	66.63	68.20	-1.57	3	Horizontal	133	2.90
5570MHz	Pass	AV	11.23264G	41.85	54.00	-12.15	3	Vertical	33	1.50




**RSE TX above 1GHz_Non-Beamforming_Radio 2_
Dipole Antenna_2T1S**

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz	Pass	PK	11.24464G	55.21	74.00	-18.79	3	Vertical	33	1.50
5570MHz	Pass	AV	11.26G	41.86	54.00	-12.14	3	Horizontal	300	1.50
5570MHz	Pass	PK	11.2456G	54.51	74.00	-19.49	3	Horizontal	300	1.50


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.57	54.00	-6.43	6.23	3	Horizontal	134	2.89	41.34	33.10	8.14	35.01
AV	5.459G	53.48	54.00	-0.52	6.15	3	Horizontal	134	2.89	47.33	32.94	8.24	35.03
AV	5.516G	99.33	Inf	-Inf	6.34	3	Horizontal	134	2.89	92.99	33.10	8.28	35.04
PK	5.347G	59.86	68.20	-8.34	6.23	3	Horizontal	134	2.89	53.63	33.10	8.14	35.01
PK	5.456G	65.35	74.00	-8.65	6.13	3	Horizontal	134	2.89	59.22	32.92	8.24	35.03
PK	5.464G	65.59	68.20	-2.61	6.17	3	Horizontal	134	2.89	59.42	32.96	8.24	35.03
PK	5.519G	111.49	Inf	-Inf	6.34	3	Horizontal	134	2.89	105.15	33.10	8.28	35.04
PK	5.742G	61.65	68.20	-6.55	7.37	3	Horizontal	134	2.89	54.28	33.87	8.54	35.04

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.11904G	41.30	54.00	-12.70	7.44	3	Vertical	6	2.47	33.86	38.70	11.84	43.10
PK	11.08088G	54.18	74.00	-19.82	7.37	3	Vertical	6	2.47	46.81	38.70	11.82	43.15


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	106.93	Inf	-Inf	7.82	3	Horizontal	324	2.84	99.11	34.24	8.62	35.04
PK	5.5814G	60.41	68.20	-7.79	6.44	3	Horizontal	324	2.84	53.97	33.16	8.32	35.04
PK	5.8202G	116.04	Inf	-Inf	7.82	3	Horizontal	324	2.84	108.22	34.24	8.62	35.04
PK	6.047G	61.80	68.20	-6.40	7.92	3	Horizontal	324	2.84	53.88	34.30	8.68	35.06

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64922G	42.13	54.00	-11.87	8.12	3	Vertical	284	1.50	34.01	38.60	12.14	42.62
PK	11.6449G	55.57	74.00	-18.43	8.13	3	Vertical	284	1.50	47.44	38.61	12.14	42.62


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	47.67	54.00	-6.33	6.15	3	Horizontal	324	2.61	41.52	32.94	8.24	35.03
AV	5.7382G	104.25	Inf	-Inf	7.34	3	Horizontal	324	2.61	96.91	33.85	8.53	35.04
PK	5.6398G	60.93	68.20	-7.27	6.71	3	Horizontal	324	2.61	54.22	33.36	8.39	35.04
PK	5.7382G	116.48	Inf	-Inf	7.34	3	Horizontal	324	2.61	109.14	33.85	8.53	35.04
PK	6.0358G	61.55	68.20	-6.65	7.92	3	Horizontal	324	2.61	53.63	34.30	8.67	35.05

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4866G	42.53	54.00	-11.47	8.48	3	Vertical	26	1.69	34.05	39.00	12.05	42.57
PK	11.48312G	55.37	74.00	-18.63	8.48	3	Vertical	26	1.69	46.89	39.00	12.05	42.57


5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX





**RSE TX below 1GHz_Non-Beamforming_Radio 2_
Dipole Antenna_2T2S**

Appendix E.5

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	30M	36.25	40.00	-3.75	3	Vertical	360	1.00



**RSE TX below 1GHz_Non-Beamforming_Radio 2_
Dipole Antenna_2T2S**


Appendix E.5

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz_Adapter	Pass	PK	30M	36.25	40.00	-3.75	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	148.34M	31.88	43.50	-11.62	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	249.22M	28.15	46.00	-17.85	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	472.32M	33.45	46.00	-12.55	3	Vertical	360	1.00
5775MHz_Adapter	Pass	PK	714.82M	33.00	46.00	-13.00	3	Vertical	360	1.00
5775MHz_Adapter	Pass	QP	45.53M	33.43	40.00	-6.57	3	Vertical	277	1.00
5775MHz_Adapter	Pass	PK	43.58M	25.27	40.00	-14.73	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	95.96M	29.20	43.50	-14.30	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	148.34M	35.55	43.50	-7.95	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	249.22M	33.18	46.00	-12.82	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	478.14M	34.46	46.00	-11.54	3	Horizontal	0	1.00
5775MHz_Adapter	Pass	PK	549.92M	28.06	46.00	-17.94	3	Horizontal	0	1.00


5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_Adapter



5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_Adapter





RSE TX above 1GHz_Non-Beamforming_Radio 2_ Dipole Antenna_2T2S

Appendix E.6

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.1398G	50.97	54.00	-3.03	3	Vertical	326	1.50
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.15G	51.75	54.00	-2.25	3	Vertical	137	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.146G	53.38	54.00	-0.62	3	Vertical	166	1.50
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.3502G	51.97	54.00	-2.03	3	Vertical	322	1.50
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.80	54.00	-0.20	3	Vertical	319	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.94	54.00	-0.06	3	Vertical	10	1.50
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	5.1492G	53.75	54.00	-0.25	3	Vertical	166	1.50
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.4594G	52.09	54.00	-1.91	3	Vertical	10	1.50
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	PK	5.4652G	68.05	68.20	-0.15	3	Vertical	10	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.46G	53.72	54.00	-0.28	3	Vertical	11	1.50
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	PK	5.4668G	68.04	68.20	-0.16	3	Vertical	11	1.48
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	6.04507G	61.86	68.20	-6.34	3	Vertical	320	1.72
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.455G	48.13	54.00	-5.87	3	Vertical	8	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	5.6502G	62.92	68.35	-5.43	3	Vertical	149	1.50

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1398G	50.97	54.00	-3.03	3	Vertical	326	1.50
5180MHz	Pass	AV	5.1836G	105.09	Inf	-Inf	3	Vertical	326	1.50
5180MHz	Pass	PK	5.14G	64.13	74.00	-9.87	3	Vertical	326	1.50
5180MHz	Pass	PK	5.1834G	116.06	Inf	-Inf	3	Vertical	326	1.50
5180MHz	Pass	PK	10.35536G	54.19	68.20	-14.01	3	Vertical	295	2.74
5180MHz	Pass	PK	10.3694G	53.73	68.20	-14.47	3	Horizontal	150	1.50
5200MHz	Pass	AV	5.1492G	48.74	54.00	-5.26	3	Vertical	167	1.50
5200MHz	Pass	AV	5.202G	104.92	Inf	-Inf	3	Vertical	167	1.50
5200MHz	Pass	PK	5.15G	61.02	74.00	-12.98	3	Vertical	167	1.50
5200MHz	Pass	PK	5.2072G	116.86	Inf	-Inf	3	Vertical	167	1.50
5200MHz	Pass	PK	10.39688G	53.55	68.20	-14.65	3	Vertical	191	1.50
5200MHz	Pass	PK	10.40876G	54.39	68.20	-13.81	3	Horizontal	45	1.50
5240MHz	Pass	AV	5.138G	47.76	54.00	-6.24	3	Vertical	325	1.50
5240MHz	Pass	AV	5.2418G	105.23	Inf	-Inf	3	Vertical	325	1.50
5240MHz	Pass	AV	5.354G	47.91	54.00	-6.09	3	Vertical	325	1.50
5240MHz	Pass	PK	5.132G	59.94	74.00	-14.06	3	Vertical	325	1.50
5240MHz	Pass	PK	5.2418G	116.58	Inf	-Inf	3	Vertical	325	1.50
5240MHz	Pass	PK	5.3858G	60.25	74.00	-13.75	3	Vertical	325	1.50
5240MHz	Pass	PK	10.47772G	54.10	68.20	-14.10	3	Vertical	140	1.50
5240MHz	Pass	PK	10.47708G	54.23	68.20	-13.97	3	Horizontal	124	1.50
5260MHz	Pass	AV	5.1424G	47.70	54.00	-6.30	3	Vertical	325	1.50
5260MHz	Pass	AV	5.2564G	104.89	Inf	-Inf	3	Vertical	325	1.50
5260MHz	Pass	AV	5.3506G	48.08	54.00	-5.92	3	Vertical	325	1.50
5260MHz	Pass	PK	5.1394G	59.88	74.00	-14.12	3	Vertical	325	1.50
5260MHz	Pass	PK	5.2672G	116.26	Inf	-Inf	3	Vertical	325	1.50
5260MHz	Pass	PK	5.3944G	60.56	74.00	-13.44	3	Vertical	325	1.50
5260MHz	Pass	PK	10.52312G	54.23	68.20	-13.97	3	Vertical	80	2.04
5260MHz	Pass	PK	10.52764G	54.59	68.20	-13.61	3	Horizontal	291	1.50
5300MHz	Pass	AV	5.304G	105.00	Inf	-Inf	3	Vertical	11	1.50
5300MHz	Pass	AV	5.3504G	49.31	54.00	-4.69	3	Vertical	11	1.50
5300MHz	Pass	PK	5.304G	116.90	Inf	-Inf	3	Vertical	11	1.50
5300MHz	Pass	PK	5.3516G	61.24	74.00	-12.76	3	Vertical	11	1.50
5300MHz	Pass	AV	10.60348G	41.61	54.00	-12.39	3	Vertical	173	1.50
5300MHz	Pass	PK	10.60348G	54.35	74.00	-19.65	3	Vertical	173	1.50
5300MHz	Pass	AV	10.60984G	41.50	54.00	-12.50	3	Horizontal	211	1.50
5300MHz	Pass	PK	10.60328G	54.52	74.00	-19.48	3	Horizontal	211	1.50
5320MHz	Pass	AV	5.327G	104.46	Inf	-Inf	3	Vertical	322	1.50
5320MHz	Pass	AV	5.3502G	51.97	54.00	-2.03	3	Vertical	322	1.50
5320MHz	Pass	PK	5.3266G	116.38	Inf	-Inf	3	Vertical	322	1.50
5320MHz	Pass	PK	5.366G	67.91	74.00	-6.09	3	Vertical	322	1.50
5320MHz	Pass	AV	10.64948G	41.71	54.00	-12.29	3	Vertical	13	1.55
5320MHz	Pass	PK	10.64548G	55.22	74.00	-18.78	3	Vertical	13	1.55
5320MHz	Pass	AV	10.64944G	41.68	54.00	-12.32	3	Horizontal	161	2.38
5320MHz	Pass	PK	10.64728G	54.45	74.00	-19.55	3	Horizontal	161	2.38
5500MHz	Pass	AV	5.4594G	52.09	54.00	-1.91	3	Vertical	10	1.50
5500MHz	Pass	AV	5.4962G	105.83	Inf	-Inf	3	Vertical	10	1.50
5500MHz	Pass	PK	5.4594G	65.79	74.00	-8.21	3	Vertical	10	1.50
5500MHz	Pass	PK	5.4638G	66.11	68.20	-2.09	3	Vertical	10	1.50
5500MHz	Pass	PK	5.4946G	118.70	Inf	-Inf	3	Vertical	10	1.50
5500MHz	Pass	AV	10.99064G	40.94	54.00	-13.06	3	Vertical	325	1.50
5500MHz	Pass	PK	10.99108G	54.15	74.00	-19.85	3	Vertical	325	1.50
5500MHz	Pass	AV	10.9912G	41.00	54.00	-13.00	3	Horizontal	176	1.50
5500MHz	Pass	PK	11.00272G	54.19	74.00	-19.81	3	Horizontal	176	1.50
5580MHz	Pass	AV	5.454G	48.15	54.00	-5.85	3	Vertical	321	1.50
5580MHz	Pass	AV	5.5788G	104.85	Inf	-Inf	3	Vertical	321	1.50
5580MHz	Pass	PK	5.4372G	60.64	74.00	-13.36	3	Vertical	321	1.50
5580MHz	Pass	PK	5.4678G	59.92	68.20	-8.28	3	Vertical	321	1.50
5580MHz	Pass	PK	5.5812G	116.70	Inf	-Inf	3	Vertical	321	1.50
5580MHz	Pass	PK	5.7288G	60.28	68.20	-7.92	3	Vertical	321	1.50
5580MHz	Pass	AV	11.15668G	41.21	54.00	-12.79	3	Vertical	145	1.81



RSE TX above 1GHz_Non-Beamforming_Radio 2_ Dipole Antenna_2T2S

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	11.15656G	53.92	74.00	-20.08	3	Vertical	145	1.81
5580MHz	Pass	AV	11.1556G	41.19	54.00	-12.81	3	Horizontal	36	2.37
5580MHz	Pass	PK	11.15324G	54.89	74.00	-19.11	3	Horizontal	36	2.37
5700MHz	Pass	AV	5.6928G	102.12	Inf	-Inf	3	Vertical	181	1.78
5700MHz	Pass	PK	5.7052G	115.02	Inf	-Inf	3	Vertical	181	1.78
5700MHz	Pass	PK	5.7256G	66.08	68.20	-2.12	3	Vertical	181	1.78
5700MHz	Pass	AV	11.39952G	42.65	54.00	-11.35	3	Vertical	35	1.50
5700MHz	Pass	PK	11.40328G	55.67	74.00	-18.33	3	Vertical	35	1.50
5700MHz	Pass	AV	11.39748G	42.70	54.00	-11.30	3	Horizontal	47	1.50
5700MHz	Pass	PK	11.40888G	55.70	74.00	-18.30	3	Horizontal	47	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.426G	47.72	54.00	-6.28	3	Vertical	184	1.64
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	106.37	Inf	-Inf	3	Vertical	184	1.64
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4488G	59.82	74.00	-14.18	3	Vertical	184	1.64
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	60.34	68.20	-7.86	3	Vertical	184	1.64
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7116G	117.28	Inf	-Inf	3	Vertical	184	1.64
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8724G	61.76	68.20	-6.44	3	Vertical	184	1.64
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43544G	42.43	54.00	-11.57	3	Vertical	198	2.51
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44064G	55.81	74.00	-18.19	3	Vertical	198	2.51
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43568G	42.45	54.00	-11.55	3	Horizontal	181	2.73
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43436G	55.41	74.00	-18.59	3	Horizontal	181	2.73
5745MHz	Pass	AV	5.4546G	47.64	54.00	-6.36	3	Vertical	151	1.50
5745MHz	Pass	AV	5.7378G	106.55	Inf	-Inf	3	Vertical	151	1.50
5745MHz	Pass	PK	5.637G	60.51	68.20	-7.69	3	Vertical	151	1.50
5745MHz	Pass	PK	5.745G	118.60	Inf	-Inf	3	Vertical	151	1.50
5745MHz	Pass	PK	5.9838G	61.67	68.20	-6.53	3	Vertical	151	1.50
5745MHz	Pass	AV	11.48512G	42.36	54.00	-11.64	3	Vertical	122	1.03
5745MHz	Pass	PK	11.49016G	55.85	74.00	-18.15	3	Vertical	122	1.03
5745MHz	Pass	AV	11.48292G	42.36	54.00	-11.64	3	Horizontal	261	1.50
5745MHz	Pass	PK	11.48044G	55.28	74.00	-18.72	3	Horizontal	261	1.50
5785MHz	Pass	AV	5.77766G	107.64	Inf	-Inf	3	Vertical	320	1.72
5785MHz	Pass	PK	5.64577G	60.95	68.20	-7.25	3	Vertical	320	1.72
5785MHz	Pass	PK	5.78855G	118.99	Inf	-Inf	3	Vertical	320	1.72
5785MHz	Pass	PK	6.04507G	61.86	68.20	-6.34	3	Vertical	320	1.72
5785MHz	Pass	AV	11.5698G	42.21	54.00	-11.79	3	Vertical	265	2.36
5785MHz	Pass	PK	11.57796G	55.51	74.00	-18.49	3	Vertical	265	2.36
5785MHz	Pass	AV	11.56656G	42.23	54.00	-11.77	3	Horizontal	270	1.50
5785MHz	Pass	PK	11.57424G	55.60	74.00	-18.40	3	Horizontal	270	1.50
5825MHz	Pass	AV	5.8226G	106.23	Inf	-Inf	3	Vertical	142	1.63
5825MHz	Pass	PK	5.5586G	60.67	68.20	-7.53	3	Vertical	142	1.63
5825MHz	Pass	PK	5.8166G	117.08	Inf	-Inf	3	Vertical	142	1.63
5825MHz	Pass	PK	5.957G	61.69	68.20	-6.51	3	Vertical	142	1.63
5825MHz	Pass	AV	11.647G	42.08	54.00	-11.92	3	Vertical	109	2.87
5825MHz	Pass	PK	11.64036G	55.13	74.00	-18.87	3	Vertical	109	2.87
5825MHz	Pass	AV	11.65208G	42.12	54.00	-11.88	3	Horizontal	261	2.12
5825MHz	Pass	PK	11.6416G	55.09	74.00	-18.91	3	Horizontal	261	2.12
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	51.75	54.00	-2.25	3	Vertical	137	1.50
5190MHz	Pass	AV	5.1828G	102.27	Inf	-Inf	3	Vertical	137	1.50
5190MHz	Pass	PK	5.15G	63.99	74.00	-10.01	3	Vertical	137	1.50
5190MHz	Pass	PK	5.1924G	114.73	Inf	-Inf	3	Vertical	137	1.50
5190MHz	Pass	PK	10.38536G	54.26	68.20	-13.94	3	Vertical	308	3.00
5190MHz	Pass	PK	10.37832G	54.26	68.20	-13.94	3	Horizontal	58	1.00
5230MHz	Pass	AV	5.15G	49.36	54.00	-4.64	3	Vertical	12	1.50
5230MHz	Pass	AV	5.224G	102.63	Inf	-Inf	3	Vertical	12	1.50
5230MHz	Pass	PK	5.146G	61.34	74.00	-12.66	3	Vertical	12	1.50
5230MHz	Pass	PK	5.232G	115.05	Inf	-Inf	3	Vertical	12	1.50
5230MHz	Pass	PK	10.44576G	54.10	68.20	-14.10	3	Vertical	360	1.26
5230MHz	Pass	PK	10.46832G	54.31	68.20	-13.89	3	Horizontal	153	1.50
5270MHz	Pass	AV	5.2568G	102.37	Inf	-Inf	3	Vertical	8	1.50
5270MHz	Pass	AV	5.3504G	50.07	54.00	-3.93	3	Vertical	8	1.50
5270MHz	Pass	PK	5.2592G	114.65	Inf	-Inf	3	Vertical	8	1.50
5270MHz	Pass	PK	5.3652G	61.59	74.00	-12.41	3	Vertical	8	1.50



RSE TX above 1GHz_Non-Beamforming_Radio 2_ Dipole Antenna_2T2S

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5270MHz	Pass	PK	10.54G	54.30	68.20	-13.90	3	Vertical	206	2.12
5270MHz	Pass	PK	10.53696G	54.62	68.20	-13.58	3	Horizontal	120	1.50
5310MHz	Pass	AV	5.3128G	102.10	Inf	-Inf	3	Vertical	319	1.50
5310MHz	Pass	AV	5.35G	53.80	54.00	-0.20	3	Vertical	319	1.50
5310MHz	Pass	PK	5.318G	114.57	Inf	-Inf	3	Vertical	319	1.50
5310MHz	Pass	PK	5.3508G	65.46	74.00	-8.54	3	Vertical	319	1.50
5310MHz	Pass	AV	10.61952G	41.62	54.00	-12.38	3	Vertical	360	1.50
5310MHz	Pass	PK	10.62688G	54.48	74.00	-19.52	3	Vertical	360	1.50
5310MHz	Pass	AV	10.6204G	41.61	54.00	-12.39	3	Horizontal	275	1.98
5310MHz	Pass	PK	10.6176G	55.01	74.00	-18.99	3	Horizontal	275	1.98
5510MHz	Pass	AV	5.46G	51.78	54.00	-2.22	3	Vertical	10	1.50
5510MHz	Pass	AV	5.4988G	101.84	Inf	-Inf	3	Vertical	10	1.50
5510MHz	Pass	PK	5.4592G	65.62	74.00	-8.38	3	Vertical	10	1.50
5510MHz	Pass	PK	5.4652G	68.05	68.20	-0.15	3	Vertical	10	1.50
5510MHz	Pass	PK	5.5132G	113.95	Inf	-Inf	3	Vertical	10	1.50
5510MHz	Pass	AV	11.03288G	41.06	54.00	-12.94	3	Vertical	228	2.82
5510MHz	Pass	PK	11.00128G	53.71	74.00	-20.29	3	Vertical	228	2.82
5510MHz	Pass	AV	11.00152G	41.03	54.00	-12.97	3	Horizontal	143	1.50
5510MHz	Pass	PK	11.03248G	54.11	74.00	-19.89	3	Horizontal	143	1.50
5550MHz	Pass	AV	5.46G	49.63	54.00	-4.37	3	Vertical	320	1.50
5550MHz	Pass	AV	5.5356G	102.21	Inf	-Inf	3	Vertical	320	1.50
5550MHz	Pass	PK	5.4588G	61.86	74.00	-12.14	3	Vertical	320	1.50
5550MHz	Pass	PK	5.47G	63.36	68.20	-4.84	3	Vertical	320	1.50
5550MHz	Pass	PK	5.536G	114.83	Inf	-Inf	3	Vertical	320	1.50
5550MHz	Pass	AV	11.10984G	41.24	54.00	-12.76	3	Vertical	335	2.82
5550MHz	Pass	PK	11.09168G	55.73	74.00	-18.27	3	Vertical	335	2.82
5550MHz	Pass	AV	11.10728G	41.26	54.00	-12.74	3	Horizontal	59	1.50
5550MHz	Pass	PK	11.1104G	53.94	74.00	-20.06	3	Horizontal	59	1.50
5670MHz	Pass	AV	5.6844G	103.64	Inf	-Inf	3	Vertical	180	1.50
5670MHz	Pass	PK	5.6808G	115.92	Inf	-Inf	3	Vertical	180	1.50
5670MHz	Pass	PK	5.7252G	67.76	68.20	-0.44	3	Vertical	180	1.50
5670MHz	Pass	AV	11.35824G	42.41	54.00	-11.59	3	Vertical	360	1.50
5670MHz	Pass	PK	11.35048G	55.79	74.00	-18.21	3	Vertical	360	1.50
5670MHz	Pass	AV	11.35784G	42.42	54.00	-11.58	3	Horizontal	95	1.50
5670MHz	Pass	PK	11.32416G	55.08	74.00	-18.92	3	Horizontal	95	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.428G	47.87	54.00	-6.13	3	Vertical	181	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7124G	103.52	Inf	-Inf	3	Vertical	181	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4292G	59.56	74.00	-14.44	3	Vertical	181	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4664G	59.60	68.20	-8.60	3	Vertical	181	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6992G	114.80	Inf	-Inf	3	Vertical	181	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9296G	61.46	68.20	-6.74	3	Vertical	181	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40088G	42.57	54.00	-11.43	3	Vertical	185	1.89
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42648G	55.51	74.00	-18.49	3	Vertical	185	1.89
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40008G	42.53	54.00	-11.47	3	Horizontal	339	2.17
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40112G	55.52	74.00	-18.48	3	Horizontal	339	2.17
5755MHz	Pass	AV	5.455G	48.13	54.00	-5.87	3	Vertical	8	1.50
5755MHz	Pass	AV	5.749G	103.85	Inf	-Inf	3	Vertical	8	1.50
5755MHz	Pass	PK	5.5882G	61.21	68.20	-6.99	3	Vertical	8	1.50
5755MHz	Pass	PK	5.749G	115.08	Inf	-Inf	3	Vertical	8	1.50
5755MHz	Pass	PK	6.0538G	61.41	68.20	-6.79	3	Vertical	8	1.50
5755MHz	Pass	AV	11.52304G	42.45	54.00	-11.55	3	Vertical	151	2.49
5755MHz	Pass	PK	11.49128G	55.18	74.00	-18.82	3	Vertical	151	2.49
5755MHz	Pass	AV	11.5236G	42.41	54.00	-11.59	3	Horizontal	177	1.12
5755MHz	Pass	PK	11.52704G	55.33	74.00	-18.67	3	Horizontal	177	1.12
5795MHz	Pass	AV	5.7794G	104.15	Inf	-Inf	3	Vertical	320	1.71
5795MHz	Pass	PK	5.621G	61.27	68.20	-6.93	3	Vertical	320	1.71
5795MHz	Pass	PK	5.7926G	116.41	Inf	-Inf	3	Vertical	320	1.71
5795MHz	Pass	PK	6.0014G	61.99	68.20	-6.21	3	Vertical	320	1.71
5795MHz	Pass	AV	11.57288G	42.24	54.00	-11.76	3	Vertical	97	1.50
5795MHz	Pass	PK	11.57528G	55.20	74.00	-18.80	3	Vertical	97	1.50
5795MHz	Pass	AV	11.57088G	42.18	54.00	-11.82	3	Horizontal	281	1.50
5795MHz	Pass	PK	11.57264G	55.38	74.00	-18.62	3	Horizontal	281	1.50



RSE TX above 1GHz_Non-Beamforming_Radio 2_ Dipole Antenna_2T2S

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.146G	53.38	54.00	-0.62	3	Vertical	166	1.50
5210MHz	Pass	AV	5.218G	99.76	Inf	-Inf	3	Vertical	166	1.50
5210MHz	Pass	AV	5.355G	49.14	54.00	-4.86	3	Vertical	166	1.50
5210MHz	Pass	PK	5.121G	65.38	74.00	-8.62	3	Vertical	166	1.50
5210MHz	Pass	PK	5.203G	111.49	Inf	-Inf	3	Vertical	166	1.50
5210MHz	Pass	PK	5.358G	61.11	74.00	-12.89	3	Vertical	166	1.50
5210MHz	Pass	PK	10.45552G	54.68	68.20	-13.52	3	Vertical	99	1.50
5210MHz	Pass	PK	10.42256G	54.39	68.20	-13.81	3	Horizontal	285	1.69
5290MHz	Pass	AV	5.147G	49.28	54.00	-4.72	3	Vertical	10	1.50
5290MHz	Pass	AV	5.304G	99.71	Inf	-Inf	3	Vertical	10	1.50
5290MHz	Pass	AV	5.35G	53.94	54.00	-0.06	3	Vertical	10	1.50
5290MHz	Pass	PK	5.127G	60.25	74.00	-13.75	3	Vertical	10	1.50
5290MHz	Pass	PK	5.28G	111.47	Inf	-Inf	3	Vertical	10	1.50
5290MHz	Pass	PK	5.35G	65.33	74.00	-8.67	3	Vertical	10	1.50
5290MHz	Pass	PK	5.461G	62.46	68.20	-5.74	3	Vertical	10	1.50
5290MHz	Pass	PK	10.5616G	54.61	68.20	-13.59	3	Vertical	15	1.50
5290MHz	Pass	PK	10.56112G	54.79	68.20	-13.41	3	Horizontal	339	1.50
5530MHz	Pass	AV	5.35G	48.37	54.00	-5.63	3	Vertical	11	1.50
5530MHz	Pass	AV	5.46G	53.72	54.00	-0.28	3	Vertical	11	1.50
5530MHz	Pass	AV	5.501G	98.65	Inf	-Inf	3	Vertical	11	1.50
5530MHz	Pass	PK	5.339G	60.44	68.20	-7.76	3	Vertical	11	1.50
5530MHz	Pass	PK	5.459G	64.79	74.00	-9.21	3	Vertical	11	1.50
5530MHz	Pass	PK	5.47G	65.55	68.20	-2.65	3	Vertical	11	1.50
5530MHz	Pass	PK	5.519G	109.62	Inf	-Inf	3	Vertical	11	1.50
5530MHz	Pass	PK	5.733G	60.64	68.20	-7.56	3	Vertical	11	1.50
5530MHz	Pass	AV	11.076G	41.93	54.00	-12.07	3	Vertical	205	1.50
5530MHz	Pass	PK	11.07248G	54.31	74.00	-19.69	3	Vertical	205	1.50
5530MHz	Pass	AV	11.068G	41.92	54.00	-12.08	3	Horizontal	330	1.19
5530MHz	Pass	PK	11.06736G	54.37	74.00	-19.63	3	Horizontal	330	1.19
5610MHz	Pass	AV	5.459G	50.15	54.00	-3.85	3	Vertical	184	1.50
5610MHz	Pass	AV	5.624G	100.14	Inf	-Inf	3	Vertical	184	1.50
5610MHz	Pass	PK	5.46G	61.10	74.00	-12.90	3	Vertical	184	1.50
5610MHz	Pass	PK	5.469G	61.77	68.20	-6.43	3	Vertical	184	1.50
5610MHz	Pass	PK	5.626G	111.44	Inf	-Inf	3	Vertical	184	1.50
5610MHz	Pass	PK	5.725G	64.06	68.20	-4.14	3	Vertical	184	1.50
5610MHz	Pass	AV	11.22976G	42.68	54.00	-11.32	3	Vertical	52	2.35
5610MHz	Pass	PK	11.24672G	55.07	74.00	-18.93	3	Vertical	52	2.35
5610MHz	Pass	AV	11.25744G	42.51	54.00	-11.49	3	Horizontal	96	2.34
5610MHz	Pass	PK	11.25072G	54.81	74.00	-19.19	3	Horizontal	96	2.34
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	48.59	54.00	-5.41	3	Vertical	179	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6816G	101.48	Inf	-Inf	3	Vertical	179	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.408G	60.22	74.00	-13.78	3	Vertical	179	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	59.33	68.20	-8.87	3	Vertical	179	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6984G	113.07	Inf	-Inf	3	Vertical	179	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8844G	61.40	68.20	-6.80	3	Vertical	179	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39744G	43.32	54.00	-10.68	3	Vertical	0	2.53
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.41872G	55.78	74.00	-18.22	3	Vertical	0	2.53
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3992G	43.32	54.00	-10.68	3	Horizontal	175	1.42
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.34768G	55.30	74.00	-18.70	3	Horizontal	175	1.42
5775MHz	Pass	AV	5.7642G	100.52	Inf	-Inf	3	Vertical	149	1.50
5775MHz	Pass	PK	5.6502G	62.92	68.35	-5.43	3	Vertical	149	1.50
5775MHz	Pass	PK	5.7558G	112.62	Inf	-Inf	3	Vertical	149	1.50
5775MHz	Pass	PK	5.9754G	62.39	68.20	-5.81	3	Vertical	149	1.50
5775MHz	Pass	AV	11.52088G	43.24	54.00	-10.76	3	Vertical	21	1.99
5775MHz	Pass	PK	11.52072G	54.95	74.00	-19.05	3	Vertical	21	1.99
5775MHz	Pass	AV	11.52728G	43.09	54.00	-10.91	3	Horizontal	247	2.14
5775MHz	Pass	PK	11.57G	55.40	74.00	-18.60	3	Horizontal	247	2.14
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1492G	53.75	54.00	-0.25	3	Vertical	166	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2212G	94.54	Inf	-Inf	3	Vertical	166	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.352G	52.01	54.00	-1.99	3	Vertical	166	1.50




**RSE TX above 1GHz_Non-Beamforming_Radio 2_
Dipole Antenna_2T2S**

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1432G	70.90	74.00	-3.10	3	Vertical	166	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2152G	106.09	Inf	-Inf	3	Vertical	166	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.388G	68.72	74.00	-5.28	3	Vertical	166	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4792G	63.16	68.20	-5.04	3	Vertical	166	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.55184G	54.20	68.20	-14.00	3	Vertical	266	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.54736G	54.82	68.20	-13.38	3	Horizontal	87	1.50
5570MHz	Pass	AV	5.4572G	52.75	54.00	-1.25	3	Vertical	11	1.48
5570MHz	Pass	AV	5.4932G	94.68	Inf	-Inf	3	Vertical	11	1.48
5570MHz	Pass	PK	5.3468G	61.29	68.20	-6.91	3	Vertical	11	1.48
5570MHz	Pass	PK	5.4572G	68.08	74.00	-5.92	3	Vertical	11	1.48
5570MHz	Pass	PK	5.4668G	68.04	68.20	-0.16	3	Vertical	11	1.48
5570MHz	Pass	PK	5.5124G	106.57	Inf	-Inf	3	Vertical	11	1.48
5570MHz	Pass	PK	5.7308G	67.43	68.20	-0.77	3	Vertical	11	1.48
5570MHz	Pass	AV	11.196G	42.11	54.00	-11.89	3	Vertical	33	1.50
5570MHz	Pass	PK	11.16848G	54.68	74.00	-19.32	3	Vertical	33	1.50
5570MHz	Pass	AV	11.2184G	42.10	54.00	-11.90	3	Horizontal	138	1.50
5570MHz	Pass	PK	11.20176G	53.84	74.00	-20.16	3	Horizontal	138	1.50


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	53.38	54.00	-0.62	6.26	3	Vertical	166	1.50	47.12	33.29	7.95	34.98
AV	5.218G	99.76	Inf	-Inf	6.11	3	Vertical	166	1.50	93.65	33.10	8.00	34.99
AV	5.355G	49.14	54.00	-4.86	6.23	3	Vertical	166	1.50	42.91	33.09	8.15	35.01
PK	5.121G	65.38	74.00	-8.62	6.20	3	Vertical	166	1.50	59.18	33.24	7.93	34.97
PK	5.203G	111.49	Inf	-Inf	6.09	3	Vertical	166	1.50	105.40	33.10	7.98	34.99
PK	5.358G	61.11	74.00	-12.89	6.22	3	Vertical	166	1.50	54.89	33.08	8.15	35.01

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.45552G	54.68	68.20	-13.52	7.05	3	Vertical	99	1.50	47.63	38.60	11.47	43.02