


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2402MHz	Pass	AV	4.80386G	35.31	54.00	-18.69	3	Horizontal	264	2.43
2402MHz	Pass	PK	4.80494G	48.84	74.00	-25.16	3	Horizontal	264	2.43
2440MHz	Pass	AV	2.3888G	47.97	54.00	-6.03	3	Horizontal	139	1.50
2440MHz	Pass	AV	2.44G	85.90	Inf	-Inf	3	Horizontal	139	1.50
2440MHz	Pass	AV	2.4972G	49.03	54.00	-4.97	3	Horizontal	139	1.50
2440MHz	Pass	PK	2.388G	60.46	74.00	-13.54	3	Horizontal	139	1.50
2440MHz	Pass	PK	2.4404G	87.10	Inf	-Inf	3	Horizontal	139	1.50
2440MHz	Pass	PK	2.4868G	61.60	74.00	-12.40	3	Horizontal	139	1.50
2440MHz	Pass	AV	4.88032G	35.60	54.00	-18.40	3	Vertical	231	2.71
2440MHz	Pass	PK	4.87916G	49.37	74.00	-24.63	3	Vertical	231	2.71
2440MHz	Pass	AV	4.87922G	35.54	54.00	-18.46	3	Horizontal	360	2.68
2440MHz	Pass	PK	4.87928G	48.91	74.00	-25.09	3	Horizontal	360	2.68
2480MHz	Pass	AV	2.48G	89.76	Inf	-Inf	3	Horizontal	26	1.50
2480MHz	Pass	AV	2.4996G	49.05	54.00	-4.95	3	Horizontal	26	1.50
2480MHz	Pass	PK	2.4798G	90.93	Inf	-Inf	3	Horizontal	26	1.50
2480MHz	Pass	PK	2.486G	60.83	74.00	-13.17	3	Horizontal	26	1.50
2480MHz	Pass	AV	4.96022G	35.66	54.00	-18.34	3	Vertical	271	1.50
2480MHz	Pass	PK	4.96025G	48.66	74.00	-25.34	3	Vertical	271	1.50
2480MHz	Pass	AV	4.959G	35.61	54.00	-18.39	3	Horizontal	50	3.00
2480MHz	Pass	PK	4.95929G	48.89	74.00	-25.11	3	Horizontal	50	3.00
BT-LE(500kbps)	-	-	-	-	-	-	-	-	-	-
2402MHz	Pass	AV	2.3874G	48.18	54.00	-5.82	3	Horizontal	335	2.19
2402MHz	Pass	AV	2.402G	92.54	Inf	-Inf	3	Horizontal	335	2.19
2402MHz	Pass	PK	2.3604G	60.17	74.00	-13.83	3	Horizontal	335	2.19
2402MHz	Pass	PK	2.4018G	93.55	Inf	-Inf	3	Horizontal	335	2.19
2402MHz	Pass	AV	4.8045G	35.49	54.00	-18.51	3	Vertical	49	1.50
2402MHz	Pass	PK	4.80353G	48.30	74.00	-25.70	3	Vertical	49	1.50
2402MHz	Pass	AV	4.80437G	35.60	54.00	-18.40	3	Horizontal	95	1.50
2402MHz	Pass	PK	4.8032G	48.45	74.00	-25.55	3	Horizontal	95	1.50
2440MHz	Pass	AV	2.3876G	48.18	54.00	-5.82	3	Horizontal	114	1.50
2440MHz	Pass	AV	2.44G	87.48	Inf	-Inf	3	Horizontal	114	1.50
2440MHz	Pass	AV	2.496G	49.28	54.00	-4.72	3	Horizontal	114	1.50
2440MHz	Pass	PK	2.3628G	59.95	74.00	-14.05	3	Horizontal	114	1.50
2440MHz	Pass	PK	2.44G	88.86	Inf	-Inf	3	Horizontal	114	1.50
2440MHz	Pass	PK	2.492G	61.00	74.00	-13.00	3	Horizontal	114	1.50
2440MHz	Pass	AV	4.87994G	35.85	54.00	-18.15	3	Vertical	343	1.50
2440MHz	Pass	PK	4.88041G	49.08	74.00	-24.92	3	Vertical	343	1.50
2440MHz	Pass	AV	4.87914G	35.80	54.00	-18.20	3	Horizontal	120	1.50
2440MHz	Pass	PK	4.8793G	48.13	74.00	-25.87	3	Horizontal	120	1.50
2480MHz	Pass	AV	2.48G	90.01	Inf	-Inf	3	Horizontal	26	1.50
2480MHz	Pass	AV	2.4978G	49.29	54.00	-4.71	3	Horizontal	26	1.50
2480MHz	Pass	PK	2.4798G	91.06	Inf	-Inf	3	Horizontal	26	1.50
2480MHz	Pass	PK	2.4882G	61.73	74.00	-12.27	3	Horizontal	26	1.50
2480MHz	Pass	AV	4.95928G	35.86	54.00	-18.14	3	Vertical	105	2.85
2480MHz	Pass	PK	4.95997G	48.85	74.00	-25.15	3	Vertical	105	2.85
2480MHz	Pass	AV	4.9607G	35.90	54.00	-18.10	3	Horizontal	149	1.50
2480MHz	Pass	PK	4.96034G	48.43	74.00	-25.57	3	Horizontal	149	1.50


2.4-2.4835GHz_BT-LE(125kbps)

2480MHz_TX




2.4-2.4835GHz_BT-LE(125kbps)

2480MHz_TX




2.4-2.4835GHz_BT-LE(125kbps)

2480MHz_TX




2.4-2.4835GHz_BT-LE(500kbps)

2480MHz_TX




2.4-2.4835GHz_BT-LE(500kbps)

2480MHz_TX




2.4-2.4835GHz_BT-LE(500kbps)

2480MHz_TX




2.4-2.4835GHz_BT-LE(1Mbps)

2480MHz_TX




2.4-2.4835GHz_BT-LE(1Mbps)

2480MHz_TX




2.4-2.4835GHz_BT-LE(1Mbps)

2480MHz_TX




2.4-2.4835GHz_BT-LE(2Mbps)

2480MHz_TX




2.4-2.4835GHz_BT-LE(2Mbps)

2480MHz_TX



2.4-2.4835GHz_BT-LE(2Mbps)

2480MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
BT-LE(2Mbps)	Pass	PK	745.86M	39.22	46.00	-6.78	3	Vertical	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
BT-LE(2Mbps)	-	-	-	-	-	-	-	-	-	-
2440MHz_Adapter	Pass	PK	51.34M	33.15	40.00	-6.85	3	Vertical	0	1.00
2440MHz_Adapter	Pass	PK	86.26M	23.08	40.00	-16.92	3	Vertical	0	1.00
2440MHz_Adapter	Pass	PK	256.98M	26.41	46.00	-19.59	3	Vertical	0	1.00
2440MHz_Adapter	Pass	PK	449.04M	34.19	46.00	-11.81	3	Vertical	0	1.00
2440MHz_Adapter	Pass	PK	709M	34.47	46.00	-11.53	3	Vertical	0	1.00
2440MHz_Adapter	Pass	PK	745.86M	39.22	46.00	-6.78	3	Vertical	0	1.00
2440MHz_Adapter	Pass	PK	88.2M	26.82	43.50	-16.68	3	Horizontal	360	1.00
2440MHz_Adapter	Pass	PK	57.16M	25.78	40.00	-14.22	3	Horizontal	360	1.00
2440MHz_Adapter	Pass	PK	146.4M	23.69	43.50	-19.81	3	Horizontal	360	1.00
2440MHz_Adapter	Pass	PK	396.66M	22.11	46.00	-23.89	3	Horizontal	360	1.00
2440MHz_Adapter	Pass	PK	449.04M	33.73	46.00	-12.27	3	Horizontal	360	1.00
2440MHz_Adapter	Pass	PK	650.8M	29.15	46.00	-16.85	3	Horizontal	360	1.00


2.4-2.4835GHz_BT-LE(2Mbps)

2440MHz_Adapter



2.4-2.4835GHz_BT-LE(2Mbps)

2440MHz_Adapter



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
BT-LE(125kbps)	Pass	AV	2.4988G	48.91	54.00	-5.09	3	Vertical	63	1.50
BT-LE(500kbps)	Pass	AV	2.4988G	49.18	54.00	-4.82	3	Vertical	54	1.50
BT-LE(1Mbps)	Pass	AV	2.488G	49.36	54.00	-4.64	3	Vertical	77	1.50
BT-LE(2Mbps)	Pass	AV	2.4835G	49.84	54.00	-4.16	3	Horizontal	308	1.50

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
BT-LE(1Mbps)	-	-	-	-	-	-	-	-	-	-
2402MHz	Pass	AV	2.38G	48.15	54.00	-5.85	3	Vertical	294	1.50
2402MHz	Pass	AV	2.402G	103.07	Inf	-Inf	3	Vertical	294	1.50
2402MHz	Pass	PK	2.3574G	60.13	74.00	-13.87	3	Vertical	294	1.50
2402MHz	Pass	PK	2.4022G	104.45	Inf	-Inf	3	Vertical	294	1.50
2402MHz	Pass	AV	2.39G	48.13	54.00	-5.87	3	Horizontal	305	1.00
2402MHz	Pass	AV	2.402G	108.95	Inf	-Inf	3	Horizontal	305	1.00
2402MHz	Pass	PK	2.3586G	59.92	74.00	-14.08	3	Horizontal	305	1.00
2402MHz	Pass	PK	2.402G	110.14	Inf	-Inf	3	Horizontal	305	1.00
2402MHz	Pass	AV	4.8038G	34.86	54.00	-19.14	3	Vertical	2	2.46
2402MHz	Pass	PK	4.8036G	47.08	74.00	-26.92	3	Vertical	2	2.46
2402MHz	Pass	AV	4.80634G	34.93	54.00	-19.07	3	Horizontal	160	2.88
2402MHz	Pass	PK	4.80505G	47.31	74.00	-26.69	3	Horizontal	160	2.88
2440MHz	Pass	AV	2.3692G	48.15	54.00	-5.85	3	Vertical	77	1.50
2440MHz	Pass	AV	2.44G	101.07	Inf	-Inf	3	Vertical	77	1.50
2440MHz	Pass	AV	2.488G	49.36	54.00	-4.64	3	Vertical	77	1.50
2440MHz	Pass	PK	2.3568G	59.93	74.00	-14.07	3	Vertical	77	1.50
2440MHz	Pass	PK	2.44G	102.28	Inf	-Inf	3	Vertical	77	1.50
2440MHz	Pass	PK	2.4864G	60.55	74.00	-13.45	3	Vertical	77	1.50
2440MHz	Pass	AV	2.3576G	48.25	54.00	-5.75	3	Horizontal	302	1.00
2440MHz	Pass	AV	2.44G	108.72	Inf	-Inf	3	Horizontal	302	1.00
2440MHz	Pass	AV	2.5G	49.18	54.00	-4.82	3	Horizontal	302	1.00
2440MHz	Pass	PK	2.3588G	60.68	74.00	-13.32	3	Horizontal	302	1.00
2440MHz	Pass	PK	2.4404G	109.93	Inf	-Inf	3	Horizontal	302	1.00
2440MHz	Pass	PK	2.4872G	60.49	74.00	-13.51	3	Horizontal	302	1.00
2440MHz	Pass	AV	4.88214G	35.29	54.00	-18.71	3	Vertical	3	1.12
2440MHz	Pass	PK	4.88095G	47.64	74.00	-26.36	3	Vertical	3	1.12
2440MHz	Pass	AV	4.88249G	35.42	54.00	-18.58	3	Horizontal	275	2.54
2440MHz	Pass	PK	4.87845G	48.61	74.00	-25.39	3	Horizontal	275	2.54
2480MHz	Pass	AV	2.48G	101.92	Inf	-Inf	3	Vertical	46	1.50
2480MHz	Pass	AV	2.4996G	49.18	54.00	-4.82	3	Vertical	46	1.50
2480MHz	Pass	PK	2.4798G	102.84	Inf	-Inf	3	Vertical	46	1.50
2480MHz	Pass	PK	2.486G	60.90	74.00	-13.10	3	Vertical	46	1.50
2480MHz	Pass	AV	2.48G	106.35	Inf	-Inf	3	Horizontal	313	1.50
2480MHz	Pass	AV	2.4988G	49.18	54.00	-4.82	3	Horizontal	313	1.50
2480MHz	Pass	PK	2.4798G	107.30	Inf	-Inf	3	Horizontal	313	1.50
2480MHz	Pass	PK	2.4978G	61.17	74.00	-12.83	3	Horizontal	313	1.50
2480MHz	Pass	AV	4.95988G	35.58	54.00	-18.42	3	Vertical	200	2.08
2480MHz	Pass	PK	4.95843G	48.16	74.00	-25.84	3	Vertical	200	2.08
2480MHz	Pass	AV	4.95758G	35.55	54.00	-18.45	3	Horizontal	236	1.38
2480MHz	Pass	PK	4.96117G	48.00	74.00	-26.00	3	Horizontal	236	1.38
BT-LE(2Mbps)	-	-	-	-	-	-	-	-	-	-
2402MHz	Pass	AV	2.3536G	48.51	54.00	-5.49	3	Vertical	60	1.50
2402MHz	Pass	AV	2.402G	100.96	Inf	-Inf	3	Vertical	60	1.50
2402MHz	Pass	PK	2.3878G	60.01	74.00	-13.99	3	Vertical	60	1.50
2402MHz	Pass	PK	2.4014G	103.62	Inf	-Inf	3	Vertical	60	1.50
2402MHz	Pass	AV	2.3698G	48.39	54.00	-5.61	3	Horizontal	303	1.00
2402MHz	Pass	AV	2.402G	106.62	Inf	-Inf	3	Horizontal	303	1.00
2402MHz	Pass	PK	2.3856G	60.46	74.00	-13.54	3	Horizontal	303	1.00
2402MHz	Pass	PK	2.4026G	109.20	Inf	-Inf	3	Horizontal	303	1.00
2402MHz	Pass	AV	4.80323G	35.08	54.00	-18.92	3	Vertical	220	1.00
2402MHz	Pass	PK	4.80473G	46.90	74.00	-27.10	3	Vertical	220	1.00
2402MHz	Pass	AV	4.80546G	35.17	54.00	-18.83	3	Horizontal	188	3.00
2402MHz	Pass	PK	4.80543G	47.53	74.00	-26.47	3	Horizontal	188	3.00
2440MHz	Pass	AV	2.3864G	48.54	54.00	-5.46	3	Vertical	62	1.50
2440MHz	Pass	AV	2.44G	100.78	Inf	-Inf	3	Vertical	62	1.50
2440MHz	Pass	AV	2.498G	49.68	54.00	-4.32	3	Vertical	62	1.50
2440MHz	Pass	PK	2.3596G	59.98	74.00	-14.02	3	Vertical	62	1.50
2440MHz	Pass	PK	2.4404G	103.41	Inf	-Inf	3	Vertical	62	1.50
2440MHz	Pass	PK	2.4848G	60.48	74.00	-13.52	3	Vertical	62	1.50
2440MHz	Pass	AV	2.3836G	48.47	54.00	-5.53	3	Horizontal	302	1.00

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2440MHz	Pass	AV	2.44G	106.74	Inf	-Inf	3	Horizontal	302	1.00
2440MHz	Pass	AV	2.4992G	49.68	54.00	-4.32	3	Horizontal	302	1.00
2440MHz	Pass	PK	2.3812G	59.92	74.00	-14.08	3	Horizontal	302	1.00
2440MHz	Pass	PK	2.4396G	109.30	Inf	-Inf	3	Horizontal	302	1.00
2440MHz	Pass	PK	2.4856G	60.70	74.00	-13.30	3	Horizontal	302	1.00
2440MHz	Pass	AV	4.87932G	35.50	54.00	-18.50	3	Vertical	147	2.58
2440MHz	Pass	PK	4.87883G	47.01	74.00	-26.99	3	Vertical	147	2.58
2440MHz	Pass	AV	4.87861G	35.49	54.00	-18.51	3	Horizontal	306	1.50
2440MHz	Pass	PK	4.87998G	47.16	74.00	-26.84	3	Horizontal	306	1.50
2480MHz	Pass	AV	2.48G	100.28	Inf	-Inf	3	Vertical	46	1.50
2480MHz	Pass	AV	2.4835G	49.59	54.00	-4.41	3	Vertical	46	1.50
2480MHz	Pass	PK	2.4806G	102.88	Inf	-Inf	3	Vertical	46	1.50
2480MHz	Pass	PK	2.4918G	60.93	74.00	-13.07	3	Vertical	46	1.50
2480MHz	Pass	AV	2.48G	104.95	Inf	-Inf	3	Horizontal	308	1.50
2480MHz	Pass	AV	2.4835G	49.84	54.00	-4.16	3	Horizontal	308	1.50
2480MHz	Pass	PK	2.4796G	107.54	Inf	-Inf	3	Horizontal	308	1.50
2480MHz	Pass	PK	2.4884G	60.91	74.00	-13.09	3	Horizontal	308	1.50
2480MHz	Pass	AV	4.96012G	36.36	54.00	-17.64	3	Vertical	4	1.50
2480MHz	Pass	PK	4.96053G	49.15	74.00	-24.85	3	Vertical	4	1.50
2480MHz	Pass	AV	4.95943G	36.07	54.00	-17.93	3	Horizontal	318	1.50
2480MHz	Pass	PK	4.95879G	48.18	74.00	-25.82	3	Horizontal	318	1.50
BT-LE(125kbps)	-	-	-	-	-	-	-	-	-	-
2402MHz	Pass	AV	2.39G	47.87	54.00	-6.13	3	Vertical	296	1.50
2402MHz	Pass	AV	2.402G	103.23	Inf	-Inf	3	Vertical	296	1.50
2402MHz	Pass	PK	2.3794G	60.76	74.00	-13.24	3	Vertical	296	1.50
2402MHz	Pass	PK	2.4022G	104.35	Inf	-Inf	3	Vertical	296	1.50
2402MHz	Pass	AV	2.39G	47.87	54.00	-6.13	3	Horizontal	302	1.00
2402MHz	Pass	AV	2.402G	107.52	Inf	-Inf	3	Horizontal	302	1.00
2402MHz	Pass	PK	2.3724G	60.53	74.00	-13.47	3	Horizontal	302	1.00
2402MHz	Pass	PK	2.4018G	108.58	Inf	-Inf	3	Horizontal	302	1.00
2402MHz	Pass	AV	4.80437G	34.43	54.00	-19.57	3	Vertical	287	1.50
2402MHz	Pass	PK	4.80381G	46.91	74.00	-27.09	3	Vertical	287	1.50
2402MHz	Pass	AV	4.80459G	34.37	54.00	-19.63	3	Horizontal	70	2.56
2402MHz	Pass	PK	4.80376G	47.11	74.00	-26.89	3	Horizontal	70	2.56
2440MHz	Pass	AV	2.39G	47.87	54.00	-6.13	3	Vertical	63	1.50
2440MHz	Pass	AV	2.44G	101.92	Inf	-Inf	3	Vertical	63	1.50
2440MHz	Pass	AV	2.4988G	48.91	54.00	-5.09	3	Vertical	63	1.50
2440MHz	Pass	PK	2.3748G	60.65	74.00	-13.35	3	Vertical	63	1.50
2440MHz	Pass	PK	2.4404G	103.00	Inf	-Inf	3	Vertical	63	1.50
2440MHz	Pass	PK	2.4928G	61.20	74.00	-12.80	3	Vertical	63	1.50
2440MHz	Pass	AV	2.39G	47.87	54.00	-6.13	3	Horizontal	303	1.00
2440MHz	Pass	AV	2.44G	108.04	Inf	-Inf	3	Horizontal	303	1.00
2440MHz	Pass	AV	2.4988G	48.91	54.00	-5.09	3	Horizontal	303	1.00
2440MHz	Pass	PK	2.3484G	60.58	74.00	-13.42	3	Horizontal	303	1.00
2440MHz	Pass	PK	2.4396G	109.10	Inf	-Inf	3	Horizontal	303	1.00
2440MHz	Pass	PK	2.4848G	61.03	74.00	-12.97	3	Horizontal	303	1.00
2440MHz	Pass	AV	4.8803G	34.86	54.00	-19.14	3	Vertical	46	1.50
2440MHz	Pass	PK	4.88024G	47.69	74.00	-26.31	3	Vertical	46	1.50
2440MHz	Pass	AV	4.88044G	34.86	54.00	-19.14	3	Horizontal	354	1.50
2440MHz	Pass	PK	4.88064G	47.81	74.00	-26.19	3	Horizontal	354	1.50
2480MHz	Pass	AV	2.48G	102.52	Inf	-Inf	3	Vertical	46	1.50
2480MHz	Pass	AV	2.4986G	48.91	54.00	-5.09	3	Vertical	46	1.50
2480MHz	Pass	PK	2.4798G	103.62	Inf	-Inf	3	Vertical	46	1.50
2480MHz	Pass	PK	2.4838G	62.02	74.00	-11.98	3	Vertical	46	1.50
2480MHz	Pass	AV	2.48G	106.63	Inf	-Inf	3	Horizontal	313	1.50
2480MHz	Pass	AV	2.4986G	48.91	54.00	-5.09	3	Horizontal	313	1.50
2480MHz	Pass	PK	2.4798G	107.73	Inf	-Inf	3	Horizontal	313	1.50
2480MHz	Pass	PK	2.4844G	61.15	74.00	-12.85	3	Horizontal	313	1.50
2480MHz	Pass	AV	4.9598G	35.66	54.00	-18.34	3	Vertical	7	1.35
2480MHz	Pass	PK	4.96022G	48.42	74.00	-25.58	3	Vertical	7	1.35
2480MHz	Pass	AV	4.95967G	35.54	54.00	-18.46	3	Horizontal	39	1.50
2480MHz	Pass	PK	4.96033G	48.15	74.00	-25.85	3	Horizontal	39	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
BT-LE(500kbps)	-	-	-	-	-	-	-	-	-	-
2402MHz	Pass	AV	2.39G	48.13	54.00	-5.87	3	Vertical	297	1.50
2402MHz	Pass	AV	2.402G	102.47	Inf	-Inf	3	Vertical	297	1.50
2402MHz	Pass	PK	2.3542G	60.20	74.00	-13.80	3	Vertical	297	1.50
2402MHz	Pass	PK	2.4018G	103.37	Inf	-Inf	3	Vertical	297	1.50
2402MHz	Pass	AV	2.3898G	48.13	54.00	-5.87	3	Horizontal	304	1.00
2402MHz	Pass	AV	2.402G	108.10	Inf	-Inf	3	Horizontal	304	1.00
2402MHz	Pass	PK	2.39G	60.33	74.00	-13.67	3	Horizontal	304	1.00
2402MHz	Pass	PK	2.4018G	109.44	Inf	-Inf	3	Horizontal	304	1.00
2402MHz	Pass	AV	4.80446G	34.63	54.00	-19.37	3	Vertical	133	1.50
2402MHz	Pass	PK	4.80332G	47.33	74.00	-26.67	3	Vertical	133	1.50
2402MHz	Pass	AV	4.80468G	34.63	54.00	-19.37	3	Horizontal	117	1.50
2402MHz	Pass	PK	4.80414G	47.63	74.00	-26.37	3	Horizontal	117	1.50
2402MHz	Pass	AV	2.3896G	48.12	54.00	-5.88	3	Vertical	54	1.50
2440MHz	Pass	AV	2.44G	101.91	Inf	-Inf	3	Vertical	54	1.50
2440MHz	Pass	AV	2.4988G	49.18	54.00	-4.82	3	Vertical	54	1.50
2440MHz	Pass	PK	2.3724G	60.28	74.00	-13.72	3	Vertical	54	1.50
2440MHz	Pass	PK	2.4396G	103.29	Inf	-Inf	3	Vertical	54	1.50
2440MHz	Pass	PK	2.4972G	60.97	74.00	-13.03	3	Vertical	54	1.50
2440MHz	Pass	AV	2.3888G	48.11	54.00	-5.89	3	Horizontal	303	1.01
2440MHz	Pass	AV	2.44G	108.00	Inf	-Inf	3	Horizontal	303	1.01
2440MHz	Pass	AV	2.4984G	49.17	54.00	-4.83	3	Horizontal	303	1.01
2440MHz	Pass	PK	2.3884G	59.90	74.00	-14.10	3	Horizontal	303	1.01
2440MHz	Pass	PK	2.4396G	109.24	Inf	-Inf	3	Horizontal	303	1.01
2440MHz	Pass	PK	2.488G	60.91	74.00	-13.09	3	Horizontal	303	1.01
2440MHz	Pass	AV	4.88016G	35.14	54.00	-18.86	3	Vertical	218	1.50
2440MHz	Pass	PK	4.88026G	47.95	74.00	-26.05	3	Vertical	218	1.50
2440MHz	Pass	AV	4.88032G	35.14	54.00	-18.86	3	Horizontal	307	1.50
2440MHz	Pass	PK	4.8799G	47.07	74.00	-26.93	3	Horizontal	307	1.50
2480MHz	Pass	AV	2.48G	102.19	Inf	-Inf	3	Vertical	46	1.50
2480MHz	Pass	AV	2.4996G	49.18	54.00	-4.82	3	Vertical	46	1.50
2480MHz	Pass	PK	2.4796G	103.35	Inf	-Inf	3	Vertical	46	1.50
2480MHz	Pass	PK	2.4992G	61.11	74.00	-12.89	3	Vertical	46	1.50
2480MHz	Pass	AV	2.48G	105.63	Inf	-Inf	3	Horizontal	309	1.50
2480MHz	Pass	AV	2.4988G	49.18	54.00	-4.82	3	Horizontal	309	1.50
2480MHz	Pass	PK	2.4798G	106.55	Inf	-Inf	3	Horizontal	309	1.50
2480MHz	Pass	PK	2.4956G	61.10	74.00	-12.90	3	Horizontal	309	1.50
2480MHz	Pass	AV	4.96044G	36.18	54.00	-17.82	3	Vertical	5	1.50
2480MHz	Pass	PK	4.96004G	48.69	74.00	-25.31	3	Vertical	5	1.50
2480MHz	Pass	AV	4.95978G	35.94	54.00	-18.06	3	Horizontal	2	1.78
2480MHz	Pass	PK	4.95924G	48.63	74.00	-25.37	3	Horizontal	2	1.78

2.4-2.4835GHz_BT-LE(125kbps)


2440MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.87	54.00	-6.13	33.17	3	Vertical	63	1.50	14.70	27.40	5.77	-
AV	2.44G	101.92	Inf	-Inf	33.31	3	Vertical	63	1.50	68.61	27.50	5.81	-
AV	2.4988G	48.91	54.00	-5.09	33.85	3	Vertical	63	1.50	15.06	27.99	5.86	-
PK	2.3748G	60.65	74.00	-13.35	32.95	3	Vertical	63	1.50	27.70	27.20	5.75	-
PK	2.4404G	103.00	Inf	-Inf	33.31	3	Vertical	63	1.50	69.69	27.50	5.81	-
PK	2.4928G	61.20	74.00	-12.80	33.78	3	Vertical	63	1.50	27.42	27.93	5.85	-

2.4-2.4835GHz_BT-LE(125kbps)


2440MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.87	54.00	-6.13	33.17	3	Horizontal	303	1.00	14.70	27.40	5.77	-
AV	2.44G	108.04	Inf	-Inf	33.31	3	Horizontal	303	1.00	74.73	27.50	5.81	-
AV	2.4988G	48.91	54.00	-5.09	33.85	3	Horizontal	303	1.00	15.06	27.99	5.86	-
PK	2.3484G	60.58	74.00	-13.42	33.00	3	Horizontal	303	1.00	27.58	27.28	5.72	-
PK	2.4396G	109.10	Inf	-Inf	33.31	3	Horizontal	303	1.00	75.79	27.50	5.81	-
PK	2.4848G	61.03	74.00	-12.97	33.70	3	Horizontal	303	1.00	27.33	27.85	5.85	-


2.4-2.4835GHz_BT-LE(125kbps)

2440MHz_TX




2.4-2.4835GHz_BT-LE(125kbps)

2440MHz_TX




2.4-2.4835GHz_BT-LE(500kpbs)

2440MHz_TX




2.4-2.4835GHz_BT-LE(500kpbs)

2440MHz_TX




2.4-2.4835GHz_BT-LE(500kbps)

2440MHz_TX




2.4-2.4835GHz_BT-LE(500kbps)

2440MHz_TX




2.4-2.4835GHz_BT-LE(1Mbps)

2440MHz_TX




2.4-2.4835GHz_BT-LE(1Mbps)

2440MHz_TX




2.4-2.4835GHz_BT-LE(1Mbps)

2440MHz_TX




2.4-2.4835GHz_BT-LE(1Mbps)

2440MHz_TX




2.4-2.4835GHz_BT-LE(2Mbps)

2480MHz_TX




2.4-2.4835GHz_BT-LE(2Mbps)

2480MHz_TX




2.4-2.4835GHz_BT-LE(2Mbps)

2480MHz_TX



2.4-2.4835GHz_BT-LE(2Mbps)

2480MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
BT-LE(2Mbps)	Pass	PK	51.34M	33.20	40.00	-6.80	3	Vertical	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
BT-LE(2Mbps)	-	-	-	-	-	-	-	-	-	-
2440MHz_Adapter	Pass	PK	51.34M	33.20	40.00	-6.80	3	Vertical	0	1.00
2440MHz_Adapter	Pass	PK	212.36M	26.42	43.50	-17.08	3	Vertical	0	1.00
2440MHz_Adapter	Pass	PK	260.86M	24.18	46.00	-21.82	3	Vertical	0	1.00
2440MHz_Adapter	Pass	PK	449.04M	34.64	46.00	-11.36	3	Vertical	0	1.00
2440MHz_Adapter	Pass	PK	656.62M	25.30	46.00	-20.70	3	Vertical	0	1.00
2440MHz_Adapter	Pass	PK	774.96M	29.77	46.00	-16.23	3	Vertical	0	1.00
2440MHz_Adapter	Pass	PK	88.2M	26.77	43.50	-16.73	3	Horizontal	360	1.00
2440MHz_Adapter	Pass	PK	258.92M	23.38	46.00	-22.62	3	Horizontal	360	1.00
2440MHz_Adapter	Pass	PK	394.72M	25.57	46.00	-20.43	3	Horizontal	360	1.00
2440MHz_Adapter	Pass	PK	449.04M	33.97	46.00	-12.03	3	Horizontal	360	1.00
2440MHz_Adapter	Pass	PK	650.8M	27.33	46.00	-18.67	3	Horizontal	360	1.00
2440MHz_Adapter	Pass	PK	767.2M	29.70	46.00	-16.30	3	Horizontal	360	1.00


2.4-2.4835GHz_BT-LE(2Mbps)

2440MHz_Adapter



2.4-2.4835GHz_BT-LE(2Mbps)

2440MHz_Adapter



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
BT-LE(125kbps)	Pass	AV	2.4988G	48.91	54.00	-5.09	3	Vertical	100	2.97
BT-LE(500kbps)	Pass	AV	2.4892G	49.37	54.00	-4.63	3	Vertical	100	2.97
BT-LE(1Mbps)	Pass	AV	2.4968G	49.42	54.00	-4.58	3	Horizontal	299	2.34
BT-LE(2Mbps)	Pass	AV	2.4988G	49.69	54.00	-4.31	3	Horizontal	299	2.35

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
BT-LE(1Mbps)	-	-	-	-	-	-	-	-	-	-
2402MHz	Pass	AV	2.3542G	48.26	54.00	-5.74	3	Vertical	248	2.92
2402MHz	Pass	AV	2.402G	100.61	Inf	-Inf	3	Vertical	248	2.92
2402MHz	Pass	PK	2.3894G	60.25	74.00	-13.75	3	Vertical	248	2.92
2402MHz	Pass	PK	2.4022G	101.88	Inf	-Inf	3	Vertical	248	2.92
2402MHz	Pass	AV	2.3582G	48.25	54.00	-5.75	3	Horizontal	301	2.64
2402MHz	Pass	AV	2.402G	109.08	Inf	-Inf	3	Horizontal	301	2.64
2402MHz	Pass	PK	2.3784G	60.28	74.00	-13.72	3	Horizontal	301	2.64
2402MHz	Pass	PK	2.4022G	110.33	Inf	-Inf	3	Horizontal	301	2.64
2402MHz	Pass	AV	4.8051G	35.11	54.00	-18.89	3	Vertical	15	1.50
2402MHz	Pass	PK	4.80264G	46.82	74.00	-27.18	3	Vertical	15	1.50
2402MHz	Pass	AV	4.80419G	35.22	54.00	-18.78	3	Horizontal	324	1.33
2402MHz	Pass	PK	4.80648G	47.85	74.00	-26.15	3	Horizontal	324	1.33
2440MHz	Pass	AV	2.3876G	48.32	54.00	-5.68	3	Vertical	251	2.87
2440MHz	Pass	AV	2.44G	101.98	Inf	-Inf	3	Vertical	251	2.87
2440MHz	Pass	AV	2.4996G	49.18	54.00	-4.82	3	Vertical	251	2.87
2440MHz	Pass	PK	2.3464G	60.57	74.00	-13.43	3	Vertical	251	2.87
2440MHz	Pass	PK	2.44G	102.97	Inf	-Inf	3	Vertical	251	2.87
2440MHz	Pass	PK	2.4888G	61.31	74.00	-12.69	3	Vertical	251	2.87
2440MHz	Pass	AV	2.3496G	48.28	54.00	-5.72	3	Horizontal	299	2.34
2440MHz	Pass	AV	2.44G	108.57	Inf	-Inf	3	Horizontal	299	2.34
2440MHz	Pass	AV	2.4968G	49.42	54.00	-4.58	3	Horizontal	299	2.34
2440MHz	Pass	PK	2.382G	59.53	74.00	-14.47	3	Horizontal	299	2.34
2440MHz	Pass	PK	2.44G	109.59	Inf	-Inf	3	Horizontal	299	2.34
2440MHz	Pass	PK	2.4868G	60.06	74.00	-13.94	3	Horizontal	299	2.34
2440MHz	Pass	AV	4.8813G	35.42	54.00	-18.58	3	Vertical	313	2.41
2440MHz	Pass	PK	4.88105G	47.22	74.00	-26.78	3	Vertical	313	2.41
2440MHz	Pass	AV	4.87991G	35.34	54.00	-18.66	3	Horizontal	294	1.53
2440MHz	Pass	PK	4.88188G	46.90	74.00	-27.10	3	Horizontal	294	1.53
2480MHz	Pass	AV	2.48G	100.10	Inf	-Inf	3	Vertical	220	3.00
2480MHz	Pass	AV	2.494G	49.41	54.00	-4.59	3	Vertical	220	3.00
2480MHz	Pass	PK	2.4798G	101.04	Inf	-Inf	3	Vertical	220	3.00
2480MHz	Pass	PK	2.4852G	61.60	74.00	-12.40	3	Vertical	220	3.00
2480MHz	Pass	AV	2.48G	104.57	Inf	-Inf	3	Horizontal	11	2.80
2480MHz	Pass	AV	2.488G	49.36	54.00	-4.64	3	Horizontal	11	2.80
2480MHz	Pass	PK	2.48G	105.65	Inf	-Inf	3	Horizontal	11	2.80
2480MHz	Pass	PK	2.4894G	61.37	74.00	-12.63	3	Horizontal	11	2.80
2480MHz	Pass	AV	4.96071G	35.88	54.00	-18.12	3	Vertical	153	2.16
2480MHz	Pass	PK	4.96224G	48.23	74.00	-25.77	3	Vertical	153	2.16
2480MHz	Pass	AV	4.95992G	36.12	54.00	-17.88	3	Horizontal	18	1.96
2480MHz	Pass	PK	4.96035G	48.32	74.00	-25.68	3	Horizontal	18	1.96
BT-LE(2Mbps)	-	-	-	-	-	-	-	-	-	-
2402MHz	Pass	AV	2.3896G	48.63	54.00	-5.37	3	Vertical	253	2.31
2402MHz	Pass	AV	2.402G	99.99	Inf	-Inf	3	Vertical	253	2.31
2402MHz	Pass	PK	2.3548G	60.26	74.00	-13.74	3	Vertical	253	2.31
2402MHz	Pass	PK	2.4016G	102.58	Inf	-Inf	3	Vertical	253	2.31
2402MHz	Pass	AV	2.3828G	48.46	54.00	-5.54	3	Horizontal	299	2.51
2402MHz	Pass	AV	2.402G	107.50	Inf	-Inf	3	Horizontal	299	2.51
2402MHz	Pass	PK	2.355G	59.66	74.00	-14.34	3	Horizontal	299	2.51
2402MHz	Pass	PK	2.4026G	110.10	Inf	-Inf	3	Horizontal	299	2.51
2402MHz	Pass	AV	4.80632G	35.23	54.00	-18.77	3	Vertical	233	1.91
2402MHz	Pass	PK	4.80575G	47.18	74.00	-26.82	3	Vertical	233	1.91
2402MHz	Pass	AV	4.80505G	35.11	54.00	-18.89	3	Horizontal	90	2.54
2402MHz	Pass	PK	4.80244G	46.86	74.00	-27.14	3	Horizontal	90	2.54
2440MHz	Pass	AV	2.3892G	48.62	54.00	-5.38	3	Vertical	100	2.97
2440MHz	Pass	AV	2.44G	97.58	Inf	-Inf	3	Vertical	100	2.97
2440MHz	Pass	AV	2.4916G	49.64	54.00	-4.36	3	Vertical	100	2.97
2440MHz	Pass	PK	2.3828G	59.55	74.00	-14.45	3	Vertical	100	2.97
2440MHz	Pass	PK	2.4404G	100.21	Inf	-Inf	3	Vertical	100	2.97
2440MHz	Pass	PK	2.4864G	61.10	74.00	-12.90	3	Vertical	100	2.97
2440MHz	Pass	AV	2.3892G	48.62	54.00	-5.38	3	Horizontal	299	2.35

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2440MHz	Pass	AV	2.44G	106.77	Inf	-Inf	3	Horizontal	299	2.35
2440MHz	Pass	AV	2.4988G	49.69	54.00	-4.31	3	Horizontal	299	2.35
2440MHz	Pass	PK	2.3676G	61.07	74.00	-12.93	3	Horizontal	299	2.35
2440MHz	Pass	PK	2.4408G	109.33	Inf	-Inf	3	Horizontal	299	2.35
2440MHz	Pass	PK	2.5G	59.91	74.00	-14.09	3	Horizontal	299	2.35
2440MHz	Pass	AV	4.88041G	35.65	54.00	-18.35	3	Vertical	311	2.72
2440MHz	Pass	PK	4.87972G	47.91	74.00	-26.09	3	Vertical	311	2.72
2440MHz	Pass	AV	4.88095G	35.72	54.00	-18.28	3	Horizontal	132	2.08
2440MHz	Pass	PK	4.87787G	46.89	74.00	-27.11	3	Horizontal	132	2.08
2480MHz	Pass	AV	2.48G	98.82	Inf	-Inf	3	Vertical	226	2.24
2480MHz	Pass	AV	2.4986G	49.44	54.00	-4.56	3	Vertical	226	2.24
2480MHz	Pass	PK	2.4796G	101.45	Inf	-Inf	3	Vertical	226	2.24
2480MHz	Pass	PK	2.4946G	61.16	74.00	-12.84	3	Vertical	226	2.24
2480MHz	Pass	AV	2.48G	103.58	Inf	-Inf	3	Horizontal	18	1.00
2480MHz	Pass	AV	2.486G	49.61	54.00	-4.39	3	Horizontal	18	1.00
2480MHz	Pass	PK	2.4806G	106.20	Inf	-Inf	3	Horizontal	18	1.00
2480MHz	Pass	PK	2.4964G	61.67	74.00	-12.33	3	Horizontal	18	1.00
2480MHz	Pass	AV	4.96066G	35.94	54.00	-18.06	3	Vertical	228	1.09
2480MHz	Pass	PK	4.95793G	47.84	74.00	-26.16	3	Vertical	228	1.09
2480MHz	Pass	AV	4.95919G	36.13	54.00	-17.87	3	Horizontal	89	2.36
2480MHz	Pass	PK	4.96022G	47.35	74.00	-26.65	3	Horizontal	89	2.36
BT-LE(125kbps)	-	-	-	-	-	-	-	-	-	-
2402MHz	Pass	AV	2.39G	47.87	54.00	-6.13	3	Vertical	251	2.62
2402MHz	Pass	AV	2.402G	101.06	Inf	-Inf	3	Vertical	251	2.62
2402MHz	Pass	PK	2.3628G	59.88	74.00	-14.12	3	Vertical	251	2.62
2402MHz	Pass	PK	2.4018G	102.46	Inf	-Inf	3	Vertical	251	2.62
2402MHz	Pass	AV	2.3522G	48.01	54.00	-5.99	3	Horizontal	299	2.51
2402MHz	Pass	AV	2.402G	108.96	Inf	-Inf	3	Horizontal	299	2.51
2402MHz	Pass	PK	2.3794G	59.89	74.00	-14.11	3	Horizontal	299	2.51
2402MHz	Pass	PK	2.4018G	110.04	Inf	-Inf	3	Horizontal	299	2.51
2402MHz	Pass	AV	4.80544G	34.50	54.00	-19.50	3	Vertical	113	1.67
2402MHz	Pass	PK	4.80487G	47.08	74.00	-26.92	3	Vertical	113	1.67
2402MHz	Pass	AV	4.80431G	34.62	54.00	-19.38	3	Horizontal	327	1.50
2402MHz	Pass	PK	4.80548G	47.57	74.00	-26.43	3	Horizontal	327	1.50
2440MHz	Pass	AV	2.39G	47.87	54.00	-6.13	3	Vertical	100	2.97
2440MHz	Pass	AV	2.44G	98.62	Inf	-Inf	3	Vertical	100	2.97
2440MHz	Pass	AV	2.4988G	48.91	54.00	-5.09	3	Vertical	100	2.97
2440MHz	Pass	PK	2.386G	59.82	74.00	-14.18	3	Vertical	100	2.97
2440MHz	Pass	PK	2.44G	99.85	Inf	-Inf	3	Vertical	100	2.97
2440MHz	Pass	PK	2.486G	60.34	74.00	-13.66	3	Vertical	100	2.97
2440MHz	Pass	AV	2.39G	47.87	54.00	-6.13	3	Horizontal	299	2.36
2440MHz	Pass	AV	2.44G	108.04	Inf	-Inf	3	Horizontal	299	2.36
2440MHz	Pass	AV	2.4988G	48.91	54.00	-5.09	3	Horizontal	299	2.36
2440MHz	Pass	PK	2.3528G	60.33	74.00	-13.67	3	Horizontal	299	2.36
2440MHz	Pass	PK	2.44G	109.20	Inf	-Inf	3	Horizontal	299	2.36
2440MHz	Pass	PK	2.4968G	60.05	74.00	-13.95	3	Horizontal	299	2.36
2440MHz	Pass	AV	4.88219G	35.03	54.00	-18.97	3	Vertical	40	1.33
2440MHz	Pass	PK	4.88119G	47.49	74.00	-26.51	3	Vertical	40	1.33
2440MHz	Pass	AV	4.87974G	35.01	54.00	-18.99	3	Horizontal	201	1.51
2440MHz	Pass	PK	4.8813G	47.10	74.00	-26.90	3	Horizontal	201	1.51
2480MHz	Pass	AV	2.48G	100.70	Inf	-Inf	3	Vertical	226	2.25
2480MHz	Pass	AV	2.4986G	48.91	54.00	-5.09	3	Vertical	226	2.25
2480MHz	Pass	PK	2.4798G	101.83	Inf	-Inf	3	Vertical	226	2.25
2480MHz	Pass	PK	2.489G	60.98	74.00	-13.02	3	Vertical	226	2.25
2480MHz	Pass	AV	2.48G	106.09	Inf	-Inf	3	Horizontal	297	2.57
2480MHz	Pass	AV	2.4986G	48.91	54.00	-5.09	3	Horizontal	297	2.57
2480MHz	Pass	PK	2.4798G	107.19	Inf	-Inf	3	Horizontal	297	2.57
2480MHz	Pass	PK	2.5G	61.12	74.00	-12.88	3	Horizontal	297	2.57
2480MHz	Pass	AV	4.95942G	35.34	54.00	-18.66	3	Vertical	105	2.78
2480MHz	Pass	PK	4.95818G	47.61	74.00	-26.39	3	Vertical	105	2.78
2480MHz	Pass	AV	4.95964G	35.65	54.00	-18.35	3	Horizontal	208	2.73
2480MHz	Pass	PK	4.95897G	47.49	74.00	-26.51	3	Horizontal	208	2.73

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
BT-LE(500kbps)	-	-	-	-	-	-	-	-	-	-
2402MHz	Pass	AV	2.3898G	48.13	54.00	-5.87	3	Vertical	250.9	2.62
2402MHz	Pass	AV	2.402G	101.75	Inf	-Inf	3	Vertical	250.9	2.62
2402MHz	Pass	PK	2.3676G	60.23	74.00	-13.77	3	Vertical	250.9	2.62
2402MHz	Pass	PK	2.4018G	102.75	Inf	-Inf	3	Vertical	250.9	2.62
2402MHz	Pass	AV	2.3892G	48.11	54.00	-5.89	3	Horizontal	300	2.51
2402MHz	Pass	AV	2.402G	109.84	Inf	-Inf	3	Horizontal	300	2.51
2402MHz	Pass	PK	2.3766G	59.89	74.00	-14.11	3	Horizontal	300	2.51
2402MHz	Pass	PK	2.4018G	111.13	Inf	-Inf	3	Horizontal	300	2.51
2402MHz	Pass	AV	4.80486G	34.68	54.00	-19.32	3	Vertical	24	2.45
2402MHz	Pass	PK	4.80217G	47.20	74.00	-26.80	3	Vertical	24	2.45
2402MHz	Pass	AV	4.80432G	35.04	54.00	-18.96	3	Horizontal	315	1.19
2402MHz	Pass	PK	4.80638G	47.75	74.00	-26.25	3	Horizontal	315	1.19
2402MHz	Pass	AV	2.39G	48.13	54.00	-5.87	3	Vertical	100	2.97
2440MHz	Pass	AV	2.44G	98.93	Inf	-Inf	3	Vertical	100	2.97
2440MHz	Pass	AV	2.4892G	49.37	54.00	-4.63	3	Vertical	100	2.97
2440MHz	Pass	PK	2.3492G	59.89	74.00	-14.11	3	Vertical	100	2.97
2440MHz	Pass	PK	2.44G	99.99	Inf	-Inf	3	Vertical	100	2.97
2440MHz	Pass	PK	2.4888G	60.50	74.00	-13.50	3	Vertical	100	2.97
2440MHz	Pass	AV	2.39G	48.13	54.00	-5.87	3	Horizontal	302	2.35
2440MHz	Pass	AV	2.44G	108.05	Inf	-Inf	3	Horizontal	302	2.35
2440MHz	Pass	AV	2.5G	49.18	54.00	-4.82	3	Horizontal	302	2.35
2440MHz	Pass	PK	2.3492G	59.95	74.00	-14.05	3	Horizontal	302	2.35
2440MHz	Pass	PK	2.44G	109.07	Inf	-Inf	3	Horizontal	302	2.35
2440MHz	Pass	PK	2.49G	60.99	74.00	-13.01	3	Horizontal	302	2.35
2440MHz	Pass	AV	4.88153G	35.29	54.00	-18.71	3	Vertical	35	2.91
2440MHz	Pass	PK	4.88085G	47.47	74.00	-26.53	3	Vertical	35	2.91
2440MHz	Pass	AV	4.88011G	35.27	54.00	-18.73	3	Horizontal	281	1.50
2440MHz	Pass	PK	4.87976G	47.93	74.00	-26.07	3	Horizontal	281	1.50
2480MHz	Pass	AV	2.48G	100.46	Inf	-Inf	3	Vertical	222	2.82
2480MHz	Pass	AV	2.4966G	49.17	54.00	-4.83	3	Vertical	222	2.82
2480MHz	Pass	PK	2.4798G	101.62	Inf	-Inf	3	Vertical	222	2.82
2480MHz	Pass	PK	2.4836G	61.66	74.00	-12.34	3	Vertical	222	2.82
2480MHz	Pass	AV	2.48G	104.79	Inf	-Inf	3	Horizontal	20	2.82
2480MHz	Pass	AV	2.4994G	49.17	54.00	-4.83	3	Horizontal	20	2.82
2480MHz	Pass	PK	2.4798G	105.90	Inf	-Inf	3	Horizontal	20	2.82
2480MHz	Pass	PK	2.4994G	61.37	74.00	-12.63	3	Horizontal	20	2.82
2480MHz	Pass	AV	4.95944G	35.77	54.00	-18.23	3	Vertical	18	2.10
2480MHz	Pass	PK	4.96093G	48.79	74.00	-25.21	3	Vertical	18	2.10
2480MHz	Pass	AV	4.95959G	35.83	54.00	-18.17	3	Horizontal	19	1.50
2480MHz	Pass	PK	4.95966G	48.33	74.00	-25.67	3	Horizontal	19	1.50

2.4-2.4835GHz_BT-LE(125kbps)


2440MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.87	54.00	-6.13	33.17	3	Vertical	100	2.97	14.70	27.40	5.77	-
AV	2.44G	98.62	Inf	-Inf	33.31	3	Vertical	100	2.97	65.31	27.50	5.81	-
AV	2.4988G	48.91	54.00	-5.09	33.85	3	Vertical	100	2.97	15.06	27.99	5.86	-
PK	2.386G	59.82	74.00	-14.18	33.08	3	Vertical	100	2.97	26.74	27.32	5.76	-
PK	2.44G	99.85	Inf	-Inf	33.31	3	Vertical	100	2.97	66.54	27.50	5.81	-
PK	2.486G	60.34	74.00	-13.66	33.71	3	Vertical	100	2.97	26.63	27.86	5.85	-

2.4-2.4835GHz_BT-LE(125kbps)


2440MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.87	54.00	-6.13	33.17	3	Horizontal	299	2.36	14.70	27.40	5.77	-
AV	2.44G	108.04	Inf	-Inf	33.31	3	Horizontal	299	2.36	74.73	27.50	5.81	-
AV	2.4988G	48.91	54.00	-5.09	33.85	3	Horizontal	299	2.36	15.06	27.99	5.86	-
PK	2.3528G	60.33	74.00	-13.67	33.02	3	Horizontal	299	2.36	27.31	27.30	5.72	-
PK	2.44G	109.20	Inf	-Inf	33.31	3	Horizontal	299	2.36	75.89	27.50	5.81	-
PK	2.4968G	60.05	74.00	-13.95	33.83	3	Horizontal	299	2.36	26.22	27.97	5.86	-


2.4-2.4835GHz_BT-LE(125kbps)

2440MHz_TX




2.4-2.4835GHz_BT-LE(125kbps)

2440MHz_TX




2.4-2.4835GHz_BT-LE(500kbps)

2440MHz_TX




2.4-2.4835GHz_BT-LE(500kbps)

2440MHz_TX




2.4-2.4835GHz_BT-LE(500kbps)

2440MHz_TX




2.4-2.4835GHz_BT-LE(500kbps)

2440MHz_TX



2.4-2.4835GHz_BT-LE(1Mbps)


2440MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3876G	48.32	54.00	-5.68	33.11	3	Vertical	251	2.87	15.21	27.35	5.76	-
AV	2.44G	101.98	Inf	-Inf	33.31	3	Vertical	251	2.87	68.67	27.50	5.81	-
AV	2.4996G	49.18	54.00	-4.82	33.86	3	Vertical	251	2.87	15.32	28.00	5.86	-
PK	2.3464G	60.57	74.00	-13.43	32.97	3	Vertical	251	2.87	27.60	27.26	5.71	-
PK	2.44G	102.97	Inf	-Inf	33.31	3	Vertical	251	2.87	69.66	27.50	5.81	-
PK	2.4888G	61.31	74.00	-12.69	33.74	3	Vertical	251	2.87	27.57	27.89	5.85	-

2.4-2.4835GHz_BT-LE(1Mbps)


2440MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3496G	48.28	54.00	-5.72	33.02	3	Horizontal	299	2.34	15.26	27.30	5.72	-
AV	2.44G	108.57	Inf	-Inf	33.31	3	Horizontal	299	2.34	75.26	27.50	5.81	-
AV	2.4968G	49.42	54.00	-4.58	33.83	3	Horizontal	299	2.34	15.59	27.97	5.86	-
PK	2.382G	59.53	74.00	-14.47	33.00	3	Horizontal	299	2.34	26.53	27.24	5.76	-
PK	2.44G	109.59	Inf	-Inf	33.31	3	Horizontal	299	2.34	76.28	27.50	5.81	-
PK	2.4868G	60.06	74.00	-13.94	33.72	3	Horizontal	299	2.34	26.34	27.87	5.85	-


2.4-2.4835GHz_BT-LE(1Mbps)

2440MHz_TX




2.4-2.4835GHz_BT-LE(1Mbps)

2440MHz_TX



2.4-2.4835GHz_BT-LE(2Mbps)


2440MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	48.62	54.00	-5.38	33.15	3	Vertical	100	2.97	15.47	27.38	5.77	-
AV	2.44G	97.58	Inf	-Inf	33.31	3	Vertical	100	2.97	64.27	27.50	5.81	-
AV	2.4916G	49.64	54.00	-4.36	33.77	3	Vertical	100	2.97	15.87	27.92	5.85	-
PK	2.3828G	59.55	74.00	-14.45	33.02	3	Vertical	100	2.97	26.53	27.26	5.76	-
PK	2.4404G	100.21	Inf	-Inf	33.31	3	Vertical	100	2.97	66.90	27.50	5.81	-
PK	2.4864G	61.10	74.00	-12.90	33.71	3	Vertical	100	2.97	27.39	27.86	5.85	-

2.4-2.4835GHz_BT-LE(2Mbps)


2440MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	48.62	54.00	-5.38	33.15	3	Horizontal	299	2.35	15.47	27.38	5.77	-
AV	2.44G	106.77	Inf	-Inf	33.31	3	Horizontal	299	2.35	73.46	27.50	5.81	-
AV	2.4988G	49.69	54.00	-4.31	33.85	3	Horizontal	299	2.35	15.84	27.99	5.86	-
PK	2.3676G	61.07	74.00	-12.93	32.96	3	Horizontal	299	2.35	28.11	27.22	5.74	-
PK	2.4408G	109.33	Inf	-Inf	33.31	3	Horizontal	299	2.35	76.02	27.50	5.81	-
PK	2.5G	59.91	74.00	-14.09	33.86	3	Horizontal	299	2.35	26.05	28.00	5.86	-


2.4-2.4835GHz_BT-LE(2Mbps)

2440MHz_TX



2.4-2.4835GHz_BT-LE(2Mbps)

2440MHz_TX



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.8809G	33.12	54.00	-20.88	Vertical
Mode 2	Pass	AV	4.91632G	33.14	54.00	-20.86	Vertical
Mode 3	Pass	PK	5.51869G	45.97	68.20	-22.23	Horizontal
Mode 4	Pass	PK	6.05561G	47.92	68.20	-20.28	Horizontal
Mode 5	Pass	PK	5.80922G	47.37	68.20	-20.83	Horizontal
Mode 6	Pass	AV	4.92403G	36.57	54.00	-17.43	Vertical

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	1.32996G	25.24	54.00	-28.76	3	Vertical	101	1.50
Mode 1	Pass	AV	1.79346G	25.32	68.20	-42.88	3	Vertical	214	2.63
Mode 1	Pass	AV	4.8809G	33.12	54.00	-20.88	3	Vertical	0	2.97
Mode 1	Pass	PK	1.33287G	39.23	74.00	-34.77	3	Vertical	101	1.50
Mode 1	Pass	PK	1.79286G	41.51	68.20	-26.69	3	Vertical	214	2.63
Mode 1	Pass	PK	4.88438G	46.19	74.00	-27.81	3	Vertical	0	2.97
Mode 1	Pass	AV	1.1634G	25.17	54.00	-28.83	3	Horizontal	237	1.50
Mode 1	Pass	AV	1.80196G	23.98	68.20	-44.22	3	Horizontal	278	1.50
Mode 1	Pass	AV	4.42262G	32.16	68.20	-36.04	3	Horizontal	206	2.67
Mode 1	Pass	PK	1.1532G	38.14	74.00	-35.86	3	Horizontal	237	1.50
Mode 1	Pass	PK	1.79194G	37.52	68.20	-30.68	3	Horizontal	278	1.50
Mode 1	Pass	PK	4.43513G	45.08	68.20	-23.12	3	Horizontal	206	2.67
Mode 2	Pass	AV	1.39178G	25.04	54.00	-28.96	3	Vertical	328	1.30
Mode 2	Pass	AV	3.05031G	29.88	68.20	-38.32	3	Vertical	172	2.16
Mode 2	Pass	AV	4.91632G	33.14	54.00	-20.86	3	Vertical	2	1.50
Mode 2	Pass	PK	1.38968G	37.85	74.00	-36.15	3	Vertical	328	1.30
Mode 2	Pass	PK	3.0447G	43.03	68.20	-25.17	3	Vertical	172	2.16
Mode 2	Pass	PK	4.9246G	46.42	74.00	-27.58	3	Vertical	2	1.50
Mode 2	Pass	AV	1.33146G	24.74	54.00	-29.26	3	Horizontal	241	1.50
Mode 2	Pass	AV	3.61472G	29.66	54.00	-24.34	3	Horizontal	96	1.48
Mode 2	Pass	AV	4.30443G	31.34	54.00	-22.66	3	Horizontal	271	1.50
Mode 2	Pass	PK	1.33341G	37.42	74.00	-36.58	3	Horizontal	241	1.50
Mode 2	Pass	PK	3.6266G	42.81	74.00	-31.19	3	Horizontal	96	1.48
Mode 2	Pass	PK	4.30149G	43.99	74.00	-30.01	3	Horizontal	271	1.50
Mode 3	Pass	AV	1.33104G	24.92	54.00	-29.08	3	Vertical	9	1.50
Mode 3	Pass	AV	2.79258G	28.48	54.00	-25.52	3	Vertical	150	1.27
Mode 3	Pass	AV	4.24451G	31.62	54.00	-22.38	3	Vertical	193	2.00
Mode 3	Pass	PK	1.3311G	37.95	74.00	-36.05	3	Vertical	9	1.50
Mode 3	Pass	PK	2.78208G	41.13	74.00	-32.87	3	Vertical	150	1.27
Mode 3	Pass	PK	4.24277G	44.08	74.00	-29.92	3	Vertical	193	2.00
Mode 3	Pass	AV	1.33105G	24.74	54.00	-29.26	3	Horizontal	171	1.50
Mode 3	Pass	AV	3.96585G	30.71	54.00	-23.29	3	Horizontal	60	1.50
Mode 3	Pass	AV	5.5216G	33.55	68.20	-34.65	3	Horizontal	279	1.50
Mode 3	Pass	PK	1.33114G	37.43	74.00	-36.57	3	Horizontal	171	1.50
Mode 3	Pass	PK	3.97863G	44.43	74.00	-29.57	3	Horizontal	60	1.50
Mode 3	Pass	PK	5.51869G	45.97	68.20	-22.23	3	Horizontal	279	1.50
Mode 4	Pass	AV	2.08191G	30.21	68.20	-37.99	3	Vertical	215	1.98
Mode 4	Pass	AV	3.71323G	29.69	54.00	-24.31	3	Vertical	168	1.50
Mode 4	Pass	AV	6.06147G	34.89	68.20	-33.31	3	Vertical	106	1.50
Mode 4	Pass	PK	2.08227G	40.18	68.20	-28.02	3	Vertical	215	1.98
Mode 4	Pass	PK	3.70657G	43.04	74.00	-30.96	3	Vertical	168	1.50
Mode 4	Pass	PK	6.05184G	47.72	68.20	-20.48	3	Vertical	106	1.50
Mode 4	Pass	AV	1.33114G	24.63	54.00	-29.37	3	Horizontal	278	1.50
Mode 4	Pass	AV	3.76321G	30.24	54.00	-23.76	3	Horizontal	166	1.50
Mode 4	Pass	AV	6.05252G	34.87	68.20	-33.33	3	Horizontal	187	2.22
Mode 4	Pass	PK	1.32919G	37.44	74.00	-36.56	3	Horizontal	278	1.50
Mode 4	Pass	PK	3.7645G	43.74	74.00	-30.26	3	Horizontal	166	1.50
Mode 4	Pass	PK	6.05561G	47.92	68.20	-20.28	3	Horizontal	187	2.22
Mode 5	Pass	AV	1.331G	24.60	54.00	-29.40	3	Vertical	48	1.50
Mode 5	Pass	AV	3.55042G	29.35	68.20	-38.85	3	Vertical	206	2.06


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 5	Pass	AV	4.44171G	31.95	68.20	-36.25	3	Vertical	265	1.19
Mode 5	Pass	PK	1.34426G	39.25	74.00	-34.75	3	Vertical	48	1.50
Mode 5	Pass	PK	3.5581G	42.98	68.20	-25.22	3	Vertical	206	2.06
Mode 5	Pass	PK	4.43247G	45.44	68.20	-22.76	3	Vertical	265	1.19
Mode 5	Pass	AV	3.04218G	29.79	68.20	-38.41	3	Horizontal	280	1.50
Mode 5	Pass	AV	4.42442G	31.93	68.20	-36.27	3	Horizontal	359	1.50
Mode 5	Pass	AV	5.80322G	34.63	68.20	-33.57	3	Horizontal	164	3.00
Mode 5	Pass	PK	3.05487G	42.58	68.20	-25.62	3	Horizontal	280	1.50
Mode 5	Pass	PK	4.42169G	45.35	68.20	-22.85	3	Horizontal	359	1.50
Mode 5	Pass	PK	5.80922G	47.37	68.20	-20.83	3	Horizontal	164	3.00
Mode 6	Pass	AV	1.22203G	24.81	54.00	-29.19	3	Vertical	72	1.50
Mode 6	Pass	AV	3.6004G	29.75	54.00	-24.25	3	Vertical	48	1.50
Mode 6	Pass	AV	4.92403G	36.57	54.00	-17.43	3	Vertical	32	2.91
Mode 6	Pass	PK	1.2013G	37.49	74.00	-36.51	3	Vertical	72	1.50
Mode 6	Pass	PK	3.60047G	43.34	74.00	-30.66	3	Vertical	48	1.50
Mode 6	Pass	PK	4.92409G	46.84	74.00	-27.16	3	Vertical	32	2.91
Mode 6	Pass	AV	1.60173G	24.70	54.00	-29.30	3	Horizontal	113	2.93
Mode 6	Pass	AV	3.60376G	29.99	54.00	-24.01	3	Horizontal	6	1.49
Mode 6	Pass	AV	4.96624G	33.67	54.00	-20.33	3	Horizontal	247	1.50
Mode 6	Pass	PK	1.59726G	40.12	74.00	-33.88	3	Horizontal	113	2.93
Mode 6	Pass	PK	3.60511G	43.38	74.00	-30.62	3	Horizontal	6	1.49
Mode 6	Pass	PK	4.99033G	46.85	74.00	-27.15	3	Horizontal	247	1.50

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.32996G	25.24	54.00	-28.76	-5.88	3	Vertical	101	1.50	31.12	25.90	3.58	35.36
AV	1.79346G	25.32	68.20	-42.88	-5.78	3	Vertical	214	2.63	31.10	25.03	4.22	35.03
AV	4.8809G	33.12	54.00	-20.88	4.64	3	Vertical	0	2.97	28.48	32.62	7.08	35.06
PK	1.33287G	39.23	74.00	-34.77	-5.87	3	Vertical	101	1.50	45.10	25.90	3.59	35.36
PK	1.79286G	41.51	68.20	-26.69	-5.78	3	Vertical	214	2.63	47.29	25.03	4.22	35.03
PK	4.88438G	46.19	74.00	-27.81	4.67	3	Vertical	0	2.97	41.52	32.64	7.09	35.06

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.1634G	25.17	54.00	-28.83	-6.25	3	Horizontal	237	1.50	31.42	26.03	3.33	35.61
AV	1.80196G	23.98	68.20	-44.22	-5.71	3	Horizontal	278	1.50	29.69	25.10	4.22	35.03
AV	4.42262G	32.16	68.20	-36.04	3.17	3	Horizontal	206	2.67	28.99	31.55	6.66	35.04
PK	1.1532G	38.14	74.00	-35.86	-6.24	3	Horizontal	237	1.50	44.38	26.07	3.31	35.62
PK	1.79194G	37.52	68.20	-30.68	-5.79	3	Horizontal	278	1.50	43.31	25.02	4.22	35.03
PK	4.43513G	45.08	68.20	-23.12	3.17	3	Horizontal	206	2.67	41.91	31.53	6.68	35.04

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.39178G	25.04	54.00	-28.96	-5.52	3	Vertical	328	1.30	30.56	26.06	3.69	35.27				
AV	3.05031G	29.88	68.20	-38.32	0.08	3	Vertical	172	2.16	29.80	29.70	5.60	35.22				
AV	4.91632G	33.14	54.00	-20.86	4.88	3	Vertical	2	1.50	28.26	32.80	7.14	35.06				
PK	1.38968G	37.85	74.00	-36.15	-5.49	3	Vertical	328	1.30	43.34	26.10	3.68	35.27				
PK	3.0447G	43.03	68.20	-25.17	0.06	3	Vertical	172	2.16	42.97	29.69	5.59	35.22				
PK	4.9246G	46.42	74.00	-27.58	4.93	3	Vertical	2	1.50	41.49	32.85	7.15	35.07				

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.33146G	24.74	54.00	-29.26	-5.87	3	Horizontal	241	1.50	30.61	25.90	3.59	35.36				
AV	3.61472G	29.66	54.00	-24.34	0.49	3	Horizontal	96	1.48	29.17	29.53	6.16	35.20				
AV	4.30443G	31.34	54.00	-22.66	3.00	3	Horizontal	271	1.50	28.34	31.41	6.63	35.04				
PK	1.33341G	37.42	74.00	-36.58	-5.87	3	Horizontal	241	1.50	43.29	25.90	3.59	35.36				
PK	3.6266G	42.81	74.00	-31.19	0.52	3	Horizontal	96	1.48	42.29	29.55	6.17	35.20				
PK	4.30149G	43.99	74.00	-30.01	2.99	3	Horizontal	271	1.50	41.00	31.40	6.63	35.04				

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.33104G	24.92	54.00	-29.08	-5.87	3	Vertical	9	1.50	30.79	25.90	3.59	35.36				
AV	2.79258G	28.48	54.00	-25.52	-1.42	3	Vertical	150	1.27	29.90	28.43	5.33	35.18				
AV	4.24451G	31.62	54.00	-22.38	2.67	3	Vertical	193	2.00	28.95	31.09	6.62	35.04				
PK	1.3311G	37.95	74.00	-36.05	-5.87	3	Vertical	9	1.50	43.82	25.90	3.59	35.36				
PK	2.78208G	41.13	74.00	-32.87	-1.45	3	Vertical	150	1.27	42.58	28.40	5.33	35.18				
PK	4.24277G	44.08	74.00	-29.92	2.67	3	Vertical	193	2.00	41.41	31.09	6.62	35.04				

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.33105G	24.74	54.00	-29.26	-5.87	3	Horizontal	171	1.50	30.61	25.90	3.59	35.36				
AV	3.96585G	30.71	54.00	-23.29	2.02	3	Horizontal	60	1.50	28.69	30.70	6.37	35.05				
AV	5.5216G	33.55	68.20	-34.65	5.29	3	Horizontal	279	1.50	28.26	32.84	7.53	35.08				
PK	1.33114G	37.43	74.00	-36.57	-5.87	3	Horizontal	171	1.50	43.30	25.90	3.59	35.36				
PK	3.97863G	44.43	74.00	-29.57	2.02	3	Horizontal	60	1.50	42.41	30.70	6.37	35.05				
PK	5.51869G	45.97	68.20	-22.23	5.29	3	Horizontal	279	1.50	40.68	32.84	7.53	35.08				

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.08191G	30.21	68.20	-37.99	-2.95	3	Vertical	215	1.98	33.16	27.48	4.57	35.00				
AV	3.71323G	29.69	54.00	-24.31	0.97	3	Vertical	168	1.50	28.72	29.88	6.25	35.16				
AV	6.06147G	34.89	68.20	-33.31	6.53	3	Vertical	106	1.50	28.36	34.00	7.84	35.31				
PK	2.08227G	40.18	68.20	-28.02	-2.95	3	Vertical	215	1.98	43.13	27.48	4.57	35.00				
PK	3.70657G	43.04	74.00	-30.96	0.92	3	Vertical	168	1.50	42.12	29.84	6.24	35.16				
PK	6.05184G	47.72	68.20	-20.48	6.52	3	Vertical	106	1.50	41.20	34.00	7.83	35.31				

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.33114G	24.63	54.00	-29.37	-5.87	3	Horizontal	278	1.50	30.50	25.90	3.59	35.36				
AV	3.76321G	30.24	54.00	-23.76	1.33	3	Horizontal	166	1.50	28.91	30.18	6.29	35.14				
AV	6.05252G	34.87	68.20	-33.33	6.52	3	Horizontal	187	2.22	28.35	34.00	7.83	35.31				
PK	1.32919G	37.44	74.00	-36.56	-5.87	3	Horizontal	278	1.50	43.31	25.91	3.58	35.36				
PK	3.7645G	43.74	74.00	-30.26	1.34	3	Horizontal	166	1.50	42.40	30.19	6.29	35.14				
PK	6.05561G	47.92	68.20	-20.28	6.52	3	Horizontal	187	2.22	41.40	34.00	7.83	35.31				

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.331G	24.60	54.00	-29.40	-5.87	3	Vertical	48	1.50	30.47	25.90	3.59	35.36				
AV	3.55042G	29.35	68.20	-38.85	0.25	3	Vertical	206	2.06	29.10	29.40	6.08	35.23				
AV	4.44171G	31.95	68.20	-36.25	3.17	3	Vertical	265	1.19	28.78	31.52	6.69	35.04				
PK	1.34426G	39.25	74.00	-34.75	-5.83	3	Vertical	48	1.50	45.08	25.90	3.61	35.34				
PK	3.5581G	42.98	68.20	-25.22	0.28	3	Vertical	206	2.06	42.70	29.42	6.09	35.23				
PK	4.43247G	45.44	68.20	-22.76	3.18	3	Vertical	265	1.19	42.26	31.54	6.68	35.04				

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	3.04218G	29.79	68.20	-38.41	0.05	3	Horizontal	280	1.50	29.74	29.68	5.59	35.22				
AV	4.42442G	31.93	68.20	-36.27	3.17	3	Horizontal	359	1.50	28.76	31.55	6.66	35.04				
AV	5.80322G	34.63	68.20	-33.57	6.54	3	Horizontal	164	3.00	28.09	33.91	7.83	35.20				
PK	3.05487G	42.58	68.20	-25.62	0.07	3	Horizontal	280	1.50	42.51	29.69	5.60	35.22				
PK	4.42169G	45.35	68.20	-22.85	3.18	3	Horizontal	359	1.50	42.17	31.56	6.66	35.04				
PK	5.80922G	47.37	68.20	-20.83	6.55	3	Horizontal	164	3.00	40.82	33.92	7.83	35.20				

Radiated Emissions above 1GHz_Mode 6



Radiated Emissions above 1GHz_Mode 6





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.77155G	32.72	54.00	-21.28	Horizontal
Mode 2	Pass	PK	6.05934G	47.82	68.20	-20.38	Horizontal
Mode 3	Pass	AV	4.98342G	33.39	54.00	-20.61	Horizontal
Mode 4	Pass	PK	5.7194G	47.69	68.20	-20.51	Horizontal
Mode 5	Pass	AV	5.07847G	33.40	54.00	-20.60	Vertical
Mode 6	Pass	AV	4.91332G	32.96	54.00	-21.04	Vertical

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.39122G	25.02	54.00	-28.98	3	Vertical	64	1.50	-
Mode 1	Pass	AV	3.04997G	30.13	68.20	-38.07	3	Vertical	44	3.00	-
Mode 1	Pass	AV	4.66482G	32.05	54.00	-21.95	3	Vertical	321	1.50	-
Mode 1	Pass	PK	1.41165G	38.49	74.00	-35.51	3	Vertical	64	1.50	-
Mode 1	Pass	PK	3.05108G	41.96	68.20	-26.24	3	Vertical	44	3.00	-
Mode 1	Pass	PK	4.67019G	44.85	74.00	-29.15	3	Vertical	321	1.50	-
Mode 1	Pass	AV	2.17917G	27.37	68.20	-40.83	3	Horizontal	157	1.46	-
Mode 1	Pass	AV	3.78453G	30.74	54.00	-23.26	3	Horizontal	352	1.50	-
Mode 1	Pass	AV	4.77155G	32.72	54.00	-21.28	3	Horizontal	167	1.36	-
Mode 1	Pass	PK	2.17878G	39.96	68.20	-28.24	3	Horizontal	157	1.46	-
Mode 1	Pass	PK	3.78519G	43.45	74.00	-30.55	3	Horizontal	352	1.50	-
Mode 1	Pass	PK	4.77098G	45.49	74.00	-28.51	3	Horizontal	167	1.36	-
Mode 2	Pass	AV	1.71989G	24.47	54.00	-29.53	3	Vertical	181	1.50	-
Mode 2	Pass	AV	3.30122G	29.27	68.20	-38.93	3	Vertical	281	1.50	-
Mode 2	Pass	AV	4.32666G	32.02	54.00	-21.98	3	Vertical	349	2.89	-
Mode 2	Pass	PK	1.71946G	37.43	74.00	-36.57	3	Vertical	181	1.50	-
Mode 2	Pass	PK	3.30857G	42.09	68.20	-26.11	3	Vertical	281	1.50	-
Mode 2	Pass	PK	4.31934G	44.81	74.00	-29.19	3	Vertical	349	2.89	-
Mode 2	Pass	AV	1.98087G	25.84	68.20	-42.36	3	Horizontal	252	3.00	-
Mode 2	Pass	AV	3.47063G	29.21	68.20	-38.99	3	Horizontal	32	1.50	-
Mode 2	Pass	AV	6.06216G	35.04	68.20	-33.16	3	Horizontal	189	1.50	-
Mode 2	Pass	PK	1.9902G	39.64	68.20	-28.56	3	Horizontal	252	3.00	-
Mode 2	Pass	PK	3.46331G	41.93	68.20	-26.27	3	Horizontal	32	1.50	-
Mode 2	Pass	PK	6.05934G	47.82	68.20	-20.38	3	Horizontal	189	1.50	-
Mode 3	Pass	AV	1.3319G	25.05	54.00	-28.95	3	Vertical	262	1.50	-
Mode 3	Pass	AV	2.11961G	25.91	68.20	-42.29	3	Vertical	42	1.50	-
Mode 3	Pass	AV	4.33374G	31.55	54.00	-22.45	3	Vertical	348	1.50	-
Mode 3	Pass	PK	1.34252G	37.33	74.00	-36.67	3	Vertical	262	1.50	-
Mode 3	Pass	PK	2.11712G	38.97	68.20	-29.23	3	Vertical	42	1.50	-
Mode 3	Pass	PK	4.30824G	44.65	74.00	-29.35	3	Vertical	348	1.50	-
Mode 3	Pass	AV	1.39412G	25.99	54.00	-28.01	3	Horizontal	130	1.50	-
Mode 3	Pass	AV	3.77698G	30.92	54.00	-23.08	3	Horizontal	35	1.58	-
Mode 3	Pass	AV	4.98342G	33.39	54.00	-20.61	3	Horizontal	290	2.82	-
Mode 3	Pass	PK	1.39994G	38.95	74.00	-35.05	3	Horizontal	130	1.50	-
Mode 3	Pass	PK	3.78715G	43.72	74.00	-30.28	3	Horizontal	35	1.58	-
Mode 3	Pass	PK	4.98363G	46.54	74.00	-27.46	3	Horizontal	290	2.82	-
Mode 4	Pass	AV	1.41013G	25.51	54.00	-28.49	3	Vertical	222	1.50	-
Mode 4	Pass	AV	3.7753G	30.80	54.00	-23.20	3	Vertical	210	1.50	-
Mode 4	Pass	AV	4.75191G	31.99	54.00	-22.01	3	Vertical	349	1.03	-
Mode 4	Pass	PK	1.40692G	38.38	74.00	-35.62	3	Vertical	222	1.50	-
Mode 4	Pass	PK	3.78835G	44.70	74.00	-29.30	3	Vertical	210	1.50	-
Mode 4	Pass	PK	4.74681G	45.37	74.00	-28.63	3	Vertical	349	1.03	-
Mode 4	Pass	AV	3.07038G	30.31	68.20	-37.89	3	Horizontal	24	1.50	-
Mode 4	Pass	AV	3.97578G	31.15	54.00	-22.85	3	Horizontal	258	1.06	-
Mode 4	Pass	AV	5.72078G	34.49	68.20	-33.71	3	Horizontal	96	1.76	-
Mode 4	Pass	PK	3.07287G	42.95	68.20	-25.25	3	Horizontal	24	1.50	-
Mode 4	Pass	PK	3.97686G	43.79	74.00	-30.21	3	Horizontal	258	1.06	-
Mode 4	Pass	PK	5.7194G	47.69	68.20	-20.51	3	Horizontal	96	1.76	-
Mode 5	Pass	AV	2.08242G	28.42	68.20	-39.78	3	Vertical	56	1.50	-
Mode 5	Pass	AV	3.78514G	30.70	54.00	-23.30	3	Vertical	295	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 5	Pass	AV	5.07847G	33.40	54.00	-20.60	3	Vertical	17	1.70	-
Mode 5	Pass	PK	2.08242G	41.31	68.20	-26.89	3	Vertical	56	1.50	-
Mode 5	Pass	PK	3.78514G	44.34	74.00	-29.66	3	Vertical	295	1.50	-
Mode 5	Pass	PK	5.07847G	46.70	74.00	-27.30	3	Vertical	17	1.70	-
Mode 5	Pass	AV	2.2772G	26.95	54.00	-27.05	3	Horizontal	36	1.50	-
Mode 5	Pass	AV	3.78626G	30.73	54.00	-23.27	3	Horizontal	211	1.50	-
Mode 5	Pass	AV	4.89082G	33.25	54.00	-20.75	3	Horizontal	95	1.50	-
Mode 5	Pass	PK	2.2772G	40.83	74.00	-33.17	3	Horizontal	36	1.50	-
Mode 5	Pass	PK	3.78626G	44.02	74.00	-29.98	3	Horizontal	211	1.50	-
Mode 5	Pass	PK	4.89082G	46.74	74.00	-27.26	3	Horizontal	95	1.50	-
Mode 6	Pass	AV	2.08222G	28.77	68.20	-39.43	3	Vertical	56	1.50	-
Mode 6	Pass	AV	3.78951G	30.44	54.00	-23.56	3	Vertical	296	1.50	-
Mode 6	Pass	AV	4.91332G	32.96	54.00	-21.04	3	Vertical	109	1.50	-
Mode 6	Pass	PK	2.08222G	40.92	68.20	-27.28	3	Vertical	56	1.50	-
Mode 6	Pass	PK	3.78951G	43.57	74.00	-30.43	3	Vertical	296	1.50	-
Mode 6	Pass	PK	4.91332G	46.96	74.00	-27.04	3	Vertical	109	1.50	-
Mode 6	Pass	AV	2.27389G	26.83	54.00	-27.17	3	Horizontal	43	1.50	-
Mode 6	Pass	AV	3.77814G	30.49	54.00	-23.51	3	Horizontal	36	1.50	-
Mode 6	Pass	AV	4.66608G	32.15	54.00	-21.85	3	Horizontal	255	2.00	-
Mode 6	Pass	PK	2.27389G	39.76	74.00	-34.24	3	Horizontal	43	1.50	-
Mode 6	Pass	PK	3.77814G	44.22	74.00	-29.78	3	Horizontal	36	1.50	-
Mode 6	Pass	PK	4.66608G	45.67	74.00	-28.33	3	Horizontal	255	2.00	-


Radiated Emissions above 1GHz_Mode 1



Radiated Emissions above 1GHz_Mode 1




Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.71989G	24.47	54.00	-29.53	-5.87	3	Vertical	181	1.50	30.34	25.00	4.18	35.05
AV	3.30122G	29.27	68.20	-38.93	0.19	3	Vertical	281	1.50	29.08	29.60	5.83	35.24
AV	4.32666G	32.02	54.00	-21.98	3.04	3	Vertical	349	2.89	28.98	31.45	6.63	35.04
PK	1.71946G	37.43	74.00	-36.57	-5.86	3	Vertical	181	1.50	43.29	25.01	4.18	35.05
PK	3.30857G	42.09	68.20	-26.11	0.17	3	Vertical	281	1.50	41.92	29.58	5.83	35.24
PK	4.31934G	44.81	74.00	-29.19	3.03	3	Vertical	349	2.89	41.78	31.44	6.63	35.04

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.98087G	25.84	68.20	-42.36	-3.90	3	Horizontal	252	3.00	29.74	26.62	4.46	34.98
AV	3.47063G	29.21	68.20	-38.99	0.13	3	Horizontal	32	1.50	29.08	29.40	5.98	35.25
AV	6.06216G	35.04	68.20	-33.16	6.53	3	Horizontal	189	1.50	28.51	34.00	7.84	35.31
PK	1.9902G	39.64	68.20	-28.56	-3.70	3	Horizontal	252	3.00	43.34	26.80	4.48	34.98
PK	3.46331G	41.93	68.20	-26.27	0.12	3	Horizontal	32	1.50	41.81	29.40	5.97	35.25
PK	6.05934G	47.82	68.20	-20.38	6.53	3	Horizontal	189	1.50	41.29	34.00	7.84	35.31

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.3319G	25.05	54.00	-28.95	-5.87	3	Vertical	262	1.50	30.92	25.90	3.59	35.36				
AV	2.11961G	25.91	68.20	-42.29	-2.81	3	Vertical	42	1.50	28.72	27.60	4.61	35.02				
AV	4.33374G	31.55	54.00	-22.45	3.06	3	Vertical	348	1.50	28.49	31.47	6.63	35.04				
PK	1.34252G	37.33	74.00	-36.67	-5.83	3	Vertical	262	1.50	43.16	25.90	3.61	35.34				
PK	2.11712G	38.97	68.20	-29.23	-2.84	3	Vertical	42	1.50	41.81	27.57	4.61	35.02				
PK	4.30824G	44.65	74.00	-29.35	3.01	3	Vertical	348	1.50	41.64	31.42	6.63	35.04				

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.39412G	25.99	54.00	-28.01	-5.56	3	Horizontal	130	1.50	31.55	26.02	3.69	35.27				
AV	3.77698G	30.92	54.00	-23.08	1.43	3	Horizontal	35	1.58	29.49	30.26	6.30	35.13				
AV	4.98342G	33.39	54.00	-20.61	5.30	3	Horizontal	290	2.82	28.09	33.13	7.24	35.07				
PK	1.39994G	38.95	74.00	-35.05	-5.66	3	Horizontal	130	1.50	44.61	25.90	3.70	35.26				
PK	3.78715G	43.72	74.00	-30.28	1.50	3	Horizontal	35	1.58	42.22	30.32	6.31	35.13				
PK	4.98363G	46.54	74.00	-27.46	5.30	3	Horizontal	290	2.82	41.24	33.13	7.24	35.07				


Radiated Emissions above 1GHz_Mode 4



Radiated Emissions above 1GHz_Mode 4




Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.08242G	28.42	68.20	-39.78	-2.95	3	Vertical	56	1.50	31.37	27.48	4.57	35.00				
AV	3.78514G	30.70	54.00	-23.30	1.49	3	Vertical	295	1.50	29.21	30.31	6.31	35.13				
AV	5.07847G	33.40	54.00	-20.60	5.07	3	Vertical	17	1.70	28.33	32.89	7.25	35.07				
PK	2.08242G	41.31	68.20	-26.89	-2.95	3	Vertical	56	1.50	44.26	27.48	4.57	35.00				
PK	3.78514G	44.34	74.00	-29.66	1.49	3	Vertical	295	1.50	42.85	30.31	6.31	35.13				
PK	5.07847G	46.70	74.00	-27.30	5.07	3	Vertical	17	1.70	41.63	32.89	7.25	35.07				

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.2772G	26.95	54.00	-27.05	-3.17	3	Horizontal	36	1.50	30.12	27.13	4.76	35.06				
AV	3.78626G	30.73	54.00	-23.27	1.50	3	Horizontal	211	1.50	29.23	30.32	6.31	35.13				
AV	4.89082G	33.25	54.00	-20.75	4.70	3	Horizontal	95	1.50	28.55	32.66	7.10	35.06				
PK	2.2772G	40.83	74.00	-33.17	-3.17	3	Horizontal	36	1.50	44.00	27.13	4.76	35.06				
PK	3.78626G	44.02	74.00	-29.98	1.50	3	Horizontal	211	1.50	42.52	30.32	6.31	35.13				
PK	4.89082G	46.74	74.00	-27.26	4.70	3	Horizontal	95	1.50	42.04	32.66	7.10	35.06				

Radiated Emissions above 1GHz_Mode 6



Radiated Emissions above 1GHz_Mode 6



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	5.08641G	32.96	54.00	-21.04	Vertical
Mode 2	Pass	AV	4.90529G	32.68	54.00	-21.32	Vertical
Mode 3	Pass	AV	2.24223G	33.40	54.00	-20.60	Vertical
Mode 4	Pass	AV	5.06862G	35.42	54.00	-18.58	Horizontal
Mode 5	Pass	AV	2.24194G	33.96	54.00	-20.04	Vertical
Mode 6	Pass	AV	4.17344G	31.47	54.00	-22.53	Vertical

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	2.09491G	26.91	68.20	-41.29	3	Vertical	318	1.50
Mode 1	Pass	AV	3.77756G	30.52	54.00	-23.48	3	Vertical	13	1.37
Mode 1	Pass	AV	5.08641G	32.96	54.00	-21.04	3	Vertical	0	1.59
Mode 1	Pass	PK	2.09491G	41.50	68.20	-26.70	3	Vertical	318	1.50
Mode 1	Pass	PK	3.77756G	44.32	74.00	-29.68	3	Vertical	13	1.37
Mode 1	Pass	PK	5.08641G	46.44	74.00	-27.56	3	Vertical	0	1.59
Mode 1	Pass	AV	2.09174G	27.19	68.20	-41.01	3	Horizontal	358	1.50
Mode 1	Pass	AV	3.78425G	30.34	54.00	-23.66	3	Horizontal	95	1.50
Mode 1	Pass	AV	5.0412G	32.85	54.00	-21.15	3	Horizontal	12	1.50
Mode 1	Pass	PK	2.09174G	40.65	68.20	-27.55	3	Horizontal	358	1.50
Mode 1	Pass	PK	3.78425G	44.00	74.00	-30.00	3	Horizontal	95	1.50
Mode 1	Pass	PK	5.0412G	46.45	74.00	-27.55	3	Horizontal	12	1.50
Mode 2	Pass	AV	2.10831G	26.41	68.20	-41.79	3	Vertical	93	1.01
Mode 2	Pass	AV	3.53884G	29.20	68.20	-39.00	3	Vertical	20	1.50
Mode 2	Pass	AV	4.90529G	32.68	54.00	-21.32	3	Vertical	2	1.10
Mode 2	Pass	PK	2.10831G	40.39	68.20	-27.81	3	Vertical	93	1.01
Mode 2	Pass	PK	3.53884G	42.87	68.20	-25.33	3	Vertical	20	1.50
Mode 2	Pass	PK	4.90529G	47.38	74.00	-26.62	3	Vertical	2	1.10
Mode 2	Pass	AV	2.0928G	27.15	68.20	-41.05	3	Horizontal	198	1.50
Mode 2	Pass	AV	3.78654G	30.13	54.00	-23.87	3	Horizontal	32	1.50
Mode 2	Pass	AV	5.1187G	32.51	54.00	-21.49	3	Horizontal	5	1.50
Mode 2	Pass	PK	2.0928G	40.79	68.20	-27.41	3	Horizontal	198	1.50
Mode 2	Pass	PK	3.78654G	44.01	74.00	-29.99	3	Horizontal	32	1.50
Mode 2	Pass	PK	5.1187G	46.71	74.00	-27.29	3	Horizontal	5	1.50
Mode 3	Pass	AV	2.24223G	33.40	54.00	-20.60	3	Vertical	155	2.00
Mode 3	Pass	AV	3.78123G	30.00	54.00	-24.00	3	Vertical	11	1.82
Mode 3	Pass	AV	5.0419G	33.13	54.00	-20.87	3	Vertical	0	1.20
Mode 3	Pass	PK	2.24223G	42.36	74.00	-31.64	3	Vertical	155	2.00
Mode 3	Pass	PK	3.78123G	43.21	74.00	-30.79	3	Vertical	11	1.82
Mode 3	Pass	PK	5.0419G	46.26	74.00	-27.74	3	Vertical	0	1.20
Mode 3	Pass	AV	2.19493G	26.19	68.20	-42.01	3	Horizontal	173	1.76
Mode 3	Pass	AV	3.63375G	28.80	54.00	-25.20	3	Horizontal	216	1.31
Mode 3	Pass	AV	4.97186G	33.20	54.00	-20.80	3	Horizontal	37	1.44
Mode 3	Pass	PK	2.19493G	40.64	68.20	-27.56	3	Horizontal	173	1.76
Mode 3	Pass	PK	3.63375G	42.13	74.00	-31.87	3	Horizontal	216	1.31
Mode 3	Pass	PK	4.97186G	46.86	74.00	-27.14	3	Horizontal	37	1.44
Mode 4	Pass	AV	2.2416G	32.17	54.00	-21.83	3	Vertical	154	1.99
Mode 4	Pass	AV	3.76728G	29.98	54.00	-24.02	3	Vertical	53	1.50
Mode 4	Pass	AV	5.01523G	33.19	54.00	-20.81	3	Vertical	260	1.50
Mode 4	Pass	PK	2.2416G	42.56	74.00	-31.44	3	Vertical	154	1.99
Mode 4	Pass	PK	3.76728G	43.52	74.00	-30.48	3	Vertical	53	1.50
Mode 4	Pass	PK	5.01523G	46.49	74.00	-27.51	3	Vertical	260	1.50
Mode 4	Pass	AV	2.24192G	31.35	54.00	-22.65	3	Horizontal	165	1.16
Mode 4	Pass	AV	3.78442G	30.25	54.00	-23.75	3	Horizontal	278	1.50
Mode 4	Pass	AV	5.06862G	35.42	54.00	-18.58	3	Horizontal	8	1.50
Mode 4	Pass	PK	2.24192G	42.07	74.00	-31.93	3	Horizontal	165	1.16
Mode 4	Pass	PK	3.78442G	43.80	74.00	-30.20	3	Horizontal	278	1.50
Mode 4	Pass	PK	5.06862G	47.33	74.00	-26.67	3	Horizontal	8	1.50
Mode 5	Pass	AV	2.24194G	33.96	54.00	-20.04	3	Vertical	157	1.99
Mode 5	Pass	AV	3.5976G	29.47	68.20	-38.73	3	Vertical	337	1.50


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 5	Pass	AV	4.99456G	33.08	54.00	-20.92	3	Vertical	127	1.50
Mode 5	Pass	PK	2.24194G	42.04	74.00	-31.96	3	Vertical	157	1.99
Mode 5	Pass	PK	3.5976G	42.94	68.20	-25.26	3	Vertical	337	1.50
Mode 5	Pass	PK	4.99456G	46.61	74.00	-27.39	3	Vertical	127	1.50
Mode 5	Pass	AV	2.08251G	27.35	68.20	-40.85	3	Horizontal	154	1.93
Mode 5	Pass	AV	3.80467G	29.64	54.00	-24.36	3	Horizontal	179	1.50
Mode 5	Pass	AV	4.98237G	33.34	54.00	-20.66	3	Horizontal	58	1.50
Mode 5	Pass	PK	2.08251G	40.52	68.20	-27.68	3	Horizontal	154	1.93
Mode 5	Pass	PK	3.80467G	43.73	74.00	-30.27	3	Horizontal	179	1.50
Mode 5	Pass	PK	4.98237G	46.58	74.00	-27.42	3	Horizontal	58	1.50
Mode 6	Pass	AV	1.73337G	22.56	68.20	-45.64	3	Vertical	240	2.06
Mode 6	Pass	AV	3.0697G	30.51	68.20	-37.69	3	Vertical	275	1.50
Mode 6	Pass	AV	4.17344G	31.47	54.00	-22.53	3	Vertical	319	1.50
Mode 6	Pass	PK	1.72959G	35.73	68.20	-32.47	3	Vertical	240	2.06
Mode 6	Pass	PK	3.07792G	43.34	68.20	-24.86	3	Vertical	275	1.50
Mode 6	Pass	PK	4.16774G	44.21	74.00	-29.79	3	Vertical	319	1.50
Mode 6	Pass	AV	1.40288G	25.85	54.00	-28.15	3	Horizontal	26	1.50
Mode 6	Pass	AV	1.7236G	22.79	68.20	-45.41	3	Horizontal	240	1.50
Mode 6	Pass	AV	3.89256G	29.98	54.00	-24.02	3	Horizontal	345	1.49
Mode 6	Pass	PK	1.40354G	38.66	74.00	-35.34	3	Horizontal	26	1.50
Mode 6	Pass	PK	1.71496G	35.65	68.20	-32.55	3	Horizontal	240	1.50
Mode 6	Pass	PK	3.8784G	42.95	74.00	-31.05	3	Horizontal	345	1.49

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.09491G	26.91	68.20	-41.29	-3.08	3	Vertical	318	1.50	29.99	27.35	4.58	35.01
AV	3.77756G	30.52	54.00	-23.48	1.44	3	Vertical	13	1.37	29.08	30.27	6.30	35.13
AV	5.08641G	32.96	54.00	-21.04	5.03	3	Vertical	0	1.59	27.93	32.85	7.25	35.07
PK	2.09491G	41.50	68.20	-26.70	-3.08	3	Vertical	318	1.50	44.58	27.35	4.58	35.01
PK	3.77756G	44.32	74.00	-29.68	1.44	3	Vertical	13	1.37	42.88	30.27	6.30	35.13
PK	5.08641G	46.44	74.00	-27.56	5.03	3	Vertical	0	1.59	41.41	32.85	7.25	35.07

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.09174G	27.19	68.20	-41.01	-3.05	3	Horizontal	358	1.50	30.24	27.38	4.58	35.01
AV	3.78425G	30.34	54.00	-23.66	1.49	3	Horizontal	95	1.50	28.85	30.31	6.31	35.13
AV	5.0412G	32.85	54.00	-21.15	5.23	3	Horizontal	12	1.50	27.62	33.04	7.26	35.07
PK	2.09174G	40.65	68.20	-27.55	-3.05	3	Horizontal	358	1.50	43.70	27.38	4.58	35.01
PK	3.78425G	44.00	74.00	-30.00	1.49	3	Horizontal	95	1.50	42.51	30.31	6.31	35.13
PK	5.0412G	46.45	74.00	-27.55	5.23	3	Horizontal	12	1.50	41.22	33.04	7.26	35.07


Radiated Emissions above 1GHz_Mode 2




Radiated Emissions above 1GHz_Mode 2




Radiated Emissions above 1GHz_Mode 3



Radiated Emissions above 1GHz_Mode 3




Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.2416G	32.17	54.00	-21.83	-3.12	3	Vertical	154	1.99	35.29	27.20	4.73	35.05				
AV	3.76728G	29.98	54.00	-24.02	1.35	3	Vertical	53	1.50	28.63	30.20	6.29	35.14				
AV	5.01523G	33.19	54.00	-20.81	5.34	3	Vertical	260	1.50	27.85	33.14	7.27	35.07				
PK	2.2416G	42.56	74.00	-31.44	-3.12	3	Vertical	154	1.99	45.68	27.20	4.73	35.05				
PK	3.76728G	43.52	74.00	-30.48	1.35	3	Vertical	53	1.50	42.17	30.20	6.29	35.14				
PK	5.01523G	46.49	74.00	-27.51	5.34	3	Vertical	260	1.50	41.15	33.14	7.27	35.07				

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.24192G	31.35	54.00	-22.65	-3.12	3	Horizontal	165	1.16	34.47	27.20	4.73	35.05				
AV	3.78442G	30.25	54.00	-23.75	1.49	3	Horizontal	278	1.50	28.76	30.31	6.31	35.13				
AV	5.06862G	35.42	54.00	-18.58	5.12	3	Horizontal	8	1.50	30.30	32.93	7.26	35.07				
PK	2.24192G	42.07	74.00	-31.93	-3.12	3	Horizontal	165	1.16	45.19	27.20	4.73	35.05				
PK	3.78442G	43.80	74.00	-30.20	1.49	3	Horizontal	278	1.50	42.31	30.31	6.31	35.13				
PK	5.06862G	47.33	74.00	-26.67	5.12	3	Horizontal	8	1.50	42.21	32.93	7.26	35.07				

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.24194G	33.96	54.00	-20.04	-3.12	3	Vertical	157	1.99	37.08	27.20	4.73	35.05				
AV	3.5976G	29.47	68.20	-38.73	0.44	3	Vertical	337	1.50	29.03	29.50	6.15	35.21				
AV	4.99456G	33.08	54.00	-20.92	5.37	3	Vertical	127	1.50	27.71	33.18	7.26	35.07				
PK	2.24194G	42.04	74.00	-31.96	-3.12	3	Vertical	157	1.99	45.16	27.20	4.73	35.05				
PK	3.5976G	42.94	68.20	-25.26	0.44	3	Vertical	337	1.50	42.50	29.50	6.15	35.21				
PK	4.99456G	46.61	74.00	-27.39	5.37	3	Vertical	127	1.50	41.24	33.18	7.26	35.07				

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.08251G	27.35	68.20	-40.85	-2.96	3	Horizontal	154	1.93	30.31	27.47	4.57	35.00				
AV	3.80467G	29.64	54.00	-24.36	1.63	3	Horizontal	179	1.50	28.01	30.43	6.32	35.12				
AV	4.98237G	33.34	54.00	-20.66	5.30	3	Horizontal	58	1.50	28.04	33.13	7.24	35.07				
PK	2.08251G	40.52	68.20	-27.68	-2.96	3	Horizontal	154	1.93	43.48	27.47	4.57	35.00				
PK	3.80467G	43.73	74.00	-30.27	1.63	3	Horizontal	179	1.50	42.10	30.43	6.32	35.12				
PK	4.98237G	46.58	74.00	-27.42	5.30	3	Horizontal	58	1.50	41.28	33.13	7.24	35.07				

Radiated Emissions above 1GHz_Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.73337G	22.56	68.20	-45.64	-6.03	3	Vertical	240	2.06	28.59	24.83	4.19	35.05				
AV	3.0697G	30.51	68.20	-37.69	0.06	3	Vertical	275	1.50	30.45	29.66	5.62	35.22				
AV	4.17344G	31.47	54.00	-22.53	2.50	3	Vertical	319	1.50	28.97	30.95	6.59	35.04				
PK	1.72959G	35.73	68.20	-32.47	-6.06	3	Vertical	240	2.06	41.79	24.81	4.18	35.05				
PK	3.07792G	43.34	68.20	-24.86	0.05	3	Vertical	275	1.50	43.29	29.64	5.63	35.22				
PK	4.16774G	44.21	74.00	-29.79	2.48	3	Vertical	319	1.50	41.73	30.94	6.58	35.04				

Radiated Emissions above 1GHz_Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.40288G	25.85	54.00	-28.15	-5.70	3	Horizontal	26	1.50	31.55	25.84	3.71	35.25				
AV	1.7236G	22.79	68.20	-45.41	-5.94	3	Horizontal	240	1.50	28.73	24.93	4.18	35.05				
AV	3.89256G	29.98	54.00	-24.02	2.05	3	Horizontal	345	1.49	27.93	30.79	6.35	35.09				
PK	1.40354G	38.66	74.00	-35.34	-5.71	3	Horizontal	26	1.50	44.37	25.83	3.71	35.25				
PK	1.71496G	35.65	68.20	-32.55	-5.82	3	Horizontal	240	1.50	41.47	25.05	4.18	35.05				
PK	3.8784G	42.95	74.00	-31.05	2.01	3	Horizontal	345	1.49	40.94	30.76	6.34	35.09				