


2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

CSEndB

2412MHz

05/05/2025



**Summary**

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
b20_Nss1,(1Mbps)_1TX	Pass	2.43607G	10.81	-19.19	2.13399G	-55.63	2.3976G	-31.37	2.4G	-41.59	2.52102G	-54.37	16.25664G	-42.67	1
g20_Nss1,(6Mbps)_1TX	Pass	2.43073G	7.78	-22.22	1.84624G	-56.11	2.39992G	-32.70	2.4G	-32.23	2.50478G	-53.24	23.28898G	-41.92	1

Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
b20_Nss1,(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43607G	10.81	-19.19	2.13399G	-55.63	2.3976G	-31.37	2.4G	-41.59	2.52102G	-54.37	16.25664G	-42.67	1
2437MHz	Pass	2.43607G	10.81	-19.19	2.17477G	-56.07	2.3972G	-43.69	2.4G	-49.98	2.50054G	-50.89	15.25925G	-42.26	1
2462MHz	Pass	2.43607G	10.81	-19.19	1.92546G	-55.60	2.39904G	-50.63	2.4G	-54.27	2.50158G	-46.63	17.69795G	-41.77	1
g20_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43073G	7.78	-22.22	1.84624G	-56.11	2.39992G	-32.70	2.4G	-32.23	2.50478G	-53.24	23.28898G	-41.92	1
2437MHz	Pass	2.43073G	7.78	-22.22	2.08506G	-55.83	2.39896G	-39.14	2.4G	-40.32	2.50838G	-50.94	15.1581G	-42.84	1
2462MHz	Pass	2.43073G	7.78	-22.22	2.00817G	-56.25	2.39776G	-49.83	2.4G	-53.30	2.51934G	-47.80	15.23396G	-42.64	1


2.4-2.4835GHz_b20_Nss1,(1Mbps)_1TX

CSEndB

2412MHz

18/03/2025

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43607G	10.81	-19.19	2.13399G	-55.63	2.3976G	-31.37	2.4G	-41.59	2.52102G	-54.37	16.25864G	-42.67	1


2.4-2.4835GHz_g20_Nss1,(6Mbps)_1TX

CSEndB

2412MHz

18/03/2025

RBW (Hz)
100k
VBW (Hz)
300k
Detector
Peak



Ref(Hz)	Ref(dBm)	Limit(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Freq(Hz)	Level(dBm)	Port
2.43079G	7.78	-22.22	1.84624G	-56.11	2.39992G	-32.70	2.4G	-32.23	2.50478G	-53.24	23.28898G	-41.92	1



**RSE TX below 1GHz_Non-Beamforming_Radio 1_
Dipole Antenna_1T1S**

Appendix F.1

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	PK	49.4M	36.71	40.00	-3.29	3	Vertical	0	1.00



**RSE TX below 1GHz_Non-Beamforming_Radio 1_
Dipole Antenna_1T1S**


Appendix F.1

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1.(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	49.4M	36.71	40.00	-3.29	3	Vertical	0	1.00
2437MHz	Pass	PK	90.14M	28.71	43.50	-14.79	3	Vertical	0	1.00
2437MHz	Pass	PK	249.22M	23.51	46.00	-22.49	3	Vertical	0	1.00
2437MHz	Pass	PK	449.04M	29.36	46.00	-16.64	3	Vertical	0	1.00
2437MHz	Pass	PK	722.58M	41.63	46.00	-4.37	3	Vertical	0	1.00
2437MHz	Pass	QP	35.82M	32.51	40.00	-7.49	3	Vertical	154	1.02
2437MHz	Pass	PK	35.82M	29.52	40.00	-10.48	3	Horizontal	360	1.00
2437MHz	Pass	PK	101.78M	24.14	43.50	-19.36	3	Horizontal	360	1.00
2437MHz	Pass	PK	173.56M	20.89	43.50	-22.61	3	Horizontal	360	1.00
2437MHz	Pass	PK	249.22M	28.52	46.00	-17.48	3	Horizontal	360	1.00
2437MHz	Pass	PK	449.04M	29.55	46.00	-16.45	3	Horizontal	360	1.00
2437MHz	Pass	PK	716.76M	34.40	46.00	-11.60	3	Horizontal	360	1.00


2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2437MHz_Adapter



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2437MHz_Adapter





**RSE TX above 1GHz_Non-Beamforming_Radio 1_
Dipole Antenna_1T1S**

Appendix F.2

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	AV	2.4836G	52.99	54.00	-1.01	3	Horizontal	311	1.06
802.11g_Nss1,(6Mbps)_1TX	Pass	AV	2.39G	53.84	54.00	-0.16	3	Horizontal	308	1.08
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	2.39G	53.88	54.00	-0.12	3	Horizontal	309	1.09



RSE TX above 1GHz_Non-Beamforming_Radio 1_ Dipole Antenna_1T1S

Appendix F.2

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	48.43	54.00	-5.57	3	Horizontal	309	1.28
2412MHz	Pass	AV	2.4128G	109.30	Inf	-Inf	3	Horizontal	309	1.28
2412MHz	Pass	PK	2.3886G	60.48	74.00	-13.52	3	Horizontal	309	1.28
2412MHz	Pass	PK	2.4128G	112.02	Inf	-Inf	3	Horizontal	309	1.28
2412MHz	Pass	AV	4.82404G	34.37	54.00	-19.63	3	Vertical	299	1.37
2412MHz	Pass	PK	4.82388G	45.05	74.00	-28.95	3	Vertical	299	1.37
2412MHz	Pass	AV	4.82404G	31.73	54.00	-22.27	3	Horizontal	157	2.12
2412MHz	Pass	PK	4.82384G	43.60	74.00	-30.40	3	Horizontal	157	2.12
2437MHz	Pass	AV	2.3886G	46.19	54.00	-7.81	3	Horizontal	311	1.13
2437MHz	Pass	AV	2.4362G	109.31	Inf	-Inf	3	Horizontal	311	1.13
2437MHz	Pass	AV	2.4835G	48.42	54.00	-5.58	3	Horizontal	311	1.13
2437MHz	Pass	PK	2.3898G	60.14	74.00	-13.86	3	Horizontal	311	1.13
2437MHz	Pass	PK	2.4362G	112.17	Inf	-Inf	3	Horizontal	311	1.13
2437MHz	Pass	PK	2.4838G	61.88	74.00	-12.12	3	Horizontal	311	1.13
2437MHz	Pass	AV	4.87404G	37.43	54.00	-16.57	3	Vertical	305	2.14
2437MHz	Pass	PK	4.87388G	45.29	74.00	-28.71	3	Vertical	305	2.14
2437MHz	Pass	AV	4.874G	34.07	54.00	-19.93	3	Horizontal	158	1.08
2437MHz	Pass	PK	4.87396G	44.55	74.00	-29.45	3	Horizontal	158	1.08
2457MHz	Pass	AV	2.4578G	110.19	Inf	-Inf	3	Horizontal	311	1.06
2457MHz	Pass	AV	2.4836G	52.99	54.00	-1.01	3	Horizontal	311	1.06
2457MHz	Pass	PK	2.4578G	112.69	Inf	-Inf	3	Horizontal	311	1.06
2457MHz	Pass	PK	2.4835G	65.51	74.00	-8.49	3	Horizontal	311	1.06
2457MHz	Pass	AV	4.914G	42.08	54.00	-11.92	3	Vertical	306	2.54
2457MHz	Pass	PK	4.91408G	47.70	74.00	-26.30	3	Vertical	306	2.54
2457MHz	Pass	AV	4.91404G	35.86	54.00	-18.14	3	Horizontal	156	1.00
2457MHz	Pass	PK	4.91384G	44.92	74.00	-29.08	3	Horizontal	156	1.00
2462MHz	Pass	AV	2.4628G	109.99	Inf	-Inf	3	Horizontal	310	1.25
2462MHz	Pass	AV	2.4835G	50.77	54.00	-3.23	3	Horizontal	310	1.25
2462MHz	Pass	PK	2.4612G	112.56	Inf	-Inf	3	Horizontal	310	1.25
2462MHz	Pass	PK	2.4836G	63.03	74.00	-10.97	3	Horizontal	310	1.25
2462MHz	Pass	AV	4.924G	41.58	54.00	-12.42	3	Vertical	312	2.57
2462MHz	Pass	PK	4.92394G	48.33	74.00	-25.67	3	Vertical	312	2.57
2462MHz	Pass	AV	4.924G	36.05	54.00	-17.95	3	Horizontal	156	1.00
2462MHz	Pass	PK	4.92406G	46.15	74.00	-27.85	3	Horizontal	156	1.00
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	53.01	54.00	-0.99	3	Horizontal	307	1.09
2412MHz	Pass	AV	2.4182G	100.79	Inf	-Inf	3	Horizontal	307	1.09
2412MHz	Pass	PK	2.3896G	69.36	74.00	-4.64	3	Horizontal	307	1.09
2412MHz	Pass	PK	2.4166G	112.76	Inf	-Inf	3	Horizontal	307	1.09
2412MHz	Pass	AV	4.82178G	28.69	54.00	-25.31	3	Vertical	268	1.50
2412MHz	Pass	PK	4.826G	42.74	74.00	-31.26	3	Vertical	268	1.50
2412MHz	Pass	AV	4.82212G	28.52	54.00	-25.48	3	Horizontal	242	1.39
2412MHz	Pass	PK	4.82392G	42.47	74.00	-31.53	3	Horizontal	242	1.39
2417MHz	Pass	AV	2.39G	53.84	54.00	-0.16	3	Horizontal	308	1.08
2417MHz	Pass	AV	2.4202G	101.18	Inf	-Inf	3	Horizontal	308	1.08
2417MHz	Pass	PK	2.3898G	66.93	74.00	-7.07	3	Horizontal	308	1.08
2417MHz	Pass	PK	2.4228G	112.77	Inf	-Inf	3	Horizontal	308	1.08
2417MHz	Pass	AV	4.83548G	29.16	54.00	-24.84	3	Vertical	300	2.70
2417MHz	Pass	PK	4.83762G	43.60	74.00	-30.40	3	Vertical	300	2.70
2417MHz	Pass	AV	4.8364G	28.54	54.00	-25.46	3	Horizontal	188	2.67
2417MHz	Pass	PK	4.83684G	42.74	74.00	-31.26	3	Horizontal	188	2.67
2437MHz	Pass	AV	2.3898G	48.97	54.00	-5.03	3	Horizontal	308	1.00
2437MHz	Pass	AV	2.4338G	101.17	Inf	-Inf	3	Horizontal	308	1.00
2437MHz	Pass	AV	2.4835G	50.20	54.00	-3.80	3	Horizontal	308	1.00
2437MHz	Pass	PK	2.3898G	63.52	74.00	-10.48	3	Horizontal	308	1.00
2437MHz	Pass	PK	2.435G	113.13	Inf	-Inf	3	Horizontal	308	1.00
2437MHz	Pass	PK	2.4838G	64.03	74.00	-9.97	3	Horizontal	308	1.00
2437MHz	Pass	AV	4.87316G	29.80	54.00	-24.20	3	Vertical	302	2.47
2437MHz	Pass	PK	4.87846G	43.74	74.00	-30.26	3	Vertical	302	2.47
2437MHz	Pass	AV	4.8741G	29.01	54.00	-24.99	3	Horizontal	156	1.09




**RSE TX above 1GHz_Non-Beamforming_Radio 1_
Dipole Antenna_1T1S**

Appendix F.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2437MHz	Pass	PK	4.8745G	43.38	74.00	-30.62	3	Horizontal	156	1.09
2457MHz	Pass	AV	2.4594G	101.91	Inf	-Inf	3	Horizontal	310	1.25
2457MHz	Pass	AV	2.4835G	53.55	54.00	-0.45	3	Horizontal	310	1.25
2457MHz	Pass	PK	2.461G	113.17	Inf	-Inf	3	Horizontal	310	1.25
2457MHz	Pass	PK	2.4868G	68.50	74.00	-5.50	3	Horizontal	310	1.25
2457MHz	Pass	AV	4.91594G	30.78	54.00	-23.22	3	Vertical	305	2.54
2457MHz	Pass	PK	4.91486G	45.15	74.00	-28.85	3	Vertical	305	2.54
2457MHz	Pass	AV	4.91444G	29.51	54.00	-24.49	3	Horizontal	160	2.68
2457MHz	Pass	PK	4.91398G	43.43	74.00	-30.57	3	Horizontal	160	2.68
2462MHz	Pass	AV	2.4664G	101.25	Inf	-Inf	3	Horizontal	312	1.24
2462MHz	Pass	AV	2.4835G	52.21	54.00	-1.79	3	Horizontal	312	1.24
2462MHz	Pass	PK	2.4684G	112.81	Inf	-Inf	3	Horizontal	312	1.24
2462MHz	Pass	PK	2.4842G	67.09	74.00	-6.91	3	Horizontal	312	1.24
2462MHz	Pass	AV	4.92384G	30.85	54.00	-23.15	3	Vertical	314	2.96
2462MHz	Pass	PK	4.9212G	45.49	74.00	-28.51	3	Vertical	314	2.96
2462MHz	Pass	AV	4.92294G	29.58	54.00	-24.42	3	Horizontal	167	2.44
2462MHz	Pass	PK	4.91946G	43.70	74.00	-30.30	3	Horizontal	167	2.44
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	53.83	54.00	-0.17	3	Horizontal	307	1.09
2412MHz	Pass	AV	2.419G	100.09	Inf	-Inf	3	Horizontal	307	1.09
2412MHz	Pass	PK	2.3898G	69.80	74.00	-4.20	3	Horizontal	307	1.09
2412MHz	Pass	PK	2.4196G	113.75	Inf	-Inf	3	Horizontal	307	1.09
2412MHz	Pass	AV	4.8221G	28.92	54.00	-25.08	3	Vertical	64	2.09
2412MHz	Pass	PK	4.82044G	43.71	74.00	-30.29	3	Vertical	64	2.09
2412MHz	Pass	AV	4.82118G	28.84	54.00	-25.16	3	Horizontal	42	2.92
2412MHz	Pass	PK	4.82594G	42.72	74.00	-31.28	3	Horizontal	42	2.92
2417MHz	Pass	AV	2.39G	53.88	54.00	-0.12	3	Horizontal	309	1.09
2417MHz	Pass	AV	2.422G	100.08	Inf	-Inf	3	Horizontal	309	1.09
2417MHz	Pass	PK	2.3898G	67.90	74.00	-6.10	3	Horizontal	309	1.09
2417MHz	Pass	PK	2.4236G	114.70	Inf	-Inf	3	Horizontal	309	1.09
2417MHz	Pass	AV	4.8363G	28.90	54.00	-25.10	3	Vertical	269	2.86
2417MHz	Pass	PK	4.83716G	43.88	74.00	-30.12	3	Vertical	269	2.86
2417MHz	Pass	AV	4.83528G	28.45	54.00	-25.55	3	Horizontal	59	1.50
2417MHz	Pass	PK	4.8295G	43.26	74.00	-30.74	3	Horizontal	59	1.50
2437MHz	Pass	AV	2.3898G	50.08	54.00	-3.92	3	Horizontal	309	1.11
2437MHz	Pass	AV	2.4282G	100.76	Inf	-Inf	3	Horizontal	309	1.11
2437MHz	Pass	AV	2.4835G	51.04	54.00	-2.96	3	Horizontal	309	1.11
2437MHz	Pass	PK	2.3894G	63.61	74.00	-10.39	3	Horizontal	309	1.11
2437MHz	Pass	PK	2.4282G	114.12	Inf	-Inf	3	Horizontal	309	1.11
2437MHz	Pass	PK	2.485G	65.42	74.00	-8.58	3	Horizontal	309	1.11
2437MHz	Pass	AV	4.87382G	29.96	54.00	-24.04	3	Vertical	307	2.83
2437MHz	Pass	PK	4.8691G	44.21	74.00	-29.79	3	Vertical	307	2.83
2437MHz	Pass	AV	4.8743G	29.21	54.00	-24.79	3	Horizontal	158	1.13
2437MHz	Pass	PK	4.8753G	43.67	74.00	-30.33	3	Horizontal	158	1.13
2457MHz	Pass	AV	2.4592G	101.12	Inf	-Inf	3	Horizontal	310	1.08
2457MHz	Pass	AV	2.4835G	53.50	54.00	-0.50	3	Horizontal	310	1.08
2457MHz	Pass	PK	2.462G	115.04	Inf	-Inf	3	Horizontal	310	1.08
2457MHz	Pass	PK	2.4835G	70.27	74.00	-3.73	3	Horizontal	310	1.08
2462MHz	Pass	AV	2.4676G	100.91	Inf	-Inf	3	Horizontal	311	1.00
2462MHz	Pass	AV	2.4835G	52.65	54.00	-1.35	3	Horizontal	311	1.00
2462MHz	Pass	PK	2.4688G	115.56	Inf	-Inf	3	Horizontal	311	1.00
2462MHz	Pass	PK	2.4846G	67.10	74.00	-6.90	3	Horizontal	311	1.00
2462MHz	Pass	AV	4.92394G	30.55	54.00	-23.45	3	Vertical	236	2.94
2462MHz	Pass	PK	4.92064G	44.27	74.00	-29.73	3	Vertical	236	2.94
2462MHz	Pass	AV	4.92368G	29.80	54.00	-24.20	3	Horizontal	160	1.83
2462MHz	Pass	PK	4.92144G	43.83	74.00	-30.17	3	Horizontal	160	1.83


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2457MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2417MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.88	54.00	-0.12	32.08	3	Horizontal	309	1.09	21.80	27.40	4.68	-
AV	2.422G	100.08	Inf	-Inf	32.24	3	Horizontal	309	1.09	67.84	27.52	4.72	-
PK	2.3898G	67.90	74.00	-6.10	32.08	3	Horizontal	309	1.09	35.82	27.40	4.68	-
PK	2.4236G	114.70	Inf	-Inf	32.27	3	Horizontal	309	1.09	82.43	27.54	4.73	-



**RSE TX below 1GHz_Non-Beamforming_Radio 1_
Dipole Antenna_2T1S**

Appendix F.3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	718.7M	42.79	46.00	-3.21	3	Vertical	360	1.00



**RSE TX below 1GHz_Non-Beamforming_Radio 1_
Dipole Antenna_2T1S**


Appendix F.3

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	90.14M	28.99	43.50	-14.51	3	Vertical	360	1.00
2437MHz	Pass	PK	249.22M	24.04	46.00	-21.96	3	Vertical	360	1.00
2437MHz	Pass	PK	449.04M	30.22	46.00	-15.78	3	Vertical	360	1.00
2437MHz	Pass	PK	718.7M	42.79	46.00	-3.21	3	Vertical	360	1.00
2437MHz	Pass	QP	35.82M	34.34	40.00	-5.66	3	Vertical	176	1.03
2437MHz	Pass	QP	47.46M	34.50	40.00	-5.50	3	Vertical	312	1.03
2437MHz	Pass	PK	35.82M	29.48	40.00	-10.52	3	Horizontal	0	1.00
2437MHz	Pass	PK	103.72M	23.66	43.50	-19.84	3	Horizontal	0	1.00
2437MHz	Pass	PK	159.98M	20.92	43.50	-22.58	3	Horizontal	0	1.00
2437MHz	Pass	PK	249.22M	27.87	46.00	-18.13	3	Horizontal	0	1.00
2437MHz	Pass	PK	449.04M	29.97	46.00	-16.03	3	Horizontal	0	1.00
2437MHz	Pass	PK	705.12M	29.88	46.00	-16.12	3	Horizontal	0	1.00


2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_Adapter



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_Adapter





**RSE TX above 1GHz_Non-Beamforming_Radio 1_
Dipole Antenna_2T1S**

Appendix F.4

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	2.4838G	53.35	54.00	-0.65	3	Vertical	210	1.50
802.11g_Nss1,(6Mbps)_2TX	Pass	AV	2.39G	53.75	54.00	-0.25	3	Vertical	51	1.14
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	2.3886G	53.73	54.00	-0.27	3	Vertical	53	1.07

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3892G	52.76	54.00	-1.24	3	Vertical	20	1.00
2412MHz	Pass	AV	2.4128G	109.73	Inf	-Inf	3	Vertical	20	1.00
2412MHz	Pass	PK	2.3892G	62.09	74.00	-11.91	3	Vertical	20	1.00
2412MHz	Pass	PK	2.4128G	112.66	Inf	-Inf	3	Vertical	20	1.00
2412MHz	Pass	AV	4.824G	40.75	54.00	-13.25	3	Vertical	307	2.48
2412MHz	Pass	PK	4.82386G	46.67	74.00	-27.33	3	Vertical	307	2.48
2412MHz	Pass	AV	4.82396G	33.95	54.00	-20.05	3	Horizontal	188	2.57
2412MHz	Pass	PK	4.82402G	44.37	74.00	-29.63	3	Horizontal	188	2.57
2417MHz	Pass	AV	2.39G	52.98	54.00	-1.02	3	Vertical	178	1.77
2417MHz	Pass	AV	2.4178G	112.22	Inf	-Inf	3	Vertical	178	1.77
2417MHz	Pass	PK	2.39G	60.40	74.00	-13.60	3	Vertical	178	1.77
2417MHz	Pass	PK	2.4162G	115.03	Inf	-Inf	3	Vertical	178	1.77
2437MHz	Pass	AV	2.3886G	47.79	54.00	-6.21	3	Vertical	212	1.14
2437MHz	Pass	AV	2.4362G	112.52	Inf	-Inf	3	Vertical	212	1.14
2437MHz	Pass	AV	2.4835G	48.33	54.00	-5.67	3	Vertical	212	1.14
2437MHz	Pass	PK	2.3886G	59.62	74.00	-14.38	3	Vertical	212	1.14
2437MHz	Pass	PK	2.4362G	115.27	Inf	-Inf	3	Vertical	212	1.14
2437MHz	Pass	PK	2.4846G	60.46	74.00	-13.54	3	Vertical	212	1.14
2437MHz	Pass	AV	4.87402G	42.82	54.00	-11.18	3	Vertical	307	2.57
2437MHz	Pass	PK	4.87396G	48.09	74.00	-25.91	3	Vertical	307	2.57
2437MHz	Pass	AV	4.87398G	36.72	54.00	-17.28	3	Horizontal	162	3.00
2437MHz	Pass	PK	4.87408G	45.21	74.00	-28.79	3	Horizontal	162	3.00
2457MHz	Pass	AV	2.4576G	111.90	Inf	-Inf	3	Vertical	210	1.50
2457MHz	Pass	AV	2.4838G	53.35	54.00	-0.65	3	Vertical	210	1.50
2457MHz	Pass	PK	2.4578G	114.65	Inf	-Inf	3	Vertical	210	1.50
2457MHz	Pass	PK	2.4852G	62.80	74.00	-11.20	3	Vertical	210	1.50
2462MHz	Pass	AV	2.4628G	111.81	Inf	-Inf	3	Vertical	132	2.79
2462MHz	Pass	AV	2.4835G	53.19	54.00	-0.81	3	Vertical	132	2.79
2462MHz	Pass	PK	2.4628G	115.00	Inf	-Inf	3	Vertical	132	2.79
2462MHz	Pass	PK	2.4846G	63.07	74.00	-10.93	3	Vertical	132	2.79
2462MHz	Pass	AV	4.924G	42.09	54.00	-11.91	3	Vertical	270	2.39
2462MHz	Pass	PK	4.92398G	47.65	74.00	-26.35	3	Vertical	270	2.39
2462MHz	Pass	AV	4.92402G	37.47	54.00	-16.53	3	Horizontal	164	2.69
2462MHz	Pass	PK	4.92434G	45.83	74.00	-28.17	3	Horizontal	164	2.69
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	53.73	54.00	-0.27	3	Vertical	52	1.12
2412MHz	Pass	AV	2.4196G	103.71	Inf	-Inf	3	Vertical	52	1.12
2412MHz	Pass	PK	2.3898G	69.50	74.00	-4.50	3	Vertical	52	1.12
2412MHz	Pass	PK	2.4158G	115.14	Inf	-Inf	3	Vertical	52	1.12
2412MHz	Pass	AV	4.82692G	31.35	54.00	-22.65	3	Vertical	305	2.48
2412MHz	Pass	PK	4.82234G	45.09	74.00	-28.91	3	Vertical	305	2.48
2412MHz	Pass	AV	4.82218G	29.30	54.00	-24.70	3	Horizontal	189	2.77
2412MHz	Pass	PK	4.82774G	43.47	74.00	-30.53	3	Horizontal	189	2.77
2417MHz	Pass	AV	2.39G	53.75	54.00	-0.25	3	Vertical	51	1.14
2417MHz	Pass	AV	2.4248G	103.07	Inf	-Inf	3	Vertical	51	1.14
2417MHz	Pass	PK	2.3896G	67.66	74.00	-6.34	3	Vertical	51	1.14
2417MHz	Pass	PK	2.4244G	114.80	Inf	-Inf	3	Vertical	51	1.14
2437MHz	Pass	AV	2.3898G	53.64	54.00	-0.36	3	Vertical	54	1.00
2437MHz	Pass	AV	2.4298G	106.26	Inf	-Inf	3	Vertical	54	1.00
2437MHz	Pass	AV	2.4835G	51.71	54.00	-2.29	3	Vertical	54	1.00
2437MHz	Pass	PK	2.3898G	70.10	74.00	-3.90	3	Vertical	54	1.00
2437MHz	Pass	PK	2.4294G	117.79	Inf	-Inf	3	Vertical	54	1.00
2437MHz	Pass	PK	2.4846G	67.64	74.00	-6.36	3	Vertical	54	1.00
2437MHz	Pass	AV	4.87734G	32.76	54.00	-21.24	3	Vertical	315	2.96
2437MHz	Pass	PK	4.87712G	46.79	74.00	-27.21	3	Vertical	315	2.96
2437MHz	Pass	AV	4.8773G	30.38	54.00	-23.62	3	Horizontal	162	2.76
2437MHz	Pass	PK	4.87362G	44.43	74.00	-29.57	3	Horizontal	162	2.76
2457MHz	Pass	AV	2.4604G	104.30	Inf	-Inf	3	Vertical	149	1.73
2457MHz	Pass	AV	2.485G	53.38	54.00	-0.62	3	Vertical	149	1.73
2457MHz	Pass	PK	2.4608G	114.99	Inf	-Inf	3	Vertical	149	1.73




RSE TX above 1GHz_Non-Beamforming_Radio 1_ Dipole Antenna_2T1S

Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2457MHz	Pass	PK	2.4854G	68.24	74.00	-5.76	3	Vertical	149	1.73
2457MHz	Pass	AV	2.459G	99.11	Inf	-Inf	3	Horizontal	329	1.29
2457MHz	Pass	AV	2.484G	53.40	54.00	-0.60	3	Horizontal	329	1.29
2457MHz	Pass	PK	2.4588G	110.18	Inf	-Inf	3	Horizontal	329	1.29
2457MHz	Pass	PK	2.4835G	69.66	74.00	-4.34	3	Horizontal	329	1.29
2462MHz	Pass	AV	2.466G	104.60	Inf	-Inf	3	Vertical	129	2.26
2462MHz	Pass	AV	2.4848G	52.66	54.00	-1.34	3	Vertical	129	2.26
2462MHz	Pass	PK	2.466G	115.25	Inf	-Inf	3	Vertical	129	2.26
2462MHz	Pass	PK	2.4838G	68.33	74.00	-5.67	3	Vertical	129	2.26
2462MHz	Pass	AV	4.92228G	34.36	54.00	-19.64	3	Vertical	269	2.35
2462MHz	Pass	PK	4.92266G	48.87	74.00	-25.13	3	Vertical	269	2.35
2462MHz	Pass	AV	4.92224G	31.62	54.00	-22.38	3	Horizontal	164	2.70
2462MHz	Pass	PK	4.9225G	45.67	74.00	-28.33	3	Horizontal	164	2.70
802.11be EHT20_Nss1(MCS0)_2TX										
2412MHz	Pass	AV	2.389G	52.93	54.00	-1.07	3	Vertical	52	1.12
2412MHz	Pass	AV	2.4208G	102.74	Inf	-Inf	3	Vertical	52	1.12
2412MHz	Pass	PK	2.3892G	69.51	74.00	-4.49	3	Vertical	52	1.12
2412MHz	Pass	PK	2.4162G	116.08	Inf	-Inf	3	Vertical	52	1.12
2412MHz	Pass	AV	4.82814G	30.78	54.00	-23.22	3	Vertical	307	2.83
2412MHz	Pass	PK	4.82778G	45.01	74.00	-28.99	3	Vertical	307	2.83
2412MHz	Pass	AV	4.82564G	29.26	54.00	-24.74	3	Horizontal	164	2.56
2412MHz	Pass	PK	4.828G	44.98	74.00	-29.02	3	Horizontal	164	2.56
2417MHz	Pass	AV	2.3886G	53.73	54.00	-0.27	3	Vertical	53	1.07
2417MHz	Pass	AV	2.4234G	103.48	Inf	-Inf	3	Vertical	53	1.07
2417MHz	Pass	PK	2.3884G	67.70	74.00	-6.30	3	Vertical	53	1.07
2417MHz	Pass	PK	2.4234G	116.76	Inf	-Inf	3	Vertical	53	1.07
2437MHz	Pass	AV	2.3886G	53.13	54.00	-0.87	3	Vertical	50	1.00
2437MHz	Pass	AV	2.4282G	105.16	Inf	-Inf	3	Vertical	50	1.00
2437MHz	Pass	AV	2.4835G	52.24	54.00	-1.76	3	Vertical	50	1.00
2437MHz	Pass	PK	2.3882G	68.38	74.00	-5.62	3	Vertical	50	1.00
2437MHz	Pass	PK	2.4282G	118.97	Inf	-Inf	3	Vertical	50	1.00
2437MHz	Pass	PK	2.4835G	66.83	74.00	-7.17	3	Vertical	50	1.00
2437MHz	Pass	AV	4.8782G	32.16	54.00	-21.84	3	Vertical	312	2.96
2437MHz	Pass	PK	4.87816G	46.84	74.00	-27.16	3	Vertical	312	2.96
2437MHz	Pass	AV	4.87814G	29.98	54.00	-24.02	3	Horizontal	163	3.00
2437MHz	Pass	PK	4.87062G	43.82	74.00	-30.18	3	Horizontal	163	3.00
2457MHz	Pass	AV	2.4586G	102.93	Inf	-Inf	3	Vertical	148	1.72
2457MHz	Pass	AV	2.4835G	53.58	54.00	-0.42	3	Vertical	148	1.72
2457MHz	Pass	PK	2.461G	116.14	Inf	-Inf	3	Vertical	148	1.72
2457MHz	Pass	PK	2.4835G	71.55	74.00	-2.45	3	Vertical	148	1.72
2462MHz	Pass	AV	2.4692G	103.33	Inf	-Inf	3	Vertical	129	2.26
2462MHz	Pass	AV	2.484G	52.22	54.00	-1.78	3	Vertical	129	2.26
2462MHz	Pass	PK	2.4692G	116.38	Inf	-Inf	3	Vertical	129	2.26
2462MHz	Pass	PK	2.484G	67.14	74.00	-6.86	3	Vertical	129	2.26
2462MHz	Pass	AV	4.9232G	33.37	54.00	-20.63	3	Vertical	270	2.64
2462MHz	Pass	PK	4.92074G	47.48	74.00	-26.52	3	Vertical	270	2.64
2462MHz	Pass	AV	4.92076G	30.66	54.00	-23.34	3	Horizontal	160	2.69
2462MHz	Pass	PK	4.9249G	44.59	74.00	-29.41	3	Horizontal	160	2.69


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2457MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	2.3886G	53.73	54.00	-0.27	32.07	3	Vertical	53	1.07	21.66	27.39	4.68	-				
AV	2.4234G	103.48	Inf	-Inf	32.25	3	Vertical	53	1.07	71.23	27.53	4.72	-				
PK	2.3884G	67.70	74.00	-6.30	32.06	3	Vertical	53	1.07	35.64	27.38	4.68	-				
PK	2.4234G	116.76	Inf	-Inf	32.25	3	Vertical	53	1.07	84.51	27.53	4.72	-				



**RSE TX below 1GHz_Non-Beamforming_Radio 1_
Dipole Antenna_2T2S**

Appendix F.5

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	QP	39.7M	35.81	40.00	-4.19	3	Vertical	115	1.02



**RSE TX below 1GHz_Non-Beamforming_Radio 1_
Dipole Antenna_2T2S**


Appendix F.5

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	90.14M	33.80	43.50	-9.70	3	Vertical	0	1.00
2437MHz	Pass	PK	175.5M	24.49	43.50	-19.01	3	Vertical	0	1.00
2437MHz	Pass	PK	249.22M	24.31	46.00	-21.69	3	Vertical	0	1.00
2437MHz	Pass	PK	449.04M	29.54	46.00	-16.46	3	Vertical	0	1.00
2437MHz	Pass	PK	718.7M	35.34	46.00	-10.66	3	Vertical	0	1.00
2437MHz	Pass	QP	39.7M	35.81	40.00	-4.19	3	Vertical	115	1.02
2437MHz	Pass	PK	35.82M	30.20	40.00	-9.80	3	Horizontal	360	1.00
2437MHz	Pass	PK	90.14M	25.57	43.50	-17.93	3	Horizontal	360	1.00
2437MHz	Pass	PK	138.64M	22.85	43.50	-20.65	3	Horizontal	360	1.00
2437MHz	Pass	PK	249.22M	27.86	46.00	-18.14	3	Horizontal	360	1.00
2437MHz	Pass	PK	449.04M	30.82	46.00	-15.18	3	Horizontal	360	1.00
2437MHz	Pass	PK	709M	37.89	46.00	-8.11	3	Horizontal	360	1.00


2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_Adapter



2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_Adapter





**RSE TX above 1GHz_Non-Beamforming_Radio 1_
Dipole Antenna_2T2S**

Appendix F.6

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	2.4835G	53.75	54.00	-0.25	3	Vertical	167	1.84

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	52.70	54.00	-1.30	3	Vertical	167	1.62
2412MHz	Pass	AV	2.419G	102.46	Inf	-Inf	3	Vertical	167	1.62
2412MHz	Pass	PK	2.3898G	66.87	74.00	-7.13	3	Vertical	167	1.62
2412MHz	Pass	PK	2.4206G	116.01	Inf	-Inf	3	Vertical	167	1.62
2412MHz	Pass	AV	4.824G	29.41	54.00	-24.59	3	Vertical	318	1.22
2412MHz	Pass	PK	4.83126G	43.55	74.00	-30.45	3	Vertical	318	1.22
2412MHz	Pass	AV	4.82394G	29.54	54.00	-24.46	3	Horizontal	43	1.28
2412MHz	Pass	PK	4.83696G	44.58	74.00	-29.42	3	Horizontal	43	1.28
2417MHz	Pass	AV	2.39G	53.30	54.00	-0.70	3	Vertical	169	1.13
2417MHz	Pass	AV	2.4248G	102.59	Inf	-Inf	3	Vertical	169	1.13
2417MHz	Pass	PK	2.3898G	66.15	74.00	-7.85	3	Vertical	169	1.13
2417MHz	Pass	PK	2.4222G	117.20	Inf	-Inf	3	Vertical	169	1.13
2437MHz	Pass	AV	2.3898G	51.89	54.00	-2.11	3	Vertical	167	2.23
2437MHz	Pass	AV	2.4334G	104.33	Inf	-Inf	3	Vertical	167	2.23
2437MHz	Pass	AV	2.4835G	52.95	54.00	-1.05	3	Vertical	167	2.23
2437MHz	Pass	PK	2.3894G	65.30	74.00	-8.70	3	Vertical	167	2.23
2437MHz	Pass	PK	2.4294G	118.07	Inf	-Inf	3	Vertical	167	2.23
2437MHz	Pass	PK	2.4838G	66.37	74.00	-7.63	3	Vertical	167	2.23
2437MHz	Pass	AV	4.88294G	30.22	54.00	-23.78	3	Vertical	314	1.03
2437MHz	Pass	PK	4.88084G	44.90	74.00	-29.10	3	Vertical	314	1.03
2437MHz	Pass	AV	4.8797G	30.52	54.00	-23.48	3	Horizontal	47	1.50
2437MHz	Pass	PK	4.87526G	45.03	74.00	-28.97	3	Horizontal	47	1.50
2457MHz	Pass	AV	2.4586G	103.66	Inf	-Inf	3	Vertical	167	1.84
2457MHz	Pass	AV	2.4835G	53.75	54.00	-0.25	3	Vertical	167	1.84
2457MHz	Pass	PK	2.4604G	117.62	Inf	-Inf	3	Vertical	167	1.84
2457MHz	Pass	PK	2.4836G	69.37	74.00	-4.63	3	Vertical	167	1.84
2462MHz	Pass	AV	2.4636G	102.70	Inf	-Inf	3	Vertical	167	1.85
2462MHz	Pass	AV	2.4835G	52.91	54.00	-1.09	3	Vertical	167	1.85
2462MHz	Pass	PK	2.4588G	116.42	Inf	-Inf	3	Vertical	167	1.85
2462MHz	Pass	PK	2.4835G	68.37	74.00	-5.63	3	Vertical	167	1.85
2462MHz	Pass	AV	4.92388G	30.96	54.00	-23.04	3	Vertical	307	1.50
2462MHz	Pass	PK	4.91806G	45.31	74.00	-28.69	3	Vertical	307	1.50
2462MHz	Pass	AV	4.92406G	32.12	54.00	-21.88	3	Horizontal	61	1.80
2462MHz	Pass	PK	4.93528G	46.04	74.00	-27.96	3	Horizontal	61	1.80

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2457MHz_TX





**RSE TX below 1GHz_Non-Beamforming_Radio 1_
Dual-Polarized MIMO Panel Antenna_1T1S**

Appendix F.7

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	PK	712.88M	40.38	46.00	-5.62	3	Vertical	0	1.00



**RSE TX below 1GHz_Non-Beamforming_Radio 1_
Dual-Polarized MIMO Panel Antenna_1T1S**


Appendix F.7

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	90.14M	28.15	43.50	-15.35	3	Vertical	0	1.00
2437MHz	Pass	PK	161.92M	22.57	43.50	-20.93	3	Vertical	0	1.00
2437MHz	Pass	PK	249.22M	22.93	46.00	-23.07	3	Vertical	0	1.00
2437MHz	Pass	PK	449.04M	28.72	46.00	-17.28	3	Vertical	0	1.00
2437MHz	Pass	PK	712.88M	40.38	46.00	-5.62	3	Vertical	0	1.00
2437MHz	Pass	QP	35.82M	33.89	40.00	-6.11	3	Vertical	108	1.04
2437MHz	Pass	PK	33.88M	29.94	40.00	-10.06	3	Horizontal	360	1.00
2437MHz	Pass	PK	49.4M	28.32	40.00	-11.68	3	Horizontal	360	1.00
2437MHz	Pass	PK	111.48M	23.77	43.50	-19.73	3	Horizontal	360	1.00
2437MHz	Pass	PK	249.22M	28.09	46.00	-17.91	3	Horizontal	360	1.00
2437MHz	Pass	PK	449.04M	29.41	46.00	-16.59	3	Horizontal	360	1.00
2437MHz	Pass	PK	716.76M	37.46	46.00	-8.54	3	Horizontal	360	1.00


2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2437MHz_Adapter



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2437MHz_Adapter





**RSE TX above 1GHz_Non-Beamforming_Radio 1_
Dual-Polarized MIMO Panel Antenna_1T1S**

Appendix F.8

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	AV	2.3872G	52.84	54.00	-1.16	3	Horizontal	0	1.23
802.11g_Nss1,(6Mbps)_1TX	Pass	AV	2.39G	53.78	54.00	-0.22	3	Horizontal	0	1.00
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	2.4835G	53.51	54.00	-0.49	3	Horizontal	354	1.00



**RSE TX above 1GHz_Non-Beamforming_Radio 1_
Dual-Polarized MIMO Panel Antenna_1T1S**

Appendix F.8

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3896G	48.26	54.00	-5.74	3	Horizontal	1	1.23
2412MHz	Pass	AV	2.4128G	109.51	Inf	-Inf	3	Horizontal	1	1.23
2412MHz	Pass	PK	2.3896G	59.67	74.00	-14.33	3	Horizontal	1	1.23
2412MHz	Pass	PK	2.413G	112.26	Inf	-Inf	3	Horizontal	1	1.23
2412MHz	Pass	AV	4.82396G	36.84	54.00	-17.16	3	Vertical	303	2.86
2412MHz	Pass	PK	4.82426G	45.39	74.00	-28.61	3	Vertical	303	2.86
2412MHz	Pass	AV	4.82402G	31.27	54.00	-22.73	3	Horizontal	250	1.50
2412MHz	Pass	PK	4.82386G	43.15	74.00	-30.85	3	Horizontal	250	1.50
2417MHz	Pass	AV	2.3872G	52.84	54.00	-1.16	3	Horizontal	0	1.23
2417MHz	Pass	AV	2.4162G	110.05	Inf	-Inf	3	Horizontal	0	1.23
2417MHz	Pass	PK	2.3896G	62.54	74.00	-11.46	3	Horizontal	0	1.23
2417MHz	Pass	PK	2.4162G	112.73	Inf	-Inf	3	Horizontal	0	1.23
2437MHz	Pass	AV	2.3886G	48.70	54.00	-5.30	3	Horizontal	353	1.50
2437MHz	Pass	AV	2.4362G	111.68	Inf	-Inf	3	Horizontal	353	1.50
2437MHz	Pass	AV	2.4835G	52.78	54.00	-1.22	3	Horizontal	353	1.50
2437MHz	Pass	PK	2.3882G	59.34	74.00	-14.66	3	Horizontal	353	1.50
2437MHz	Pass	PK	2.4362G	114.35	Inf	-Inf	3	Horizontal	353	1.50
2437MHz	Pass	PK	2.4835G	63.06	74.00	-10.94	3	Horizontal	353	1.50
2437MHz	Pass	AV	4.87396G	38.32	54.00	-15.68	3	Vertical	300	2.53
2437MHz	Pass	PK	4.87414G	45.82	74.00	-28.18	3	Vertical	300	2.53
2437MHz	Pass	AV	4.87402G	34.44	54.00	-19.56	3	Horizontal	164	1.00
2437MHz	Pass	PK	4.874G	45.34	74.00	-28.66	3	Horizontal	164	1.00
2457MHz	Pass	AV	2.4576G	109.97	Inf	-Inf	3	Horizontal	353	1.19
2457MHz	Pass	AV	2.4864G	51.12	54.00	-2.88	3	Horizontal	353	1.19
2457MHz	Pass	PK	2.458G	112.90	Inf	-Inf	3	Horizontal	353	1.19
2457MHz	Pass	PK	2.484G	61.71	74.00	-12.29	3	Horizontal	353	1.19
2462MHz	Pass	AV	2.4628G	111.06	Inf	-Inf	3	Horizontal	354	1.20
2462MHz	Pass	AV	2.4844G	50.88	54.00	-3.12	3	Horizontal	354	1.20
2462MHz	Pass	PK	2.463G	113.71	Inf	-Inf	3	Horizontal	354	1.20
2462MHz	Pass	PK	2.4888G	61.65	74.00	-12.35	3	Horizontal	354	1.20
2462MHz	Pass	AV	4.92398G	41.32	54.00	-12.68	3	Vertical	270	2.83
2462MHz	Pass	PK	4.92408G	47.63	74.00	-26.37	3	Vertical	270	2.83
2462MHz	Pass	AV	4.92394G	34.60	54.00	-19.40	3	Horizontal	166	1.48
2462MHz	Pass	PK	4.92426G	44.88	74.00	-29.12	3	Horizontal	166	1.48
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	52.43	54.00	-1.57	3	Horizontal	0	1.22
2412MHz	Pass	AV	2.4134G	102.49	Inf	-Inf	3	Horizontal	0	1.22
2412MHz	Pass	PK	2.3898G	66.93	74.00	-7.07	3	Horizontal	0	1.22
2412MHz	Pass	PK	2.4166G	113.92	Inf	-Inf	3	Horizontal	0	1.22
2412MHz	Pass	AV	4.82398G	29.70	54.00	-24.30	3	Vertical	304	2.87
2412MHz	Pass	PK	4.82288G	43.58	74.00	-30.42	3	Vertical	304	2.87
2412MHz	Pass	AV	4.82274G	28.83	54.00	-25.17	3	Horizontal	313	2.56
2412MHz	Pass	PK	4.82694G	43.15	74.00	-30.85	3	Horizontal	313	2.56
2417MHz	Pass	AV	2.39G	53.78	54.00	-0.22	3	Horizontal	0	1.00
2417MHz	Pass	AV	2.4138G	100.70	Inf	-Inf	3	Horizontal	0	1.00
2417MHz	Pass	PK	2.39G	67.07	74.00	-6.93	3	Horizontal	0	1.00
2417MHz	Pass	PK	2.4144G	112.10	Inf	-Inf	3	Horizontal	0	1.00
2437MHz	Pass	AV	2.3898G	50.42	54.00	-3.58	3	Horizontal	353	1.50
2437MHz	Pass	AV	2.435G	104.30	Inf	-Inf	3	Horizontal	353	1.50
2437MHz	Pass	AV	2.4835G	53.39	54.00	-0.61	3	Horizontal	353	1.50
2437MHz	Pass	PK	2.3898G	64.16	74.00	-9.84	3	Horizontal	353	1.50
2437MHz	Pass	PK	2.437G	116.35	Inf	-Inf	3	Horizontal	353	1.50
2437MHz	Pass	PK	2.4838G	68.93	74.00	-5.07	3	Horizontal	353	1.50
2437MHz	Pass	AV	4.87438G	30.31	54.00	-23.69	3	Vertical	307	2.68
2437MHz	Pass	PK	4.87516G	44.60	74.00	-29.40	3	Vertical	307	2.68
2437MHz	Pass	AV	4.87484G	29.33	54.00	-24.67	3	Horizontal	167	1.38
2437MHz	Pass	PK	4.87876G	43.80	74.00	-30.20	3	Horizontal	167	1.38
2457MHz	Pass	AV	2.464G	103.54	Inf	-Inf	3	Horizontal	352	1.00
2457MHz	Pass	AV	2.4835G	53.61	54.00	-0.39	3	Horizontal	352	1.00
2457MHz	Pass	PK	2.4634G	115.42	Inf	-Inf	3	Horizontal	352	1.00




RSE TX above 1GHz_Non-Beamforming_Radio 1_ Dual-Polarized MIMO Panel Antenna_1T1S

Appendix F.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2457MHz	Pass	PK	2.4838G	68.56	74.00	-5.44	3	Horizontal	352	1.00
2462MHz	Pass	AV	2.4648G	102.98	Inf	-Inf	3	Horizontal	351	1.03
2462MHz	Pass	AV	2.4835G	52.90	54.00	-1.10	3	Horizontal	351	1.03
2462MHz	Pass	PK	2.4658G	114.56	Inf	-Inf	3	Horizontal	351	1.03
2462MHz	Pass	PK	2.4836G	68.99	74.00	-5.01	3	Horizontal	351	1.03
2462MHz	Pass	AV	4.9239G	31.03	54.00	-22.97	3	Vertical	269	2.76
2462MHz	Pass	PK	4.92328G	45.32	74.00	-28.68	3	Vertical	269	2.76
2462MHz	Pass	AV	4.92078G	29.58	54.00	-24.42	3	Horizontal	53	1.50
2462MHz	Pass	PK	4.9194G	43.48	74.00	-30.52	3	Horizontal	53	1.50
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	51.37	54.00	-2.63	3	Horizontal	0	1.22
2412MHz	Pass	AV	2.4134G	101.82	Inf	-Inf	3	Horizontal	0	1.22
2412MHz	Pass	PK	2.39G	65.32	74.00	-8.68	3	Horizontal	0	1.22
2412MHz	Pass	PK	2.4148G	115.47	Inf	-Inf	3	Horizontal	0	1.22
2412MHz	Pass	AV	4.82394G	29.36	54.00	-24.64	3	Vertical	268	2.37
2412MHz	Pass	PK	4.82374G	44.00	74.00	-30.00	3	Vertical	268	2.37
2412MHz	Pass	AV	4.82546G	28.70	54.00	-25.30	3	Horizontal	6	1.50
2412MHz	Pass	PK	4.82542G	42.93	74.00	-31.07	3	Horizontal	6	1.50
2417MHz	Pass	AV	2.39G	53.43	54.00	-0.57	3	Horizontal	0	1.24
2417MHz	Pass	AV	2.4142G	100.47	Inf	-Inf	3	Horizontal	0	1.24
2417MHz	Pass	PK	2.3898G	65.80	74.00	-8.20	3	Horizontal	0	1.24
2417MHz	Pass	PK	2.414G	114.03	Inf	-Inf	3	Horizontal	0	1.24
2437MHz	Pass	AV	2.3898G	50.74	54.00	-3.26	3	Horizontal	351	1.00
2437MHz	Pass	AV	2.4346G	103.32	Inf	-Inf	3	Horizontal	351	1.00
2437MHz	Pass	AV	2.4835G	53.01	54.00	-0.99	3	Horizontal	351	1.00
2437MHz	Pass	PK	2.3894G	64.90	74.00	-9.10	3	Horizontal	351	1.00
2437MHz	Pass	PK	2.4394G	117.12	Inf	-Inf	3	Horizontal	351	1.00
2437MHz	Pass	PK	2.4838G	66.28	74.00	-7.72	3	Horizontal	351	1.00
2437MHz	Pass	AV	4.87452G	30.30	54.00	-23.70	3	Vertical	302	2.71
2437MHz	Pass	PK	4.87464G	43.96	74.00	-30.04	3	Vertical	302	2.71
2437MHz	Pass	AV	4.87546G	29.42	54.00	-24.58	3	Horizontal	171	2.16
2437MHz	Pass	PK	4.87524G	44.33	74.00	-29.67	3	Horizontal	171	2.16
2457MHz	Pass	AV	2.4646G	103.01	Inf	-Inf	3	Horizontal	354	1.00
2457MHz	Pass	AV	2.4835G	53.51	54.00	-0.49	3	Horizontal	354	1.00
2457MHz	Pass	PK	2.4638G	116.66	Inf	-Inf	3	Horizontal	354	1.00
2457MHz	Pass	PK	2.4838G	70.97	74.00	-3.03	3	Horizontal	354	1.00
2462MHz	Pass	AV	2.4656G	102.24	Inf	-Inf	3	Horizontal	354	1.00
2462MHz	Pass	AV	2.4835G	53.21	54.00	-0.79	3	Horizontal	354	1.00
2462MHz	Pass	PK	2.4676G	116.13	Inf	-Inf	3	Horizontal	354	1.00
2462MHz	Pass	PK	2.4836G	67.68	74.00	-6.32	3	Horizontal	354	1.00
2462MHz	Pass	AV	4.92382G	31.47	54.00	-22.53	3	Vertical	269	2.85
2462MHz	Pass	PK	4.92412G	45.92	74.00	-28.08	3	Vertical	269	2.85
2462MHz	Pass	AV	4.9234G	29.95	54.00	-24.05	3	Horizontal	191	2.79
2462MHz	Pass	PK	4.92228G	43.94	74.00	-30.06	3	Horizontal	191	2.79


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2417MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2417MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2457MHz_TX





**RSE TX below 1GHz_Non-Beamforming_Radio 1_
Dual-Polarized MIMO Panel Antenna_2T1S**

Appendix F.9

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	51.34M	36.22	40.00	-3.78	3	Vertical	360	1.00



**RSE TX below 1GHz_Non-Beamforming_Radio 1_
Dual-Polarized MIMO Panel Antenna_2T1S**


Appendix F.9

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	51.34M	36.22	40.00	-3.78	3	Vertical	360	1.00
2437MHz	Pass	PK	66.86M	30.29	40.00	-9.71	3	Vertical	360	1.00
2437MHz	Pass	PK	249.22M	23.29	46.00	-22.71	3	Vertical	360	1.00
2437MHz	Pass	PK	449.04M	29.29	46.00	-16.71	3	Vertical	360	1.00
2437MHz	Pass	PK	716.76M	38.14	46.00	-7.86	3	Vertical	360	1.00
2437MHz	Pass	QP	35.82M	31.20	40.00	-8.80	3	Vertical	182	1.50
2437MHz	Pass	PK	33.88M	29.18	40.00	-10.82	3	Horizontal	0	1.00
2437MHz	Pass	PK	49.4M	27.54	40.00	-12.46	3	Horizontal	0	1.00
2437MHz	Pass	PK	111.48M	24.66	43.50	-18.84	3	Horizontal	0	1.00
2437MHz	Pass	PK	249.22M	27.45	46.00	-18.55	3	Horizontal	0	1.00
2437MHz	Pass	PK	449.04M	30.08	46.00	-15.92	3	Horizontal	0	1.00
2437MHz	Pass	PK	722.58M	31.22	46.00	-14.78	3	Horizontal	0	1.00


2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_Adapter



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_Adapter





RSE TX above 1GHz_Non-Beamforming_Radio 1_ Dual-Polarized MIMO Panel Antenna_2T1S

Appendix F.10

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	2.4838G	53.09	54.00	-0.91	3	Vertical	24	1.50
802.11g_Nss1,(6Mbps)_2TX	Pass	AV	2.39G	53.79	54.00	-0.21	3	Horizontal	355	2.59
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	2.4836G	53.87	54.00	-0.13	3	Horizontal	354	2.68



RSE TX above 1GHz_Non-Beamforming_Radio 1_ Dual-Polarized MIMO Panel Antenna_2T1S

Appendix F.10

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	45.58	54.00	-8.42	3	Vertical	16	2.27
2412MHz	Pass	AV	2.4128G	108.56	Inf	-Inf	3	Vertical	16	2.27
2412MHz	Pass	PK	2.3872G	59.32	74.00	-14.68	3	Vertical	16	2.27
2412MHz	Pass	PK	2.4128G	111.36	Inf	-Inf	3	Vertical	16	2.27
2412MHz	Pass	AV	2.3892G	51.17	54.00	-2.83	3	Horizontal	357	1.24
2412MHz	Pass	AV	2.4128G	107.81	Inf	-Inf	3	Horizontal	357	1.24
2412MHz	Pass	PK	2.3896G	60.59	74.00	-13.41	3	Horizontal	357	1.24
2412MHz	Pass	PK	2.413G	110.61	Inf	-Inf	3	Horizontal	357	1.24
2412MHz	Pass	AV	4.82396G	39.84	54.00	-14.16	3	Vertical	300	2.52
2412MHz	Pass	PK	4.82396G	46.93	74.00	-27.07	3	Vertical	300	2.52
2412MHz	Pass	AV	4.824G	35.53	54.00	-18.47	3	Horizontal	168	2.67
2412MHz	Pass	PK	4.82384G	44.45	74.00	-29.55	3	Horizontal	168	2.67
2417MHz	Pass	AV	2.3892G	52.29	54.00	-1.71	3	Vertical	3	1.78
2417MHz	Pass	AV	2.4178G	109.89	Inf	-Inf	3	Vertical	3	1.78
2417MHz	Pass	PK	2.39G	64.85	74.00	-9.15	3	Vertical	3	1.78
2417MHz	Pass	PK	2.4178G	112.70	Inf	-Inf	3	Vertical	3	1.78
2417MHz	Pass	AV	2.3892G	46.66	54.00	-7.34	3	Horizontal	348	2.80
2417MHz	Pass	AV	2.4162G	110.54	Inf	-Inf	3	Horizontal	348	2.80
2417MHz	Pass	PK	2.3888G	59.25	74.00	-14.75	3	Horizontal	348	2.80
2417MHz	Pass	PK	2.4162G	113.30	Inf	-Inf	3	Horizontal	348	2.80
2437MHz	Pass	AV	2.3854G	47.37	54.00	-6.63	3	Vertical	0	1.13
2437MHz	Pass	AV	2.4378G	113.14	Inf	-Inf	3	Vertical	0	1.13
2437MHz	Pass	AV	2.4846G	51.04	54.00	-2.96	3	Vertical	0	1.13
2437MHz	Pass	PK	2.389G	59.90	74.00	-14.10	3	Vertical	0	1.13
2437MHz	Pass	PK	2.4362G	115.84	Inf	-Inf	3	Vertical	0	1.13
2437MHz	Pass	PK	2.4835G	62.01	74.00	-11.99	3	Vertical	0	1.13
2437MHz	Pass	AV	2.3898G	48.78	54.00	-5.22	3	Horizontal	357	1.50
2437MHz	Pass	AV	2.4362G	111.95	Inf	-Inf	3	Horizontal	357	1.50
2437MHz	Pass	AV	2.4838G	49.24	54.00	-4.76	3	Horizontal	357	1.50
2437MHz	Pass	PK	2.3622G	60.31	74.00	-13.69	3	Horizontal	357	1.50
2437MHz	Pass	PK	2.4362G	114.66	Inf	-Inf	3	Horizontal	357	1.50
2437MHz	Pass	PK	2.4835G	62.08	74.00	-11.92	3	Horizontal	357	1.50
2437MHz	Pass	AV	4.87404G	42.43	54.00	-11.57	3	Vertical	301	2.74
2437MHz	Pass	PK	4.87382G	47.54	74.00	-26.46	3	Vertical	301	2.74
2437MHz	Pass	AV	4.87398G	38.73	54.00	-15.27	3	Horizontal	167	2.70
2437MHz	Pass	PK	4.87392G	46.34	74.00	-27.66	3	Horizontal	167	2.70
2457MHz	Pass	AV	2.4578G	109.65	Inf	-Inf	3	Vertical	24	1.50
2457MHz	Pass	AV	2.4838G	53.09	54.00	-0.91	3	Vertical	24	1.50
2457MHz	Pass	PK	2.4578G	112.46	Inf	-Inf	3	Vertical	24	1.50
2457MHz	Pass	PK	2.4846G	63.84	74.00	-10.16	3	Vertical	24	1.50
2457MHz	Pass	AV	2.4578G	110.06	Inf	-Inf	3	Horizontal	352	2.76
2457MHz	Pass	AV	2.4835G	47.67	54.00	-6.33	3	Horizontal	352	2.76
2457MHz	Pass	PK	2.4578G	112.84	Inf	-Inf	3	Horizontal	352	2.76
2457MHz	Pass	PK	2.489G	60.29	74.00	-13.71	3	Horizontal	352	2.76
2462MHz	Pass	AV	2.4628G	110.72	Inf	-Inf	3	Vertical	5	1.01
2462MHz	Pass	AV	2.4835G	47.70	54.00	-6.30	3	Vertical	5	1.01
2462MHz	Pass	PK	2.4628G	113.59	Inf	-Inf	3	Vertical	5	1.01
2462MHz	Pass	PK	2.4886G	61.03	74.00	-12.97	3	Vertical	5	1.01
2462MHz	Pass	AV	2.4628G	110.83	Inf	-Inf	3	Horizontal	354	1.50
2462MHz	Pass	AV	2.4862G	51.13	54.00	-2.87	3	Horizontal	354	1.50
2462MHz	Pass	PK	2.4628G	113.61	Inf	-Inf	3	Horizontal	354	1.50
2462MHz	Pass	PK	2.486G	63.06	74.00	-10.94	3	Horizontal	354	1.50
2462MHz	Pass	AV	4.92398G	44.89	54.00	-9.11	3	Vertical	272	2.88
2462MHz	Pass	PK	4.92392G	49.60	74.00	-24.40	3	Vertical	272	2.88
2462MHz	Pass	AV	4.924G	39.84	54.00	-14.16	3	Horizontal	166	2.78
2462MHz	Pass	PK	4.92414G	46.88	74.00	-27.12	3	Horizontal	166	2.78
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	51.97	54.00	-2.03	3	Vertical	7	1.00
2412MHz	Pass	AV	2.4154G	103.89	Inf	-Inf	3	Vertical	7	1.00
2412MHz	Pass	PK	2.3894G	67.47	74.00	-6.53	3	Vertical	7	1.00



**RSE TX above 1GHz_Non-Beamforming_Radio 1_
Dual-Polarized MIMO Panel Antenna_2T1S**

Appendix F.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz	Pass	PK	2.4158G	114.44	Inf	-Inf	3	Vertical	7	1.00
2412MHz	Pass	AV	2.39G	53.17	54.00	-0.83	3	Horizontal	360	1.50
2412MHz	Pass	AV	2.4186G	101.70	Inf	-Inf	3	Horizontal	360	1.50
2412MHz	Pass	PK	2.39G	71.95	74.00	-2.05	3	Horizontal	360	1.50
2412MHz	Pass	PK	2.4186G	113.37	Inf	-Inf	3	Horizontal	360	1.50
2412MHz	Pass	AV	4.82224G	31.73	54.00	-22.27	3	Vertical	299	2.59
2412MHz	Pass	PK	4.82234G	45.81	74.00	-28.19	3	Vertical	299	2.59
2412MHz	Pass	AV	4.8222G	30.19	54.00	-23.81	3	Horizontal	259	2.95
2412MHz	Pass	PK	4.82896G	44.45	74.00	-29.55	3	Horizontal	259	2.95
2417MHz	Pass	AV	2.3892G	52.11	54.00	-1.89	3	Vertical	357	2.14
2417MHz	Pass	AV	2.4238G	102.46	Inf	-Inf	3	Vertical	357	2.14
2417MHz	Pass	PK	2.3892G	64.65	74.00	-9.35	3	Vertical	357	2.14
2417MHz	Pass	PK	2.4234G	113.93	Inf	-Inf	3	Vertical	357	2.14
2417MHz	Pass	AV	2.39G	53.79	54.00	-0.21	3	Horizontal	355	2.59
2417MHz	Pass	AV	2.4108G	103.60	Inf	-Inf	3	Horizontal	355	2.59
2417MHz	Pass	PK	2.3898G	66.48	74.00	-7.52	3	Horizontal	355	2.59
2417MHz	Pass	PK	2.4116G	114.25	Inf	-Inf	3	Horizontal	355	2.59
2437MHz	Pass	AV	2.3898G	51.33	54.00	-2.67	3	Vertical	7	1.12
2437MHz	Pass	AV	2.4362G	105.75	Inf	-Inf	3	Vertical	7	1.12
2437MHz	Pass	AV	2.4835G	53.53	54.00	-0.47	3	Vertical	7	1.12
2437MHz	Pass	PK	2.3898G	65.01	74.00	-8.99	3	Vertical	7	1.12
2437MHz	Pass	PK	2.4358G	116.31	Inf	-Inf	3	Vertical	7	1.12
2437MHz	Pass	PK	2.4842G	69.77	74.00	-4.23	3	Vertical	7	1.12
2437MHz	Pass	AV	2.3898G	51.93	54.00	-2.07	3	Horizontal	360	1.50
2437MHz	Pass	AV	2.429G	106.09	Inf	-Inf	3	Horizontal	360	1.50
2437MHz	Pass	AV	2.4835G	53.54	54.00	-0.46	3	Horizontal	360	1.50
2437MHz	Pass	PK	2.3894G	68.50	74.00	-5.50	3	Horizontal	360	1.50
2437MHz	Pass	PK	2.433G	117.61	Inf	-Inf	3	Horizontal	360	1.50
2437MHz	Pass	PK	2.485G	68.84	74.00	-5.16	3	Horizontal	360	1.50
2437MHz	Pass	AV	4.87726G	32.93	54.00	-21.07	3	Vertical	301	2.51
2437MHz	Pass	PK	4.87226G	46.72	74.00	-27.28	3	Vertical	301	2.51
2437MHz	Pass	AV	4.87722G	30.80	54.00	-23.20	3	Horizontal	168	2.64
2437MHz	Pass	PK	4.87262G	44.51	74.00	-29.49	3	Horizontal	168	2.64
2457MHz	Pass	AV	2.458G	103.28	Inf	-Inf	3	Vertical	22	1.50
2457MHz	Pass	AV	2.4835G	51.09	54.00	-2.91	3	Vertical	22	1.50
2457MHz	Pass	PK	2.4532G	114.76	Inf	-Inf	3	Vertical	22	1.50
2457MHz	Pass	PK	2.484G	64.80	74.00	-9.20	3	Vertical	22	1.50
2457MHz	Pass	AV	2.4612G	103.81	Inf	-Inf	3	Horizontal	5	2.48
2457MHz	Pass	AV	2.4848G	53.25	54.00	-0.75	3	Horizontal	5	2.48
2457MHz	Pass	PK	2.461G	114.85	Inf	-Inf	3	Horizontal	5	2.48
2457MHz	Pass	PK	2.4854G	68.21	74.00	-5.79	3	Horizontal	5	2.48
2462MHz	Pass	AV	2.4662G	105.20	Inf	-Inf	3	Vertical	6	1.06
2462MHz	Pass	AV	2.4836G	53.57	54.00	-0.43	3	Vertical	6	1.06
2462MHz	Pass	PK	2.4666G	116.19	Inf	-Inf	3	Vertical	6	1.06
2462MHz	Pass	PK	2.484G	69.99	74.00	-4.01	3	Vertical	6	1.06
2462MHz	Pass	AV	2.466G	102.00	Inf	-Inf	3	Horizontal	356	1.50
2462MHz	Pass	AV	2.4835G	50.99	54.00	-3.01	3	Horizontal	356	1.50
2462MHz	Pass	PK	2.4658G	112.57	Inf	-Inf	3	Horizontal	356	1.50
2462MHz	Pass	PK	2.4836G	65.66	74.00	-8.34	3	Horizontal	356	1.50
2462MHz	Pass	AV	4.92246G	34.67	54.00	-19.33	3	Vertical	273	2.88
2462MHz	Pass	PK	4.927G	48.86	74.00	-25.14	3	Vertical	273	2.88
2462MHz	Pass	AV	4.92224G	31.73	54.00	-22.27	3	Horizontal	167	2.78
2462MHz	Pass	PK	4.92688G	45.23	74.00	-28.77	3	Horizontal	167	2.78
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	50.91	54.00	-3.09	3	Vertical	352	1.00
2412MHz	Pass	AV	2.414G	102.63	Inf	-Inf	3	Vertical	352	1.00
2412MHz	Pass	PK	2.3894G	64.61	74.00	-9.39	3	Vertical	352	1.00
2412MHz	Pass	PK	2.4134G	115.91	Inf	-Inf	3	Vertical	352	1.00
2412MHz	Pass	AV	2.39G	52.04	54.00	-1.96	3	Horizontal	0	1.50
2412MHz	Pass	AV	2.4202G	100.51	Inf	-Inf	3	Horizontal	0	1.50
2412MHz	Pass	PK	2.3896G	68.30	74.00	-5.70	3	Horizontal	0	1.50
2412MHz	Pass	PK	2.4202G	113.96	Inf	-Inf	3	Horizontal	0	1.50




RSE TX above 1GHz_Non-Beamforming_Radio 1_ Dual-Polarized MIMO Panel Antenna_2T1S

Appendix F.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz	Pass	AV	4.82556G	30.84	54.00	-23.16	3	Vertical	271	2.67
2412MHz	Pass	PK	4.82842G	43.95	74.00	-30.05	3	Vertical	271	2.67
2412MHz	Pass	AV	4.82314G	29.97	54.00	-24.03	3	Horizontal	258	2.96
2412MHz	Pass	PK	4.82868G	43.87	74.00	-30.13	3	Horizontal	258	2.96
2417MHz	Pass	AV	2.39G	53.50	54.00	-0.50	3	Vertical	0	2.11
2417MHz	Pass	AV	2.4254G	102.25	Inf	-Inf	3	Vertical	0	2.11
2417MHz	Pass	PK	2.39G	67.42	74.00	-6.58	3	Vertical	0	2.11
2417MHz	Pass	PK	2.4252G	115.90	Inf	-Inf	3	Vertical	0	2.11
2417MHz	Pass	AV	2.389G	49.70	54.00	-4.30	3	Horizontal	338	2.59
2417MHz	Pass	AV	2.4192G	98.90	Inf	-Inf	3	Horizontal	338	2.59
2417MHz	Pass	PK	2.379G	59.38	74.00	-14.62	3	Horizontal	338	2.59
2417MHz	Pass	PK	2.4148G	107.88	Inf	-Inf	3	Horizontal	338	2.59
2437MHz	Pass	AV	2.3894G	51.32	54.00	-2.68	3	Vertical	353	1.00
2437MHz	Pass	AV	2.4342G	104.18	Inf	-Inf	3	Vertical	353	1.00
2437MHz	Pass	AV	2.4838G	53.50	54.00	-0.50	3	Vertical	353	1.00
2437MHz	Pass	PK	2.3898G	65.61	74.00	-8.39	3	Vertical	353	1.00
2437MHz	Pass	PK	2.4318G	118.75	Inf	-Inf	3	Vertical	353	1.00
2437MHz	Pass	PK	2.4842G	68.60	74.00	-5.40	3	Vertical	353	1.00
2437MHz	Pass	AV	2.3898G	53.09	54.00	-0.91	3	Horizontal	5	1.50
2437MHz	Pass	AV	2.4302G	105.31	Inf	-Inf	3	Horizontal	5	1.50
2437MHz	Pass	AV	2.4835G	52.83	54.00	-1.17	3	Horizontal	5	1.50
2437MHz	Pass	PK	2.3894G	67.58	74.00	-6.42	3	Horizontal	5	1.50
2437MHz	Pass	PK	2.4282G	118.51	Inf	-Inf	3	Horizontal	5	1.50
2437MHz	Pass	PK	2.4835G	66.93	74.00	-7.07	3	Horizontal	5	1.50
2437MHz	Pass	AV	4.87546G	32.24	54.00	-21.76	3	Vertical	303	2.72
2437MHz	Pass	PK	4.87574G	46.46	74.00	-27.54	3	Vertical	303	2.72
2437MHz	Pass	AV	4.87576G	30.59	54.00	-23.41	3	Horizontal	167	2.72
2437MHz	Pass	PK	4.87822G	44.84	74.00	-29.16	3	Horizontal	167	2.72
2457MHz	Pass	AV	2.4552G	101.87	Inf	-Inf	3	Vertical	22	1.50
2457MHz	Pass	AV	2.4835G	50.26	54.00	-3.74	3	Vertical	22	1.50
2457MHz	Pass	PK	2.458G	115.34	Inf	-Inf	3	Vertical	22	1.50
2457MHz	Pass	PK	2.4846G	65.87	74.00	-8.13	3	Vertical	22	1.50
2457MHz	Pass	AV	2.4642G	103.68	Inf	-Inf	3	Horizontal	354	2.68
2457MHz	Pass	AV	2.4836G	53.87	54.00	-0.13	3	Horizontal	354	2.68
2457MHz	Pass	PK	2.4638G	117.69	Inf	-Inf	3	Horizontal	354	2.68
2457MHz	Pass	PK	2.4835G	72.09	74.00	-1.91	3	Horizontal	354	2.68
2462MHz	Pass	AV	2.4664G	103.67	Inf	-Inf	3	Vertical	9	1.00
2462MHz	Pass	AV	2.4835G	52.97	54.00	-1.03	3	Vertical	9	1.00
2462MHz	Pass	PK	2.464G	117.03	Inf	-Inf	3	Vertical	9	1.00
2462MHz	Pass	PK	2.4835G	69.01	74.00	-4.99	3	Vertical	9	1.00
2462MHz	Pass	AV	2.4666G	101.13	Inf	-Inf	3	Horizontal	354	1.50
2462MHz	Pass	AV	2.4835G	51.92	54.00	-2.08	3	Horizontal	354	1.50
2462MHz	Pass	PK	2.4662G	113.84	Inf	-Inf	3	Horizontal	354	1.50
2462MHz	Pass	PK	2.4835G	66.40	74.00	-7.60	3	Horizontal	354	1.50
2462MHz	Pass	AV	4.92314G	33.84	54.00	-20.16	3	Vertical	272	2.93
2462MHz	Pass	PK	4.92602G	46.67	74.00	-27.33	3	Vertical	272	2.93
2462MHz	Pass	AV	4.92318G	31.20	54.00	-22.80	3	Horizontal	167	2.66
2462MHz	Pass	PK	4.921G	44.96	74.00	-29.04	3	Horizontal	167	2.66


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2457MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2457MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2457MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2457MHz_TX





**RSE TX below 1GHz_Non-Beamforming_Radio 1_
Dual-Polarized MIMO Panel Antenna_2T2S**

Appendix F.11

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	QP	35.82M	31.77	40.00	-8.23	3	Vertical	64	1.50



**RSE TX below 1GHz_Non-Beamforming_Radio 1_
Dual-Polarized MIMO Panel Antenna_2T2S**


Appendix F.11

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	90.14M	27.60	43.50	-15.90	3	Vertical	0	1.00
2437MHz	Pass	PK	140.58M	22.87	43.50	-20.63	3	Vertical	0	1.00
2437MHz	Pass	PK	249.22M	22.93	46.00	-23.07	3	Vertical	0	1.00
2437MHz	Pass	PK	449.04M	29.43	46.00	-16.57	3	Vertical	0	1.00
2437MHz	Pass	PK	716.76M	35.48	46.00	-10.52	3	Vertical	0	1.00
2437MHz	Pass	QP	35.82M	31.77	40.00	-8.23	3	Vertical	64	1.50
2437MHz	Pass	PK	35.82M	29.95	40.00	-10.05	3	Horizontal	360	1.00
2437MHz	Pass	PK	111.48M	23.59	43.50	-19.91	3	Horizontal	360	1.00
2437MHz	Pass	PK	140.58M	21.64	43.50	-21.86	3	Horizontal	360	1.00
2437MHz	Pass	PK	249.22M	27.95	46.00	-18.05	3	Horizontal	360	1.00
2437MHz	Pass	PK	449.04M	29.58	46.00	-16.42	3	Horizontal	360	1.00
2437MHz	Pass	PK	722.58M	32.76	46.00	-13.24	3	Horizontal	360	1.00


2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_Adapter



2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_Adapter





**RSE TX above 1GHz_Non-Beamforming_Radio 1_
Dual-Polarized MIMO Panel Antenna_2T2S**

Appendix F.12

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	2.39G	53.85	54.00	-0.15	3	Vertical	0	1.50



RSE TX above 1GHz_Non-Beamforming_Radio 1_ Dual-Polarized MIMO Panel Antenna_2T2S


Appendix F.12

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	53.85	54.00	-0.15	3	Vertical	0	1.50
2412MHz	Pass	AV	2.4204G	100.38	Inf	-Inf	3	Vertical	0	1.50
2412MHz	Pass	PK	2.3896G	70.80	74.00	-3.20	3	Vertical	0	1.50
2412MHz	Pass	PK	2.4206G	113.64	Inf	-Inf	3	Vertical	0	1.50
2412MHz	Pass	AV	2.39G	50.67	54.00	-3.33	3	Horizontal	338	2.57
2412MHz	Pass	AV	2.4134G	100.08	Inf	-Inf	3	Horizontal	338	2.57
2412MHz	Pass	PK	2.39G	64.30	74.00	-9.70	3	Horizontal	338	2.57
2412MHz	Pass	PK	2.415G	114.84	Inf	-Inf	3	Horizontal	338	2.57
2412MHz	Pass	AV	4.82502G	30.19	54.00	-23.81	3	Vertical	294	1.90
2412MHz	Pass	PK	4.8357G	44.12	74.00	-29.88	3	Vertical	294	1.90
2412MHz	Pass	AV	4.8249G	29.27	54.00	-24.73	3	Horizontal	285	1.37
2412MHz	Pass	PK	4.82658G	43.38	74.00	-30.62	3	Horizontal	285	1.37
2417MHz	Pass	AV	2.39G	53.12	54.00	-0.88	3	Vertical	0	2.10
2417MHz	Pass	AV	2.425G	101.89	Inf	-Inf	3	Vertical	0	2.10
2417MHz	Pass	PK	2.3892G	66.81	74.00	-7.19	3	Vertical	0	2.10
2417MHz	Pass	PK	2.425G	116.54	Inf	-Inf	3	Vertical	0	2.10
2417MHz	Pass	AV	2.39G	53.72	54.00	-0.28	3	Horizontal	16	1.01
2417MHz	Pass	AV	2.4144G	100.95	Inf	-Inf	3	Horizontal	16	1.01
2417MHz	Pass	PK	2.39G	67.33	74.00	-6.67	3	Horizontal	16	1.01
2417MHz	Pass	PK	2.4202G	114.41	Inf	-Inf	3	Horizontal	16	1.01
2437MHz	Pass	AV	2.3898G	53.57	54.00	-0.43	3	Vertical	0	1.00
2437MHz	Pass	AV	2.4262G	103.16	Inf	-Inf	3	Vertical	0	1.00
2437MHz	Pass	AV	2.4835G	53.09	54.00	-0.91	3	Vertical	0	1.00
2437MHz	Pass	PK	2.3886G	68.39	74.00	-5.61	3	Vertical	0	1.00
2437MHz	Pass	PK	2.4282G	116.48	Inf	-Inf	3	Vertical	0	1.00
2437MHz	Pass	PK	2.4842G	67.47	74.00	-6.53	3	Vertical	0	1.00
2437MHz	Pass	AV	2.3898G	49.16	54.00	-4.84	3	Horizontal	350	2.51
2437MHz	Pass	AV	2.4354G	102.30	Inf	-Inf	3	Horizontal	350	2.51
2437MHz	Pass	AV	2.4835G	52.82	54.00	-1.18	3	Horizontal	350	2.51
2437MHz	Pass	PK	2.3894G	59.42	74.00	-14.58	3	Horizontal	350	2.51
2437MHz	Pass	PK	2.4326G	106.70	Inf	-Inf	3	Horizontal	350	2.51
2437MHz	Pass	PK	2.489G	60.21	74.00	-13.79	3	Horizontal	350	2.51
2437MHz	Pass	AV	4.8791G	31.14	54.00	-22.86	3	Vertical	304	2.73
2437MHz	Pass	PK	4.88132G	45.09	74.00	-28.91	3	Vertical	304	2.73
2437MHz	Pass	AV	4.88528G	29.50	54.00	-24.50	3	Horizontal	285	1.74
2437MHz	Pass	PK	4.8755G	44.18	74.00	-29.82	3	Horizontal	285	1.74
2457MHz	Pass	AV	2.4608G	102.02	Inf	-Inf	3	Vertical	4	2.30
2457MHz	Pass	AV	2.4835G	52.22	54.00	-1.78	3	Vertical	4	2.30
2457MHz	Pass	PK	2.454G	116.30	Inf	-Inf	3	Vertical	4	2.30
2457MHz	Pass	PK	2.4836G	68.49	74.00	-5.51	3	Vertical	4	2.30
2457MHz	Pass	AV	2.464G	102.11	Inf	-Inf	3	Horizontal	352	1.00
2457MHz	Pass	AV	2.4835G	53.23	54.00	-0.77	3	Horizontal	352	1.00
2457MHz	Pass	PK	2.465G	115.62	Inf	-Inf	3	Horizontal	352	1.00
2457MHz	Pass	PK	2.4836G	71.14	74.00	-2.86	3	Horizontal	352	1.00
2462MHz	Pass	AV	2.468G	101.30	Inf	-Inf	3	Vertical	2	2.30
2462MHz	Pass	AV	2.4835G	51.00	54.00	-3.00	3	Vertical	2	2.30
2462MHz	Pass	PK	2.469G	115.19	Inf	-Inf	3	Vertical	2	2.30
2462MHz	Pass	PK	2.4842G	68.84	74.00	-5.16	3	Vertical	2	2.30
2462MHz	Pass	AV	2.4656G	101.53	Inf	-Inf	3	Horizontal	350	1.00
2462MHz	Pass	AV	2.4835G	53.64	54.00	-0.36	3	Horizontal	350	1.00
2462MHz	Pass	PK	2.465G	115.14	Inf	-Inf	3	Horizontal	350	1.00
2462MHz	Pass	PK	2.484G	69.48	74.00	-4.52	3	Horizontal	350	1.00
2462MHz	Pass	AV	4.9246G	32.78	54.00	-21.22	3	Vertical	272	2.89
2462MHz	Pass	PK	4.93294G	47.11	74.00	-26.89	3	Vertical	272	2.89
2462MHz	Pass	AV	4.9201G	30.00	54.00	-24.00	3	Horizontal	282	1.46
2462MHz	Pass	PK	4.91218G	44.28	74.00	-29.72	3	Horizontal	282	1.46


2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX





**RSE TX below 1GHz_Non-Beamforming_Radio 1_
Panel Antenna_1T1S**

Appendix F.13

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	PK	68.8M	36.17	40.00	-3.83	3	Horizontal	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	51.34M	34.32	40.00	-5.68	3	Vertical	0	1.00
2437MHz	Pass	PK	119.24M	32.14	43.50	-11.36	3	Vertical	0	1.00
2437MHz	Pass	PK	198.78M	24.62	43.50	-18.88	3	Vertical	0	1.00
2437MHz	Pass	PK	476.2M	36.64	46.00	-9.36	3	Vertical	0	1.00
2437MHz	Pass	PK	716.76M	36.72	46.00	-9.28	3	Vertical	0	1.00
2437MHz	Pass	QP	31.94M	25.36	40.00	-14.64	3	Vertical	323	1.03
2437MHz	Pass	PK	31.94M	34.72	40.00	-5.28	3	Horizontal	360	1.00
2437MHz	Pass	PK	68.8M	36.17	40.00	-3.83	3	Horizontal	360	1.00
2437MHz	Pass	PK	86.26M	35.42	40.00	-4.58	3	Horizontal	360	1.00
2437MHz	Pass	PK	249.22M	27.62	46.00	-18.38	3	Horizontal	360	1.00
2437MHz	Pass	PK	480.08M	36.69	46.00	-9.31	3	Horizontal	360	1.00
2437MHz	Pass	PK	714.82M	35.68	46.00	-10.32	3	Horizontal	360	1.00


2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2437MHz_Adapter



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2437MHz_Adapter





RSE TX above 1GHz_Non-Beamforming_Radio 1_ Panel Antenna_1T1S

Appendix F.14

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	AV	2.3892G	53.44	54.00	-0.56	3	Horizontal	0	2.03
802.11g_Nss1,(6Mbps)_1TX	Pass	AV	2.39G	53.83	54.00	-0.17	3	Horizontal	4	1.50
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	2.39G	53.70	54.00	-0.30	3	Horizontal	0	2.14



RSE TX above 1GHz_Non-Beamforming_Radio 1_ Panel Antenna_1T1S

Appendix F.14

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3892G	53.44	54.00	-0.56	3	Horizontal	0	2.03
2412MHz	Pass	AV	2.4128G	116.03	Inf	-Inf	3	Horizontal	0	2.03
2412MHz	Pass	PK	2.3898G	62.95	74.00	-11.05	3	Horizontal	0	2.03
2412MHz	Pass	PK	2.4128G	118.59	Inf	-Inf	3	Horizontal	0	2.03
2412MHz	Pass	AV	4.82406G	33.26	54.00	-20.74	3	Vertical	293	1.38
2412MHz	Pass	PK	4.82388G	43.74	74.00	-30.26	3	Vertical	293	1.38
2412MHz	Pass	AV	4.824G	31.79	54.00	-22.21	3	Vertical	235	1.50
2412MHz	Pass	PK	4.83132G	43.39	74.00	-30.61	3	Vertical	235	1.50
2417MHz	Pass	AV	2.39G	51.05	54.00	-2.95	3	Horizontal	2	1.50
2417MHz	Pass	AV	2.4162G	115.92	Inf	-Inf	3	Horizontal	2	1.50
2417MHz	Pass	PK	2.3894G	61.23	74.00	-12.77	3	Horizontal	2	1.50
2417MHz	Pass	PK	2.4162G	118.51	Inf	-Inf	3	Horizontal	2	1.50
2437MHz	Pass	AV	2.3898G	48.13	54.00	-5.87	3	Horizontal	0	2.22
2437MHz	Pass	AV	2.4378G	116.79	Inf	-Inf	3	Horizontal	0	2.22
2437MHz	Pass	AV	2.4835G	51.62	54.00	-2.38	3	Horizontal	0	2.22
2437MHz	Pass	PK	2.3886G	60.08	74.00	-13.92	3	Horizontal	0	2.22
2437MHz	Pass	PK	2.4382G	119.38	Inf	-Inf	3	Horizontal	0	2.22
2437MHz	Pass	PK	2.4842G	63.18	74.00	-10.82	3	Horizontal	0	2.22
2437MHz	Pass	AV	4.87406G	36.27	54.00	-17.73	3	Vertical	203	1.50
2437MHz	Pass	PK	4.87388G	45.25	74.00	-28.75	3	Vertical	203	1.50
2437MHz	Pass	AV	4.87406G	34.80	54.00	-19.20	3	Horizontal	234	1.50
2437MHz	Pass	PK	4.874G	43.89	74.00	-30.11	3	Horizontal	234	1.50
2457MHz	Pass	AV	2.4578G	115.14	Inf	-Inf	3	Horizontal	2	1.50
2457MHz	Pass	AV	2.4835G	53.16	54.00	-0.84	3	Horizontal	2	1.50
2457MHz	Pass	PK	2.4578G	117.93	Inf	-Inf	3	Horizontal	2	1.50
2457MHz	Pass	PK	2.4846G	66.21	74.00	-7.79	3	Horizontal	2	1.50
2462MHz	Pass	AV	2.4628G	116.20	Inf	-Inf	3	Horizontal	5	1.95
2462MHz	Pass	AV	2.4874G	53.12	54.00	-0.88	3	Horizontal	5	1.95
2462MHz	Pass	PK	2.4628G	118.74	Inf	-Inf	3	Horizontal	5	1.95
2462MHz	Pass	PK	2.4846G	64.00	74.00	-10.00	3	Horizontal	5	1.95
2462MHz	Pass	AV	4.924G	37.97	54.00	-16.03	3	Vertical	229	1.50
2462MHz	Pass	PK	4.92406G	45.77	74.00	-28.23	3	Vertical	229	1.50
2462MHz	Pass	AV	4.924G	34.54	54.00	-19.46	3	Horizontal	157	1.48
2462MHz	Pass	PK	4.92424G	44.59	74.00	-29.41	3	Horizontal	157	1.48
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	52.81	54.00	-1.19	3	Horizontal	2	1.50
2412MHz	Pass	AV	2.4144G	107.51	Inf	-Inf	3	Horizontal	2	1.50
2412MHz	Pass	PK	2.3894G	66.43	74.00	-7.57	3	Horizontal	2	1.50
2412MHz	Pass	PK	2.418G	118.59	Inf	-Inf	3	Horizontal	2	1.50
2412MHz	Pass	AV	4.82472G	28.56	54.00	-25.44	3	Vertical	293	1.46
2412MHz	Pass	PK	4.82676G	42.94	74.00	-31.06	3	Vertical	293	1.46
2412MHz	Pass	AV	4.8222G	28.31	54.00	-25.69	3	Horizontal	225	1.50
2412MHz	Pass	PK	4.82538G	43.12	74.00	-30.88	3	Horizontal	225	1.50
2417MHz	Pass	AV	2.39G	53.83	54.00	-0.17	3	Horizontal	4	1.50
2417MHz	Pass	AV	2.4158G	103.76	Inf	-Inf	3	Horizontal	4	1.50
2417MHz	Pass	PK	2.3898G	66.60	74.00	-7.40	3	Horizontal	4	1.50
2417MHz	Pass	PK	2.4148G	115.92	Inf	-Inf	3	Horizontal	4	1.50
2437MHz	Pass	AV	2.3898G	50.64	54.00	-3.36	3	Horizontal	6	2.31
2437MHz	Pass	AV	2.441G	109.28	Inf	-Inf	3	Horizontal	6	2.31
2437MHz	Pass	AV	2.4835G	53.38	54.00	-0.62	3	Horizontal	6	2.31
2437MHz	Pass	PK	2.3898G	66.26	74.00	-7.74	3	Horizontal	6	2.31
2437MHz	Pass	PK	2.4422G	120.11	Inf	-Inf	3	Horizontal	6	2.31
2437MHz	Pass	PK	2.4842G	68.48	74.00	-5.52	3	Horizontal	6	2.31
2437MHz	Pass	AV	4.88234G	28.97	54.00	-25.03	3	Vertical	207	1.50
2437MHz	Pass	PK	4.88438G	43.24	74.00	-30.76	3	Vertical	207	1.50
2437MHz	Pass	AV	4.87664G	28.88	54.00	-25.12	3	Horizontal	233	1.50
2437MHz	Pass	PK	4.88402G	42.91	74.00	-31.09	3	Horizontal	233	1.50
2457MHz	Pass	AV	2.4636G	107.26	Inf	-Inf	3	Horizontal	1	1.50
2457MHz	Pass	AV	2.4836G	52.75	54.00	-1.25	3	Horizontal	1	1.50
2457MHz	Pass	PK	2.4634G	118.76	Inf	-Inf	3	Horizontal	1	1.50




RSE TX above 1GHz_Non-Beamforming_Radio 1_ Panel Antenna_1T1S

Appendix F.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2457MHz	Pass	PK	2.4864G	68.07	74.00	-5.93	3	Horizontal	1	1.50
2462MHz	Pass	AV	2.4638G	106.61	Inf	-Inf	3	Horizontal	360	1.50
2462MHz	Pass	AV	2.4835G	50.96	54.00	-3.04	3	Horizontal	360	1.50
2462MHz	Pass	PK	2.4638G	118.23	Inf	-Inf	3	Horizontal	360	1.50
2462MHz	Pass	PK	2.4838G	64.44	74.00	-9.56	3	Horizontal	360	1.50
2462MHz	Pass	AV	4.92322G	29.73	54.00	-24.27	3	Vertical	229	1.50
2462MHz	Pass	PK	4.9156G	43.94	74.00	-30.06	3	Vertical	229	1.50
2462MHz	Pass	AV	4.9237G	29.13	54.00	-24.87	3	Horizontal	281	1.36
2462MHz	Pass	PK	4.93618G	43.10	74.00	-30.90	3	Horizontal	281	1.36
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	52.48	54.00	-1.52	3	Horizontal	1	1.50
2412MHz	Pass	AV	2.416G	105.71	Inf	-Inf	3	Horizontal	1	1.50
2412MHz	Pass	PK	2.3898G	66.32	74.00	-7.68	3	Horizontal	1	1.50
2412MHz	Pass	PK	2.4128G	120.40	Inf	-Inf	3	Horizontal	1	1.50
2412MHz	Pass	AV	4.82322G	28.34	54.00	-25.66	3	Vertical	347	1.50
2412MHz	Pass	PK	4.8105G	42.18	74.00	-31.82	3	Vertical	347	1.50
2412MHz	Pass	AV	4.82208G	28.27	54.00	-25.73	3	Horizontal	174	2.43
2412MHz	Pass	PK	4.83156G	42.82	74.00	-31.18	3	Horizontal	174	2.43
2417MHz	Pass	AV	2.39G	53.70	54.00	-0.30	3	Horizontal	0	2.14
2417MHz	Pass	AV	2.4158G	103.52	Inf	-Inf	3	Horizontal	0	2.14
2417MHz	Pass	PK	2.3894G	65.55	74.00	-8.45	3	Horizontal	0	2.14
2417MHz	Pass	PK	2.4178G	117.48	Inf	-Inf	3	Horizontal	0	2.14
2437MHz	Pass	AV	2.3898G	51.04	54.00	-2.96	3	Horizontal	3	1.73
2437MHz	Pass	AV	2.4406G	108.24	Inf	-Inf	3	Horizontal	3	1.73
2437MHz	Pass	AV	2.4835G	53.39	54.00	-0.61	3	Horizontal	3	1.73
2437MHz	Pass	PK	2.3898G	67.14	74.00	-6.86	3	Horizontal	3	1.73
2437MHz	Pass	PK	2.4426G	121.90	Inf	-Inf	3	Horizontal	3	1.73
2437MHz	Pass	PK	2.4858G	67.82	74.00	-6.18	3	Horizontal	3	1.73
2437MHz	Pass	AV	4.88408G	28.72	54.00	-25.28	3	Vertical	204	1.48
2437MHz	Pass	PK	4.87406G	43.08	74.00	-30.92	3	Vertical	204	1.48
2437MHz	Pass	AV	4.88378G	28.64	54.00	-25.36	3	Horizontal	234	1.54
2437MHz	Pass	PK	4.88522G	43.25	74.00	-30.75	3	Horizontal	234	1.54
2457MHz	Pass	AV	2.4646G	107.66	Inf	-Inf	3	Horizontal	3	1.84
2457MHz	Pass	AV	2.4835G	52.98	54.00	-1.02	3	Horizontal	3	1.84
2457MHz	Pass	PK	2.4628G	121.61	Inf	-Inf	3	Horizontal	3	1.84
2457MHz	Pass	PK	2.4835G	71.73	74.00	-2.27	3	Horizontal	3	1.84
2462MHz	Pass	AV	2.4646G	107.08	Inf	-Inf	3	Horizontal	0	1.69
2462MHz	Pass	AV	2.4835G	53.50	54.00	-0.50	3	Horizontal	0	1.69
2462MHz	Pass	PK	2.4668G	120.87	Inf	-Inf	3	Horizontal	0	1.69
2462MHz	Pass	PK	2.4838G	67.43	74.00	-6.57	3	Horizontal	0	1.69
2462MHz	Pass	AV	4.92064G	29.31	54.00	-24.69	3	Vertical	224	1.66
2462MHz	Pass	PK	4.92808G	43.66	74.00	-30.34	3	Vertical	224	1.66
2462MHz	Pass	AV	4.92058G	29.04	54.00	-24.96	3	Horizontal	78	1.50
2462MHz	Pass	PK	4.91536G	43.00	74.00	-31.00	3	Horizontal	78	1.50


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2417MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX

2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.70	54.00	-0.30	32.08	3	Horizontal	0	2.14	21.62	27.40	4.68	-
AV	2.4158G	103.52	Inf	-Inf	32.25	3	Horizontal	0	2.14	71.27	27.54	4.71	-
PK	2.3894G	65.55	74.00	-8.45	32.07	3	Horizontal	0	2.14	33.48	27.39	4.68	-
PK	2.4178G	117.48	Inf	-Inf	32.23	3	Horizontal	0	2.14	85.25	27.52	4.71	-



**RSE TX below 1GHz_Non-Beamforming_Radio 1_
Panel Antenna_2T1S**

Appendix F.15

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	51.34M	34.13	40.00	-5.87	3	Vertical	0	1.00



RSE TX below 1GHz_Non-Beamforming_Radio 1_ Panel Antenna_2T1S


Appendix F.15

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2437MHz_Adapter	Pass	PK	51.34M	34.13	40.00	-5.87	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	103.72M	31.20	43.50	-12.30	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	148.34M	26.25	43.50	-17.25	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	480.08M	37.98	46.00	-8.02	3	Vertical	0	1.00
2437MHz_Adapter	Pass	PK	732.28M	38.83	46.00	-7.17	3	Vertical	0	1.00
2437MHz_Adapter	Pass	QP	30M	25.94	40.00	-14.06	3	Vertical	263	1.00
2437MHz_Adapter	Pass	PK	30M	33.74	40.00	-6.26	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	86.26M	33.82	40.00	-6.18	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	187.14M	24.20	43.50	-19.30	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	249.22M	27.33	46.00	-18.67	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	480.08M	33.50	46.00	-12.50	3	Horizontal	360	1.00
2437MHz_Adapter	Pass	PK	709M	36.16	46.00	-9.84	3	Horizontal	360	1.00


2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_Adapter



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_Adapter





RSE TX above 1GHz_Non-Beamforming_Radio 1_ Panel Antenna_2T1S

Appendix F.16

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	2.4842G	53.77	54.00	-0.23	3	Horizontal	10	1.50
802.11g_Nss1,(6Mbps)_2TX	Pass	AV	2.4835G	53.90	54.00	-0.10	3	Horizontal	4	1.75
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	2.4835G	53.88	54.00	-0.12	3	Horizontal	7	1.50

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3878G	46.64	54.00	-7.36	3	Vertical	360	2.42
2412MHz	Pass	AV	2.4128G	113.00	Inf	-Inf	3	Vertical	360	2.42
2412MHz	Pass	PK	2.3886G	58.89	74.00	-15.11	3	Vertical	360	2.42
2412MHz	Pass	PK	2.4112G	115.80	Inf	-Inf	3	Vertical	360	2.42
2412MHz	Pass	AV	2.39G	51.49	54.00	-2.51	3	Horizontal	14	2.35
2412MHz	Pass	AV	2.4112G	114.89	Inf	-Inf	3	Horizontal	14	2.35
2412MHz	Pass	PK	2.3894G	62.02	74.00	-11.98	3	Horizontal	14	2.35
2412MHz	Pass	PK	2.4112G	117.73	Inf	-Inf	3	Horizontal	14	2.35
2412MHz	Pass	AV	4.82396G	37.25	54.00	-16.75	3	Vertical	275	2.87
2412MHz	Pass	PK	4.82376G	45.16	74.00	-28.84	3	Vertical	275	2.87
2412MHz	Pass	AV	4.82396G	37.28	54.00	-16.72	3	Horizontal	249	1.19
2412MHz	Pass	PK	4.82392G	45.07	74.00	-28.93	3	Horizontal	249	1.19
2437MHz	Pass	AV	2.3898G	45.65	54.00	-8.35	3	Vertical	357	2.42
2437MHz	Pass	AV	2.4378G	113.49	Inf	-Inf	3	Vertical	357	2.42
2437MHz	Pass	AV	2.4835G	47.84	54.00	-6.16	3	Vertical	357	2.42
2437MHz	Pass	PK	2.389G	58.89	74.00	-15.11	3	Vertical	357	2.42
2437MHz	Pass	PK	2.4382G	116.35	Inf	-Inf	3	Vertical	357	2.42
2437MHz	Pass	PK	2.4835G	60.30	74.00	-13.70	3	Vertical	357	2.42
2437MHz	Pass	AV	2.3898G	47.98	54.00	-6.02	3	Horizontal	8	2.37
2437MHz	Pass	AV	2.4362G	117.09	Inf	-Inf	3	Horizontal	8	2.37
2437MHz	Pass	AV	2.4835G	52.79	54.00	-1.21	3	Horizontal	8	2.37
2437MHz	Pass	PK	2.3886G	60.31	74.00	-13.69	3	Horizontal	8	2.37
2437MHz	Pass	PK	2.4362G	119.72	Inf	-Inf	3	Horizontal	8	2.37
2437MHz	Pass	PK	2.4838G	62.87	74.00	-11.13	3	Horizontal	8	2.37
2437MHz	Pass	AV	4.87404G	35.78	54.00	-18.22	3	Vertical	355	2.98
2437MHz	Pass	PK	4.87388G	43.79	74.00	-30.21	3	Vertical	355	2.98
2437MHz	Pass	AV	4.87404G	35.74	54.00	-18.26	3	Horizontal	9	1.27
2437MHz	Pass	PK	4.87396G	44.06	74.00	-29.94	3	Horizontal	9	1.27
2457MHz	Pass	AV	2.4578G	113.37	Inf	-Inf	3	Vertical	356	2.06
2457MHz	Pass	AV	2.4835G	49.75	54.00	-4.25	3	Vertical	356	2.06
2457MHz	Pass	PK	2.458G	116.23	Inf	-Inf	3	Vertical	356	2.06
2457MHz	Pass	PK	2.4868G	62.30	74.00	-11.70	3	Vertical	356	2.06
2457MHz	Pass	AV	2.4578G	116.35	Inf	-Inf	3	Horizontal	10	1.96
2457MHz	Pass	AV	2.4835G	52.09	54.00	-1.91	3	Horizontal	10	1.96
2457MHz	Pass	PK	2.458G	119.10	Inf	-Inf	3	Horizontal	10	1.96
2457MHz	Pass	PK	2.4838G	63.56	74.00	-10.44	3	Horizontal	10	1.96
2462MHz	Pass	AV	2.4628G	114.13	Inf	-Inf	3	Vertical	354	2.10
2462MHz	Pass	AV	2.4838G	50.20	54.00	-3.80	3	Vertical	354	2.10
2462MHz	Pass	PK	2.4628G	116.83	Inf	-Inf	3	Vertical	354	2.10
2462MHz	Pass	PK	2.486G	61.84	74.00	-12.16	3	Vertical	354	2.10
2462MHz	Pass	AV	2.4628G	116.61	Inf	-Inf	3	Horizontal	10	1.50
2462MHz	Pass	AV	2.4842G	53.77	54.00	-0.23	3	Horizontal	10	1.50
2462MHz	Pass	PK	2.463G	119.44	Inf	-Inf	3	Horizontal	10	1.50
2462MHz	Pass	PK	2.484G	64.60	74.00	-9.40	3	Horizontal	10	1.50
2462MHz	Pass	AV	4.924G	38.85	54.00	-15.15	3	Vertical	51	2.88
2462MHz	Pass	PK	4.92408G	45.95	74.00	-28.05	3	Vertical	51	2.88
2462MHz	Pass	AV	4.924G	38.82	54.00	-15.18	3	Horizontal	27	2.50
2462MHz	Pass	PK	4.92412G	46.13	74.00	-27.87	3	Horizontal	27	2.50
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	53.66	54.00	-0.34	3	Vertical	0	2.37
2412MHz	Pass	AV	2.4152G	107.26	Inf	-Inf	3	Vertical	0	2.37
2412MHz	Pass	PK	2.3896G	67.40	74.00	-6.60	3	Vertical	0	2.37
2412MHz	Pass	PK	2.4138G	118.59	Inf	-Inf	3	Vertical	0	2.37
2412MHz	Pass	AV	2.39G	50.70	54.00	-3.30	3	Horizontal	12	2.57
2412MHz	Pass	AV	2.4174G	106.65	Inf	-Inf	3	Horizontal	12	2.57
2412MHz	Pass	PK	2.39G	66.09	74.00	-7.91	3	Horizontal	12	2.57
2412MHz	Pass	PK	2.4182G	119.16	Inf	-Inf	3	Horizontal	12	2.57
2412MHz	Pass	AV	4.8222G	28.44	54.00	-25.56	3	Vertical	232	2.28
2412MHz	Pass	PK	4.81792G	42.48	74.00	-31.52	3	Vertical	232	2.28
2412MHz	Pass	AV	4.8218G	28.47	54.00	-25.53	3	Horizontal	102	1.12



**RSE TX above 1GHz_Non-Beamforming_Radio 1_
Panel Antenna_2T1S**

Appendix F.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz	Pass	PK	4.82496G	42.46	74.00	-31.54	3	Horizontal	102	1.12
2417MHz	Pass	AV	2.39G	53.78	54.00	-0.22	3	Vertical	352	2.13
2417MHz	Pass	AV	2.415G	102.89	Inf	-Inf	3	Vertical	352	2.13
2417MHz	Pass	PK	2.3894G	65.33	74.00	-8.67	3	Vertical	352	2.13
2417MHz	Pass	PK	2.4148G	114.91	Inf	-Inf	3	Vertical	352	2.13
2417MHz	Pass	AV	2.39G	52.05	54.00	-1.95	3	Horizontal	11	1.50
2417MHz	Pass	AV	2.4222G	101.05	Inf	-Inf	3	Horizontal	11	1.50
2417MHz	Pass	PK	2.39G	63.66	74.00	-10.34	3	Horizontal	11	1.50
2417MHz	Pass	PK	2.4208G	114.69	Inf	-Inf	3	Horizontal	11	1.50
2437MHz	Pass	AV	2.3898G	50.29	54.00	-3.71	3	Vertical	356	2.33
2437MHz	Pass	AV	2.4406G	108.83	Inf	-Inf	3	Vertical	356	2.33
2437MHz	Pass	AV	2.4835G	52.70	54.00	-1.30	3	Vertical	356	2.33
2437MHz	Pass	PK	2.3898G	68.28	74.00	-5.72	3	Vertical	356	2.33
2437MHz	Pass	PK	2.4398G	119.85	Inf	-Inf	3	Vertical	356	2.33
2437MHz	Pass	PK	2.4846G	68.50	74.00	-5.50	3	Vertical	356	2.33
2437MHz	Pass	AV	2.3898G	52.25	54.00	-1.75	3	Horizontal	9	1.50
2437MHz	Pass	AV	2.431G	109.70	Inf	-Inf	3	Horizontal	9	1.50
2437MHz	Pass	AV	2.4835G	53.71	54.00	-0.29	3	Horizontal	9	1.50
2437MHz	Pass	PK	2.3898G	71.26	74.00	-2.74	3	Horizontal	9	1.50
2437MHz	Pass	PK	2.431G	121.45	Inf	-Inf	3	Horizontal	9	1.50
2437MHz	Pass	PK	2.4846G	70.79	74.00	-3.21	3	Horizontal	9	1.50
2437MHz	Pass	AV	4.8814G	28.77	54.00	-25.23	3	Vertical	45	2.91
2437MHz	Pass	PK	4.87084G	42.56	74.00	-31.44	3	Vertical	45	2.91
2437MHz	Pass	AV	4.87852G	28.75	54.00	-25.25	3	Horizontal	248	1.84
2437MHz	Pass	PK	4.86948G	42.74	74.00	-31.26	3	Horizontal	248	1.84
2457MHz	Pass	AV	2.4616G	105.93	Inf	-Inf	3	Vertical	355	2.07
2457MHz	Pass	AV	2.4835G	52.35	54.00	-1.65	3	Vertical	355	2.07
2457MHz	Pass	PK	2.462G	119.65	Inf	-Inf	3	Vertical	355	2.07
2457MHz	Pass	PK	2.4852G	67.19	74.00	-6.81	3	Vertical	355	2.07
2457MHz	Pass	AV	2.4618G	107.44	Inf	-Inf	3	Horizontal	7	1.95
2457MHz	Pass	AV	2.4835G	53.54	54.00	-0.46	3	Horizontal	7	1.95
2457MHz	Pass	PK	2.4634G	120.90	Inf	-Inf	3	Horizontal	7	1.95
2457MHz	Pass	PK	2.4838G	68.52	74.00	-5.48	3	Horizontal	7	1.95
2462MHz	Pass	AV	2.465G	107.58	Inf	-Inf	3	Vertical	357	2.06
2462MHz	Pass	AV	2.4835G	52.25	54.00	-1.75	3	Vertical	357	2.06
2462MHz	Pass	PK	2.4638G	118.99	Inf	-Inf	3	Vertical	357	2.06
2462MHz	Pass	PK	2.4838G	68.08	74.00	-5.92	3	Vertical	357	2.06
2462MHz	Pass	AV	2.4666G	108.72	Inf	-Inf	3	Horizontal	4	1.75
2462MHz	Pass	AV	2.4835G	53.90	54.00	-0.10	3	Horizontal	4	1.75
2462MHz	Pass	PK	2.4658G	121.44	Inf	-Inf	3	Horizontal	4	1.75
2462MHz	Pass	PK	2.4836G	68.95	74.00	-5.05	3	Horizontal	4	1.75
2462MHz	Pass	AV	4.921G	29.19	54.00	-24.81	3	Vertical	229	2.57
2462MHz	Pass	PK	4.91468G	43.02	74.00	-30.98	3	Vertical	229	2.57
2462MHz	Pass	AV	4.92052G	29.15	54.00	-24.85	3	Horizontal	31	2.98
2462MHz	Pass	PK	4.92768G	43.03	74.00	-30.97	3	Horizontal	31	2.98
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	52.87	54.00	-1.13	3	Vertical	354	2.39
2412MHz	Pass	AV	2.4158G	106.27	Inf	-Inf	3	Vertical	354	2.39
2412MHz	Pass	PK	2.39G	66.17	74.00	-7.83	3	Vertical	354	2.39
2412MHz	Pass	PK	2.4188G	119.88	Inf	-Inf	3	Vertical	354	2.39
2412MHz	Pass	AV	2.39G	53.35	54.00	-0.65	3	Horizontal	6	1.50
2412MHz	Pass	AV	2.4192G	106.15	Inf	-Inf	3	Horizontal	6	1.50
2412MHz	Pass	PK	2.3894G	69.11	74.00	-4.89	3	Horizontal	6	1.50
2412MHz	Pass	PK	2.4192G	119.80	Inf	-Inf	3	Horizontal	6	1.50
2412MHz	Pass	AV	4.82196G	28.22	54.00	-25.78	3	Vertical	329	2.00
2412MHz	Pass	PK	4.81624G	42.64	74.00	-31.36	3	Vertical	329	2.00
2412MHz	Pass	AV	4.82128G	28.22	54.00	-25.78	3	Horizontal	215	2.10
2412MHz	Pass	PK	4.82116G	41.98	74.00	-32.02	3	Horizontal	215	2.10
2417MHz	Pass	AV	2.39G	53.69	54.00	-0.31	3	Vertical	357	1.50
2417MHz	Pass	AV	2.4182G	99.89	Inf	-Inf	3	Vertical	357	1.50
2417MHz	Pass	PK	2.3898G	67.16	74.00	-6.84	3	Vertical	357	1.50
2417MHz	Pass	PK	2.4182G	117.09	Inf	-Inf	3	Vertical	357	1.50




RSE TX above 1GHz_Non-Beamforming_Radio 1_ Panel Antenna_2T1S

Appendix F.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2417MHz	Pass	AV	2.39G	52.87	54.00	-1.13	3	Horizontal	10	2.50
2417MHz	Pass	AV	2.4248G	100.94	Inf	-Inf	3	Horizontal	10	2.50
2417MHz	Pass	PK	2.3896G	66.90	74.00	-7.10	3	Horizontal	10	2.50
2417MHz	Pass	PK	2.4218G	117.47	Inf	-Inf	3	Horizontal	10	2.50
2437MHz	Pass	AV	2.3898G	48.64	54.00	-5.36	3	Vertical	355	2.01
2437MHz	Pass	AV	2.4406G	103.46	Inf	-Inf	3	Vertical	355	2.01
2437MHz	Pass	AV	2.4835G	50.47	54.00	-3.53	3	Vertical	355	2.01
2437MHz	Pass	PK	2.3894G	62.90	74.00	-11.10	3	Vertical	355	2.01
2437MHz	Pass	PK	2.4326G	120.29	Inf	-Inf	3	Vertical	355	2.01
2437MHz	Pass	PK	2.4846G	65.47	74.00	-8.53	3	Vertical	355	2.01
2437MHz	Pass	AV	2.3898G	50.73	54.00	-3.27	3	Horizontal	14	2.34
2437MHz	Pass	AV	2.4294G	105.20	Inf	-Inf	3	Horizontal	14	2.34
2437MHz	Pass	AV	2.4842G	51.38	54.00	-2.62	3	Horizontal	14	2.34
2437MHz	Pass	PK	2.3898G	66.93	74.00	-7.07	3	Horizontal	14	2.34
2437MHz	Pass	PK	2.4294G	122.34	Inf	-Inf	3	Horizontal	14	2.34
2437MHz	Pass	PK	2.4835G	65.23	74.00	-8.77	3	Horizontal	14	2.34
2437MHz	Pass	AV	4.8828G	28.53	54.00	-25.47	3	Vertical	279	1.78
2437MHz	Pass	PK	4.87872G	42.52	74.00	-31.48	3	Vertical	279	1.78
2437MHz	Pass	AV	4.88396G	28.55	54.00	-25.45	3	Horizontal	335	2.24
2437MHz	Pass	PK	4.86932G	42.67	74.00	-31.33	3	Horizontal	335	2.24
2457MHz	Pass	AV	2.466G	102.89	Inf	-Inf	3	Vertical	353	1.50
2457MHz	Pass	AV	2.4835G	52.78	54.00	-1.22	3	Vertical	353	1.50
2457MHz	Pass	PK	2.46G	120.02	Inf	-Inf	3	Vertical	353	1.50
2457MHz	Pass	PK	2.4836G	73.50	74.00	-0.50	3	Vertical	353	1.50
2457MHz	Pass	AV	2.4642G	104.07	Inf	-Inf	3	Horizontal	7	1.50
2457MHz	Pass	AV	2.4835G	53.88	54.00	-0.12	3	Horizontal	7	1.50
2457MHz	Pass	PK	2.4644G	121.32	Inf	-Inf	3	Horizontal	7	1.50
2457MHz	Pass	PK	2.4838G	71.60	74.00	-2.40	3	Horizontal	7	1.50
2462MHz	Pass	AV	2.466G	102.33	Inf	-Inf	3	Vertical	355	2.26
2462MHz	Pass	AV	2.4835G	50.96	54.00	-3.04	3	Vertical	355	2.26
2462MHz	Pass	PK	2.4626G	119.83	Inf	-Inf	3	Vertical	355	2.26
2462MHz	Pass	PK	2.4844G	66.20	74.00	-7.80	3	Vertical	355	2.26
2462MHz	Pass	AV	2.4666G	102.95	Inf	-Inf	3	Horizontal	5	1.50
2462MHz	Pass	AV	2.4835G	52.50	54.00	-1.50	3	Horizontal	5	1.50
2462MHz	Pass	PK	2.4638G	119.86	Inf	-Inf	3	Horizontal	5	1.50
2462MHz	Pass	PK	2.4835G	67.30	74.00	-6.70	3	Horizontal	5	1.50
2462MHz	Pass	AV	4.93208G	31.04	54.00	-22.96	3	Vertical	252	1.20
2462MHz	Pass	PK	4.93296G	43.04	74.00	-30.96	3	Vertical	252	1.20
2462MHz	Pass	AV	4.92308G	29.09	54.00	-24.91	3	Horizontal	230	2.04
2462MHz	Pass	PK	4.92404G	42.96	74.00	-31.04	3	Horizontal	230	2.04


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2457MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2457MHz_TX





**RSE TX below 1GHz_Non-Beamforming_Radio 1_
Panel Antenna_2T2S**

Appendix F.17

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	86.26M	34.87	40.00	-5.13	3	Horizontal	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	103.72M	32.33	43.50	-11.17	3	Vertical	360	1.00
2437MHz	Pass	PK	148.34M	29.26	43.50	-14.24	3	Vertical	360	1.00
2437MHz	Pass	PK	249.22M	22.38	46.00	-23.62	3	Vertical	360	1.00
2437MHz	Pass	PK	449.04M	30.22	46.00	-15.78	3	Vertical	360	1.00
2437MHz	Pass	PK	480.08M	39.52	46.00	-6.48	3	Vertical	360	1.00
2437MHz	Pass	QP	30M	26.69	40.00	-13.31	3	Vertical	169	1.03
2437MHz	Pass	PK	30M	31.65	40.00	-8.35	3	Horizontal	0	1.00
2437MHz	Pass	PK	86.26M	34.87	40.00	-5.13	3	Horizontal	0	1.00
2437MHz	Pass	PK	171.62M	25.62	43.50	-17.88	3	Horizontal	0	1.00
2437MHz	Pass	PK	249.22M	29.44	46.00	-16.56	3	Horizontal	0	1.00
2437MHz	Pass	PK	478.14M	32.12	46.00	-13.88	3	Horizontal	0	1.00
2437MHz	Pass	PK	714.82M	38.81	46.00	-7.19	3	Horizontal	0	1.00


2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_Adapter



2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_Adapter





**RSE TX above 1GHz_Non-Beamforming_Radio 1_
Panel Antenna_2T2S**

Appendix F.18

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	2.4835G	53.88	54.00	-0.12	3	Vertical	6	1.01



RSE TX above 1GHz_Non-Beamforming_Radio 1_ Panel Antenna_2T2S


Appendix F.18

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	53.65	54.00	-0.35	3	Vertical	0	1.01
2412MHz	Pass	AV	2.4206G	105.89	Inf	-Inf	3	Vertical	0	1.01
2412MHz	Pass	PK	2.3884G	67.80	74.00	-6.20	3	Vertical	0	1.01
2412MHz	Pass	PK	2.414G	119.38	Inf	-Inf	3	Vertical	0	1.01
2412MHz	Pass	AV	2.39G	51.72	54.00	-2.28	3	Horizontal	3	1.50
2412MHz	Pass	AV	2.4168G	105.82	Inf	-Inf	3	Horizontal	3	1.50
2412MHz	Pass	PK	2.389G	65.44	74.00	-8.56	3	Horizontal	3	1.50
2412MHz	Pass	PK	2.4166G	119.98	Inf	-Inf	3	Horizontal	3	1.50
2412MHz	Pass	AV	4.82406G	29.24	54.00	-24.76	3	Vertical	216	2.37
2412MHz	Pass	PK	4.83498G	43.52	74.00	-30.48	3	Vertical	216	2.37
2412MHz	Pass	AV	4.8237G	28.80	54.00	-25.20	3	Horizontal	168	1.50
2412MHz	Pass	PK	4.83036G	43.74	74.00	-30.26	3	Horizontal	168	1.50
2417MHz	Pass	AV	2.39G	53.60	54.00	-0.40	3	Vertical	5	1.01
2417MHz	Pass	AV	2.4258G	103.88	Inf	-Inf	3	Vertical	5	1.01
2417MHz	Pass	PK	2.389G	66.63	74.00	-7.37	3	Vertical	5	1.01
2417MHz	Pass	PK	2.4256G	118.36	Inf	-Inf	3	Vertical	5	1.01
2417MHz	Pass	AV	2.39G	53.67	54.00	-0.33	3	Horizontal	3	1.50
2417MHz	Pass	AV	2.416G	103.18	Inf	-Inf	3	Horizontal	3	1.50
2417MHz	Pass	PK	2.39G	66.71	74.00	-7.29	3	Horizontal	3	1.50
2417MHz	Pass	PK	2.4158G	117.18	Inf	-Inf	3	Horizontal	3	1.50
2437MHz	Pass	AV	2.3898G	51.65	54.00	-2.35	3	Vertical	0	1.00
2437MHz	Pass	AV	2.4302G	108.49	Inf	-Inf	3	Vertical	0	1.00
2437MHz	Pass	AV	2.4835G	52.77	54.00	-1.23	3	Vertical	0	1.00
2437MHz	Pass	PK	2.3894G	67.83	74.00	-6.17	3	Vertical	0	1.00
2437MHz	Pass	PK	2.4322G	121.90	Inf	-Inf	3	Vertical	0	1.00
2437MHz	Pass	PK	2.4835G	69.40	74.00	-4.60	3	Vertical	0	1.00
2437MHz	Pass	AV	2.3898G	50.78	54.00	-3.22	3	Horizontal	6	2.23
2437MHz	Pass	AV	2.4406G	107.96	Inf	-Inf	3	Horizontal	6	2.23
2437MHz	Pass	AV	2.4835G	53.45	54.00	-0.55	3	Horizontal	6	2.23
2437MHz	Pass	PK	2.3898G	67.08	74.00	-6.92	3	Horizontal	6	2.23
2437MHz	Pass	PK	2.4386G	122.60	Inf	-Inf	3	Horizontal	6	2.23
2437MHz	Pass	PK	2.4838G	69.72	74.00	-4.28	3	Horizontal	6	2.23
2437MHz	Pass	AV	4.87412G	29.81	54.00	-24.19	3	Vertical	215	1.80
2437MHz	Pass	PK	4.88516G	45.21	74.00	-28.79	3	Vertical	215	1.80
2437MHz	Pass	AV	4.88252G	29.12	54.00	-24.88	3	Horizontal	167	1.89
2437MHz	Pass	PK	4.88024G	44.70	74.00	-29.30	3	Horizontal	167	1.89
2457MHz	Pass	AV	2.465G	107.97	Inf	-Inf	3	Vertical	6	1.01
2457MHz	Pass	AV	2.4835G	53.88	54.00	-0.12	3	Vertical	6	1.01
2457MHz	Pass	PK	2.4652G	121.29	Inf	-Inf	3	Vertical	6	1.01
2457MHz	Pass	PK	2.4835G	71.80	74.00	-2.20	3	Vertical	6	1.01
2457MHz	Pass	AV	2.4644G	106.71	Inf	-Inf	3	Horizontal	357	1.96
2457MHz	Pass	AV	2.4835G	52.24	54.00	-1.76	3	Horizontal	357	1.96
2457MHz	Pass	PK	2.464G	120.34	Inf	-Inf	3	Horizontal	357	1.96
2457MHz	Pass	PK	2.4835G	70.82	74.00	-3.18	3	Horizontal	357	1.96
2462MHz	Pass	AV	2.4648G	106.60	Inf	-Inf	3	Vertical	3	1.02
2462MHz	Pass	AV	2.4835G	53.75	54.00	-0.25	3	Vertical	3	1.02
2462MHz	Pass	PK	2.467G	121.35	Inf	-Inf	3	Vertical	3	1.02
2462MHz	Pass	PK	2.4842G	69.12	74.00	-4.88	3	Vertical	3	1.02
2462MHz	Pass	AV	2.4654G	105.82	Inf	-Inf	3	Horizontal	5	1.90
2462MHz	Pass	AV	2.4835G	50.76	54.00	-3.24	3	Horizontal	5	1.90
2462MHz	Pass	PK	2.4634G	120.64	Inf	-Inf	3	Horizontal	5	1.90
2462MHz	Pass	PK	2.484G	64.69	74.00	-9.31	3	Horizontal	5	1.90
2462MHz	Pass	AV	4.9214G	29.44	54.00	-24.56	3	Vertical	58	1.17
2462MHz	Pass	PK	4.92292G	43.24	74.00	-30.76	3	Vertical	58	1.17
2462MHz	Pass	AV	4.92192G	29.44	54.00	-24.56	3	Horizontal	130	1.55
2462MHz	Pass	PK	4.91412G	43.68	74.00	-30.32	3	Horizontal	130	1.55


2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2457MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2457MHz_TX





Summary


Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
g20_Nss1,(6Mbps)_1TX	Pass	PK	955.38M	30.99	46.00	-15.01	3	Vertical	360	1.00

Result

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)
g20_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2437MHz_Adapter	Pass	PK	88.2M	24.14	43.50	-19.36	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	134.76M	23.85	43.50	-19.65	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	264.74M	20.58	46.00	-25.42	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	449.04M	29.94	46.00	-16.06	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	774.96M	27.21	46.00	-18.79	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	955.38M	30.99	46.00	-15.01	3	Vertical	360	1.00
2437MHz_Adapter	Pass	PK	45.52M	24.81	40.00	-15.19	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	165.8M	24.57	43.50	-18.93	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	350.1M	23.64	46.00	-22.36	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	449.04M	26.29	46.00	-19.71	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	740.04M	26.95	46.00	-19.05	3	Horizontal	0	1.00
2437MHz_Adapter	Pass	PK	860.32M	29.21	46.00	-16.79	3	Horizontal	0	1.00


2.4-2.4835GHz_g20_Nss1,(6Mbps)_1TX

2437MHz_Adapter



2.4-2.4835GHz_g20_Nss1,(6Mbps)_1TX

2437MHz_Adapter



**Summary**

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
b20_Nss1,(1Mbps)_1TX	Pass	AV	2.4876G	53.80	54.00	-0.20	3	Vertical	319	2.67
g20_Nss1,(6Mbps)_1TX	Pass	AV	2.4835G	53.77	54.00	-0.23	3	Vertical	320	2.67


Result

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height
			(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(m)		(°)	(m)
b20_Nss1,(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3862G	53.67	54.00	-0.33	3	Vertical	320	2.92
2412MHz	Pass	AV	2.4128G	107.59	Inf	-Inf	3	Vertical	320	2.92
2412MHz	Pass	PK	2.3872G	72.40	74.00	-1.60	3	Vertical	320	2.92
2412MHz	Pass	PK	2.4122G	110.56	Inf	-Inf	3	Vertical	320	2.92
2412MHz	Pass	AV	2.386G	49.18	54.00	-4.82	3	Horizontal	187	1.50
2412MHz	Pass	AV	2.4128G	97.53	Inf	-Inf	3	Horizontal	187	1.50
2412MHz	Pass	PK	2.3874G	64.89	74.00	-9.11	3	Horizontal	187	1.50
2412MHz	Pass	PK	2.412G	100.39	Inf	-Inf	3	Horizontal	187	1.50
2412MHz	Pass	AV	4.82072G	34.82	54.00	-19.18	3	Vertical	10	1.50
2412MHz	Pass	PK	4.8201G	48.09	74.00	-25.91	3	Vertical	10	1.50
2412MHz	Pass	AV	4.82674G	34.72	54.00	-19.28	3	Horizontal	306	1.16
2412MHz	Pass	PK	4.82698G	47.29	74.00	-26.71	3	Horizontal	306	1.16
2417MHz	Pass	PK	2.417G	110.81	Inf	-Inf	3	Vertical	320	2.93
2417MHz	Pass	PK	2.3884G	73.51	74.00	-0.49	3	Vertical	320	2.93
2417MHz	Pass	AV	2.4178G	108.12	Inf	-Inf	3	Vertical	320	2.93
2417MHz	Pass	AV	2.39G	53.25	54.00	-0.75	3	Vertical	320	2.93
2417MHz	Pass	AV	2.39G	49.08	54.00	-4.92	3	Horizontal	188	1.50
2417MHz	Pass	AV	2.4162G	98.70	Inf	-Inf	3	Horizontal	188	1.50
2417MHz	Pass	PK	2.3874G	66.80	74.00	-7.20	3	Horizontal	188	1.50
2417MHz	Pass	PK	2.4168G	102.04	Inf	-Inf	3	Horizontal	188	1.50
2437MHz	Pass	AV	2.389G	48.83	54.00	-5.17	3	Vertical	319	3.00
2437MHz	Pass	AV	2.4362G	108.21	Inf	-Inf	3	Vertical	319	3.00
2437MHz	Pass	AV	2.4878G	49.60	54.00	-4.40	3	Vertical	319	3.00
2437MHz	Pass	PK	2.3894G	68.14	74.00	-5.86	3	Vertical	319	3.00
2437MHz	Pass	PK	2.4366G	110.98	Inf	-Inf	3	Vertical	319	3.00
2437MHz	Pass	PK	2.4858G	65.11	74.00	-8.89	3	Vertical	319	3.00
2437MHz	Pass	AV	2.3898G	47.63	54.00	-6.37	3	Horizontal	175	2.65
2437MHz	Pass	AV	2.4378G	96.47	Inf	-Inf	3	Horizontal	175	2.65
2437MHz	Pass	AV	2.4978G	48.67	54.00	-5.33	3	Horizontal	175	2.65
2437MHz	Pass	PK	2.351G	60.09	74.00	-13.91	3	Horizontal	175	2.65
2437MHz	Pass	PK	2.437G	99.23	Inf	-Inf	3	Horizontal	175	2.65
2437MHz	Pass	PK	2.4954G	61.35	74.00	-12.65	3	Horizontal	175	2.65
2437MHz	Pass	AV	4.87576G	34.99	54.00	-19.01	3	Vertical	176	1.26
2437MHz	Pass	PK	4.87514G	47.63	74.00	-26.37	3	Vertical	176	1.26
2437MHz	Pass	AV	4.87694G	34.94	54.00	-19.06	3	Horizontal	309	1.50
2437MHz	Pass	PK	4.8717G	47.78	74.00	-26.22	3	Horizontal	309	1.50
2457MHz	Pass	AV	2.4578G	106.95	Inf	-Inf	3	Vertical	240	2.64
2457MHz	Pass	AV	2.4835G	53.77	54.00	-0.23	3	Vertical	240	2.64
2457MHz	Pass	PK	2.457G	110.21	Inf	-Inf	3	Vertical	240	2.64
2457MHz	Pass	PK	2.4835G	73.23	74.00	-0.77	3	Vertical	240	2.64
2457MHz	Pass	AV	2.4578G	95.30	Inf	-Inf	3	Horizontal	175	1.50
2457MHz	Pass	AV	2.4835G	49.33	54.00	-4.67	3	Horizontal	175	1.50
2457MHz	Pass	PK	2.4572G	99.42	Inf	-Inf	3	Horizontal	175	1.50
2457MHz	Pass	PK	2.484G	64.78	74.00	-9.22	3	Horizontal	175	1.50
2462MHz	Pass	AV	2.4628G	107.14	Inf	-Inf	3	Vertical	319	2.67
2462MHz	Pass	AV	2.4876G	53.80	54.00	-0.20	3	Vertical	319	2.67
2462MHz	Pass	PK	2.4622G	110.48	Inf	-Inf	3	Vertical	319	2.67
2462MHz	Pass	PK	2.4878G	72.50	74.00	-1.50	3	Vertical	319	2.67
2462MHz	Pass	AV	2.4628G	97.42	Inf	-Inf	3	Horizontal	168	2.88
2462MHz	Pass	AV	2.4874G	50.05	54.00	-3.95	3	Horizontal	168	2.88
2462MHz	Pass	PK	2.4618G	100.60	Inf	-Inf	3	Horizontal	168	2.88
2462MHz	Pass	PK	2.4878G	66.46	74.00	-7.54	3	Horizontal	168	2.88
2462MHz	Pass	AV	4.92782G	35.30	54.00	-18.70	3	Vertical	7	1.50
2462MHz	Pass	PK	4.92278G	47.83	74.00	-26.17	3	Vertical	7	1.50
2462MHz	Pass	AV	4.92738G	35.24	54.00	-18.76	3	Horizontal	136	1.50
2462MHz	Pass	PK	4.92822G	47.99	74.00	-26.01	3	Horizontal	136	1.50
g20_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	53.52	54.00	-0.48	3	Vertical	321	2.93
2412MHz	Pass	AV	2.4148G	98.55	Inf	-Inf	3	Vertical	321	2.93
2412MHz	Pass	PK	2.3898G	70.27	74.00	-3.73	3	Vertical	321	2.93

2412MHz	Pass	PK	2.4144G	108.15	Inf	-Inf	3	Vertical	321	2.93
2412MHz	Pass	AV	2.3898G	49.08	54.00	-4.92	3	Horizontal	186	1.50
2412MHz	Pass	AV	2.4138G	87.82	Inf	-Inf	3	Horizontal	186	1.50
2412MHz	Pass	PK	2.39G	61.83	74.00	-12.17	3	Horizontal	186	1.50
2412MHz	Pass	PK	2.4096G	97.29	Inf	-Inf	3	Horizontal	186	1.50
2412MHz	Pass	AV	4.82018G	35.33	54.00	-18.67	3	Vertical	48	1.50
2412MHz	Pass	PK	4.8203G	47.38	74.00	-26.62	3	Vertical	48	1.50
2412MHz	Pass	AV	4.82024G	35.39	54.00	-18.61	3	Horizontal	212	1.50
2412MHz	Pass	PK	4.82072G	47.68	74.00	-26.32	3	Horizontal	212	1.50
2417MHz	Pass	AV	2.39G	53.52	54.00	-0.48	3	Vertical	321	2.90
2417MHz	Pass	AV	2.4152G	100.06	Inf	-Inf	3	Vertical	321	2.90
2417MHz	Pass	PK	2.3872G	71.45	74.00	-2.55	3	Vertical	321	2.90
2417MHz	Pass	PK	2.415G	109.90	Inf	-Inf	3	Vertical	321	2.90
2417MHz	Pass	AV	2.3898G	48.85	54.00	-5.15	3	Horizontal	187	1.50
2417MHz	Pass	AV	2.4158G	89.64	Inf	-Inf	3	Horizontal	187	1.50
2417MHz	Pass	PK	2.3856G	62.76	74.00	-11.24	3	Horizontal	187	1.50
2417MHz	Pass	PK	2.421G	99.23	Inf	-Inf	3	Horizontal	187	1.50
2437MHz	Pass	AV	2.3894G	52.21	54.00	-1.79	3	Vertical	321	3.00
2437MHz	Pass	AV	2.4326G	103.96	Inf	-Inf	3	Vertical	321	3.00
2437MHz	Pass	AV	2.4838G	51.27	54.00	-2.73	3	Vertical	321	3.00
2437MHz	Pass	PK	2.387G	70.81	74.00	-3.19	3	Vertical	321	3.00
2437MHz	Pass	PK	2.4334G	112.96	Inf	-Inf	3	Vertical	321	3.00
2437MHz	Pass	PK	2.4846G	65.89	74.00	-8.11	3	Vertical	321	3.00
2437MHz	Pass	AV	2.3894G	48.61	54.00	-5.39	3	Horizontal	186	3.00
2437MHz	Pass	AV	2.4298G	91.29	Inf	-Inf	3	Horizontal	186	3.00
2437MHz	Pass	AV	2.4958G	49.17	54.00	-4.83	3	Horizontal	186	3.00
2437MHz	Pass	PK	2.3866G	63.31	74.00	-10.69	3	Horizontal	186	3.00
2437MHz	Pass	PK	2.4358G	100.13	Inf	-Inf	3	Horizontal	186	3.00
2437MHz	Pass	PK	2.491G	60.62	74.00	-13.38	3	Horizontal	186	3.00
2437MHz	Pass	AV	4.87638G	35.60	54.00	-18.40	3	Vertical	96	1.60
2437MHz	Pass	PK	4.8731G	48.27	74.00	-25.73	3	Vertical	96	1.60
2437MHz	Pass	AV	4.87634G	35.54	54.00	-18.46	3	Horizontal	158	1.50
2437MHz	Pass	PK	4.87352G	47.87	74.00	-26.13	3	Horizontal	158	1.50
2457MHz	Pass	AV	2.4598G	99.96	Inf	-Inf	3	Vertical	242	2.64
2457MHz	Pass	AV	2.4835G	53.33	54.00	-0.67	3	Vertical	242	2.64
2457MHz	Pass	PK	2.4612G	109.68	Inf	-Inf	3	Vertical	242	2.64
2457MHz	Pass	PK	2.4838G	68.65	74.00	-5.35	3	Vertical	242	2.64
2457MHz	Pass	AV	2.4624G	88.98	Inf	-Inf	3	Horizontal	174	2.86
2457MHz	Pass	AV	2.484G	49.80	54.00	-4.20	3	Horizontal	174	2.86
2457MHz	Pass	PK	2.4566G	98.66	Inf	-Inf	3	Horizontal	174	2.86
2457MHz	Pass	PK	2.4835G	61.81	74.00	-12.19	3	Horizontal	174	2.86
2462MHz	Pass	AV	2.461G	98.20	Inf	-Inf	3	Vertical	320	2.67
2462MHz	Pass	AV	2.4835G	53.77	54.00	-0.23	3	Vertical	320	2.67
2462MHz	Pass	PK	2.4596G	107.81	Inf	-Inf	3	Vertical	320	2.67
2462MHz	Pass	PK	2.484G	68.16	74.00	-5.84	3	Vertical	320	2.67
2462MHz	Pass	AV	2.4684G	88.07	Inf	-Inf	3	Horizontal	164	3.00
2462MHz	Pass	AV	2.4835G	50.67	54.00	-3.33	3	Horizontal	164	3.00
2462MHz	Pass	PK	2.4684G	97.25	Inf	-Inf	3	Horizontal	164	3.00
2462MHz	Pass	PK	2.4888G	63.45	74.00	-10.55	3	Horizontal	164	3.00
2462MHz	Pass	AV	4.92706G	36.02	54.00	-17.98	3	Vertical	74	2.67
2462MHz	Pass	PK	4.9279G	48.54	74.00	-25.46	3	Vertical	74	2.67
2462MHz	Pass	AV	4.92802G	35.96	54.00	-18.04	3	Horizontal	265	1.50
2462MHz	Pass	PK	4.9284G	47.83	74.00	-26.17	3	Horizontal	265	1.50


2.4-2.4835GHz_b20_Nss1,(1Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_b20_Nss1,(1Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_b20_Nss1,(1Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_b20_Nss1,(1Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_g20_Nss1,(6Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_g20_Nss1,(6Mbps)_1TX

2462MHz_TX




2.4-2.4835GHz_g20_Nss1,(6Mbps)_1TX

2462MHz_TX



2.4-2.4835GHz_g20_Nss1,(6Mbps)_1TX

2462MHz_TX



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.8809G	33.12	54.00	-20.88	Vertical
Mode 2	Pass	AV	4.91632G	33.14	54.00	-20.86	Vertical
Mode 3	Pass	PK	5.51869G	45.97	68.20	-22.23	Horizontal
Mode 4	Pass	PK	6.05561G	47.92	68.20	-20.28	Horizontal
Mode 5	Pass	PK	5.80922G	47.37	68.20	-20.83	Horizontal
Mode 6	Pass	AV	4.92403G	36.57	54.00	-17.43	Vertical

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	1.32996G	25.24	54.00	-28.76	3	Vertical	101	1.50
Mode 1	Pass	AV	1.79346G	25.32	68.20	-42.88	3	Vertical	214	2.63
Mode 1	Pass	AV	4.8809G	33.12	54.00	-20.88	3	Vertical	0	2.97
Mode 1	Pass	PK	1.33287G	39.23	74.00	-34.77	3	Vertical	101	1.50
Mode 1	Pass	PK	1.79286G	41.51	68.20	-26.69	3	Vertical	214	2.63
Mode 1	Pass	PK	4.88438G	46.19	74.00	-27.81	3	Vertical	0	2.97
Mode 1	Pass	AV	1.1634G	25.17	54.00	-28.83	3	Horizontal	237	1.50
Mode 1	Pass	AV	1.80196G	23.98	68.20	-44.22	3	Horizontal	278	1.50
Mode 1	Pass	AV	4.42262G	32.16	68.20	-36.04	3	Horizontal	206	2.67
Mode 1	Pass	PK	1.1532G	38.14	74.00	-35.86	3	Horizontal	237	1.50
Mode 1	Pass	PK	1.79194G	37.52	68.20	-30.68	3	Horizontal	278	1.50
Mode 1	Pass	PK	4.43513G	45.08	68.20	-23.12	3	Horizontal	206	2.67
Mode 2	Pass	AV	1.39178G	25.04	54.00	-28.96	3	Vertical	328	1.30
Mode 2	Pass	AV	3.05031G	29.88	68.20	-38.32	3	Vertical	172	2.16
Mode 2	Pass	AV	4.91632G	33.14	54.00	-20.86	3	Vertical	2	1.50
Mode 2	Pass	PK	1.38968G	37.85	74.00	-36.15	3	Vertical	328	1.30
Mode 2	Pass	PK	3.0447G	43.03	68.20	-25.17	3	Vertical	172	2.16
Mode 2	Pass	PK	4.9246G	46.42	74.00	-27.58	3	Vertical	2	1.50
Mode 2	Pass	AV	1.33146G	24.74	54.00	-29.26	3	Horizontal	241	1.50
Mode 2	Pass	AV	3.61472G	29.66	54.00	-24.34	3	Horizontal	96	1.48
Mode 2	Pass	AV	4.30443G	31.34	54.00	-22.66	3	Horizontal	271	1.50
Mode 2	Pass	PK	1.33341G	37.42	74.00	-36.58	3	Horizontal	241	1.50
Mode 2	Pass	PK	3.6266G	42.81	74.00	-31.19	3	Horizontal	96	1.48
Mode 2	Pass	PK	4.30149G	43.99	74.00	-30.01	3	Horizontal	271	1.50
Mode 3	Pass	AV	1.33104G	24.92	54.00	-29.08	3	Vertical	9	1.50
Mode 3	Pass	AV	2.79258G	28.48	54.00	-25.52	3	Vertical	150	1.27
Mode 3	Pass	AV	4.24451G	31.62	54.00	-22.38	3	Vertical	193	2.00
Mode 3	Pass	PK	1.3311G	37.95	74.00	-36.05	3	Vertical	9	1.50
Mode 3	Pass	PK	2.78208G	41.13	74.00	-32.87	3	Vertical	150	1.27
Mode 3	Pass	PK	4.24277G	44.08	74.00	-29.92	3	Vertical	193	2.00
Mode 3	Pass	AV	1.33105G	24.74	54.00	-29.26	3	Horizontal	171	1.50
Mode 3	Pass	AV	3.96585G	30.71	54.00	-23.29	3	Horizontal	60	1.50
Mode 3	Pass	AV	5.5216G	33.55	68.20	-34.65	3	Horizontal	279	1.50
Mode 3	Pass	PK	1.33114G	37.43	74.00	-36.57	3	Horizontal	171	1.50
Mode 3	Pass	PK	3.97863G	44.43	74.00	-29.57	3	Horizontal	60	1.50
Mode 3	Pass	PK	5.51869G	45.97	68.20	-22.23	3	Horizontal	279	1.50
Mode 4	Pass	AV	2.08191G	30.21	68.20	-37.99	3	Vertical	215	1.98
Mode 4	Pass	AV	3.71323G	29.69	54.00	-24.31	3	Vertical	168	1.50
Mode 4	Pass	AV	6.06147G	34.89	68.20	-33.31	3	Vertical	106	1.50
Mode 4	Pass	PK	2.08227G	40.18	68.20	-28.02	3	Vertical	215	1.98
Mode 4	Pass	PK	3.70657G	43.04	74.00	-30.96	3	Vertical	168	1.50
Mode 4	Pass	PK	6.05184G	47.72	68.20	-20.48	3	Vertical	106	1.50
Mode 4	Pass	AV	1.33114G	24.63	54.00	-29.37	3	Horizontal	278	1.50
Mode 4	Pass	AV	3.76321G	30.24	54.00	-23.76	3	Horizontal	166	1.50
Mode 4	Pass	AV	6.05252G	34.87	68.20	-33.33	3	Horizontal	187	2.22
Mode 4	Pass	PK	1.32919G	37.44	74.00	-36.56	3	Horizontal	278	1.50
Mode 4	Pass	PK	3.7645G	43.74	74.00	-30.26	3	Horizontal	166	1.50
Mode 4	Pass	PK	6.05561G	47.92	68.20	-20.28	3	Horizontal	187	2.22
Mode 5	Pass	AV	1.331G	24.60	54.00	-29.40	3	Vertical	48	1.50
Mode 5	Pass	AV	3.55042G	29.35	68.20	-38.85	3	Vertical	206	2.06


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 5	Pass	AV	4.44171G	31.95	68.20	-36.25	3	Vertical	265	1.19
Mode 5	Pass	PK	1.34426G	39.25	74.00	-34.75	3	Vertical	48	1.50
Mode 5	Pass	PK	3.5581G	42.98	68.20	-25.22	3	Vertical	206	2.06
Mode 5	Pass	PK	4.43247G	45.44	68.20	-22.76	3	Vertical	265	1.19
Mode 5	Pass	AV	3.04218G	29.79	68.20	-38.41	3	Horizontal	280	1.50
Mode 5	Pass	AV	4.42442G	31.93	68.20	-36.27	3	Horizontal	359	1.50
Mode 5	Pass	AV	5.80322G	34.63	68.20	-33.57	3	Horizontal	164	3.00
Mode 5	Pass	PK	3.05487G	42.58	68.20	-25.62	3	Horizontal	280	1.50
Mode 5	Pass	PK	4.42169G	45.35	68.20	-22.85	3	Horizontal	359	1.50
Mode 5	Pass	PK	5.80922G	47.37	68.20	-20.83	3	Horizontal	164	3.00
Mode 6	Pass	AV	1.22203G	24.81	54.00	-29.19	3	Vertical	72	1.50
Mode 6	Pass	AV	3.6004G	29.75	54.00	-24.25	3	Vertical	48	1.50
Mode 6	Pass	AV	4.92403G	36.57	54.00	-17.43	3	Vertical	32	2.91
Mode 6	Pass	PK	1.2013G	37.49	74.00	-36.51	3	Vertical	72	1.50
Mode 6	Pass	PK	3.60047G	43.34	74.00	-30.66	3	Vertical	48	1.50
Mode 6	Pass	PK	4.92409G	46.84	74.00	-27.16	3	Vertical	32	2.91
Mode 6	Pass	AV	1.60173G	24.70	54.00	-29.30	3	Horizontal	113	2.93
Mode 6	Pass	AV	3.60376G	29.99	54.00	-24.01	3	Horizontal	6	1.49
Mode 6	Pass	AV	4.96624G	33.67	54.00	-20.33	3	Horizontal	247	1.50
Mode 6	Pass	PK	1.59726G	40.12	74.00	-33.88	3	Horizontal	113	2.93
Mode 6	Pass	PK	3.60511G	43.38	74.00	-30.62	3	Horizontal	6	1.49
Mode 6	Pass	PK	4.99033G	46.85	74.00	-27.15	3	Horizontal	247	1.50

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.32996G	25.24	54.00	-28.76	-5.88	3	Vertical	101	1.50	31.12	25.90	3.58	35.36
AV	1.79346G	25.32	68.20	-42.88	-5.78	3	Vertical	214	2.63	31.10	25.03	4.22	35.03
AV	4.8809G	33.12	54.00	-20.88	4.64	3	Vertical	0	2.97	28.48	32.62	7.08	35.06
PK	1.33287G	39.23	74.00	-34.77	-5.87	3	Vertical	101	1.50	45.10	25.90	3.59	35.36
PK	1.79286G	41.51	68.20	-26.69	-5.78	3	Vertical	214	2.63	47.29	25.03	4.22	35.03
PK	4.88438G	46.19	74.00	-27.81	4.67	3	Vertical	0	2.97	41.52	32.64	7.09	35.06

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.1634G	25.17	54.00	-28.83	-6.25	3	Horizontal	237	1.50	31.42	26.03	3.33	35.61
AV	1.80196G	23.98	68.20	-44.22	-5.71	3	Horizontal	278	1.50	29.69	25.10	4.22	35.03
AV	4.42262G	32.16	68.20	-36.04	3.17	3	Horizontal	206	2.67	28.99	31.55	6.66	35.04
PK	1.1532G	38.14	74.00	-35.86	-6.24	3	Horizontal	237	1.50	44.38	26.07	3.31	35.62
PK	1.79194G	37.52	68.20	-30.68	-5.79	3	Horizontal	278	1.50	43.31	25.02	4.22	35.03
PK	4.43513G	45.08	68.20	-23.12	3.17	3	Horizontal	206	2.67	41.91	31.53	6.68	35.04

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.39178G	25.04	54.00	-28.96	-5.52	3	Vertical	328	1.30	30.56	26.06	3.69	35.27
AV	3.05031G	29.88	68.20	-38.32	0.08	3	Vertical	172	2.16	29.80	29.70	5.60	35.22
AV	4.91632G	33.14	54.00	-20.86	4.88	3	Vertical	2	1.50	28.26	32.80	7.14	35.06
PK	1.38968G	37.85	74.00	-36.15	-5.49	3	Vertical	328	1.30	43.34	26.10	3.68	35.27
PK	3.0447G	43.03	68.20	-25.17	0.06	3	Vertical	172	2.16	42.97	29.69	5.59	35.22
PK	4.9246G	46.42	74.00	-27.58	4.93	3	Vertical	2	1.50	41.49	32.85	7.15	35.07

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.33146G	24.74	54.00	-29.26	-5.87	3	Horizontal	241	1.50	30.61	25.90	3.59	35.36
AV	3.61472G	29.66	54.00	-24.34	0.49	3	Horizontal	96	1.48	29.17	29.53	6.16	35.20
AV	4.30443G	31.34	54.00	-22.66	3.00	3	Horizontal	271	1.50	28.34	31.41	6.63	35.04
PK	1.33341G	37.42	74.00	-36.58	-5.87	3	Horizontal	241	1.50	43.29	25.90	3.59	35.36
PK	3.6266G	42.81	74.00	-31.19	0.52	3	Horizontal	96	1.48	42.29	29.55	6.17	35.20
PK	4.30149G	43.99	74.00	-30.01	2.99	3	Horizontal	271	1.50	41.00	31.40	6.63	35.04

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.33104G	24.92	54.00	-29.08	-5.87	3	Vertical	9	1.50	30.79	25.90	3.59	35.36
AV	2.79258G	28.48	54.00	-25.52	-1.42	3	Vertical	150	1.27	29.90	28.43	5.33	35.18
AV	4.24451G	31.62	54.00	-22.38	2.67	3	Vertical	193	2.00	28.95	31.09	6.62	35.04
PK	1.3311G	37.95	74.00	-36.05	-5.87	3	Vertical	9	1.50	43.82	25.90	3.59	35.36
PK	2.78208G	41.13	74.00	-32.87	-1.45	3	Vertical	150	1.27	42.58	28.40	5.33	35.18
PK	4.24277G	44.08	74.00	-29.92	2.67	3	Vertical	193	2.00	41.41	31.09	6.62	35.04

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.33105G	24.74	54.00	-29.26	-5.87	3	Horizontal	171	1.50	30.61	25.90	3.59	35.36
AV	3.96585G	30.71	54.00	-23.29	2.02	3	Horizontal	60	1.50	28.69	30.70	6.37	35.05
AV	5.5216G	33.55	68.20	-34.65	5.29	3	Horizontal	279	1.50	28.26	32.84	7.53	35.08
PK	1.33114G	37.43	74.00	-36.57	-5.87	3	Horizontal	171	1.50	43.30	25.90	3.59	35.36
PK	3.97863G	44.43	74.00	-29.57	2.02	3	Horizontal	60	1.50	42.41	30.70	6.37	35.05
PK	5.51869G	45.97	68.20	-22.23	5.29	3	Horizontal	279	1.50	40.68	32.84	7.53	35.08

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.08191G	30.21	68.20	-37.99	-2.95	3	Vertical	215	1.98	33.16	27.48	4.57	35.00				
AV	3.71323G	29.69	54.00	-24.31	0.97	3	Vertical	168	1.50	28.72	29.88	6.25	35.16				
AV	6.06147G	34.89	68.20	-33.31	6.53	3	Vertical	106	1.50	28.36	34.00	7.84	35.31				
PK	2.08227G	40.18	68.20	-28.02	-2.95	3	Vertical	215	1.98	43.13	27.48	4.57	35.00				
PK	3.70657G	43.04	74.00	-30.96	0.92	3	Vertical	168	1.50	42.12	29.84	6.24	35.16				
PK	6.05184G	47.72	68.20	-20.48	6.52	3	Vertical	106	1.50	41.20	34.00	7.83	35.31				

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.33114G	24.63	54.00	-29.37	-5.87	3	Horizontal	278	1.50	30.50	25.90	3.59	35.36				
AV	3.76321G	30.24	54.00	-23.76	1.33	3	Horizontal	166	1.50	28.91	30.18	6.29	35.14				
AV	6.05252G	34.87	68.20	-33.33	6.52	3	Horizontal	187	2.22	28.35	34.00	7.83	35.31				
PK	1.32919G	37.44	74.00	-36.56	-5.87	3	Horizontal	278	1.50	43.31	25.91	3.58	35.36				
PK	3.7645G	43.74	74.00	-30.26	1.34	3	Horizontal	166	1.50	42.40	30.19	6.29	35.14				
PK	6.05561G	47.92	68.20	-20.28	6.52	3	Horizontal	187	2.22	41.40	34.00	7.83	35.31				

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.331G	24.60	54.00	-29.40	-5.87	3	Vertical	48	1.50	30.47	25.90	3.59	35.36
AV	3.55042G	29.35	68.20	-38.85	0.25	3	Vertical	206	2.06	29.10	29.40	6.08	35.23
AV	4.44171G	31.95	68.20	-36.25	3.17	3	Vertical	265	1.19	28.78	31.52	6.69	35.04
PK	1.34426G	39.25	74.00	-34.75	-5.83	3	Vertical	48	1.50	45.08	25.90	3.61	35.34
PK	3.5581G	42.98	68.20	-25.22	0.28	3	Vertical	206	2.06	42.70	29.42	6.09	35.23
PK	4.43247G	45.44	68.20	-22.76	3.18	3	Vertical	265	1.19	42.26	31.54	6.68	35.04

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	3.04218G	29.79	68.20	-38.41	0.05	3	Horizontal	280	1.50	29.74	29.68	5.59	35.22
AV	4.42442G	31.93	68.20	-36.27	3.17	3	Horizontal	359	1.50	28.76	31.55	6.66	35.04
AV	5.80322G	34.63	68.20	-33.57	6.54	3	Horizontal	164	3.00	28.09	33.91	7.83	35.20
PK	3.05487G	42.58	68.20	-25.62	0.07	3	Horizontal	280	1.50	42.51	29.69	5.60	35.22
PK	4.42169G	45.35	68.20	-22.85	3.18	3	Horizontal	359	1.50	42.17	31.56	6.66	35.04
PK	5.80922G	47.37	68.20	-20.83	6.55	3	Horizontal	164	3.00	40.82	33.92	7.83	35.20

Radiated Emissions above 1GHz_Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.22203G	24.81	54.00	-29.19	-6.01	3	Vertical	72	1.50	30.82	26.10	3.41	35.52				
AV	3.6004G	29.75	54.00	-24.25	0.44	3	Vertical	48	1.50	29.31	29.50	6.15	35.21				
AV	4.92403G	36.57	54.00	-17.43	4.92	3	Vertical	32	2.91	31.65	32.84	7.15	35.07				
PK	1.2013G	37.49	74.00	-36.51	-6.08	3	Vertical	72	1.50	43.57	26.10	3.37	35.55				
PK	3.60047G	43.34	74.00	-30.66	0.44	3	Vertical	48	1.50	42.90	29.50	6.15	35.21				
PK	4.92409G	46.84	74.00	-27.16	4.92	3	Vertical	32	2.91	41.92	32.84	7.15	35.07				

Radiated Emissions above 1GHz_Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.60173G	24.70	54.00	-29.30	-5.46	3	Horizontal	113	2.93	30.16	25.50	4.12	35.08				
AV	3.60376G	29.99	54.00	-24.01	0.45	3	Horizontal	6	1.49	29.54	29.51	6.15	35.21				
AV	4.96624G	33.67	54.00	-20.33	5.21	3	Horizontal	247	1.50	28.46	33.06	7.22	35.07				
PK	1.59726G	40.12	74.00	-33.88	-5.44	3	Horizontal	113	2.93	45.56	25.53	4.11	35.08				
PK	3.60511G	43.38	74.00	-30.62	0.45	3	Horizontal	6	1.49	42.93	29.51	6.15	35.21				
PK	4.99033G	46.85	74.00	-27.15	5.34	3	Horizontal	247	1.50	41.51	33.16	7.25	35.07				



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.77155G	32.72	54.00	-21.28	Horizontal
Mode 2	Pass	PK	6.05934G	47.82	68.20	-20.38	Horizontal
Mode 3	Pass	AV	4.98342G	33.39	54.00	-20.61	Horizontal
Mode 4	Pass	PK	5.7194G	47.69	68.20	-20.51	Horizontal
Mode 5	Pass	AV	5.07847G	33.40	54.00	-20.60	Vertical
Mode 6	Pass	AV	4.91332G	32.96	54.00	-21.04	Vertical

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.39122G	25.02	54.00	-28.98	3	Vertical	64	1.50	-
Mode 1	Pass	AV	3.04997G	30.13	68.20	-38.07	3	Vertical	44	3.00	-
Mode 1	Pass	AV	4.66482G	32.05	54.00	-21.95	3	Vertical	321	1.50	-
Mode 1	Pass	PK	1.41165G	38.49	74.00	-35.51	3	Vertical	64	1.50	-
Mode 1	Pass	PK	3.05108G	41.96	68.20	-26.24	3	Vertical	44	3.00	-
Mode 1	Pass	PK	4.67019G	44.85	74.00	-29.15	3	Vertical	321	1.50	-
Mode 1	Pass	AV	2.17917G	27.37	68.20	-40.83	3	Horizontal	157	1.46	-
Mode 1	Pass	AV	3.78453G	30.74	54.00	-23.26	3	Horizontal	352	1.50	-
Mode 1	Pass	AV	4.77155G	32.72	54.00	-21.28	3	Horizontal	167	1.36	-
Mode 1	Pass	PK	2.17878G	39.96	68.20	-28.24	3	Horizontal	157	1.46	-
Mode 1	Pass	PK	3.78519G	43.45	74.00	-30.55	3	Horizontal	352	1.50	-
Mode 1	Pass	PK	4.77098G	45.49	74.00	-28.51	3	Horizontal	167	1.36	-
Mode 2	Pass	AV	1.71989G	24.47	54.00	-29.53	3	Vertical	181	1.50	-
Mode 2	Pass	AV	3.30122G	29.27	68.20	-38.93	3	Vertical	281	1.50	-
Mode 2	Pass	AV	4.32666G	32.02	54.00	-21.98	3	Vertical	349	2.89	-
Mode 2	Pass	PK	1.71946G	37.43	74.00	-36.57	3	Vertical	181	1.50	-
Mode 2	Pass	PK	3.30857G	42.09	68.20	-26.11	3	Vertical	281	1.50	-
Mode 2	Pass	PK	4.31934G	44.81	74.00	-29.19	3	Vertical	349	2.89	-
Mode 2	Pass	AV	1.98087G	25.84	68.20	-42.36	3	Horizontal	252	3.00	-
Mode 2	Pass	AV	3.47063G	29.21	68.20	-38.99	3	Horizontal	32	1.50	-
Mode 2	Pass	AV	6.06216G	35.04	68.20	-33.16	3	Horizontal	189	1.50	-
Mode 2	Pass	PK	1.9902G	39.64	68.20	-28.56	3	Horizontal	252	3.00	-
Mode 2	Pass	PK	3.46331G	41.93	68.20	-26.27	3	Horizontal	32	1.50	-
Mode 2	Pass	PK	6.05934G	47.82	68.20	-20.38	3	Horizontal	189	1.50	-
Mode 3	Pass	AV	1.3319G	25.05	54.00	-28.95	3	Vertical	262	1.50	-
Mode 3	Pass	AV	2.11961G	25.91	68.20	-42.29	3	Vertical	42	1.50	-
Mode 3	Pass	AV	4.33374G	31.55	54.00	-22.45	3	Vertical	348	1.50	-
Mode 3	Pass	PK	1.34252G	37.33	74.00	-36.67	3	Vertical	262	1.50	-
Mode 3	Pass	PK	2.11712G	38.97	68.20	-29.23	3	Vertical	42	1.50	-
Mode 3	Pass	PK	4.30824G	44.65	74.00	-29.35	3	Vertical	348	1.50	-
Mode 3	Pass	AV	1.39412G	25.99	54.00	-28.01	3	Horizontal	130	1.50	-
Mode 3	Pass	AV	3.77698G	30.92	54.00	-23.08	3	Horizontal	35	1.58	-
Mode 3	Pass	AV	4.98342G	33.39	54.00	-20.61	3	Horizontal	290	2.82	-
Mode 3	Pass	PK	1.39994G	38.95	74.00	-35.05	3	Horizontal	130	1.50	-
Mode 3	Pass	PK	3.78715G	43.72	74.00	-30.28	3	Horizontal	35	1.58	-
Mode 3	Pass	PK	4.98363G	46.54	74.00	-27.46	3	Horizontal	290	2.82	-
Mode 4	Pass	AV	1.41013G	25.51	54.00	-28.49	3	Vertical	222	1.50	-
Mode 4	Pass	AV	3.7753G	30.80	54.00	-23.20	3	Vertical	210	1.50	-
Mode 4	Pass	AV	4.75191G	31.99	54.00	-22.01	3	Vertical	349	1.03	-
Mode 4	Pass	PK	1.40692G	38.38	74.00	-35.62	3	Vertical	222	1.50	-
Mode 4	Pass	PK	3.78835G	44.70	74.00	-29.30	3	Vertical	210	1.50	-
Mode 4	Pass	PK	4.74681G	45.37	74.00	-28.63	3	Vertical	349	1.03	-
Mode 4	Pass	AV	3.07038G	30.31	68.20	-37.89	3	Horizontal	24	1.50	-
Mode 4	Pass	AV	3.97578G	31.15	54.00	-22.85	3	Horizontal	258	1.06	-
Mode 4	Pass	AV	5.72078G	34.49	68.20	-33.71	3	Horizontal	96	1.76	-
Mode 4	Pass	PK	3.07287G	42.95	68.20	-25.25	3	Horizontal	24	1.50	-
Mode 4	Pass	PK	3.97686G	43.79	74.00	-30.21	3	Horizontal	258	1.06	-
Mode 4	Pass	PK	5.7194G	47.69	68.20	-20.51	3	Horizontal	96	1.76	-
Mode 5	Pass	AV	2.08242G	28.42	68.20	-39.78	3	Vertical	56	1.50	-
Mode 5	Pass	AV	3.78514G	30.70	54.00	-23.30	3	Vertical	295	1.50	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 5	Pass	AV	5.07847G	33.40	54.00	-20.60	3	Vertical	17	1.70	-
Mode 5	Pass	PK	2.08242G	41.31	68.20	-26.89	3	Vertical	56	1.50	-
Mode 5	Pass	PK	3.78514G	44.34	74.00	-29.66	3	Vertical	295	1.50	-
Mode 5	Pass	PK	5.07847G	46.70	74.00	-27.30	3	Vertical	17	1.70	-
Mode 5	Pass	AV	2.2772G	26.95	54.00	-27.05	3	Horizontal	36	1.50	-
Mode 5	Pass	AV	3.78626G	30.73	54.00	-23.27	3	Horizontal	211	1.50	-
Mode 5	Pass	AV	4.89082G	33.25	54.00	-20.75	3	Horizontal	95	1.50	-
Mode 5	Pass	PK	2.2772G	40.83	74.00	-33.17	3	Horizontal	36	1.50	-
Mode 5	Pass	PK	3.78626G	44.02	74.00	-29.98	3	Horizontal	211	1.50	-
Mode 5	Pass	PK	4.89082G	46.74	74.00	-27.26	3	Horizontal	95	1.50	-
Mode 6	Pass	AV	2.08222G	28.77	68.20	-39.43	3	Vertical	56	1.50	-
Mode 6	Pass	AV	3.78951G	30.44	54.00	-23.56	3	Vertical	296	1.50	-
Mode 6	Pass	AV	4.91332G	32.96	54.00	-21.04	3	Vertical	109	1.50	-
Mode 6	Pass	PK	2.08222G	40.92	68.20	-27.28	3	Vertical	56	1.50	-
Mode 6	Pass	PK	3.78951G	43.57	74.00	-30.43	3	Vertical	296	1.50	-
Mode 6	Pass	PK	4.91332G	46.96	74.00	-27.04	3	Vertical	109	1.50	-
Mode 6	Pass	AV	2.27389G	26.83	54.00	-27.17	3	Horizontal	43	1.50	-
Mode 6	Pass	AV	3.77814G	30.49	54.00	-23.51	3	Horizontal	36	1.50	-
Mode 6	Pass	AV	4.66608G	32.15	54.00	-21.85	3	Horizontal	255	2.00	-
Mode 6	Pass	PK	2.27389G	39.76	74.00	-34.24	3	Horizontal	43	1.50	-
Mode 6	Pass	PK	3.77814G	44.22	74.00	-29.78	3	Horizontal	36	1.50	-
Mode 6	Pass	PK	4.66608G	45.67	74.00	-28.33	3	Horizontal	255	2.00	-


Radiated Emissions above 1GHz_Mode 1



Radiated Emissions above 1GHz_Mode 1




Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.71989G	24.47	54.00	-29.53	-5.87	3	Vertical	181	1.50	30.34	25.00	4.18	35.05
AV	3.30122G	29.27	68.20	-38.93	0.19	3	Vertical	281	1.50	29.08	29.60	5.83	35.24
AV	4.32666G	32.02	54.00	-21.98	3.04	3	Vertical	349	2.89	28.98	31.45	6.63	35.04
PK	1.71946G	37.43	74.00	-36.57	-5.86	3	Vertical	181	1.50	43.29	25.01	4.18	35.05
PK	3.30857G	42.09	68.20	-26.11	0.17	3	Vertical	281	1.50	41.92	29.58	5.83	35.24
PK	4.31934G	44.81	74.00	-29.19	3.03	3	Vertical	349	2.89	41.78	31.44	6.63	35.04

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.98087G	25.84	68.20	-42.36	-3.90	3	Horizontal	252	3.00	29.74	26.62	4.46	34.98
AV	3.47063G	29.21	68.20	-38.99	0.13	3	Horizontal	32	1.50	29.08	29.40	5.98	35.25
AV	6.06216G	35.04	68.20	-33.16	6.53	3	Horizontal	189	1.50	28.51	34.00	7.84	35.31
PK	1.9902G	39.64	68.20	-28.56	-3.70	3	Horizontal	252	3.00	43.34	26.80	4.48	34.98
PK	3.46331G	41.93	68.20	-26.27	0.12	3	Horizontal	32	1.50	41.81	29.40	5.97	35.25
PK	6.05934G	47.82	68.20	-20.38	6.53	3	Horizontal	189	1.50	41.29	34.00	7.84	35.31

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.3319G	25.05	54.00	-28.95	-5.87	3	Vertical	262	1.50	30.92	25.90	3.59	35.36
AV	2.11961G	25.91	68.20	-42.29	-2.81	3	Vertical	42	1.50	28.72	27.60	4.61	35.02
AV	4.33374G	31.55	54.00	-22.45	3.06	3	Vertical	348	1.50	28.49	31.47	6.63	35.04
PK	1.34252G	37.33	74.00	-36.67	-5.83	3	Vertical	262	1.50	43.16	25.90	3.61	35.34
PK	2.11712G	38.97	68.20	-29.23	-2.84	3	Vertical	42	1.50	41.81	27.57	4.61	35.02
PK	4.30824G	44.65	74.00	-29.35	3.01	3	Vertical	348	1.50	41.64	31.42	6.63	35.04

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.39412G	25.99	54.00	-28.01	-5.56	3	Horizontal	130	1.50	31.55	26.02	3.69	35.27
AV	3.77698G	30.92	54.00	-23.08	1.43	3	Horizontal	35	1.58	29.49	30.26	6.30	35.13
AV	4.98342G	33.39	54.00	-20.61	5.30	3	Horizontal	290	2.82	28.09	33.13	7.24	35.07
PK	1.39994G	38.95	74.00	-35.05	-5.66	3	Horizontal	130	1.50	44.61	25.90	3.70	35.26
PK	3.78715G	43.72	74.00	-30.28	1.50	3	Horizontal	35	1.58	42.22	30.32	6.31	35.13
PK	4.98363G	46.54	74.00	-27.46	5.30	3	Horizontal	290	2.82	41.24	33.13	7.24	35.07

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.41013G	25.51	54.00	-28.49	-5.82	3	Vertical	222	1.50	31.33	25.70	3.72	35.24				
AV	3.7753G	30.80	54.00	-23.20	1.42	3	Vertical	210	1.50	29.38	30.25	6.30	35.13				
AV	4.75191G	31.99	54.00	-22.01	3.89	3	Vertical	349	1.03	28.10	32.01	6.94	35.06				
PK	1.40692G	38.38	74.00	-35.62	-5.78	3	Vertical	222	1.50	44.16	25.76	3.71	35.25				
PK	3.78835G	44.70	74.00	-29.30	1.51	3	Vertical	210	1.50	43.19	30.33	6.31	35.13				
PK	4.74681G	45.37	74.00	-28.63	3.88	3	Vertical	349	1.03	41.49	31.99	6.94	35.05				

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	3.07038G	30.31	68.20	-37.89	0.06	3	Horizontal	24	1.50	30.25	29.66	5.62	35.22				
AV	3.97578G	31.15	54.00	-22.85	2.02	3	Horizontal	258	1.06	29.13	30.70	6.37	35.05				
AV	5.72078G	34.49	68.20	-33.71	6.18	3	Horizontal	96	1.76	28.31	33.64	7.70	35.16				
PK	3.07287G	42.95	68.20	-25.25	0.05	3	Horizontal	24	1.50	42.90	29.65	5.62	35.22				
PK	3.97686G	43.79	74.00	-30.21	2.02	3	Horizontal	258	1.06	41.77	30.70	6.37	35.05				
PK	5.7194G	47.69	68.20	-20.51	6.17	3	Horizontal	96	1.76	41.52	33.64	7.69	35.16				

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.08242G	28.42	68.20	-39.78	-2.95	3	Vertical	56	1.50	31.37	27.48	4.57	35.00				
AV	3.78514G	30.70	54.00	-23.30	1.49	3	Vertical	295	1.50	29.21	30.31	6.31	35.13				
AV	5.07847G	33.40	54.00	-20.60	5.07	3	Vertical	17	1.70	28.33	32.89	7.25	35.07				
PK	2.08242G	41.31	68.20	-26.89	-2.95	3	Vertical	56	1.50	44.26	27.48	4.57	35.00				
PK	3.78514G	44.34	74.00	-29.66	1.49	3	Vertical	295	1.50	42.85	30.31	6.31	35.13				
PK	5.07847G	46.70	74.00	-27.30	5.07	3	Vertical	17	1.70	41.63	32.89	7.25	35.07				

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.2772G	26.95	54.00	-27.05	-3.17	3	Horizontal	36	1.50	30.12	27.13	4.76	35.06				
AV	3.78626G	30.73	54.00	-23.27	1.50	3	Horizontal	211	1.50	29.23	30.32	6.31	35.13				
AV	4.89082G	33.25	54.00	-20.75	4.70	3	Horizontal	95	1.50	28.55	32.66	7.10	35.06				
PK	2.2772G	40.83	74.00	-33.17	-3.17	3	Horizontal	36	1.50	44.00	27.13	4.76	35.06				
PK	3.78626G	44.02	74.00	-29.98	1.50	3	Horizontal	211	1.50	42.52	30.32	6.31	35.13				
PK	4.89082G	46.74	74.00	-27.26	4.70	3	Horizontal	95	1.50	42.04	32.66	7.10	35.06				

Radiated Emissions above 1GHz_Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.08222G	28.77	68.20	-39.43	-2.95	3	Vertical	56	1.50	31.72	27.48	4.57	35.00				
AV	3.78951G	30.44	54.00	-23.56	1.52	3	Vertical	296	1.50	28.92	30.34	6.31	35.13				
AV	4.91332G	32.96	54.00	-21.04	4.85	3	Vertical	109	1.50	28.11	32.78	7.13	35.06				
PK	2.08222G	40.92	68.20	-27.28	-2.95	3	Vertical	56	1.50	43.87	27.48	4.57	35.00				
PK	3.78951G	43.57	74.00	-30.43	1.52	3	Vertical	296	1.50	42.05	30.34	6.31	35.13				
PK	4.91332G	46.96	74.00	-27.04	4.85	3	Vertical	109	1.50	42.11	32.78	7.13	35.06				

Radiated Emissions above 1GHz_Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.27389G	26.83	54.00	-27.17	-3.15	3	Horizontal	43	1.50	29.98	27.16	4.75	35.06				
AV	3.77814G	30.49	54.00	-23.51	1.44	3	Horizontal	36	1.50	29.05	30.27	6.30	35.13				
AV	4.66608G	32.15	54.00	-21.85	3.63	3	Horizontal	255	2.00	28.52	31.76	6.92	35.05				
PK	2.27389G	39.76	74.00	-34.24	-3.15	3	Horizontal	43	1.50	42.91	27.16	4.75	35.06				
PK	3.77814G	44.22	74.00	-29.78	1.44	3	Horizontal	36	1.50	42.78	30.27	6.30	35.13				
PK	4.66608G	45.67	74.00	-28.33	3.63	3	Horizontal	255	2.00	42.04	31.76	6.92	35.05				



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	5.08641G	32.96	54.00	-21.04	Vertical
Mode 2	Pass	AV	4.90529G	32.68	54.00	-21.32	Vertical
Mode 3	Pass	AV	2.24223G	33.40	54.00	-20.60	Vertical
Mode 4	Pass	AV	5.06862G	35.42	54.00	-18.58	Horizontal
Mode 5	Pass	AV	2.24194G	33.96	54.00	-20.04	Vertical
Mode 6	Pass	AV	4.17344G	31.47	54.00	-22.53	Vertical

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	2.09491G	26.91	68.20	-41.29	3	Vertical	318	1.50
Mode 1	Pass	AV	3.77756G	30.52	54.00	-23.48	3	Vertical	13	1.37
Mode 1	Pass	AV	5.08641G	32.96	54.00	-21.04	3	Vertical	0	1.59
Mode 1	Pass	PK	2.09491G	41.50	68.20	-26.70	3	Vertical	318	1.50
Mode 1	Pass	PK	3.77756G	44.32	74.00	-29.68	3	Vertical	13	1.37
Mode 1	Pass	PK	5.08641G	46.44	74.00	-27.56	3	Vertical	0	1.59
Mode 1	Pass	AV	2.09174G	27.19	68.20	-41.01	3	Horizontal	358	1.50
Mode 1	Pass	AV	3.78425G	30.34	54.00	-23.66	3	Horizontal	95	1.50
Mode 1	Pass	AV	5.0412G	32.85	54.00	-21.15	3	Horizontal	12	1.50
Mode 1	Pass	PK	2.09174G	40.65	68.20	-27.55	3	Horizontal	358	1.50
Mode 1	Pass	PK	3.78425G	44.00	74.00	-30.00	3	Horizontal	95	1.50
Mode 1	Pass	PK	5.0412G	46.45	74.00	-27.55	3	Horizontal	12	1.50
Mode 2	Pass	AV	2.10831G	26.41	68.20	-41.79	3	Vertical	93	1.01
Mode 2	Pass	AV	3.53884G	29.20	68.20	-39.00	3	Vertical	20	1.50
Mode 2	Pass	AV	4.90529G	32.68	54.00	-21.32	3	Vertical	2	1.10
Mode 2	Pass	PK	2.10831G	40.39	68.20	-27.81	3	Vertical	93	1.01
Mode 2	Pass	PK	3.53884G	42.87	68.20	-25.33	3	Vertical	20	1.50
Mode 2	Pass	PK	4.90529G	47.38	74.00	-26.62	3	Vertical	2	1.10
Mode 2	Pass	AV	2.0928G	27.15	68.20	-41.05	3	Horizontal	198	1.50
Mode 2	Pass	AV	3.78654G	30.13	54.00	-23.87	3	Horizontal	32	1.50
Mode 2	Pass	AV	5.1187G	32.51	54.00	-21.49	3	Horizontal	5	1.50
Mode 2	Pass	PK	2.0928G	40.79	68.20	-27.41	3	Horizontal	198	1.50
Mode 2	Pass	PK	3.78654G	44.01	74.00	-29.99	3	Horizontal	32	1.50
Mode 2	Pass	PK	5.1187G	46.71	74.00	-27.29	3	Horizontal	5	1.50
Mode 3	Pass	AV	2.24223G	33.40	54.00	-20.60	3	Vertical	155	2.00
Mode 3	Pass	AV	3.78123G	30.00	54.00	-24.00	3	Vertical	11	1.82
Mode 3	Pass	AV	5.0419G	33.13	54.00	-20.87	3	Vertical	0	1.20
Mode 3	Pass	PK	2.24223G	42.36	74.00	-31.64	3	Vertical	155	2.00
Mode 3	Pass	PK	3.78123G	43.21	74.00	-30.79	3	Vertical	11	1.82
Mode 3	Pass	PK	5.0419G	46.26	74.00	-27.74	3	Vertical	0	1.20
Mode 3	Pass	AV	2.19493G	26.19	68.20	-42.01	3	Horizontal	173	1.76
Mode 3	Pass	AV	3.63375G	28.80	54.00	-25.20	3	Horizontal	216	1.31
Mode 3	Pass	AV	4.97186G	33.20	54.00	-20.80	3	Horizontal	37	1.44
Mode 3	Pass	PK	2.19493G	40.64	68.20	-27.56	3	Horizontal	173	1.76
Mode 3	Pass	PK	3.63375G	42.13	74.00	-31.87	3	Horizontal	216	1.31
Mode 3	Pass	PK	4.97186G	46.86	74.00	-27.14	3	Horizontal	37	1.44
Mode 4	Pass	AV	2.2416G	32.17	54.00	-21.83	3	Vertical	154	1.99
Mode 4	Pass	AV	3.76728G	29.98	54.00	-24.02	3	Vertical	53	1.50
Mode 4	Pass	AV	5.01523G	33.19	54.00	-20.81	3	Vertical	260	1.50
Mode 4	Pass	PK	2.2416G	42.56	74.00	-31.44	3	Vertical	154	1.99
Mode 4	Pass	PK	3.76728G	43.52	74.00	-30.48	3	Vertical	53	1.50
Mode 4	Pass	PK	5.01523G	46.49	74.00	-27.51	3	Vertical	260	1.50
Mode 4	Pass	AV	2.24192G	31.35	54.00	-22.65	3	Horizontal	165	1.16
Mode 4	Pass	AV	3.78442G	30.25	54.00	-23.75	3	Horizontal	278	1.50
Mode 4	Pass	AV	5.06862G	35.42	54.00	-18.58	3	Horizontal	8	1.50
Mode 4	Pass	PK	2.24192G	42.07	74.00	-31.93	3	Horizontal	165	1.16
Mode 4	Pass	PK	3.78442G	43.80	74.00	-30.20	3	Horizontal	278	1.50
Mode 4	Pass	PK	5.06862G	47.33	74.00	-26.67	3	Horizontal	8	1.50
Mode 5	Pass	AV	2.24194G	33.96	54.00	-20.04	3	Vertical	157	1.99
Mode 5	Pass	AV	3.5976G	29.47	68.20	-38.73	3	Vertical	337	1.50


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 5	Pass	AV	4.99456G	33.08	54.00	-20.92	3	Vertical	127	1.50
Mode 5	Pass	PK	2.24194G	42.04	74.00	-31.96	3	Vertical	157	1.99
Mode 5	Pass	PK	3.5976G	42.94	68.20	-25.26	3	Vertical	337	1.50
Mode 5	Pass	PK	4.99456G	46.61	74.00	-27.39	3	Vertical	127	1.50
Mode 5	Pass	AV	2.08251G	27.35	68.20	-40.85	3	Horizontal	154	1.93
Mode 5	Pass	AV	3.80467G	29.64	54.00	-24.36	3	Horizontal	179	1.50
Mode 5	Pass	AV	4.98237G	33.34	54.00	-20.66	3	Horizontal	58	1.50
Mode 5	Pass	PK	2.08251G	40.52	68.20	-27.68	3	Horizontal	154	1.93
Mode 5	Pass	PK	3.80467G	43.73	74.00	-30.27	3	Horizontal	179	1.50
Mode 5	Pass	PK	4.98237G	46.58	74.00	-27.42	3	Horizontal	58	1.50
Mode 6	Pass	AV	1.73337G	22.56	68.20	-45.64	3	Vertical	240	2.06
Mode 6	Pass	AV	3.0697G	30.51	68.20	-37.69	3	Vertical	275	1.50
Mode 6	Pass	AV	4.17344G	31.47	54.00	-22.53	3	Vertical	319	1.50
Mode 6	Pass	PK	1.72959G	35.73	68.20	-32.47	3	Vertical	240	2.06
Mode 6	Pass	PK	3.07792G	43.34	68.20	-24.86	3	Vertical	275	1.50
Mode 6	Pass	PK	4.16774G	44.21	74.00	-29.79	3	Vertical	319	1.50
Mode 6	Pass	AV	1.40288G	25.85	54.00	-28.15	3	Horizontal	26	1.50
Mode 6	Pass	AV	1.7236G	22.79	68.20	-45.41	3	Horizontal	240	1.50
Mode 6	Pass	AV	3.89256G	29.98	54.00	-24.02	3	Horizontal	345	1.49
Mode 6	Pass	PK	1.40354G	38.66	74.00	-35.34	3	Horizontal	26	1.50
Mode 6	Pass	PK	1.71496G	35.65	68.20	-32.55	3	Horizontal	240	1.50
Mode 6	Pass	PK	3.8784G	42.95	74.00	-31.05	3	Horizontal	345	1.49

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.09491G	26.91	68.20	-41.29	-3.08	3	Vertical	318	1.50	29.99	27.35	4.58	35.01
AV	3.77756G	30.52	54.00	-23.48	1.44	3	Vertical	13	1.37	29.08	30.27	6.30	35.13
AV	5.08641G	32.96	54.00	-21.04	5.03	3	Vertical	0	1.59	27.93	32.85	7.25	35.07
PK	2.09491G	41.50	68.20	-26.70	-3.08	3	Vertical	318	1.50	44.58	27.35	4.58	35.01
PK	3.77756G	44.32	74.00	-29.68	1.44	3	Vertical	13	1.37	42.88	30.27	6.30	35.13
PK	5.08641G	46.44	74.00	-27.56	5.03	3	Vertical	0	1.59	41.41	32.85	7.25	35.07

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.09174G	27.19	68.20	-41.01	-3.05	3	Horizontal	358	1.50	30.24	27.38	4.58	35.01
AV	3.78425G	30.34	54.00	-23.66	1.49	3	Horizontal	95	1.50	28.85	30.31	6.31	35.13
AV	5.0412G	32.85	54.00	-21.15	5.23	3	Horizontal	12	1.50	27.62	33.04	7.26	35.07
PK	2.09174G	40.65	68.20	-27.55	-3.05	3	Horizontal	358	1.50	43.70	27.38	4.58	35.01
PK	3.78425G	44.00	74.00	-30.00	1.49	3	Horizontal	95	1.50	42.51	30.31	6.31	35.13
PK	5.0412G	46.45	74.00	-27.55	5.23	3	Horizontal	12	1.50	41.22	33.04	7.26	35.07


Radiated Emissions above 1GHz_Mode 2




Radiated Emissions above 1GHz_Mode 2




Radiated Emissions above 1GHz_Mode 3




Radiated Emissions above 1GHz_Mode 3




Radiated Emissions above 1GHz_Mode 4




Radiated Emissions above 1GHz_Mode 4




Radiated Emissions above 1GHz_Mode 5



Radiated Emissions above 1GHz_Mode 5



Radiated Emissions above 1GHz_Mode 6



Radiated Emissions above 1GHz_Mode 6

