



RSE TX above 1GHz_Non-Beamforming_Radio 3_ Panel Antenna_2T1S

Appendix E.28

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.9214G	77.39	88.20	-10.81	3	Horizontal	355	2.04
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	5.925G	79.53	88.20	-8.67	3	Vertical	8	1.76
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.9248G	66.91	68.20	-1.29	3	Vertical	357	1.64
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.925G	67.90	68.20	-0.30	3	Vertical	358	1.75
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.925G	68.14	68.20	-0.06	3	Horizontal	360	1.64
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	5.925G	64.23	68.20	-3.97	3	Vertical	2	1.57
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	13.39324G	40.65	54.00	-13.35	3	Vertical	147	1.14
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	13.39132G	40.68	54.00	-13.32	3	Vertical	147	1.31
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	13.39268G	40.15	54.00	-13.85	3	Vertical	317	2.28
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	13.2968G	40.20	54.00	-13.80	3	Vertical	138	2.20
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	PK	13.26568G	54.83	74.00	-19.17	3	Horizontal	206	1.50

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	52.56	68.20	-15.64	3	Vertical	2	2.68
5955MHz	Pass	AV	5.9616G	107.46	Inf	-Inf	3	Vertical	2	2.68
5955MHz	Pass	PK	5.9223G	77.19	88.20	-11.01	3	Vertical	2	2.68
5955MHz	Pass	PK	5.9613G	117.80	Inf	-Inf	3	Vertical	2	2.68
5955MHz	Pass	AV	5.925G	53.77	68.20	-14.43	3	Horizontal	355	2.04
5955MHz	Pass	AV	5.9622G	107.76	Inf	-Inf	3	Horizontal	355	2.04
5955MHz	Pass	PK	5.9214G	77.39	88.20	-10.81	3	Horizontal	355	2.04
5955MHz	Pass	PK	5.9568G	119.37	Inf	-Inf	3	Horizontal	355	2.04
5955MHz	Pass	AV	11.9049G	38.70	54.00	-15.30	3	Vertical	126	2.20
5955MHz	Pass	PK	11.91858G	53.32	74.00	-20.68	3	Vertical	126	2.20
5955MHz	Pass	AV	11.91936G	38.22	54.00	-15.78	3	Horizontal	104	1.50
5955MHz	Pass	PK	11.92494G	53.06	74.00	-20.94	3	Horizontal	104	1.50
6195MHz	Pass	AV	12.38898G	38.47	54.00	-15.53	3	Vertical	128	1.35
6195MHz	Pass	PK	12.39132G	53.13	74.00	-20.87	3	Vertical	128	1.35
6195MHz	Pass	AV	12.37524G	38.20	54.00	-15.80	3	Horizontal	270	1.50
6195MHz	Pass	PK	12.38634G	52.81	74.00	-21.19	3	Horizontal	270	1.50
6415MHz	Pass	AV	12.83294G	40.32	68.20	-27.88	3	Vertical	190	1.39
6415MHz	Pass	PK	12.82286G	54.43	88.20	-33.77	3	Vertical	190	1.39
6415MHz	Pass	AV	12.83276G	39.29	68.20	-28.91	3	Horizontal	151	2.53
6415MHz	Pass	PK	12.82406G	54.08	88.20	-34.12	3	Horizontal	151	2.53
6535MHz	Pass	AV	13.06886G	45.57	68.20	-22.63	3	Vertical	183	1.57
6535MHz	Pass	PK	13.06898G	59.91	88.20	-28.29	3	Vertical	183	1.57
6535MHz	Pass	AV	13.06958G	45.22	68.20	-22.98	3	Horizontal	69	1.68
6535MHz	Pass	PK	13.0646G	59.37	88.20	-28.83	3	Horizontal	69	1.68
6695MHz	Pass	AV	13.39324G	40.65	54.00	-13.35	3	Vertical	147	1.14
6695MHz	Pass	PK	13.39306G	55.36	74.00	-18.64	3	Vertical	147	1.14
6695MHz	Pass	AV	13.39096G	40.08	54.00	-13.92	3	Horizontal	63	1.50
6695MHz	Pass	PK	13.38322G	55.19	74.00	-18.81	3	Horizontal	63	1.50
6855MHz	Pass	AV	13.71264G	40.60	68.20	-27.60	3	Vertical	155	1.25
6855MHz	Pass	PK	13.6971G	55.13	88.20	-33.07	3	Vertical	155	1.25
6855MHz	Pass	AV	13.69518G	40.55	68.20	-27.65	3	Horizontal	170	1.41
6855MHz	Pass	PK	13.7067G	54.94	88.20	-33.26	3	Horizontal	170	1.41
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	58.77	68.20	-9.43	3	Vertical	8	1.76
5955MHz	Pass	AV	5.9628G	107.16	Inf	-Inf	3	Vertical	8	1.76
5955MHz	Pass	PK	5.925G	79.53	88.20	-8.67	3	Vertical	8	1.76
5955MHz	Pass	PK	5.9604G	120.05	Inf	-Inf	3	Vertical	8	1.76
5955MHz	Pass	AV	5.9244G	58.01	68.20	-10.19	3	Horizontal	356	2.04
5955MHz	Pass	AV	5.9637G	107.13	Inf	-Inf	3	Horizontal	356	2.04
5955MHz	Pass	PK	5.925G	78.92	88.20	-9.28	3	Horizontal	356	2.04
5955MHz	Pass	PK	5.9589G	120.86	Inf	-Inf	3	Horizontal	356	2.04
5955MHz	Pass	AV	11.91504G	38.67	54.00	-15.33	3	Vertical	203	1.09
5955MHz	Pass	PK	11.91564G	53.31	74.00	-20.69	3	Vertical	203	1.09
5955MHz	Pass	AV	11.9184G	38.46	54.00	-15.54	3	Horizontal	34	2.56
5955MHz	Pass	PK	11.90568G	52.66	74.00	-21.34	3	Horizontal	34	2.56
6195MHz	Pass	AV	12.39144G	38.64	54.00	-15.36	3	Vertical	141	1.55
6195MHz	Pass	PK	12.38262G	52.86	74.00	-21.14	3	Vertical	141	1.55
6195MHz	Pass	AV	12.37548G	38.20	54.00	-15.80	3	Horizontal	142	1.50
6195MHz	Pass	PK	12.37554G	53.00	74.00	-21.00	3	Horizontal	142	1.50
6415MHz	Pass	AV	12.83156G	40.24	68.20	-27.96	3	Vertical	190	1.37
6415MHz	Pass	PK	12.82442G	54.03	88.20	-34.17	3	Vertical	190	1.37
6415MHz	Pass	AV	12.83096G	39.30	68.20	-28.90	3	Horizontal	203	1.50
6415MHz	Pass	PK	12.8333G	53.97	88.20	-34.23	3	Horizontal	203	1.50
6535MHz	Pass	AV	13.0691G	46.01	68.20	-22.19	3	Vertical	149	1.76
6535MHz	Pass	PK	13.06628G	60.90	88.20	-27.30	3	Vertical	149	1.76
6535MHz	Pass	AV	13.06976G	45.06	68.20	-23.14	3	Horizontal	69	1.67
6535MHz	Pass	PK	13.0721G	58.80	88.20	-29.40	3	Horizontal	69	1.67
6695MHz	Pass	AV	13.39132G	40.68	54.00	-13.32	3	Vertical	147	1.31
6695MHz	Pass	PK	13.38664G	54.90	74.00	-19.10	3	Vertical	147	1.31
6695MHz	Pass	AV	13.39102G	40.25	54.00	-13.75	3	Horizontal	76	3.00

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6695MHz	Pass	PK	13.39366G	55.12	74.00	-18.88	3	Horizontal	76	3.00
6855MHz	Pass	AV	13.71114G	40.63	68.20	-27.57	3	Vertical	205	1.50
6855MHz	Pass	PK	13.7046G	55.35	88.20	-32.85	3	Vertical	205	1.50
6855MHz	Pass	AV	13.7106G	40.61	68.20	-27.59	3	Horizontal	306	1.50
6855MHz	Pass	PK	13.7061G	55.94	88.20	-32.26	3	Horizontal	306	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	66.91	68.20	-1.29	3	Vertical	357	1.64
5965MHz	Pass	AV	5.9803G	104.88	Inf	-Inf	3	Vertical	357	1.64
5965MHz	Pass	PK	5.9245G	85.27	88.20	-2.93	3	Vertical	357	1.64
5965MHz	Pass	PK	5.9707G	117.88	Inf	-Inf	3	Vertical	357	1.64
5965MHz	Pass	AV	5.9248G	63.41	68.20	-4.79	3	Horizontal	360	1.55
5965MHz	Pass	AV	5.9722G	104.08	Inf	-Inf	3	Horizontal	360	1.55
5965MHz	Pass	PK	5.9215G	83.99	88.20	-4.21	3	Horizontal	360	1.55
5965MHz	Pass	PK	5.9776G	117.91	Inf	-Inf	3	Horizontal	360	1.55
5965MHz	Pass	AV	11.95112G	38.52	54.00	-15.48	3	Vertical	87	2.48
5965MHz	Pass	PK	11.92976G	52.82	74.00	-21.18	3	Vertical	87	2.48
5965MHz	Pass	AV	11.95208G	38.57	54.00	-15.43	3	Horizontal	275	1.50
5965MHz	Pass	PK	11.90588G	53.18	74.00	-20.82	3	Horizontal	275	1.50
6205MHz	Pass	AV	12.43208G	38.33	54.00	-15.67	3	Vertical	281	1.06
6205MHz	Pass	PK	12.40004G	52.60	74.00	-21.40	3	Vertical	281	1.06
6205MHz	Pass	AV	12.43364G	38.36	54.00	-15.64	3	Horizontal	134	2.22
6205MHz	Pass	PK	12.43544G	52.67	74.00	-21.33	3	Horizontal	134	2.22
6405MHz	Pass	AV	12.78204G	39.21	68.20	-28.99	3	Vertical	93	1.77
6405MHz	Pass	PK	12.8262G	54.22	88.20	-33.98	3	Vertical	93	1.77
6405MHz	Pass	AV	12.79644G	39.22	68.20	-28.98	3	Horizontal	252	1.50
6405MHz	Pass	PK	12.80772G	53.70	88.20	-34.50	3	Horizontal	252	1.50
6565MHz	Pass	AV	13.11932G	41.60	68.20	-26.60	3	Vertical	182	1.50
6565MHz	Pass	PK	13.11704G	55.91	88.20	-32.29	3	Vertical	182	1.50
6565MHz	Pass	AV	13.11968G	41.39	68.20	-26.81	3	Horizontal	43	1.50
6565MHz	Pass	PK	13.12988G	55.51	88.20	-32.69	3	Horizontal	43	1.50
6685MHz	Pass	AV	13.39268G	40.15	54.00	-13.85	3	Vertical	317	2.28
6685MHz	Pass	PK	13.3892G	54.72	74.00	-19.28	3	Vertical	317	2.28
6685MHz	Pass	AV	13.38752G	40.15	54.00	-13.85	3	Horizontal	282	2.88
6685MHz	Pass	PK	13.37228G	55.14	74.00	-18.86	3	Horizontal	282	2.88
6845MHz	Pass	AV	13.67668G	40.72	68.20	-27.48	3	Vertical	175	1.12
6845MHz	Pass	PK	13.68508G	55.65	88.20	-32.55	3	Vertical	175	1.12
6845MHz	Pass	AV	13.67752G	40.66	68.20	-27.54	3	Horizontal	161	1.50
6845MHz	Pass	PK	13.66036G	55.42	88.20	-32.78	3	Horizontal	161	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	67.90	68.20	-0.30	3	Vertical	358	1.75
5985MHz	Pass	AV	5.995G	101.74	Inf	-Inf	3	Vertical	358	1.75
5985MHz	Pass	PK	5.9215G	84.68	88.20	-3.52	3	Vertical	358	1.75
5985MHz	Pass	PK	5.988G	114.76	Inf	-Inf	3	Vertical	358	1.75
5985MHz	Pass	AV	5.924G	67.19	68.20	-1.01	3	Horizontal	355	2.20
5985MHz	Pass	AV	5.994G	102.15	Inf	-Inf	3	Horizontal	355	2.20
5985MHz	Pass	PK	5.919G	84.62	88.20	-3.58	3	Horizontal	355	2.20
5985MHz	Pass	PK	5.9965G	115.42	Inf	-Inf	3	Horizontal	355	2.20
5985MHz	Pass	AV	11.96592G	38.50	54.00	-15.50	3	Vertical	224	1.50
5985MHz	Pass	PK	12.01632G	52.89	74.00	-21.11	3	Vertical	224	1.50
5985MHz	Pass	AV	12.01608G	38.51	54.00	-15.49	3	Horizontal	95	2.39
5985MHz	Pass	PK	12.02352G	52.80	74.00	-21.20	3	Horizontal	95	2.39
6225MHz	Pass	AV	12.4812G	38.43	54.00	-15.57	3	Vertical	4	3.00
6225MHz	Pass	PK	12.48G	52.89	74.00	-21.11	3	Vertical	4	3.00
6225MHz	Pass	AV	12.46128G	38.36	54.00	-15.64	3	Horizontal	321	2.47
6225MHz	Pass	PK	12.43656G	52.98	74.00	-21.02	3	Horizontal	321	2.47
6385MHz	Pass	AV	12.74744G	39.33	68.20	-28.87	3	Vertical	210	1.50
6385MHz	Pass	PK	12.71912G	53.80	88.20	-34.40	3	Vertical	210	1.50
6385MHz	Pass	AV	12.746G	39.30	68.20	-28.90	3	Horizontal	66	1.50
6385MHz	Pass	PK	12.76808G	53.60	88.20	-34.60	3	Horizontal	66	1.50
6625MHz	Pass	AV	13.2968G	40.20	54.00	-13.80	3	Vertical	138	2.20
6625MHz	Pass	PK	13.31G	54.23	74.00	-19.77	3	Vertical	138	2.20
6625MHz	Pass	AV	13.24688G	40.49	68.20	-27.71	3	Horizontal	46	1.61




RSE TX above 1GHz_Non-Beamforming_Radio 3_ Panel Antenna_2T1S

Appendix E.28

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6625MHz	Pass	PK	13.3004G	54.86	74.00	-19.14	3	Horizontal	46	1.61
6705MHz	Pass	AV	13.46808G	40.66	68.20	-27.54	3	Vertical	337	2.55
6705MHz	Pass	PK	13.45152G	55.15	88.20	-33.05	3	Vertical	337	2.55
6705MHz	Pass	AV	13.45584G	40.62	68.20	-27.58	3	Horizontal	268	2.59
6705MHz	Pass	PK	13.4532G	55.61	88.20	-32.59	3	Horizontal	268	2.59
6785MHz	Pass	AV	13.552G	40.83	68.20	-27.37	3	Vertical	8	1.88
6785MHz	Pass	PK	13.5652G	54.86	88.20	-33.34	3	Vertical	8	1.88
6785MHz	Pass	AV	13.54984G	40.82	68.20	-27.38	3	Horizontal	293	1.50
6785MHz	Pass	PK	13.51432G	55.43	88.20	-32.77	3	Horizontal	293	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	67.42	68.20	-0.78	3	Vertical	347	1.98
6025MHz	Pass	AV	6.0005G	99.69	Inf	-Inf	3	Vertical	347	1.98
6025MHz	Pass	PK	5.925G	84.11	88.20	-4.09	3	Vertical	347	1.98
6025MHz	Pass	PK	6G	113.57	Inf	-Inf	3	Vertical	347	1.98
6025MHz	Pass	AV	5.925G	68.14	68.20	-0.06	3	Horizontal	360	1.64
6025MHz	Pass	AV	5.9975G	98.19	Inf	-Inf	3	Horizontal	360	1.64
6025MHz	Pass	PK	5.925G	83.07	88.20	-5.13	3	Horizontal	360	1.64
6025MHz	Pass	PK	5.9975G	111.80	Inf	-Inf	3	Horizontal	360	1.64
6025MHz	Pass	AV	12.08168G	38.50	54.00	-15.50	3	Vertical	343	1.50
6025MHz	Pass	PK	12.02648G	53.39	74.00	-20.61	3	Vertical	343	1.50
6025MHz	Pass	AV	12.12152G	38.75	54.00	-15.25	3	Horizontal	41	1.50
6025MHz	Pass	PK	11.99672G	53.23	74.00	-20.77	3	Horizontal	41	1.50
6185MHz	Pass	AV	12.46552G	38.35	54.00	-15.65	3	Vertical	170	1.50
6185MHz	Pass	PK	12.37288G	53.09	74.00	-20.91	3	Vertical	170	1.50
6185MHz	Pass	AV	12.48088G	38.36	54.00	-15.64	3	Horizontal	340	1.50
6185MHz	Pass	PK	12.3868G	53.27	74.00	-20.73	3	Horizontal	340	1.50
6345MHz	Pass	AV	12.74568G	39.30	68.20	-28.90	3	Vertical	114	1.50
6345MHz	Pass	PK	12.74616G	54.10	88.20	-34.10	3	Vertical	114	1.50
6345MHz	Pass	AV	12.74664G	39.29	68.20	-28.91	3	Horizontal	250	2.51
6345MHz	Pass	PK	12.7092G	53.60	88.20	-34.60	3	Horizontal	250	2.51
6665MHz	Pass	AV	13.4212G	40.30	68.20	-27.90	3	Vertical	141	2.24
6665MHz	Pass	PK	13.4068G	54.38	88.20	-33.82	3	Vertical	141	2.24
6665MHz	Pass	AV	13.44088G	40.22	68.20	-27.98	3	Horizontal	206	1.50
6665MHz	Pass	PK	13.26568G	54.83	74.00	-19.17	3	Horizontal	206	1.50
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	64.23	68.20	-3.97	3	Vertical	2	1.57
6105MHz	Pass	AV	6.207G	97.44	Inf	-Inf	3	Vertical	2	1.57
6105MHz	Pass	PK	5.923G	78.84	88.20	-9.36	3	Vertical	2	1.57
6105MHz	Pass	PK	6.24G	111.34	Inf	-Inf	3	Vertical	2	1.57
6105MHz	Pass	AV	5.923G	62.66	68.20	-5.54	3	Horizontal	0	2.16
6105MHz	Pass	AV	6.249G	95.61	Inf	-Inf	3	Horizontal	0	2.16
6105MHz	Pass	PK	5.913G	76.96	88.20	-11.24	3	Horizontal	0	2.16
6105MHz	Pass	PK	6.246G	109.41	Inf	-Inf	3	Horizontal	0	2.16
6105MHz	Pass	AV	12.43944G	38.53	54.00	-15.47	3	Vertical	72	1.38
6105MHz	Pass	PK	12.32904G	53.02	74.00	-20.98	3	Vertical	72	1.38
6105MHz	Pass	AV	12.4308G	38.58	54.00	-15.42	3	Horizontal	24	2.94
6105MHz	Pass	PK	11.99688G	53.01	74.00	-20.99	3	Horizontal	24	2.94
6265MHz	Pass	AV	12.74696G	39.33	68.20	-28.87	3	Vertical	331	1.04
6265MHz	Pass	PK	12.6404G	53.75	74.00	-20.25	3	Vertical	331	1.04
6265MHz	Pass	AV	12.74792G	39.31	68.20	-28.89	3	Horizontal	221	1.50
6265MHz	Pass	PK	12.53672G	53.45	74.00	-20.55	3	Horizontal	221	1.50


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5955MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5955MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5955MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

5955MHz_TX



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	58.77	68.20	-9.43	1.89	3	Vertical	8	1.76	56.88	34.55	5.18	37.84
AV	5.9628G	107.16	Inf	-Inf	1.92	3	Vertical	8	1.76	105.24	34.50	5.23	37.81
PK	5.925G	79.53	88.20	-8.67	1.89	3	Vertical	8	1.76	77.64	34.55	5.18	37.84
PK	5.9604G	120.05	Inf	-Inf	1.92	3	Vertical	8	1.76	118.13	34.50	5.23	37.81

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9244G	58.01	68.20	-10.19	1.89	3	Horizontal	356	2.04	56.12	34.55	5.18	37.84
AV	5.9637G	107.13	Inf	-Inf	1.93	3	Horizontal	356	2.04	105.20	34.50	5.24	37.81
PK	5.925G	78.92	88.20	-9.28	1.89	3	Horizontal	356	2.04	77.03	34.55	5.18	37.84
PK	5.9589G	120.86	Inf	-Inf	1.92	3	Horizontal	356	2.04	118.94	34.50	5.23	37.81


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX





**RSE TX below 1GHz_Non-Beamforming_Radio 3_
Panel Antenna_2T2S**

Appendix E.29

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	QP	37.6M	35.49	40.00	-4.51	3	Vertical	262	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6185MHz	Pass	PK	99.84M	33.28	43.50	-10.22	3	Vertical	0	1.00
6185MHz	Pass	PK	158.04M	27.79	43.50	-15.71	3	Vertical	0	1.00
6185MHz	Pass	PK	495.6M	30.17	46.00	-15.83	3	Vertical	0	1.00
6185MHz	Pass	PK	549.92M	29.51	46.00	-16.49	3	Vertical	0	1.00
6185MHz	Pass	QP	37.6M	35.49	40.00	-4.51	3	Vertical	262	1.00
6185MHz	Pass	QP	46.37M	33.25	40.00	-6.75	3	Vertical	281	1.03
6185MHz	Pass	PK	88.2M	33.37	43.50	-10.13	3	Horizontal	360	1.00
6185MHz	Pass	PK	99.84M	34.37	43.50	-9.13	3	Horizontal	360	1.00
6185MHz	Pass	PK	156.1M	26.65	43.50	-16.85	3	Horizontal	360	1.00
6185MHz	Pass	PK	249.22M	31.15	46.00	-14.85	3	Horizontal	360	1.00
6185MHz	Pass	PK	449.04M	24.65	46.00	-21.35	3	Horizontal	360	1.00
6185MHz	Pass	PK	549.92M	29.37	46.00	-16.63	3	Horizontal	360	1.00


5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6185MHz_Adapter



5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6185MHz_Adapter





RSE TX above 1GHz_Non-Beamforming_Radio 3_ Panel Antenna_2T2S

Appendix E.30

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.925G	58.69	68.20	-9.51	3	Horizontal	6	2.27
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.9248G	67.05	68.20	-1.15	3	Vertical	0	1.66
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.925G	67.98	68.20	-0.22	3	Vertical	0	1.66
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	5.925G	67.83	68.20	-0.37	3	Horizontal	0	1.69
802.11be EHT320_Nss2,(MCS0)_2TX	Pass	AV	5.925G	63.46	68.20	-4.74	3	Vertical	0	1.61
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	13.38896G	40.58	54.00	-13.42	3	Vertical	155	1.49
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	13.37038G	40.18	54.00	-13.82	3	Vertical	112	1.35
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	13.56518G	40.61	68.20	-27.59	3	Vertical	95	3.00
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	13.33354G	40.10	54.00	-13.90	3	Vertical	179	2.22

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	58.40	68.20	-9.80	3	Vertical	358	1.74
5955MHz	Pass	AV	5.9511G	106.84	Inf	-Inf	3	Vertical	358	1.74
5955MHz	Pass	PK	5.9235G	77.90	88.20	-10.30	3	Vertical	358	1.74
5955MHz	Pass	PK	5.9634G	120.74	Inf	-Inf	3	Vertical	358	1.74
5955MHz	Pass	AV	5.925G	58.69	68.20	-9.51	3	Horizontal	6	2.27
5955MHz	Pass	AV	5.9631G	107.11	Inf	-Inf	3	Horizontal	6	2.27
5955MHz	Pass	PK	5.9208G	78.65	88.20	-9.55	3	Horizontal	6	2.27
5955MHz	Pass	PK	5.9598G	121.18	Inf	-Inf	3	Horizontal	6	2.27
5955MHz	Pass	AV	11.90478G	38.60	54.00	-15.40	3	Vertical	128	1.50
5955MHz	Pass	PK	11.90592G	53.06	74.00	-20.94	3	Vertical	128	1.50
5955MHz	Pass	AV	11.91786G	38.70	54.00	-15.30	3	Horizontal	220	1.50
5955MHz	Pass	PK	11.90646G	53.22	74.00	-20.78	3	Horizontal	220	1.50
6195MHz	Pass	AV	12.37572G	38.32	54.00	-15.68	3	Vertical	59	1.50
6195MHz	Pass	PK	12.3975G	53.27	74.00	-20.73	3	Vertical	59	1.50
6195MHz	Pass	AV	12.37722G	38.36	54.00	-15.64	3	Horizontal	87	1.50
6195MHz	Pass	PK	12.38604G	53.82	74.00	-20.18	3	Horizontal	87	1.50
6415MHz	Pass	AV	12.83048G	40.13	68.20	-28.07	3	Vertical	158	1.35
6415MHz	Pass	PK	12.84344G	55.15	88.20	-33.05	3	Vertical	158	1.35
6415MHz	Pass	AV	12.83222G	39.37	68.20	-28.83	3	Horizontal	120	1.50
6415MHz	Pass	PK	12.842G	53.89	88.20	-34.31	3	Horizontal	120	1.50
6535MHz	Pass	AV	13.07024G	44.64	68.20	-23.56	3	Vertical	49	1.44
6535MHz	Pass	PK	13.06972G	57.34	88.20	-30.86	3	Vertical	49	1.44
6535MHz	Pass	AV	13.06984G	46.90	68.20	-21.30	3	Horizontal	51	1.30
6535MHz	Pass	PK	13.07162G	61.49	88.20	-26.71	3	Horizontal	51	1.30
6695MHz	Pass	AV	13.38896G	40.58	54.00	-13.42	3	Vertical	155	1.49
6695MHz	Pass	PK	13.38746G	53.70	74.00	-20.30	3	Vertical	155	1.49
6695MHz	Pass	AV	13.38748G	40.24	54.00	-13.76	3	Horizontal	333	2.90
6695MHz	Pass	PK	13.38836G	54.27	74.00	-19.73	3	Horizontal	333	2.90
6855MHz	Pass	AV	13.71016G	40.86	68.20	-27.34	3	Vertical	192	1.38
6855MHz	Pass	PK	13.7137G	54.52	88.20	-33.68	3	Vertical	192	1.38
6855MHz	Pass	AV	13.71008G	40.60	68.20	-27.60	3	Horizontal	29	2.32
6855MHz	Pass	PK	13.71002G	53.78	88.20	-34.42	3	Horizontal	29	2.32
802.11be EHT40_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	67.05	68.20	-1.15	3	Vertical	0	1.66
5965MHz	Pass	AV	5.9791G	104.87	Inf	-Inf	3	Vertical	0	1.66
5965MHz	Pass	PK	5.9227G	85.94	88.20	-2.26	3	Vertical	0	1.66
5965MHz	Pass	PK	5.9806G	118.22	Inf	-Inf	3	Vertical	0	1.66
5965MHz	Pass	AV	5.9245G	63.23	68.20	-4.97	3	Horizontal	0	1.55
5965MHz	Pass	AV	5.9788G	104.31	Inf	-Inf	3	Horizontal	0	1.55
5965MHz	Pass	PK	5.9242G	83.32	88.20	-4.88	3	Horizontal	0	1.55
5965MHz	Pass	PK	5.9815G	118.20	Inf	-Inf	3	Horizontal	0	1.55
5965MHz	Pass	AV	11.93402G	38.55	54.00	-15.45	3	Vertical	80	1.50
5965MHz	Pass	PK	11.92588G	51.95	74.00	-22.05	3	Vertical	80	1.50
5965MHz	Pass	AV	11.93354G	38.52	54.00	-15.48	3	Horizontal	287	1.50
5965MHz	Pass	PK	11.93442G	51.88	74.00	-22.12	3	Horizontal	287	1.50
6205MHz	Pass	AV	12.40936G	38.50	54.00	-15.50	3	Vertical	96	1.07
6205MHz	Pass	PK	12.40586G	51.81	74.00	-22.19	3	Vertical	96	1.07
6205MHz	Pass	AV	12.4124G	38.47	54.00	-15.53	3	Horizontal	299	1.68
6205MHz	Pass	PK	12.41414G	52.08	74.00	-21.92	3	Horizontal	299	1.68
6405MHz	Pass	AV	12.81136G	39.44	68.20	-28.76	3	Vertical	222	2.09
6405MHz	Pass	PK	12.8083G	52.75	88.20	-35.45	3	Vertical	222	2.09
6405MHz	Pass	AV	12.80738G	39.32	68.20	-28.88	3	Horizontal	24	2.78
6405MHz	Pass	PK	12.80558G	52.65	88.20	-35.55	3	Horizontal	24	2.78
6565MHz	Pass	AV	13.12562G	41.26	68.20	-26.94	3	Vertical	53	1.42
6565MHz	Pass	PK	13.13018G	54.36	88.20	-33.84	3	Vertical	53	1.42
6565MHz	Pass	AV	13.12594G	42.54	68.20	-25.66	3	Horizontal	51	1.43
6565MHz	Pass	PK	13.12604G	55.55	88.20	-32.65	3	Horizontal	51	1.43
6685MHz	Pass	AV	13.37038G	40.18	54.00	-13.82	3	Vertical	112	1.35
6685MHz	Pass	PK	13.36544G	54.11	74.00	-19.89	3	Vertical	112	1.35
6685MHz	Pass	AV	13.36732G	40.10	54.00	-13.90	3	Horizontal	184	2.96



**RSE TX above 1GHz_Non-Beamforming_Radio 3_
Panel Antenna_2T2S**

Appendix E.30

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6685MHz	Pass	PK	13.37046G	53.31	74.00	-20.69	3	Horizontal	184	2.96
6845MHz	Pass	AV	13.69346G	40.70	68.20	-27.50	3	Vertical	140	1.50
6845MHz	Pass	PK	13.68782G	53.63	88.20	-34.57	3	Vertical	140	1.50
6845MHz	Pass	AV	13.69402G	40.63	68.20	-27.57	3	Horizontal	302	1.22
6845MHz	Pass	PK	13.68736G	53.64	88.20	-34.56	3	Horizontal	302	1.22
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	67.98	68.20	-0.22	3	Vertical	0	1.66
5985MHz	Pass	AV	5.98G	101.23	Inf	-Inf	3	Vertical	0	1.66
5985MHz	Pass	PK	5.922G	85.71	88.20	-2.49	3	Vertical	0	1.66
5985MHz	Pass	PK	5.9765G	115.46	Inf	-Inf	3	Vertical	0	1.66
5985MHz	Pass	AV	5.9245G	66.05	68.20	-2.15	3	Horizontal	0	1.59
5985MHz	Pass	AV	5.9955G	100.99	Inf	-Inf	3	Horizontal	0	1.59
5985MHz	Pass	PK	5.922G	83.81	88.20	-4.39	3	Horizontal	0	1.59
5985MHz	Pass	PK	5.993G	116.51	Inf	-Inf	3	Horizontal	0	1.59
5985MHz	Pass	AV	11.96556G	38.47	54.00	-15.53	3	Vertical	88	1.50
5985MHz	Pass	PK	11.97234G	51.55	74.00	-22.45	3	Vertical	88	1.50
5985MHz	Pass	AV	11.96744G	38.46	54.00	-15.54	3	Horizontal	0	1.43
5985MHz	Pass	PK	11.96634G	52.12	74.00	-21.88	3	Horizontal	0	1.43
6225MHz	Pass	AV	12.44562G	38.46	54.00	-15.54	3	Vertical	156	1.07
6225MHz	Pass	PK	12.4453G	51.46	74.00	-22.54	3	Vertical	156	1.07
6225MHz	Pass	AV	12.44638G	38.46	54.00	-15.54	3	Horizontal	50	2.43
6225MHz	Pass	PK	12.45248G	51.36	74.00	-22.64	3	Horizontal	50	2.43
6385MHz	Pass	AV	12.76712G	39.46	68.20	-28.74	3	Vertical	192	1.50
6385MHz	Pass	PK	12.76946G	52.63	88.20	-35.57	3	Vertical	192	1.50
6385MHz	Pass	AV	12.76696G	39.39	68.20	-28.81	3	Horizontal	270	2.66
6385MHz	Pass	PK	12.77286G	52.55	88.20	-35.65	3	Horizontal	270	2.66
6625MHz	Pass	AV	13.24798G	39.98	68.20	-28.22	3	Vertical	271	2.46
6625MHz	Pass	PK	13.24876G	52.74	88.20	-35.46	3	Vertical	271	2.46
6625MHz	Pass	AV	13.24998G	40.18	68.20	-28.02	3	Horizontal	304	2.56
6625MHz	Pass	PK	13.24818G	54.37	88.20	-33.83	3	Horizontal	304	2.56
6705MHz	Pass	AV	13.40576G	40.30	68.20	-27.90	3	Vertical	78	2.79
6705MHz	Pass	PK	13.40516G	53.45	88.20	-34.75	3	Vertical	78	2.79
6705MHz	Pass	AV	13.40976G	40.36	68.20	-27.84	3	Horizontal	349	1.50
6705MHz	Pass	PK	13.4142G	52.95	88.20	-35.25	3	Horizontal	349	1.50
6785MHz	Pass	AV	13.56518G	40.61	68.20	-27.59	3	Vertical	95	3.00
6785MHz	Pass	PK	13.56862G	53.95	88.20	-34.25	3	Vertical	95	3.00
6785MHz	Pass	AV	13.56554G	40.52	68.20	-27.68	3	Horizontal	269	1.50
6785MHz	Pass	PK	13.56524G	53.84	88.20	-34.36	3	Horizontal	269	1.50
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	67.42	68.20	-0.78	3	Vertical	0	1.73
6025MHz	Pass	AV	5.996G	98.58	Inf	-Inf	3	Vertical	0	1.73
6025MHz	Pass	PK	5.925G	83.02	88.20	-5.18	3	Vertical	0	1.73
6025MHz	Pass	PK	6.0095G	113.50	Inf	-Inf	3	Vertical	0	1.73
6025MHz	Pass	AV	5.925G	67.83	68.20	-0.37	3	Horizontal	0	1.69
6025MHz	Pass	AV	5.998G	98.24	Inf	-Inf	3	Horizontal	0	1.69
6025MHz	Pass	PK	5.925G	82.86	88.20	-5.34	3	Horizontal	0	1.69
6025MHz	Pass	PK	5.995G	112.60	Inf	-Inf	3	Horizontal	0	1.69
6025MHz	Pass	AV	12.0308G	38.47	54.00	-15.53	3	Vertical	258	2.01
6025MHz	Pass	PK	11.9564G	52.83	74.00	-21.17	3	Vertical	258	2.01
6025MHz	Pass	AV	12.06152G	38.50	54.00	-15.50	3	Horizontal	70	1.50
6025MHz	Pass	PK	11.98424G	53.04	74.00	-20.96	3	Horizontal	70	1.50
6185MHz	Pass	AV	12.4828G	38.31	54.00	-15.69	3	Vertical	0	1.50
6185MHz	Pass	PK	12.43576G	53.65	74.00	-20.35	3	Vertical	0	1.50
6185MHz	Pass	AV	12.4828G	38.32	54.00	-15.68	3	Horizontal	228	2.68
6185MHz	Pass	PK	12.4396G	52.82	74.00	-21.18	3	Horizontal	228	2.68
6345MHz	Pass	AV	12.6908G	39.13	54.00	-14.87	3	Vertical	302	3.00
6345MHz	Pass	PK	12.69154G	51.99	74.00	-22.01	3	Vertical	302	3.00
6345MHz	Pass	AV	12.68972G	39.11	54.00	-14.89	3	Horizontal	345	1.50
6345MHz	Pass	PK	12.68692G	53.01	74.00	-20.99	3	Horizontal	345	1.50
6665MHz	Pass	AV	13.33354G	40.10	54.00	-13.90	3	Vertical	179	2.22
6665MHz	Pass	PK	13.33298G	53.92	74.00	-20.08	3	Vertical	179	2.22
6665MHz	Pass	AV	13.32988G	40.05	54.00	-13.95	3	Horizontal	337	1.50




**RSE TX above 1GHz_Non-Beamforming_Radio 3_
Panel Antenna_2T2S**

Appendix E.30

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6665MHz	Pass	PK	13.32566G	53.44	74.00	-20.56	3	Horizontal	337	1.50
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	63.46	68.20	-4.74	3	Vertical	0	1.61
6105MHz	Pass	AV	6.262G	96.84	Inf	-Inf	3	Vertical	0	1.61
6105MHz	Pass	PK	5.925G	79.08	88.20	-9.12	3	Vertical	0	1.61
6105MHz	Pass	PK	6.213G	110.49	Inf	-Inf	3	Vertical	0	1.61
6105MHz	Pass	AV	5.925G	62.37	68.20	-5.83	3	Horizontal	0	1.89
6105MHz	Pass	AV	6.244G	95.63	Inf	-Inf	3	Horizontal	0	1.89
6105MHz	Pass	PK	5.916G	78.21	88.20	-9.99	3	Horizontal	0	1.89
6105MHz	Pass	PK	5.997G	109.30	Inf	-Inf	3	Horizontal	0	1.89
6105MHz	Pass	AV	12.20814G	38.40	54.00	-15.60	3	Vertical	214	1.40
6105MHz	Pass	PK	12.2129G	51.88	74.00	-22.12	3	Vertical	214	1.40
6105MHz	Pass	AV	12.20896G	38.37	54.00	-15.63	3	Horizontal	339	1.50
6105MHz	Pass	PK	12.21456G	51.77	74.00	-22.23	3	Horizontal	339	1.50
6265MHz	Pass	AV	12.52772G	38.47	54.00	-15.53	3	Vertical	65	1.50
6265MHz	Pass	PK	12.5283G	51.35	74.00	-22.65	3	Vertical	65	1.50
6265MHz	Pass	AV	12.52798G	38.51	54.00	-15.49	3	Horizontal	308	2.00
6265MHz	Pass	PK	12.52612G	51.96	74.00	-22.04	3	Horizontal	308	2.00


5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6785MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6785MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6665MHz_TX





RSE TX above 1GHz_Beamforming_Radio 3_Dipole Antenna Appendix E.31

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.9244G	56.92	68.20	-11.28	3	Vertical	352	1.54
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.9248G	61.64	68.20	-6.56	3	Vertical	41	2.06
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.925G	66.11	68.20	-2.09	3	Vertical	41	1.83
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	5.9245G	67.87	68.20	-0.33	3	Vertical	223	2.01
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	5.924G	58.54	68.20	-9.66	3	Vertical	175	2.51
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	13.38672G	40.27	54.00	-13.73	3	Vertical	159	1.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.36084G	40.52	54.00	-13.48	3	Vertical	38	2.98
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	13.2584G	40.26	54.00	-13.74	3	Horizontal	225	1.50
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	13.32016G	39.81	54.00	-14.19	3	Vertical	107	1.50


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9244G	56.92	68.20	-11.28	3	Vertical	352	1.54
5955MHz	Pass	AV	5.9613G	106.22	Inf	-Inf	3	Vertical	352	1.54
5955MHz	Pass	PK	5.9247G	75.11	88.20	-13.09	3	Vertical	352	1.54
5955MHz	Pass	PK	5.9625G	120.14	Inf	-Inf	3	Vertical	352	1.54
5955MHz	Pass	AV	11.91372G	38.64	54.00	-15.36	3	Vertical	196	1.50
5955MHz	Pass	PK	11.91404G	52.63	74.00	-21.37	3	Vertical	196	1.50
5955MHz	Pass	AV	11.9134G	38.60	54.00	-15.40	3	Horizontal	344	1.68
5955MHz	Pass	PK	11.91252G	51.60	74.00	-22.40	3	Horizontal	344	1.68
6195MHz	Pass	AV	12.38948G	38.67	54.00	-15.33	3	Vertical	93	1.50
6195MHz	Pass	PK	12.39136G	52.12	74.00	-21.88	3	Vertical	93	1.50
6195MHz	Pass	AV	12.38376G	38.62	54.00	-15.38	3	Horizontal	344	1.05
6195MHz	Pass	PK	12.395G	51.70	74.00	-22.30	3	Horizontal	344	1.05
6415MHz	Pass	AV	12.829G	40.42	68.20	-27.78	3	Vertical	42	1.62
6415MHz	Pass	PK	12.8256G	53.86	88.20	-34.34	3	Vertical	42	1.62
6415MHz	Pass	AV	12.8376G	39.76	68.20	-28.44	3	Horizontal	236	1.88
6415MHz	Pass	PK	12.83052G	52.90	88.20	-35.30	3	Horizontal	236	1.88
6535MHz	Pass	AV	13.07048G	46.17	68.20	-22.03	3	Vertical	42	1.79
6535MHz	Pass	PK	13.07964G	58.78	88.20	-29.42	3	Vertical	42	1.79
6535MHz	Pass	AV	13.06892G	42.33	68.20	-25.87	3	Horizontal	151	2.94
6535MHz	Pass	PK	13.06592G	55.36	88.20	-32.84	3	Horizontal	151	2.94
6695MHz	Pass	AV	13.38672G	40.27	54.00	-13.73	3	Vertical	159	1.00
6695MHz	Pass	PK	13.38276G	53.63	74.00	-20.37	3	Vertical	159	1.00
6695MHz	Pass	AV	13.3864G	39.96	54.00	-14.04	3	Horizontal	103	1.08
6695MHz	Pass	PK	13.3886G	52.57	74.00	-21.43	3	Horizontal	103	1.08
6855MHz	Pass	AV	13.70456G	40.44	68.20	-27.76	3	Vertical	308	1.94
6855MHz	Pass	PK	13.70988G	53.43	88.20	-34.77	3	Vertical	308	1.94
6855MHz	Pass	AV	13.70264G	40.41	68.20	-27.79	3	Horizontal	43	1.50
6855MHz	Pass	PK	13.71676G	53.59	88.20	-34.61	3	Horizontal	43	1.50
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	61.64	68.20	-6.56	3	Vertical	41	2.06
5965MHz	Pass	AV	5.9824G	105.12	Inf	-Inf	3	Vertical	41	2.06
5965MHz	Pass	PK	5.9236G	77.21	88.20	-10.99	3	Vertical	41	2.06
5965MHz	Pass	PK	5.98G	117.22	Inf	-Inf	3	Vertical	41	2.06
5965MHz	Pass	AV	11.93312G	38.81	54.00	-15.19	3	Vertical	30	1.94
5965MHz	Pass	PK	11.93556G	51.59	74.00	-22.41	3	Vertical	30	1.94
5965MHz	Pass	AV	11.93356G	38.77	54.00	-15.23	3	Horizontal	157	1.50
5965MHz	Pass	PK	11.93576G	51.54	74.00	-22.46	3	Horizontal	157	1.50
6205MHz	Pass	AV	12.40196G	38.12	54.00	-15.88	3	Vertical	244	2.98
6205MHz	Pass	PK	12.41396G	52.08	74.00	-21.92	3	Vertical	244	2.98
6205MHz	Pass	AV	12.40148G	38.13	54.00	-15.87	3	Horizontal	157	1.50
6205MHz	Pass	PK	12.40664G	50.79	74.00	-23.21	3	Horizontal	157	1.50
6405MHz	Pass	AV	12.80464G	39.44	68.20	-28.76	3	Vertical	261	1.50
6405MHz	Pass	PK	12.817G	53.37	88.20	-34.83	3	Vertical	261	1.50
6405MHz	Pass	AV	12.8058G	39.42	68.20	-28.78	3	Horizontal	218	1.93
6405MHz	Pass	PK	12.80712G	53.16	88.20	-35.04	3	Horizontal	218	1.93
6565MHz	Pass	AV	13.13076G	43.08	68.20	-25.12	3	Vertical	30	1.50
6565MHz	Pass	PK	13.12964G	57.39	88.20	-30.81	3	Vertical	30	1.50
6565MHz	Pass	AV	13.12916G	41.75	68.20	-26.45	3	Horizontal	189	2.81
6565MHz	Pass	PK	13.13072G	55.04	88.20	-33.16	3	Horizontal	189	2.81
6685MHz	Pass	AV	13.36084G	40.52	54.00	-13.48	3	Vertical	38	2.98
6685MHz	Pass	PK	13.36648G	53.27	74.00	-20.73	3	Vertical	38	2.98
6685MHz	Pass	AV	13.36076G	40.35	54.00	-13.65	3	Horizontal	349	1.50
6685MHz	Pass	PK	13.36464G	52.78	74.00	-21.22	3	Horizontal	349	1.50
6845MHz	Pass	AV	13.68428G	40.83	68.20	-27.37	3	Vertical	89	2.92
6845MHz	Pass	PK	13.68032G	53.54	88.20	-34.66	3	Vertical	89	2.92
6845MHz	Pass	AV	13.68892G	40.81	68.20	-27.39	3	Horizontal	0	1.32
6845MHz	Pass	PK	13.68684G	53.86	88.20	-34.34	3	Horizontal	0	1.32
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	66.11	68.20	-2.09	3	Vertical	41	1.83
5985MHz	Pass	AV	5.976G	102.27	Inf	-Inf	3	Vertical	41	1.83

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz	Pass	PK	5.925G	82.10	88.20	-6.10	3	Vertical	41	1.83
5985MHz	Pass	PK	5.962G	115.38	Inf	-Inf	3	Vertical	41	1.83
5985MHz	Pass	AV	11.9656G	38.78	54.00	-15.22	3	Vertical	28	2.56
5985MHz	Pass	PK	11.9638G	52.28	74.00	-21.72	3	Vertical	28	2.56
5985MHz	Pass	AV	11.96268G	38.72	54.00	-15.28	3	Horizontal	0	1.50
5985MHz	Pass	PK	11.9626G	52.11	74.00	-21.89	3	Horizontal	0	1.50
6225MHz	Pass	AV	12.44128G	38.54	54.00	-15.46	3	Vertical	225	1.50
6225MHz	Pass	PK	12.4558G	51.56	74.00	-22.44	3	Vertical	225	1.50
6225MHz	Pass	AV	12.45656G	38.51	54.00	-15.49	3	Horizontal	67	1.50
6225MHz	Pass	PK	12.45592G	51.28	74.00	-22.72	3	Horizontal	67	1.50
6385MHz	Pass	AV	12.77644G	39.26	68.20	-28.94	3	Vertical	153	1.01
6385MHz	Pass	PK	12.76432G	52.53	88.20	-35.67	3	Vertical	153	1.01
6385MHz	Pass	AV	12.7764G	39.24	68.20	-28.96	3	Horizontal	204	1.87
6385MHz	Pass	PK	12.76408G	52.55	88.20	-35.65	3	Horizontal	204	1.87
6625MHz	Pass	AV	13.2568G	40.21	54.00	-13.79	3	Vertical	30	1.50
6625MHz	Pass	PK	13.25072G	52.78	74.00	-21.22	3	Vertical	30	1.50
6625MHz	Pass	AV	13.2584G	40.26	54.00	-13.74	3	Horizontal	225	1.50
6625MHz	Pass	PK	13.25488G	52.64	74.00	-21.36	3	Horizontal	225	1.50
6705MHz	Pass	AV	13.41888G	40.47	68.20	-27.73	3	Vertical	173	1.00
6705MHz	Pass	PK	13.41792G	53.10	88.20	-35.10	3	Vertical	173	1.00
6705MHz	Pass	AV	13.4156G	40.49	68.20	-27.71	3	Horizontal	232	1.23
6705MHz	Pass	PK	13.40088G	53.06	88.20	-35.14	3	Horizontal	232	1.23
6785MHz	Pass	AV	13.5644G	40.83	68.20	-27.37	3	Vertical	208	1.50
6785MHz	Pass	PK	13.57644G	53.59	88.20	-34.61	3	Vertical	208	1.50
6785MHz	Pass	AV	13.56284G	40.88	68.20	-27.32	3	Horizontal	84	1.17
6785MHz	Pass	PK	13.57464G	53.14	88.20	-35.06	3	Horizontal	84	1.17
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9245G	67.87	68.20	-0.33	3	Vertical	223	2.01
6025MHz	Pass	AV	5.9695G	98.91	Inf	-Inf	3	Vertical	223	2.01
6025MHz	Pass	PK	5.9225G	82.99	88.20	-5.21	3	Vertical	223	2.01
6025MHz	Pass	PK	5.961G	115.26	Inf	-Inf	3	Vertical	223	2.01
6025MHz	Pass	AV	12.04232G	38.67	54.00	-15.33	3	Vertical	109	1.50
6025MHz	Pass	PK	12.05412G	50.85	74.00	-23.15	3	Vertical	109	1.50
6025MHz	Pass	AV	12.04432G	38.59	54.00	-15.41	3	Horizontal	311	1.50
6025MHz	Pass	PK	12.0488G	51.68	74.00	-22.32	3	Horizontal	311	1.50
6185MHz	Pass	AV	12.362G	38.46	54.00	-15.54	3	Vertical	116	1.50
6185MHz	Pass	PK	12.37312G	51.59	74.00	-22.41	3	Vertical	116	1.50
6185MHz	Pass	AV	12.3622G	38.42	54.00	-15.58	3	Horizontal	266	1.50
6185MHz	Pass	PK	12.36152G	52.09	74.00	-21.91	3	Horizontal	266	1.50
6345MHz	Pass	AV	12.69564G	38.97	54.00	-15.03	3	Vertical	266	1.50
6345MHz	Pass	PK	12.69068G	52.31	74.00	-21.69	3	Vertical	266	1.50
6345MHz	Pass	AV	12.69552G	38.93	54.00	-15.07	3	Horizontal	244	2.44
6345MHz	Pass	PK	12.6896G	54.47	74.00	-19.53	3	Horizontal	244	2.44
6665MHz	Pass	AV	13.32016G	39.81	54.00	-14.19	3	Vertical	107	1.50
6665MHz	Pass	PK	13.3368G	53.32	74.00	-20.68	3	Vertical	107	1.50
6665MHz	Pass	AV	13.32132G	39.80	54.00	-14.20	3	Horizontal	128	1.50
6665MHz	Pass	PK	13.3236G	53.34	74.00	-20.66	3	Horizontal	128	1.50
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.924G	58.54	68.20	-9.66	3	Vertical	175	2.51
6105MHz	Pass	AV	6.049G	92.50	Inf	-Inf	3	Vertical	175	2.51
6105MHz	Pass	PK	5.923G	74.49	88.20	-13.71	3	Vertical	175	2.51
6105MHz	Pass	PK	5.949G	111.61	Inf	-Inf	3	Vertical	175	2.51
6105MHz	Pass	AV	12.2168G	38.53	54.00	-15.47	3	Vertical	177	1.50
6105MHz	Pass	PK	12.21912G	51.91	74.00	-22.09	3	Vertical	177	1.50
6105MHz	Pass	AV	12.21604G	38.60	54.00	-15.40	3	Horizontal	198	1.50
6105MHz	Pass	PK	12.2024G	51.33	74.00	-22.67	3	Horizontal	198	1.50
6265MHz	Pass	AV	12.53008G	38.62	54.00	-15.38	3	Vertical	209	1.50
6265MHz	Pass	PK	12.53388G	50.96	74.00	-23.04	3	Vertical	209	1.50
6265MHz	Pass	AV	12.5224G	38.55	54.00	-15.45	3	Horizontal	44	1.50
6265MHz	Pass	PK	12.5308G	53.12	74.00	-20.88	3	Horizontal	44	1.50

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9244G	56.92	68.20	-11.28	1.89	3	Vertical	352	1.54	55.03	34.55	5.18	37.84
AV	5.9613G	106.22	Inf	-Inf	1.92	3	Vertical	352	1.54	104.30	34.50	5.23	37.81
PK	5.9247G	75.11	88.20	-13.09	1.89	3	Vertical	352	1.54	73.22	34.55	5.18	37.84
PK	5.9625G	120.14	Inf	-Inf	1.92	3	Vertical	352	1.54	118.22	34.50	5.23	37.81

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91372G	38.64	54.00	-15.36	9.56	3	Vertical	196	1.50	29.08	39.13	8.36	37.93
PK	11.91404G	52.63	74.00	-21.37	9.56	3	Vertical	196	1.50	43.07	39.13	8.36	37.93


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.924G	58.54	68.20	-9.66	1.89	3	Vertical	175	2.51	56.65	34.55	5.18	37.84
AV	6.049G	92.50	Inf	-Inf	2.06	3	Vertical	175	2.51	90.44	34.50	5.31	37.75
PK	5.923G	74.49	88.20	-13.71	1.88	3	Vertical	175	2.51	72.61	34.55	5.17	37.84
PK	5.949G	111.61	Inf	-Inf	1.89	3	Vertical	175	2.51	109.72	34.50	5.21	37.82

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	12.2168G	38.53	54.00	-15.47	9.92	3	Vertical	177	1.50	28.61	39.47	8.52	38.07
PK	12.21912G	51.91	74.00	-22.09	9.91	3	Vertical	177	1.50	42.00	39.46	8.52	38.07


5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	13.32132G	39.80	54.00	-14.20	10.74	3	Horizontal	128	1.50	29.06	40.24	9.14	38.64				
PK	13.3236G	53.34	74.00	-20.66	10.75	3	Horizontal	128	1.50	42.59	40.25	9.14	38.64				



RSE TX above 1GHz_Beamforming_Radio 3_ Dual-Polarized MIMO Panel Antenna

Appendix E.32

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	12.39848G	38.67	54.00	-15.33	3	Horizontal	327	1.50
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.9206G	78.72	88.20	-9.48	3	Vertical	4	2.85
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.922G	60.51	68.20	-7.69	3	Vertical	21	1.90
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	5.915G	62.18	68.20	-6.02	3	Horizontal	12	1.32
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	5.915G	56.68	68.20	-11.52	3	Horizontal	8	1.50
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	13.3864G	40.47	54.00	-13.53	3	Vertical	321	2.45
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.37716G	40.58	54.00	-13.42	3	Vertical	170	1.50
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	13.25748G	40.31	54.00	-13.69	3	Vertical	148	1.50
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	13.32284G	40.36	54.00	-13.64	3	Horizontal	350	2.21

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	51.12	68.20	-17.08	3	Vertical	19	1.70
5955MHz	Pass	AV	5.9628G	102.09	Inf	-Inf	3	Vertical	19	1.70
5955MHz	Pass	PK	5.9244G	71.15	88.20	-17.05	3	Vertical	19	1.70
5955MHz	Pass	PK	5.9616G	114.81	Inf	-Inf	3	Vertical	19	1.70
5955MHz	Pass	AV	5.9244G	47.66	68.20	-20.54	3	Horizontal	0	1.41
5955MHz	Pass	AV	5.9637G	105.21	Inf	-Inf	3	Horizontal	0	1.41
5955MHz	Pass	PK	5.9247G	67.76	88.20	-20.44	3	Horizontal	0	1.41
5955MHz	Pass	PK	5.9637G	116.92	Inf	-Inf	3	Horizontal	0	1.41
5955MHz	Pass	AV	11.90144G	38.59	54.00	-15.41	3	Vertical	48	1.50
5955MHz	Pass	PK	11.906G	51.73	74.00	-22.27	3	Vertical	48	1.50
5955MHz	Pass	AV	11.90272G	38.57	54.00	-15.43	3	Horizontal	300	1.59
5955MHz	Pass	PK	11.90164G	51.11	74.00	-22.89	3	Horizontal	300	1.59
6195MHz	Pass	AV	12.38008G	38.48	54.00	-15.52	3	Vertical	82	1.50
6195MHz	Pass	PK	12.38388G	51.53	74.00	-22.47	3	Vertical	82	1.50
6195MHz	Pass	AV	12.39848G	38.67	54.00	-15.33	3	Horizontal	327	1.50
6195MHz	Pass	PK	12.3904G	50.97	74.00	-23.03	3	Horizontal	327	1.50
6415MHz	Pass	AV	12.83676G	39.62	68.20	-28.58	3	Vertical	341	1.50
6415MHz	Pass	PK	12.82564G	52.55	88.20	-35.65	3	Vertical	341	1.50
6415MHz	Pass	AV	12.83008G	39.61	68.20	-28.59	3	Horizontal	352	1.50
6415MHz	Pass	PK	12.8302G	52.10	88.20	-36.10	3	Horizontal	352	1.50
6535MHz	Pass	AV	13.06932G	46.03	68.20	-22.17	3	Vertical	147	1.50
6535MHz	Pass	PK	13.06912G	59.50	88.20	-28.70	3	Vertical	147	1.50
6535MHz	Pass	AV	13.07104G	44.87	68.20	-23.33	3	Horizontal	352	1.34
6535MHz	Pass	PK	13.07036G	58.90	88.20	-29.30	3	Horizontal	352	1.34
6695MHz	Pass	AV	13.3864G	40.47	54.00	-13.53	3	Vertical	321	2.45
6695MHz	Pass	PK	13.39372G	54.04	74.00	-19.96	3	Vertical	321	2.45
6695MHz	Pass	AV	13.38656G	40.46	54.00	-13.54	3	Horizontal	260	1.50
6695MHz	Pass	PK	13.391G	53.53	74.00	-20.47	3	Horizontal	260	1.50
6855MHz	Pass	AV	13.7064G	40.71	68.20	-27.49	3	Vertical	129	1.50
6855MHz	Pass	PK	13.71572G	53.67	88.20	-34.53	3	Vertical	129	1.50
6855MHz	Pass	AV	13.70448G	40.74	68.20	-27.46	3	Horizontal	0	1.90
6855MHz	Pass	PK	13.7082G	53.72	88.20	-34.48	3	Horizontal	0	1.90
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	58.02	68.20	-10.18	3	Vertical	4	2.85
5965MHz	Pass	AV	5.9557G	100.24	Inf	-Inf	3	Vertical	4	2.85
5965MHz	Pass	PK	5.9206G	78.72	88.20	-9.48	3	Vertical	4	2.85
5965MHz	Pass	PK	5.9617G	113.66	Inf	-Inf	3	Vertical	4	2.85
5965MHz	Pass	AV	5.9227G	51.67	68.20	-16.53	3	Horizontal	79	1.50
5965MHz	Pass	AV	5.9628G	100.41	Inf	-Inf	3	Horizontal	79	1.50
5965MHz	Pass	PK	5.9182G	70.58	88.20	-17.62	3	Horizontal	79	1.50
5965MHz	Pass	PK	5.9644G	113.69	Inf	-Inf	3	Horizontal	79	1.50
5965MHz	Pass	AV	11.92856G	38.72	54.00	-15.28	3	Vertical	217	2.89
5965MHz	Pass	PK	11.93288G	51.48	74.00	-22.52	3	Vertical	217	2.89
5965MHz	Pass	AV	11.93252G	38.67	54.00	-15.33	3	Horizontal	30	2.50
5965MHz	Pass	PK	11.93484G	51.06	74.00	-22.94	3	Horizontal	30	2.50
6205MHz	Pass	AV	12.4066G	38.51	54.00	-15.49	3	Vertical	348	1.50
6205MHz	Pass	PK	12.41356G	51.69	74.00	-22.31	3	Vertical	348	1.50
6205MHz	Pass	AV	12.40728G	38.57	54.00	-15.43	3	Horizontal	237	1.50
6205MHz	Pass	PK	12.40616G	52.65	74.00	-21.35	3	Horizontal	237	1.50
6405MHz	Pass	AV	12.80488G	39.68	68.20	-28.52	3	Vertical	181	1.50
6405MHz	Pass	PK	12.8022G	52.27	88.20	-35.93	3	Vertical	181	1.50
6405MHz	Pass	AV	12.80528G	39.73	68.20	-28.47	3	Horizontal	59	1.50
6405MHz	Pass	PK	12.80684G	52.53	88.20	-35.67	3	Horizontal	59	1.50
6565MHz	Pass	AV	13.12016G	41.54	68.20	-26.66	3	Vertical	219	1.39
6565MHz	Pass	PK	13.12508G	54.62	88.20	-33.58	3	Vertical	219	1.39
6565MHz	Pass	AV	13.12876G	41.91	68.20	-26.29	3	Horizontal	352	1.50
6565MHz	Pass	PK	13.1228G	54.60	88.20	-33.60	3	Horizontal	352	1.50
6685MHz	Pass	AV	13.37716G	40.58	54.00	-13.42	3	Vertical	170	1.50
6685MHz	Pass	PK	13.37472G	53.35	74.00	-20.65	3	Vertical	170	1.50
6685MHz	Pass	AV	13.37688G	40.29	54.00	-13.71	3	Horizontal	154	1.50



RSE TX above 1GHz_Beamforming_Radio 3_ Dual-Polarized MIMO Panel Antenna

Appendix E.32

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6685MHz	Pass	PK	13.36056G	53.66	74.00	-20.34	3	Horizontal	154	1.50
6845MHz	Pass	AV	13.68844G	40.93	68.20	-27.27	3	Vertical	59	1.50
6845MHz	Pass	PK	13.69656G	53.88	88.20	-34.32	3	Vertical	59	1.50
6845MHz	Pass	AV	13.69612G	40.82	68.20	-27.38	3	Horizontal	0	2.24
6845MHz	Pass	PK	13.6998G	53.67	88.20	-34.53	3	Horizontal	0	2.24
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.922G	60.51	68.20	-7.69	3	Vertical	21	1.90
5985MHz	Pass	AV	5.969G	94.62	Inf	-Inf	3	Vertical	21	1.90
5985MHz	Pass	PK	5.925G	76.07	88.20	-12.13	3	Vertical	21	1.90
5985MHz	Pass	PK	5.968G	108.11	Inf	-Inf	3	Vertical	21	1.90
5985MHz	Pass	AV	5.9235G	60.14	68.20	-8.06	3	Horizontal	71	1.50
5985MHz	Pass	AV	6.015G	96.11	Inf	-Inf	3	Horizontal	71	1.50
5985MHz	Pass	PK	5.9215G	78.59	88.20	-9.61	3	Horizontal	71	1.50
5985MHz	Pass	PK	6.0155G	109.19	Inf	-Inf	3	Horizontal	71	1.50
5985MHz	Pass	AV	11.96396G	38.69	54.00	-15.31	3	Vertical	322	2.28
5985MHz	Pass	PK	11.96796G	51.86	74.00	-22.14	3	Vertical	322	2.28
5985MHz	Pass	AV	11.96164G	38.67	54.00	-15.33	3	Horizontal	71	1.41
5985MHz	Pass	PK	11.97684G	52.09	74.00	-21.91	3	Horizontal	71	1.41
6225MHz	Pass	AV	12.44156G	38.60	54.00	-15.40	3	Vertical	260	3.00
6225MHz	Pass	PK	12.4524G	51.34	74.00	-22.66	3	Vertical	260	3.00
6225MHz	Pass	AV	12.45916G	38.58	54.00	-15.42	3	Horizontal	360	2.06
6225MHz	Pass	PK	12.44308G	51.83	74.00	-22.17	3	Horizontal	360	2.06
6385MHz	Pass	AV	12.7754G	39.70	68.20	-28.50	3	Vertical	180	1.42
6385MHz	Pass	PK	12.76744G	52.60	88.20	-35.60	3	Vertical	180	1.42
6385MHz	Pass	AV	12.7608G	39.61	68.20	-28.59	3	Horizontal	230	1.50
6385MHz	Pass	PK	12.76644G	53.93	88.20	-34.27	3	Horizontal	230	1.50
6625MHz	Pass	AV	13.25748G	40.31	54.00	-13.69	3	Vertical	148	1.50
6625MHz	Pass	PK	13.25516G	54.34	74.00	-19.66	3	Vertical	148	1.50
6625MHz	Pass	AV	13.25656G	40.21	54.00	-13.79	3	Horizontal	91	1.50
6625MHz	Pass	PK	13.25272G	53.99	74.00	-20.01	3	Horizontal	91	1.50
6705MHz	Pass	AV	13.418G	40.53	68.20	-27.67	3	Vertical	227	3.00
6705MHz	Pass	PK	13.40336G	53.45	88.20	-34.75	3	Vertical	227	3.00
6705MHz	Pass	AV	13.412G	40.56	68.20	-27.64	3	Horizontal	230	2.09
6705MHz	Pass	PK	13.41764G	53.40	88.20	-34.80	3	Horizontal	230	2.09
6785MHz	Pass	AV	13.56196G	40.91	68.20	-27.29	3	Vertical	141	1.50
6785MHz	Pass	PK	13.56412G	54.70	88.20	-33.50	3	Vertical	141	1.50
6785MHz	Pass	AV	13.56296G	40.87	68.20	-27.33	3	Horizontal	220	1.60
6785MHz	Pass	PK	13.57376G	54.05	88.20	-34.15	3	Horizontal	220	1.60
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9245G	59.41	68.20	-8.79	3	Vertical	20	1.91
6025MHz	Pass	AV	5.9635G	92.13	Inf	-Inf	3	Vertical	20	1.91
6025MHz	Pass	PK	5.9095G	75.25	88.20	-12.95	3	Vertical	20	1.91
6025MHz	Pass	PK	5.965G	105.45	Inf	-Inf	3	Vertical	20	1.91
6025MHz	Pass	AV	5.915G	62.18	68.20	-6.02	3	Horizontal	12	1.32
6025MHz	Pass	AV	5.959G	93.60	Inf	-Inf	3	Horizontal	12	1.32
6025MHz	Pass	PK	5.9135G	77.88	88.20	-10.32	3	Horizontal	12	1.32
6025MHz	Pass	PK	5.9525G	111.86	Inf	-Inf	3	Horizontal	12	1.32
6025MHz	Pass	AV	12.04464G	38.50	54.00	-15.50	3	Vertical	197	1.50
6025MHz	Pass	PK	12.045G	51.12	74.00	-22.88	3	Vertical	197	1.50
6025MHz	Pass	AV	12.05556G	39.15	54.00	-14.85	3	Horizontal	270	1.54
6025MHz	Pass	PK	12.05844G	53.04	74.00	-20.96	3	Horizontal	270	1.54
6185MHz	Pass	AV	12.36204G	38.55	54.00	-15.45	3	Vertical	0	1.50
6185MHz	Pass	PK	12.36072G	52.13	74.00	-21.87	3	Vertical	0	1.50
6185MHz	Pass	AV	12.36188G	38.56	54.00	-15.44	3	Horizontal	297	2.57
6185MHz	Pass	PK	12.37192G	51.57	74.00	-22.43	3	Horizontal	297	2.57
6345MHz	Pass	AV	12.68908G	39.24	54.00	-14.76	3	Vertical	253	1.50
6345MHz	Pass	PK	12.69932G	52.30	74.00	-21.70	3	Vertical	253	1.50
6345MHz	Pass	AV	12.69528G	39.27	54.00	-14.73	3	Horizontal	181	2.93
6345MHz	Pass	PK	12.68312G	52.03	74.00	-21.97	3	Horizontal	181	2.93
6665MHz	Pass	AV	13.32052G	40.28	54.00	-13.72	3	Vertical	118	2.03
6665MHz	Pass	PK	13.33168G	53.98	74.00	-20.02	3	Vertical	118	2.03
6665MHz	Pass	AV	13.32284G	40.36	54.00	-13.64	3	Horizontal	350	2.21




RSE TX above 1GHz_Beamforming_Radio 3_ Dual-Polarized MIMO Panel Antenna

Appendix E.32

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6665MHz	Pass	PK	13.33844G	53.76	74.00	-20.24	3	Horizontal	350	2.21
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.924G	53.65	68.20	-14.55	3	Vertical	14	2.43
6105MHz	Pass	AV	6.263G	87.45	Inf	-Inf	3	Vertical	14	2.43
6105MHz	Pass	PK	5.925G	69.97	88.20	-18.23	3	Vertical	14	2.43
6105MHz	Pass	PK	5.948G	108.04	Inf	-Inf	3	Vertical	14	2.43
6105MHz	Pass	AV	5.915G	56.68	68.20	-11.52	3	Horizontal	8	1.50
6105MHz	Pass	AV	6.18G	91.08	Inf	-Inf	3	Horizontal	8	1.50
6105MHz	Pass	PK	5.923G	72.09	88.20	-16.11	3	Horizontal	8	1.50
6105MHz	Pass	PK	6.18G	104.71	Inf	-Inf	3	Horizontal	8	1.50
6105MHz	Pass	AV	12.21456G	38.63	54.00	-15.37	3	Vertical	156	1.72
6105MHz	Pass	PK	12.21268G	51.88	74.00	-22.12	3	Vertical	156	1.72
6105MHz	Pass	AV	12.21684G	38.68	54.00	-15.32	3	Horizontal	159	2.28
6105MHz	Pass	PK	12.21824G	51.53	74.00	-22.47	3	Horizontal	159	2.28
6265MHz	Pass	AV	12.532G	38.88	54.00	-15.12	3	Vertical	100	1.81
6265MHz	Pass	PK	12.53148G	52.37	74.00	-21.63	3	Vertical	100	1.81
6265MHz	Pass	AV	12.52212G	38.71	54.00	-15.29	3	Horizontal	185	1.68
6265MHz	Pass	PK	12.53256G	51.99	74.00	-22.01	3	Horizontal	185	1.68


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.924G	53.65	68.20	-14.55	1.89	3	Vertical	14	2.43	51.76	34.55	5.18	37.84
AV	6.263G	87.45	Inf	-Inf	2.51	3	Vertical	14	2.43	84.94	34.70	5.43	37.62
PK	5.925G	69.97	88.20	-18.23	1.89	3	Vertical	14	2.43	68.08	34.55	5.18	37.84
PK	5.948G	108.04	Inf	-Inf	1.89	3	Vertical	14	2.43	106.15	34.50	5.21	37.82

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.915G	56.68	68.20	-11.52	1.88	3	Horizontal	8	1.50	54.80	34.57	5.16	37.85
AV	6.18G	91.08	Inf	-Inf	2.28	3	Horizontal	8	1.50	88.80	34.60	5.35	37.67
PK	5.923G	72.09	88.20	-16.11	1.88	3	Horizontal	8	1.50	70.21	34.55	5.17	37.84
PK	6.18G	104.71	Inf	-Inf	2.28	3	Horizontal	8	1.50	102.43	34.60	5.35	37.67


5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.9238G	59.59	68.20	-8.61	3	Horizontal	347	1.61
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.9248G	65.24	68.20	-2.96	3	Vertical	0	2.07
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.9235G	65.97	68.20	-2.23	3	Vertical	360	1.72
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	5.925G	67.97	68.20	-0.23	3	Horizontal	360	1.54
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	5.921G	60.29	68.20	-7.91	3	Vertical	360	2.33
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	13.39092G	41.38	54.00	-12.62	3	Vertical	177	1.44
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.35816G	41.19	54.00	-12.81	3	Vertical	157	1.11
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	13.28328G	40.68	54.00	-13.32	3	Vertical	139	1.48
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	13.38952G	40.66	54.00	-13.34	3	Horizontal	36	1.50

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9247G	58.57	68.20	-9.63	3	Vertical	347	1.94
5955MHz	Pass	AV	5.9634G	107.66	Inf	-Inf	3	Vertical	347	1.94
5955MHz	Pass	PK	5.925G	77.23	88.20	-10.97	3	Vertical	347	1.94
5955MHz	Pass	PK	5.9628G	120.95	Inf	-Inf	3	Vertical	347	1.94
5955MHz	Pass	AV	5.9238G	59.59	68.20	-8.61	3	Horizontal	347	1.61
5955MHz	Pass	AV	5.9625G	109.35	Inf	-Inf	3	Horizontal	347	1.61
5955MHz	Pass	PK	5.9226G	77.91	88.20	-10.29	3	Horizontal	347	1.61
5955MHz	Pass	PK	5.9601G	123.08	Inf	-Inf	3	Horizontal	347	1.61
5955MHz	Pass	AV	11.90252G	38.61	54.00	-15.39	3	Vertical	177	1.49
5955MHz	Pass	PK	11.90488G	51.68	74.00	-22.32	3	Vertical	177	1.49
5955MHz	Pass	AV	11.90292G	38.60	54.00	-15.40	3	Horizontal	148	1.50
5955MHz	Pass	PK	11.91968G	51.36	74.00	-22.64	3	Horizontal	148	1.50
6195MHz	Pass	AV	12.39128G	38.73	54.00	-15.27	3	Vertical	193	1.99
6195MHz	Pass	PK	12.38676G	52.50	74.00	-21.50	3	Vertical	193	1.99
6195MHz	Pass	AV	12.39508G	38.74	54.00	-15.26	3	Horizontal	85	2.29
6195MHz	Pass	PK	12.39996G	52.23	74.00	-21.77	3	Horizontal	85	2.29
6415MHz	Pass	AV	12.84088G	40.17	68.20	-28.03	3	Vertical	165	1.16
6415MHz	Pass	PK	12.80248G	53.80	88.20	-34.40	3	Vertical	165	1.16
6415MHz	Pass	AV	12.85688G	39.97	68.20	-28.23	3	Horizontal	235	1.59
6415MHz	Pass	PK	12.79352G	53.80	88.20	-34.40	3	Horizontal	235	1.59
6535MHz	Pass	AV	13.06988G	47.18	68.20	-21.02	3	Vertical	210	1.51
6535MHz	Pass	PK	13.0664G	59.28	88.20	-28.92	3	Vertical	210	1.51
6535MHz	Pass	AV	13.07484G	43.39	68.20	-24.81	3	Horizontal	175	1.50
6535MHz	Pass	PK	13.0792G	56.83	88.20	-31.37	3	Horizontal	175	1.50
6695MHz	Pass	AV	13.39092G	41.38	54.00	-12.62	3	Vertical	177	1.44
6695MHz	Pass	PK	13.38212G	54.38	74.00	-19.62	3	Vertical	177	1.44
6695MHz	Pass	AV	13.38708G	40.61	54.00	-13.39	3	Horizontal	211	1.44
6695MHz	Pass	PK	13.38848G	54.24	74.00	-19.76	3	Horizontal	211	1.44
6855MHz	Pass	AV	13.71116G	41.11	68.20	-27.09	3	Vertical	130	1.50
6855MHz	Pass	PK	13.7106G	54.30	88.20	-33.90	3	Vertical	130	1.50
6855MHz	Pass	AV	13.70812G	41.13	68.20	-27.07	3	Horizontal	0	2.20
6855MHz	Pass	PK	13.71584G	54.45	88.20	-33.75	3	Horizontal	0	2.20
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	65.24	68.20	-2.96	3	Vertical	0	2.07
5965MHz	Pass	AV	5.9779G	103.51	Inf	-Inf	3	Vertical	0	2.07
5965MHz	Pass	PK	5.9242G	83.29	88.20	-4.91	3	Vertical	0	2.07
5965MHz	Pass	PK	5.9575G	117.47	Inf	-Inf	3	Vertical	0	2.07
5965MHz	Pass	AV	5.9188G	59.63	68.20	-8.57	3	Horizontal	7	1.38
5965MHz	Pass	AV	5.9821G	107.42	Inf	-Inf	3	Horizontal	7	1.38
5965MHz	Pass	PK	5.92G	83.22	88.20	-4.98	3	Horizontal	7	1.38
5965MHz	Pass	PK	5.9755G	119.37	Inf	-Inf	3	Horizontal	7	1.38
5965MHz	Pass	AV	11.93224G	39.07	54.00	-14.93	3	Vertical	229	2.34
5965MHz	Pass	PK	11.9284G	52.16	74.00	-21.84	3	Vertical	229	2.34
5965MHz	Pass	AV	11.93504G	39.08	54.00	-14.92	3	Horizontal	299	1.50
5965MHz	Pass	PK	11.91952G	51.80	74.00	-22.20	3	Horizontal	299	1.50
6205MHz	Pass	AV	12.42872G	38.90	54.00	-15.10	3	Vertical	32	1.29
6205MHz	Pass	PK	12.41088G	52.08	74.00	-21.92	3	Vertical	32	1.29
6205MHz	Pass	AV	12.41448G	38.90	54.00	-15.10	3	Horizontal	242	1.50
6205MHz	Pass	PK	12.39664G	52.43	74.00	-21.57	3	Horizontal	242	1.50
6405MHz	Pass	AV	12.80816G	40.31	68.20	-27.89	3	Vertical	195	1.00
6405MHz	Pass	PK	12.79448G	54.30	88.20	-33.90	3	Vertical	195	1.00
6405MHz	Pass	AV	12.79992G	39.98	68.20	-28.22	3	Horizontal	13	1.08
6405MHz	Pass	PK	12.82744G	53.39	88.20	-34.81	3	Horizontal	13	1.08
6565MHz	Pass	AV	13.11248G	44.07	68.20	-24.13	3	Vertical	152	1.33
6565MHz	Pass	PK	13.13008G	58.94	88.20	-29.26	3	Vertical	152	1.33
6565MHz	Pass	AV	13.11328G	41.66	68.20	-26.54	3	Horizontal	177	1.50
6565MHz	Pass	PK	13.1296G	54.47	88.20	-33.73	3	Horizontal	177	1.50
6685MHz	Pass	AV	13.35816G	41.19	54.00	-12.81	3	Vertical	157	1.11
6685MHz	Pass	PK	13.35736G	54.40	74.00	-19.60	3	Vertical	157	1.11
6685MHz	Pass	AV	13.36368G	40.67	54.00	-13.33	3	Horizontal	228	2.51




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6685MHz	Pass	PK	13.38752G	53.94	74.00	-20.06	3	Horizontal	228	2.51
6845MHz	Pass	AV	13.67848G	41.17	68.20	-27.03	3	Vertical	183	2.44
6845MHz	Pass	PK	13.67176G	53.98	88.20	-34.22	3	Vertical	183	2.44
6845MHz	Pass	AV	13.69504G	41.23	68.20	-26.97	3	Horizontal	97	2.53
6845MHz	Pass	PK	13.67208G	55.01	88.20	-33.19	3	Horizontal	97	2.53
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9235G	65.97	68.20	-2.23	3	Vertical	360	1.72
5985MHz	Pass	AV	5.996G	101.31	Inf	-Inf	3	Vertical	360	1.72
5985MHz	Pass	PK	5.9225G	82.94	88.20	-5.26	3	Vertical	360	1.72
5985MHz	Pass	PK	5.998G	115.27	Inf	-Inf	3	Vertical	360	1.72
5985MHz	Pass	AV	5.923G	64.38	68.20	-3.82	3	Horizontal	354	1.86
5985MHz	Pass	AV	5.9955G	105.03	Inf	-Inf	3	Horizontal	354	1.86
5985MHz	Pass	PK	5.921G	85.37	88.20	-2.83	3	Horizontal	354	1.86
5985MHz	Pass	PK	5.995G	118.89	Inf	-Inf	3	Horizontal	354	1.86
5985MHz	Pass	AV	11.93672G	38.97	54.00	-15.03	3	Vertical	9	2.02
5985MHz	Pass	PK	11.94856G	52.78	74.00	-21.22	3	Vertical	9	2.02
5985MHz	Pass	AV	11.93384G	38.95	54.00	-15.05	3	Horizontal	250	1.50
5985MHz	Pass	PK	11.96616G	51.56	74.00	-22.44	3	Horizontal	250	1.50
6225MHz	Pass	AV	12.48264G	39.02	54.00	-14.98	3	Vertical	291	1.50
6225MHz	Pass	PK	12.4284G	52.20	74.00	-21.80	3	Vertical	291	1.50
6225MHz	Pass	AV	12.47928G	38.89	54.00	-15.11	3	Horizontal	6	1.82
6225MHz	Pass	PK	12.44184G	52.33	74.00	-21.67	3	Horizontal	6	1.82
6385MHz	Pass	AV	12.80632G	39.86	68.20	-28.34	3	Vertical	333	1.50
6385MHz	Pass	PK	12.74536G	52.97	88.20	-35.23	3	Vertical	333	1.50
6385MHz	Pass	AV	12.77992G	39.88	68.20	-28.32	3	Horizontal	196	1.50
6385MHz	Pass	PK	12.74744G	52.95	88.20	-35.25	3	Horizontal	196	1.50
6625MHz	Pass	AV	13.28328G	40.68	54.00	-13.32	3	Vertical	139	1.48
6625MHz	Pass	PK	13.27608G	53.90	74.00	-20.10	3	Vertical	139	1.48
6625MHz	Pass	AV	13.24152G	40.51	68.20	-27.69	3	Horizontal	112	2.73
6625MHz	Pass	PK	13.28472G	53.37	74.00	-20.63	3	Horizontal	112	2.73
6705MHz	Pass	AV	13.44744G	40.85	68.20	-27.35	3	Vertical	176	1.50
6705MHz	Pass	PK	13.37032G	54.36	74.00	-19.64	3	Vertical	176	1.50
6705MHz	Pass	AV	13.44968G	40.86	68.20	-27.34	3	Horizontal	5	1.50
6705MHz	Pass	PK	13.43144G	54.08	88.20	-34.12	3	Horizontal	5	1.50
6785MHz	Pass	AV	13.53416G	41.14	68.20	-27.06	3	Vertical	193	2.42
6785MHz	Pass	PK	13.53768G	53.67	88.20	-34.53	3	Vertical	193	2.42
6785MHz	Pass	AV	13.55016G	41.15	68.20	-27.05	3	Horizontal	271	1.87
6785MHz	Pass	PK	13.60456G	53.80	88.20	-34.40	3	Horizontal	271	1.87
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.924G	66.67	68.20	-1.53	3	Vertical	352	2.19
6025MHz	Pass	AV	6.0005G	99.35	Inf	-Inf	3	Vertical	352	2.19
6025MHz	Pass	PK	5.925G	82.31	88.20	-5.89	3	Vertical	352	2.19
6025MHz	Pass	PK	6.0035G	113.37	Inf	-Inf	3	Vertical	352	2.19
6025MHz	Pass	AV	5.925G	67.97	68.20	-0.23	3	Horizontal	360	1.54
6025MHz	Pass	AV	6.003G	102.66	Inf	-Inf	3	Horizontal	360	1.54
6025MHz	Pass	PK	5.924G	83.77	88.20	-4.43	3	Horizontal	360	1.54
6025MHz	Pass	PK	5.96G	117.51	Inf	-Inf	3	Horizontal	360	1.54
6025MHz	Pass	AV	11.99688G	38.89	54.00	-15.11	3	Vertical	89	1.50
6025MHz	Pass	PK	12.0532G	51.85	74.00	-22.15	3	Vertical	89	1.50
6025MHz	Pass	AV	12.12168G	38.87	54.00	-15.13	3	Horizontal	299	1.50
6025MHz	Pass	PK	11.9764G	51.67	74.00	-22.33	3	Horizontal	299	1.50
6185MHz	Pass	AV	12.35144G	38.94	54.00	-15.06	3	Vertical	334	1.50
6185MHz	Pass	PK	12.3876G	51.86	74.00	-22.14	3	Vertical	334	1.50
6185MHz	Pass	AV	12.36264G	38.90	54.00	-15.10	3	Horizontal	305	2.58
6185MHz	Pass	PK	12.37544G	52.71	74.00	-21.29	3	Horizontal	305	2.58
6345MHz	Pass	AV	12.76616G	39.84	68.20	-28.36	3	Vertical	310	2.56
6345MHz	Pass	PK	12.69544G	52.92	74.00	-21.08	3	Vertical	310	2.56
6345MHz	Pass	AV	12.74856G	39.81	68.20	-28.39	3	Horizontal	11	2.95
6345MHz	Pass	PK	12.75592G	53.43	88.20	-34.77	3	Horizontal	11	2.95
6665MHz	Pass	AV	13.40744G	40.67	68.20	-27.53	3	Vertical	303	1.50
6665MHz	Pass	PK	13.36744G	54.42	74.00	-19.58	3	Vertical	303	1.50
6665MHz	Pass	AV	13.38952G	40.66	54.00	-13.34	3	Horizontal	36	1.50



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6665MHz	Pass	PK	13.37576G	53.79	74.00	-20.21	3	Horizontal	36	1.50
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.921G	60.29	68.20	-7.91	3	Vertical	360	2.33
6105MHz	Pass	AV	6.243G	97.28	Inf	-Inf	3	Vertical	360	2.33
6105MHz	Pass	PK	5.925G	77.35	88.20	-10.85	3	Vertical	360	2.33
6105MHz	Pass	PK	6.245G	110.53	Inf	-Inf	3	Vertical	360	2.33
6105MHz	Pass	AV	5.915G	58.17	68.20	-10.03	3	Horizontal	337	1.50
6105MHz	Pass	AV	6.247G	102.95	Inf	-Inf	3	Horizontal	337	1.50
6105MHz	Pass	PK	5.911G	74.46	88.20	-13.74	3	Horizontal	337	1.50
6105MHz	Pass	PK	6.245G	116.76	Inf	-Inf	3	Horizontal	337	1.50
6105MHz	Pass	AV	12.35592G	38.93	54.00	-15.07	3	Vertical	328	1.00
6105MHz	Pass	PK	12.25224G	52.99	74.00	-21.01	3	Vertical	328	1.00
6105MHz	Pass	AV	12.0948G	39.30	54.00	-14.70	3	Horizontal	285	1.50
6105MHz	Pass	PK	12.13128G	53.22	74.00	-20.78	3	Horizontal	285	1.50
6265MHz	Pass	AV	12.62664G	39.54	54.00	-14.46	3	Vertical	126	1.50
6265MHz	Pass	PK	12.67016G	52.53	74.00	-21.47	3	Vertical	126	1.50
6265MHz	Pass	AV	12.64776G	39.55	54.00	-14.45	3	Horizontal	305	1.50
6265MHz	Pass	PK	12.3892G	52.42	74.00	-21.58	3	Horizontal	305	1.50


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.924G	66.67	68.20	-1.53	1.89	3	Vertical	352	2.19	64.78	34.55	5.18	37.84
AV	6.0005G	99.35	Inf	-Inf	2.01	3	Vertical	352	2.19	97.34	34.50	5.29	37.78
PK	5.925G	82.31	88.20	-5.89	1.89	3	Vertical	352	2.19	80.42	34.55	5.18	37.84
PK	6.0035G	113.37	Inf	-Inf	2.01	3	Vertical	352	2.19	111.36	34.50	5.29	37.78

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	67.97	68.20	-0.23	1.89	3	Horizontal	360	1.54	66.08	34.55	5.18	37.84
AV	6.003G	102.66	Inf	-Inf	2.01	3	Horizontal	360	1.54	100.65	34.50	5.29	37.78
PK	5.924G	83.77	88.20	-4.43	1.89	3	Horizontal	360	1.54	81.88	34.55	5.18	37.84
PK	5.96G	117.51	Inf	-Inf	1.92	3	Horizontal	360	1.54	115.59	34.50	5.23	37.81


5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.94063G	32.80	54.00	-21.20	Horizontal
Mode 2	Pass	AV	4.97708G	33.45	54.00	-20.55	Vertical
Mode 3	Pass	AV	4.80371G	33.05	54.00	-20.95	Vertical
Mode 4	Pass	AV	5.14801G	33.74	54.00	-20.26	Horizontal
Mode 5	Pass	AV	4.81421G	39.88	54.00	-14.12	Vertical
Mode 6	Pass	AV	2.24207G	34.26	54.00	-19.74	Vertical

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	2.191G	26.24	68.20	-41.96	3	Vertical	318	1.81
Mode 1	Pass	AV	3.78269G	30.17	54.00	-23.83	3	Vertical	135	1.01
Mode 1	Pass	AV	4.81463G	31.53	54.00	-22.47	3	Vertical	216	1.24
Mode 1	Pass	PK	2.191G	42.48	88.20	-45.72	3	Vertical	318	1.81
Mode 1	Pass	PK	3.78269G	43.40	74.00	-30.60	3	Vertical	135	1.01
Mode 1	Pass	PK	4.81463G	50.87	74.00	-23.13	3	Vertical	216	1.24
Mode 1	Pass	AV	2.10009G	26.01	68.20	-42.19	3	Horizontal	181	1.50
Mode 1	Pass	AV	3.3525G	28.67	54.00	-25.33	3	Horizontal	91	1.50
Mode 1	Pass	AV	4.94063G	32.80	54.00	-21.20	3	Horizontal	0	1.56
Mode 1	Pass	PK	2.10009G	38.96	88.20	-49.24	3	Horizontal	181	1.50
Mode 1	Pass	PK	3.3525G	41.96	74.00	-32.04	3	Horizontal	91	1.50
Mode 1	Pass	PK	4.94063G	46.44	74.00	-27.56	3	Horizontal	0	1.56
Mode 2	Pass	AV	2.08164G	31.07	68.20	-37.13	3	Vertical	46	1.69
Mode 2	Pass	AV	3.78892G	30.20	54.00	-23.80	3	Vertical	12	1.50
Mode 2	Pass	AV	4.97708G	33.45	54.00	-20.55	3	Vertical	291	1.50
Mode 2	Pass	PK	2.08164G	42.43	68.20	-25.77	3	Vertical	46	1.69
Mode 2	Pass	PK	3.78892G	43.96	74.00	-30.04	3	Vertical	12	1.50
Mode 2	Pass	PK	4.97708G	47.21	74.00	-26.79	3	Vertical	291	1.50
Mode 2	Pass	AV	2.08206G	27.79	68.20	-40.41	3	Horizontal	88	1.22
Mode 2	Pass	AV	3.77737G	30.38	54.00	-23.62	3	Horizontal	57	1.50
Mode 2	Pass	AV	5.12911G	32.68	54.00	-21.32	3	Horizontal	213	1.00
Mode 2	Pass	PK	2.08206G	39.97	68.20	-28.23	3	Horizontal	88	1.22
Mode 2	Pass	PK	3.77737G	43.62	74.00	-30.38	3	Horizontal	57	1.50
Mode 2	Pass	PK	5.12911G	46.18	74.00	-27.82	3	Horizontal	213	1.00
Mode 3	Pass	AV	2.08178G	31.99	68.20	-36.21	3	Vertical	47	1.57
Mode 3	Pass	AV	3.77665G	30.00	54.00	-24.00	3	Vertical	160	1.50
Mode 3	Pass	AV	4.80371G	33.05	54.00	-20.95	3	Vertical	219	1.82
Mode 3	Pass	PK	2.08178G	42.74	88.20	-45.46	3	Vertical	47	1.57
Mode 3	Pass	PK	3.77665G	43.37	74.00	-30.63	3	Vertical	160	1.50
Mode 3	Pass	PK	4.80371G	50.32	74.00	-23.68	3	Vertical	219	1.82
Mode 3	Pass	AV	2.08185G	27.52	68.20	-40.68	3	Horizontal	94	1.22
Mode 3	Pass	AV	3.78288G	30.37	54.00	-23.63	3	Horizontal	306	1.94
Mode 3	Pass	AV	5.12258G	32.62	54.00	-21.38	3	Horizontal	130	1.50
Mode 3	Pass	PK	2.08185G	39.82	88.20	-48.38	3	Horizontal	94	1.22
Mode 3	Pass	PK	3.78288G	43.48	74.00	-30.52	3	Horizontal	306	1.94
Mode 3	Pass	PK	5.12258G	46.51	74.00	-27.49	3	Horizontal	130	1.50
Mode 4	Pass	AV	2.08218G	32.39	68.20	-35.81	3	Vertical	46	1.57
Mode 4	Pass	AV	3.76019G	29.79	54.00	-24.21	3	Vertical	333	1.50
Mode 4	Pass	AV	4.95718G	33.02	54.00	-20.98	3	Vertical	359	1.50
Mode 4	Pass	PK	2.08218G	42.69	68.20	-25.51	3	Vertical	46	1.57
Mode 4	Pass	PK	3.76019G	43.50	74.00	-30.50	3	Vertical	333	1.50
Mode 4	Pass	PK	4.95718G	46.14	74.00	-27.86	3	Vertical	359	1.50
Mode 4	Pass	AV	2.06035G	26.47	68.20	-41.73	3	Horizontal	135	1.50
Mode 4	Pass	AV	3.77981G	30.09	54.00	-23.91	3	Horizontal	92	1.50
Mode 4	Pass	AV	5.14801G	33.74	54.00	-20.26	3	Horizontal	342.1	1.50
Mode 4	Pass	PK	2.06035G	39.91	68.20	-28.29	3	Horizontal	135	1.50
Mode 4	Pass	PK	3.77981G	43.40	74.00	-30.60	3	Horizontal	92	1.50
Mode 4	Pass	PK	5.14801G	46.80	74.00	-27.20	3	Horizontal	342.1	1.50
Mode 5	Pass	AV	2.24198G	34.33	54.00	-19.67	3	Vertical	46	1.38
Mode 5	Pass	AV	3.76654G	30.00	54.00	-24.00	3	Vertical	93	1.43


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 5	Pass	AV	4.81421G	39.88	54.00	-14.12	3	Vertical	207	1.50
Mode 5	Pass	PK	2.24198G	42.50	74.00	-31.50	3	Vertical	46	1.38
Mode 5	Pass	PK	3.76654G	43.77	74.00	-30.23	3	Vertical	93	1.43
Mode 5	Pass	PK	4.81421G	49.89	74.00	-24.11	3	Vertical	207	1.50
Mode 5	Pass	AV	2.16767G	26.02	68.20	-42.18	3	Horizontal	252	1.62
Mode 5	Pass	AV	3.77896G	29.94	54.00	-24.06	3	Horizontal	142	1.50
Mode 5	Pass	AV	5.03768G	32.83	54.00	-21.17	3	Horizontal	123	1.50
Mode 5	Pass	PK	2.16767G	39.66	88.20	-48.54	3	Horizontal	252	1.62
Mode 5	Pass	PK	3.77896G	42.88	74.00	-31.12	3	Horizontal	142	1.50
Mode 5	Pass	PK	5.03768G	46.60	74.00	-27.40	3	Horizontal	123	1.50
Mode 6	Pass	AV	2.24207G	34.26	54.00	-19.74	3	Vertical	44	1.16
Mode 6	Pass	AV	3.76445G	30.12	54.00	-23.88	3	Vertical	16	1.58
Mode 6	Pass	AV	4.99038G	33.12	54.00	-20.88	3	Vertical	303	1.80
Mode 6	Pass	PK	2.24207G	42.34	74.00	-31.66	3	Vertical	44	1.16
Mode 6	Pass	PK	3.76445G	43.54	74.00	-30.46	3	Vertical	16	1.58
Mode 6	Pass	PK	4.99038G	46.45	74.00	-27.55	3	Vertical	303	1.80
Mode 6	Pass	AV	2.18597G	26.44	68.20	-41.76	3	Horizontal	206	1.38
Mode 6	Pass	AV	3.77339G	30.25	54.00	-23.75	3	Horizontal	107	1.50
Mode 6	Pass	AV	4.98163G	33.36	54.00	-20.64	3	Horizontal	358	2.00
Mode 6	Pass	PK	2.18597G	43.70	68.20	-24.50	3	Horizontal	206	1.38
Mode 6	Pass	PK	3.77339G	43.74	74.00	-30.26	3	Horizontal	107	1.50
Mode 6	Pass	PK	4.98163G	47.76	74.00	-26.24	3	Horizontal	358	2.00

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.191G	26.24	68.20	-41.96	-3.16	3	Vertical	318	1.81	29.40	27.20	4.68	35.04
AV	3.78269G	30.17	54.00	-23.83	1.48	3	Vertical	135	1.01	28.69	30.30	6.31	35.13
AV	4.81463G	31.53	54.00	-22.47	4.27	3	Vertical	216	1.24	27.26	32.36	6.97	35.06
PK	2.191G	42.48	88.20	-45.72	-3.16	3	Vertical	318	1.81	45.64	27.20	4.68	35.04
PK	3.78269G	43.40	74.00	-30.60	1.48	3	Vertical	135	1.01	41.92	30.30	6.31	35.13
PK	4.81463G	50.87	74.00	-23.13	4.27	3	Vertical	216	1.24	46.60	32.36	6.97	35.06

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.10009G	26.01	68.20	-42.19	-3.12	3	Horizontal	181	1.50	29.13	27.30	4.59	35.01
AV	3.3525G	28.67	54.00	-25.33	0.11	3	Horizontal	91	1.50	28.56	29.50	5.85	35.24
AV	4.94063G	32.80	54.00	-21.20	5.05	3	Horizontal	0	1.56	27.75	32.94	7.18	35.07
PK	2.10009G	38.96	88.20	-49.24	-3.12	3	Horizontal	181	1.50	42.08	27.30	4.59	35.01
PK	3.3525G	41.96	74.00	-32.04	0.11	3	Horizontal	91	1.50	41.85	29.50	5.85	35.24
PK	4.94063G	46.44	74.00	-27.56	5.05	3	Horizontal	0	1.56	41.39	32.94	7.18	35.07

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.08164G	31.07	68.20	-37.13	-2.95	3	Vertical	46	1.69	34.02	27.48	4.57	35.00				
AV	3.78892G	30.20	54.00	-23.80	1.51	3	Vertical	12	1.50	28.69	30.33	6.31	35.13				
AV	4.97708G	33.45	54.00	-20.55	5.27	3	Vertical	291	1.50	28.18	33.11	7.23	35.07				
PK	2.08164G	42.43	68.20	-25.77	-2.95	3	Vertical	46	1.69	45.38	27.48	4.57	35.00				
PK	3.78892G	43.96	74.00	-30.04	1.51	3	Vertical	12	1.50	42.45	30.33	6.31	35.13				
PK	4.97708G	47.21	74.00	-26.79	5.27	3	Vertical	291	1.50	41.94	33.11	7.23	35.07				

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.08206G	27.79	68.20	-40.41	-2.95	3	Horizontal	88	1.22	30.74	27.48	4.57	35.00				
AV	3.77737G	30.38	54.00	-23.62	1.43	3	Horizontal	57	1.50	28.95	30.26	6.30	35.13				
AV	5.12911G	32.68	54.00	-21.32	5.14	3	Horizontal	213	1.00	27.54	32.97	7.24	35.07				
PK	2.08206G	39.97	68.20	-28.23	-2.95	3	Horizontal	88	1.22	42.92	27.48	4.57	35.00				
PK	3.77737G	43.62	74.00	-30.38	1.43	3	Horizontal	57	1.50	42.19	30.26	6.30	35.13				
PK	5.12911G	46.18	74.00	-27.82	5.14	3	Horizontal	213	1.00	41.04	32.97	7.24	35.07				

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.08178G	31.99	68.20	-36.21	-2.95	3	Vertical	47	1.57	34.94	27.48	4.57	35.00
AV	3.77665G	30.00	54.00	-24.00	1.43	3	Vertical	160	1.50	28.57	30.26	6.30	35.13
AV	4.80371G	33.05	54.00	-20.95	4.21	3	Vertical	219	1.82	28.84	32.31	6.96	35.06
PK	2.08178G	42.74	88.20	-45.46	-2.95	3	Vertical	47	1.57	45.69	27.48	4.57	35.00
PK	3.77665G	43.37	74.00	-30.63	1.43	3	Vertical	160	1.50	41.94	30.26	6.30	35.13
PK	4.80371G	50.32	74.00	-23.68	4.21	3	Vertical	219	1.82	46.11	32.31	6.96	35.06

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.08185G	27.52	68.20	-40.68	-2.95	3	Horizontal	94	1.22	30.47	27.48	4.57	35.00
AV	3.78288G	30.37	54.00	-23.63	1.48	3	Horizontal	306	1.94	28.89	30.30	6.31	35.13
AV	5.12258G	32.62	54.00	-21.38	5.12	3	Horizontal	130	1.50	27.50	32.94	7.25	35.07
PK	2.08185G	39.82	88.20	-48.38	-2.95	3	Horizontal	94	1.22	42.77	27.48	4.57	35.00
PK	3.78288G	43.48	74.00	-30.52	1.48	3	Horizontal	306	1.94	42.00	30.30	6.31	35.13
PK	5.12258G	46.51	74.00	-27.49	5.12	3	Horizontal	130	1.50	41.39	32.94	7.25	35.07

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.08218G	32.39	68.20	-35.81	-2.95	3	Vertical	46	1.57	35.34	27.48	4.57	35.00				
AV	3.76019G	29.79	54.00	-24.21	1.31	3	Vertical	333	1.50	28.48	30.16	6.29	35.14				
AV	4.95718G	33.02	54.00	-20.98	5.16	3	Vertical	359	1.50	27.86	33.03	7.20	35.07				
PK	2.08218G	42.69	68.20	-25.51	-2.95	3	Vertical	46	1.57	45.64	27.48	4.57	35.00				
PK	3.76019G	43.50	74.00	-30.50	1.31	3	Vertical	333	1.50	42.19	30.16	6.29	35.14				
PK	4.95718G	46.14	74.00	-27.86	5.16	3	Vertical	359	1.50	40.98	33.03	7.20	35.07				

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.06035G	26.47	68.20	-41.73	-3.14	3	Horizontal	135	1.50	29.61	27.31	4.55	35.00				
AV	3.77981G	30.09	54.00	-23.91	1.45	3	Horizontal	92	1.50	28.64	30.28	6.30	35.13				
AV	5.14801G	33.74	54.00	-20.26	5.26	3	Horizontal	342.1	1.50	28.48	33.09	7.24	35.07				
PK	2.06035G	39.91	68.20	-28.29	-3.14	3	Horizontal	135	1.50	43.05	27.31	4.55	35.00				
PK	3.77981G	43.40	74.00	-30.60	1.45	3	Horizontal	92	1.50	41.95	30.28	6.30	35.13				
PK	5.14801G	46.80	74.00	-27.20	5.26	3	Horizontal	342.1	1.50	41.54	33.09	7.24	35.07				

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.24198G	34.33	54.00	-19.67	-3.12	3	Vertical	46	1.38	37.45	27.20	4.73	35.05
AV	3.76654G	30.00	54.00	-24.00	1.35	3	Vertical	93	1.43	28.65	30.20	6.29	35.14
AV	4.81421G	39.88	54.00	-14.12	4.27	3	Vertical	207	1.50	35.61	32.36	6.97	35.06
PK	2.24198G	42.50	74.00	-31.50	-3.12	3	Vertical	46	1.38	45.62	27.20	4.73	35.05
PK	3.76654G	43.77	74.00	-30.23	1.35	3	Vertical	93	1.43	42.42	30.20	6.29	35.14
PK	4.81421G	49.89	74.00	-24.11	4.27	3	Vertical	207	1.50	45.62	32.36	6.97	35.06

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.16767G	26.02	68.20	-42.18	-3.07	3	Horizontal	252	1.62	29.09	27.30	4.66	35.03
AV	3.77896G	29.94	54.00	-24.06	1.44	3	Horizontal	142	1.50	28.50	30.27	6.30	35.13
AV	5.03768G	32.83	54.00	-21.17	5.24	3	Horizontal	123	1.50	27.59	33.05	7.26	35.07
PK	2.16767G	39.66	88.20	-48.54	-3.07	3	Horizontal	252	1.62	42.73	27.30	4.66	35.03
PK	3.77896G	42.88	74.00	-31.12	1.44	3	Horizontal	142	1.50	41.44	30.27	6.30	35.13
PK	5.03768G	46.60	74.00	-27.40	5.24	3	Horizontal	123	1.50	41.36	33.05	7.26	35.07

Radiated Emissions above 1GHz_Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.24207G	34.26	54.00	-19.74	-3.12	3	Vertical	44	1.16	37.38	27.20	4.73	35.05				
AV	3.76445G	30.12	54.00	-23.88	1.34	3	Vertical	16	1.58	28.78	30.19	6.29	35.14				
AV	4.99038G	33.12	54.00	-20.88	5.34	3	Vertical	303	1.80	27.78	33.16	7.25	35.07				
PK	2.24207G	42.34	74.00	-31.66	-3.12	3	Vertical	44	1.16	45.46	27.20	4.73	35.05				
PK	3.76445G	43.54	74.00	-30.46	1.34	3	Vertical	16	1.58	42.20	30.19	6.29	35.14				
PK	4.99038G	46.45	74.00	-27.55	5.34	3	Vertical	303	1.80	41.11	33.16	7.25	35.07				

Radiated Emissions above 1GHz_Mode 6



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.18597G	26.44	68.20	-41.76	-3.12	3	Horizontal	206	1.38	29.56	27.24	4.68	35.04				
AV	3.77339G	30.25	54.00	-23.75	1.40	3	Horizontal	107	1.50	28.85	30.24	6.30	35.14				
AV	4.98163G	33.36	54.00	-20.64	5.30	3	Horizontal	358	2.00	28.06	33.13	7.24	35.07				
PK	2.18597G	43.70	68.20	-24.50	-3.12	3	Horizontal	206	1.38	46.82	27.24	4.68	35.04				
PK	3.77339G	43.74	74.00	-30.26	1.40	3	Horizontal	107	1.50	42.34	30.24	6.30	35.14				
PK	4.98163G	47.76	74.00	-26.24	5.30	3	Horizontal	358	2.00	42.46	33.13	7.24	35.07				

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.95638G	33.15	54.00	-20.85	Vertical
Mode 2	Pass	PK	6.06194G	47.52	68.20	-20.68	Vertical
Mode 3	Pass	AV	5.01276G	32.98	54.00	-21.02	Vertical
Mode 4	Pass	PK	5.8998G	47.74	68.20	-20.46	Horizontal
Mode 5	Pass	AV	5.0095G	33.34	54.00	-20.66	Horizontal
Mode 6	Pass	PK	6.71188G	50.54	68.20	-17.66	Vertical

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	2.24188G	30.89	54.00	-23.11	3	Vertical	55	1.50
Mode 1	Pass	AV	3.76377G	29.76	54.00	-24.24	3	Vertical	119	1.78
Mode 1	Pass	AV	4.95638G	33.15	54.00	-20.85	3	Vertical	88	1.50
Mode 1	Pass	PK	2.24188G	41.10	74.00	-32.90	3	Vertical	55	1.50
Mode 1	Pass	PK	3.76377G	43.55	74.00	-30.45	3	Vertical	119	1.78
Mode 1	Pass	PK	4.95638G	45.90	74.00	-28.10	3	Vertical	88	1.50
Mode 1	Pass	AV	2.09516G	25.79	68.20	-42.41	3	Horizontal	136	1.50
Mode 1	Pass	AV	3.79966G	29.41	54.00	-24.59	3	Horizontal	204	1.01
Mode 1	Pass	AV	4.88133G	32.39	54.00	-21.61	3	Horizontal	49	1.50
Mode 1	Pass	PK	2.09516G	39.53	88.20	-48.67	3	Horizontal	136	1.50
Mode 1	Pass	PK	3.79966G	43.09	74.00	-30.91	3	Horizontal	204	1.01
Mode 1	Pass	PK	4.88133G	46.58	74.00	-27.42	3	Horizontal	49	1.50
Mode 2	Pass	AV	1.798G	24.50	68.20	-43.70	3	Vertical	98	2.05
Mode 2	Pass	AV	3.77462G	30.28	54.00	-23.72	3	Vertical	321	1.16
Mode 2	Pass	AV	6.05684G	34.95	68.20	-33.25	3	Vertical	107	1.50
Mode 2	Pass	PK	1.7923G	41.33	68.20	-26.87	3	Vertical	98	2.05
Mode 2	Pass	PK	3.76298G	42.85	74.00	-31.15	3	Vertical	321	1.16
Mode 2	Pass	PK	6.06194G	47.52	68.20	-20.68	3	Vertical	107	1.50
Mode 2	Pass	AV	1.59326G	24.94	54.00	-29.06	3	Horizontal	126	3.00
Mode 2	Pass	AV	3.12208G	29.31	68.20	-38.89	3	Horizontal	177	2.11
Mode 2	Pass	AV	4.76736G	32.56	54.00	-21.44	3	Horizontal	342	1.50
Mode 2	Pass	PK	1.5926G	37.92	74.00	-36.08	3	Horizontal	126	3.00
Mode 2	Pass	PK	3.14746G	42.09	68.20	-26.11	3	Horizontal	177	2.11
Mode 2	Pass	PK	4.76664G	45.76	74.00	-28.24	3	Horizontal	342	1.50
Mode 3	Pass	AV	2.05226G	26.41	68.20	-41.79	3	Vertical	220	1.99
Mode 3	Pass	AV	3.80834G	29.75	54.00	-24.25	3	Vertical	18	1.50
Mode 3	Pass	AV	5.01276G	32.98	54.00	-21.02	3	Vertical	232	1.50
Mode 3	Pass	PK	2.05226G	39.94	88.20	-48.26	3	Vertical	220	1.99
Mode 3	Pass	PK	3.80834G	42.74	74.00	-31.26	3	Vertical	18	1.50
Mode 3	Pass	PK	5.01276G	45.97	74.00	-28.03	3	Vertical	232	1.50
Mode 3	Pass	AV	2.27439G	25.94	54.00	-28.06	3	Horizontal	14	1.31
Mode 3	Pass	AV	3.20252G	29.34	68.20	-38.86	3	Horizontal	338	1.50
Mode 3	Pass	AV	5.04131G	32.90	54.00	-21.10	3	Horizontal	3	1.50
Mode 3	Pass	PK	2.27439G	39.95	74.00	-34.05	3	Horizontal	14	1.31
Mode 3	Pass	PK	3.20252G	42.47	88.20	-45.73	3	Horizontal	338	1.50
Mode 3	Pass	PK	5.04131G	46.79	74.00	-27.21	3	Horizontal	3	1.50
Mode 4	Pass	AV	1.82218G	24.77	68.20	-43.43	3	Vertical	302	2.51
Mode 4	Pass	AV	3.13422G	29.28	68.20	-38.92	3	Vertical	261	1.50
Mode 4	Pass	AV	4.41948G	31.97	68.20	-36.23	3	Vertical	75	1.50
Mode 4	Pass	PK	1.8154G	37.63	68.20	-30.57	3	Vertical	302	2.51
Mode 4	Pass	PK	3.15474G	41.81	68.20	-26.39	3	Vertical	261	1.50
Mode 4	Pass	PK	4.41876G	45.05	68.20	-23.15	3	Vertical	75	1.50
Mode 4	Pass	AV	1.97102G	25.44	68.20	-42.76	3	Horizontal	358	1.50
Mode 4	Pass	AV	3.77792G	30.48	54.00	-23.52	3	Horizontal	49	1.50
Mode 4	Pass	AV	5.89536G	34.84	68.20	-33.36	3	Horizontal	283	1.50
Mode 4	Pass	PK	1.9745G	38.31	68.20	-29.89	3	Horizontal	358	1.50
Mode 4	Pass	PK	3.79166G	43.47	74.00	-30.53	3	Horizontal	49	1.50
Mode 4	Pass	PK	5.8998G	47.74	68.20	-20.46	3	Horizontal	283	1.50
Mode 5	Pass	AV	2.03438G	25.30	68.20	-42.90	3	Vertical	287	1.50
Mode 5	Pass	AV	3.22115G	29.33	68.20	-38.87	3	Vertical	58	1.50


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 5	Pass	AV	5.01792G	33.01	54.00	-20.99	3	Vertical	264	1.50
Mode 5	Pass	PK	2.03438G	39.55	88.20	-48.65	3	Vertical	287	1.50
Mode 5	Pass	PK	3.22115G	42.63	88.20	-45.57	3	Vertical	58	1.50
Mode 5	Pass	PK	5.01792G	47.11	74.00	-26.89	3	Vertical	264	1.50
Mode 5	Pass	AV	2.08158G	27.67	68.20	-40.53	3	Horizontal	15	1.84
Mode 5	Pass	AV	3.77478G	30.02	54.00	-23.98	3	Horizontal	209	1.50
Mode 5	Pass	AV	5.0095G	33.34	54.00	-20.66	3	Horizontal	11	1.50
Mode 5	Pass	PK	2.08158G	40.34	88.20	-47.86	3	Horizontal	15	1.84
Mode 5	Pass	PK	3.77478G	43.41	74.00	-30.59	3	Horizontal	209	1.50
Mode 5	Pass	PK	5.0095G	46.14	74.00	-27.86	3	Horizontal	11	1.50
Mode 6	Pass	AV	2.18324G	27.06	68.20	-41.14	3	Vertical	45	2.67
Mode 6	Pass	AV	4.1657G	31.07	54.00	-22.93	3	Vertical	71	1.50
Mode 6	Pass	AV	6.70978G	36.93	68.20	-31.27	3	Vertical	352	1.50
Mode 6	Pass	PK	2.19338G	41.21	68.20	-26.99	3	Vertical	45	2.67
Mode 6	Pass	PK	4.1708G	44.50	74.00	-29.50	3	Vertical	71	1.50
Mode 6	Pass	PK	6.71188G	50.54	68.20	-17.66	3	Vertical	352	1.50
Mode 6	Pass	AV	1.79322G	25.14	68.20	-43.06	3	Horizontal	148	2.69
Mode 6	Pass	AV	3.04834G	29.79	68.20	-38.41	3	Horizontal	43	2.82
Mode 6	Pass	AV	4.32264G	32.00	54.00	-22.00	3	Horizontal	39	2.45
Mode 6	Pass	PK	1.78242G	38.54	68.20	-29.66	3	Horizontal	148	2.69
Mode 6	Pass	PK	3.05482G	43.01	68.20	-25.19	3	Horizontal	43	2.82
Mode 6	Pass	PK	4.32018G	45.27	74.00	-28.73	3	Horizontal	39	2.45

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.24188G	30.89	54.00	-23.11	-3.12	3	Vertical	55	1.50	34.01	27.20	4.73	35.05
AV	3.76377G	29.76	54.00	-24.24	1.33	3	Vertical	119	1.78	28.43	30.18	6.29	35.14
AV	4.95638G	33.15	54.00	-20.85	5.16	3	Vertical	88	1.50	27.99	33.03	7.20	35.07
PK	2.24188G	41.10	74.00	-32.90	-3.12	3	Vertical	55	1.50	44.22	27.20	4.73	35.05
PK	3.76377G	43.55	74.00	-30.45	1.33	3	Vertical	119	1.78	42.22	30.18	6.29	35.14
PK	4.95638G	45.90	74.00	-28.10	5.16	3	Vertical	88	1.50	40.74	33.03	7.20	35.07

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.09516G	25.79	68.20	-42.41	-3.07	3	Horizontal	136	1.50	28.86	27.35	4.59	35.01
AV	3.79966G	29.41	54.00	-24.59	1.60	3	Horizontal	204	1.01	27.81	30.40	6.32	35.12
AV	4.88133G	32.39	54.00	-21.61	4.65	3	Horizontal	49	1.50	27.74	32.63	7.08	35.06
PK	2.09516G	39.53	88.20	-48.67	-3.07	3	Horizontal	136	1.50	42.60	27.35	4.59	35.01
PK	3.79966G	43.09	74.00	-30.91	1.60	3	Horizontal	204	1.01	41.49	30.40	6.32	35.12
PK	4.88133G	46.58	74.00	-27.42	4.65	3	Horizontal	49	1.50	41.93	32.63	7.08	35.06


Radiated Emissions above 1GHz_Mode 2




Radiated Emissions above 1GHz_Mode 2




Radiated Emissions above 1GHz_Mode 3



Radiated Emissions above 1GHz_Mode 3




Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.82218G	24.77	68.20	-43.43	-5.58	3	Vertical	302	2.51	30.35	25.20	4.25	35.03
AV	3.13422G	29.28	68.20	-38.92	0.13	3	Vertical	261	1.50	29.15	29.67	5.69	35.23
AV	4.41948G	31.97	68.20	-36.23	3.18	3	Vertical	75	1.50	28.79	31.56	6.66	35.04
PK	1.8154G	37.63	68.20	-30.57	-5.64	3	Vertical	302	2.51	43.27	25.15	4.24	35.03
PK	3.15474G	41.81	68.20	-26.39	0.19	3	Vertical	261	1.50	41.62	29.70	5.72	35.23
PK	4.41876G	45.05	68.20	-23.15	3.18	3	Vertical	75	1.50	41.87	31.56	6.66	35.04

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.97102G	25.44	68.20	-42.76	-4.12	3	Horizontal	358	1.50	29.56	26.42	4.45	34.99
AV	3.77792G	30.48	54.00	-23.52	1.44	3	Horizontal	49	1.50	29.04	30.27	6.30	35.13
AV	5.89536G	34.84	68.20	-33.36	6.73	3	Horizontal	283	1.50	28.11	34.18	7.79	35.24
PK	1.9745G	38.31	68.20	-29.89	-4.04	3	Horizontal	358	1.50	42.35	26.49	4.46	34.99
PK	3.79166G	43.47	74.00	-30.53	1.53	3	Horizontal	49	1.50	41.94	30.35	6.31	35.13
PK	5.8998G	47.74	68.20	-20.46	6.75	3	Horizontal	283	1.50	40.99	34.20	7.79	35.24