


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	66.92	68.20	-1.28	1.89	3	Vertical	41	1.94	65.03	34.55	5.18	37.84
AV	6.0505G	97.99	Inf	-Inf	2.06	3	Vertical	41	1.94	95.93	34.50	5.31	37.75
PK	5.9205G	82.39	88.20	-5.81	1.88	3	Vertical	41	1.94	80.51	34.56	5.17	37.85
PK	6.003G	112.25	Inf	-Inf	2.01	3	Vertical	41	1.94	110.24	34.50	5.29	37.78

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.04312G	38.64	54.00	-15.36	9.81	3	Vertical	333	1.50	28.83	39.39	8.42	38.00
PK	12.05252G	51.76	74.00	-22.24	9.84	3	Vertical	333	1.50	41.92	39.41	8.43	38.00


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX





**RSE TX below 1GHz_Non-Beamforming_Radio 3_
Dipole Antenna_2T2S**

Appendix E.17

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	PK	35.82M	36.57	40.00	-3.43	3	Vertical	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6185MHz_Adapter	Pass	PK	35.82M	36.57	40.00	-3.43	3	Vertical	0	1.00
6185MHz_Adapter	Pass	PK	43.58M	36.20	40.00	-3.80	3	Vertical	0	1.00
6185MHz_Adapter	Pass	PK	115.36M	28.52	43.50	-14.98	3	Vertical	0	1.00
6185MHz_Adapter	Pass	PK	249.22M	28.04	46.00	-17.96	3	Vertical	0	1.00
6185MHz_Adapter	Pass	PK	499.48M	26.68	46.00	-19.32	3	Vertical	0	1.00
6185MHz_Adapter	Pass	PK	738.1M	28.18	46.00	-17.82	3	Vertical	0	1.00
6185MHz_Adapter	Pass	PK	94.02M	28.95	43.50	-14.55	3	Horizontal	360	1.00
6185MHz_Adapter	Pass	PK	158.04M	28.86	43.50	-14.64	3	Horizontal	360	1.00
6185MHz_Adapter	Pass	PK	249.22M	33.43	46.00	-12.57	3	Horizontal	360	1.00
6185MHz_Adapter	Pass	PK	315.18M	23.80	46.00	-22.20	3	Horizontal	360	1.00
6185MHz_Adapter	Pass	PK	454.86M	24.63	46.00	-21.37	3	Horizontal	360	1.00
6185MHz_Adapter	Pass	PK	549.92M	27.74	46.00	-18.26	3	Horizontal	360	1.00


5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6185MHz_Adapter



5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6185MHz_Adapter





RSE TX above 1GHz_Non-Beamforming_Radio 3
Dipole Antenna_2T2S

Appendix E.18

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.925G	57.57	68.20	-10.63	3	Vertical	221	1.92
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.9248G	64.90	68.20	-3.30	3	Vertical	221	1.77
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.925G	66.48	68.20	-1.72	3	Vertical	222	1.91
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	5.924G	64.22	68.20	-3.98	3	Vertical	45	1.91
802.11be EHT320_Nss2,(MCS0)_2TX	Pass	AV	5.921G	59.63	68.20	-8.57	3	Vertical	219	1.86
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	13.39012G	40.85	54.00	-13.15	3	Vertical	111	1.13
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	13.38272G	40.06	54.00	-13.94	3	Vertical	196	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	13.2868G	40.06	54.00	-13.94	3	Vertical	168	1.19
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	PK	13.3748G	54.90	74.00	-19.10	3	Vertical	351	1.50


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	57.57	68.20	-10.63	3	Vertical	221	1.92
5955MHz	Pass	AV	5.9535G	104.96	Inf	-Inf	3	Vertical	221	1.92
5955MHz	Pass	PK	5.925G	74.05	88.20	-14.15	3	Vertical	221	1.92
5955MHz	Pass	PK	5.9535G	118.87	Inf	-Inf	3	Vertical	221	1.92
5955MHz	Pass	AV	11.90032G	38.56	54.00	-15.44	3	Vertical	26	1.10
5955MHz	Pass	PK	11.91224G	52.96	74.00	-21.04	3	Vertical	26	1.10
5955MHz	Pass	AV	11.91496G	38.38	54.00	-15.62	3	Horizontal	275	1.50
5955MHz	Pass	PK	11.91784G	53.27	74.00	-20.73	3	Horizontal	275	1.50
6195MHz	Pass	AV	12.3904G	38.27	54.00	-15.73	3	Vertical	242	1.70
6195MHz	Pass	PK	12.39152G	53.08	74.00	-20.92	3	Vertical	242	1.70
6195MHz	Pass	AV	12.38168G	38.11	54.00	-15.89	3	Horizontal	247	1.50
6195MHz	Pass	PK	12.39844G	52.67	74.00	-21.33	3	Horizontal	247	1.50
6415MHz	Pass	AV	12.83268G	39.33	68.20	-28.87	3	Vertical	28	1.50
6415MHz	Pass	PK	12.82756G	53.55	88.20	-34.65	3	Vertical	28	1.50
6415MHz	Pass	AV	12.83408G	39.21	68.20	-28.99	3	Horizontal	100	2.46
6415MHz	Pass	PK	12.83176G	53.85	88.20	-34.35	3	Horizontal	100	2.46
6535MHz	Pass	AV	13.06988G	46.77	68.20	-21.43	3	Vertical	232	1.64
6535MHz	Pass	PK	13.07336G	61.16	88.20	-27.04	3	Vertical	232	1.64
6535MHz	Pass	AV	13.06976G	41.28	68.20	-26.92	3	Horizontal	101	1.70
6535MHz	Pass	PK	13.064G	55.63	88.20	-32.57	3	Horizontal	101	1.70
6695MHz	Pass	AV	13.39012G	40.85	54.00	-13.15	3	Vertical	111	1.13
6695MHz	Pass	PK	13.38136G	55.99	74.00	-18.01	3	Vertical	111	1.13
6695MHz	Pass	AV	13.38476G	40.08	54.00	-13.92	3	Horizontal	193	1.23
6695MHz	Pass	PK	13.38744G	55.19	74.00	-18.81	3	Horizontal	193	1.23
6855MHz	Pass	AV	13.70456G	40.58	68.20	-27.62	3	Vertical	68	2.21
6855MHz	Pass	PK	13.71436G	55.03	88.20	-33.17	3	Vertical	68	2.21
6855MHz	Pass	AV	13.705G	40.58	68.20	-27.62	3	Horizontal	107	1.50
6855MHz	Pass	PK	13.70596G	55.06	88.20	-33.14	3	Horizontal	107	1.50
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	64.90	68.20	-3.30	3	Vertical	221	1.77
5965MHz	Pass	AV	5.9782G	102.29	Inf	-Inf	3	Vertical	221	1.77
5965MHz	Pass	PK	5.9248G	82.83	88.20	-5.37	3	Vertical	221	1.77
5965MHz	Pass	PK	5.9827G	116.37	Inf	-Inf	3	Vertical	221	1.77
5965MHz	Pass	AV	11.93328G	38.66	54.00	-15.34	3	Vertical	360	1.50
5965MHz	Pass	PK	11.93G	53.06	74.00	-20.94	3	Vertical	360	1.50
5965MHz	Pass	AV	11.9316G	38.51	54.00	-15.49	3	Horizontal	208	1.50
5965MHz	Pass	PK	11.92112G	52.89	74.00	-21.11	3	Horizontal	208	1.50
6205MHz	Pass	AV	12.4292G	38.19	54.00	-15.81	3	Vertical	340	1.62
6205MHz	Pass	PK	12.40024G	52.52	74.00	-21.48	3	Vertical	340	1.62
6205MHz	Pass	AV	12.42952G	38.20	54.00	-15.80	3	Horizontal	250	2.23
6205MHz	Pass	PK	12.39776G	52.92	74.00	-21.08	3	Horizontal	250	2.23
6405MHz	Pass	AV	12.80728G	39.31	68.20	-28.89	3	Vertical	237	1.50
6405MHz	Pass	PK	12.8028G	54.35	88.20	-33.85	3	Vertical	237	1.50
6405MHz	Pass	AV	12.806G	39.30	68.20	-28.90	3	Horizontal	143	2.05
6405MHz	Pass	PK	12.80816G	55.00	88.20	-33.20	3	Horizontal	143	2.05
6565MHz	Pass	AV	13.12872G	41.77	68.20	-26.43	3	Vertical	232	1.73
6565MHz	Pass	PK	13.12072G	56.61	88.20	-31.59	3	Vertical	232	1.73
6565MHz	Pass	AV	13.14016G	39.83	68.20	-28.37	3	Horizontal	74	3.00
6565MHz	Pass	PK	13.14072G	54.53	88.20	-33.67	3	Horizontal	74	3.00
6685MHz	Pass	AV	13.38272G	40.06	54.00	-13.94	3	Vertical	196	1.50
6685MHz	Pass	PK	13.35216G	55.00	74.00	-19.00	3	Vertical	196	1.50
6685MHz	Pass	AV	13.38912G	40.04	54.00	-13.96	3	Horizontal	39	1.50
6685MHz	Pass	PK	13.35352G	55.15	74.00	-18.85	3	Horizontal	39	1.50
6845MHz	Pass	AV	13.67224G	40.57	68.20	-27.63	3	Vertical	154	1.72
6845MHz	Pass	PK	13.70856G	55.05	88.20	-33.15	3	Vertical	154	1.72
6845MHz	Pass	AV	13.7048G	40.55	68.20	-27.65	3	Horizontal	63	2.52
6845MHz	Pass	PK	13.7004G	55.35	88.20	-32.85	3	Horizontal	63	2.52
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	66.48	68.20	-1.72	3	Vertical	222	1.91
5985MHz	Pass	AV	5.978G	98.83	Inf	-Inf	3	Vertical	222	1.91

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz	Pass	PK	5.9245G	82.87	88.20	-5.33	3	Vertical	222	1.91
5985MHz	Pass	PK	5.983G	113.66	Inf	-Inf	3	Vertical	222	1.91
5985MHz	Pass	AV	11.93176G	38.56	54.00	-15.44	3	Vertical	155	1.50
5985MHz	Pass	PK	11.99624G	53.09	74.00	-20.91	3	Vertical	155	1.50
5985MHz	Pass	AV	11.93432G	38.54	54.00	-15.46	3	Horizontal	4	1.50
5985MHz	Pass	PK	11.96072G	52.94	74.00	-21.06	3	Horizontal	4	1.50
6225MHz	Pass	AV	12.47336G	38.30	54.00	-15.70	3	Vertical	236	1.27
6225MHz	Pass	PK	12.4196G	53.59	74.00	-20.41	3	Vertical	236	1.27
6225MHz	Pass	AV	12.47016G	38.30	54.00	-15.70	3	Horizontal	298	2.34
6225MHz	Pass	PK	12.48824G	53.06	74.00	-20.94	3	Horizontal	298	2.34
6385MHz	Pass	AV	12.7756G	39.30	68.20	-28.90	3	Vertical	75	1.50
6385MHz	Pass	PK	12.7428G	54.14	88.20	-34.06	3	Vertical	75	1.50
6385MHz	Pass	AV	12.7756G	39.29	68.20	-28.91	3	Horizontal	200	1.91
6385MHz	Pass	PK	12.7988G	54.17	88.20	-34.03	3	Horizontal	200	1.91
6625MHz	Pass	AV	13.2868G	40.06	54.00	-13.94	3	Vertical	168	1.19
6625MHz	Pass	PK	13.26152G	54.61	74.00	-19.39	3	Vertical	168	1.19
6625MHz	Pass	AV	13.28984G	40.02	54.00	-13.98	3	Horizontal	271	3.00
6625MHz	Pass	PK	13.2188G	55.13	88.20	-33.07	3	Horizontal	271	3.00
6705MHz	Pass	AV	13.44936G	40.38	68.20	-27.82	3	Vertical	136	1.50
6705MHz	Pass	PK	13.42984G	54.71	88.20	-33.49	3	Vertical	136	1.50
6705MHz	Pass	AV	13.44936G	40.40	68.20	-27.80	3	Horizontal	137	1.50
6705MHz	Pass	PK	13.44504G	55.01	88.20	-33.19	3	Horizontal	137	1.50
6785MHz	Pass	AV	13.5492G	40.74	68.20	-27.46	3	Vertical	356	1.71
6785MHz	Pass	PK	13.55288G	55.23	88.20	-32.97	3	Vertical	356	1.71
6785MHz	Pass	AV	13.54744G	40.70	68.20	-27.50	3	Horizontal	172	1.50
6785MHz	Pass	PK	13.56184G	55.10	88.20	-33.10	3	Horizontal	172	1.50
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.924G	64.22	68.20	-3.98	3	Vertical	45	1.91
6025MHz	Pass	AV	5.9915G	95.77	Inf	-Inf	3	Vertical	45	1.91
6025MHz	Pass	PK	5.925G	79.86	88.20	-8.34	3	Vertical	45	1.91
6025MHz	Pass	PK	6.0485G	110.11	Inf	-Inf	3	Vertical	45	1.91
6025MHz	Pass	AV	12.07272G	38.52	54.00	-15.48	3	Vertical	53	1.00
6025MHz	Pass	PK	11.99176G	53.36	74.00	-20.64	3	Vertical	53	1.00
6025MHz	Pass	AV	12.026G	38.44	54.00	-15.56	3	Horizontal	338	1.50
6025MHz	Pass	PK	12.1188G	52.94	74.00	-21.06	3	Horizontal	338	1.50
6185MHz	Pass	AV	12.43912G	38.18	54.00	-15.82	3	Vertical	248	2.93
6185MHz	Pass	PK	12.40552G	53.64	74.00	-20.36	3	Vertical	248	2.93
6185MHz	Pass	AV	12.43496G	38.17	54.00	-15.83	3	Horizontal	318	2.52
6185MHz	Pass	PK	12.31432G	52.69	74.00	-21.31	3	Horizontal	318	2.52
6345MHz	Pass	AV	12.74248G	39.23	68.20	-28.97	3	Vertical	99	1.50
6345MHz	Pass	PK	12.73672G	53.56	88.20	-34.64	3	Vertical	99	1.50
6345MHz	Pass	AV	12.74344G	39.20	68.20	-29.00	3	Horizontal	328	1.50
6345MHz	Pass	PK	12.7684G	53.12	88.20	-35.08	3	Horizontal	328	1.50
6665MHz	Pass	AV	13.40904G	40.16	68.20	-28.04	3	Vertical	351	1.50
6665MHz	Pass	PK	13.3748G	54.90	74.00	-19.10	3	Vertical	351	1.50
6665MHz	Pass	AV	13.41G	40.16	68.20	-28.04	3	Horizontal	66	1.86
6665MHz	Pass	PK	13.3812G	54.61	74.00	-19.39	3	Horizontal	66	1.86
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.921G	59.63	68.20	-8.57	3	Vertical	219	1.86
6105MHz	Pass	AV	6.066G	93.34	Inf	-Inf	3	Vertical	219	1.86
6105MHz	Pass	PK	5.916G	75.74	88.20	-12.46	3	Vertical	219	1.86
6105MHz	Pass	PK	6.084G	107.18	Inf	-Inf	3	Vertical	219	1.86
6105MHz	Pass	AV	12.21768G	38.59	54.00	-15.41	3	Vertical	274	1.95
6105MHz	Pass	PK	12.08456G	52.53	74.00	-21.47	3	Vertical	274	1.95
6105MHz	Pass	AV	12.21512G	38.56	54.00	-15.44	3	Horizontal	168	1.50
6105MHz	Pass	PK	12.05576G	52.52	74.00	-21.48	3	Horizontal	168	1.50
6265MHz	Pass	AV	12.68616G	38.84	54.00	-15.16	3	Vertical	169	1.50
6265MHz	Pass	PK	12.466G	53.35	74.00	-20.65	3	Vertical	169	1.50
6265MHz	Pass	AV	12.69G	38.87	54.00	-15.13	3	Horizontal	36	1.73
6265MHz	Pass	PK	12.41352G	53.35	74.00	-20.65	3	Horizontal	36	1.73

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5955MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.925G	57.57	68.20	-10.63	1.89	3	Vertical	221	1.92	55.68	34.55	5.18	37.84
AV	5.9535G	104.96	Inf	-Inf	1.90	3	Vertical	221	1.92	103.06	34.50	5.22	37.82
PK	5.925G	74.05	88.20	-14.15	1.89	3	Vertical	221	1.92	72.16	34.55	5.18	37.84
PK	5.9535G	118.87	Inf	-Inf	1.90	3	Vertical	221	1.92	116.97	34.50	5.22	37.82

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5955MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	11.90032G	38.56	54.00	-15.44	9.52	3	Vertical	26	1.10	29.04	39.10	8.35	37.93
PK	11.91224G	52.96	74.00	-21.04	9.55	3	Vertical	26	1.10	43.41	39.12	8.36	37.93


5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	66.48	68.20	-1.72	1.89	3	Vertical	222	1.91	64.59	34.55	5.18	37.84
AV	5.978G	98.83	Inf	-Inf	1.96	3	Vertical	222	1.91	96.87	34.50	5.26	37.80
PK	5.9245G	82.87	88.20	-5.33	1.89	3	Vertical	222	1.91	80.98	34.55	5.18	37.84
PK	5.983G	113.66	Inf	-Inf	1.97	3	Vertical	222	1.91	111.69	34.50	5.26	37.79

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.93176G	38.56	54.00	-15.44	9.59	3	Vertical	155	1.50	28.97	39.16	8.37	37.94
PK	11.99624G	53.09	74.00	-20.91	9.71	3	Vertical	155	1.50	43.38	39.29	8.40	37.98


5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.921G	59.63	68.20	-8.57	1.88	3	Vertical	219	1.86	57.75	34.56	5.17	37.85
AV	6.066G	93.34	Inf	-Inf	2.04	3	Vertical	219	1.86	91.30	34.47	5.31	37.74
PK	5.916G	75.74	88.20	-12.46	1.88	3	Vertical	219	1.86	73.86	34.57	5.16	37.85
PK	6.084G	107.18	Inf	-Inf	2.02	3	Vertical	219	1.86	105.16	34.43	5.32	37.73

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.21768G	38.59	54.00	-15.41	9.91	3	Vertical	274	1.95	28.68	39.46	8.52	38.07
PK	12.08456G	52.53	74.00	-21.47	9.90	3	Vertical	274	1.95	42.63	39.47	8.45	38.02


5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	13.41G	40.16	68.20	-28.04	10.89	3	Horizontal	66	1.86	29.27	40.34	9.19	38.64				
PK	13.3812G	54.61	74.00	-19.39	10.83	3	Horizontal	66	1.86	43.78	40.30	9.17	38.64				



**RSE TX below 1GHz_Non-Beamforming_Radio 3_
Dual-Polarized MIMO Panel Antenna_1T1S**

Appendix E.19

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	PK	97.9M	37.34	43.50	-6.16	3	Horizontal	360	1.00



**RSE TX below 1GHz_Non-Beamforming_Radio 3_
Dual-Polarized MIMO Panel Antenna_1T1S**


Appendix E.19

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6185MHz_Adapter	Pass	PK	90.14M	34.21	43.50	-9.29	3	Vertical	0	1.00
6185MHz_Adapter	Pass	PK	187.14M	26.66	43.50	-16.84	3	Vertical	0	1.00
6185MHz_Adapter	Pass	PK	249.22M	25.13	46.00	-20.87	3	Vertical	0	1.00
6185MHz_Adapter	Pass	PK	449.04M	24.76	46.00	-21.24	3	Vertical	0	1.00
6185MHz_Adapter	Pass	PK	549.92M	28.44	46.00	-17.56	3	Vertical	0	1.00
6185MHz_Adapter	Pass	QP	33.88M	30.87	40.00	-9.13	3	Vertical	5	1.00
6185MHz_Adapter	Pass	PK	97.9M	37.34	43.50	-6.16	3	Horizontal	360	1.00
6185MHz_Adapter	Pass	PK	192.96M	30.54	43.50	-12.96	3	Horizontal	360	1.00
6185MHz_Adapter	Pass	PK	249.22M	31.19	46.00	-14.81	3	Horizontal	360	1.00
6185MHz_Adapter	Pass	PK	350.1M	24.48	46.00	-21.52	3	Horizontal	360	1.00
6185MHz_Adapter	Pass	PK	449.04M	25.15	46.00	-20.85	3	Horizontal	360	1.00
6185MHz_Adapter	Pass	PK	549.92M	27.92	46.00	-18.08	3	Horizontal	360	1.00


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_Adapter



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_Adapter





RSE TX above 1GHz_Non-Beamforming_Radio 3_ Dual-Polarized MIMO Panel Antenna_1T1S

Appendix E.20

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	12.3902G	38.37	54.00	-15.63	3	Vertical	125	1.87
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	PK	5.9244G	73.39	88.20	-14.81	3	Horizontal	16	1.72
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.9236G	61.10	68.20	-7.10	3	Horizontal	15	1.74
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.925G	62.33	68.20	-5.87	3	Horizontal	15	1.62
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	5.925G	58.71	68.20	-9.49	3	Horizontal	23	1.77
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	AV	5.925G	56.43	68.20	-11.77	3	Horizontal	14	1.75
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	13.39524G	40.20	54.00	-13.80	3	Horizontal	254	2.35
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	13.39696G	40.24	54.00	-13.76	3	Vertical	196	1.47
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	13.36888G	40.10	54.00	-13.90	3	Vertical	15	2.59
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	13.25924G	40.14	54.00	-13.86	3	Horizontal	317	2.95
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	13.32304G	40.11	54.00	-13.89	3	Horizontal	18	2.39



RSE TX above 1GHz_Non-Beamforming_Radio 3_ Dual-Polarized MIMO Panel Antenna_1T1S

Appendix E.20

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	47.72	68.20	-20.48	3	Horizontal	15	1.50
5955MHz	Pass	AV	5.9571G	100.49	Inf	-Inf	3	Horizontal	15	1.50
5955MHz	Pass	PK	5.925G	71.38	88.20	-16.82	3	Horizontal	15	1.50
5955MHz	Pass	PK	5.9523G	112.46	Inf	-Inf	3	Horizontal	15	1.50
5955MHz	Pass	AV	11.91624G	38.20	54.00	-15.80	3	Vertical	308	1.75
5955MHz	Pass	PK	11.91632G	51.38	74.00	-22.62	3	Vertical	308	1.75
5955MHz	Pass	AV	11.91532G	38.16	54.00	-15.84	3	Horizontal	5	1.50
5955MHz	Pass	PK	11.90336G	51.78	74.00	-22.22	3	Horizontal	5	1.50
6195MHz	Pass	AV	12.3902G	38.37	54.00	-15.63	3	Vertical	125	1.87
6195MHz	Pass	PK	12.39012G	50.85	74.00	-23.15	3	Vertical	125	1.87
6195MHz	Pass	AV	12.39832G	38.28	54.00	-15.72	3	Horizontal	222	1.50
6195MHz	Pass	PK	12.3964G	50.70	74.00	-23.30	3	Horizontal	222	1.50
6415MHz	Pass	AV	12.8304G	40.21	68.20	-27.99	3	Vertical	187	1.36
6415MHz	Pass	PK	12.82272G	53.82	88.20	-34.38	3	Vertical	187	1.36
6415MHz	Pass	AV	12.82864G	39.48	68.20	-28.72	3	Horizontal	205	1.00
6415MHz	Pass	PK	12.82772G	51.94	88.20	-36.26	3	Horizontal	205	1.00
6535MHz	Pass	AV	13.07028G	44.26	68.20	-23.94	3	Vertical	163	1.42
6535MHz	Pass	PK	13.06828G	57.45	88.20	-30.75	3	Vertical	163	1.42
6535MHz	Pass	AV	13.07036G	42.18	68.20	-26.02	3	Horizontal	314	1.50
6535MHz	Pass	PK	13.07464G	55.02	88.20	-33.18	3	Horizontal	314	1.50
6695MHz	Pass	AV	13.39936G	40.17	54.00	-13.83	3	Vertical	137	1.50
6695MHz	Pass	PK	13.39924G	53.67	74.00	-20.33	3	Vertical	137	1.50
6695MHz	Pass	AV	13.39524G	40.20	54.00	-13.80	3	Horizontal	254	2.35
6695MHz	Pass	PK	13.39576G	53.91	74.00	-20.09	3	Horizontal	254	2.35
6855MHz	Pass	AV	13.7042G	40.68	68.20	-27.52	3	Vertical	5	2.82
6855MHz	Pass	PK	13.71496G	53.88	88.20	-34.32	3	Vertical	5	2.82
6855MHz	Pass	AV	13.7046G	40.68	68.20	-27.52	3	Horizontal	145	2.36
6855MHz	Pass	PK	13.7034G	53.62	88.20	-34.58	3	Horizontal	145	2.36
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	52.17	68.20	-16.03	3	Horizontal	16	1.72
5955MHz	Pass	AV	5.9595G	100.35	Inf	-Inf	3	Horizontal	16	1.72
5955MHz	Pass	PK	5.9244G	73.39	88.20	-14.81	3	Horizontal	16	1.72
5955MHz	Pass	PK	5.9535G	114.42	Inf	-Inf	3	Horizontal	16	1.72
5955MHz	Pass	AV	11.91524G	38.14	54.00	-15.86	3	Vertical	311	2.11
5955MHz	Pass	PK	11.9106G	50.78	74.00	-23.22	3	Vertical	311	2.11
5955MHz	Pass	AV	11.91556G	38.14	54.00	-15.86	3	Horizontal	348	2.17
5955MHz	Pass	PK	11.9002G	51.44	74.00	-22.56	3	Horizontal	348	2.17
6195MHz	Pass	AV	12.39056G	38.28	54.00	-15.72	3	Vertical	136	2.13
6195MHz	Pass	PK	12.38464G	52.28	74.00	-21.72	3	Vertical	136	2.13
6195MHz	Pass	AV	12.39692G	38.30	54.00	-15.70	3	Horizontal	208	1.50
6195MHz	Pass	PK	12.38992G	52.36	74.00	-21.64	3	Horizontal	208	1.50
6415MHz	Pass	AV	12.8304G	40.24	68.20	-27.96	3	Vertical	187	1.35
6415MHz	Pass	PK	12.82908G	54.03	88.20	-34.17	3	Vertical	187	1.35
6415MHz	Pass	AV	12.83856G	39.55	68.20	-28.65	3	Horizontal	258	1.50
6415MHz	Pass	PK	12.83228G	52.59	88.20	-35.61	3	Horizontal	258	1.50
6535MHz	Pass	AV	13.06928G	44.95	68.20	-23.25	3	Vertical	164	1.53
6535MHz	Pass	PK	13.07288G	57.44	88.20	-30.76	3	Vertical	164	1.53
6535MHz	Pass	AV	13.06996G	45.76	68.20	-22.44	3	Horizontal	314	2.19
6535MHz	Pass	PK	13.06936G	58.33	88.20	-29.87	3	Horizontal	314	2.19
6695MHz	Pass	AV	13.39696G	40.24	54.00	-13.76	3	Vertical	196	1.47
6695MHz	Pass	PK	13.38468G	53.45	74.00	-20.55	3	Vertical	196	1.47
6695MHz	Pass	AV	13.3954G	40.19	54.00	-13.81	3	Horizontal	285	1.50
6695MHz	Pass	PK	13.39548G	53.07	74.00	-20.93	3	Horizontal	285	1.50
6855MHz	Pass	AV	13.7082G	40.68	68.20	-27.52	3	Vertical	316	1.87
6855MHz	Pass	PK	13.7032G	54.03	88.20	-34.17	3	Vertical	316	1.87
6855MHz	Pass	AV	13.7076G	40.73	68.20	-27.47	3	Horizontal	223	1.09
6855MHz	Pass	PK	13.70864G	54.02	88.20	-34.18	3	Horizontal	223	1.09
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9236G	61.10	68.20	-7.10	3	Horizontal	15	1.74
5965MHz	Pass	AV	5.962G	97.48	Inf	-Inf	3	Horizontal	15	1.74

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5965MHz	Pass	PK	5.9245G	79.96	88.20	-8.24	3	Horizontal	15	1.74
5965MHz	Pass	PK	5.9566G	111.63	Inf	-Inf	3	Horizontal	15	1.74
5965MHz	Pass	AV	11.92932G	38.29	54.00	-15.71	3	Vertical	12	1.50
5965MHz	Pass	PK	11.93244G	51.59	74.00	-22.41	3	Vertical	12	1.50
5965MHz	Pass	AV	11.9304G	38.29	54.00	-15.71	3	Horizontal	216	1.50
5965MHz	Pass	PK	11.92172G	51.71	74.00	-22.29	3	Horizontal	216	1.50
6205MHz	Pass	AV	12.406G	38.36	54.00	-15.64	3	Vertical	318	2.66
6205MHz	Pass	PK	12.40568G	51.24	74.00	-22.76	3	Vertical	318	2.66
6205MHz	Pass	AV	12.40444G	38.33	54.00	-15.67	3	Horizontal	172	1.50
6205MHz	Pass	PK	12.41108G	51.67	74.00	-22.33	3	Horizontal	172	1.50
6405MHz	Pass	AV	12.80552G	39.70	68.20	-28.50	3	Vertical	190	2.98
6405MHz	Pass	PK	12.81432G	52.15	88.20	-36.05	3	Vertical	190	2.98
6405MHz	Pass	AV	12.80596G	39.51	68.20	-28.69	3	Horizontal	326	2.33
6405MHz	Pass	PK	12.8054G	52.74	88.20	-35.46	3	Horizontal	326	2.33
6565MHz	Pass	AV	13.12616G	40.75	68.20	-27.45	3	Vertical	177	1.45
6565MHz	Pass	PK	13.137G	53.50	88.20	-34.70	3	Vertical	177	1.45
6565MHz	Pass	AV	13.13004G	41.44	68.20	-26.76	3	Horizontal	297	2.12
6565MHz	Pass	PK	13.12104G	54.54	88.20	-33.66	3	Horizontal	297	2.12
6685MHz	Pass	AV	13.36888G	40.10	54.00	-13.90	3	Vertical	15	2.59
6685MHz	Pass	PK	13.37276G	52.83	74.00	-21.17	3	Vertical	15	2.59
6685MHz	Pass	AV	13.37864G	40.06	54.00	-13.94	3	Horizontal	176	1.79
6685MHz	Pass	PK	13.37504G	53.17	74.00	-20.83	3	Horizontal	176	1.79
6845MHz	Pass	AV	13.6878G	40.71	68.20	-27.49	3	Vertical	281	2.59
6845MHz	Pass	PK	13.6826G	53.41	88.20	-34.79	3	Vertical	281	2.59
6845MHz	Pass	AV	13.6874G	40.66	68.20	-27.54	3	Horizontal	198	1.50
6845MHz	Pass	PK	13.6932G	53.73	88.20	-34.47	3	Horizontal	198	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	62.33	68.20	-5.87	3	Horizontal	15	1.62
5985MHz	Pass	AV	5.9745G	94.21	Inf	-Inf	3	Horizontal	15	1.62
5985MHz	Pass	PK	5.925G	78.21	88.20	-9.99	3	Horizontal	15	1.62
5985MHz	Pass	PK	5.971G	107.65	Inf	-Inf	3	Horizontal	15	1.62
5985MHz	Pass	AV	11.9628G	38.35	54.00	-15.65	3	Vertical	308	1.50
5985MHz	Pass	PK	11.97224G	51.01	74.00	-22.99	3	Vertical	308	1.50
5985MHz	Pass	AV	11.96356G	38.31	54.00	-15.69	3	Horizontal	298	1.50
5985MHz	Pass	PK	11.9652G	51.31	74.00	-22.69	3	Horizontal	298	1.50
6225MHz	Pass	AV	12.44112G	38.36	54.00	-15.64	3	Vertical	200	1.50
6225MHz	Pass	PK	12.4558G	51.18	74.00	-22.82	3	Vertical	200	1.50
6225MHz	Pass	AV	12.45652G	38.40	54.00	-15.60	3	Horizontal	207	1.50
6225MHz	Pass	PK	12.44232G	51.35	74.00	-22.65	3	Horizontal	207	1.50
6385MHz	Pass	AV	12.77292G	39.46	68.20	-28.74	3	Vertical	252	1.85
6385MHz	Pass	PK	12.76316G	52.00	88.20	-36.20	3	Vertical	252	1.85
6385MHz	Pass	AV	12.76304G	39.44	68.20	-28.76	3	Horizontal	352	2.53
6385MHz	Pass	PK	12.76444G	52.61	88.20	-35.59	3	Horizontal	352	2.53
6625MHz	Pass	AV	13.25612G	39.97	54.00	-14.03	3	Vertical	26	1.50
6625MHz	Pass	PK	13.2502G	52.91	74.00	-21.09	3	Vertical	26	1.50
6625MHz	Pass	AV	13.25924G	40.14	54.00	-13.86	3	Horizontal	317	2.95
6625MHz	Pass	PK	13.25984G	52.76	74.00	-21.24	3	Horizontal	317	2.95
6705MHz	Pass	AV	13.41928G	40.41	68.20	-27.79	3	Vertical	108	1.56
6705MHz	Pass	PK	13.40516G	53.58	88.20	-34.62	3	Vertical	108	1.56
6705MHz	Pass	AV	13.41924G	40.36	68.20	-27.84	3	Horizontal	236	1.50
6705MHz	Pass	PK	13.41456G	53.48	88.20	-34.72	3	Horizontal	236	1.50
6785MHz	Pass	AV	5.925G	47.72	68.20	-20.48	3	Horizontal	15	1.50
6785MHz	Pass	AV	5.9571G	100.49	Inf	-Inf	3	Horizontal	15	1.50
6785MHz	Pass	PK	5.925G	71.38	88.20	-16.82	3	Horizontal	15	1.50
6785MHz	Pass	PK	5.9523G	112.46	Inf	-Inf	3	Horizontal	15	1.50
6785MHz	Pass	AV	13.56444G	40.75	68.20	-27.45	3	Vertical	11	1.50
6785MHz	Pass	PK	13.56444G	54.47	88.20	-33.73	3	Vertical	11	1.50
6785MHz	Pass	AV	13.56492G	40.71	68.20	-27.49	3	Horizontal	129	1.50
6785MHz	Pass	PK	13.5728G	54.01	88.20	-34.19	3	Horizontal	129	1.50
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	58.71	68.20	-9.49	3	Horizontal	23	1.77
6025MHz	Pass	AV	5.963G	90.92	Inf	-Inf	3	Horizontal	23	1.77

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6025MHz	Pass	PK	5.9185G	74.17	88.20	-14.03	3	Horizontal	23	1.77
6025MHz	Pass	PK	5.9645G	105.55	Inf	-Inf	3	Horizontal	23	1.77
6025MHz	Pass	AV	12.04116G	38.22	54.00	-15.78	3	Vertical	347	1.50
6025MHz	Pass	PK	12.0546G	51.01	74.00	-22.99	3	Vertical	347	1.50
6025MHz	Pass	AV	12.04344G	38.22	54.00	-15.78	3	Horizontal	54	2.29
6025MHz	Pass	PK	12.0564G	51.66	74.00	-22.34	3	Horizontal	54	2.29
6185MHz	Pass	AV	12.36292G	38.49	54.00	-15.51	3	Vertical	261	2.31
6185MHz	Pass	PK	12.37404G	52.10	74.00	-21.90	3	Vertical	261	2.31
6185MHz	Pass	AV	12.3648G	38.44	54.00	-15.56	3	Horizontal	165	1.97
6185MHz	Pass	PK	12.3648G	52.13	74.00	-21.87	3	Horizontal	165	1.97
6345MHz	Pass	AV	12.69524G	39.07	54.00	-14.93	3	Vertical	68	1.50
6345MHz	Pass	PK	12.68456G	52.51	74.00	-21.49	3	Vertical	68	1.50
6345MHz	Pass	AV	12.6932G	39.08	54.00	-14.92	3	Horizontal	76	1.04
6345MHz	Pass	PK	12.68252G	52.62	74.00	-21.38	3	Horizontal	76	1.04
6665MHz	Pass	AV	13.32088G	40.07	54.00	-13.93	3	Vertical	157	1.50
6665MHz	Pass	PK	13.32688G	52.49	74.00	-21.51	3	Vertical	157	1.50
6665MHz	Pass	AV	13.32304G	40.11	54.00	-13.89	3	Horizontal	18	2.39
6665MHz	Pass	PK	13.32732G	52.97	74.00	-21.03	3	Horizontal	18	2.39
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	56.43	68.20	-11.77	3	Horizontal	14	1.75
6105MHz	Pass	AV	5.964G	87.72	Inf	-Inf	3	Horizontal	14	1.75
6105MHz	Pass	PK	5.925G	73.99	88.20	-14.21	3	Horizontal	14	1.75
6105MHz	Pass	PK	5.965G	100.73	Inf	-Inf	3	Horizontal	14	1.75
6105MHz	Pass	AV	12.21532G	38.22	54.00	-15.78	3	Vertical	176	1.50
6105MHz	Pass	PK	12.21664G	51.59	74.00	-22.41	3	Vertical	176	1.50
6105MHz	Pass	AV	12.21524G	38.24	54.00	-15.76	3	Horizontal	132	1.89
6105MHz	Pass	PK	12.21592G	51.54	74.00	-22.46	3	Horizontal	132	1.89
6265MHz	Pass	AV	12.52536G	38.52	54.00	-15.48	3	Vertical	0	1.25
6265MHz	Pass	PK	12.53312G	52.54	74.00	-21.46	3	Vertical	0	1.25
6265MHz	Pass	AV	12.53768G	38.58	54.00	-15.42	3	Horizontal	188	1.77
6265MHz	Pass	PK	12.5386G	51.53	74.00	-22.47	3	Horizontal	188	1.77


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_1TX

6195MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_1TX

6195MHz_TX



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	52.17	68.20	-16.03	1.89	3	Horizontal	16	1.72	50.28	34.55	5.18	37.84
AV	5.9595G	100.35	Inf	-Inf	1.92	3	Horizontal	16	1.72	98.43	34.50	5.23	37.81
PK	5.9244G	73.39	88.20	-14.81	1.89	3	Horizontal	16	1.72	71.50	34.55	5.18	37.84
PK	5.9535G	114.42	Inf	-Inf	1.90	3	Horizontal	16	1.72	112.52	34.50	5.22	37.82

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91524G	38.14	54.00	-15.86	9.56	3	Vertical	311	2.11	28.58	39.13	8.36	37.93
PK	11.9106G	50.78	74.00	-23.22	9.54	3	Vertical	311	2.11	41.24	39.12	8.35	37.93


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX



5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	62.33	68.20	-5.87	1.89	3	Horizontal	15	1.62	60.44	34.55	5.18	37.84
AV	5.9745G	94.21	Inf	-Inf	1.95	3	Horizontal	15	1.62	92.26	34.50	5.25	37.80
PK	5.925G	78.21	88.20	-9.99	1.89	3	Horizontal	15	1.62	76.32	34.55	5.18	37.84
PK	5.971G	107.65	Inf	-Inf	1.95	3	Horizontal	15	1.62	105.70	34.50	5.25	37.80

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.9628G	38.35	54.00	-15.65	9.65	3	Vertical	308	1.50	28.70	39.23	8.38	37.96
PK	11.97224G	51.01	74.00	-22.99	9.66	3	Vertical	308	1.50	41.35	39.24	8.39	37.97


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	56.43	68.20	-11.77	1.89	3	Horizontal	14	1.75	54.54	34.55	5.18	37.84
AV	5.964G	87.72	Inf	-Inf	1.93	3	Horizontal	14	1.75	85.79	34.50	5.24	37.81
PK	5.925G	73.99	88.20	-14.21	1.89	3	Horizontal	14	1.75	72.10	34.55	5.18	37.84
PK	5.965G	100.73	Inf	-Inf	1.93	3	Horizontal	14	1.75	98.80	34.50	5.24	37.81

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.21532G	38.22	54.00	-15.78	9.92	3	Vertical	176	1.50	28.30	39.47	8.52	38.07
PK	12.21664G	51.59	74.00	-22.41	9.92	3	Vertical	176	1.50	41.67	39.47	8.52	38.07


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_1TX

6695MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_1TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	13.32304G	40.11	54.00	-13.89	10.75	3	Horizontal	18	2.39	29.36	40.25	9.14	38.64				
PK	13.32732G	52.97	74.00	-21.03	10.75	3	Horizontal	18	2.39	42.22	40.25	9.14	38.64				



**RSE TX below 1GHz_Non-Beamforming_Radio 3_
Dual-Polarized MIMO Panel Antenna_2T1S**

Appendix E.21

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	PK	94.02M	37.36	43.50	-6.14	3	Horizontal	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6185MHz_Adapter	Pass	PK	90.14M	32.83	43.50	-10.67	3	Vertical	360	1.00
6185MHz_Adapter	Pass	PK	132.82M	28.69	43.50	-14.81	3	Vertical	360	1.00
6185MHz_Adapter	Pass	PK	249.22M	25.84	46.00	-20.16	3	Vertical	360	1.00
6185MHz_Adapter	Pass	PK	449.04M	25.08	46.00	-20.92	3	Vertical	360	1.00
6185MHz_Adapter	Pass	PK	730.34M	35.40	46.00	-10.60	3	Vertical	360	1.00
6185MHz_Adapter	Pass	QP	35.82M	29.41	40.00	-10.59	3	Vertical	332	1.00
6185MHz_Adapter	Pass	PK	94.02M	37.36	43.50	-6.14	3	Horizontal	0	1.00
6185MHz_Adapter	Pass	PK	167.74M	30.61	43.50	-12.89	3	Horizontal	0	1.00
6185MHz_Adapter	Pass	PK	194.9M	30.26	43.50	-13.24	3	Horizontal	0	1.00
6185MHz_Adapter	Pass	PK	249.22M	30.80	46.00	-15.20	3	Horizontal	0	1.00
6185MHz_Adapter	Pass	PK	313.24M	23.83	46.00	-22.17	3	Horizontal	0	1.00
6185MHz_Adapter	Pass	PK	835.1M	27.20	46.00	-18.80	3	Horizontal	0	1.00


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_Adapter



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_Adapter





RSE TX above 1GHz_Non-Beamforming_Radio 3_ Dual-Polarized MIMO Panel Antenna_2T1S

Appendix E.22

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	12.3896G	38.62	54.00	-15.38	3	Vertical	96	1.66
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.925G	53.63	68.20	-14.57	3	Horizontal	13	1.75
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.9236G	63.51	68.20	-4.69	3	Horizontal	12	1.67
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.925G	65.13	68.20	-3.07	3	Horizontal	13	1.72
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.925G	63.21	68.20	-4.99	3	Horizontal	12	1.54
802.11be EHT320_Nss1,(MCS0)_2TX	Pass	AV	5.925G	58.72	68.20	-9.48	3	Horizontal	13	1.99
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	13.39248G	40.60	54.00	-13.40	3	Vertical	174	1.41
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	13.38896G	40.89	54.00	-13.11	3	Vertical	121	1.27
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	13.38152G	39.85	54.00	-14.15	3	Vertical	186	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	13.37496G	54.83	74.00	-19.17	3	Vertical	93	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	PK	13.28648G	54.71	74.00	-19.29	3	Vertical	299	2.00



RSE TX above 1GHz_Non-Beamforming_Radio 3_ Dual-Polarized MIMO Panel Antenna_2T1S

Appendix E.22

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9241G	47.66	68.20	-20.54	3	Vertical	18	1.43
5955MHz	Pass	AV	5.9622G	101.40	Inf	-Inf	3	Vertical	18	1.43
5955MHz	Pass	PK	5.9226G	71.90	88.20	-16.30	3	Vertical	18	1.43
5955MHz	Pass	PK	5.9613G	112.55	Inf	-Inf	3	Vertical	18	1.43
5955MHz	Pass	AV	5.925G	49.66	68.20	-18.54	3	Horizontal	13	1.75
5955MHz	Pass	AV	5.9607G	103.37	Inf	-Inf	3	Horizontal	13	1.75
5955MHz	Pass	PK	5.9238G	72.73	88.20	-15.47	3	Horizontal	13	1.75
5955MHz	Pass	PK	5.9562G	113.88	Inf	-Inf	3	Horizontal	13	1.75
5955MHz	Pass	AV	11.916G	38.48	54.00	-15.52	3	Vertical	199	1.50
5955MHz	Pass	PK	11.91072G	52.18	74.00	-21.82	3	Vertical	199	1.50
5955MHz	Pass	AV	11.90296G	38.46	54.00	-15.54	3	Horizontal	59	1.50
5955MHz	Pass	PK	11.90784G	52.51	74.00	-21.49	3	Horizontal	59	1.50
6195MHz	Pass	AV	12.3896G	38.62	54.00	-15.38	3	Vertical	96	1.66
6195MHz	Pass	PK	12.38812G	52.90	74.00	-21.10	3	Vertical	96	1.66
6195MHz	Pass	AV	12.38876G	38.30	54.00	-15.70	3	Horizontal	233	3.00
6195MHz	Pass	PK	12.38668G	52.88	74.00	-21.12	3	Horizontal	233	3.00
6415MHz	Pass	AV	12.83192G	40.84	68.20	-27.36	3	Vertical	167	1.50
6415MHz	Pass	PK	12.83708G	55.00	88.20	-33.20	3	Vertical	167	1.50
6415MHz	Pass	AV	12.8332G	39.34	68.20	-28.86	3	Horizontal	19	2.71
6415MHz	Pass	PK	12.82528G	53.79	88.20	-34.41	3	Horizontal	19	2.71
6535MHz	Pass	AV	13.06904G	47.26	68.20	-20.94	3	Vertical	157	1.52
6535MHz	Pass	PK	13.06892G	62.08	88.20	-26.12	3	Vertical	157	1.52
6535MHz	Pass	AV	13.06864G	47.28	68.20	-20.92	3	Horizontal	293	2.10
6535MHz	Pass	PK	13.06896G	62.39	88.20	-25.81	3	Horizontal	293	2.10
6695MHz	Pass	AV	13.39248G	40.60	54.00	-13.40	3	Vertical	174	1.41
6695MHz	Pass	PK	13.39104G	55.32	74.00	-18.68	3	Vertical	174	1.41
6695MHz	Pass	AV	13.38516G	40.06	54.00	-13.94	3	Horizontal	303	2.07
6695MHz	Pass	PK	13.39072G	54.78	74.00	-19.22	3	Horizontal	303	2.07
6855MHz	Pass	AV	13.70268G	40.53	68.20	-27.67	3	Vertical	188	2.76
6855MHz	Pass	PK	13.71012G	56.13	88.20	-32.07	3	Vertical	188	2.76
6855MHz	Pass	AV	13.705G	40.51	68.20	-27.69	3	Horizontal	105	1.50
6855MHz	Pass	PK	13.7168G	56.09	88.20	-32.11	3	Horizontal	105	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9241G	52.53	68.20	-15.67	3	Vertical	7	1.36
5955MHz	Pass	AV	5.9637G	100.73	Inf	-Inf	3	Vertical	7	1.36
5955MHz	Pass	PK	5.9244G	71.43	88.20	-16.77	3	Vertical	7	1.36
5955MHz	Pass	PK	5.9538G	114.81	Inf	-Inf	3	Vertical	7	1.36
5955MHz	Pass	AV	5.925G	53.63	68.20	-14.57	3	Horizontal	13	1.75
5955MHz	Pass	AV	5.9607G	102.52	Inf	-Inf	3	Horizontal	13	1.75
5955MHz	Pass	PK	5.9181G	71.95	88.20	-16.25	3	Horizontal	13	1.75
5955MHz	Pass	PK	5.961G	115.72	Inf	-Inf	3	Horizontal	13	1.75
5955MHz	Pass	AV	11.916G	38.68	54.00	-15.32	3	Vertical	148	1.32
5955MHz	Pass	PK	11.90568G	53.04	74.00	-20.96	3	Vertical	148	1.32
5955MHz	Pass	AV	11.91672G	38.48	54.00	-15.52	3	Horizontal	125	1.50
5955MHz	Pass	PK	11.91932G	53.12	74.00	-20.88	3	Horizontal	125	1.50
6195MHz	Pass	AV	12.38996G	38.62	54.00	-15.38	3	Vertical	182	2.82
6195MHz	Pass	PK	12.38072G	53.19	74.00	-20.81	3	Vertical	182	2.82
6195MHz	Pass	AV	12.38664G	38.22	54.00	-15.78	3	Horizontal	249	2.16
6195MHz	Pass	PK	12.39188G	52.82	74.00	-21.18	3	Horizontal	249	2.16
6415MHz	Pass	AV	12.83104G	40.78	68.20	-27.42	3	Vertical	167	1.47
6415MHz	Pass	PK	12.83116G	55.24	88.20	-32.96	3	Vertical	167	1.47
6415MHz	Pass	AV	12.83612G	39.42	68.20	-28.78	3	Horizontal	228	1.50
6415MHz	Pass	PK	12.82792G	53.90	88.20	-34.30	3	Horizontal	228	1.50
6535MHz	Pass	AV	13.06956G	45.02	68.20	-23.18	3	Vertical	156	1.50
6535MHz	Pass	PK	13.06976G	59.71	88.20	-28.49	3	Vertical	156	1.50
6535MHz	Pass	AV	13.06936G	45.44	68.20	-22.76	3	Horizontal	291	2.31
6535MHz	Pass	PK	13.0696G	60.08	88.20	-28.12	3	Horizontal	291	2.31
6695MHz	Pass	AV	13.38896G	40.89	54.00	-13.11	3	Vertical	121	1.27
6695MHz	Pass	PK	13.3878G	55.30	74.00	-18.70	3	Vertical	121	1.27
6695MHz	Pass	AV	13.38452G	40.02	54.00	-13.98	3	Horizontal	175	2.07



**RSE TX above 1GHz_Non-Beamforming_Radio 3_
Dual-Polarized MIMO Panel Antenna_2T1S**

Appendix E.22

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6695MHz	Pass	PK	13.3996G	54.81	74.00	-19.19	3	Horizontal	175	2.07
6855MHz	Pass	AV	13.70472G	40.52	68.20	-27.68	3	Vertical	338	1.50
6855MHz	Pass	PK	13.71896G	54.99	88.20	-33.21	3	Vertical	338	1.50
6855MHz	Pass	AV	13.7036G	40.54	68.20	-27.66	3	Horizontal	104	2.17
6855MHz	Pass	PK	13.704G	56.35	88.20	-31.85	3	Horizontal	104	2.17
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9239G	58.08	68.20	-10.12	3	Vertical	17	1.72
5965MHz	Pass	AV	5.9785G	98.31	Inf	-Inf	3	Vertical	17	1.72
5965MHz	Pass	PK	5.9245G	80.08	88.20	-8.12	3	Vertical	17	1.72
5965MHz	Pass	PK	5.9809G	111.99	Inf	-Inf	3	Vertical	17	1.72
5965MHz	Pass	AV	5.9236G	63.51	68.20	-4.69	3	Horizontal	12	1.67
5965MHz	Pass	AV	5.9728G	99.44	Inf	-Inf	3	Horizontal	12	1.67
5965MHz	Pass	PK	5.9236G	81.45	88.20	-6.75	3	Horizontal	12	1.67
5965MHz	Pass	PK	5.9508G	113.35	Inf	-Inf	3	Horizontal	12	1.67
5965MHz	Pass	AV	11.93328G	38.46	54.00	-15.54	3	Vertical	197	2.93
5965MHz	Pass	PK	11.9452G	53.02	74.00	-20.98	3	Vertical	197	2.93
5965MHz	Pass	AV	11.93072G	38.51	54.00	-15.49	3	Horizontal	172	1.95
5965MHz	Pass	PK	11.92584G	52.98	74.00	-21.02	3	Horizontal	172	1.95
6205MHz	Pass	AV	12.40432G	38.29	54.00	-15.71	3	Vertical	108	1.00
6205MHz	Pass	PK	12.412G	52.84	74.00	-21.16	3	Vertical	108	1.00
6205MHz	Pass	AV	12.4064G	38.04	54.00	-15.96	3	Horizontal	277	1.50
6205MHz	Pass	PK	12.39824G	52.33	74.00	-21.67	3	Horizontal	277	1.50
6405MHz	Pass	AV	12.8084G	39.70	68.20	-28.50	3	Vertical	167	1.21
6405MHz	Pass	PK	12.80856G	54.02	88.20	-34.18	3	Vertical	167	1.21
6405MHz	Pass	AV	12.80496G	39.19	68.20	-29.01	3	Horizontal	355	1.50
6405MHz	Pass	PK	12.79944G	53.90	88.20	-34.30	3	Horizontal	355	1.50
6565MHz	Pass	AV	13.12944G	41.46	68.20	-26.74	3	Vertical	156	1.70
6565MHz	Pass	PK	13.12952G	56.05	88.20	-32.15	3	Vertical	156	1.70
6565MHz	Pass	AV	13.12968G	42.09	68.20	-26.11	3	Horizontal	291	2.15
6565MHz	Pass	PK	13.1296G	56.62	88.20	-31.58	3	Horizontal	291	2.15
6685MHz	Pass	AV	13.38152G	39.85	54.00	-14.15	3	Vertical	186	1.50
6685MHz	Pass	PK	13.36632G	54.86	74.00	-19.14	3	Vertical	186	1.50
6685MHz	Pass	AV	13.38912G	39.80	54.00	-14.20	3	Horizontal	206	1.04
6685MHz	Pass	PK	13.37168G	54.43	74.00	-19.57	3	Horizontal	206	1.04
6845MHz	Pass	AV	13.67144G	40.30	68.20	-27.90	3	Vertical	246	1.12
6845MHz	Pass	PK	13.68944G	54.91	88.20	-33.29	3	Vertical	246	1.12
6845MHz	Pass	AV	13.70608G	40.28	68.20	-27.92	3	Horizontal	252	1.60
6845MHz	Pass	PK	13.6888G	55.32	88.20	-32.88	3	Horizontal	252	1.60
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9235G	61.22	68.20	-6.98	3	Vertical	17	1.83
5985MHz	Pass	AV	5.998G	95.59	Inf	-Inf	3	Vertical	17	1.83
5985MHz	Pass	PK	5.918G	77.78	88.20	-10.42	3	Vertical	17	1.83
5985MHz	Pass	PK	5.9835G	109.82	Inf	-Inf	3	Vertical	17	1.83
5985MHz	Pass	AV	5.925G	65.13	68.20	-3.07	3	Horizontal	13	1.72
5985MHz	Pass	AV	5.973G	96.81	Inf	-Inf	3	Horizontal	13	1.72
5985MHz	Pass	PK	5.9235G	79.69	88.20	-8.51	3	Horizontal	13	1.72
5985MHz	Pass	PK	5.9835G	109.25	Inf	-Inf	3	Horizontal	13	1.72
5985MHz	Pass	AV	11.93224G	38.42	54.00	-15.58	3	Vertical	231	1.00
5985MHz	Pass	PK	11.99192G	52.70	74.00	-21.30	3	Vertical	231	1.00
5985MHz	Pass	AV	11.93512G	38.38	54.00	-15.62	3	Horizontal	327	1.81
5985MHz	Pass	PK	11.99368G	53.22	74.00	-20.78	3	Horizontal	327	1.81
6225MHz	Pass	AV	12.47576G	38.17	54.00	-15.83	3	Vertical	140	1.50
6225MHz	Pass	PK	12.46008G	53.32	74.00	-20.68	3	Vertical	140	1.50
6225MHz	Pass	AV	12.47592G	38.14	54.00	-15.86	3	Horizontal	111	1.50
6225MHz	Pass	PK	12.458G	53.19	74.00	-20.81	3	Horizontal	111	1.50
6385MHz	Pass	AV	12.7764G	39.20	68.20	-29.00	3	Vertical	119	2.30
6385MHz	Pass	PK	12.80136G	54.72	88.20	-33.48	3	Vertical	119	2.30
6385MHz	Pass	AV	12.77752G	39.21	68.20	-28.99	3	Horizontal	357	2.29
6385MHz	Pass	PK	12.74632G	53.52	88.20	-34.68	3	Horizontal	357	2.29
6625MHz	Pass	AV	13.24664G	40.20	68.20	-28.00	3	Vertical	118	1.15
6625MHz	Pass	PK	13.24936G	54.88	88.20	-33.32	3	Vertical	118	1.15
6625MHz	Pass	AV	13.24136G	39.85	68.20	-28.35	3	Horizontal	291	1.50




RSE TX above 1GHz_Non-Beamforming_Radio 3_ Dual-Polarized MIMO Panel Antenna_2T1S

Appendix E.22

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6625MHz	Pass	PK	13.262G	54.05	74.00	-19.95	3	Horizontal	291	1.50
6705MHz	Pass	AV	13.44984G	40.29	68.20	-27.91	3	Vertical	93	1.50
6705MHz	Pass	PK	13.37496G	54.83	74.00	-19.17	3	Vertical	93	1.50
6705MHz	Pass	AV	13.44888G	40.32	68.20	-27.88	3	Horizontal	210	1.09
6705MHz	Pass	PK	13.41816G	54.52	88.20	-33.68	3	Horizontal	210	1.09
6785MHz	Pass	AV	13.54552G	40.67	68.20	-27.53	3	Vertical	75	2.18
6785MHz	Pass	PK	13.58616G	55.31	88.20	-32.89	3	Vertical	75	2.18
6785MHz	Pass	AV	13.54632G	40.70	68.20	-27.50	3	Horizontal	209	1.00
6785MHz	Pass	PK	13.5892G	55.29	88.20	-32.91	3	Horizontal	209	1.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9235G	61.93	68.20	-6.27	3	Vertical	17	1.71
6025MHz	Pass	AV	5.9985G	92.60	Inf	-Inf	3	Vertical	17	1.71
6025MHz	Pass	PK	5.924G	76.29	88.20	-11.91	3	Vertical	17	1.71
6025MHz	Pass	PK	6.0435G	106.33	Inf	-Inf	3	Vertical	17	1.71
6025MHz	Pass	AV	5.925G	63.21	68.20	-4.99	3	Horizontal	12	1.54
6025MHz	Pass	AV	5.963G	92.55	Inf	-Inf	3	Horizontal	12	1.54
6025MHz	Pass	PK	5.923G	78.27	88.20	-9.93	3	Horizontal	12	1.54
6025MHz	Pass	PK	5.9635G	106.65	Inf	-Inf	3	Horizontal	12	1.54
6025MHz	Pass	AV	11.99272G	38.49	54.00	-15.51	3	Vertical	140	2.37
6025MHz	Pass	PK	12.06152G	52.57	74.00	-21.43	3	Vertical	140	2.37
6025MHz	Pass	AV	12.07304G	38.47	54.00	-15.53	3	Horizontal	331	1.50
6025MHz	Pass	PK	12.05736G	52.84	74.00	-21.16	3	Horizontal	331	1.50
6185MHz	Pass	AV	12.3588G	38.25	54.00	-15.75	3	Vertical	31	1.50
6185MHz	Pass	PK	12.4052G	53.14	74.00	-20.86	3	Vertical	31	1.50
6185MHz	Pass	AV	12.36104G	38.26	54.00	-15.74	3	Horizontal	144	1.50
6185MHz	Pass	PK	12.4468G	53.34	74.00	-20.66	3	Horizontal	144	1.50
6345MHz	Pass	AV	12.74472G	39.19	68.20	-29.01	3	Vertical	0	1.50
6345MHz	Pass	PK	12.75464G	53.51	88.20	-34.69	3	Vertical	0	1.50
6345MHz	Pass	AV	12.7444G	39.16	68.20	-29.04	3	Horizontal	20	1.42
6345MHz	Pass	PK	12.67304G	53.76	74.00	-20.24	3	Horizontal	20	1.42
6665MHz	Pass	AV	13.40968G	40.02	68.20	-28.18	3	Vertical	299	2.00
6665MHz	Pass	PK	13.28648G	54.71	74.00	-19.29	3	Vertical	299	2.00
6665MHz	Pass	AV	13.41G	40.03	68.20	-28.17	3	Horizontal	309	1.50
6665MHz	Pass	PK	13.35528G	54.30	74.00	-19.70	3	Horizontal	309	1.50
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.924G	56.92	68.20	-11.28	3	Vertical	351	2.91
6105MHz	Pass	AV	6.001G	89.59	Inf	-Inf	3	Vertical	351	2.91
6105MHz	Pass	PK	5.924G	70.66	88.20	-17.54	3	Vertical	351	2.91
6105MHz	Pass	PK	6.009G	101.98	Inf	-Inf	3	Vertical	351	2.91
6105MHz	Pass	AV	5.925G	58.72	68.20	-9.48	3	Horizontal	13	1.99
6105MHz	Pass	AV	5.998G	90.07	Inf	-Inf	3	Horizontal	13	1.99
6105MHz	Pass	PK	5.919G	72.57	88.20	-15.63	3	Horizontal	13	1.99
6105MHz	Pass	PK	6.005G	103.14	Inf	-Inf	3	Horizontal	13	1.99
6105MHz	Pass	AV	12.21341G	39.09	54.00	-14.91	3	Vertical	171	1.83
6105MHz	Pass	PK	12.21331G	53.11	74.00	-20.89	3	Vertical	171	1.83
6105MHz	Pass	AV	12.21321G	39.04	54.00	-14.96	3	Horizontal	153	1.61
6105MHz	Pass	PK	12.21314G	53.03	74.00	-20.97	3	Horizontal	153	1.61
6265MHz	Pass	AV	12.74504G	39.41	68.20	-28.79	3	Vertical	12	2.42
6265MHz	Pass	PK	12.60872G	53.43	74.00	-20.57	3	Vertical	12	2.42
6265MHz	Pass	AV	12.74408G	39.36	68.20	-28.84	3	Horizontal	152	1.11
6265MHz	Pass	PK	12.75656G	53.79	88.20	-34.41	3	Horizontal	152	1.11


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

6195MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

6195MHz_TX



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9241G	52.53	68.20	-15.67	1.89	3	Vertical	7	1.36	50.64	34.55	5.18	37.84
AV	5.9637G	100.73	Inf	-Inf	1.93	3	Vertical	7	1.36	98.80	34.50	5.24	37.81
PK	5.9244G	71.43	88.20	-16.77	1.89	3	Vertical	7	1.36	69.54	34.55	5.18	37.84
PK	5.9538G	114.81	Inf	-Inf	1.90	3	Vertical	7	1.36	112.91	34.50	5.22	37.82

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	53.63	68.20	-14.57	1.89	3	Horizontal	13	1.75	51.74	34.55	5.18	37.84
AV	5.9607G	102.52	Inf	-Inf	1.92	3	Horizontal	13	1.75	100.60	34.50	5.23	37.81
PK	5.9181G	71.95	88.20	-16.25	1.88	3	Horizontal	13	1.75	70.07	34.56	5.17	37.85
PK	5.961G	115.72	Inf	-Inf	1.92	3	Horizontal	13	1.75	113.80	34.50	5.23	37.81


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX





**RSE TX below 1GHz_Non-Beamforming_Radio 3_
Dual-Polarized MIMO Panel Antenna_2T2S**

Appendix E.23

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	PK	37.76M	35.64	40.00	-4.36	3	Vertical	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6185MHz_Adapter	Pass	PK	37.76M	35.64	40.00	-4.36	3	Vertical	0	1.00
6185MHz_Adapter	Pass	PK	88M	31.36	40.00	-8.64	3	Vertical	0	1.00
6185MHz_Adapter	Pass	PK	117.3M	28.96	43.50	-14.54	3	Vertical	0	1.00
6185MHz_Adapter	Pass	PK	249.22M	25.29	46.00	-20.71	3	Vertical	0	1.00
6185MHz_Adapter	Pass	PK	449.04M	25.37	46.00	-20.63	3	Vertical	0	1.00
6185MHz_Adapter	Pass	PK	710.94M	35.62	46.00	-10.38	3	Vertical	0	1.00
6185MHz_Adapter	Pass	PK	95.96M	36.67	43.50	-6.83	3	Horizontal	360	1.00
6185MHz_Adapter	Pass	PK	163.86M	33.06	43.50	-10.44	3	Horizontal	360	1.00
6185MHz_Adapter	Pass	PK	192.96M	31.59	43.50	-11.91	3	Horizontal	360	1.00
6185MHz_Adapter	Pass	PK	249.22M	30.43	46.00	-15.57	3	Horizontal	360	1.00
6185MHz_Adapter	Pass	PK	319.06M	25.20	46.00	-20.80	3	Horizontal	360	1.00
6185MHz_Adapter	Pass	PK	499.48M	24.84	46.00	-21.16	3	Horizontal	360	1.00


5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6185MHz_Adapter



5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6185MHz_Adapter





**RSE TX above 1GHz_Non-Beamforming_Radio 3_
Dual-Polarized MIMO Panel Antenna_2T2S**

Appendix E.24

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.925G	54.82	68.20	-13.38	3	Horizontal	20	1.76
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.9248G	62.68	68.20	-5.52	3	Horizontal	14	1.39
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.925G	62.89	68.20	-5.31	3	Horizontal	15	1.29
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	5.925G	60.88	68.20	-7.32	3	Horizontal	20	1.70
802.11be EHT320_Nss2,(MCS0)_2TX	Pass	AV	5.925G	56.76	68.20	-11.44	3	Horizontal	13	1.63
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	13.38752G	40.11	54.00	-13.89	3	Vertical	140	1.57
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	13.38472G	39.88	54.00	-14.12	3	Vertical	59	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	13.2868G	39.78	54.00	-14.22	3	Vertical	330	1.50
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	13.38G	39.91	54.00	-14.09	3	Vertical	12	1.87

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	52.00	68.20	-16.20	3	Vertical	18	1.40
5955MHz	Pass	AV	5.961G	99.93	Inf	-Inf	3	Vertical	18	1.40
5955MHz	Pass	PK	5.925G	70.87	88.20	-17.33	3	Vertical	18	1.40
5955MHz	Pass	PK	5.9571G	113.45	Inf	-Inf	3	Vertical	18	1.40
5955MHz	Pass	AV	5.925G	54.82	68.20	-13.38	3	Horizontal	20	1.76
5955MHz	Pass	AV	5.9625G	101.80	Inf	-Inf	3	Horizontal	20	1.76
5955MHz	Pass	PK	5.9229G	71.98	88.20	-16.22	3	Horizontal	20	1.76
5955MHz	Pass	PK	5.9616G	115.31	Inf	-Inf	3	Horizontal	20	1.76
5955MHz	Pass	AV	11.916G	38.38	54.00	-15.62	3	Vertical	0	1.50
5955MHz	Pass	PK	11.91704G	52.39	74.00	-21.61	3	Vertical	0	1.50
5955MHz	Pass	AV	11.90044G	38.35	54.00	-15.65	3	Horizontal	235	1.83
5955MHz	Pass	PK	11.90156G	53.28	74.00	-20.72	3	Horizontal	235	1.83
6195MHz	Pass	AV	12.38804G	38.13	54.00	-15.87	3	Vertical	218	1.50
6195MHz	Pass	PK	12.38064G	52.63	74.00	-21.37	3	Vertical	218	1.50
6195MHz	Pass	AV	12.38964G	38.12	54.00	-15.88	3	Horizontal	116	1.68
6195MHz	Pass	PK	12.38324G	52.48	74.00	-21.52	3	Horizontal	116	1.68
6415MHz	Pass	AV	12.83044G	39.99	68.20	-28.21	3	Vertical	167	1.50
6415MHz	Pass	PK	12.83244G	54.96	88.20	-33.24	3	Vertical	167	1.50
6415MHz	Pass	AV	12.82916G	39.20	68.20	-29.00	3	Horizontal	86	1.50
6415MHz	Pass	PK	12.83356G	54.28	88.20	-33.92	3	Horizontal	86	1.50
6535MHz	Pass	AV	13.07004G	44.17	68.20	-24.03	3	Vertical	156	1.50
6535MHz	Pass	PK	13.0718G	58.46	88.20	-29.74	3	Vertical	156	1.50
6535MHz	Pass	AV	13.06996G	46.05	68.20	-22.15	3	Horizontal	293	2.19
6535MHz	Pass	PK	13.0706G	61.33	88.20	-26.87	3	Horizontal	293	2.19
6695MHz	Pass	AV	13.38752G	40.11	54.00	-13.89	3	Vertical	140	1.57
6695MHz	Pass	PK	13.38888G	55.14	74.00	-18.86	3	Vertical	140	1.57
6695MHz	Pass	AV	13.38524G	39.91	54.00	-14.09	3	Horizontal	249	1.50
6695MHz	Pass	PK	13.39836G	55.23	74.00	-18.77	3	Horizontal	249	1.50
6855MHz	Pass	AV	13.70516G	40.45	68.20	-27.75	3	Vertical	22	1.30
6855MHz	Pass	PK	13.71644G	55.14	88.20	-33.06	3	Vertical	22	1.30
6855MHz	Pass	AV	13.7046G	40.40	68.20	-27.80	3	Horizontal	287	2.95
6855MHz	Pass	PK	13.71568G	55.46	88.20	-32.74	3	Horizontal	287	2.95
802.11be EHT40_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9245G	57.66	68.20	-10.54	3	Vertical	18	1.53
5965MHz	Pass	AV	5.9782G	97.41	Inf	-Inf	3	Vertical	18	1.53
5965MHz	Pass	PK	5.9221G	79.11	88.20	-9.09	3	Vertical	18	1.53
5965MHz	Pass	PK	5.9797G	111.21	Inf	-Inf	3	Vertical	18	1.53
5965MHz	Pass	AV	5.9248G	62.68	68.20	-5.52	3	Horizontal	14	1.39
5965MHz	Pass	AV	5.9785G	98.50	Inf	-Inf	3	Horizontal	14	1.39
5965MHz	Pass	PK	5.9152G	79.82	88.20	-8.38	3	Horizontal	14	1.39
5965MHz	Pass	PK	5.974G	112.08	Inf	-Inf	3	Horizontal	14	1.39
5965MHz	Pass	AV	11.93352G	38.54	54.00	-15.46	3	Vertical	271	1.50
5965MHz	Pass	PK	11.918G	53.34	74.00	-20.66	3	Vertical	271	1.50
5965MHz	Pass	AV	11.93224G	38.51	54.00	-15.49	3	Horizontal	78	1.50
5965MHz	Pass	PK	11.93304G	52.81	74.00	-21.19	3	Horizontal	78	1.50
6205MHz	Pass	AV	12.40592G	38.19	54.00	-15.81	3	Vertical	176	2.19
6205MHz	Pass	PK	12.42192G	52.96	74.00	-21.04	3	Vertical	176	2.19
6205MHz	Pass	AV	12.42968G	38.14	54.00	-15.86	3	Horizontal	300	1.66
6205MHz	Pass	PK	12.39472G	52.82	74.00	-21.18	3	Horizontal	300	1.66
6405MHz	Pass	AV	12.8044G	39.32	68.20	-28.88	3	Vertical	249	1.50
6405MHz	Pass	PK	12.80392G	53.92	88.20	-34.28	3	Vertical	249	1.50
6405MHz	Pass	AV	12.8064G	39.23	68.20	-28.97	3	Horizontal	321	1.50
6405MHz	Pass	PK	12.7968G	54.00	88.20	-34.20	3	Horizontal	321	1.50
6565MHz	Pass	AV	13.1272G	40.84	68.20	-27.36	3	Vertical	156	1.50
6565MHz	Pass	PK	13.12832G	55.18	88.20	-33.02	3	Vertical	156	1.50
6565MHz	Pass	AV	13.12848G	41.35	68.20	-26.85	3	Horizontal	294	2.19
6565MHz	Pass	PK	13.12544G	55.63	88.20	-32.57	3	Horizontal	294	2.19
6685MHz	Pass	AV	13.38472G	39.88	54.00	-14.12	3	Vertical	59	1.50
6685MHz	Pass	PK	13.36336G	54.92	74.00	-19.08	3	Vertical	59	1.50
6685MHz	Pass	AV	13.38496G	39.88	54.00	-14.12	3	Horizontal	188	1.50



**RSE TX above 1GHz_Non-Beamforming_Radio 3_
Dual-Polarized MIMO Panel Antenna_2T2S**

Appendix E.24

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6685MHz	Pass	PK	13.35136G	54.80	74.00	-19.20	3	Horizontal	188	1.50
6845MHz	Pass	AV	13.67416G	40.37	68.20	-27.83	3	Vertical	28	1.50
6845MHz	Pass	PK	13.7036G	55.09	88.20	-33.11	3	Vertical	28	1.50
6845MHz	Pass	AV	13.67224G	40.36	68.20	-27.84	3	Horizontal	11	2.79
6845MHz	Pass	PK	13.69664G	55.23	88.20	-32.97	3	Horizontal	11	2.79
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	60.29	68.20	-7.91	3	Vertical	19	2.56
5985MHz	Pass	AV	6.014G	93.93	Inf	-Inf	3	Vertical	19	2.56
5985MHz	Pass	PK	5.924G	77.63	88.20	-10.57	3	Vertical	19	2.56
5985MHz	Pass	PK	5.982G	108.22	Inf	-Inf	3	Vertical	19	2.56
5985MHz	Pass	AV	5.925G	62.89	68.20	-5.31	3	Horizontal	15	1.29
5985MHz	Pass	AV	5.978G	95.16	Inf	-Inf	3	Horizontal	15	1.29
5985MHz	Pass	PK	5.925G	78.46	88.20	-9.74	3	Horizontal	15	1.29
5985MHz	Pass	PK	5.981G	108.44	Inf	-Inf	3	Horizontal	15	1.29
5985MHz	Pass	AV	11.93288G	38.20	54.00	-15.80	3	Vertical	114	1.76
5985MHz	Pass	PK	11.93256G	53.09	74.00	-20.91	3	Vertical	114	1.76
5985MHz	Pass	AV	11.93224G	38.21	54.00	-15.79	3	Horizontal	86	1.50
5985MHz	Pass	PK	11.95624G	52.96	74.00	-21.04	3	Horizontal	86	1.50
6225MHz	Pass	AV	12.47432G	38.18	54.00	-15.82	3	Vertical	243	2.01
6225MHz	Pass	PK	12.48072G	52.68	74.00	-21.32	3	Vertical	243	2.01
6225MHz	Pass	AV	12.47368G	38.16	54.00	-15.84	3	Horizontal	174	1.50
6225MHz	Pass	PK	12.45912G	52.70	74.00	-21.30	3	Horizontal	174	1.50
6385MHz	Pass	AV	12.77464G	39.15	68.20	-29.05	3	Vertical	296	1.50
6385MHz	Pass	PK	12.762G	54.50	88.20	-33.70	3	Vertical	296	1.50
6385MHz	Pass	AV	12.77656G	39.17	68.20	-29.03	3	Horizontal	3	1.50
6385MHz	Pass	PK	12.7996G	53.77	88.20	-34.43	3	Horizontal	3	1.50
6625MHz	Pass	AV	13.2868G	39.78	54.00	-14.22	3	Vertical	330	1.50
6625MHz	Pass	PK	13.22552G	54.46	88.20	-33.74	3	Vertical	330	1.50
6625MHz	Pass	AV	13.24552G	39.81	68.20	-28.39	3	Horizontal	295	1.50
6625MHz	Pass	PK	13.2732G	54.27	74.00	-19.73	3	Horizontal	295	1.50
6705MHz	Pass	AV	13.41672G	40.12	68.20	-28.08	3	Vertical	88	1.19
6705MHz	Pass	PK	13.41512G	54.96	88.20	-33.24	3	Vertical	88	1.19
6705MHz	Pass	AV	13.44712G	40.06	68.20	-28.14	3	Horizontal	94	1.26
6705MHz	Pass	PK	13.39512G	54.53	74.00	-19.47	3	Horizontal	94	1.26
6785MHz	Pass	AV	13.54984G	40.32	68.20	-27.88	3	Vertical	23	1.50
6785MHz	Pass	PK	13.59224G	54.83	88.20	-33.37	3	Vertical	23	1.50
6785MHz	Pass	AV	13.54776G	40.33	68.20	-27.87	3	Horizontal	204	1.62
6785MHz	Pass	PK	13.58584G	54.84	88.20	-33.36	3	Horizontal	204	1.62
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	60.75	68.20	-7.45	3	Vertical	18	2.64
6025MHz	Pass	AV	5.9965G	90.73	Inf	-Inf	3	Vertical	18	2.64
6025MHz	Pass	PK	5.9245G	75.45	88.20	-12.75	3	Vertical	18	2.64
6025MHz	Pass	PK	5.997G	106.15	Inf	-Inf	3	Vertical	18	2.64
6025MHz	Pass	AV	5.925G	60.88	68.20	-7.32	3	Horizontal	20	1.70
6025MHz	Pass	AV	5.962G	91.19	Inf	-Inf	3	Horizontal	20	1.70
6025MHz	Pass	PK	5.9245G	76.92	88.20	-11.28	3	Horizontal	20	1.70
6025MHz	Pass	PK	5.9495G	105.13	Inf	-Inf	3	Horizontal	20	1.70
6025MHz	Pass	AV	12.07496G	38.46	54.00	-15.54	3	Vertical	244	1.50
6025MHz	Pass	PK	11.98376G	52.76	74.00	-21.24	3	Vertical	244	1.50
6025MHz	Pass	AV	12.074G	38.49	54.00	-15.51	3	Horizontal	329	2.01
6025MHz	Pass	PK	12.0308G	53.08	74.00	-20.92	3	Horizontal	329	2.01
6185MHz	Pass	AV	12.36232G	38.23	54.00	-15.77	3	Vertical	51	1.20
6185MHz	Pass	PK	12.3364G	53.42	74.00	-20.58	3	Vertical	51	1.20
6185MHz	Pass	AV	12.36104G	38.22	54.00	-15.78	3	Horizontal	66	1.71
6185MHz	Pass	PK	12.38664G	52.95	74.00	-21.05	3	Horizontal	66	1.71
6345MHz	Pass	AV	12.74536G	39.18	68.20	-29.02	3	Vertical	343	1.69
6345MHz	Pass	PK	12.76904G	53.65	88.20	-34.55	3	Vertical	343	1.69
6345MHz	Pass	AV	12.74664G	39.18	68.20	-29.02	3	Horizontal	140	1.85
6345MHz	Pass	PK	12.73864G	54.04	88.20	-34.16	3	Horizontal	140	1.85
6665MHz	Pass	AV	13.38G	39.91	54.00	-14.09	3	Vertical	12	1.87
6665MHz	Pass	PK	13.38632G	54.33	74.00	-19.67	3	Vertical	12	1.87
6665MHz	Pass	AV	13.35936G	38.63	54.00	-15.37	3	Horizontal	71	1.50




**RSE TX above 1GHz_Non-Beamforming_Radio 3_
Dual-Polarized MIMO Panel Antenna_2T2S**

Appendix E.24

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6665MHz	Pass	PK	13.36728G	53.90	74.00	-20.10	3	Horizontal	71	1.50
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.924G	56.37	68.20	-11.83	3	Vertical	356	1.27
6105MHz	Pass	AV	6.248G	87.70	Inf	-Inf	3	Vertical	356	1.27
6105MHz	Pass	PK	5.916G	71.56	88.20	-16.64	3	Vertical	356	1.27
6105MHz	Pass	PK	6.263G	102.01	Inf	-Inf	3	Vertical	356	1.27
6105MHz	Pass	AV	5.925G	56.76	68.20	-11.44	3	Horizontal	13	1.63
6105MHz	Pass	AV	5.994G	87.42	Inf	-Inf	3	Horizontal	13	1.63
6105MHz	Pass	PK	5.916G	73.39	88.20	-14.81	3	Horizontal	13	1.63
6105MHz	Pass	PK	5.969G	101.30	Inf	-Inf	3	Horizontal	13	1.63
6105MHz	Pass	AV	12.2164G	38.50	54.00	-15.50	3	Vertical	225	1.50
6105MHz	Pass	PK	12.10056G	52.47	74.00	-21.53	3	Vertical	225	1.50
6105MHz	Pass	AV	12.21704G	38.41	54.00	-15.59	3	Horizontal	204	1.69
6105MHz	Pass	PK	12.0724G	53.32	74.00	-20.68	3	Horizontal	204	1.69
6265MHz	Pass	AV	12.67912G	38.92	54.00	-15.08	3	Vertical	199	1.50
6265MHz	Pass	PK	12.63176G	52.83	74.00	-21.17	3	Vertical	199	1.50
6265MHz	Pass	AV	12.68808G	38.94	54.00	-15.06	3	Horizontal	7	1.47
6265MHz	Pass	PK	12.62024G	53.22	74.00	-20.78	3	Horizontal	7	1.47


5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6665MHz_TX





**RSE TX below 1GHz_Non-Beamforming_
Radio 3_Panel Antenna_1T1S**

Appendix E.25

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	QP	37.89M	36.47	40.00	-3.53	3	Vertical	315	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6185MHz	Pass	PK	97.9M	32.88	43.50	-10.62	3	Vertical	0	1.00
6185MHz	Pass	PK	148.34M	27.91	43.50	-15.59	3	Vertical	0	1.00
6185MHz	Pass	PK	200.72M	22.95	43.50	-20.55	3	Vertical	0	1.00
6185MHz	Pass	PK	549.92M	28.68	46.00	-17.32	3	Vertical	0	1.00
6185MHz	Pass	QP	37.89M	36.47	40.00	-3.53	3	Vertical	315	1.00
6185MHz	Pass	QP	46.67M	33.19	40.00	-6.81	3	Vertical	308	1.00
6185MHz	Pass	PK	35.82M	28.86	40.00	-11.14	3	Horizontal	360	1.00
6185MHz	Pass	PK	80.44M	31.09	40.00	-8.91	3	Horizontal	360	1.00
6185MHz	Pass	PK	192.96M	25.39	43.50	-18.11	3	Horizontal	360	1.00
6185MHz	Pass	PK	249.22M	30.30	46.00	-15.70	3	Horizontal	360	1.00
6185MHz	Pass	PK	305.48M	24.86	46.00	-21.14	3	Horizontal	360	1.00
6185MHz	Pass	PK	549.92M	30.30	46.00	-15.70	3	Horizontal	360	1.00


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_Adapter



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6185MHz_Adapter





RSE TX above 1GHz_Non-Beamforming_ Radio 3_Panel Antenna_1T1S

Appendix E.26

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.9247G	79.11	88.20	-9.09	3	Horizontal	360	2.05
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.925G	58.22	68.20	-9.98	3	Horizontal	0	2.04
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.9248G	67.68	68.20	-0.52	3	Horizontal	0	2.07
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.925G	67.09	68.20	-1.11	3	Horizontal	1	2.01
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	5.925G	66.54	68.20	-1.66	3	Horizontal	2	1.97
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	AV	5.925G	63.72	68.20	-4.48	3	Horizontal	2	1.99
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	13.38574G	40.47	54.00	-13.53	3	Vertical	49	1.50
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	13.3993G	40.40	54.00	-13.60	3	Vertical	222	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	13.39928G	40.42	54.00	-13.58	3	Horizontal	12	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	13.30064G	40.26	54.00	-13.74	3	Vertical	87	1.00
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	13.44376G	40.64	68.20	-27.56	3	Horizontal	116	2.22



RSE TX above 1GHz_Non-Beamforming_ Radio 3_Panel Antenna_1T1S

Appendix E.26

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	54.01	68.20	-14.19	3	Horizontal	360	2.05
5955MHz	Pass	AV	5.9613G	107.77	Inf	-Inf	3	Horizontal	360	2.05
5955MHz	Pass	PK	5.9247G	79.11	88.20	-9.09	3	Horizontal	360	2.05
5955MHz	Pass	PK	5.9532G	118.42	Inf	-Inf	3	Horizontal	360	2.05
5955MHz	Pass	AV	11.91858G	38.50	54.00	-15.50	3	Vertical	286	1.19
5955MHz	Pass	PK	11.90598G	51.25	74.00	-22.75	3	Vertical	286	1.19
5955MHz	Pass	AV	11.92092G	38.55	54.00	-15.45	3	Horizontal	80	1.50
5955MHz	Pass	PK	11.91288G	51.81	74.00	-22.19	3	Horizontal	80	1.50
6195MHz	Pass	AV	12.37644G	38.68	54.00	-15.32	3	Vertical	205	1.30
6195MHz	Pass	PK	12.39786G	52.98	74.00	-21.02	3	Vertical	205	1.30
6195MHz	Pass	AV	12.37662G	38.59	54.00	-15.41	3	Horizontal	238	2.03
6195MHz	Pass	PK	12.37854G	52.64	74.00	-21.36	3	Horizontal	238	2.03
6415MHz	Pass	AV	12.83432G	39.72	68.20	-28.48	3	Vertical	352	1.17
6415MHz	Pass	PK	12.81866G	53.97	88.20	-34.23	3	Vertical	352	1.17
6415MHz	Pass	AV	12.83846G	39.68	68.20	-28.52	3	Horizontal	230	1.50
6415MHz	Pass	PK	12.83618G	54.11	88.20	-34.09	3	Horizontal	230	1.50
6535MHz	Pass	AV	13.07816G	39.60	68.20	-28.60	3	Vertical	93	2.88
6535MHz	Pass	PK	13.0784G	54.06	88.20	-34.14	3	Vertical	93	2.88
6535MHz	Pass	AV	13.06958G	39.58	68.20	-28.62	3	Horizontal	166	1.50
6535MHz	Pass	PK	13.06214G	53.71	88.20	-34.49	3	Horizontal	166	1.50
6695MHz	Pass	AV	13.38574G	40.47	54.00	-13.53	3	Vertical	49	1.50
6695MHz	Pass	PK	13.39744G	54.29	74.00	-19.71	3	Vertical	49	1.50
6695MHz	Pass	AV	13.39216G	40.41	54.00	-13.59	3	Horizontal	226	1.50
6695MHz	Pass	PK	13.3753G	54.37	74.00	-19.63	3	Horizontal	226	1.50
6855MHz	Pass	AV	13.71384G	40.80	68.20	-27.40	3	Vertical	270	2.81
6855MHz	Pass	PK	13.6977G	54.66	88.20	-33.54	3	Vertical	270	2.81
6855MHz	Pass	AV	13.71264G	40.77	68.20	-27.43	3	Horizontal	67	1.50
6855MHz	Pass	PK	13.7244G	54.84	88.20	-33.36	3	Horizontal	67	1.50
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	58.22	68.20	-9.98	3	Horizontal	0	2.04
5955MHz	Pass	AV	5.9625G	107.27	Inf	-Inf	3	Horizontal	0	2.04
5955MHz	Pass	PK	5.9223G	76.67	88.20	-11.53	3	Horizontal	0	2.04
5955MHz	Pass	PK	5.9622G	121.17	Inf	-Inf	3	Horizontal	0	2.04
5955MHz	Pass	AV	11.92242G	38.22	54.00	-15.78	3	Vertical	111	1.04
5955MHz	Pass	PK	11.90994G	51.75	74.00	-22.25	3	Vertical	111	1.04
5955MHz	Pass	AV	11.89656G	38.12	54.00	-15.88	3	Horizontal	302	1.50
5955MHz	Pass	PK	11.9232G	52.51	74.00	-21.49	3	Horizontal	302	1.50
6195MHz	Pass	AV	12.38412G	38.32	54.00	-15.68	3	Vertical	223	1.09
6195MHz	Pass	PK	12.384G	52.35	74.00	-21.65	3	Vertical	223	1.09
6195MHz	Pass	AV	12.39132G	38.29	54.00	-15.71	3	Horizontal	239	1.00
6195MHz	Pass	PK	12.37536G	52.75	74.00	-21.25	3	Horizontal	239	1.00
6415MHz	Pass	AV	12.83264G	39.47	68.20	-28.73	3	Vertical	134	1.19
6415MHz	Pass	PK	12.83498G	53.36	88.20	-34.84	3	Vertical	134	1.19
6415MHz	Pass	AV	12.83168G	39.46	68.20	-28.74	3	Horizontal	258	1.84
6415MHz	Pass	PK	12.83498G	53.91	88.20	-34.29	3	Horizontal	258	1.84
6535MHz	Pass	AV	13.07486G	39.62	68.20	-28.58	3	Vertical	177	1.50
6535MHz	Pass	PK	13.06298G	54.53	88.20	-33.67	3	Vertical	177	1.50
6535MHz	Pass	AV	13.07606G	39.59	68.20	-28.61	3	Horizontal	344	2.09
6535MHz	Pass	PK	13.0691G	54.43	88.20	-33.77	3	Horizontal	344	2.09
6695MHz	Pass	AV	13.3993G	40.40	54.00	-13.60	3	Vertical	222	1.50
6695MHz	Pass	PK	13.38334G	54.44	74.00	-19.56	3	Vertical	222	1.50
6695MHz	Pass	AV	13.40248G	40.43	68.20	-27.77	3	Horizontal	109	1.50
6695MHz	Pass	PK	13.38406G	54.34	74.00	-19.66	3	Horizontal	109	1.50
6855MHz	Pass	AV	13.71504G	40.82	68.20	-27.38	3	Vertical	78	2.39
6855MHz	Pass	PK	13.69938G	55.28	88.20	-32.92	3	Vertical	78	2.39
6855MHz	Pass	AV	13.69722G	40.85	68.20	-27.35	3	Horizontal	181	2.16
6855MHz	Pass	PK	13.71474G	54.98	88.20	-33.22	3	Horizontal	181	2.16
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9248G	67.68	68.20	-0.52	3	Horizontal	0	2.07
5965MHz	Pass	AV	5.9725G	104.58	Inf	-Inf	3	Horizontal	0	2.07

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5965MHz	Pass	PK	5.9215G	85.58	88.20	-2.62	3	Horizontal	0	2.07
5965MHz	Pass	PK	5.9623G	118.74	Inf	-Inf	3	Horizontal	0	2.07
5965MHz	Pass	AV	11.92388G	38.23	54.00	-15.77	3	Vertical	316	1.50
5965MHz	Pass	PK	11.95292G	52.91	74.00	-21.09	3	Vertical	316	1.50
5965MHz	Pass	AV	11.95556G	38.19	54.00	-15.81	3	Horizontal	308	1.50
5965MHz	Pass	PK	11.95388G	52.60	74.00	-21.40	3	Horizontal	308	1.50
6205MHz	Pass	AV	12.43064G	38.35	54.00	-15.65	3	Vertical	231	1.98
6205MHz	Pass	PK	12.40268G	52.41	74.00	-21.59	3	Vertical	231	1.98
6205MHz	Pass	AV	12.42824G	38.35	54.00	-15.65	3	Horizontal	105	2.24
6205MHz	Pass	PK	12.38576G	52.44	74.00	-21.56	3	Horizontal	105	2.24
6405MHz	Pass	AV	12.8028G	39.45	68.20	-28.75	3	Vertical	317	1.50
6405MHz	Pass	PK	12.8202G	53.56	88.20	-34.64	3	Vertical	317	1.50
6405MHz	Pass	AV	12.8346G	39.41	68.20	-28.79	3	Horizontal	344	2.07
6405MHz	Pass	PK	12.8364G	54.17	88.20	-34.03	3	Horizontal	344	2.07
6565MHz	Pass	AV	13.15172G	39.98	68.20	-28.22	3	Vertical	347	1.50
6565MHz	Pass	PK	13.10528G	53.88	88.20	-34.32	3	Vertical	347	1.50
6565MHz	Pass	AV	13.15988G	39.97	68.20	-28.23	3	Horizontal	40	2.99
6565MHz	Pass	PK	13.11128G	53.99	88.20	-34.21	3	Horizontal	40	2.99
6685MHz	Pass	AV	13.37708G	40.37	54.00	-13.63	3	Vertical	150	1.41
6685MHz	Pass	PK	13.39448G	53.87	74.00	-20.13	3	Vertical	150	1.41
6685MHz	Pass	AV	13.39928G	40.42	54.00	-13.58	3	Horizontal	12	1.50
6685MHz	Pass	PK	13.37108G	54.66	74.00	-19.34	3	Horizontal	12	1.50
6845MHz	Pass	AV	13.69564G	40.76	68.20	-27.44	3	Vertical	346	1.50
6845MHz	Pass	PK	13.69204G	54.64	88.20	-33.56	3	Vertical	346	1.50
6845MHz	Pass	AV	13.702G	40.79	68.20	-27.41	3	Horizontal	290	2.54
6845MHz	Pass	PK	13.6798G	54.79	88.20	-33.41	3	Horizontal	290	2.54
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	67.09	68.20	-1.11	3	Horizontal	1	2.01
5985MHz	Pass	AV	5.999G	101.13	Inf	-Inf	3	Horizontal	1	2.01
5985MHz	Pass	PK	5.925G	83.56	88.20	-4.64	3	Horizontal	1	2.01
5985MHz	Pass	PK	6.0035G	114.29	Inf	-Inf	3	Horizontal	1	2.01
5985MHz	Pass	AV	12.00312G	38.26	54.00	-15.74	3	Vertical	327	2.31
5985MHz	Pass	PK	11.96616G	52.06	74.00	-21.94	3	Vertical	327	2.31
5985MHz	Pass	AV	12.02952G	38.29	54.00	-15.71	3	Horizontal	87	1.50
5985MHz	Pass	PK	11.91984G	52.88	74.00	-21.12	3	Horizontal	87	1.50
6225MHz	Pass	AV	12.48528G	38.47	54.00	-15.53	3	Vertical	302	1.50
6225MHz	Pass	PK	12.4644G	53.20	74.00	-20.80	3	Vertical	302	1.50
6225MHz	Pass	AV	12.48672G	38.52	54.00	-15.48	3	Horizontal	355	2.71
6225MHz	Pass	PK	12.48936G	52.09	74.00	-21.91	3	Horizontal	355	2.71
6385MHz	Pass	AV	12.75536G	39.46	68.20	-28.74	3	Vertical	34	1.50
6385MHz	Pass	PK	12.72656G	53.55	88.20	-34.65	3	Vertical	34	1.50
6385MHz	Pass	AV	12.74696G	39.46	68.20	-28.74	3	Horizontal	124	1.30
6385MHz	Pass	PK	12.77504G	53.71	88.20	-34.49	3	Horizontal	124	1.30
6625MHz	Pass	AV	13.30064G	40.26	54.00	-13.74	3	Vertical	87	1.00
6625MHz	Pass	PK	13.30208G	54.32	74.00	-19.68	3	Vertical	87	1.00
6625MHz	Pass	AV	13.28816G	40.26	54.00	-13.74	3	Horizontal	166	1.50
6625MHz	Pass	PK	13.2632G	54.56	74.00	-19.44	3	Horizontal	166	1.50
6705MHz	Pass	AV	13.4436G	40.70	68.20	-27.50	3	Vertical	0	1.50
6705MHz	Pass	PK	13.41672G	54.49	88.20	-33.71	3	Vertical	0	1.50
6705MHz	Pass	AV	13.44168G	40.63	68.20	-27.57	3	Horizontal	284	1.50
6705MHz	Pass	PK	13.37616G	55.09	74.00	-18.91	3	Horizontal	284	1.50
6785MHz	Pass	AV	13.5532G	40.63	68.20	-27.57	3	Vertical	237	1.44
6785MHz	Pass	PK	13.56232G	54.59	88.20	-33.61	3	Vertical	237	1.44
6785MHz	Pass	AV	13.5508G	40.70	68.20	-27.50	3	Horizontal	286	1.50
6785MHz	Pass	PK	13.59712G	54.95	88.20	-33.25	3	Horizontal	286	1.50
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	66.54	68.20	-1.66	3	Horizontal	2	1.97
6025MHz	Pass	AV	6G	98.57	Inf	-Inf	3	Horizontal	2	1.97
6025MHz	Pass	PK	5.925G	82.19	88.20	-6.01	3	Horizontal	2	1.97
6025MHz	Pass	PK	6.0075G	112.50	Inf	-Inf	3	Horizontal	2	1.97
6025MHz	Pass	AV	12.11336G	38.90	54.00	-15.10	3	Vertical	118	2.74
6025MHz	Pass	PK	12.11912G	52.96	74.00	-21.04	3	Vertical	118	2.74




**RSE TX above 1GHz_Non-Beamforming_
Radio 3_Panel Antenna_1T1S**

Appendix E.26

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6025MHz	Pass	AV	12.1004G	38.88	54.00	-15.12	3	Horizontal	142	1.00
6025MHz	Pass	PK	12.10136G	52.40	74.00	-21.60	3	Horizontal	142	1.00
6185MHz	Pass	AV	12.25624G	38.74	54.00	-15.26	3	Vertical	229	1.50
6185MHz	Pass	PK	12.43G	52.30	74.00	-21.70	3	Vertical	229	1.50
6185MHz	Pass	AV	12.25432G	38.67	54.00	-15.33	3	Horizontal	241	1.17
6185MHz	Pass	PK	12.46024G	52.66	74.00	-21.34	3	Horizontal	241	1.17
6345MHz	Pass	AV	12.75048G	39.54	68.20	-28.66	3	Vertical	142	1.50
6345MHz	Pass	PK	12.71976G	53.86	88.20	-34.34	3	Vertical	142	1.50
6345MHz	Pass	AV	12.74952G	39.52	68.20	-28.68	3	Horizontal	182	1.39
6345MHz	Pass	PK	12.7524G	53.54	88.20	-34.66	3	Horizontal	182	1.39
6665MHz	Pass	AV	13.44232G	40.58	68.20	-27.62	3	Vertical	156	1.71
6665MHz	Pass	PK	13.40152G	54.51	88.20	-33.69	3	Vertical	156	1.71
6665MHz	Pass	AV	13.44376G	40.64	68.20	-27.56	3	Horizontal	116	2.22
6665MHz	Pass	PK	13.42744G	54.38	88.20	-33.82	3	Horizontal	116	2.22
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	63.72	68.20	-4.48	3	Horizontal	2	1.99
6105MHz	Pass	AV	6.213G	96.53	Inf	-Inf	3	Horizontal	2	1.99
6105MHz	Pass	PK	5.924G	79.15	88.20	-9.05	3	Horizontal	2	1.99
6105MHz	Pass	PK	6.207G	110.95	Inf	-Inf	3	Horizontal	2	1.99
6105MHz	Pass	AV	12.19272G	38.90	54.00	-15.10	3	Vertical	48	1.38
6105MHz	Pass	PK	12.09G	52.50	74.00	-21.50	3	Vertical	48	1.38
6105MHz	Pass	AV	12.2196G	38.88	54.00	-15.12	3	Horizontal	166	1.50
6105MHz	Pass	PK	12.10056G	52.59	74.00	-21.41	3	Horizontal	166	1.50
6265MHz	Pass	AV	12.75464G	39.50	68.20	-28.70	3	Vertical	306	2.74
6265MHz	Pass	PK	12.75848G	53.08	88.20	-35.12	3	Vertical	306	2.74
6265MHz	Pass	AV	12.75176G	39.53	68.20	-28.67	3	Horizontal	94	1.50
6265MHz	Pass	PK	12.74312G	53.44	88.20	-34.76	3	Horizontal	94	1.50

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_1TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	54.01	68.20	-14.19	1.89	3	Horizontal	360	2.05	52.12	34.55	5.18	37.84
AV	5.9613G	107.77	Inf	-Inf	1.92	3	Horizontal	360	2.05	105.85	34.50	5.23	37.81
PK	5.9247G	79.11	88.20	-9.09	1.89	3	Horizontal	360	2.05	77.22	34.55	5.18	37.84
PK	5.9532G	118.42	Inf	-Inf	1.90	3	Horizontal	360	2.05	116.52	34.50	5.22	37.82

5.925-6.425GHz_802.11a_Nss1,(6Mbps)_1TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91858G	38.50	54.00	-15.50	9.56	3	Vertical	286	1.19	28.94	39.14	8.36	37.94
PK	11.90598G	51.25	74.00	-22.75	9.53	3	Vertical	286	1.19	41.72	39.11	8.35	37.93


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_1TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5985MHz_TX



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	66.54	68.20	-1.66	1.89	3	Horizontal	2	1.97	64.65	34.55	5.18	37.84
AV	6G	98.57	Inf	-Inf	2.01	3	Horizontal	2	1.97	96.56	34.50	5.29	37.78
PK	5.925G	82.19	88.20	-6.01	1.89	3	Horizontal	2	1.97	80.30	34.55	5.18	37.84
PK	6.0075G	112.50	Inf	-Inf	2.01	3	Horizontal	2	1.97	110.49	34.50	5.29	37.78

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.11336G	38.90	54.00	-15.10	9.93	3	Vertical	118	2.74	28.97	39.50	8.46	38.03
PK	12.11912G	52.96	74.00	-21.04	9.94	3	Vertical	118	2.74	43.02	39.50	8.47	38.03


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

6105MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_1TX

6695MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_1TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX



6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

6665MHz_TX





**RSE TX below 1GHz_Non-Beamforming_Radio 3_
Panel Antenna_2T1S**

Appendix E.27

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	QP	37.87M	35.21	40.00	-4.79	3	Vertical	302	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6185MHz	Pass	PK	97.9M	33.73	43.50	-9.77	3	Vertical	360	1.00
6185MHz	Pass	PK	158.04M	27.62	43.50	-15.88	3	Vertical	360	1.00
6185MHz	Pass	PK	516.94M	33.37	46.00	-12.63	3	Vertical	360	1.00
6185MHz	Pass	PK	549.92M	29.53	46.00	-16.47	3	Vertical	360	1.00
6185MHz	Pass	QP	37.87M	35.21	40.00	-4.79	3	Vertical	302	1.00
6185MHz	Pass	QP	46.54M	33.11	40.00	-6.89	3	Vertical	284	1.00
6185MHz	Pass	PK	45.52M	29.18	40.00	-10.82	3	Horizontal	0	1.00
6185MHz	Pass	PK	99.84M	34.37	43.50	-9.13	3	Horizontal	0	1.00
6185MHz	Pass	PK	152.22M	26.76	43.50	-16.74	3	Horizontal	0	1.00
6185MHz	Pass	PK	249.22M	30.64	46.00	-15.36	3	Horizontal	0	1.00
6185MHz	Pass	PK	348.16M	25.30	46.00	-20.70	3	Horizontal	0	1.00
6185MHz	Pass	PK	549.92M	29.01	46.00	-16.99	3	Horizontal	0	1.00

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_Adapter



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_Adapter

