



## 5.15-5.25GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

### 5190MHz\_TX




## 5.15-5.25GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

### 5190MHz\_TX




## 5.15-5.25GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

### 5190MHz\_TX




## 5.15-5.25GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

### 5210MHz\_TX




5.15-5.25GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

5210MHz\_TX




5.15-5.25GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

5210MHz\_TX




5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5320MHz\_TX




5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5320MHz\_TX




## 5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

### 5320MHz\_TX




## 5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

### 5320MHz\_TX




## 5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

### 5320MHz\_TX




## 5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

### 5320MHz\_TX




## 5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

### 5310MHz\_TX




## 5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

### 5310MHz\_TX




## 5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

### 5310MHz\_TX



## 5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX


### 5290MHz\_TX






5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

5290MHz\_TX



5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

5290MHz\_TX





**Summary**


| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|-----------|----------------|---------------|
| 5.15-5.25GHz                   | -      | -    | -            | -                 | -                 | -              | -           | -         | -              | -             |
| 802.11be EHT80_Nss1,(MCS0)_2TX | Pass   | PK   | 33.88M       | 33.08             | 40.00             | -6.92          | 3           | Vertical  | 360            | 1.00          |

**Result**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 802.11be EHT80_Nss1.(MCS0)_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5210MHz                        | Pass   | PK   | 33.88M       | 33.08             | 40.00             | -6.92          | 3           | Vertical   | 360            | 1.00          |
| 5210MHz                        | Pass   | PK   | 105.66M      | 25.09             | 43.50             | -18.41         | 3           | Vertical   | 360            | 1.00          |
| 5210MHz                        | Pass   | PK   | 286.08M      | 33.52             | 46.00             | -12.48         | 3           | Vertical   | 360            | 1.00          |
| 5210MHz                        | Pass   | PK   | 369.5M       | 24.77             | 46.00             | -21.23         | 3           | Vertical   | 360            | 1.00          |
| 5210MHz                        | Pass   | PK   | 402.48M      | 30.26             | 46.00             | -15.74         | 3           | Vertical   | 360            | 1.00          |
| 5210MHz                        | Pass   | PK   | 594.54M      | 29.79             | 46.00             | -16.21         | 3           | Vertical   | 360            | 1.00          |
| 5210MHz                        | Pass   | PK   | 33.88M       | 27.29             | 40.00             | -12.71         | 3           | Horizontal | 0              | 1.00          |
| 5210MHz                        | Pass   | PK   | 105.66M      | 21.95             | 43.50             | -21.55         | 3           | Horizontal | 0              | 1.00          |
| 5210MHz                        | Pass   | PK   | 282.2M       | 37.25             | 46.00             | -8.75          | 3           | Horizontal | 0              | 1.00          |
| 5210MHz                        | Pass   | PK   | 322.94M      | 28.01             | 46.00             | -17.99         | 3           | Horizontal | 0              | 1.00          |
| 5210MHz                        | Pass   | PK   | 400.54M      | 24.47             | 46.00             | -21.53         | 3           | Horizontal | 0              | 1.00          |
| 5210MHz                        | Pass   | PK   | 598.42M      | 34.12             | 46.00             | -11.88         | 3           | Horizontal | 0              | 1.00          |

## 5.15-5.25GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX


### 5210MHz\_PoE



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|------------|---------|---------|---------|
| PK   | 33.88M    | 33.08          | 40.00          | -6.92       | -20.79      | 3        | Vertical  | 360         | 1.00       | 53.87      | 22.82   | 0.79    | 44.40   |
| PK   | 105.66M   | 25.09          | 43.50          | -18.41      | -26.81      | 3        | Vertical  | 360         | 1.00       | 51.90      | 16.59   | 1.20    | 44.60   |
| PK   | 286.08M   | 33.52          | 46.00          | -12.48      | -23.26      | 3        | Vertical  | 360         | 1.00       | 56.78      | 19.15   | 1.95    | 44.36   |
| PK   | 369.5M    | 24.77          | 46.00          | -21.23      | -20.95      | 3        | Vertical  | 360         | 1.00       | 45.72      | 21.00   | 2.22    | 44.17   |
| PK   | 402.48M   | 30.26          | 46.00          | -15.74      | -19.78      | 3        | Vertical  | 360         | 1.00       | 50.04      | 22.05   | 2.27    | 44.10   |
| PK   | 594.54M   | 29.79          | 46.00          | -16.21      | -15.03      | 3        | Vertical  | 360         | 1.00       | 44.82      | 26.15   | 2.76    | 43.94   |

## 5.15-5.25GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

### 5210MHz\_PoE



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|------------|---------|---------|---------|
| PK   | 33.88M    | 27.29          | 40.00          | -12.71      | -20.79      | 3        | Horizontal | 0           | 1.00       | 48.08      | 22.82   | 0.79    | 44.40   |
| PK   | 105.66M   | 21.95          | 43.50          | -21.55      | -26.81      | 3        | Horizontal | 0           | 1.00       | 48.76      | 16.59   | 1.20    | 44.60   |
| PK   | 282.2M    | 37.25          | 46.00          | -8.75       | -23.38      | 3        | Horizontal | 0           | 1.00       | 60.63      | 19.06   | 1.93    | 44.37   |
| PK   | 322.94M   | 28.01          | 46.00          | -17.99      | -22.50      | 3        | Horizontal | 0           | 1.00       | 50.51      | 19.69   | 2.09    | 44.28   |
| PK   | 400.54M   | 24.47          | 46.00          | -21.53      | -19.84      | 3        | Horizontal | 0           | 1.00       | 44.31      | 22.00   | 2.26    | 44.10   |
| PK   | 598.42M   | 34.12          | 46.00          | -11.88      | -15.09      | 3        | Horizontal | 0           | 1.00       | 49.21      | 26.08   | 2.77    | 43.94   |

**Summary**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5.15-5.25GHz                   | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11a_Nss1,(6Mbps)_2TX       | Pass   | AV   | 5.15G        | 53.81             | 54.00             | -0.19          | 3           | Horizontal | 354            | 2.08          |
| 802.11be EHT20_Nss1,(MCS0)_2TX | Pass   | AV   | 5.1402G      | 53.73             | 54.00             | -0.27          | 3           | Horizontal | 358            | 2.06          |
| 802.11be EHT40_Nss1,(MCS0)_2TX | Pass   | AV   | 5.148G       | 53.89             | 54.00             | -0.11          | 3           | Horizontal | 360            | 1.98          |
| 802.11be EHT80_Nss1,(MCS0)_2TX | Pass   | AV   | 5.15G        | 53.63             | 54.00             | -0.37          | 3           | Horizontal | 360            | 1.95          |
| 5.25-5.35GHz                   | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11a_Nss1,(6Mbps)_2TX       | Pass   | AV   | 5.35G        | 53.87             | 54.00             | -0.13          | 3           | Horizontal | 0              | 2.11          |
| 802.11be EHT20_Nss1,(MCS0)_2TX | Pass   | AV   | 5.36G        | 53.72             | 54.00             | -0.28          | 3           | Horizontal | 0              | 2.15          |
| 802.11be EHT40_Nss1,(MCS0)_2TX | Pass   | AV   | 5.35G        | 53.87             | 54.00             | -0.13          | 3           | Horizontal | 0              | 2.09          |
| 802.11be EHT80_Nss1,(MCS0)_2TX | Pass   | AV   | 5.35G        | 53.86             | 54.00             | -0.14          | 3           | Horizontal | 0              | 2.09          |

Result

| Mode                           | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 802.11a_Nss1,(6Mbps)_2TX       | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 5180MHz                        | Pass   | AV   | 5.15G     | 53.81          | 54.00          | -0.19       | 3        | Horizontal | 354         | 2.08       |
| 5180MHz                        | Pass   | AV   | 5.1754G   | 114.02         | Inf            | -Inf        | 3        | Horizontal | 354         | 2.08       |
| 5180MHz                        | Pass   | PK   | 5.14G     | 71.07          | 74.00          | -2.93       | 3        | Horizontal | 354         | 2.08       |
| 5180MHz                        | Pass   | PK   | 5.1758G   | 122.93         | Inf            | -Inf        | 3        | Horizontal | 354         | 2.08       |
| 5180MHz                        | Pass   | PK   | 10.36512G | 54.12          | 68.20          | -14.08      | 3        | Vertical   | 238         | 1.55       |
| 5180MHz                        | Pass   | PK   | 10.36664G | 56.93          | 68.20          | -11.27      | 3        | Horizontal | 312         | 1.51       |
| 5200MHz                        | Pass   | AV   | 5.15G     | 53.58          | 54.00          | -0.42       | 3        | Horizontal | 357         | 2.14       |
| 5200MHz                        | Pass   | AV   | 5.1952G   | 115.42         | Inf            | -Inf        | 3        | Horizontal | 357         | 2.14       |
| 5200MHz                        | Pass   | PK   | 5.148G    | 65.08          | 74.00          | -8.92       | 3        | Horizontal | 357         | 2.14       |
| 5200MHz                        | Pass   | PK   | 5.1956G   | 123.95         | Inf            | -Inf        | 3        | Horizontal | 357         | 2.14       |
| 5200MHz                        | Pass   | PK   | 10.39176G | 55.26          | 68.20          | -12.94      | 3        | Vertical   | 239         | 1.56       |
| 5200MHz                        | Pass   | PK   | 10.39836G | 59.56          | 68.20          | -8.64       | 3        | Horizontal | 316         | 2.05       |
| 5240MHz                        | Pass   | AV   | 5.147G    | 51.07          | 54.00          | -2.93       | 3        | Horizontal | 360         | 2.04       |
| 5240MHz                        | Pass   | AV   | 5.2352G   | 114.42         | Inf            | -Inf        | 3        | Horizontal | 360         | 2.04       |
| 5240MHz                        | Pass   | AV   | 5.351G    | 50.31          | 54.00          | -3.69       | 3        | Horizontal | 360         | 2.04       |
| 5240MHz                        | Pass   | PK   | 5.1398G   | 63.06          | 74.00          | -10.94      | 3        | Horizontal | 360         | 2.04       |
| 5240MHz                        | Pass   | PK   | 5.2448G   | 123.27         | Inf            | -Inf        | 3        | Horizontal | 360         | 2.04       |
| 5240MHz                        | Pass   | PK   | 5.3708G   | 62.16          | 74.00          | -11.84      | 3        | Horizontal | 360         | 2.04       |
| 5240MHz                        | Pass   | PK   | 10.48552G | 55.11          | 68.20          | -13.09      | 3        | Vertical   | 233         | 1.38       |
| 5240MHz                        | Pass   | PK   | 10.4816G  | 57.69          | 68.20          | -10.51      | 3        | Horizontal | 307         | 1.96       |
| 5260MHz                        | Pass   | AV   | 5.149G    | 50.89          | 54.00          | -3.11       | 3        | Horizontal | 0           | 2.06       |
| 5260MHz                        | Pass   | AV   | 5.2654G   | 114.91         | Inf            | -Inf        | 3        | Horizontal | 0           | 2.06       |
| 5260MHz                        | Pass   | AV   | 5.3518G   | 50.74          | 54.00          | -3.26       | 3        | Horizontal | 0           | 2.06       |
| 5260MHz                        | Pass   | PK   | 5.1448G   | 62.76          | 74.00          | -11.24      | 3        | Horizontal | 0           | 2.06       |
| 5260MHz                        | Pass   | PK   | 5.2552G   | 123.62         | Inf            | -Inf        | 3        | Horizontal | 0           | 2.06       |
| 5260MHz                        | Pass   | PK   | 5.3584G   | 62.75          | 74.00          | -11.25      | 3        | Horizontal | 0           | 2.06       |
| 5260MHz                        | Pass   | PK   | 10.51252G | 55.94          | 68.20          | -12.26      | 3        | Vertical   | 234         | 1.34       |
| 5260MHz                        | Pass   | PK   | 10.52184G | 59.20          | 68.20          | -9.00       | 3        | Horizontal | 309         | 2.02       |
| 5300MHz                        | Pass   | AV   | 5.3052G   | 115.80         | Inf            | -Inf        | 3        | Horizontal | 0           | 2.14       |
| 5300MHz                        | Pass   | AV   | 5.35G     | 52.56          | 54.00          | -1.44       | 3        | Horizontal | 0           | 2.14       |
| 5300MHz                        | Pass   | PK   | 5.3052G   | 124.65         | Inf            | -Inf        | 3        | Horizontal | 0           | 2.14       |
| 5300MHz                        | Pass   | PK   | 5.35G     | 64.99          | 74.00          | -9.01       | 3        | Horizontal | 0           | 2.14       |
| 5300MHz                        | Pass   | AV   | 10.6018G  | 43.05          | 54.00          | -10.95      | 3        | Vertical   | 307         | 1.50       |
| 5300MHz                        | Pass   | PK   | 10.60132G | 55.55          | 74.00          | -18.45      | 3        | Vertical   | 307         | 1.50       |
| 5300MHz                        | Pass   | AV   | 10.6018G  | 46.99          | 54.00          | -7.01       | 3        | Horizontal | 313         | 2.01       |
| 5300MHz                        | Pass   | PK   | 10.60128G | 59.60          | 74.00          | -14.40      | 3        | Horizontal | 313         | 2.01       |
| 5320MHz                        | Pass   | AV   | 5.3152G   | 114.92         | Inf            | -Inf        | 3        | Horizontal | 0           | 2.11       |
| 5320MHz                        | Pass   | AV   | 5.35G     | 53.87          | 54.00          | -0.13       | 3        | Horizontal | 0           | 2.11       |
| 5320MHz                        | Pass   | PK   | 5.3248G   | 124.06         | Inf            | -Inf        | 3        | Horizontal | 0           | 2.11       |
| 5320MHz                        | Pass   | PK   | 5.3602G   | 69.45          | 74.00          | -4.55       | 3        | Horizontal | 0           | 2.11       |
| 5320MHz                        | Pass   | AV   | 10.6422G  | 42.28          | 54.00          | -11.72      | 3        | Vertical   | 311         | 1.08       |
| 5320MHz                        | Pass   | PK   | 10.6414G  | 54.83          | 74.00          | -19.17      | 3        | Vertical   | 311         | 1.08       |
| 5320MHz                        | Pass   | AV   | 10.63992G | 44.45          | 54.00          | -9.55       | 3        | Horizontal | 321         | 1.61       |
| 5320MHz                        | Pass   | PK   | 10.64028G | 57.11          | 74.00          | -16.89      | 3        | Horizontal | 321         | 1.61       |
| 802.11be EHT20_Nss1,(MCS0)_2TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 5180MHz                        | Pass   | AV   | 5.1402G   | 53.73          | 54.00          | -0.27       | 3        | Horizontal | 358         | 2.06       |
| 5180MHz                        | Pass   | AV   | 5.1754G   | 110.57         | Inf            | -Inf        | 3        | Horizontal | 358         | 2.06       |
| 5180MHz                        | Pass   | PK   | 5.14G     | 68.10          | 74.00          | -5.90       | 3        | Horizontal | 358         | 2.06       |
| 5180MHz                        | Pass   | PK   | 5.1854G   | 122.41         | Inf            | -Inf        | 3        | Horizontal | 358         | 2.06       |
| 5180MHz                        | Pass   | PK   | 10.35396G | 54.33          | 68.20          | -13.87      | 3        | Vertical   | 79          | 1.50       |
| 5180MHz                        | Pass   | PK   | 10.35912G | 54.60          | 68.20          | -13.60      | 3        | Horizontal | 313         | 2.10       |
| 5200MHz                        | Pass   | AV   | 5.15G     | 52.93          | 54.00          | -1.07       | 3        | Horizontal | 0           | 1.50       |
| 5200MHz                        | Pass   | AV   | 5.2012G   | 113.18         | Inf            | -Inf        | 3        | Horizontal | 0           | 1.50       |
| 5200MHz                        | Pass   | PK   | 5.148G    | 64.83          | 74.00          | -9.17       | 3        | Horizontal | 0           | 1.50       |
| 5200MHz                        | Pass   | PK   | 5.1984G   | 125.08         | Inf            | -Inf        | 3        | Horizontal | 0           | 1.50       |
| 5200MHz                        | Pass   | PK   | 10.40308G | 54.55          | 68.20          | -13.65      | 3        | Vertical   | 237         | 1.60       |
| 5200MHz                        | Pass   | PK   | 10.39988G | 58.21          | 68.20          | -9.99       | 3        | Horizontal | 319         | 1.71       |
| 5240MHz                        | Pass   | AV   | 5.1446G   | 50.48          | 54.00          | -3.52       | 3        | Horizontal | 357         | 1.50       |
| 5240MHz                        | Pass   | AV   | 5.2334G   | 112.52         | Inf            | -Inf        | 3        | Horizontal | 357         | 1.50       |
| 5240MHz                        | Pass   | AV   | 5.3504G   | 49.97          | 54.00          | -4.03       | 3        | Horizontal | 357         | 1.50       |



# RSE TX above 1GHz\_Non-Beamforming\_Radio 3\_2T1S

# Appendix E.12

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5240MHz                        | Pass   | PK   | 5.1434G      | 62.56             | 74.00             | -11.44         | 3           | Horizontal | 357            | 1.50          |
| 5240MHz                        | Pass   | PK   | 5.231G       | 123.30            | Inf               | -Inf           | 3           | Horizontal | 357            | 1.50          |
| 5240MHz                        | Pass   | PK   | 5.3648G      | 62.12             | 74.00             | -11.88         | 3           | Horizontal | 357            | 1.50          |
| 5240MHz                        | Pass   | PK   | 10.47764G    | 55.61             | 68.20             | -12.59         | 3           | Vertical   | 232            | 1.50          |
| 5240MHz                        | Pass   | PK   | 10.47848G    | 57.51             | 68.20             | -10.69         | 3           | Horizontal | 305            | 1.98          |
| 5260MHz                        | Pass   | AV   | 5.15G        | 50.97             | 54.00             | -3.03          | 3           | Horizontal | 0              | 2.03          |
| 5260MHz                        | Pass   | AV   | 5.263G       | 114.29            | Inf               | -Inf           | 3           | Horizontal | 0              | 2.03          |
| 5260MHz                        | Pass   | AV   | 5.3524G      | 50.64             | 54.00             | -3.36          | 3           | Horizontal | 0              | 2.03          |
| 5260MHz                        | Pass   | PK   | 5.1496G      | 62.61             | 74.00             | -11.39         | 3           | Horizontal | 0              | 2.03          |
| 5260MHz                        | Pass   | PK   | 5.2528G      | 125.08            | Inf               | -Inf           | 3           | Horizontal | 0              | 2.03          |
| 5260MHz                        | Pass   | PK   | 5.3662G      | 63.46             | 74.00             | -10.54         | 3           | Horizontal | 0              | 2.03          |
| 5260MHz                        | Pass   | PK   | 10.5158G     | 55.88             | 68.20             | -12.32         | 3           | Vertical   | 234            | 1.39          |
| 5260MHz                        | Pass   | PK   | 10.51836G    | 58.59             | 68.20             | -9.61          | 3           | Horizontal | 309            | 1.42          |
| 5300MHz                        | Pass   | AV   | 5.3052G      | 114.72            | Inf               | -Inf           | 3           | Horizontal | 0              | 2.08          |
| 5300MHz                        | Pass   | AV   | 5.3504G      | 52.54             | 54.00             | -1.46          | 3           | Horizontal | 0              | 2.08          |
| 5300MHz                        | Pass   | PK   | 5.3024G      | 125.75            | Inf               | -Inf           | 3           | Horizontal | 0              | 2.08          |
| 5300MHz                        | Pass   | PK   | 5.3532G      | 64.94             | 74.00             | -9.06          | 3           | Horizontal | 0              | 2.08          |
| 5300MHz                        | Pass   | AV   | 10.60092G    | 43.02             | 54.00             | -10.98         | 3           | Vertical   | 308            | 1.59          |
| 5300MHz                        | Pass   | PK   | 10.60332G    | 54.88             | 74.00             | -19.12         | 3           | Vertical   | 308            | 1.59          |
| 5300MHz                        | Pass   | AV   | 10.60218G    | 43.65             | 54.00             | -10.35         | 3           | Horizontal | 317            | 1.70          |
| 5300MHz                        | Pass   | PK   | 10.60188G    | 57.99             | 74.00             | -16.01         | 3           | Horizontal | 317            | 1.70          |
| 5320MHz                        | Pass   | AV   | 5.3124G      | 111.81            | Inf               | -Inf           | 3           | Horizontal | 0              | 2.15          |
| 5320MHz                        | Pass   | AV   | 5.36G        | 53.72             | 54.00             | -0.28          | 3           | Horizontal | 0              | 2.15          |
| 5320MHz                        | Pass   | PK   | 5.3274G      | 123.20            | Inf               | -Inf           | 3           | Horizontal | 0              | 2.15          |
| 5320MHz                        | Pass   | PK   | 5.3606G      | 66.91             | 74.00             | -7.09          | 3           | Horizontal | 0              | 2.15          |
| 5320MHz                        | Pass   | AV   | 10.63012G    | 42.21             | 54.00             | -11.79         | 3           | Vertical   | 234            | 1.01          |
| 5320MHz                        | Pass   | PK   | 10.637G      | 54.28             | 74.00             | -19.72         | 3           | Vertical   | 234            | 1.01          |
| 5320MHz                        | Pass   | AV   | 10.63988G    | 43.34             | 54.00             | -10.66         | 3           | Horizontal | 322            | 1.50          |
| 5320MHz                        | Pass   | PK   | 10.63524G    | 55.38             | 74.00             | -18.62         | 3           | Horizontal | 322            | 1.50          |
| 802.11be EHT40_Nss1,(MCS0)_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5190MHz                        | Pass   | AV   | 5.148G       | 53.89             | 54.00             | -0.11          | 3           | Horizontal | 360            | 1.98          |
| 5190MHz                        | Pass   | AV   | 5.1856G      | 107.49            | Inf               | -Inf           | 3           | Horizontal | 360            | 1.98          |
| 5190MHz                        | Pass   | PK   | 5.1424G      | 67.73             | 74.00             | -6.27          | 3           | Horizontal | 360            | 1.98          |
| 5190MHz                        | Pass   | PK   | 5.188G       | 119.10            | Inf               | -Inf           | 3           | Horizontal | 360            | 1.98          |
| 5190MHz                        | Pass   | PK   | 10.37764G    | 54.58             | 68.20             | -13.62         | 3           | Vertical   | 240            | 1.94          |
| 5190MHz                        | Pass   | PK   | 10.37956G    | 54.87             | 68.20             | -13.33         | 3           | Horizontal | 319            | 1.82          |
| 5230MHz                        | Pass   | AV   | 5.15G        | 53.77             | 54.00             | -0.23          | 3           | Horizontal | 354            | 1.91          |
| 5230MHz                        | Pass   | AV   | 5.2204G      | 109.92            | Inf               | -Inf           | 3           | Horizontal | 354            | 1.91          |
| 5230MHz                        | Pass   | PK   | 5.15G        | 65.59             | 74.00             | -8.41          | 3           | Horizontal | 354            | 1.91          |
| 5230MHz                        | Pass   | PK   | 5.2128G      | 121.78            | Inf               | -Inf           | 3           | Horizontal | 354            | 1.91          |
| 5230MHz                        | Pass   | PK   | 10.45996G    | 55.13             | 68.20             | -13.07         | 3           | Vertical   | 235            | 1.50          |
| 5230MHz                        | Pass   | PK   | 10.45884G    | 56.44             | 68.20             | -11.76         | 3           | Horizontal | 321            | 1.96          |
| 5270MHz                        | Pass   | AV   | 5.2852G      | 111.85            | Inf               | -Inf           | 3           | Horizontal | 0              | 2.09          |
| 5270MHz                        | Pass   | AV   | 5.35G        | 53.87             | 54.00             | -0.13          | 3           | Horizontal | 0              | 2.09          |
| 5270MHz                        | Pass   | PK   | 5.2624G      | 123.57            | Inf               | -Inf           | 3           | Horizontal | 0              | 2.09          |
| 5270MHz                        | Pass   | PK   | 5.35G        | 66.37             | 74.00             | -7.63          | 3           | Horizontal | 0              | 2.09          |
| 5270MHz                        | Pass   | PK   | 10.53368G    | 55.08             | 68.20             | -13.12         | 3           | Vertical   | 45             | 1.62          |
| 5270MHz                        | Pass   | PK   | 10.53816G    | 58.08             | 68.20             | -10.12         | 3           | Horizontal | 312            | 1.48          |
| 5310MHz                        | Pass   | AV   | 5.3052G      | 105.77            | Inf               | -Inf           | 3           | Horizontal | 0              | 2.09          |
| 5310MHz                        | Pass   | AV   | 5.35G        | 53.68             | 54.00             | -0.32          | 3           | Horizontal | 0              | 2.09          |
| 5310MHz                        | Pass   | PK   | 5.3G         | 117.90            | Inf               | -Inf           | 3           | Horizontal | 0              | 2.09          |
| 5310MHz                        | Pass   | PK   | 5.3524G      | 67.34             | 74.00             | -6.66          | 3           | Horizontal | 0              | 2.09          |
| 5310MHz                        | Pass   | AV   | 10.6198G     | 41.72             | 54.00             | -12.28         | 3           | Vertical   | 360            | 2.24          |
| 5310MHz                        | Pass   | PK   | 10.62228G    | 54.42             | 74.00             | -19.58         | 3           | Vertical   | 360            | 2.24          |
| 5310MHz                        | Pass   | AV   | 10.62256G    | 41.69             | 54.00             | -12.31         | 3           | Horizontal | 132            | 2.19          |
| 5310MHz                        | Pass   | PK   | 10.61248G    | 54.62             | 74.00             | -19.38         | 3           | Horizontal | 132            | 2.19          |
| 802.11be EHT80_Nss1,(MCS0)_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5210MHz                        | Pass   | AV   | 5.15G        | 53.63             | 54.00             | -0.37          | 3           | Horizontal | 360            | 1.95          |
| 5210MHz                        | Pass   | AV   | 5.18G        | 102.26            | Inf               | -Inf           | 3           | Horizontal | 360            | 1.95          |
| 5210MHz                        | Pass   | AV   | 5.35G        | 49.73             | 54.00             | -4.27          | 3           | Horizontal | 360            | 1.95          |
| 5210MHz                        | Pass   | PK   | 5.15G        | 64.38             | 74.00             | -9.62          | 3           | Horizontal | 360            | 1.95          |
| 5210MHz                        | Pass   | PK   | 5.175G       | 113.68            | Inf               | -Inf           | 3           | Horizontal | 360            | 1.95          |




| Mode    | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|---------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5210MHz | Pass   | PK   | 5.403G       | 62.43             | 74.00             | -11.57         | 3           | Horizontal | 360            | 1.95          |
| 5210MHz | Pass   | PK   | 10.4106G     | 54.68             | 68.20             | -13.52         | 3           | Vertical   | 85             | 2.09          |
| 5210MHz | Pass   | PK   | 10.41996G    | 54.25             | 68.20             | -13.95         | 3           | Horizontal | 302            | 2.90          |
| 5290MHz | Pass   | AV   | 5.15G        | 49.83             | 54.00             | -4.17          | 3           | Horizontal | 0              | 2.09          |
| 5290MHz | Pass   | AV   | 5.303G       | 102.81            | Inf               | -Inf           | 3           | Horizontal | 0              | 2.09          |
| 5290MHz | Pass   | AV   | 5.35G        | 53.86             | 54.00             | -0.14          | 3           | Horizontal | 0              | 2.09          |
| 5290MHz | Pass   | PK   | 5.15G        | 61.73             | 74.00             | -12.27         | 3           | Horizontal | 0              | 2.09          |
| 5290MHz | Pass   | PK   | 5.31G        | 114.45            | Inf               | -Inf           | 3           | Horizontal | 0              | 2.09          |
| 5290MHz | Pass   | PK   | 5.35G        | 66.05             | 74.00             | -7.95          | 3           | Horizontal | 0              | 2.09          |
| 5290MHz | Pass   | PK   | 5.539G       | 61.38             | 68.20             | -6.82          | 3           | Horizontal | 0              | 2.09          |
| 5290MHz | Pass   | PK   | 10.58912G    | 54.30             | 68.20             | -13.90         | 3           | Vertical   | 95             | 2.71          |
| 5290MHz | Pass   | PK   | 10.57868G    | 54.46             | 68.20             | -13.74         | 3           | Horizontal | 317            | 2.78          |




## 5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

### 5180MHz\_TX




## 5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

### 5180MHz\_TX




## 5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

### 5180MHz\_TX




## 5.15-5.25GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

### 5180MHz\_TX




5.15-5.25GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

5180MHz\_TX




5.15-5.25GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

5180MHz\_TX



## 5.15-5.25GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX


### 5190MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------------|------------|------------|------------|
| AV   | 5.148G       | 53.89             | 54.00             | -0.11          | 6.22           | 3           | Horizontal | 360            | 1.98          | 47.67         | 33.30      | 7.95       | 35.03      |
| AV   | 5.1856G      | 107.49            | Inf               | -Inf           | 6.10           | 3           | Horizontal | 360            | 1.98          | 101.39        | 33.16      | 7.97       | 35.03      |
| PK   | 5.1424G      | 67.73             | 74.00             | -6.27          | 6.20           | 3           | Horizontal | 360            | 1.98          | 61.53         | 33.28      | 7.95       | 35.03      |
| PK   | 5.188G       | 119.10            | Inf               | -Inf           | 6.09           | 3           | Horizontal | 360            | 1.98          | 113.01        | 33.15      | 7.97       | 35.03      |

## 5.15-5.25GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX


### 5190MHz\_TX



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------------|------------|------------|------------|
| PK   | 10.37764G    | 54.58             | 68.20             | -13.62         | 7.06           | 3           | Vertical  | 240            | 1.94          | 47.52         | 38.70      | 11.42      | 43.06      |


## 5.15-5.25GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

### 5190MHz\_TX




## 5.15-5.25GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

### 5210MHz\_TX




5.15-5.25GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




5.15-5.25GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




## 5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

### 5320MHz\_TX




## 5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

### 5320MHz\_TX




## 5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

### 5320MHz\_TX



## 5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX


### 5320MHz\_TX






## 5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

### 5320MHz\_TX




## 5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

### 5320MHz\_TX




## 5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

### 5270MHz\_TX




## 5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

### 5270MHz\_TX




## 5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

### 5270MHz\_TX




## 5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

### 5290MHz\_TX




5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5290MHz\_TX



5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

5290MHz\_TX





**Summary**


| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|-----------|----------------|---------------|
| 5.15-5.25GHz                   | -      | -    | -            | -                 | -                 | -              | -           | -         | -              | -             |
| 802.11be EHT80_Nss2,(MCS0)_2TX | Pass   | PK   | 30M          | 32.03             | 40.00             | -7.97          | 3           | Vertical  | 360            | 1.00          |

**Result**

| Mode                          | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|-------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 802.11be EHT80_Nss2(MCS0)_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5210MHz                       | Pass   | PK   | 30M          | 32.03             | 40.00             | -7.97          | 3           | Vertical   | 360            | 1.00          |
| 5210MHz                       | Pass   | PK   | 105.66M      | 24.97             | 43.50             | -18.53         | 3           | Vertical   | 360            | 1.00          |
| 5210MHz                       | Pass   | PK   | 284.14M      | 33.58             | 46.00             | -12.42         | 3           | Vertical   | 360            | 1.00          |
| 5210MHz                       | Pass   | PK   | 369.5M       | 24.44             | 46.00             | -21.56         | 3           | Vertical   | 360            | 1.00          |
| 5210MHz                       | Pass   | PK   | 398.6M       | 31.53             | 46.00             | -14.47         | 3           | Vertical   | 360            | 1.00          |
| 5210MHz                       | Pass   | PK   | 598.42M      | 30.40             | 46.00             | -15.60         | 3           | Vertical   | 360            | 1.00          |
| 5210MHz                       | Pass   | PK   | 33.88M       | 27.32             | 40.00             | -12.68         | 3           | Horizontal | 0              | 1.00          |
| 5210MHz                       | Pass   | PK   | 105.66M      | 21.25             | 43.50             | -22.25         | 3           | Horizontal | 0              | 1.00          |
| 5210MHz                       | Pass   | PK   | 282.2M       | 37.01             | 46.00             | -8.99          | 3           | Horizontal | 0              | 1.00          |
| 5210MHz                       | Pass   | PK   | 324.88M      | 27.52             | 46.00             | -18.48         | 3           | Horizontal | 0              | 1.00          |
| 5210MHz                       | Pass   | PK   | 394.72M      | 25.23             | 46.00             | -20.77         | 3           | Horizontal | 0              | 1.00          |
| 5210MHz                       | Pass   | PK   | 596.48M      | 36.72             | 46.00             | -9.28          | 3           | Horizontal | 0              | 1.00          |

## 5.15-5.25GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX


### 5210MHz\_PoE



| Type | Freq     | Level    | Limit | Margin | Factor | Dist | Condition | Azimuth | Height | Raw    | AF    | CL   | PA    |
|------|----------|----------|-------|--------|--------|------|-----------|---------|--------|--------|-------|------|-------|
| (Hz) | (dBuV/m) | (dBuV/m) | (dB)  | (dB)   | (dB)   | (m)  |           | (°)     | (m)    | (dBuV) | (dB)  | (dB) | (dB)  |
| PK   | 30M      | 32.03    | 40.00 | -7.97  | -18.87 | 3    | Vertical  | 360     | 1.00   | 50.90  | 24.67 | 0.78 | 44.32 |
| PK   | 105.66M  | 24.97    | 43.50 | -18.53 | -26.81 | 3    | Vertical  | 360     | 1.00   | 51.78  | 16.59 | 1.20 | 44.60 |
| PK   | 284.14M  | 33.58    | 46.00 | -12.42 | -23.31 | 3    | Vertical  | 360     | 1.00   | 56.89  | 19.11 | 1.94 | 44.36 |
| PK   | 369.5M   | 24.44    | 46.00 | -21.56 | -20.95 | 3    | Vertical  | 360     | 1.00   | 45.39  | 21.00 | 2.22 | 44.17 |
| PK   | 398.6M   | 31.53    | 46.00 | -14.47 | -19.93 | 3    | Vertical  | 360     | 1.00   | 51.46  | 21.91 | 2.26 | 44.10 |
| PK   | 598.42M  | 30.40    | 46.00 | -15.60 | -15.09 | 3    | Vertical  | 360     | 1.00   | 45.49  | 26.08 | 2.77 | 43.94 |

## 5.15-5.25GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

### 5210MHz\_PoE



| Type | Freq     | Level    | Limit | Margin | Factor | Dist | Condition  | Azimuth | Height | Raw    | AF    | CL   | PA    |
|------|----------|----------|-------|--------|--------|------|------------|---------|--------|--------|-------|------|-------|
| (Hz) | (dBuV/m) | (dBuV/m) | (dB)  | (dB)   | (dB)   | (m)  |            | (°)     | (m)    | (dBuV) | (dB)  | (dB) | (dB)  |
| PK   | 33.88M   | 27.32    | 40.00 | -12.68 | -20.79 | 3    | Horizontal | 0       | 1.00   | 48.11  | 22.82 | 0.79 | 44.40 |
| PK   | 105.66M  | 21.25    | 43.50 | -22.25 | -26.81 | 3    | Horizontal | 0       | 1.00   | 48.06  | 16.59 | 1.20 | 44.60 |
| PK   | 282.2M   | 37.01    | 46.00 | -8.99  | -23.38 | 3    | Horizontal | 0       | 1.00   | 60.39  | 19.06 | 1.93 | 44.37 |
| PK   | 324.88M  | 27.52    | 46.00 | -18.48 | -22.42 | 3    | Horizontal | 0       | 1.00   | 49.94  | 19.76 | 2.10 | 44.28 |
| PK   | 394.72M  | 25.23    | 46.00 | -20.77 | -20.12 | 3    | Horizontal | 0       | 1.00   | 45.35  | 21.74 | 2.25 | 44.11 |
| PK   | 596.48M  | 36.72    | 46.00 | -9.28  | -15.04 | 3    | Horizontal | 0       | 1.00   | 51.76  | 26.13 | 2.77 | 43.94 |

**Summary**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5.15-5.25GHz                   | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11be EHT20_Nss2,(MCS0)_2TX | Pass   | AV   | 5.15G        | 53.87             | 54.00             | -0.13          | 3           | Horizontal | 354            | 2.16          |
| 802.11be EHT40_Nss2,(MCS0)_2TX | Pass   | AV   | 5.15G        | 53.83             | 54.00             | -0.17          | 3           | Horizontal | 360            | 1.99          |
| 802.11be EHT80_Nss2,(MCS0)_2TX | Pass   | AV   | 5.15G        | 53.26             | 54.00             | -0.74          | 3           | Horizontal | 360            | 2.02          |
| 5.25-5.35GHz                   | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 802.11be EHT20_Nss2,(MCS0)_2TX | Pass   | AV   | 5.3606G      | 53.76             | 54.00             | -0.24          | 3           | Horizontal | 358            | 2.05          |
| 802.11be EHT40_Nss2,(MCS0)_2TX | Pass   | AV   | 5.35G        | 53.84             | 54.00             | -0.16          | 3           | Horizontal | 358            | 2.34          |
| 802.11be EHT80_Nss2,(MCS0)_2TX | Pass   | AV   | 5.35G        | 53.86             | 54.00             | -0.14          | 3           | Horizontal | 0              | 2.08          |



Result


| Mode                           | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) |
|--------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|
| 802.11be EHT20_Nss2,(MCS0)_2TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 5180MHz                        | Pass   | AV   | 5.1396G   | 53.09          | 54.00          | -0.91       | 3        | Horizontal | 0           | 2.16       |
| 5180MHz                        | Pass   | AV   | 5.1728G   | 108.94         | Inf            | -Inf        | 3        | Horizontal | 0           | 2.16       |
| 5180MHz                        | Pass   | PK   | 5.1396G   | 66.06          | 74.00          | -7.94       | 3        | Horizontal | 0           | 2.16       |
| 5180MHz                        | Pass   | PK   | 5.1856G   | 121.80         | Inf            | -Inf        | 3        | Horizontal | 0           | 2.16       |
| 5180MHz                        | Pass   | PK   | 10.3483G  | 54.90          | 68.20          | -13.30      | 3        | Vertical   | 247         | 1.91       |
| 5180MHz                        | Pass   | PK   | 10.36708G | 55.01          | 68.20          | -13.19      | 3        | Horizontal | 316         | 1.82       |
| 5200MHz                        | Pass   | AV   | 5.15G     | 53.87          | 54.00          | -0.13       | 3        | Horizontal | 354         | 2.16       |
| 5200MHz                        | Pass   | AV   | 5.1932G   | 112.51         | Inf            | -Inf        | 3        | Horizontal | 354         | 2.16       |
| 5200MHz                        | Pass   | PK   | 5.148G    | 65.73          | 74.00          | -8.27       | 3        | Horizontal | 354         | 2.16       |
| 5200MHz                        | Pass   | PK   | 5.1968G   | 123.77         | Inf            | -Inf        | 3        | Horizontal | 354         | 2.16       |
| 5200MHz                        | Pass   | PK   | 10.38578G | 55.32          | 68.20          | -12.88      | 3        | Vertical   | 236         | 1.48       |
| 5200MHz                        | Pass   | PK   | 10.40048G | 56.86          | 68.20          | -11.34      | 3        | Horizontal | 315         | 2.27       |
| 5240MHz                        | Pass   | AV   | 5.1488G   | 51.24          | 54.00          | -2.76       | 3        | Horizontal | 356         | 2.31       |
| 5240MHz                        | Pass   | AV   | 5.2448G   | 111.74         | Inf            | -Inf        | 3        | Horizontal | 356         | 2.31       |
| 5240MHz                        | Pass   | AV   | 5.3522G   | 50.47          | 54.00          | -3.53       | 3        | Horizontal | 356         | 2.31       |
| 5240MHz                        | Pass   | PK   | 5.1362G   | 63.07          | 74.00          | -10.93      | 3        | Horizontal | 356         | 2.31       |
| 5240MHz                        | Pass   | PK   | 5.249G    | 123.73         | Inf            | -Inf        | 3        | Horizontal | 356         | 2.31       |
| 5240MHz                        | Pass   | PK   | 5.3576G   | 62.70          | 74.00          | -11.30      | 3        | Horizontal | 356         | 2.31       |
| 5240MHz                        | Pass   | PK   | 10.47808G | 55.17          | 68.20          | -13.03      | 3        | Vertical   | 230         | 1.41       |
| 5240MHz                        | Pass   | PK   | 10.47544G | 56.79          | 68.20          | -11.41      | 3        | Horizontal | 304         | 2.03       |
| 5260MHz                        | Pass   | AV   | 5.1496G   | 51.10          | 54.00          | -2.90       | 3        | Horizontal | 357         | 2.02       |
| 5260MHz                        | Pass   | AV   | 5.2582G   | 112.71         | Inf            | -Inf        | 3        | Horizontal | 357         | 2.02       |
| 5260MHz                        | Pass   | AV   | 5.3506G   | 50.83          | 54.00          | -3.17       | 3        | Horizontal | 357         | 2.02       |
| 5260MHz                        | Pass   | PK   | 5.1442G   | 62.99          | 74.00          | -11.01      | 3        | Horizontal | 357         | 2.02       |
| 5260MHz                        | Pass   | PK   | 5.2594G   | 125.40         | Inf            | -Inf        | 3        | Horizontal | 357         | 2.02       |
| 5260MHz                        | Pass   | PK   | 5.35G     | 63.35          | 74.00          | -10.65      | 3        | Horizontal | 357         | 2.02       |
| 5260MHz                        | Pass   | PK   | 10.5164G  | 55.28          | 68.20          | -12.92      | 3        | Vertical   | 249         | 1.90       |
| 5260MHz                        | Pass   | PK   | 10.52522G | 57.80          | 68.20          | -10.40      | 3        | Horizontal | 308         | 1.52       |
| 5300MHz                        | Pass   | AV   | 5.2976G   | 112.88         | Inf            | -Inf        | 3        | Horizontal | 356         | 2.15       |
| 5300MHz                        | Pass   | AV   | 5.35G     | 52.91          | 54.00          | -1.09       | 3        | Horizontal | 356         | 2.15       |
| 5300MHz                        | Pass   | PK   | 5.2972G   | 124.72         | Inf            | -Inf        | 3        | Horizontal | 356         | 2.15       |
| 5300MHz                        | Pass   | PK   | 5.358G    | 67.44          | 74.00          | -6.56       | 3        | Horizontal | 356         | 2.15       |
| 5300MHz                        | Pass   | PK   | 10.61314G | 54.73          | 74.00          | -19.27      | 3        | Vertical   | 309         | 1.82       |
| 5300MHz                        | Pass   | PK   | 10.6054G  | 58.20          | 74.00          | -15.80      | 3        | Horizontal | 310         | 1.34       |
| 5320MHz                        | Pass   | AV   | 5.313G    | 111.38         | Inf            | -Inf        | 3        | Horizontal | 358         | 2.05       |
| 5320MHz                        | Pass   | AV   | 5.3606G   | 53.76          | 54.00          | -0.24       | 3        | Horizontal | 358         | 2.05       |
| 5320MHz                        | Pass   | PK   | 5.3168G   | 123.63         | Inf            | -Inf        | 3        | Horizontal | 358         | 2.05       |
| 5320MHz                        | Pass   | PK   | 5.37G     | 69.06          | 74.00          | -4.94       | 3        | Horizontal | 358         | 2.05       |
| 5320MHz                        | Pass   | AV   | 10.62776G | 41.44          | 54.00          | -12.56      | 3        | Vertical   | 309         | 1.55       |
| 5320MHz                        | Pass   | PK   | 10.64444G | 54.56          | 74.00          | -19.44      | 3        | Vertical   | 309         | 1.55       |
| 5320MHz                        | Pass   | AV   | 10.64066G | 42.13          | 54.00          | -11.87      | 3        | Horizontal | 319         | 2.27       |
| 5320MHz                        | Pass   | PK   | 10.64804G | 55.37          | 74.00          | -18.63      | 3        | Horizontal | 319         | 2.27       |
| 802.11be EHT40_Nss2,(MCS0)_2TX | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          |
| 5190MHz                        | Pass   | AV   | 5.15G     | 53.49          | 54.00          | -0.51       | 3        | Horizontal | 360         | 2.28       |
| 5190MHz                        | Pass   | AV   | 5.1752G   | 105.73         | Inf            | -Inf        | 3        | Horizontal | 360         | 2.28       |
| 5190MHz                        | Pass   | PK   | 5.1496G   | 66.46          | 74.00          | -7.54       | 3        | Horizontal | 360         | 2.28       |
| 5190MHz                        | Pass   | PK   | 5.1728G   | 118.35         | Inf            | -Inf        | 3        | Horizontal | 360         | 2.28       |
| 5190MHz                        | Pass   | PK   | 10.37904G | 54.55          | 68.20          | -13.65      | 3        | Vertical   | 232         | 1.17       |
| 5190MHz                        | Pass   | PK   | 10.374G   | 54.89          | 68.20          | -13.31      | 3        | Horizontal | 314         | 2.50       |
| 5230MHz                        | Pass   | AV   | 5.15G     | 53.83          | 54.00          | -0.17       | 3        | Horizontal | 360         | 1.99       |
| 5230MHz                        | Pass   | AV   | 5.2208G   | 108.77         | Inf            | -Inf        | 3        | Horizontal | 360         | 1.99       |
| 5230MHz                        | Pass   | PK   | 5.146G    | 65.84          | 74.00          | -8.16       | 3        | Horizontal | 360         | 1.99       |
| 5230MHz                        | Pass   | PK   | 5.224G    | 121.25         | Inf            | -Inf        | 3        | Horizontal | 360         | 1.99       |
| 5230MHz                        | Pass   | PK   | 10.46408G | 54.76          | 68.20          | -13.44      | 3        | Vertical   | 240         | 1.79       |
| 5230MHz                        | Pass   | PK   | 10.46624G | 55.68          | 68.20          | -12.52      | 3        | Horizontal | 316         | 2.44       |
| 5270MHz                        | Pass   | AV   | 5.2848G   | 109.83         | Inf            | -Inf        | 3        | Horizontal | 358         | 2.34       |
| 5270MHz                        | Pass   | AV   | 5.35G     | 53.84          | 54.00          | -0.16       | 3        | Horizontal | 358         | 2.34       |
| 5270MHz                        | Pass   | PK   | 5.2724G   | 122.23         | Inf            | -Inf        | 3        | Horizontal | 358         | 2.34       |
| 5270MHz                        | Pass   | PK   | 5.3524G   | 66.36          | 74.00          | -7.64       | 3        | Horizontal | 358         | 2.34       |
| 5270MHz                        | Pass   | PK   | 10.53988G | 54.96          | 68.20          | -13.24      | 3        | Vertical   | 43          | 2.96       |



| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|
| 5270MHz                        | Pass   | PK   | 10.54108G    | 57.74             | 68.20             | -10.46         | 3           | Horizontal | 310            | 1.50          |
| 5310MHz                        | Pass   | AV   | 5.3048G      | 105.24            | Inf               | -Inf           | 3           | Horizontal | 0              | 2.07          |
| 5310MHz                        | Pass   | AV   | 5.35G        | 53.60             | 54.00             | -0.40          | 3           | Horizontal | 0              | 2.07          |
| 5310MHz                        | Pass   | PK   | 5.3056G      | 117.35            | Inf               | -Inf           | 3           | Horizontal | 0              | 2.07          |
| 5310MHz                        | Pass   | PK   | 5.3508G      | 67.10             | 74.00             | -6.90          | 3           | Horizontal | 0              | 2.07          |
| 5310MHz                        | Pass   | PK   | 10.59168G    | 55.07             | 68.20             | -13.13         | 3           | Vertical   | 179            | 1.50          |
| 5310MHz                        | Pass   | PK   | 10.59928G    | 54.95             | 68.20             | -13.25         | 3           | Horizontal | 2              | 1.50          |
| 802.11be EHT80_Nss2,(MCS0)_2TX | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             |
| 5210MHz                        | Pass   | AV   | 5.15G        | 53.26             | 54.00             | -0.74          | 3           | Horizontal | 360            | 2.02          |
| 5210MHz                        | Pass   | AV   | 5.182G       | 100.96            | Inf               | -Inf           | 3           | Horizontal | 360            | 2.02          |
| 5210MHz                        | Pass   | AV   | 5.37G        | 50.29             | 54.00             | -3.71          | 3           | Horizontal | 360            | 2.02          |
| 5210MHz                        | Pass   | PK   | 5.15G        | 64.34             | 74.00             | -9.66          | 3           | Horizontal | 360            | 2.02          |
| 5210MHz                        | Pass   | PK   | 5.22G        | 111.75            | Inf               | -Inf           | 3           | Horizontal | 360            | 2.02          |
| 5210MHz                        | Pass   | PK   | 5.454G       | 62.50             | 74.00             | -11.50         | 3           | Horizontal | 360            | 2.02          |
| 5210MHz                        | Pass   | PK   | 10.39912G    | 54.47             | 68.20             | -13.73         | 3           | Vertical   | 91             | 2.72          |
| 5210MHz                        | Pass   | PK   | 10.3624G     | 54.72             | 68.20             | -13.48         | 3           | Horizontal | 120            | 1.90          |
| 5290MHz                        | Pass   | AV   | 5.133G       | 50.42             | 54.00             | -3.58          | 3           | Horizontal | 0              | 2.08          |
| 5290MHz                        | Pass   | AV   | 5.303G       | 101.16            | Inf               | -Inf           | 3           | Horizontal | 0              | 2.08          |
| 5290MHz                        | Pass   | AV   | 5.35G        | 53.86             | 54.00             | -0.14          | 3           | Horizontal | 0              | 2.08          |
| 5290MHz                        | Pass   | PK   | 5.142G       | 62.86             | 74.00             | -11.14         | 3           | Horizontal | 0              | 2.08          |
| 5290MHz                        | Pass   | PK   | 5.301G       | 112.23            | Inf               | -Inf           | 3           | Horizontal | 0              | 2.08          |
| 5290MHz                        | Pass   | PK   | 5.35G        | 63.84             | 74.00             | -10.16         | 3           | Horizontal | 0              | 2.08          |
| 5290MHz                        | Pass   | PK   | 5.53G        | 61.27             | 68.20             | -6.93          | 3           | Horizontal | 0              | 2.08          |
| 5290MHz                        | Pass   | PK   | 10.61504G    | 54.13             | 74.00             | -19.87         | 3           | Vertical   | 3              | 1.50          |
| 5290MHz                        | Pass   | PK   | 10.60256G    | 54.64             | 74.00             | -19.36         | 3           | Horizontal | 78             | 1.50          |


## 5.15-5.25GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

### 5200MHz\_TX




## 5.15-5.25GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

### 5200MHz\_TX




## 5.15-5.25GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

### 5200MHz\_TX




## 5.15-5.25GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

### 5230MHz\_TX




## 5.15-5.25GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

### 5230MHz\_TX




## 5.15-5.25GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

### 5230MHz\_TX



## 5.15-5.25GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX


### 5210MHz\_TX



| Type | Freq   | Level    | Limit    | Margin | Factor | Dist | Condition  | Azimuth | Height | Raw    | AF    | CL   | PA    |
|------|--------|----------|----------|--------|--------|------|------------|---------|--------|--------|-------|------|-------|
|      | (Hz)   | (dBuV/m) | (dBuV/m) | (dB)   | (dB)   | (m)  |            | (°)     | (m)    | (dBuV) | (dB)  | (dB) | (dB)  |
| AV   | 5.15G  | 53.26    | 54.00    | -0.74  | 6.22   | 3    | Horizontal | 360     | 2.02   | 47.04  | 33.30 | 7.95 | 35.03 |
| AV   | 5.182G | 100.96   | Inf      | -Inf   | 6.11   | 3    | Horizontal | 360     | 2.02   | 94.85  | 33.17 | 7.97 | 35.03 |
| AV   | 5.37G  | 50.29    | 54.00    | -3.71  | 6.16   | 3    | Horizontal | 360     | 2.02   | 44.13  | 33.06 | 8.17 | 35.07 |
| PK   | 5.15G  | 64.34    | 74.00    | -9.66  | 6.22   | 3    | Horizontal | 360     | 2.02   | 58.12  | 33.30 | 7.95 | 35.03 |
| PK   | 5.22G  | 111.75   | Inf      | -Inf   | 6.06   | 3    | Horizontal | 360     | 2.02   | 105.69 | 33.10 | 8.00 | 35.04 |
| PK   | 5.454G | 62.50    | 74.00    | -11.50 | 6.08   | 3    | Horizontal | 360     | 2.02   | 56.42  | 32.92 | 8.24 | 35.08 |

## 5.15-5.25GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX


### 5210MHz\_TX



| Type | Freq      | Level    | Limit    | Margin | Factor | Dist | Condition | Azimuth | Height | Raw    | AF    | CL    | PA    |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|--------|-------|-------|-------|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dB)   | (m)  |           | (°)     | (m)    | (dBuV) | (dB)  | (dB)  | (dB)  |
| PK   | 10.39912G | 54.47    | 68.20    | -13.73 | 7.09   | 3    | Vertical  | 91      | 2.72   | 47.38  | 38.70 | 11.44 | 43.05 |


## 5.15-5.25GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

### 5210MHz\_TX




## 5.25-5.35GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

### 5320MHz\_TX




## 5.25-5.35GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

### 5320MHz\_TX



## 5.25-5.35GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX


### 5320MHz\_TX






## 5.25-5.35GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

### 5270MHz\_TX




## 5.25-5.35GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

### 5270MHz\_TX




## 5.25-5.35GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

### 5270MHz\_TX




## 5.25-5.35GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

### 5290MHz\_TX




## 5.25-5.35GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

### 5290MHz\_TX



## 5.25-5.35GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

### 5290MHz\_TX



**Summary**


| Mode   | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Condition  |
|--------|--------|------|--------------|-------------------|-------------------|----------------|------------|
| Mode 1 | Pass   | AV   | 6.96931G     | 42.98             | 68.20             | -25.22         | Horizontal |
| Mode 2 | Pass   | AV   | 7.31018G     | 50.47             | 54.00             | -3.53          | Horizontal |
| Mode 3 | Pass   | AV   | 4.99137G     | 33.39             | 54.00             | -20.61         | Vertical   |
| Mode 4 | Pass   | AV   | 4.98578G     | 33.23             | 54.00             | -20.77         | Vertical   |
| Mode 5 | Pass   | AV   | 4.98559G     | 33.20             | 54.00             | -20.80         | Vertical   |
| Mode 6 | Pass   | AV   | 4.99316G     | 33.16             | 54.00             | -20.84         | Horizontal |
| Mode 7 | Pass   | AV   | 4.95058G     | 32.73             | 54.00             | -21.27         | Vertical   |
| Mode 8 | Pass   | AV   | 4.94143G     | 33.54             | 54.00             | -20.46         | Vertical   |

**Result**

| Mode   | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comments |
|--------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| Mode 1 | Pass   | AV   | 1.33186G  | 25.82          | 54.00          | -28.18      | 3        | Vertical   | 88          | 2.37       | -        |
| Mode 1 | Pass   | AV   | 1.77936G  | 24.43          | 68.20          | -43.77      | 3        | Vertical   | 5           | 1.50       | -        |
| Mode 1 | Pass   | AV   | 5.81318G  | 40.19          | 68.20          | -28.01      | 3        | Vertical   | 201         | 2.93       | -        |
| Mode 1 | Pass   | PK   | 1.33285G  | 43.82          | 74.00          | -30.18      | 3        | Vertical   | 88          | 2.37       | -        |
| Mode 1 | Pass   | PK   | 1.78992G  | 38.48          | 88.20          | -49.72      | 3        | Vertical   | 5           | 1.50       | -        |
| Mode 1 | Pass   | PK   | 5.81873G  | 51.89          | 88.20          | -36.31      | 3        | Vertical   | 201         | 2.93       | -        |
| Mode 1 | Pass   | AV   | 1.33491G  | 24.65          | 54.00          | -29.35      | 3        | Horizontal | 101         | 1.50       | -        |
| Mode 1 | Pass   | AV   | 5.90071G  | 34.57          | 68.20          | -33.63      | 3        | Horizontal | 123         | 1.19       | -        |
| Mode 1 | Pass   | AV   | 6.96931G  | 42.98          | 68.20          | -25.22      | 3        | Horizontal | 84          | 1.24       | -        |
| Mode 1 | Pass   | PK   | 1.3314G   | 39.85          | 74.00          | -34.15      | 3        | Horizontal | 101         | 1.50       | -        |
| Mode 1 | Pass   | PK   | 5.89132G  | 47.88          | 88.20          | -40.32      | 3        | Horizontal | 123         | 1.19       | -        |
| Mode 1 | Pass   | PK   | 6.96925G  | 57.84          | 88.20          | -30.36      | 3        | Horizontal | 84          | 1.24       | -        |
| Mode 2 | Pass   | AV   | 1.33143G  | 24.80          | 54.00          | -29.20      | 3        | Vertical   | 84          | 2.51       | -        |
| Mode 2 | Pass   | AV   | 5.81272G  | 43.62          | 68.20          | -24.58      | 3        | Vertical   | 323         | 1.64       | -        |
| Mode 2 | Pass   | AV   | 7.30922G  | 47.13          | 54.00          | -6.87       | 3        | Vertical   | 3           | 1.10       | -        |
| Mode 2 | Pass   | PK   | 1.32944G  | 40.25          | 74.00          | -33.75      | 3        | Vertical   | 84          | 2.51       | -        |
| Mode 2 | Pass   | PK   | 5.81371G  | 54.12          | 88.20          | -34.08      | 3        | Vertical   | 323         | 1.64       | -        |
| Mode 2 | Pass   | PK   | 7.30906G  | 55.20          | 74.00          | -18.80      | 3        | Vertical   | 3           | 1.10       | -        |
| Mode 2 | Pass   | AV   | 3.92751G  | 35.75          | 54.00          | -18.25      | 3        | Horizontal | 77          | 2.00       | -        |
| Mode 2 | Pass   | AV   | 6.96939G  | 43.44          | 68.20          | -24.76      | 3        | Horizontal | 82          | 1.50       | -        |
| Mode 2 | Pass   | AV   | 7.31018G  | 50.47          | 54.00          | -3.53       | 3        | Horizontal | 7           | 1.23       | -        |
| Mode 2 | Pass   | PK   | 3.91704G  | 46.40          | 74.00          | -27.60      | 3        | Horizontal | 77          | 2.00       | -        |
| Mode 2 | Pass   | PK   | 6.97254G  | 57.52          | 88.20          | -30.68      | 3        | Horizontal | 82          | 1.50       | -        |
| Mode 2 | Pass   | PK   | 7.31219G  | 56.09          | 74.00          | -17.91      | 3        | Horizontal | 7           | 1.23       | -        |
| Mode 3 | Pass   | AV   | 2.13368G  | 25.60          | 68.20          | -42.60      | 3        | Vertical   | 95          | 1.16       | -        |
| Mode 3 | Pass   | AV   | 3.65519G  | 29.46          | 54.00          | -24.54      | 3        | Vertical   | 252         | 1.50       | -        |
| Mode 3 | Pass   | AV   | 4.99137G  | 33.39          | 54.00          | -20.61      | 3        | Vertical   | 332         | 1.50       | -        |
| Mode 3 | Pass   | PK   | 2.13368G  | 40.00          | 88.20          | -48.20      | 3        | Vertical   | 95          | 1.16       | -        |
| Mode 3 | Pass   | PK   | 3.65519G  | 42.43          | 74.00          | -31.57      | 3        | Vertical   | 252         | 1.50       | -        |
| Mode 3 | Pass   | PK   | 4.99137G  | 46.74          | 74.00          | -27.26      | 3        | Vertical   | 332         | 1.50       | -        |
| Mode 3 | Pass   | AV   | 2.22049G  | 25.97          | 54.00          | -28.03      | 3        | Horizontal | 68          | 1.50       | -        |
| Mode 3 | Pass   | AV   | 3.8046G   | 29.74          | 54.00          | -24.26      | 3        | Horizontal | 328.1       | 1.50       | -        |
| Mode 3 | Pass   | AV   | 4.98911G  | 33.30          | 54.00          | -20.70      | 3        | Horizontal | 53          | 1.50       | -        |
| Mode 3 | Pass   | PK   | 2.22049G  | 39.45          | 74.00          | -34.55      | 3        | Horizontal | 68          | 1.50       | -        |
| Mode 3 | Pass   | PK   | 3.8046G   | 43.74          | 74.00          | -30.26      | 3        | Horizontal | 328.1       | 1.50       | -        |
| Mode 3 | Pass   | PK   | 4.98911G  | 46.74          | 74.00          | -27.26      | 3        | Horizontal | 53          | 1.50       | -        |
| Mode 4 | Pass   | AV   | 2.2076G   | 26.02          | 54.00          | -27.98      | 3        | Vertical   | 324         | 1.50       | -        |
| Mode 4 | Pass   | AV   | 3.03984G  | 28.37          | 68.20          | -39.83      | 3        | Vertical   | 210         | 1.50       | -        |
| Mode 4 | Pass   | AV   | 4.98578G  | 33.23          | 54.00          | -20.77      | 3        | Vertical   | 54          | 1.99       | -        |
| Mode 4 | Pass   | PK   | 2.2076G   | 39.29          | 74.00          | -34.71      | 3        | Vertical   | 324         | 1.50       | -        |
| Mode 4 | Pass   | PK   | 3.03984G  | 42.47          | 88.20          | -45.73      | 3        | Vertical   | 210         | 1.50       | -        |
| Mode 4 | Pass   | PK   | 4.98578G  | 46.55          | 74.00          | -27.45      | 3        | Vertical   | 54          | 1.99       | -        |
| Mode 4 | Pass   | AV   | 2.24246G  | 26.05          | 54.00          | -27.95      | 3        | Horizontal | 8           | 1.50       | -        |
| Mode 4 | Pass   | AV   | 3.48073G  | 28.54          | 68.20          | -39.66      | 3        | Horizontal | 282         | 1.50       | -        |
| Mode 4 | Pass   | AV   | 5.14276G  | 32.42          | 54.00          | -21.58      | 3        | Horizontal | 319         | 2.00       | -        |
| Mode 4 | Pass   | PK   | 2.24246G  | 40.06          | 74.00          | -33.94      | 3        | Horizontal | 8           | 1.50       | -        |
| Mode 4 | Pass   | PK   | 3.48073G  | 41.93          | 88.20          | -46.27      | 3        | Horizontal | 282         | 1.50       | -        |
| Mode 4 | Pass   | PK   | 5.14276G  | 45.91          | 74.00          | -28.09      | 3        | Horizontal | 319         | 2.00       | -        |
| Mode 5 | Pass   | AV   | 2.04002G  | 25.88          | 68.20          | -42.32      | 3        | Vertical   | 238         | 1.50       | -        |
| Mode 5 | Pass   | AV   | 3.80288G  | 29.58          | 54.00          | -24.42      | 3        | Vertical   | 182         | 1.50       | -        |


| Mode   | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comments |
|--------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| Mode 5 | Pass   | AV   | 4.98559G  | 33.20          | 54.00          | -20.80      | 3        | Vertical   | 109         | 1.99       | -        |
| Mode 5 | Pass   | PK   | 2.04002G  | 39.60          | 88.20          | -48.60      | 3        | Vertical   | 238         | 1.50       | -        |
| Mode 5 | Pass   | PK   | 3.80288G  | 42.91          | 74.00          | -31.09      | 3        | Vertical   | 182         | 1.50       | -        |
| Mode 5 | Pass   | PK   | 4.98559G  | 46.43          | 74.00          | -27.57      | 3        | Vertical   | 109         | 1.99       | -        |
| Mode 5 | Pass   | AV   | 1.33222G  | 24.53          | 54.00          | -29.47      | 3        | Horizontal | 18          | 1.64       | -        |
| Mode 5 | Pass   | AV   | 3.1608G   | 28.41          | 68.20          | -39.79      | 3        | Horizontal | 259         | 2.00       | -        |
| Mode 5 | Pass   | AV   | 4.9539G   | 32.94          | 54.00          | -21.06      | 3        | Horizontal | 14          | 2.00       | -        |
| Mode 5 | Pass   | PK   | 1.33222G  | 42.15          | 74.00          | -31.85      | 3        | Horizontal | 18          | 1.64       | -        |
| Mode 5 | Pass   | PK   | 3.1608G   | 41.86          | 88.20          | -46.34      | 3        | Horizontal | 259         | 2.00       | -        |
| Mode 5 | Pass   | PK   | 4.9539G   | 46.58          | 74.00          | -27.42      | 3        | Horizontal | 14          | 2.00       | -        |
| Mode 6 | Pass   | AV   | 1.39334G  | 23.96          | 54.00          | -30.04      | 3        | Vertical   | 160         | 1.50       | -        |
| Mode 6 | Pass   | AV   | 3.80341G  | 29.65          | 54.00          | -24.35      | 3        | Vertical   | 303         | 1.34       | -        |
| Mode 6 | Pass   | AV   | 4.8841G   | 32.00          | 54.00          | -22.00      | 3        | Vertical   | 17          | 2.00       | -        |
| Mode 6 | Pass   | PK   | 1.39334G  | 42.45          | 74.00          | -31.55      | 3        | Vertical   | 160         | 1.50       | -        |
| Mode 6 | Pass   | PK   | 3.80341G  | 42.54          | 74.00          | -31.46      | 3        | Vertical   | 303         | 1.34       | -        |
| Mode 6 | Pass   | PK   | 4.8841G   | 45.26          | 74.00          | -28.74      | 3        | Vertical   | 17          | 2.00       | -        |
| Mode 6 | Pass   | AV   | 1.33015G  | 24.46          | 54.00          | -29.54      | 3        | Horizontal | 175         | 1.62       | -        |
| Mode 6 | Pass   | AV   | 3.78207G  | 29.06          | 54.00          | -24.94      | 3        | Horizontal | 34          | 1.50       | -        |
| Mode 6 | Pass   | AV   | 4.99316G  | 33.16          | 54.00          | -20.84      | 3        | Horizontal | 335         | 1.62       | -        |
| Mode 6 | Pass   | PK   | 1.33015G  | 41.82          | 74.00          | -32.18      | 3        | Horizontal | 175         | 1.62       | -        |
| Mode 6 | Pass   | PK   | 3.78207G  | 42.66          | 74.00          | -31.34      | 3        | Horizontal | 34          | 1.50       | -        |
| Mode 6 | Pass   | PK   | 4.99316G  | 46.07          | 74.00          | -27.93      | 3        | Horizontal | 335         | 1.62       | -        |
| Mode 7 | Pass   | AV   | 1.38762G  | 24.24          | 54.00          | -29.76      | 3        | Vertical   | 167         | 1.50       | -        |
| Mode 7 | Pass   | AV   | 3.12702G  | 29.08          | 68.20          | -39.12      | 3        | Vertical   | 192         | 1.12       | -        |
| Mode 7 | Pass   | AV   | 4.95058G  | 32.73          | 54.00          | -21.27      | 3        | Vertical   | 312         | 1.55       | -        |
| Mode 7 | Pass   | PK   | 1.38762G  | 44.28          | 74.00          | -29.72      | 3        | Vertical   | 167         | 1.50       | -        |
| Mode 7 | Pass   | PK   | 3.12702G  | 42.69          | 88.20          | -45.51      | 3        | Vertical   | 192         | 1.12       | -        |
| Mode 7 | Pass   | PK   | 4.95058G  | 46.29          | 74.00          | -27.71      | 3        | Vertical   | 312         | 1.55       | -        |
| Mode 7 | Pass   | AV   | 1.96698G  | 25.42          | 68.20          | -42.78      | 3        | Horizontal | 246         | 1.69       | -        |
| Mode 7 | Pass   | AV   | 3.78629G  | 29.13          | 54.00          | -24.87      | 3        | Horizontal | 162         | 1.50       | -        |
| Mode 7 | Pass   | AV   | 5.0061G   | 32.64          | 54.00          | -21.36      | 3        | Horizontal | 291         | 1.50       | -        |
| Mode 7 | Pass   | PK   | 1.96698G  | 39.12          | 88.20          | -49.08      | 3        | Horizontal | 246         | 1.69       | -        |
| Mode 7 | Pass   | PK   | 3.78629G  | 42.50          | 74.00          | -31.50      | 3        | Horizontal | 162         | 1.50       | -        |
| Mode 7 | Pass   | PK   | 5.0061G   | 46.43          | 74.00          | -27.57      | 3        | Horizontal | 291         | 1.50       | -        |
| Mode 8 | Pass   | AV   | 1.38567G  | 24.32          | 54.00          | -29.68      | 3        | Vertical   | 166         | 1.51       | -        |
| Mode 8 | Pass   | AV   | 3.68878G  | 28.88          | 54.00          | -25.12      | 3        | Vertical   | 173         | 1.50       | -        |
| Mode 8 | Pass   | AV   | 4.94143G  | 33.54          | 54.00          | -20.46      | 3        | Vertical   | 333         | 1.96       | -        |
| Mode 8 | Pass   | PK   | 1.38567G  | 44.35          | 74.00          | -29.65      | 3        | Vertical   | 166         | 1.51       | -        |
| Mode 8 | Pass   | PK   | 3.68878G  | 43.00          | 74.00          | -31.00      | 3        | Vertical   | 173         | 1.50       | -        |
| Mode 8 | Pass   | PK   | 4.94143G  | 47.05          | 74.00          | -26.95      | 3        | Vertical   | 333         | 1.96       | -        |
| Mode 8 | Pass   | AV   | 1.33262G  | 24.38          | 54.00          | -29.62      | 3        | Horizontal | 277         | 1.64       | -        |
| Mode 8 | Pass   | AV   | 3.80267G  | 29.51          | 54.00          | -24.49      | 3        | Horizontal | 292         | 1.75       | -        |
| Mode 8 | Pass   | AV   | 5.00328G  | 32.81          | 54.00          | -21.19      | 3        | Horizontal | 259         | 1.50       | -        |
| Mode 8 | Pass   | PK   | 1.33262G  | 42.35          | 74.00          | -31.65      | 3        | Horizontal | 277         | 1.64       | -        |
| Mode 8 | Pass   | PK   | 3.80267G  | 43.26          | 74.00          | -30.74      | 3        | Horizontal | 292         | 1.75       | -        |
| Mode 8 | Pass   | PK   | 5.00328G  | 46.11          | 74.00          | -27.89      | 3        | Horizontal | 259         | 1.50       | -        |

## Radiated Emissions above 1GHz\_Mode 1




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|-----------|-------------|------------|------------|-----------|---------|---------|
| AV   | 1.33186G  | 25.82          | 54.00          | -28.18      | -5.87         | 3        | Vertical  | 88          | 2.37       | 31.69      | 25.90     | 3.59    | 35.36   |
| AV   | 1.77936G  | 24.43          | 68.20          | -43.77      | -5.93         | 3        | Vertical  | 5           | 1.50       | 30.36      | 24.90     | 4.21    | 35.04   |
| AV   | 5.81318G  | 40.19          | 68.20          | -28.01      | 6.55          | 3        | Vertical  | 201         | 2.93       | 33.64      | 33.93     | 7.82    | 35.20   |
| PK   | 1.33285G  | 43.82          | 74.00          | -30.18      | -5.87         | 3        | Vertical  | 88          | 2.37       | 49.69      | 25.90     | 3.59    | 35.36   |
| PK   | 1.78992G  | 38.48          | 88.20          | -49.72      | -5.82         | 3        | Vertical  | 5           | 1.50       | 44.30      | 25.00     | 4.21    | 35.03   |
| PK   | 5.81873G  | 51.89          | 88.20          | -36.31      | 6.56          | 3        | Vertical  | 201         | 2.93       | 45.33      | 33.94     | 7.82    | 35.20   |

## Radiated Emissions above 1GHz\_Mode 1




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Raw (dBuV) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|------------|-------------|------------|------------|-----------|---------|---------|
| AV   | 1.33491G  | 24.65          | 54.00          | -29.35      | -5.86         | 3        | Horizontal | 101         | 1.50       | 30.51      | 25.90     | 3.59    | 35.35   |
| AV   | 5.90071G  | 34.57          | 68.20          | -33.63      | 6.75          | 3        | Horizontal | 123         | 1.19       | 27.82      | 34.20     | 7.79    | 35.24   |
| AV   | 6.96931G  | 42.98          | 68.20          | -25.22      | 8.73          | 3        | Horizontal | 84          | 1.24       | 34.25      | 35.76     | 8.51    | 35.54   |
| PK   | 1.3314G   | 39.85          | 74.00          | -34.15      | -5.87         | 3        | Horizontal | 101         | 1.50       | 45.72      | 25.90     | 3.59    | 35.36   |
| PK   | 5.89132G  | 47.88          | 88.20          | -40.32      | 6.73          | 3        | Horizontal | 123         | 1.19       | 41.15      | 34.17     | 7.79    | 35.23   |
| PK   | 6.96925G  | 57.84          | 88.20          | -30.36      | 8.73          | 3        | Horizontal | 84          | 1.24       | 49.11      | 35.76     | 8.51    | 35.54   |

## Radiated Emissions above 1GHz\_Mode 2



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------------|--------------|------------|------------|
| AV   | 1.33143G     | 24.80             | 54.00             | -29.20         | -5.87            | 3           | Vertical  | 84             | 2.51          | 30.67         | 25.90        | 3.59       | 35.36      |
| AV   | 5.81272G     | 43.62             | 68.20             | -24.58         | 6.55             | 3           | Vertical  | 323            | 1.64          | 37.07         | 33.93        | 7.82       | 35.20      |
| AV   | 7.30922G     | 47.13             | 54.00             | -6.87          | 10.40            | 3           | Vertical  | 3              | 1.10          | 36.73         | 36.76        | 8.86       | 35.22      |
| PK   | 1.32944G     | 40.25             | 74.00             | -33.75         | -5.87            | 3           | Vertical  | 84             | 2.51          | 46.12         | 25.91        | 3.58       | 35.36      |
| PK   | 5.81371G     | 54.12             | 88.20             | -34.08         | 6.55             | 3           | Vertical  | 323            | 1.64          | 47.57         | 33.93        | 7.82       | 35.20      |
| PK   | 7.30906G     | 55.20             | 74.00             | -18.80         | 10.40            | 3           | Vertical  | 3              | 1.10          | 44.80         | 36.76        | 8.86       | 35.22      |


## Radiated Emissions above 1GHz\_Mode 2



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------------|--------------|------------|------------|
| AV   | 3.92751G     | 35.75             | 54.00             | -18.25         | 2.03             | 3           | Horizontal | 77             | 2.00          | 33.72         | 30.74        | 6.36       | 35.07      |
| AV   | 6.96939G     | 43.44             | 68.20             | -24.76         | 8.73             | 3           | Horizontal | 82             | 1.50          | 34.71         | 35.76        | 8.51       | 35.54      |
| AV   | 7.31018G     | 50.47             | 54.00             | -3.53          | 10.40            | 3           | Horizontal | 7              | 1.23          | 40.07         | 36.76        | 8.86       | 35.22      |
| PK   | 3.91704G     | 46.40             | 74.00             | -27.60         | 2.06             | 3           | Horizontal | 77             | 2.00          | 44.34         | 30.77        | 6.36       | 35.07      |
| PK   | 6.97254G     | 57.52             | 88.20             | -30.68         | 8.72             | 3           | Horizontal | 82             | 1.50          | 48.80         | 35.75        | 8.51       | 35.54      |
| PK   | 7.31219G     | 56.09             | 74.00             | -17.91         | 10.39            | 3           | Horizontal | 7              | 1.23          | 45.70         | 36.75        | 8.86       | 35.22      |




### Radiated Emissions above 1GHz\_Mode 3




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------------|--------------|------------|------------|--|--|--|--|
| AV   | 2.13368G     | 25.60             | 68.20             | -42.60         | -3.00            | 3           | Vertical  | 95             | 1.16          | 28.60         | 27.40        | 4.62       | 35.02      |  |  |  |  |
| AV   | 3.65519G     | 29.46             | 54.00             | -24.54         | 0.64             | 3           | Vertical  | 252            | 1.50          | 28.82         | 29.62        | 6.20       | 35.18      |  |  |  |  |
| AV   | 4.99137G     | 33.39             | 54.00             | -20.61         | 5.36             | 3           | Vertical  | 332            | 1.50          | 28.03         | 33.17        | 7.26       | 35.07      |  |  |  |  |
| PK   | 2.13368G     | 40.00             | 88.20             | -48.20         | -3.00            | 3           | Vertical  | 95             | 1.16          | 43.00         | 27.40        | 4.62       | 35.02      |  |  |  |  |
| PK   | 3.65519G     | 42.43             | 74.00             | -31.57         | 0.64             | 3           | Vertical  | 252            | 1.50          | 41.79         | 29.62        | 6.20       | 35.18      |  |  |  |  |
| PK   | 4.99137G     | 46.74             | 74.00             | -27.26         | 5.36             | 3           | Vertical  | 332            | 1.50          | 41.38         | 33.17        | 7.26       | 35.07      |  |  |  |  |

### Radiated Emissions above 1GHz\_Mode 3




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------------|--------------|------------|------------|--|--|--|--|
| AV   | 2.22049G     | 25.97             | 54.00             | -28.03         | -3.14            | 3           | Horizontal | 68             | 1.50          | 29.11         | 27.20        | 4.71       | 35.05      |  |  |  |  |
| AV   | 3.8046G      | 29.74             | 54.00             | -24.26         | 1.63             | 3           | Horizontal | 328.1          | 1.50          | 28.11         | 30.43        | 6.32       | 35.12      |  |  |  |  |
| AV   | 4.98911G     | 33.30             | 54.00             | -20.70         | 5.34             | 3           | Horizontal | 53             | 1.50          | 27.96         | 33.16        | 7.25       | 35.07      |  |  |  |  |
| PK   | 2.22049G     | 39.45             | 74.00             | -34.55         | -3.14            | 3           | Horizontal | 68             | 1.50          | 42.59         | 27.20        | 4.71       | 35.05      |  |  |  |  |
| PK   | 3.8046G      | 43.74             | 74.00             | -30.26         | 1.63             | 3           | Horizontal | 328.1          | 1.50          | 42.11         | 30.43        | 6.32       | 35.12      |  |  |  |  |
| PK   | 4.98911G     | 46.74             | 74.00             | -27.26         | 5.34             | 3           | Horizontal | 53             | 1.50          | 41.40         | 33.16        | 7.25       | 35.07      |  |  |  |  |

## Radiated Emissions above 1GHz\_Mode 4




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------------|--------------|------------|------------|
| AV   | 2.2076G      | 26.02             | 54.00             | -27.98         | -3.14            | 3           | Vertical  | 324            | 1.50          | 29.16         | 27.20        | 4.70       | 35.04      |
| AV   | 3.03984G     | 28.37             | 68.20             | -39.83         | 0.05             | 3           | Vertical  | 210            | 1.50          | 28.32         | 29.68        | 5.59       | 35.22      |
| AV   | 4.98578G     | 33.23             | 54.00             | -20.77         | 5.32             | 3           | Vertical  | 54             | 1.99          | 27.91         | 33.14        | 7.25       | 35.07      |
| PK   | 2.2076G      | 39.29             | 74.00             | -34.71         | -3.14            | 3           | Vertical  | 324            | 1.50          | 42.43         | 27.20        | 4.70       | 35.04      |
| PK   | 3.03984G     | 42.47             | 88.20             | -45.73         | 0.05             | 3           | Vertical  | 210            | 1.50          | 42.42         | 29.68        | 5.59       | 35.22      |
| PK   | 4.98578G     | 46.55             | 74.00             | -27.45         | 5.32             | 3           | Vertical  | 54             | 1.99          | 41.23         | 33.14        | 7.25       | 35.07      |

## Radiated Emissions above 1GHz\_Mode 4




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------------|--------------|------------|------------|
| AV   | 2.24246G     | 26.05             | 54.00             | -27.95         | -3.12            | 3           | Horizontal | 8              | 1.50          | 29.17         | 27.20        | 4.73       | 35.05      |
| AV   | 3.48073G     | 28.54             | 68.20             | -39.66         | 0.14             | 3           | Horizontal | 282            | 1.50          | 28.40         | 29.40        | 5.99       | 35.25      |
| AV   | 5.14276G     | 32.42             | 54.00             | -21.58         | 5.23             | 3           | Horizontal | 319            | 2.00          | 27.19         | 33.06        | 7.24       | 35.07      |
| PK   | 2.24246G     | 40.06             | 74.00             | -33.94         | -3.12            | 3           | Horizontal | 8              | 1.50          | 43.18         | 27.20        | 4.73       | 35.05      |
| PK   | 3.48073G     | 41.93             | 88.20             | -46.27         | 0.14             | 3           | Horizontal | 282            | 1.50          | 41.79         | 29.40        | 5.99       | 35.25      |
| PK   | 5.14276G     | 45.91             | 74.00             | -28.09         | 5.23             | 3           | Horizontal | 319            | 2.00          | 40.68         | 33.06        | 7.24       | 35.07      |

### Radiated Emissions above 1GHz\_Mode 5




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------------|--------------|------------|------------|--|--|--|--|
| AV   | 2.04002G     | 25.88             | 68.20             | -42.32         | -3.06            | 3           | Vertical  | 238            | 1.50          | 28.94         | 27.40        | 4.53       | 34.99      |  |  |  |  |
| AV   | 3.80288G     | 29.58             | 54.00             | -24.42         | 1.62             | 3           | Vertical  | 182            | 1.50          | 27.96         | 30.42        | 6.32       | 35.12      |  |  |  |  |
| AV   | 4.98559G     | 33.20             | 54.00             | -20.80         | 5.32             | 3           | Vertical  | 109            | 1.99          | 27.88         | 33.14        | 7.25       | 35.07      |  |  |  |  |
| PK   | 2.04002G     | 39.60             | 88.20             | -48.60         | -3.06            | 3           | Vertical  | 238            | 1.50          | 42.66         | 27.40        | 4.53       | 34.99      |  |  |  |  |
| PK   | 3.80288G     | 42.91             | 74.00             | -31.09         | 1.62             | 3           | Vertical  | 182            | 1.50          | 41.29         | 30.42        | 6.32       | 35.12      |  |  |  |  |
| PK   | 4.98559G     | 46.43             | 74.00             | -27.57         | 5.32             | 3           | Vertical  | 109            | 1.99          | 41.11         | 33.14        | 7.25       | 35.07      |  |  |  |  |

### Radiated Emissions above 1GHz\_Mode 5




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------------|--------------|------------|------------|--|--|--|--|
| AV   | 1.33222G     | 24.53             | 54.00             | -29.47         | -5.87            | 3           | Horizontal | 18             | 1.64          | 30.40         | 25.90        | 3.59       | 35.36      |  |  |  |  |
| AV   | 3.1608G      | 28.41             | 68.20             | -39.79         | 0.19             | 3           | Horizontal | 259            | 2.00          | 28.22         | 29.70        | 5.72       | 35.23      |  |  |  |  |
| AV   | 4.9539G      | 32.94             | 54.00             | -21.06         | 5.15             | 3           | Horizontal | 14             | 2.00          | 27.79         | 33.02        | 7.20       | 35.07      |  |  |  |  |
| PK   | 1.33222G     | 42.15             | 74.00             | -31.85         | -5.87            | 3           | Horizontal | 18             | 1.64          | 48.02         | 25.90        | 3.59       | 35.36      |  |  |  |  |
| PK   | 3.1608G      | 41.86             | 88.20             | -46.34         | 0.19             | 3           | Horizontal | 259            | 2.00          | 41.67         | 29.70        | 5.72       | 35.23      |  |  |  |  |
| PK   | 4.9539G      | 46.58             | 74.00             | -27.42         | 5.15             | 3           | Horizontal | 14             | 2.00          | 41.43         | 33.02        | 7.20       | 35.07      |  |  |  |  |

## Radiated Emissions above 1GHz\_Mode 6




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------------|--------------|------------|------------|
| AV   | 1.39334G     | 23.96             | 54.00             | -30.04         | -5.55            | 3           | Vertical  | 160            | 1.50          | 29.51         | 26.03        | 3.69       | 35.27      |
| AV   | 3.80341G     | 29.65             | 54.00             | -24.35         | 1.62             | 3           | Vertical  | 303            | 1.34          | 28.03         | 30.42        | 6.32       | 35.12      |
| AV   | 4.8841G      | 32.00             | 54.00             | -22.00         | 4.66             | 3           | Vertical  | 17             | 2.00          | 27.34         | 32.64        | 7.08       | 35.06      |
| PK   | 1.39334G     | 42.45             | 74.00             | -31.55         | -5.55            | 3           | Vertical  | 160            | 1.50          | 48.00         | 26.03        | 3.69       | 35.27      |
| PK   | 3.80341G     | 42.54             | 74.00             | -31.46         | 1.62             | 3           | Vertical  | 303            | 1.34          | 40.92         | 30.42        | 6.32       | 35.12      |
| PK   | 4.8841G      | 45.26             | 74.00             | -28.74         | 4.66             | 3           | Vertical  | 17             | 2.00          | 40.60         | 32.64        | 7.08       | 35.06      |

## Radiated Emissions above 1GHz\_Mode 6




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------------|--------------|------------|------------|
| AV   | 1.33015G     | 24.46             | 54.00             | -29.54         | -5.88            | 3           | Horizontal | 175            | 1.62          | 30.34         | 25.90        | 3.58       | 35.36      |
| AV   | 3.78207G     | 29.06             | 54.00             | -24.94         | 1.46             | 3           | Horizontal | 34             | 1.50          | 27.60         | 30.29        | 6.30       | 35.13      |
| AV   | 4.99316G     | 33.16             | 54.00             | -20.84         | 5.36             | 3           | Horizontal | 335            | 1.62          | 27.80         | 33.17        | 7.26       | 35.07      |
| PK   | 1.33015G     | 41.82             | 74.00             | -32.18         | -5.88            | 3           | Horizontal | 175            | 1.62          | 47.70         | 25.90        | 3.58       | 35.36      |
| PK   | 3.78207G     | 42.66             | 74.00             | -31.34         | 1.46             | 3           | Horizontal | 34             | 1.50          | 41.20         | 30.29        | 6.30       | 35.13      |
| PK   | 4.99316G     | 46.07             | 74.00             | -27.93         | 5.36             | 3           | Horizontal | 335            | 1.62          | 40.71         | 33.17        | 7.26       | 35.07      |

### Radiated Emissions above 1GHz\_Mode 7




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------------|--------------|------------|------------|--|--|--|--|
| AV   | 1.38762G     | 24.24             | 54.00             | -29.76         | -5.52            | 3           | Vertical  | 167            | 1.50          | 29.76         | 26.08        | 3.68       | 35.28      |  |  |  |  |
| AV   | 3.12702G     | 29.08             | 68.20             | -39.12         | 0.11             | 3           | Vertical  | 192            | 1.12          | 28.97         | 29.65        | 5.69       | 35.23      |  |  |  |  |
| AV   | 4.95058G     | 32.73             | 54.00             | -21.27         | 5.12             | 3           | Vertical  | 312            | 1.55          | 27.61         | 33.00        | 7.19       | 35.07      |  |  |  |  |
| PK   | 1.38762G     | 44.28             | 74.00             | -29.72         | -5.52            | 3           | Vertical  | 167            | 1.50          | 49.80         | 26.08        | 3.68       | 35.28      |  |  |  |  |
| PK   | 3.12702G     | 42.69             | 88.20             | -45.51         | 0.11             | 3           | Vertical  | 192            | 1.12          | 42.58         | 29.65        | 5.69       | 35.23      |  |  |  |  |
| PK   | 4.95058G     | 46.29             | 74.00             | -27.71         | 5.12             | 3           | Vertical  | 312            | 1.55          | 41.17         | 33.00        | 7.19       | 35.07      |  |  |  |  |

### Radiated Emissions above 1GHz\_Mode 7




| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------------|--------------|------------|------------|--|--|--|--|
| AV   | 1.96698G     | 25.42             | 68.20             | -42.78         | -4.17            | 3           | Horizontal | 246            | 1.69          | 29.59         | 26.37        | 4.45       | 34.99      |  |  |  |  |
| AV   | 3.78629G     | 29.13             | 54.00             | -24.87         | 1.50             | 3           | Horizontal | 162            | 1.50          | 27.63         | 30.32        | 6.31       | 35.13      |  |  |  |  |
| AV   | 5.0061G      | 32.64             | 54.00             | -21.36         | 5.38             | 3           | Horizontal | 291            | 1.50          | 27.26         | 33.18        | 7.27       | 35.07      |  |  |  |  |
| PK   | 1.96698G     | 39.12             | 88.20             | -49.08         | -4.17            | 3           | Horizontal | 246            | 1.69          | 43.29         | 26.37        | 4.45       | 34.99      |  |  |  |  |
| PK   | 3.78629G     | 42.50             | 74.00             | -31.50         | 1.50             | 3           | Horizontal | 162            | 1.50          | 41.00         | 30.32        | 6.31       | 35.13      |  |  |  |  |
| PK   | 5.0061G      | 46.43             | 74.00             | -27.57         | 5.38             | 3           | Horizontal | 291            | 1.50          | 41.05         | 33.18        | 7.27       | 35.07      |  |  |  |  |

## Radiated Emissions above 1GHz\_Mode 8



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------------|--------------|------------|------------|--|--|--|--|
| AV   | 1.38567G     | 24.32             | 54.00             | -29.68         | -5.54            | 3           | Vertical  | 166            | 1.51          | 29.86         | 26.06        | 3.68       | 35.28      |  |  |  |  |
| AV   | 3.68878G     | 28.88             | 54.00             | -25.12         | 0.82             | 3           | Vertical  | 173            | 1.50          | 28.06         | 29.76        | 6.23       | 35.17      |  |  |  |  |
| AV   | 4.94143G     | 33.54             | 54.00             | -20.46         | 5.06             | 3           | Vertical  | 333            | 1.96          | 28.48         | 32.95        | 7.18       | 35.07      |  |  |  |  |
| PK   | 1.38567G     | 44.35             | 74.00             | -29.65         | -5.54            | 3           | Vertical  | 166            | 1.51          | 49.89         | 26.06        | 3.68       | 35.28      |  |  |  |  |
| PK   | 3.68878G     | 43.00             | 74.00             | -31.00         | 0.82             | 3           | Vertical  | 173            | 1.50          | 42.18         | 29.76        | 6.23       | 35.17      |  |  |  |  |
| PK   | 4.94143G     | 47.05             | 74.00             | -26.95         | 5.06             | 3           | Vertical  | 333            | 1.96          | 41.99         | 32.95        | 7.18       | 35.07      |  |  |  |  |

## Radiated Emissions above 1GHz\_Mode 8



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------------|--------------|------------|------------|--|--|--|--|
| AV   | 1.33262G     | 24.38             | 54.00             | -29.62         | -5.87            | 3           | Horizontal | 277            | 1.64          | 30.25         | 25.90        | 3.59       | 35.36      |  |  |  |  |
| AV   | 3.80267G     | 29.51             | 54.00             | -24.49         | 1.62             | 3           | Horizontal | 292            | 1.75          | 27.89         | 30.42        | 6.32       | 35.12      |  |  |  |  |
| AV   | 5.00328G     | 32.81             | 54.00             | -21.19         | 5.39             | 3           | Horizontal | 259            | 1.50          | 27.42         | 33.19        | 7.27       | 35.07      |  |  |  |  |
| PK   | 1.33262G     | 42.35             | 74.00             | -31.65         | -5.87            | 3           | Horizontal | 277            | 1.64          | 48.22         | 25.90        | 3.59       | 35.36      |  |  |  |  |
| PK   | 3.80267G     | 43.26             | 74.00             | -30.74         | 1.62             | 3           | Horizontal | 292            | 1.75          | 41.64         | 30.42        | 6.32       | 35.12      |  |  |  |  |
| PK   | 5.00328G     | 46.11             | 74.00             | -27.89         | 5.39             | 3           | Horizontal | 259            | 1.50          | 40.72         | 33.19        | 7.27       | 35.07      |  |  |  |  |