



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.20	54.00	-6.80	6.18	3	Vertical	339	1.50	41.02	33.10	8.14	35.06
AV	5.46G	50.23	54.00	-3.77	6.10	3	Vertical	339	1.50	44.13	32.94	8.24	35.08
AV	5.541G	94.23	Inf	-Inf	6.30	3	Vertical	339	1.50	87.93	33.10	8.29	35.09
PK	5.347G	59.29	68.20	-8.91	6.18	3	Vertical	339	1.50	53.11	33.10	8.14	35.06
PK	5.455G	62.76	74.00	-11.24	6.08	3	Vertical	339	1.50	56.68	32.92	8.24	35.08
PK	5.466G	62.43	68.20	-5.77	6.12	3	Vertical	339	1.50	56.31	32.96	8.24	35.08
PK	5.54G	106.44	Inf	-Inf	6.30	3	Vertical	339	1.50	100.14	33.10	8.29	35.09
PK	5.751G	61.01	68.20	-7.19	7.34	3	Vertical	339	1.50	53.67	33.91	8.55	35.12

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.90	54.00	-6.10	6.18	3	Horizontal	73	1.83	41.72	33.10	8.14	35.06
AV	5.454G	53.73	54.00	-0.27	6.08	3	Horizontal	73	1.83	47.65	32.92	8.24	35.08
AV	5.517G	98.32	Inf	-Inf	6.29	3	Horizontal	73	1.83	92.03	33.10	8.28	35.09
PK	5.326G	60.80	68.20	-7.40	6.16	3	Horizontal	73	1.83	54.64	33.10	8.12	35.06
PK	5.453G	66.68	74.00	-7.32	6.06	3	Horizontal	73	1.83	60.62	32.91	8.23	35.08
PK	5.462G	65.94	68.20	-2.26	6.11	3	Horizontal	73	1.83	59.83	32.95	8.24	35.08
PK	5.521G	110.09	Inf	-Inf	6.29	3	Horizontal	73	1.83	103.80	33.10	8.28	35.09
PK	5.746G	61.15	68.20	-7.05	7.31	3	Horizontal	73	1.83	53.84	33.88	8.54	35.11


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5795MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7654G	95.20	Inf	-Inf	7.44	3	Vertical	342	1.81	87.76	33.99	8.57	35.12
PK	5.6226G	60.60	68.20	-7.60	6.55	3	Vertical	342	1.81	54.05	33.29	8.36	35.10
PK	5.763G	107.27	Inf	-Inf	7.43	3	Vertical	342	1.81	99.84	33.98	8.57	35.12
PK	6.0366G	61.71	68.20	-6.49	7.82	3	Vertical	342	1.81	53.89	34.30	8.67	35.15

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.763G	99.11	Inf	-Inf	7.43	3	Horizontal	73	2.43	91.68	33.98	8.57	35.12
PK	5.6466G	64.01	68.20	-4.19	6.69	3	Horizontal	73	2.43	57.32	33.39	8.40	35.10
PK	5.7606G	111.21	Inf	-Inf	7.40	3	Horizontal	73	2.43	103.81	33.96	8.56	35.12
PK	6.045G	61.60	68.20	-6.60	7.82	3	Horizontal	73	2.43	53.78	34.30	8.67	35.15


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	286.08M	39.24	46.00	-6.76	3	Horizontal	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	35.82M	32.56	40.00	-7.44	3	Vertical	0	1.00
5775MHz	Pass	PK	105.66M	23.76	43.50	-19.74	3	Vertical	0	1.00
5775MHz	Pass	PK	286.08M	35.47	46.00	-10.53	3	Vertical	0	1.00
5775MHz	Pass	PK	400.54M	31.76	46.00	-14.24	3	Vertical	0	1.00
5775MHz	Pass	PK	520.82M	22.66	46.00	-23.34	3	Vertical	0	1.00
5775MHz	Pass	PK	596.48M	27.95	46.00	-18.05	3	Vertical	0	1.00
5775MHz	Pass	PK	35.82M	25.37	40.00	-14.63	3	Horizontal	360	1.00
5775MHz	Pass	PK	105.66M	20.99	43.50	-22.51	3	Horizontal	360	1.00
5775MHz	Pass	PK	286.08M	39.24	46.00	-6.76	3	Horizontal	360	1.00
5775MHz	Pass	PK	321M	30.94	46.00	-15.06	3	Horizontal	360	1.00
5775MHz	Pass	PK	400.54M	25.68	46.00	-20.32	3	Horizontal	360	1.00
5775MHz	Pass	PK	596.48M	30.96	46.00	-15.04	3	Horizontal	360	1.00

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	35.82M	32.56	40.00	-7.44	-21.80	3	Vertical	0	1.00	54.36	21.83	0.80	44.43
PK	105.66M	23.76	43.50	-19.74	-26.81	3	Vertical	0	1.00	50.57	16.59	1.20	44.60
PK	286.08M	35.47	46.00	-10.53	-23.26	3	Vertical	0	1.00	58.73	19.15	1.95	44.36
PK	400.54M	31.76	46.00	-14.24	-19.84	3	Vertical	0	1.00	51.60	22.00	2.26	44.10
PK	520.82M	22.66	46.00	-23.34	-16.91	3	Vertical	0	1.00	39.57	24.38	2.67	43.96
PK	596.48M	27.95	46.00	-18.05	-15.04	3	Vertical	0	1.00	42.99	26.13	2.77	43.94

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	35.82M	25.37	40.00	-14.63	-21.80	3	Horizontal	360	1.00	47.17	21.83	0.80	44.43
PK	105.66M	20.99	43.50	-22.51	-26.81	3	Horizontal	360	1.00	47.80	16.59	1.20	44.60
PK	286.08M	39.24	46.00	-6.76	-23.26	3	Horizontal	360	1.00	62.50	19.15	1.95	44.36
PK	321M	30.94	46.00	-15.06	-22.60	3	Horizontal	360	1.00	53.54	19.60	2.08	44.28
PK	400.54M	25.68	46.00	-20.32	-19.84	3	Horizontal	360	1.00	45.52	22.00	2.26	44.10
PK	596.48M	30.96	46.00	-15.04	-15.04	3	Horizontal	360	1.00	46.00	26.13	2.77	43.94



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.1474G	52.82	54.00	-1.18	3	Horizontal	72	1.87
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.1484G	53.36	54.00	-0.64	3	Horizontal	73	1.81
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.1484G	53.28	54.00	-0.72	3	Horizontal	73	1.82
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.59	54.00	-0.41	3	Horizontal	73	1.73
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	PK	5.35248G	73.57	74.00	-0.43	3	Horizontal	66	1.01
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.352G	50.87	54.00	-3.13	3	Horizontal	72	1.84
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.361G	51.67	54.00	-2.33	3	Horizontal	73	1.85
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.3512G	53.56	54.00	-0.44	3	Horizontal	73	1.83
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.35G	52.77	54.00	-1.23	3	Horizontal	71	1.89
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.726G	68.01	68.20	-0.19	3	Horizontal	72	2.34
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	5.7256G	66.62	68.20	-1.58	3	Horizontal	74	2.32
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.7276G	67.49	68.20	-0.71	3	Horizontal	73	2.35
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.46G	53.73	54.00	-0.27	3	Horizontal	67	1.00
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	PK	5.4668G	68.09	68.20	-0.11	3	Horizontal	71	2.31
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	6.0054G	62.39	68.20	-5.81	3	Horizontal	73	2.32
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.4546G	47.63	54.00	-6.37	3	Horizontal	69	2.28
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.665G	73.16	79.30	-6.14	3	Horizontal	73	2.28
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.6478G	65.47	68.20	-2.73	3	Horizontal	68	2.36

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	51.30	54.00	-2.70	3	Vertical	0	1.50
5180MHz	Pass	AV	5.1758G	105.47	Inf	-Inf	3	Vertical	0	1.50
5180MHz	Pass	PK	5.147G	64.54	74.00	-9.46	3	Vertical	0	1.50
5180MHz	Pass	PK	5.176G	113.96	Inf	-Inf	3	Vertical	0	1.50
5180MHz	Pass	AV	5.1474G	52.82	54.00	-1.18	3	Horizontal	72	1.87
5180MHz	Pass	AV	5.1768G	108.62	Inf	-Inf	3	Horizontal	72	1.87
5180MHz	Pass	PK	5.147G	67.16	74.00	-6.84	3	Horizontal	72	1.87
5180MHz	Pass	PK	5.1766G	117.18	Inf	-Inf	3	Horizontal	72	1.87
5180MHz	Pass	PK	10.35264G	54.78	68.20	-13.42	3	Vertical	25	2.84
5180MHz	Pass	PK	10.3656G	55.50	68.20	-12.70	3	Horizontal	252	1.49
5200MHz	Pass	AV	5.1496G	48.26	54.00	-5.74	3	Vertical	360	1.50
5200MHz	Pass	AV	5.206G	104.86	Inf	-Inf	3	Vertical	360	1.50
5200MHz	Pass	PK	5.142G	60.59	74.00	-13.41	3	Vertical	360	1.50
5200MHz	Pass	PK	5.206G	113.31	Inf	-Inf	3	Vertical	360	1.50
5200MHz	Pass	AV	5.15G	49.07	54.00	-4.93	3	Horizontal	70	1.86
5200MHz	Pass	AV	5.1968G	108.11	Inf	-Inf	3	Horizontal	70	1.86
5200MHz	Pass	PK	5.1444G	61.15	74.00	-12.85	3	Horizontal	70	1.86
5200MHz	Pass	PK	5.2016G	116.67	Inf	-Inf	3	Horizontal	70	1.86
5200MHz	Pass	PK	10.40332G	54.58	68.20	-13.62	3	Vertical	312	2.22
5200MHz	Pass	PK	10.39G	55.11	68.20	-13.09	3	Horizontal	264	1.00
5240MHz	Pass	AV	5.1494G	47.63	54.00	-6.37	3	Vertical	3	1.50
5240MHz	Pass	AV	5.246G	104.90	Inf	-Inf	3	Vertical	3	1.50
5240MHz	Pass	AV	5.3792G	47.64	54.00	-6.36	3	Vertical	3	1.50
5240MHz	Pass	PK	5.1158G	60.42	74.00	-13.58	3	Vertical	3	1.50
5240MHz	Pass	PK	5.246G	113.71	Inf	-Inf	3	Vertical	3	1.50
5240MHz	Pass	PK	5.3654G	59.77	74.00	-14.23	3	Vertical	3	1.50
5240MHz	Pass	AV	5.147G	48.00	54.00	-6.00	3	Horizontal	72	1.88
5240MHz	Pass	AV	5.2466G	108.18	Inf	-Inf	3	Horizontal	72	1.88
5240MHz	Pass	AV	5.3516G	48.13	54.00	-5.87	3	Horizontal	72	1.88
5240MHz	Pass	PK	5.1152G	60.06	74.00	-13.94	3	Horizontal	72	1.88
5240MHz	Pass	PK	5.2466G	116.45	Inf	-Inf	3	Horizontal	72	1.88
5240MHz	Pass	PK	5.3756G	60.37	74.00	-13.63	3	Horizontal	72	1.88
5240MHz	Pass	PK	10.47752G	54.89	68.20	-13.31	3	Vertical	310	1.50
5240MHz	Pass	PK	10.48192G	55.79	68.20	-12.41	3	Horizontal	342	2.77
5260MHz	Pass	AV	5.1472G	47.33	54.00	-6.67	3	Vertical	6	1.50
5260MHz	Pass	AV	5.2558G	103.75	Inf	-Inf	3	Vertical	6	1.50
5260MHz	Pass	AV	5.3794G	47.61	54.00	-6.39	3	Vertical	6	1.50
5260MHz	Pass	PK	5.1334G	59.35	74.00	-14.65	3	Vertical	6	1.50
5260MHz	Pass	PK	5.2648G	112.01	Inf	-Inf	3	Vertical	6	1.50
5260MHz	Pass	PK	5.4034G	60.53	74.00	-13.47	3	Vertical	6	1.50
5260MHz	Pass	AV	5.1496G	47.69	54.00	-6.31	3	Horizontal	72	1.87
5260MHz	Pass	AV	5.257G	107.05	Inf	-Inf	3	Horizontal	72	1.87
5260MHz	Pass	AV	5.35G	48.05	54.00	-5.95	3	Horizontal	72	1.87
5260MHz	Pass	PK	5.15G	59.33	74.00	-14.67	3	Horizontal	72	1.87
5260MHz	Pass	PK	5.2618G	115.72	Inf	-Inf	3	Horizontal	72	1.87
5260MHz	Pass	PK	5.3602G	60.31	74.00	-13.69	3	Horizontal	72	1.87
5260MHz	Pass	PK	10.51172G	54.33	68.20	-13.87	3	Vertical	242	1.50
5260MHz	Pass	PK	10.52776G	54.50	68.20	-13.70	3	Horizontal	133	1.50
5300MHz	Pass	AV	5.302G	103.83	Inf	-Inf	3	Vertical	10	1.95
5300MHz	Pass	AV	5.3512G	47.84	54.00	-6.16	3	Vertical	10	1.95
5300MHz	Pass	PK	5.302G	112.49	Inf	-Inf	3	Vertical	10	1.95
5300MHz	Pass	PK	5.38G	60.24	74.00	-13.76	3	Vertical	10	1.95
5300MHz	Pass	AV	5.3024G	107.44	Inf	-Inf	3	Horizontal	69	1.92
5300MHz	Pass	AV	5.3512G	48.84	54.00	-5.16	3	Horizontal	69	1.92
5300MHz	Pass	PK	5.302G	115.94	Inf	-Inf	3	Horizontal	69	1.92
5300MHz	Pass	PK	5.3552G	61.13	74.00	-12.87	3	Horizontal	69	1.92
5300MHz	Pass	PK	10.59836G	54.17	68.20	-14.03	3	Vertical	315	1.50
5300MHz	Pass	PK	10.59812G	54.64	68.20	-13.56	3	Horizontal	4	1.50
5320MHz	Pass	AV	5.326G	103.73	Inf	-Inf	3	Vertical	5	1.49
5320MHz	Pass	AV	5.3508G	49.14	54.00	-4.86	3	Vertical	5	1.49

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	PK	5.316G	112.31	Inf	-Inf	3	Vertical	5	1.49
5320MHz	Pass	PK	5.3616G	63.12	74.00	-10.88	3	Vertical	5	1.49
5320MHz	Pass	AV	5.3172G	107.52	Inf	-Inf	3	Horizontal	72	1.84
5320MHz	Pass	AV	5.352G	50.87	54.00	-3.13	3	Horizontal	72	1.84
5320MHz	Pass	PK	5.317G	116.11	Inf	-Inf	3	Horizontal	72	1.84
5320MHz	Pass	PK	5.3618G	63.52	74.00	-10.48	3	Horizontal	72	1.84
5320MHz	Pass	AV	10.63096G	41.44	54.00	-12.56	3	Vertical	284	1.29
5320MHz	Pass	PK	10.64528G	54.25	74.00	-19.75	3	Vertical	284	1.29
5320MHz	Pass	AV	10.63024G	41.41	54.00	-12.59	3	Horizontal	125	1.50
5320MHz	Pass	PK	10.64252G	54.11	74.00	-19.89	3	Horizontal	125	1.50
5500MHz	Pass	AV	5.4568G	48.37	54.00	-5.63	3	Vertical	11	1.72
5500MHz	Pass	AV	5.502G	104.94	Inf	-Inf	3	Vertical	11	1.72
5500MHz	Pass	PK	5.4552G	61.57	74.00	-12.43	3	Vertical	11	1.72
5500MHz	Pass	PK	5.4662G	61.19	68.20	-7.01	3	Vertical	11	1.72
5500MHz	Pass	PK	5.5016G	113.70	Inf	-Inf	3	Vertical	11	1.72
5500MHz	Pass	AV	5.46G	49.78	54.00	-4.22	3	Horizontal	67	1.19
5500MHz	Pass	AV	5.5012G	107.57	Inf	-Inf	3	Horizontal	67	1.19
5500MHz	Pass	PK	5.46G	62.77	74.00	-11.23	3	Horizontal	67	1.19
5500MHz	Pass	PK	5.4602G	63.39	68.20	-4.81	3	Horizontal	67	1.19
5500MHz	Pass	PK	5.5014G	116.23	Inf	-Inf	3	Horizontal	67	1.19
5500MHz	Pass	AV	10.99292G	41.22	54.00	-12.78	3	Vertical	70	1.50
5500MHz	Pass	PK	11.00076G	54.20	74.00	-19.80	3	Vertical	70	1.50
5500MHz	Pass	AV	10.99272G	41.31	54.00	-12.69	3	Horizontal	210	2.21
5500MHz	Pass	PK	10.99268G	54.29	74.00	-19.71	3	Horizontal	210	2.21
5580MHz	Pass	AV	5.4594G	47.41	54.00	-6.59	3	Vertical	16	1.88
5580MHz	Pass	AV	5.5824G	105.13	Inf	-Inf	3	Vertical	16	1.88
5580MHz	Pass	PK	5.4492G	59.31	74.00	-14.69	3	Vertical	16	1.88
5580MHz	Pass	PK	5.463G	59.28	68.20	-8.92	3	Vertical	16	1.88
5580MHz	Pass	PK	5.5872G	113.35	Inf	-Inf	3	Vertical	16	1.88
5580MHz	Pass	PK	5.7252G	59.58	68.20	-8.62	3	Vertical	16	1.88
5580MHz	Pass	AV	5.46G	47.76	54.00	-6.24	3	Horizontal	70	2.29
5580MHz	Pass	AV	5.5848G	108.43	Inf	-Inf	3	Horizontal	70	2.29
5580MHz	Pass	PK	5.4438G	59.48	74.00	-14.52	3	Horizontal	70	2.29
5580MHz	Pass	PK	5.466G	59.34	68.20	-8.86	3	Horizontal	70	2.29
5580MHz	Pass	PK	5.5848G	116.74	Inf	-Inf	3	Horizontal	70	2.29
5580MHz	Pass	PK	5.727G	60.00	68.20	-8.20	3	Horizontal	70	2.29
5580MHz	Pass	AV	11.15784G	41.39	54.00	-12.61	3	Vertical	316	1.50
5580MHz	Pass	PK	11.15112G	54.25	74.00	-19.75	3	Vertical	316	1.50
5580MHz	Pass	AV	11.15788G	41.41	54.00	-12.59	3	Horizontal	0	2.99
5580MHz	Pass	PK	11.1614G	54.51	74.00	-19.49	3	Horizontal	0	2.99
5700MHz	Pass	AV	5.696G	101.60	Inf	-Inf	3	Vertical	11	2.71
5700MHz	Pass	PK	5.6956G	110.17	Inf	-Inf	3	Vertical	11	2.71
5700MHz	Pass	PK	5.7256G	65.54	68.20	-2.66	3	Vertical	11	2.71
5700MHz	Pass	AV	5.6956G	104.87	Inf	-Inf	3	Horizontal	72	2.34
5700MHz	Pass	PK	5.7052G	113.52	Inf	-Inf	3	Horizontal	72	2.34
5700MHz	Pass	PK	5.726G	68.01	68.20	-0.19	3	Horizontal	72	2.34
5700MHz	Pass	AV	11.40064G	42.68	54.00	-11.32	3	Vertical	287	1.50
5700MHz	Pass	PK	11.40176G	55.45	74.00	-18.55	3	Vertical	287	1.50
5700MHz	Pass	AV	11.40008G	42.83	54.00	-11.17	3	Horizontal	258	2.85
5700MHz	Pass	PK	11.40496G	55.80	74.00	-18.20	3	Horizontal	258	2.85
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4272G	47.32	54.00	-6.68	3	Vertical	356	2.96
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	105.49	Inf	-Inf	3	Vertical	356	2.96
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4572G	60.41	74.00	-13.59	3	Vertical	356	2.96
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	59.51	68.20	-8.69	3	Vertical	356	2.96
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	114.19	Inf	-Inf	3	Vertical	356	2.96
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9096G	61.62	68.20	-6.58	3	Vertical	356	2.96
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.42G	47.59	54.00	-6.41	3	Horizontal	68	2.32
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	107.48	Inf	-Inf	3	Horizontal	68	2.32
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.456G	59.06	74.00	-14.94	3	Horizontal	68	2.32
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	59.87	68.20	-8.33	3	Horizontal	68	2.32
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7152G	116.10	Inf	-Inf	3	Horizontal	68	2.32
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9624G	62.22	68.20	-5.98	3	Horizontal	68	2.32



RSE TX above 1GHz Non-Beamforming Radio 2 2T1S

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44036G	42.61	54.00	-11.39	3	Vertical	46	2.33
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44176G	55.78	74.00	-18.22	3	Vertical	46	2.33
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44052G	42.87	54.00	-11.13	3	Horizontal	37	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44588G	55.78	74.00	-18.22	3	Horizontal	37	1.50
5745MHz	Pass	AV	5.4594G	47.38	54.00	-6.62	3	Vertical	340	2.93
5745MHz	Pass	AV	5.7402G	107.42	Inf	-Inf	3	Vertical	340	2.93
5745MHz	Pass	PK	5.6346G	60.00	68.20	-8.20	3	Vertical	340	2.93
5745MHz	Pass	PK	5.7402G	115.93	Inf	-Inf	3	Vertical	340	2.93
5745MHz	Pass	PK	6.0366G	62.17	68.20	-6.03	3	Vertical	340	2.93
5745MHz	Pass	AV	5.4582G	47.77	54.00	-6.23	3	Horizontal	73	2.32
5745MHz	Pass	AV	5.7402G	110.14	Inf	-Inf	3	Horizontal	73	2.32
5745MHz	Pass	PK	5.6418G	60.93	68.20	-7.27	3	Horizontal	73	2.32
5745MHz	Pass	PK	5.751G	119.15	Inf	-Inf	3	Horizontal	73	2.32
5745MHz	Pass	PK	6.0054G	62.39	68.20	-5.81	3	Horizontal	73	2.32
5745MHz	Pass	AV	11.49028G	42.86	54.00	-11.14	3	Vertical	288	1.69
5745MHz	Pass	PK	11.48516G	56.33	74.00	-17.67	3	Vertical	288	1.69
5745MHz	Pass	AV	11.49304G	42.88	54.00	-11.12	3	Horizontal	323	1.50
5745MHz	Pass	PK	11.4894G	55.84	74.00	-18.16	3	Horizontal	323	1.50
5785MHz	Pass	AV	5.78129G	106.66	Inf	-Inf	3	Vertical	344	1.81
5785MHz	Pass	PK	5.50662G	60.53	68.20	-7.67	3	Vertical	344	1.81
5785MHz	Pass	PK	5.78129G	115.44	Inf	-Inf	3	Vertical	344	1.81
5785MHz	Pass	PK	5.96037G	61.20	68.20	-7.00	3	Vertical	344	1.81
5785MHz	Pass	AV	5.77766G	109.77	Inf	-Inf	3	Horizontal	70	1.72
5785MHz	Pass	PK	5.55139G	60.97	68.20	-7.23	3	Horizontal	70	1.72
5785MHz	Pass	PK	5.77766G	118.20	Inf	-Inf	3	Horizontal	70	1.72
5785MHz	Pass	PK	6.03902G	61.21	68.20	-6.99	3	Horizontal	70	1.72
5785MHz	Pass	AV	11.5716G	43.58	54.00	-10.42	3	Vertical	202	2.04
5785MHz	Pass	PK	11.56628G	56.42	74.00	-17.58	3	Vertical	202	2.04
5785MHz	Pass	AV	11.57212G	44.02	54.00	-9.98	3	Horizontal	337	1.65
5785MHz	Pass	PK	11.56712G	56.60	74.00	-17.40	3	Horizontal	337	1.65
5825MHz	Pass	AV	5.8274G	105.98	Inf	-Inf	3	Vertical	345	1.86
5825MHz	Pass	PK	5.5598G	60.22	68.20	-7.98	3	Vertical	345	1.86
5825MHz	Pass	PK	5.8214G	114.42	Inf	-Inf	3	Vertical	345	1.86
5825MHz	Pass	PK	6.1238G	62.00	68.20	-6.20	3	Vertical	345	1.86
5825MHz	Pass	AV	5.8214G	108.78	Inf	-Inf	3	Horizontal	73	2.34
5825MHz	Pass	PK	5.639G	61.07	68.20	-7.13	3	Horizontal	73	2.34
5825MHz	Pass	PK	5.8202G	117.26	Inf	-Inf	3	Horizontal	73	2.34
5825MHz	Pass	PK	6.0698G	61.35	68.20	-6.85	3	Horizontal	73	2.34
5825MHz	Pass	AV	11.65068G	43.59	54.00	-10.41	3	Vertical	197	2.87
5825MHz	Pass	PK	11.64592G	56.49	74.00	-17.51	3	Vertical	197	2.87
5825MHz	Pass	AV	11.65052G	43.69	54.00	-10.31	3	Horizontal	47	1.50
5825MHz	Pass	PK	11.65208G	56.55	74.00	-17.45	3	Horizontal	47	1.50
802.11be EHT20_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.148G	51.48	54.00	-2.52	3	Vertical	0	1.50
5180MHz	Pass	AV	5.1778G	104.43	Inf	-Inf	3	Vertical	0	1.50
5180MHz	Pass	PK	5.1408G	67.58	74.00	-6.42	3	Vertical	0	1.50
5180MHz	Pass	PK	5.1778G	115.76	Inf	-Inf	3	Vertical	0	1.50
5180MHz	Pass	AV	5.1484G	53.36	54.00	-0.64	3	Horizontal	73	1.81
5180MHz	Pass	AV	5.1808G	107.34	Inf	-Inf	3	Horizontal	73	1.81
5180MHz	Pass	PK	5.1406G	69.40	74.00	-4.60	3	Horizontal	73	1.81
5180MHz	Pass	PK	5.1832G	119.21	Inf	-Inf	3	Horizontal	73	1.81
5180MHz	Pass	PK	10.35504G	54.88	68.20	-13.32	3	Vertical	28	1.50
5180MHz	Pass	PK	10.36044G	55.67	68.20	-12.53	3	Horizontal	244	1.50
5200MHz	Pass	AV	5.15G	48.68	54.00	-5.32	3	Vertical	6	1.50
5200MHz	Pass	AV	5.1928G	104.08	Inf	-Inf	3	Vertical	6	1.50
5200MHz	Pass	PK	5.1452G	60.44	74.00	-13.56	3	Vertical	6	1.50
5200MHz	Pass	PK	5.1948G	115.31	Inf	-Inf	3	Vertical	6	1.50
5200MHz	Pass	AV	5.15G	49.46	54.00	-4.54	3	Horizontal	69	1.87
5200MHz	Pass	AV	5.2008G	106.97	Inf	-Inf	3	Horizontal	69	1.87
5200MHz	Pass	PK	5.1496G	61.21	74.00	-12.79	3	Horizontal	69	1.87
5200MHz	Pass	PK	5.1984G	118.09	Inf	-Inf	3	Horizontal	69	1.87
5200MHz	Pass	PK	10.39176G	54.44	68.20	-13.76	3	Vertical	234	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5200MHz	Pass	PK	10.40912G	54.37	68.20	-13.83	3	Horizontal	262	1.50
5240MHz	Pass	AV	5.1494G	47.49	54.00	-6.51	3	Vertical	3	1.50
5240MHz	Pass	AV	5.2478G	103.98	Inf	-Inf	3	Vertical	3	1.50
5240MHz	Pass	AV	5.3744G	47.51	54.00	-6.49	3	Vertical	3	1.50
5240MHz	Pass	PK	5.15G	59.69	74.00	-14.31	3	Vertical	3	1.50
5240MHz	Pass	PK	5.2328G	114.92	Inf	-Inf	3	Vertical	3	1.50
5240MHz	Pass	PK	5.3684G	60.25	74.00	-13.75	3	Vertical	3	1.50
5240MHz	Pass	AV	5.15G	47.93	54.00	-6.07	3	Horizontal	70	1.91
5240MHz	Pass	AV	5.2358G	107.36	Inf	-Inf	3	Horizontal	70	1.91
5240MHz	Pass	AV	5.35G	48.00	54.00	-6.00	3	Horizontal	70	1.91
5240MHz	Pass	PK	5.1428G	60.25	74.00	-13.75	3	Horizontal	70	1.91
5240MHz	Pass	PK	5.2436G	118.15	Inf	-Inf	3	Horizontal	70	1.91
5240MHz	Pass	PK	5.3504G	60.29	74.00	-13.71	3	Horizontal	70	1.91
5240MHz	Pass	PK	10.48136G	54.45	68.20	-13.75	3	Vertical	265	1.80
5240MHz	Pass	PK	10.47508G	54.50	68.20	-13.70	3	Horizontal	240	2.82
5260MHz	Pass	AV	5.1424G	47.24	54.00	-6.76	3	Vertical	6	1.50
5260MHz	Pass	AV	5.2528G	102.87	Inf	-Inf	3	Vertical	6	1.50
5260MHz	Pass	AV	5.35G	47.53	54.00	-6.47	3	Vertical	6	1.50
5260MHz	Pass	PK	5.134G	59.74	74.00	-14.26	3	Vertical	6	1.50
5260MHz	Pass	PK	5.2534G	114.72	Inf	-Inf	3	Vertical	6	1.50
5260MHz	Pass	PK	5.4082G	59.80	74.00	-14.20	3	Vertical	6	1.50
5260MHz	Pass	AV	5.1436G	47.51	54.00	-6.49	3	Horizontal	74	1.79
5260MHz	Pass	AV	5.2558G	106.24	Inf	-Inf	3	Horizontal	74	1.79
5260MHz	Pass	AV	5.35G	47.91	54.00	-6.09	3	Horizontal	74	1.79
5260MHz	Pass	PK	5.1316G	59.95	74.00	-14.05	3	Horizontal	74	1.79
5260MHz	Pass	PK	5.2588G	117.14	Inf	-Inf	3	Horizontal	74	1.79
5260MHz	Pass	PK	5.3704G	60.05	74.00	-13.95	3	Horizontal	74	1.79
5260MHz	Pass	PK	10.51528G	54.83	68.20	-13.37	3	Vertical	223	1.50
5260MHz	Pass	PK	10.51888G	54.62	68.20	-13.58	3	Horizontal	265	1.43
5300MHz	Pass	AV	5.3028G	102.86	Inf	-Inf	3	Vertical	4	1.50
5300MHz	Pass	AV	5.3504G	48.04	54.00	-5.96	3	Vertical	4	1.50
5300MHz	Pass	PK	5.3056G	114.57	Inf	-Inf	3	Vertical	4	1.50
5300MHz	Pass	PK	5.3792G	61.05	74.00	-12.95	3	Vertical	4	1.50
5300MHz	Pass	AV	5.3036G	106.71	Inf	-Inf	3	Horizontal	72	1.92
5300MHz	Pass	AV	5.3512G	49.21	54.00	-4.79	3	Horizontal	72	1.92
5300MHz	Pass	PK	5.3088G	118.27	Inf	-Inf	3	Horizontal	72	1.92
5300MHz	Pass	PK	5.354G	61.36	74.00	-12.64	3	Horizontal	72	1.92
5300MHz	Pass	PK	10.59188G	54.33	68.20	-13.87	3	Vertical	151	1.50
5300MHz	Pass	PK	10.590928G	54.63	68.20	-13.57	3	Horizontal	246	1.50
5320MHz	Pass	AV	5.323G	103.35	Inf	-Inf	3	Vertical	6	1.58
5320MHz	Pass	AV	5.3606G	49.88	54.00	-4.12	3	Vertical	6	1.58
5320MHz	Pass	PK	5.328G	115.30	Inf	-Inf	3	Vertical	6	1.58
5320MHz	Pass	PK	5.3606G	63.41	74.00	-10.59	3	Vertical	6	1.58
5320MHz	Pass	AV	5.3186G	106.64	Inf	-Inf	3	Horizontal	73	1.85
5320MHz	Pass	AV	5.361G	51.67	54.00	-2.33	3	Horizontal	73	1.85
5320MHz	Pass	PK	5.3262G	118.68	Inf	-Inf	3	Horizontal	73	1.85
5320MHz	Pass	PK	5.361G	65.09	74.00	-8.91	3	Horizontal	73	1.85
5320MHz	Pass	AV	10.63036G	41.51	54.00	-12.49	3	Vertical	302	1.50
5320MHz	Pass	PK	10.64812G	54.12	74.00	-19.88	3	Vertical	302	1.50
5320MHz	Pass	AV	10.63032G	41.58	54.00	-12.42	3	Horizontal	249	1.50
5320MHz	Pass	PK	10.63512G	55.28	74.00	-18.72	3	Horizontal	249	1.50
5500MHz	Pass	AV	5.4586G	49.56	54.00	-4.44	3	Vertical	12	1.82
5500MHz	Pass	AV	5.5036G	104.24	Inf	-Inf	3	Vertical	12	1.82
5500MHz	Pass	PK	5.4582G	61.71	74.00	-12.29	3	Vertical	12	1.82
5500MHz	Pass	PK	5.4694G	61.81	68.20	-6.39	3	Vertical	12	1.82
5500MHz	Pass	PK	5.5086G	115.64	Inf	-Inf	3	Vertical	12	1.82
5500MHz	Pass	AV	5.4596G	51.99	54.00	-2.01	3	Horizontal	70	2.34
5500MHz	Pass	AV	5.5022G	107.42	Inf	-Inf	3	Horizontal	70	2.34
5500MHz	Pass	PK	5.4594G	67.51	74.00	-6.49	3	Horizontal	70	2.34
5500MHz	Pass	PK	5.4674G	62.89	68.20	-5.31	3	Horizontal	70	2.34
5500MHz	Pass	PK	5.5024G	119.19	Inf	-Inf	3	Horizontal	70	2.34
5500MHz	Pass	AV	10.99444G	41.25	54.00	-12.75	3	Vertical	96	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz	Pass	PK	11.0042G	54.02	74.00	-19.98	3	Vertical	96	1.50
5500MHz	Pass	AV	10.99488G	41.36	54.00	-12.64	3	Horizontal	252	1.50
5500MHz	Pass	PK	10.99704G	54.73	74.00	-19.27	3	Horizontal	252	1.50
5580MHz	Pass	AV	5.4582G	47.27	54.00	-6.73	3	Vertical	12	1.49
5580MHz	Pass	AV	5.5806G	103.31	Inf	-Inf	3	Vertical	12	1.49
5580MHz	Pass	PK	5.4312G	59.86	74.00	-14.14	3	Vertical	12	1.49
5580MHz	Pass	PK	5.4636G	59.12	68.20	-9.08	3	Vertical	12	1.49
5580MHz	Pass	PK	5.5806G	114.39	Inf	-Inf	3	Vertical	12	1.49
5580MHz	Pass	PK	5.727G	59.64	68.20	-8.56	3	Vertical	12	1.49
5580MHz	Pass	AV	5.4576G	47.64	54.00	-6.36	3	Horizontal	69	2.33
5580MHz	Pass	AV	5.5824G	107.62	Inf	-Inf	3	Horizontal	69	2.33
5580MHz	Pass	PK	5.457G	60.39	74.00	-13.61	3	Horizontal	69	2.33
5580MHz	Pass	PK	5.4654G	59.64	68.20	-8.56	3	Horizontal	69	2.33
5580MHz	Pass	PK	5.5854G	119.26	Inf	-Inf	3	Horizontal	69	2.33
5580MHz	Pass	PK	5.73G	60.51	68.20	-7.69	3	Horizontal	69	2.33
5580MHz	Pass	AV	11.15716G	41.35	54.00	-12.65	3	Vertical	266	1.50
5580MHz	Pass	PK	11.15132G	53.82	74.00	-20.18	3	Vertical	266	1.50
5580MHz	Pass	AV	11.15968G	41.35	54.00	-12.65	3	Horizontal	20	1.39
5580MHz	Pass	PK	11.16276G	54.28	74.00	-19.72	3	Horizontal	20	1.39
5700MHz	Pass	AV	5.698G	100.15	Inf	-Inf	3	Vertical	336	2.95
5700MHz	Pass	PK	5.7056G	111.89	Inf	-Inf	3	Vertical	336	2.95
5700MHz	Pass	PK	5.726G	61.43	68.20	-6.77	3	Vertical	336	2.95
5700MHz	Pass	AV	5.6976G	102.99	Inf	-Inf	3	Horizontal	74	2.32
5700MHz	Pass	PK	5.7076G	114.65	Inf	-Inf	3	Horizontal	74	2.32
5700MHz	Pass	PK	5.7256G	66.62	68.20	-1.58	3	Horizontal	74	2.32
5700MHz	Pass	AV	11.40056G	42.68	54.00	-11.32	3	Vertical	205	1.50
5700MHz	Pass	PK	11.40208G	55.65	74.00	-18.35	3	Vertical	205	1.50
5700MHz	Pass	AV	11.39996G	42.64	54.00	-11.36	3	Horizontal	56	1.50
5700MHz	Pass	PK	11.4096G	55.70	74.00	-18.30	3	Horizontal	56	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4212G	47.26	54.00	-6.74	3	Vertical	337	2.95
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	104.58	Inf	-Inf	3	Vertical	337	2.95
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4332G	59.38	74.00	-14.62	3	Vertical	337	2.95
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	59.59	68.20	-8.61	3	Vertical	337	2.95
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	116.12	Inf	-Inf	3	Vertical	337	2.95
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.912G	61.91	68.20	-6.29	3	Vertical	337	2.95
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	47.50	54.00	-6.50	3	Horizontal	74	2.35
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	107.34	Inf	-Inf	3	Horizontal	74	2.35
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4212G	59.33	74.00	-14.67	3	Horizontal	74	2.35
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	58.87	68.20	-9.33	3	Horizontal	74	2.35
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	118.22	Inf	-Inf	3	Horizontal	74	2.35
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9684G	61.36	68.20	-6.84	3	Horizontal	74	2.35
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4386G	42.62	54.00	-11.38	3	Vertical	262	2.51
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43676G	55.76	74.00	-18.24	3	Vertical	262	2.51
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44116G	42.80	54.00	-11.20	3	Horizontal	335	1.86
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.433G	55.56	74.00	-18.44	3	Horizontal	335	1.86
5745MHz	Pass	AV	5.4594G	47.29	54.00	-6.71	3	Vertical	340	2.92
5745MHz	Pass	AV	5.7402G	106.73	Inf	-Inf	3	Vertical	340	2.92
5745MHz	Pass	PK	5.6118G	60.34	68.20	-7.86	3	Vertical	340	2.92
5745MHz	Pass	PK	5.7426G	118.22	Inf	-Inf	3	Vertical	340	2.92
5745MHz	Pass	PK	5.9346G	61.16	68.20	-7.04	3	Vertical	340	2.92
5745MHz	Pass	AV	5.4546G	47.63	54.00	-6.37	3	Horizontal	69	2.28
5745MHz	Pass	AV	5.7498G	109.52	Inf	-Inf	3	Horizontal	69	2.28
5745MHz	Pass	PK	5.6106G	60.50	68.20	-7.70	3	Horizontal	69	2.28
5745MHz	Pass	PK	5.751G	120.61	Inf	-Inf	3	Horizontal	69	2.28
5745MHz	Pass	PK	5.973G	61.51	68.20	-6.69	3	Horizontal	69	2.28
5745MHz	Pass	AV	11.49036G	43.23	54.00	-10.77	3	Vertical	205	3.00
5745MHz	Pass	PK	11.48256G	56.18	74.00	-17.82	3	Vertical	205	3.00
5745MHz	Pass	AV	11.48872G	43.39	54.00	-10.61	3	Horizontal	334	1.68
5745MHz	Pass	PK	11.49944G	55.83	74.00	-18.17	3	Horizontal	334	1.68
5785MHz	Pass	AV	5.78129G	105.77	Inf	-Inf	3	Vertical	342	1.82
5785MHz	Pass	PK	5.54776G	60.06	68.20	-8.14	3	Vertical	342	1.82
5785MHz	Pass	PK	5.79339G	116.03	Inf	-Inf	3	Vertical	342	1.82



RSE TX above 1GHz Non-Beamforming Radio 2 2T1S

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	PK	6.0003G	61.34	68.20	-6.86	3	Vertical	342	1.82
5785MHz	Pass	AV	5.77766G	109.42	Inf	-Inf	3	Horizontal	69	2.34
5785MHz	Pass	PK	5.57438G	61.03	68.20	-7.17	3	Horizontal	69	2.34
5785MHz	Pass	PK	5.77766G	119.82	Inf	-Inf	3	Horizontal	69	2.34
5785MHz	Pass	PK	5.99788G	61.60	68.20	-6.60	3	Horizontal	69	2.34
5785MHz	Pass	AV	11.56832G	43.41	54.00	-10.59	3	Vertical	201	2.03
5785MHz	Pass	PK	11.5784G	56.15	74.00	-17.85	3	Vertical	201	2.03
5785MHz	Pass	AV	11.56956G	44.21	54.00	-9.79	3	Horizontal	254	2.57
5785MHz	Pass	PK	11.56908G	57.03	74.00	-16.97	3	Horizontal	254	2.57
5825MHz	Pass	AV	5.8286G	105.03	Inf	-Inf	3	Vertical	346	1.88
5825MHz	Pass	PK	5.6294G	61.26	68.20	-6.94	3	Vertical	346	1.88
5825MHz	Pass	PK	5.8238G	115.35	Inf	-Inf	3	Vertical	346	1.88
5825MHz	Pass	PK	6.0038G	61.71	68.20	-6.49	3	Vertical	346	1.88
5825MHz	Pass	AV	5.8178G	108.04	Inf	-Inf	3	Horizontal	72	2.37
5825MHz	Pass	PK	5.579G	60.87	68.20	-7.33	3	Horizontal	72	2.37
5825MHz	Pass	PK	5.8286G	118.87	Inf	-Inf	3	Horizontal	72	2.37
5825MHz	Pass	PK	6.1046G	61.82	68.20	-6.38	3	Horizontal	72	2.37
5825MHz	Pass	AV	11.65084G	43.63	54.00	-10.37	3	Vertical	202	2.06
5825MHz	Pass	PK	11.65764G	56.17	74.00	-17.83	3	Vertical	202	2.06
5825MHz	Pass	AV	11.6502G	43.38	54.00	-10.62	3	Horizontal	49	1.50
5825MHz	Pass	PK	11.6472G	56.31	74.00	-17.69	3	Horizontal	49	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	51.52	54.00	-2.48	3	Vertical	2	1.49
5190MHz	Pass	AV	5.1752G	100.85	Inf	-Inf	3	Vertical	2	1.49
5190MHz	Pass	PK	5.1496G	63.82	74.00	-10.18	3	Vertical	2	1.49
5190MHz	Pass	PK	5.18G	112.21	Inf	-Inf	3	Vertical	2	1.49
5190MHz	Pass	AV	5.1484G	53.28	54.00	-0.72	3	Horizontal	73	1.82
5190MHz	Pass	AV	5.1832G	103.91	Inf	-Inf	3	Horizontal	73	1.82
5190MHz	Pass	PK	5.146G	65.26	74.00	-8.74	3	Horizontal	73	1.82
5190MHz	Pass	PK	5.186G	115.50	Inf	-Inf	3	Horizontal	73	1.82
5190MHz	Pass	PK	10.38016G	54.45	68.20	-13.75	3	Vertical	274	2.74
5190MHz	Pass	PK	10.37712G	55.01	68.20	-13.19	3	Horizontal	99	1.50
5230MHz	Pass	AV	5.15G	49.63	54.00	-4.37	3	Vertical	4	1.50
5230MHz	Pass	AV	5.2352G	101.21	Inf	-Inf	3	Vertical	4	1.50
5230MHz	Pass	PK	5.1476G	61.45	74.00	-12.55	3	Vertical	4	1.50
5230MHz	Pass	PK	5.2376G	112.25	Inf	-Inf	3	Vertical	4	1.50
5230MHz	Pass	AV	5.15G	51.11	54.00	-2.89	3	Horizontal	73	1.74
5230MHz	Pass	AV	5.2232G	104.65	Inf	-Inf	3	Horizontal	73	1.74
5230MHz	Pass	PK	5.148G	64.18	74.00	-9.82	3	Horizontal	73	1.74
5230MHz	Pass	PK	5.2132G	116.27	Inf	-Inf	3	Horizontal	73	1.74
5230MHz	Pass	PK	10.46472G	54.57	68.20	-13.63	3	Vertical	339	2.41
5230MHz	Pass	PK	10.44864G	55.02	68.20	-13.18	3	Horizontal	109	1.50
5270MHz	Pass	AV	5.2552G	99.86	Inf	-Inf	3	Vertical	5	1.50
5270MHz	Pass	AV	5.3504G	48.45	54.00	-5.55	3	Vertical	5	1.50
5270MHz	Pass	PK	5.2552G	111.64	Inf	-Inf	3	Vertical	5	1.50
5270MHz	Pass	PK	5.3536G	60.07	74.00	-13.93	3	Vertical	5	1.50
5270MHz	Pass	AV	5.266G	103.50	Inf	-Inf	3	Horizontal	69	2.00
5270MHz	Pass	AV	5.3512G	49.83	54.00	-4.17	3	Horizontal	69	2.00
5270MHz	Pass	PK	5.2716G	115.45	Inf	-Inf	3	Horizontal	69	2.00
5270MHz	Pass	PK	5.354G	61.76	74.00	-12.24	3	Horizontal	69	2.00
5270MHz	Pass	PK	10.54088G	55.24	68.20	-12.96	3	Vertical	285	2.60
5270MHz	Pass	PK	10.53544G	54.47	68.20	-13.73	3	Horizontal	185	2.15
5310MHz	Pass	AV	5.3024G	99.95	Inf	-Inf	3	Vertical	15	1.50
5310MHz	Pass	AV	5.35G	51.24	54.00	-2.76	3	Vertical	15	1.50
5310MHz	Pass	PK	5.2996G	112.09	Inf	-Inf	3	Vertical	15	1.50
5310MHz	Pass	PK	5.3524G	62.37	74.00	-11.63	3	Vertical	15	1.50
5310MHz	Pass	AV	5.306G	103.72	Inf	-Inf	3	Horizontal	73	1.83
5310MHz	Pass	AV	5.3512G	53.56	54.00	-0.44	3	Horizontal	73	1.83
5310MHz	Pass	PK	5.3084G	115.77	Inf	-Inf	3	Horizontal	73	1.83
5310MHz	Pass	PK	5.3568G	66.27	74.00	-7.73	3	Horizontal	73	1.83
5310MHz	Pass	AV	10.61536G	41.63	54.00	-12.37	3	Vertical	255	2.71
5310MHz	Pass	PK	10.61016G	54.58	74.00	-19.42	3	Vertical	255	2.71

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz	Pass	AV	10.62352G	41.66	54.00	-12.34	3	Horizontal	360	1.04
5310MHz	Pass	PK	10.61888G	54.26	74.00	-19.74	3	Horizontal	360	1.04
5510MHz	Pass	AV	5.458G	49.02	54.00	-4.98	3	Vertical	14	1.83
5510MHz	Pass	AV	5.516G	101.73	Inf	-Inf	3	Vertical	14	1.83
5510MHz	Pass	PK	5.4512G	61.15	74.00	-12.85	3	Vertical	14	1.83
5510MHz	Pass	PK	5.466G	62.22	68.20	-5.98	3	Vertical	14	1.83
5510MHz	Pass	PK	5.516G	113.12	Inf	-Inf	3	Vertical	14	1.83
5510MHz	Pass	AV	5.4596G	51.25	54.00	-2.75	3	Horizontal	72	2.33
5510MHz	Pass	AV	5.5148G	105.09	Inf	-Inf	3	Horizontal	72	2.33
5510MHz	Pass	PK	5.4548G	62.59	74.00	-11.41	3	Horizontal	72	2.33
5510MHz	Pass	PK	5.4696G	64.11	68.20	-4.09	3	Horizontal	72	2.33
5510MHz	Pass	PK	5.5124G	116.72	Inf	-Inf	3	Horizontal	72	2.33
5510MHz	Pass	AV	11.03216G	41.23	54.00	-12.77	3	Vertical	48	1.50
5510MHz	Pass	PK	11.03488G	54.06	74.00	-19.94	3	Vertical	48	1.50
5510MHz	Pass	AV	11.03464G	41.24	54.00	-12.76	3	Horizontal	336	1.50
5510MHz	Pass	PK	11.0196G	54.85	74.00	-19.15	3	Horizontal	336	1.50
5550MHz	Pass	AV	5.4584G	48.01	54.00	-5.99	3	Vertical	14	1.80
5550MHz	Pass	AV	5.536G	101.73	Inf	-Inf	3	Vertical	14	1.80
5550MHz	Pass	PK	5.4536G	59.97	74.00	-14.03	3	Vertical	14	1.80
5550MHz	Pass	PK	5.4684G	61.59	68.20	-6.61	3	Vertical	14	1.80
5550MHz	Pass	PK	5.544G	113.18	Inf	-Inf	3	Vertical	14	1.80
5550MHz	Pass	AV	5.4592G	48.98	54.00	-5.02	3	Horizontal	69	2.33
5550MHz	Pass	AV	5.5424G	104.86	Inf	-Inf	3	Horizontal	69	2.33
5550MHz	Pass	PK	5.4556G	60.89	74.00	-13.11	3	Horizontal	69	2.33
5550MHz	Pass	PK	5.4692G	62.17	68.20	-6.03	3	Horizontal	69	2.33
5550MHz	Pass	PK	5.5424G	116.75	Inf	-Inf	3	Horizontal	69	2.33
5550MHz	Pass	AV	11.10944G	41.37	54.00	-12.63	3	Vertical	191	1.50
5550MHz	Pass	PK	11.08736G	54.43	74.00	-19.57	3	Vertical	191	1.50
5550MHz	Pass	AV	11.11112G	41.39	54.00	-12.61	3	Horizontal	284	1.50
5550MHz	Pass	PK	11.09056G	54.44	74.00	-19.56	3	Horizontal	284	1.50
5670MHz	Pass	AV	5.6742G	100.28	Inf	-Inf	3	Vertical	20	2.16
5670MHz	Pass	PK	5.6766G	111.47	Inf	-Inf	3	Vertical	20	2.16
5670MHz	Pass	PK	5.7252G	64.54	68.20	-3.66	3	Vertical	20	2.16
5670MHz	Pass	AV	5.6826G	103.53	Inf	-Inf	3	Horizontal	73	2.35
5670MHz	Pass	PK	5.6724G	115.34	Inf	-Inf	3	Horizontal	73	2.35
5670MHz	Pass	PK	5.7276G	67.49	68.20	-0.71	3	Horizontal	73	2.35
5670MHz	Pass	AV	11.3508G	42.40	54.00	-11.60	3	Vertical	87	1.50
5670MHz	Pass	PK	11.35528G	55.56	74.00	-18.44	3	Vertical	87	1.50
5670MHz	Pass	AV	11.35112G	42.47	54.00	-11.53	3	Horizontal	332	1.21
5670MHz	Pass	PK	11.35712G	55.72	74.00	-18.28	3	Horizontal	332	1.21
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.434G	47.27	54.00	-6.73	3	Vertical	337	2.95
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6956G	101.94	Inf	-Inf	3	Vertical	337	2.95
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.422G	60.08	74.00	-13.92	3	Vertical	337	2.95
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4688G	58.92	68.20	-9.28	3	Vertical	337	2.95
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7028G	112.89	Inf	-Inf	3	Vertical	337	2.95
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9704G	61.50	68.20	-6.70	3	Vertical	337	2.95
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4556G	47.61	54.00	-6.39	3	Horizontal	73	2.32
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7052G	104.64	Inf	-Inf	3	Horizontal	73	2.32
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4256G	59.54	74.00	-14.46	3	Horizontal	73	2.32
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	58.45	68.20	-9.75	3	Horizontal	73	2.32
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6932G	117.23	Inf	-Inf	3	Horizontal	73	2.32
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8924G	61.31	68.20	-6.89	3	Horizontal	73	2.32
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4036G	42.58	54.00	-11.42	3	Vertical	225	2.62
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40624G	55.66	74.00	-18.34	3	Vertical	225	2.62
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40056G	42.54	54.00	-11.46	3	Horizontal	295	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41984G	55.46	74.00	-18.54	3	Horizontal	295	1.50
5755MHz	Pass	AV	5.4574G	47.26	54.00	-6.74	3	Vertical	339	2.92
5755MHz	Pass	AV	5.7406G	102.22	Inf	-Inf	3	Vertical	339	2.92
5755MHz	Pass	PK	5.6398G	60.57	68.20	-7.63	3	Vertical	339	2.92
5755MHz	Pass	PK	5.7454G	113.17	Inf	-Inf	3	Vertical	339	2.92
5755MHz	Pass	PK	5.9506G	61.64	68.20	-6.56	3	Vertical	339	2.92
5755MHz	Pass	AV	5.4574G	47.58	54.00	-6.42	3	Horizontal	73	2.28

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5755MHz	Pass	AV	5.7598G	105.50	Inf	-Inf	3	Horizontal	73	2.28
5755MHz	Pass	PK	5.665G	73.16	79.30	-6.14	3	Horizontal	73	2.28
5755MHz	Pass	PK	5.7598G	117.83	Inf	-Inf	3	Horizontal	73	2.28
5755MHz	Pass	PK	6.0394G	62.04	68.20	-6.16	3	Horizontal	73	2.28
5755MHz	Pass	AV	11.52536G	42.73	54.00	-11.27	3	Vertical	197	1.41
5755MHz	Pass	PK	11.52976G	55.54	74.00	-18.46	3	Vertical	197	1.41
5755MHz	Pass	AV	11.52528G	42.73	54.00	-11.27	3	Horizontal	360	1.50
5755MHz	Pass	PK	11.51248G	55.48	74.00	-18.52	3	Horizontal	360	1.50
5795MHz	Pass	AV	5.7854G	101.27	Inf	-Inf	3	Vertical	346	1.82
5795MHz	Pass	PK	5.6414G	59.88	68.20	-8.32	3	Vertical	346	1.82
5795MHz	Pass	PK	5.7806G	112.91	Inf	-Inf	3	Vertical	346	1.82
5795MHz	Pass	PK	6.0422G	61.54	68.20	-6.66	3	Vertical	346	1.82
5795MHz	Pass	AV	5.7794G	104.46	Inf	-Inf	3	Horizontal	69	1.73
5795MHz	Pass	PK	5.6318G	60.85	68.20	-7.35	3	Horizontal	69	1.73
5795MHz	Pass	PK	5.7914G	116.01	Inf	-Inf	3	Horizontal	69	1.73
5795MHz	Pass	PK	5.9882G	62.02	68.20	-6.18	3	Horizontal	69	1.73
5795MHz	Pass	AV	11.57168G	42.52	54.00	-11.48	3	Vertical	65	1.50
5795MHz	Pass	PK	11.58952G	55.10	74.00	-18.90	3	Vertical	65	1.50
5795MHz	Pass	AV	11.60536G	42.67	54.00	-11.33	3	Horizontal	192	2.49
5795MHz	Pass	PK	11.5992G	56.02	74.00	-17.98	3	Horizontal	192	2.49
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	51.32	54.00	-2.68	3	Vertical	1	1.49
5210MHz	Pass	AV	5.178G	97.17	Inf	-Inf	3	Vertical	1	1.49
5210MHz	Pass	AV	5.351G	47.91	54.00	-6.09	3	Vertical	1	1.49
5210MHz	Pass	PK	5.148G	62.54	74.00	-11.46	3	Vertical	1	1.49
5210MHz	Pass	PK	5.193G	109.11	Inf	-Inf	3	Vertical	1	1.49
5210MHz	Pass	PK	5.353G	59.73	74.00	-14.27	3	Vertical	1	1.49
5210MHz	Pass	AV	5.15G	53.59	54.00	-0.41	3	Horizontal	73	1.73
5210MHz	Pass	AV	5.221G	100.60	Inf	-Inf	3	Horizontal	73	1.73
5210MHz	Pass	AV	5.351G	49.13	54.00	-4.87	3	Horizontal	73	1.73
5210MHz	Pass	PK	5.15G	65.62	74.00	-8.38	3	Horizontal	73	1.73
5210MHz	Pass	PK	5.219G	111.84	Inf	-Inf	3	Horizontal	73	1.73
5210MHz	Pass	PK	5.37G	61.49	74.00	-12.51	3	Horizontal	73	1.73
5210MHz	Pass	PK	10.38336G	54.92	68.20	-13.28	3	Vertical	101	1.47
5210MHz	Pass	PK	10.41904G	54.50	68.20	-13.70	3	Horizontal	177	2.41
5290MHz	Pass	AV	5.147G	48.06	54.00	-5.94	3	Vertical	5	1.50
5290MHz	Pass	AV	5.301G	97.19	Inf	-Inf	3	Vertical	5	1.50
5290MHz	Pass	AV	5.351G	49.81	54.00	-4.19	3	Vertical	5	1.50
5290MHz	Pass	PK	5.132G	59.68	74.00	-14.32	3	Vertical	5	1.50
5290MHz	Pass	PK	5.298G	108.92	Inf	-Inf	3	Vertical	5	1.50
5290MHz	Pass	PK	5.361G	60.96	74.00	-13.04	3	Vertical	5	1.50
5290MHz	Pass	PK	5.468G	60.01	68.20	-8.19	3	Vertical	5	1.50
5290MHz	Pass	AV	5.15G	48.85	54.00	-5.15	3	Horizontal	71	1.89
5290MHz	Pass	AV	5.301G	101.14	Inf	-Inf	3	Horizontal	71	1.89
5290MHz	Pass	AV	5.35G	52.77	54.00	-1.23	3	Horizontal	71	1.89
5290MHz	Pass	PK	5.149G	60.48	74.00	-13.52	3	Horizontal	71	1.89
5290MHz	Pass	PK	5.296G	112.68	Inf	-Inf	3	Horizontal	71	1.89
5290MHz	Pass	PK	5.35G	63.44	74.00	-10.56	3	Horizontal	71	1.89
5290MHz	Pass	PK	5.499G	60.68	68.20	-7.52	3	Horizontal	71	1.89
5290MHz	Pass	AV	10.61792G	41.67	54.00	-12.33	3	Vertical	115	1.10
5290MHz	Pass	PK	10.6016G	54.82	74.00	-19.18	3	Vertical	115	1.10
5290MHz	Pass	AV	10.61584G	41.63	54.00	-12.37	3	Horizontal	291	1.50
5290MHz	Pass	PK	10.61104G	54.45	74.00	-19.55	3	Horizontal	291	1.50
5530MHz	Pass	AV	5.35G	47.51	54.00	-6.49	3	Vertical	13	1.85
5530MHz	Pass	AV	5.458G	52.09	54.00	-1.91	3	Vertical	13	1.85
5530MHz	Pass	AV	5.519G	98.59	Inf	-Inf	3	Vertical	13	1.85
5530MHz	Pass	PK	5.287G	60.45	68.20	-7.75	3	Vertical	13	1.85
5530MHz	Pass	PK	5.446G	64.36	74.00	-9.64	3	Vertical	13	1.85
5530MHz	Pass	PK	5.464G	64.48	68.20	-3.72	3	Vertical	13	1.85
5530MHz	Pass	PK	5.521G	110.61	Inf	-Inf	3	Vertical	13	1.85
5530MHz	Pass	PK	5.75G	60.69	68.20	-7.51	3	Vertical	13	1.85
5530MHz	Pass	AV	5.35G	47.97	54.00	-6.03	3	Horizontal	67	1.00

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5530MHz	Pass	AV	5.46G	53.73	54.00	-0.27	3	Horizontal	67	1.00
5530MHz	Pass	AV	5.518G	101.21	Inf	-Inf	3	Horizontal	67	1.00
5530MHz	Pass	PK	5.347G	61.02	68.20	-7.18	3	Horizontal	67	1.00
5530MHz	Pass	PK	5.455G	65.76	74.00	-8.24	3	Horizontal	67	1.00
5530MHz	Pass	PK	5.47G	66.40	68.20	-1.80	3	Horizontal	67	1.00
5530MHz	Pass	PK	5.52G	112.01	Inf	-Inf	3	Horizontal	67	1.00
5530MHz	Pass	PK	5.75G	60.95	68.20	-7.25	3	Horizontal	67	1.00
5530MHz	Pass	AV	11.02128G	41.24	54.00	-12.76	3	Vertical	356	3.00
5530MHz	Pass	PK	11.04096G	54.17	74.00	-19.83	3	Vertical	356	3.00
5530MHz	Pass	AV	11.03328G	41.22	54.00	-12.78	3	Horizontal	221	2.68
5530MHz	Pass	PK	11.06224G	54.13	74.00	-19.87	3	Horizontal	221	2.68
5610MHz	Pass	AV	5.46G	48.25	54.00	-5.75	3	Vertical	15	1.87
5610MHz	Pass	AV	5.596G	98.23	Inf	-Inf	3	Vertical	15	1.87
5610MHz	Pass	PK	5.376G	60.68	74.00	-13.32	3	Vertical	15	1.87
5610MHz	Pass	PK	5.461G	60.33	68.20	-7.87	3	Vertical	15	1.87
5610MHz	Pass	PK	5.596G	110.02	Inf	-Inf	3	Vertical	15	1.87
5610MHz	Pass	PK	5.771G	61.11	68.20	-7.09	3	Vertical	15	1.87
5610MHz	Pass	AV	5.459G	49.24	54.00	-4.76	3	Horizontal	70	2.40
5610MHz	Pass	AV	5.598G	101.75	Inf	-Inf	3	Horizontal	70	2.40
5610MHz	Pass	PK	5.459G	60.60	74.00	-13.40	3	Horizontal	70	2.40
5610MHz	Pass	PK	5.467G	61.54	68.20	-6.66	3	Horizontal	70	2.40
5610MHz	Pass	PK	5.595G	113.11	Inf	-Inf	3	Horizontal	70	2.40
5610MHz	Pass	PK	5.743G	63.44	68.20	-4.76	3	Horizontal	70	2.40
5610MHz	Pass	AV	11.23552G	41.88	54.00	-12.12	3	Vertical	329	1.50
5610MHz	Pass	PK	11.24G	55.01	74.00	-18.99	3	Vertical	329	1.50
5610MHz	Pass	AV	11.23856G	41.85	54.00	-12.15	3	Horizontal	125	1.50
5610MHz	Pass	PK	11.24656G	54.57	74.00	-19.43	3	Horizontal	125	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4236G	47.30	54.00	-6.70	3	Vertical	10	2.75
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6852G	97.59	Inf	-Inf	3	Vertical	10	2.75
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4188G	59.68	74.00	-14.32	3	Vertical	10	2.75
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	59.84	68.20	-8.36	3	Vertical	10	2.75
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6732G	108.64	Inf	-Inf	3	Vertical	10	2.75
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9024G	61.29	68.20	-6.91	3	Vertical	10	2.75
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	47.78	54.00	-6.22	3	Horizontal	71	2.35
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6828G	100.65	Inf	-Inf	3	Horizontal	71	2.35
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4404G	60.22	74.00	-13.78	3	Horizontal	71	2.35
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	59.87	68.20	-8.33	3	Horizontal	71	2.35
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7224G	112.11	Inf	-Inf	3	Horizontal	71	2.35
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	61.36	68.20	-6.84	3	Horizontal	71	2.35
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3928G	42.60	54.00	-11.40	3	Vertical	162	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.35056G	55.29	74.00	-18.71	3	Vertical	162	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.4008G	42.59	54.00	-11.41	3	Horizontal	49	1.31
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.35856G	56.11	74.00	-17.89	3	Horizontal	49	1.31
5775MHz	Pass	AV	5.763G	98.30	Inf	-Inf	3	Vertical	343	1.70
5775MHz	Pass	PK	5.649G	61.19	68.20	-7.01	3	Vertical	343	1.70
5775MHz	Pass	PK	5.7582G	108.87	Inf	-Inf	3	Vertical	343	1.70
5775MHz	Pass	PK	6.0618G	61.91	68.20	-6.29	3	Vertical	343	1.70
5775MHz	Pass	AV	5.7654G	101.96	Inf	-Inf	3	Horizontal	68	2.36
5775MHz	Pass	PK	5.6478G	65.47	68.20	-2.73	3	Horizontal	68	2.36
5775MHz	Pass	PK	5.7978G	113.10	Inf	-Inf	3	Horizontal	68	2.36
5775MHz	Pass	PK	6.0414G	61.85	68.20	-6.35	3	Horizontal	68	2.36
5775MHz	Pass	AV	11.5268G	42.76	54.00	-11.24	3	Vertical	230	1.50
5775MHz	Pass	PK	11.5396G	55.74	74.00	-18.26	3	Vertical	230	1.50
5775MHz	Pass	AV	11.52872G	42.75	54.00	-11.25	3	Horizontal	324	2.45
5775MHz	Pass	PK	11.52264G	55.60	74.00	-18.40	3	Horizontal	324	2.45
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.14752G	50.74	54.00	-3.26	3	Vertical	4	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.18952G	92.35	Inf	-Inf	3	Vertical	4	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.35G	50.53	54.00	-3.47	3	Vertical	4	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.14752G	65.42	74.00	-8.58	3	Vertical	4	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.2248G	103.61	Inf	-Inf	3	Vertical	4	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.36424G	67.68	74.00	-6.32	3	Vertical	4	1.50




RSE TX above 1GHz Non-Beamforming Radio 2 2T1S

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.50872G	60.33	68.20	-7.87	3	Vertical	4	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.14752G	50.82	54.00	-3.18	3	Horizontal	66	1.01
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3256G	95.94	Inf	-Inf	3	Horizontal	66	1.01
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.35248G	53.48	54.00	-0.52	3	Horizontal	66	1.01
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.14416G	66.65	74.00	-7.35	3	Horizontal	66	1.01
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3172G	107.25	Inf	-Inf	3	Horizontal	66	1.01
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.35248G	73.57	74.00	-0.43	3	Horizontal	66	1.01
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.46504G	63.22	68.20	-4.98	3	Horizontal	66	1.01
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.4696G	55.06	68.20	-13.14	3	Vertical	35	1.65
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.46448G	54.62	68.20	-13.58	3	Horizontal	239	2.47
5570MHz	Pass	AV	5.4572G	50.64	54.00	-3.36	3	Vertical	10	1.74
5570MHz	Pass	AV	5.5088G	91.95	Inf	-Inf	3	Vertical	10	1.74
5570MHz	Pass	PK	5.3408G	60.41	68.20	-7.79	3	Vertical	10	1.74
5570MHz	Pass	PK	5.4524G	64.54	74.00	-9.46	3	Vertical	10	1.74
5570MHz	Pass	PK	5.4632G	64.80	68.20	-3.40	3	Vertical	10	1.74
5570MHz	Pass	PK	5.516G	103.47	Inf	-Inf	3	Vertical	10	1.74
5570MHz	Pass	PK	5.7824G	61.68	68.20	-6.52	3	Vertical	10	1.74
5570MHz	Pass	AV	5.4572G	53.07	54.00	-0.93	3	Horizontal	71	2.31
5570MHz	Pass	AV	5.5424G	96.17	Inf	-Inf	3	Horizontal	71	2.31
5570MHz	Pass	PK	5.3264G	60.16	68.20	-8.04	3	Horizontal	71	2.31
5570MHz	Pass	PK	5.4572G	67.56	74.00	-6.44	3	Horizontal	71	2.31
5570MHz	Pass	PK	5.4668G	68.09	68.20	-0.11	3	Horizontal	71	2.31
5570MHz	Pass	PK	5.5376G	107.36	Inf	-Inf	3	Horizontal	71	2.31
5570MHz	Pass	PK	5.7464G	62.51	68.20	-5.69	3	Horizontal	71	2.31
5570MHz	Pass	AV	11.19856G	41.51	54.00	-12.49	3	Vertical	173	2.44
5570MHz	Pass	PK	11.21392G	54.50	74.00	-19.50	3	Vertical	173	2.44
5570MHz	Pass	AV	11.19792G	41.54	54.00	-12.46	3	Horizontal	62	1.40
5570MHz	Pass	PK	11.19376G	54.60	74.00	-19.40	3	Horizontal	62	1.40


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.32	54.00	-2.68	6.22	3	Vertical	1	1.49	45.10	33.30	7.95	35.03
AV	5.178G	97.17	Inf	-Inf	6.13	3	Vertical	1	1.49	91.04	33.19	7.97	35.03
AV	5.351G	47.91	54.00	-6.09	6.19	3	Vertical	1	1.49	41.72	33.10	8.15	35.06
PK	5.148G	62.54	74.00	-11.46	6.22	3	Vertical	1	1.49	56.32	33.30	7.95	35.03
PK	5.193G	109.11	Inf	-Inf	6.08	3	Vertical	1	1.49	103.03	33.13	7.98	35.03
PK	5.353G	59.73	74.00	-14.27	6.18	3	Vertical	1	1.49	53.55	33.09	8.15	35.06

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.59	54.00	-0.41	6.22	3	Horizontal	73	1.73	47.37	33.30	7.95	35.03
AV	5.221G	100.60	Inf	-Inf	6.06	3	Horizontal	73	1.73	94.54	33.10	8.00	35.04
AV	5.351G	49.13	54.00	-4.87	6.19	3	Horizontal	73	1.73	42.94	33.10	8.15	35.06
PK	5.15G	65.62	74.00	-8.38	6.22	3	Horizontal	73	1.73	59.40	33.30	7.95	35.03
PK	5.219G	111.84	Inf	-Inf	6.06	3	Horizontal	73	1.73	105.78	33.10	8.00	35.04
PK	5.37G	61.49	74.00	-12.51	6.16	3	Horizontal	73	1.73	55.33	33.06	8.17	35.07


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX



5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5670MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.51	54.00	-6.49	6.18	3	Vertical	13	1.85	41.33	33.10	8.14	35.06
AV	5.458G	52.09	54.00	-1.91	6.09	3	Vertical	13	1.85	46.00	32.93	8.24	35.08
AV	5.519G	98.59	Inf	-Inf	6.29	3	Vertical	13	1.85	92.30	33.10	8.28	35.09
PK	5.287G	60.45	68.20	-7.75	6.13	3	Vertical	13	1.85	54.32	33.10	8.08	35.05
PK	5.446G	64.36	74.00	-9.64	6.06	3	Vertical	13	1.85	58.30	32.91	8.23	35.08
PK	5.464G	64.48	68.20	-3.72	6.12	3	Vertical	13	1.85	58.36	32.96	8.24	35.08
PK	5.521G	110.61	Inf	-Inf	6.29	3	Vertical	13	1.85	104.32	33.10	8.28	35.09
PK	5.75G	60.69	68.20	-7.51	7.33	3	Vertical	13	1.85	53.36	33.90	8.55	35.12

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.97	54.00	-6.03	6.18	3	Horizontal	67	1.00	41.79	33.10	8.14	35.06
AV	5.46G	53.73	54.00	-0.27	6.10	3	Horizontal	67	1.00	47.63	32.94	8.24	35.08
AV	5.518G	101.21	Inf	-Inf	6.29	3	Horizontal	67	1.00	94.92	33.10	8.28	35.09
PK	5.347G	61.02	68.20	-7.18	6.18	3	Horizontal	67	1.00	54.84	33.10	8.14	35.06
PK	5.455G	65.76	74.00	-8.24	6.08	3	Horizontal	67	1.00	59.68	32.92	8.24	35.08
PK	5.47G	66.40	68.20	-1.80	6.15	3	Horizontal	67	1.00	60.25	32.98	8.25	35.08
PK	5.52G	112.01	Inf	-Inf	6.29	3	Horizontal	67	1.00	105.72	33.10	8.28	35.09
PK	5.75G	60.95	68.20	-7.25	7.33	3	Horizontal	67	1.00	53.62	33.90	8.55	35.12


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	47.38	54.00	-6.62	6.10	3	Vertical	340	2.93	41.28	32.94	8.24	35.08
AV	5.7402G	107.42	Inf	-Inf	7.28	3	Vertical	340	2.93	100.14	33.86	8.53	35.11
PK	5.6346G	60.00	68.20	-8.20	6.62	3	Vertical	340	2.93	53.38	33.34	8.38	35.10
PK	5.7402G	115.93	Inf	-Inf	7.28	3	Vertical	340	2.93	108.65	33.86	8.53	35.11
PK	6.0366G	62.17	68.20	-6.03	7.82	3	Vertical	340	2.93	54.35	34.30	8.67	35.15

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4582G	47.77	54.00	-6.23	6.09	3	Horizontal	73	2.32	41.68	32.93	8.24	35.08
AV	5.7402G	110.14	Inf	-Inf	7.28	3	Horizontal	73	2.32	102.86	33.86	8.53	35.11
PK	5.6418G	60.93	68.20	-7.27	6.66	3	Horizontal	73	2.32	54.27	33.37	8.39	35.10
PK	5.751G	119.15	Inf	-Inf	7.34	3	Horizontal	73	2.32	111.81	33.91	8.55	35.12
PK	6.0054G	62.39	68.20	-5.81	7.81	3	Horizontal	73	2.32	54.58	34.30	8.65	35.14


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.763G	98.30	Inf	-Inf	7.43	3	Vertical	343	1.70	90.87	33.98	8.57	35.12
PK	5.649G	61.19	68.20	-7.01	6.70	3	Vertical	343	1.70	54.49	33.40	8.40	35.10
PK	5.7582G	108.87	Inf	-Inf	7.39	3	Vertical	343	1.70	101.48	33.95	8.56	35.12
PK	6.0618G	61.91	68.20	-6.29	7.83	3	Vertical	343	1.70	54.08	34.30	8.68	35.15

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7654G	101.96	Inf	-Inf	7.44	3	Horizontal	68	2.36	94.52	33.99	8.57	35.12
PK	5.6478G	65.47	68.20	-2.73	6.69	3	Horizontal	68	2.36	58.78	33.39	8.40	35.10
PK	5.7978G	113.10	Inf	-Inf	7.69	3	Horizontal	68	2.36	105.41	34.19	8.62	35.12
PK	6.0414G	61.85	68.20	-6.35	7.82	3	Horizontal	68	2.36	54.03	34.30	8.67	35.15


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	30M	32.51	40.00	-7.49	3	Vertical	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	30M	32.51	40.00	-7.49	3	Vertical	360	1.00
5775MHz	Pass	PK	117.3M	25.37	43.50	-18.13	3	Vertical	360	1.00
5775MHz	Pass	PK	286.08M	34.19	46.00	-11.81	3	Vertical	360	1.00
5775MHz	Pass	PK	365.62M	25.45	46.00	-20.55	3	Vertical	360	1.00
5775MHz	Pass	PK	398.6M	30.89	46.00	-15.11	3	Vertical	360	1.00
5775MHz	Pass	PK	596.48M	28.86	46.00	-17.14	3	Vertical	360	1.00
5775MHz	Pass	PK	33.88M	28.94	40.00	-11.06	3	Horizontal	0	1.00
5775MHz	Pass	PK	187.14M	21.26	43.50	-22.24	3	Horizontal	0	1.00
5775MHz	Pass	PK	282.2M	38.16	46.00	-7.84	3	Horizontal	0	1.00
5775MHz	Pass	PK	317.12M	28.00	46.00	-18.00	3	Horizontal	0	1.00
5775MHz	Pass	PK	470.38M	25.20	46.00	-20.80	3	Horizontal	0	1.00
5775MHz	Pass	PK	596.48M	36.19	46.00	-9.81	3	Horizontal	0	1.00

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	32.51	40.00	-7.49	-18.87	3	Vertical	360	1.00	51.38	24.67	0.78	44.32
PK	117.3M	25.37	43.50	-18.13	-25.92	3	Vertical	360	1.00	51.29	17.43	1.27	44.62
PK	286.08M	34.19	46.00	-11.81	-23.26	3	Vertical	360	1.00	57.45	19.15	1.95	44.36
PK	365.62M	25.45	46.00	-20.55	-20.96	3	Vertical	360	1.00	46.41	21.00	2.22	44.18
PK	398.6M	30.89	46.00	-15.11	-19.93	3	Vertical	360	1.00	50.82	21.91	2.26	44.10
PK	596.48M	28.86	46.00	-17.14	-15.04	3	Vertical	360	1.00	43.90	26.13	2.77	43.94

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	33.88M	28.94	40.00	-11.06	-20.79	3	Horizontal	0	1.00	49.73	22.82	0.79	44.40
PK	187.14M	21.26	43.50	-22.24	-28.05	3	Horizontal	0	1.00	49.31	14.95	1.57	44.57
PK	282.2M	38.16	46.00	-7.84	-23.38	3	Horizontal	0	1.00	61.54	19.06	1.93	44.37
PK	317.12M	28.00	46.00	-18.00	-22.69	3	Horizontal	0	1.00	50.69	19.53	2.07	44.29
PK	470.38M	25.20	46.00	-20.80	-17.87	3	Horizontal	0	1.00	43.07	23.63	2.50	44.00
PK	596.48M	36.19	46.00	-9.81	-15.04	3	Horizontal	0	1.00	51.23	26.13	2.77	43.94



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.08	54.00	-0.92	3	Horizontal	73	1.81
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.1496G	53.94	54.00	-0.06	3	Horizontal	75	1.84
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.43	54.00	-0.57	3	Horizontal	76	1.84
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	5.35752G	53.24	54.00	-0.76	3	Horizontal	77	1.79
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.3604G	51.02	54.00	-2.98	3	Horizontal	75	2.29
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.35G	52.61	54.00	-1.39	3	Horizontal	73	1.93
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.35G	52.05	54.00	-1.95	3	Horizontal	73	1.90
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	5.7284G	67.54	68.20	-0.66	3	Horizontal	71	2.35
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	PK	5.7252G	66.23	68.20	-1.97	3	Horizontal	72	2.41
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.458G	53.27	54.00	-0.73	3	Horizontal	77	2.31
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	PK	5.462G	67.58	68.20	-0.62	3	Horizontal	78	2.40
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	6.1106G	63.40	68.20	-4.80	3	Vertical	347	1.86
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	PK	6.0242G	62.13	68.20	-6.07	3	Horizontal	70	1.75
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	5.649G	63.58	68.20	-4.62	3	Horizontal	71	2.29

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	51.09	54.00	-2.91	3	Vertical	5	1.57
5180MHz	Pass	AV	5.1782G	102.56	Inf	-Inf	3	Vertical	5	1.57
5180MHz	Pass	PK	5.146G	64.57	74.00	-9.43	3	Vertical	5	1.57
5180MHz	Pass	PK	5.1882G	114.44	Inf	-Inf	3	Vertical	5	1.57
5180MHz	Pass	AV	5.15G	53.08	54.00	-0.92	3	Horizontal	73	1.81
5180MHz	Pass	AV	5.1782G	105.50	Inf	-Inf	3	Horizontal	73	1.81
5180MHz	Pass	PK	5.1398G	68.52	74.00	-5.48	3	Horizontal	73	1.81
5180MHz	Pass	PK	5.1782G	117.38	Inf	-Inf	3	Horizontal	73	1.81
5180MHz	Pass	PK	10.37014G	54.26	68.20	-13.94	3	Vertical	193	2.34
5180MHz	Pass	PK	10.37206G	54.47	68.20	-13.73	3	Horizontal	313	1.75
5200MHz	Pass	AV	5.15G	48.42	54.00	-5.58	3	Vertical	6	1.67
5200MHz	Pass	AV	5.1928G	102.60	Inf	-Inf	3	Vertical	6	1.67
5200MHz	Pass	PK	5.1436G	60.15	74.00	-13.85	3	Vertical	6	1.67
5200MHz	Pass	PK	5.2084G	114.36	Inf	-Inf	3	Vertical	6	1.67
5200MHz	Pass	AV	5.15G	49.40	54.00	-4.60	3	Horizontal	75	1.86
5200MHz	Pass	AV	5.1932G	105.41	Inf	-Inf	3	Horizontal	75	1.86
5200MHz	Pass	PK	5.1492G	61.58	74.00	-12.42	3	Horizontal	75	1.86
5200MHz	Pass	PK	5.192G	117.87	Inf	-Inf	3	Horizontal	75	1.86
5200MHz	Pass	PK	10.39028G	54.71	68.20	-13.49	3	Vertical	31	1.50
5200MHz	Pass	PK	10.41458G	54.27	68.20	-13.93	3	Horizontal	152	1.50
5240MHz	Pass	AV	5.1476G	47.33	54.00	-6.67	3	Vertical	8	1.67
5240MHz	Pass	AV	5.2328G	102.16	Inf	-Inf	3	Vertical	8	1.67
5240MHz	Pass	AV	5.3726G	47.52	54.00	-6.48	3	Vertical	8	1.67
5240MHz	Pass	PK	5.15G	59.29	74.00	-14.71	3	Vertical	8	1.67
5240MHz	Pass	PK	5.2346G	114.58	Inf	-Inf	3	Vertical	8	1.67
5240MHz	Pass	PK	5.3726G	59.71	74.00	-14.29	3	Vertical	8	1.67
5240MHz	Pass	AV	5.1416G	47.73	54.00	-6.27	3	Horizontal	73	1.86
5240MHz	Pass	AV	5.2436G	105.44	Inf	-Inf	3	Horizontal	73	1.86
5240MHz	Pass	AV	5.35G	47.89	54.00	-6.11	3	Horizontal	73	1.86
5240MHz	Pass	PK	5.1494G	60.29	74.00	-13.71	3	Horizontal	73	1.86
5240MHz	Pass	PK	5.2346G	118.12	Inf	-Inf	3	Horizontal	73	1.86
5240MHz	Pass	PK	5.3588G	60.24	74.00	-13.76	3	Horizontal	73	1.86
5240MHz	Pass	PK	10.46662G	54.56	68.20	-13.64	3	Vertical	103	1.97
5240MHz	Pass	PK	10.46794G	54.48	68.20	-13.72	3	Horizontal	186	1.50
5260MHz	Pass	AV	5.1436G	47.22	54.00	-6.78	3	Vertical	7	1.88
5260MHz	Pass	AV	5.2582G	101.65	Inf	-Inf	3	Vertical	7	1.88
5260MHz	Pass	AV	5.3518G	47.49	54.00	-6.51	3	Vertical	7	1.88
5260MHz	Pass	PK	5.1412G	59.68	74.00	-14.32	3	Vertical	7	1.88
5260MHz	Pass	PK	5.2564G	113.23	Inf	-Inf	3	Vertical	7	1.88
5260MHz	Pass	PK	5.3734G	59.93	74.00	-14.07	3	Vertical	7	1.88
5260MHz	Pass	AV	5.1484G	47.52	54.00	-6.48	3	Horizontal	74	1.81
5260MHz	Pass	AV	5.2582G	104.42	Inf	-Inf	3	Horizontal	74	1.81
5260MHz	Pass	AV	5.3518G	47.86	54.00	-6.14	3	Horizontal	74	1.81
5260MHz	Pass	PK	5.1394G	59.77	74.00	-14.23	3	Horizontal	74	1.81
5260MHz	Pass	PK	5.254G	116.21	Inf	-Inf	3	Horizontal	74	1.81
5260MHz	Pass	PK	5.3944G	60.28	74.00	-13.72	3	Horizontal	74	1.81
5260MHz	Pass	PK	10.51418G	54.71	68.20	-13.49	3	Vertical	269	1.50
5260MHz	Pass	PK	10.535G	54.27	68.20	-13.93	3	Horizontal	264	2.45
5300MHz	Pass	AV	5.2984G	101.21	Inf	-Inf	3	Vertical	7	1.73
5300MHz	Pass	AV	5.3516G	47.94	54.00	-6.06	3	Vertical	7	1.73
5300MHz	Pass	PK	5.3048G	113.16	Inf	-Inf	3	Vertical	7	1.73
5300MHz	Pass	PK	5.366G	59.89	74.00	-14.11	3	Vertical	7	1.73
5300MHz	Pass	AV	5.2984G	104.75	Inf	-Inf	3	Horizontal	73	1.88
5300MHz	Pass	AV	5.3504G	49.06	54.00	-4.94	3	Horizontal	73	1.88
5300MHz	Pass	PK	5.296G	116.37	Inf	-Inf	3	Horizontal	73	1.88
5300MHz	Pass	PK	5.3532G	61.10	74.00	-12.90	3	Horizontal	73	1.88
5300MHz	Pass	PK	10.58188G	54.22	68.20	-13.98	3	Vertical	328	2.06
5300MHz	Pass	PK	10.5874G	54.63	68.20	-13.57	3	Horizontal	214	2.78
5320MHz	Pass	AV	5.3238G	100.77	Inf	-Inf	3	Vertical	4	1.59
5320MHz	Pass	AV	5.3602G	48.90	54.00	-5.10	3	Vertical	4	1.59

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	PK	5.3222G	112.59	Inf	-Inf	3	Vertical	4	1.59
5320MHz	Pass	PK	5.3662G	64.77	74.00	-9.23	3	Vertical	4	1.59
5320MHz	Pass	AV	5.3218G	104.25	Inf	-Inf	3	Horizontal	75	2.29
5320MHz	Pass	AV	5.3604G	51.02	54.00	-2.98	3	Horizontal	75	2.29
5320MHz	Pass	PK	5.3282G	116.29	Inf	-Inf	3	Horizontal	75	2.29
5320MHz	Pass	PK	5.3608G	64.07	74.00	-9.93	3	Horizontal	75	2.29
5320MHz	Pass	AV	10.6259G	41.42	54.00	-12.58	3	Vertical	102	1.78
5320MHz	Pass	PK	10.6265G	55.32	74.00	-18.68	3	Vertical	102	1.78
5320MHz	Pass	AV	10.62758G	41.34	54.00	-12.66	3	Horizontal	54	1.50
5320MHz	Pass	PK	10.65476G	54.69	74.00	-19.31	3	Horizontal	54	1.50
5500MHz	Pass	AV	5.4592G	48.83	54.00	-5.17	3	Vertical	14	1.83
5500MHz	Pass	AV	5.5036G	101.34	Inf	-Inf	3	Vertical	14	1.83
5500MHz	Pass	PK	5.459G	61.85	74.00	-12.15	3	Vertical	14	1.83
5500MHz	Pass	PK	5.4608G	60.71	68.20	-7.49	3	Vertical	14	1.83
5500MHz	Pass	PK	5.505G	113.07	Inf	-Inf	3	Vertical	14	1.83
5500MHz	Pass	AV	5.4594G	50.26	54.00	-3.74	3	Horizontal	76	1.70
5500MHz	Pass	AV	5.4962G	104.14	Inf	-Inf	3	Horizontal	76	1.70
5500MHz	Pass	PK	5.4582G	63.19	74.00	-10.81	3	Horizontal	76	1.70
5500MHz	Pass	PK	5.4604G	62.51	68.20	-5.69	3	Horizontal	76	1.70
5500MHz	Pass	PK	5.4926G	116.14	Inf	-Inf	3	Horizontal	76	1.70
5500MHz	Pass	AV	10.99568G	41.00	54.00	-13.00	3	Vertical	203	2.61
5500MHz	Pass	PK	11.00882G	54.04	74.00	-19.96	3	Vertical	203	2.61
5500MHz	Pass	AV	10.9943G	41.04	54.00	-12.96	3	Horizontal	226	2.31
5500MHz	Pass	PK	11.00828G	53.89	74.00	-20.11	3	Horizontal	226	2.31
5580MHz	Pass	AV	5.46G	47.27	54.00	-6.73	3	Vertical	14	1.87
5580MHz	Pass	AV	5.5836G	101.03	Inf	-Inf	3	Vertical	14	1.87
5580MHz	Pass	PK	5.4414G	60.09	74.00	-13.91	3	Vertical	14	1.87
5580MHz	Pass	PK	5.4606G	59.68	68.20	-8.52	3	Vertical	14	1.87
5580MHz	Pass	PK	5.5824G	112.91	Inf	-Inf	3	Vertical	14	1.87
5580MHz	Pass	PK	5.7264G	59.82	68.20	-8.38	3	Vertical	14	1.87
5580MHz	Pass	AV	5.4588G	47.49	54.00	-6.51	3	Horizontal	73	1.50
5580MHz	Pass	AV	5.5782G	103.91	Inf	-Inf	3	Horizontal	73	1.50
5580MHz	Pass	PK	5.4408G	59.59	74.00	-14.41	3	Horizontal	73	1.50
5580MHz	Pass	PK	5.4612G	59.16	68.20	-9.04	3	Horizontal	73	1.50
5580MHz	Pass	PK	5.5746G	116.04	Inf	-Inf	3	Horizontal	73	1.50
5580MHz	Pass	PK	5.7264G	59.93	68.20	-8.27	3	Horizontal	73	1.50
5580MHz	Pass	AV	11.15832G	41.20	54.00	-12.80	3	Vertical	32	1.50
5580MHz	Pass	PK	11.14896G	53.97	74.00	-20.03	3	Vertical	32	1.50
5580MHz	Pass	AV	11.15784G	41.19	54.00	-12.81	3	Horizontal	301	1.50
5580MHz	Pass	PK	11.16054G	54.33	74.00	-19.67	3	Horizontal	301	1.50
5700MHz	Pass	AV	5.6932G	98.45	Inf	-Inf	3	Vertical	15	2.76
5700MHz	Pass	PK	5.692G	111.52	Inf	-Inf	3	Vertical	15	2.76
5700MHz	Pass	PK	5.7316G	67.33	68.20	-0.87	3	Vertical	15	2.76
5700MHz	Pass	AV	5.6932G	99.75	Inf	-Inf	3	Horizontal	71	2.35
5700MHz	Pass	PK	5.7064G	111.71	Inf	-Inf	3	Horizontal	71	2.35
5700MHz	Pass	PK	5.7284G	67.54	68.20	-0.66	3	Horizontal	71	2.35
5700MHz	Pass	AV	11.3997G	42.43	54.00	-11.57	3	Vertical	116	1.50
5700MHz	Pass	PK	11.39244G	55.16	74.00	-18.84	3	Vertical	116	1.50
5700MHz	Pass	AV	11.39964G	42.44	54.00	-11.56	3	Horizontal	210	1.50
5700MHz	Pass	PK	11.39382G	55.76	74.00	-18.24	3	Horizontal	210	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.426G	47.26	54.00	-6.74	3	Vertical	341	2.94
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	102.06	Inf	-Inf	3	Vertical	341	2.94
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.456G	59.22	74.00	-14.78	3	Vertical	341	2.94
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	59.55	68.20	-8.65	3	Vertical	341	2.94
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	113.51	Inf	-Inf	3	Vertical	341	2.94
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.844G	61.34	68.20	-6.86	3	Vertical	341	2.94
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	47.44	54.00	-6.56	3	Horizontal	75	2.34
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	104.56	Inf	-Inf	3	Horizontal	75	2.34
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4572G	59.04	74.00	-14.96	3	Horizontal	75	2.34
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	59.17	68.20	-9.03	3	Horizontal	75	2.34
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	115.44	Inf	-Inf	3	Horizontal	75	2.34
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9156G	61.46	68.20	-6.74	3	Horizontal	75	2.34



RSE TX above 1GHz Non-Beamforming Radio 2 2T2S

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4397G	42.36	54.00	-11.64	3	Vertical	297	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.45446G	55.05	74.00	-18.95	3	Vertical	297	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43988G	42.42	54.00	-11.58	3	Horizontal	360	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.45434G	55.43	74.00	-18.57	3	Horizontal	360	1.50
5745MHz	Pass	AV	5.4594G	47.27	54.00	-6.73	3	Vertical	342	2.92
5745MHz	Pass	AV	5.7378G	103.66	Inf	-Inf	3	Vertical	342	2.92
5745MHz	Pass	PK	5.6346G	59.97	68.20	-8.23	3	Vertical	342	2.92
5745MHz	Pass	PK	5.7414G	114.52	Inf	-Inf	3	Vertical	342	2.92
5745MHz	Pass	PK	5.973G	61.07	68.20	-7.13	3	Vertical	342	2.92
5745MHz	Pass	AV	5.4582G	47.55	54.00	-6.45	3	Horizontal	76	2.29
5745MHz	Pass	AV	5.7378G	106.03	Inf	-Inf	3	Horizontal	76	2.29
5745MHz	Pass	PK	5.6286G	60.89	68.20	-7.31	3	Horizontal	76	2.29
5745MHz	Pass	PK	5.751G	117.52	Inf	-Inf	3	Horizontal	76	2.29
5745MHz	Pass	PK	6.0186G	61.46	68.20	-6.74	3	Horizontal	76	2.29
5745MHz	Pass	AV	11.48862G	42.61	54.00	-11.39	3	Vertical	207	1.50
5745MHz	Pass	PK	11.47734G	55.48	74.00	-18.52	3	Vertical	207	1.50
5745MHz	Pass	AV	11.48904G	42.99	54.00	-11.01	3	Horizontal	201	2.81
5745MHz	Pass	PK	11.48658G	55.55	74.00	-18.45	3	Horizontal	201	2.81
5785MHz	Pass	AV	5.77766G	102.93	Inf	-Inf	3	Vertical	345	1.81
5785MHz	Pass	PK	5.52961G	60.73	68.20	-7.47	3	Vertical	345	1.81
5785MHz	Pass	PK	5.78371G	114.87	Inf	-Inf	3	Vertical	345	1.81
5785MHz	Pass	PK	5.94948G	61.23	68.20	-6.97	3	Vertical	345	1.81
5785MHz	Pass	AV	5.77766G	106.41	Inf	-Inf	3	Horizontal	69	2.36
5785MHz	Pass	PK	5.50057G	60.77	68.20	-7.43	3	Horizontal	69	2.36
5785MHz	Pass	PK	5.77766G	117.92	Inf	-Inf	3	Horizontal	69	2.36
5785MHz	Pass	PK	6.02571G	61.06	68.20	-7.14	3	Horizontal	69	2.36
5785MHz	Pass	AV	11.56898G	42.94	54.00	-11.06	3	Vertical	205	1.93
5785MHz	Pass	PK	11.57516G	55.68	74.00	-18.32	3	Vertical	205	1.93
5785MHz	Pass	AV	11.56844G	43.13	54.00	-10.87	3	Horizontal	324	1.61
5785MHz	Pass	PK	11.56856G	56.16	74.00	-17.84	3	Horizontal	324	1.61
5825MHz	Pass	AV	5.8286G	101.94	Inf	-Inf	3	Vertical	347	1.86
5825MHz	Pass	PK	5.6402G	59.77	68.20	-8.43	3	Vertical	347	1.86
5825MHz	Pass	PK	5.831G	113.23	Inf	-Inf	3	Vertical	347	1.86
5825MHz	Pass	PK	6.1106G	63.40	68.20	-4.80	3	Vertical	347	1.86
5825MHz	Pass	AV	5.8262G	105.09	Inf	-Inf	3	Horizontal	68	2.83
5825MHz	Pass	PK	5.5562G	59.67	68.20	-8.53	3	Horizontal	68	2.83
5825MHz	Pass	PK	5.8214G	116.64	Inf	-Inf	3	Horizontal	68	2.83
5825MHz	Pass	PK	5.9486G	61.94	68.20	-6.26	3	Horizontal	68	2.83
5825MHz	Pass	AV	11.64898G	42.83	54.00	-11.17	3	Vertical	201	2.87
5825MHz	Pass	PK	11.64826G	56.37	74.00	-17.63	3	Vertical	201	2.87
5825MHz	Pass	AV	11.64856G	43.47	54.00	-10.53	3	Horizontal	339	1.65
5825MHz	Pass	PK	11.64766G	56.43	74.00	-17.57	3	Horizontal	339	1.65
802.11be EHT40_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1484G	51.52	54.00	-2.48	3	Vertical	5	1.50
5190MHz	Pass	AV	5.1932G	98.59	Inf	-Inf	3	Vertical	5	1.50
5190MHz	Pass	PK	5.1488G	63.63	74.00	-10.37	3	Vertical	5	1.50
5190MHz	Pass	PK	5.1832G	110.19	Inf	-Inf	3	Vertical	5	1.50
5190MHz	Pass	AV	5.1496G	53.94	54.00	-0.06	3	Horizontal	75	1.84
5190MHz	Pass	AV	5.1932G	102.32	Inf	-Inf	3	Horizontal	75	1.84
5190MHz	Pass	PK	5.1496G	65.70	74.00	-8.30	3	Horizontal	75	1.84
5190MHz	Pass	PK	5.1916G	114.12	Inf	-Inf	3	Horizontal	75	1.84
5190MHz	Pass	PK	10.37664G	54.37	68.20	-13.83	3	Vertical	94	1.50
5190MHz	Pass	PK	10.37748G	54.98	68.20	-13.22	3	Horizontal	0	1.50
5230MHz	Pass	AV	5.1492G	49.27	54.00	-4.73	3	Vertical	6	1.50
5230MHz	Pass	AV	5.2328G	99.08	Inf	-Inf	3	Vertical	6	1.50
5230MHz	Pass	PK	5.1484G	61.68	74.00	-12.32	3	Vertical	6	1.50
5230MHz	Pass	PK	5.2312G	111.32	Inf	-Inf	3	Vertical	6	1.50
5230MHz	Pass	AV	5.15G	50.64	54.00	-3.36	3	Horizontal	73	1.84
5230MHz	Pass	AV	5.236G	102.72	Inf	-Inf	3	Horizontal	73	1.84
5230MHz	Pass	PK	5.15G	63.70	74.00	-10.30	3	Horizontal	73	1.84
5230MHz	Pass	PK	5.2344G	115.23	Inf	-Inf	3	Horizontal	73	1.84
5230MHz	Pass	PK	10.4462G	55.19	68.20	-13.01	3	Vertical	32	1.50



RSE TX above 1GHz Non-Beamforming Radio 2 2T2S

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5230MHz	Pass	PK	10.4318G	54.80	68.20	-13.40	3	Horizontal	40	1.93
5270MHz	Pass	AV	5.266G	98.18	Inf	-Inf	3	Vertical	8	1.74
5270MHz	Pass	AV	5.3504G	48.18	54.00	-5.82	3	Vertical	8	1.74
5270MHz	Pass	PK	5.2668G	110.75	Inf	-Inf	3	Vertical	8	1.74
5270MHz	Pass	PK	5.3688G	60.97	74.00	-13.03	3	Vertical	8	1.74
5270MHz	Pass	AV	5.264G	101.30	Inf	-Inf	3	Horizontal	75	1.89
5270MHz	Pass	AV	5.35G	49.46	54.00	-4.54	3	Horizontal	75	1.89
5270MHz	Pass	PK	5.2668G	113.34	Inf	-Inf	3	Horizontal	75	1.89
5270MHz	Pass	PK	5.368G	61.96	74.00	-12.04	3	Horizontal	75	1.89
5270MHz	Pass	PK	10.53676G	54.38	68.20	-13.82	3	Vertical	339	2.18
5270MHz	Pass	PK	10.55416G	55.16	68.20	-13.04	3	Horizontal	49	1.50
5310MHz	Pass	AV	5.316G	98.51	Inf	-Inf	3	Vertical	11	1.81
5310MHz	Pass	AV	5.35G	50.58	54.00	-3.42	3	Vertical	11	1.81
5310MHz	Pass	PK	5.3192G	110.28	Inf	-Inf	3	Vertical	11	1.81
5310MHz	Pass	PK	5.3528G	63.13	74.00	-10.87	3	Vertical	11	1.81
5310MHz	Pass	AV	5.316G	101.69	Inf	-Inf	3	Horizontal	73	1.93
5310MHz	Pass	AV	5.35G	52.61	54.00	-1.39	3	Horizontal	73	1.93
5310MHz	Pass	PK	5.3132G	113.49	Inf	-Inf	3	Horizontal	73	1.93
5310MHz	Pass	PK	5.3508G	64.35	74.00	-9.65	3	Horizontal	73	1.93
5310MHz	Pass	AV	10.62276G	41.40	54.00	-12.60	3	Vertical	61	1.51
5310MHz	Pass	PK	10.62116G	54.06	74.00	-19.94	3	Vertical	61	1.51
5310MHz	Pass	AV	10.62076G	41.40	54.00	-12.60	3	Horizontal	255	1.01
5310MHz	Pass	PK	10.61832G	54.30	74.00	-19.70	3	Horizontal	255	1.01
5510MHz	Pass	AV	5.46G	48.91	54.00	-5.09	3	Vertical	18	1.97
5510MHz	Pass	AV	5.516G	99.34	Inf	-Inf	3	Vertical	18	1.97
5510MHz	Pass	PK	5.46G	61.66	74.00	-12.34	3	Vertical	18	1.97
5510MHz	Pass	PK	5.4648G	61.91	68.20	-6.29	3	Vertical	18	1.97
5510MHz	Pass	PK	5.5116G	110.83	Inf	-Inf	3	Vertical	18	1.97
5510MHz	Pass	AV	5.4596G	49.97	54.00	-4.03	3	Horizontal	76	1.50
5510MHz	Pass	AV	5.516G	101.46	Inf	-Inf	3	Horizontal	76	1.50
5510MHz	Pass	PK	5.46G	62.66	74.00	-11.34	3	Horizontal	76	1.50
5510MHz	Pass	PK	5.468G	63.99	68.20	-4.21	3	Horizontal	76	1.50
5510MHz	Pass	PK	5.5048G	113.47	Inf	-Inf	3	Horizontal	76	1.50
5510MHz	Pass	AV	10.99492G	41.01	54.00	-12.99	3	Vertical	244	1.10
5510MHz	Pass	PK	10.9912G	54.46	74.00	-19.54	3	Vertical	244	1.10
5510MHz	Pass	AV	10.99312G	41.01	54.00	-12.99	3	Horizontal	245	1.50
5510MHz	Pass	PK	10.99768G	54.03	74.00	-19.97	3	Horizontal	245	1.50
5550MHz	Pass	AV	5.46G	47.78	54.00	-6.22	3	Vertical	17	1.82
5550MHz	Pass	AV	5.5384G	98.92	Inf	-Inf	3	Vertical	17	1.82
5550MHz	Pass	PK	5.4568G	59.92	74.00	-14.08	3	Vertical	17	1.82
5550MHz	Pass	PK	5.47G	60.98	68.20	-7.22	3	Vertical	17	1.82
5550MHz	Pass	PK	5.5576G	111.25	Inf	-Inf	3	Vertical	17	1.82
5550MHz	Pass	AV	5.46G	48.63	54.00	-5.37	3	Horizontal	74	2.33
5550MHz	Pass	AV	5.5472G	102.26	Inf	-Inf	3	Horizontal	74	2.33
5550MHz	Pass	PK	5.4572G	60.31	74.00	-13.69	3	Horizontal	74	2.33
5550MHz	Pass	PK	5.4696G	61.21	68.20	-6.99	3	Horizontal	74	2.33
5550MHz	Pass	PK	5.5472G	114.13	Inf	-Inf	3	Horizontal	74	2.33
5550MHz	Pass	AV	11.11092G	41.10	54.00	-12.90	3	Vertical	228	2.41
5550MHz	Pass	PK	11.08176G	54.08	74.00	-19.92	3	Vertical	228	2.41
5550MHz	Pass	AV	11.1102G	41.16	54.00	-12.84	3	Horizontal	108	1.50
5550MHz	Pass	PK	11.09904G	53.90	74.00	-20.10	3	Horizontal	108	1.50
5670MHz	Pass	AV	5.6856G	99.75	Inf	-Inf	3	Vertical	16	2.75
5670MHz	Pass	PK	5.6718G	112.37	Inf	-Inf	3	Vertical	16	2.75
5670MHz	Pass	PK	5.7252G	64.56	68.20	-3.64	3	Vertical	16	2.75
5670MHz	Pass	AV	5.6784G	101.92	Inf	-Inf	3	Horizontal	72	2.41
5670MHz	Pass	PK	5.6784G	113.73	Inf	-Inf	3	Horizontal	72	2.41
5670MHz	Pass	PK	5.7252G	66.23	68.20	-1.97	3	Horizontal	72	2.41
5670MHz	Pass	AV	11.35416G	42.18	54.00	-11.82	3	Vertical	128	2.25
5670MHz	Pass	PK	11.35692G	55.03	74.00	-18.97	3	Vertical	128	2.25
5670MHz	Pass	AV	11.36064G	42.16	54.00	-11.84	3	Horizontal	18	2.74
5670MHz	Pass	PK	11.3562G	55.54	74.00	-18.46	3	Horizontal	18	2.74
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.458G	47.24	54.00	-6.76	3	Vertical	16	2.72


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7124G	98.83	Inf	-Inf	3	Vertical	16	2.72
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4292G	59.26	74.00	-14.74	3	Vertical	16	2.72
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4688G	59.52	68.20	-8.68	3	Vertical	16	2.72
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7064G	111.56	Inf	-Inf	3	Vertical	16	2.72
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.926G	61.56	68.20	-6.64	3	Vertical	16	2.72
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	47.54	54.00	-6.46	3	Horizontal	72	2.33
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7124G	101.82	Inf	-Inf	3	Horizontal	72	2.33
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4208G	59.92	74.00	-14.08	3	Horizontal	72	2.33
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	59.29	68.20	-8.91	3	Horizontal	72	2.33
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7064G	113.48	Inf	-Inf	3	Horizontal	72	2.33
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9212G	62.82	68.20	-5.38	3	Horizontal	72	2.33
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.39432G	42.34	54.00	-11.66	3	Vertical	342	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41148G	55.62	74.00	-18.38	3	Vertical	342	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40008G	42.36	54.00	-11.64	3	Horizontal	25	1.23
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.3936G	55.14	74.00	-18.86	3	Horizontal	25	1.23
5755MHz	Pass	AV	5.455G	47.06	54.00	-6.94	3	Vertical	345	1.50
5755MHz	Pass	AV	5.7502G	97.60	Inf	-Inf	3	Vertical	345	1.50
5755MHz	Pass	PK	5.5618G	60.52	68.20	-7.68	3	Vertical	345	1.50
5755MHz	Pass	PK	5.7418G	108.68	Inf	-Inf	3	Vertical	345	1.50
5755MHz	Pass	PK	5.9398G	61.01	68.20	-7.19	3	Vertical	345	1.50
5755MHz	Pass	AV	5.4562G	47.53	54.00	-6.47	3	Horizontal	73	2.28
5755MHz	Pass	AV	5.7586G	102.33	Inf	-Inf	3	Horizontal	73	2.28
5755MHz	Pass	PK	5.647G	60.60	68.20	-7.60	3	Horizontal	73	2.28
5755MHz	Pass	PK	5.7442G	114.25	Inf	-Inf	3	Horizontal	73	2.28
5755MHz	Pass	PK	6.043G	61.46	68.20	-6.74	3	Horizontal	73	2.28
5755MHz	Pass	AV	11.51708G	42.41	54.00	-11.59	3	Vertical	190	1.50
5755MHz	Pass	PK	11.53652G	55.45	74.00	-18.55	3	Vertical	190	1.50
5755MHz	Pass	AV	11.51684G	42.50	54.00	-11.50	3	Horizontal	205	2.74
5755MHz	Pass	PK	11.51552G	56.12	74.00	-17.88	3	Horizontal	205	2.74
5795MHz	Pass	AV	5.7806G	98.16	Inf	-Inf	3	Vertical	345	1.82
5795MHz	Pass	PK	5.543G	61.25	68.20	-6.95	3	Vertical	345	1.82
5795MHz	Pass	PK	5.7818G	109.12	Inf	-Inf	3	Vertical	345	1.82
5795MHz	Pass	PK	6.0662G	61.59	68.20	-6.61	3	Vertical	345	1.82
5795MHz	Pass	AV	5.7818G	101.67	Inf	-Inf	3	Horizontal	70	1.75
5795MHz	Pass	PK	5.507G	60.54	68.20	-7.66	3	Horizontal	70	1.75
5795MHz	Pass	PK	5.7866G	113.78	Inf	-Inf	3	Horizontal	70	1.75
5795MHz	Pass	PK	6.0242G	62.13	68.20	-6.07	3	Horizontal	70	1.75
5795MHz	Pass	AV	11.56312G	42.22	54.00	-11.78	3	Vertical	132	1.50
5795MHz	Pass	PK	11.56468G	55.39	74.00	-18.61	3	Vertical	132	1.50
5795MHz	Pass	AV	11.60416G	42.45	54.00	-11.55	3	Horizontal	270	2.44
5795MHz	Pass	PK	11.59168G	55.02	74.00	-18.98	3	Horizontal	270	2.44
802.11be EHT80_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	51.60	54.00	-2.40	3	Vertical	5	1.56
5210MHz	Pass	AV	5.193G	96.28	Inf	-Inf	3	Vertical	5	1.56
5210MHz	Pass	AV	5.35G	48.58	54.00	-5.42	3	Vertical	5	1.56
5210MHz	Pass	PK	5.125G	64.71	74.00	-9.29	3	Vertical	5	1.56
5210MHz	Pass	PK	5.185G	107.92	Inf	-Inf	3	Vertical	5	1.56
5210MHz	Pass	PK	5.359G	60.11	74.00	-13.89	3	Vertical	5	1.56
5210MHz	Pass	AV	5.15G	53.43	54.00	-0.57	3	Horizontal	76	1.84
5210MHz	Pass	AV	5.198G	99.26	Inf	-Inf	3	Horizontal	76	1.84
5210MHz	Pass	AV	5.355G	49.60	54.00	-4.40	3	Horizontal	76	1.84
5210MHz	Pass	PK	5.15G	64.25	74.00	-9.75	3	Horizontal	76	1.84
5210MHz	Pass	PK	5.202G	111.65	Inf	-Inf	3	Horizontal	76	1.84
5210MHz	Pass	PK	5.382G	60.99	74.00	-13.01	3	Horizontal	76	1.84
5210MHz	Pass	PK	10.38064G	54.53	68.20	-13.67	3	Vertical	155	2.27
5210MHz	Pass	PK	10.40368G	54.20	68.20	-14.00	3	Horizontal	36	1.50
5290MHz	Pass	AV	5.149G	48.51	54.00	-5.49	3	Vertical	17	1.00
5290MHz	Pass	AV	5.303G	96.06	Inf	-Inf	3	Vertical	17	1.00
5290MHz	Pass	AV	5.35G	50.65	54.00	-3.35	3	Vertical	17	1.00
5290MHz	Pass	PK	5.041G	60.09	74.00	-13.91	3	Vertical	17	1.00
5290MHz	Pass	PK	5.274G	107.13	Inf	-Inf	3	Vertical	17	1.00
5290MHz	Pass	PK	5.351G	62.03	74.00	-11.97	3	Vertical	17	1.00

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	PK	5.497G	59.89	68.20	-8.31	3	Vertical	17	1.00
5290MHz	Pass	AV	5.147G	49.27	54.00	-4.73	3	Horizontal	73	1.90
5290MHz	Pass	AV	5.303G	99.17	Inf	-Inf	3	Horizontal	73	1.90
5290MHz	Pass	AV	5.35G	52.05	54.00	-1.95	3	Horizontal	73	1.90
5290MHz	Pass	PK	5.143G	60.41	74.00	-13.59	3	Horizontal	73	1.90
5290MHz	Pass	PK	5.256G	110.26	Inf	-Inf	3	Horizontal	73	1.90
5290MHz	Pass	PK	5.351G	63.04	74.00	-10.96	3	Horizontal	73	1.90
5290MHz	Pass	PK	5.492G	60.93	68.20	-7.27	3	Horizontal	73	1.90
5290MHz	Pass	PK	10.53248G	53.89	68.20	-14.31	3	Vertical	258	2.77
5290MHz	Pass	PK	10.52792G	54.17	68.20	-14.03	3	Horizontal	270	2.42
5530MHz	Pass	AV	5.35G	47.84	54.00	-6.16	3	Vertical	14	1.90
5530MHz	Pass	AV	5.458G	51.72	54.00	-2.28	3	Vertical	14	1.90
5530MHz	Pass	AV	5.521G	95.36	Inf	-Inf	3	Vertical	14	1.90
5530MHz	Pass	PK	5.32G	58.98	68.20	-9.22	3	Vertical	14	1.90
5530MHz	Pass	PK	5.447G	63.15	74.00	-10.85	3	Vertical	14	1.90
5530MHz	Pass	PK	5.466G	62.90	68.20	-5.30	3	Vertical	14	1.90
5530MHz	Pass	PK	5.506G	107.14	Inf	-Inf	3	Vertical	14	1.90
5530MHz	Pass	PK	5.751G	60.55	68.20	-7.65	3	Vertical	14	1.90
5530MHz	Pass	AV	5.35G	47.98	54.00	-6.02	3	Horizontal	77	2.31
5530MHz	Pass	AV	5.458G	53.27	54.00	-0.73	3	Horizontal	77	2.31
5530MHz	Pass	AV	5.538G	98.62	Inf	-Inf	3	Horizontal	77	2.31
5530MHz	Pass	PK	5.307G	60.83	68.20	-7.37	3	Horizontal	77	2.31
5530MHz	Pass	PK	5.459G	64.55	74.00	-9.45	3	Horizontal	77	2.31
5530MHz	Pass	PK	5.468G	64.72	68.20	-3.48	3	Horizontal	77	2.31
5530MHz	Pass	PK	5.541G	110.17	Inf	-Inf	3	Horizontal	77	2.31
5530MHz	Pass	PK	5.742G	61.59	68.20	-6.61	3	Horizontal	77	2.31
5530MHz	Pass	AV	11.10608G	41.79	54.00	-12.21	3	Vertical	276	2.96
5530MHz	Pass	PK	11.02064G	54.16	74.00	-19.84	3	Vertical	276	2.96
5530MHz	Pass	AV	11.1092G	41.80	54.00	-12.20	3	Horizontal	27	1.85
5530MHz	Pass	PK	11.02256G	53.86	74.00	-20.14	3	Horizontal	27	1.85
5610MHz	Pass	AV	5.46G	48.31	54.00	-5.69	3	Vertical	18	2.02
5610MHz	Pass	AV	5.579G	95.66	Inf	-Inf	3	Vertical	18	2.02
5610MHz	Pass	PK	5.456G	60.06	74.00	-13.94	3	Vertical	18	2.02
5610MHz	Pass	PK	5.461G	60.66	68.20	-7.54	3	Vertical	18	2.02
5610MHz	Pass	PK	5.602G	107.09	Inf	-Inf	3	Vertical	18	2.02
5610MHz	Pass	PK	5.848G	61.58	68.20	-6.62	3	Vertical	18	2.02
5610MHz	Pass	AV	5.46G	49.02	54.00	-4.98	3	Horizontal	70	2.42
5610MHz	Pass	AV	5.595G	98.48	Inf	-Inf	3	Horizontal	70	2.42
5610MHz	Pass	PK	5.413G	60.60	74.00	-13.40	3	Horizontal	70	2.42
5610MHz	Pass	PK	5.47G	59.77	68.20	-8.43	3	Horizontal	70	2.42
5610MHz	Pass	PK	5.594G	110.56	Inf	-Inf	3	Horizontal	70	2.42
5610MHz	Pass	PK	5.727G	62.62	68.20	-5.58	3	Horizontal	70	2.42
5610MHz	Pass	AV	11.26368G	42.38	54.00	-11.62	3	Vertical	338	1.23
5610MHz	Pass	PK	11.19288G	54.97	74.00	-19.03	3	Vertical	338	1.23
5610MHz	Pass	AV	11.2764G	42.43	54.00	-11.57	3	Horizontal	55	1.32
5610MHz	Pass	PK	11.25912G	54.37	74.00	-19.63	3	Horizontal	55	1.32
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	48.08	54.00	-5.92	3	Vertical	21	2.04
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6984G	94.09	Inf	-Inf	3	Vertical	21	2.04
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4116G	59.94	74.00	-14.06	3	Vertical	21	2.04
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	59.57	68.20	-8.63	3	Vertical	21	2.04
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6888G	106.12	Inf	-Inf	3	Vertical	21	2.04
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8592G	61.01	68.20	-7.19	3	Vertical	21	2.04
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4164G	48.25	54.00	-5.75	3	Horizontal	73	2.36
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6804G	97.96	Inf	-Inf	3	Horizontal	73	2.36
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4572G	60.07	74.00	-13.93	3	Horizontal	73	2.36
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	59.82	68.20	-8.38	3	Horizontal	73	2.36
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.678G	109.68	Inf	-Inf	3	Horizontal	73	2.36
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8676G	61.85	68.20	-6.35	3	Horizontal	73	2.36
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38768G	42.98	54.00	-11.02	3	Vertical	231	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3884G	55.05	74.00	-18.95	3	Vertical	231	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39104G	43.05	54.00	-10.95	3	Horizontal	139	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.35384G	54.99	74.00	-19.01	3	Horizontal	139	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5775MHz	Pass	AV	5.7618G	96.52	Inf	-Inf	3	Vertical	3	2.95
5775MHz	Pass	PK	5.643G	60.93	68.20	-7.27	3	Vertical	3	2.95
5775MHz	Pass	PK	5.7582G	107.31	Inf	-Inf	3	Vertical	3	2.95
5775MHz	Pass	PK	6.0186G	61.22	68.20	-6.98	3	Vertical	3	2.95
5775MHz	Pass	AV	5.763G	99.32	Inf	-Inf	3	Horizontal	71	2.29
5775MHz	Pass	PK	5.649G	63.58	68.20	-4.62	3	Horizontal	71	2.29
5775MHz	Pass	PK	5.787G	110.19	Inf	-Inf	3	Horizontal	71	2.29
5775MHz	Pass	PK	6.075G	61.70	68.20	-6.50	3	Horizontal	71	2.29
5775MHz	Pass	AV	11.52792G	43.03	54.00	-10.97	3	Vertical	155	1.50
5775MHz	Pass	PK	11.5944G	55.12	74.00	-18.88	3	Vertical	155	1.50
5775MHz	Pass	AV	11.5632G	43.15	54.00	-10.85	3	Horizontal	360	1.50
5775MHz	Pass	PK	11.5116G	56.18	74.00	-17.82	3	Horizontal	360	1.50
802.11be EHT160_Nss2_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1492G	50.92	54.00	-3.08	3	Vertical	5	1.56
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.17272G	91.19	Inf	-Inf	3	Vertical	5	1.56
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.35G	50.55	54.00	-3.45	3	Vertical	5	1.56
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.14416G	66.35	74.00	-7.65	3	Vertical	5	1.56
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.27184G	102.54	Inf	-Inf	3	Vertical	5	1.56
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.43816G	67.93	74.00	-6.07	3	Vertical	5	1.56
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4768G	61.62	68.20	-6.58	3	Vertical	5	1.56
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.14416G	53.01	54.00	-0.99	3	Horizontal	77	1.79
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.17272G	94.39	Inf	-Inf	3	Horizontal	77	1.79
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.35752G	53.24	54.00	-0.76	3	Horizontal	77	1.79
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.14416G	69.84	74.00	-4.16	3	Horizontal	77	1.79
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.22144G	105.91	Inf	-Inf	3	Horizontal	77	1.79
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.43648G	71.87	74.00	-2.13	3	Horizontal	77	1.79
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4768G	64.98	68.20	-3.22	3	Horizontal	77	1.79
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.38576G	54.04	68.20	-14.16	3	Vertical	339	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.51392G	54.47	68.20	-13.73	3	Horizontal	293	1.50
5570MHz	Pass	AV	5.4584G	50.34	54.00	-3.66	3	Vertical	17	2.05
5570MHz	Pass	AV	5.5088G	90.35	Inf	-Inf	3	Vertical	17	2.05
5570MHz	Pass	PK	5.3444G	59.93	68.20	-8.27	3	Vertical	17	2.05
5570MHz	Pass	PK	5.4536G	63.14	74.00	-10.86	3	Vertical	17	2.05
5570MHz	Pass	PK	5.468G	63.75	68.20	-4.45	3	Vertical	17	2.05
5570MHz	Pass	PK	5.5532G	101.48	Inf	-Inf	3	Vertical	17	2.05
5570MHz	Pass	PK	5.8424G	61.99	68.20	-6.21	3	Vertical	17	2.05
5570MHz	Pass	AV	5.4596G	52.72	54.00	-1.28	3	Horizontal	78	2.40
5570MHz	Pass	AV	5.5472G	93.84	Inf	-Inf	3	Horizontal	78	2.40
5570MHz	Pass	PK	5.348G	60.21	68.20	-7.99	3	Horizontal	78	2.40
5570MHz	Pass	PK	5.4584G	65.89	74.00	-8.11	3	Horizontal	78	2.40
5570MHz	Pass	PK	5.462G	67.58	68.20	-0.62	3	Horizontal	78	2.40
5570MHz	Pass	PK	5.5856G	106.07	Inf	-Inf	3	Horizontal	78	2.40
5570MHz	Pass	PK	5.726G	63.09	68.20	-5.11	3	Horizontal	78	2.40
5570MHz	Pass	AV	11.23744G	42.27	54.00	-11.73	3	Vertical	355	2.60
5570MHz	Pass	PK	11.09488G	54.09	74.00	-19.91	3	Vertical	355	2.60
5570MHz	Pass	AV	11.24992G	42.29	54.00	-11.71	3	Horizontal	49	1.52
5570MHz	Pass	PK	11.19808G	54.21	74.00	-19.79	3	Horizontal	49	1.52


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.60	54.00	-2.40	6.22	3	Vertical	5	1.56	45.38	33.30	7.95	35.03
AV	5.193G	96.28	Inf	-Inf	6.08	3	Vertical	5	1.56	90.20	33.13	7.98	35.03
AV	5.35G	48.58	54.00	-5.42	6.18	3	Vertical	5	1.56	42.40	33.10	8.14	35.06
PK	5.125G	64.71	74.00	-9.29	6.17	3	Vertical	5	1.56	58.54	33.25	7.94	35.02
PK	5.185G	107.92	Inf	-Inf	6.10	3	Vertical	5	1.56	101.82	33.16	7.97	35.03
PK	5.359G	60.11	74.00	-13.89	6.17	3	Vertical	5	1.56	53.94	33.08	8.15	35.06

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.43	54.00	-0.57	6.22	3	Horizontal	76	1.84	47.21	33.30	7.95	35.03
AV	5.198G	99.26	Inf	-Inf	6.05	3	Horizontal	76	1.84	93.21	33.11	7.98	35.04
AV	5.355G	49.60	54.00	-4.40	6.18	3	Horizontal	76	1.84	43.42	33.09	8.15	35.06
PK	5.15G	64.25	74.00	-9.75	6.22	3	Horizontal	76	1.84	58.03	33.30	7.95	35.03
PK	5.202G	111.65	Inf	-Inf	6.04	3	Horizontal	76	1.84	105.61	33.10	7.98	35.04
PK	5.382G	60.99	74.00	-13.01	6.15	3	Horizontal	76	1.84	54.84	33.04	8.18	35.07


5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.84	54.00	-6.16	6.18	3	Vertical	14	1.90	41.66	33.10	8.14	35.06
AV	5.458G	51.72	54.00	-2.28	6.09	3	Vertical	14	1.90	45.63	32.93	8.24	35.08
AV	5.521G	95.36	Inf	-Inf	6.29	3	Vertical	14	1.90	89.07	33.10	8.28	35.09
PK	5.32G	58.98	68.20	-9.22	6.15	3	Vertical	14	1.90	52.83	33.10	8.11	35.06
PK	5.447G	63.15	74.00	-10.85	6.06	3	Vertical	14	1.90	57.09	32.91	8.23	35.08
PK	5.466G	62.90	68.20	-5.30	6.12	3	Vertical	14	1.90	56.78	32.96	8.24	35.08
PK	5.506G	107.14	Inf	-Inf	6.28	3	Vertical	14	1.90	100.86	33.10	8.27	35.09
PK	5.751G	60.55	68.20	-7.65	7.34	3	Vertical	14	1.90	53.21	33.91	8.55	35.12

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.98	54.00	-6.02	6.18	3	Horizontal	77	2.31	41.80	33.10	8.14	35.06
AV	5.458G	53.27	54.00	-0.73	6.09	3	Horizontal	77	2.31	47.18	32.93	8.24	35.08
AV	5.538G	98.62	Inf	-Inf	6.30	3	Horizontal	77	2.31	92.32	33.10	8.29	35.09
PK	5.307G	60.83	68.20	-7.37	6.14	3	Horizontal	77	2.31	54.69	33.10	8.10	35.06
PK	5.459G	64.55	74.00	-9.45	6.10	3	Horizontal	77	2.31	58.45	32.94	8.24	35.08
PK	5.468G	64.72	68.20	-3.48	6.13	3	Horizontal	77	2.31	58.59	32.97	8.24	35.08
PK	5.541G	110.17	Inf	-Inf	6.30	3	Horizontal	77	2.31	103.87	33.10	8.29	35.09
PK	5.742G	61.59	68.20	-6.61	7.30	3	Horizontal	77	2.31	54.29	33.87	8.54	35.11


5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX



**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	PK	30M	33.72	40.00	-6.28	3	Vertical	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1.(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	PK	30M	33.72	40.00	-6.28	3	Vertical	360	1.00
5210MHz	Pass	PK	105.66M	25.99	43.50	-17.51	3	Vertical	360	1.00
5210MHz	Pass	PK	284.14M	33.65	46.00	-12.35	3	Vertical	360	1.00
5210MHz	Pass	PK	369.5M	24.46	46.00	-21.54	3	Vertical	360	1.00
5210MHz	Pass	PK	400.54M	31.30	46.00	-14.70	3	Vertical	360	1.00
5210MHz	Pass	PK	596.48M	30.38	46.00	-15.62	3	Vertical	360	1.00
5210MHz	Pass	PK	33.88M	29.31	40.00	-10.69	3	Horizontal	0	1.00
5210MHz	Pass	PK	105.66M	22.76	43.50	-20.74	3	Horizontal	0	1.00
5210MHz	Pass	PK	282.2M	37.22	46.00	-8.78	3	Horizontal	0	1.00
5210MHz	Pass	PK	319.06M	27.63	46.00	-18.37	3	Horizontal	0	1.00
5210MHz	Pass	PK	400.54M	24.14	46.00	-21.86	3	Horizontal	0	1.00
5210MHz	Pass	PK	598.42M	32.02	46.00	-13.98	3	Horizontal	0	1.00

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5210MHz_PoE



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
PK	30M	33.72	40.00	-6.28	-18.87	3	Vertical	360	1.00	52.59	24.67	0.78	44.32
PK	105.66M	25.99	43.50	-17.51	-26.81	3	Vertical	360	1.00	52.80	16.59	1.20	44.60
PK	284.14M	33.65	46.00	-12.35	-23.31	3	Vertical	360	1.00	56.96	19.11	1.94	44.36
PK	369.5M	24.46	46.00	-21.54	-20.95	3	Vertical	360	1.00	45.41	21.00	2.22	44.17
PK	400.54M	31.30	46.00	-14.70	-19.84	3	Vertical	360	1.00	51.14	22.00	2.26	44.10
PK	596.48M	30.38	46.00	-15.62	-15.04	3	Vertical	360	1.00	45.42	26.13	2.77	43.94

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_PoE



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
PK	33.88M	29.31	40.00	-10.69	-20.79	3	Horizontal	0	1.00	50.10	22.82	0.79	44.40
PK	105.66M	22.76	43.50	-20.74	-26.81	3	Horizontal	0	1.00	49.57	16.59	1.20	44.60
PK	282.2M	37.22	46.00	-8.78	-23.38	3	Horizontal	0	1.00	60.60	19.06	1.93	44.37
PK	319.06M	27.63	46.00	-18.37	-22.66	3	Horizontal	0	1.00	50.29	19.55	2.08	44.29
PK	400.54M	24.14	46.00	-21.86	-19.84	3	Horizontal	0	1.00	43.98	22.00	2.26	44.10
PK	598.42M	32.02	46.00	-13.98	-15.09	3	Horizontal	0	1.00	47.11	26.08	2.77	43.94



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.1492G	52.12	54.00	-1.88	3	Horizontal	0	2.25
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.1394G	52.92	54.00	-1.08	3	Horizontal	0	2.28
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.1492G	53.64	54.00	-0.36	3	Horizontal	0	2.19
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.80	54.00	-0.20	3	Horizontal	0	2.33
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.35G	52.76	54.00	-1.24	3	Horizontal	360	2.32
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.21	54.00	-0.79	3	Horizontal	360	2.14
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.35032G	53.83	54.00	-0.17	3	Horizontal	359	2.23
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.45	54.00	-0.55	3	Horizontal	360	2.15

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1492G	52.12	54.00	-1.88	3	Horizontal	0	2.25
5180MHz	Pass	AV	5.1814G	109.92	Inf	-Inf	3	Horizontal	0	2.25
5180MHz	Pass	PK	5.1402G	66.08	74.00	-7.92	3	Horizontal	0	2.25
5180MHz	Pass	PK	5.1776G	119.46	Inf	-Inf	3	Horizontal	0	2.25
5180MHz	Pass	PK	10.36402G	55.44	68.20	-12.76	3	Vertical	238	1.45
5180MHz	Pass	PK	10.35982G	56.83	68.20	-11.37	3	Horizontal	324	1.51
5200MHz	Pass	AV	5.15G	50.68	54.00	-3.32	3	Horizontal	1	2.19
5200MHz	Pass	AV	5.1928G	109.42	Inf	-Inf	3	Horizontal	1	2.19
5200MHz	Pass	PK	5.146G	62.25	74.00	-11.75	3	Horizontal	1	2.19
5200MHz	Pass	PK	5.1936G	118.70	Inf	-Inf	3	Horizontal	1	2.19
5200MHz	Pass	PK	10.40294G	54.99	68.20	-13.21	3	Vertical	233	1.36
5200MHz	Pass	PK	10.39592G	57.01	68.20	-11.19	3	Horizontal	316	1.66
5240MHz	Pass	AV	5.144G	48.98	54.00	-5.02	3	Horizontal	0	2.29
5240MHz	Pass	AV	5.2466G	108.91	Inf	-Inf	3	Horizontal	0	2.29
5240MHz	Pass	AV	5.3522G	49.01	54.00	-4.99	3	Horizontal	0	2.29
5240MHz	Pass	PK	5.1374G	61.09	74.00	-12.91	3	Horizontal	0	2.29
5240MHz	Pass	PK	5.246G	118.51	Inf	-Inf	3	Horizontal	0	2.29
5240MHz	Pass	PK	5.3738G	61.15	74.00	-12.85	3	Horizontal	0	2.29
5240MHz	Pass	PK	10.47622G	54.89	68.20	-13.31	3	Vertical	238	1.49
5240MHz	Pass	PK	10.47562G	56.35	68.20	-11.85	3	Horizontal	316	2.04
5260MHz	Pass	AV	5.1454G	48.92	54.00	-5.08	3	Horizontal	0	2.31
5260MHz	Pass	AV	5.2624G	110.38	Inf	-Inf	3	Horizontal	0	2.31
5260MHz	Pass	AV	5.35G	49.35	54.00	-4.65	3	Horizontal	0	2.31
5260MHz	Pass	PK	5.1244G	61.12	74.00	-12.88	3	Horizontal	0	2.31
5260MHz	Pass	PK	5.2582G	119.32	Inf	-Inf	3	Horizontal	0	2.31
5260MHz	Pass	PK	5.3752G	61.80	74.00	-12.20	3	Horizontal	0	2.31
5260MHz	Pass	PK	10.51322G	55.75	68.20	-12.45	3	Vertical	236	1.49
5260MHz	Pass	PK	10.52606G	57.39	68.20	-10.81	3	Horizontal	312	1.60
5300MHz	Pass	AV	5.2968G	110.72	Inf	-Inf	3	Horizontal	0	2.17
5300MHz	Pass	AV	5.35G	50.70	54.00	-3.30	3	Horizontal	0	2.17
5300MHz	Pass	PK	5.3044G	119.82	Inf	-Inf	3	Horizontal	0	2.17
5300MHz	Pass	PK	5.3508G	62.98	74.00	-11.02	3	Horizontal	0	2.17
5300MHz	Pass	PK	10.59304G	54.79	68.20	-13.41	3	Vertical	22	1.46
5300MHz	Pass	PK	10.5916G	57.05	68.20	-11.15	3	Horizontal	313	1.50
5320MHz	Pass	AV	5.313G	110.11	Inf	-Inf	3	Horizontal	360	2.32
5320MHz	Pass	AV	5.35G	52.76	54.00	-1.24	3	Horizontal	360	2.32
5320MHz	Pass	PK	5.3198G	120.10	Inf	-Inf	3	Horizontal	360	2.32
5320MHz	Pass	PK	5.3594G	67.01	74.00	-6.99	3	Horizontal	360	2.32
5320MHz	Pass	AV	10.6421G	41.99	54.00	-12.01	3	Vertical	308	1.50
5320MHz	Pass	PK	10.65194G	54.81	74.00	-19.19	3	Vertical	308	1.50
5320MHz	Pass	AV	10.6388G	43.19	54.00	-10.81	3	Horizontal	314	1.33
5320MHz	Pass	PK	10.63934G	56.22	74.00	-17.78	3	Horizontal	314	1.33
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1394G	52.92	54.00	-1.08	3	Horizontal	0	2.28
5180MHz	Pass	AV	5.1752G	109.26	Inf	-Inf	3	Horizontal	0	2.28
5180MHz	Pass	PK	5.139G	66.73	74.00	-7.27	3	Horizontal	0	2.28
5180MHz	Pass	PK	5.1842G	121.60	Inf	-Inf	3	Horizontal	0	2.28
5180MHz	Pass	PK	10.37212G	55.21	68.20	-12.99	3	Vertical	263	1.36
5180MHz	Pass	PK	10.3633G	57.02	68.20	-11.18	3	Horizontal	324	1.50
5200MHz	Pass	AV	5.15G	50.55	54.00	-3.45	3	Horizontal	0	2.36
5200MHz	Pass	AV	5.192G	108.98	Inf	-Inf	3	Horizontal	0	2.36
5200MHz	Pass	PK	5.1464G	62.92	74.00	-11.08	3	Horizontal	0	2.36
5200MHz	Pass	PK	5.192G	121.07	Inf	-Inf	3	Horizontal	0	2.36
5200MHz	Pass	PK	10.39664G	55.09	68.20	-13.11	3	Vertical	309	1.25
5200MHz	Pass	PK	10.39952G	55.77	68.20	-12.43	3	Horizontal	317	1.63
5240MHz	Pass	AV	5.1494G	48.77	54.00	-5.23	3	Horizontal	0	2.27
5240MHz	Pass	AV	5.2472G	108.17	Inf	-Inf	3	Horizontal	0	2.27
5240MHz	Pass	AV	5.3504G	48.85	54.00	-5.15	3	Horizontal	0	2.27
5240MHz	Pass	PK	5.1458G	61.54	74.00	-12.46	3	Horizontal	0	2.27
5240MHz	Pass	PK	5.2484G	120.10	Inf	-Inf	3	Horizontal	0	2.27


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	PK	5.36G	61.27	74.00	-12.73	3	Horizontal	0	2.27
5240MHz	Pass	PK	10.47634G	54.98	68.20	-13.22	3	Vertical	236	1.49
5240MHz	Pass	PK	10.48534G	56.16	68.20	-12.04	3	Horizontal	315	2.01
5260MHz	Pass	AV	5.15G	48.84	54.00	-5.16	3	Horizontal	358	2.28
5260MHz	Pass	AV	5.2624G	109.90	Inf	-Inf	3	Horizontal	358	2.28
5260MHz	Pass	AV	5.35G	49.27	54.00	-4.73	3	Horizontal	358	2.28
5260MHz	Pass	PK	5.1382G	61.00	74.00	-13.00	3	Horizontal	358	2.28
5260MHz	Pass	PK	5.2612G	121.39	Inf	-Inf	3	Horizontal	358	2.28
5260MHz	Pass	PK	5.3536G	61.25	74.00	-12.75	3	Horizontal	358	2.28
5260MHz	Pass	PK	10.5089G	55.72	68.20	-12.48	3	Vertical	237	1.50
5260MHz	Pass	PK	10.52018G	57.02	68.20	-11.18	3	Horizontal	312	1.62
5300MHz	Pass	AV	5.2988G	110.13	Inf	-Inf	3	Horizontal	358	2.17
5300MHz	Pass	AV	5.35G	50.83	54.00	-3.17	3	Horizontal	358	2.17
5300MHz	Pass	PK	5.2984G	121.91	Inf	-Inf	3	Horizontal	358	2.17
5300MHz	Pass	PK	5.35G	62.66	74.00	-11.34	3	Horizontal	358	2.17
5300MHz	Pass	PK	10.59934G	55.26	68.20	-12.94	3	Vertical	43	3.00
5300MHz	Pass	PK	10.5985G	56.73	68.20	-11.47	3	Horizontal	314	1.51
5320MHz	Pass	AV	5.3116G	109.56	Inf	-Inf	3	Horizontal	360	2.14
5320MHz	Pass	AV	5.35G	53.21	54.00	-0.79	3	Horizontal	360	2.14
5320MHz	Pass	PK	5.3144G	121.53	Inf	-Inf	3	Horizontal	360	2.14
5320MHz	Pass	PK	5.3598G	66.64	74.00	-7.36	3	Horizontal	360	2.14
5320MHz	Pass	AV	10.62938G	41.84	54.00	-12.16	3	Vertical	127	1.50
5320MHz	Pass	PK	10.65224G	55.09	74.00	-18.91	3	Vertical	127	1.50
5320MHz	Pass	AV	10.63946G	42.78	54.00	-11.22	3	Horizontal	317	1.62
5320MHz	Pass	PK	10.63154G	55.80	74.00	-18.20	3	Horizontal	317	1.62
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1492G	53.64	54.00	-0.36	3	Horizontal	0	2.19
5190MHz	Pass	AV	5.1832G	104.16	Inf	-Inf	3	Horizontal	0	2.19
5190MHz	Pass	PK	5.1444G	66.95	74.00	-7.05	3	Horizontal	0	2.19
5190MHz	Pass	PK	5.1856G	116.36	Inf	-Inf	3	Horizontal	0	2.19
5190MHz	Pass	PK	10.36956G	54.79	68.20	-13.41	3	Vertical	232	1.50
5190MHz	Pass	PK	10.37952G	55.05	68.20	-13.15	3	Horizontal	238	2.64
5230MHz	Pass	AV	5.15G	51.42	54.00	-2.58	3	Horizontal	0	2.29
5230MHz	Pass	AV	5.2156G	105.69	Inf	-Inf	3	Horizontal	0	2.29
5230MHz	Pass	PK	5.15G	63.92	74.00	-10.08	3	Horizontal	0	2.29
5230MHz	Pass	PK	5.2212G	118.22	Inf	-Inf	3	Horizontal	0	2.29
5230MHz	Pass	PK	10.44812G	54.60	68.20	-13.60	3	Vertical	331	1.50
5230MHz	Pass	PK	10.43072G	55.69	68.20	-12.51	3	Horizontal	319	2.16
5270MHz	Pass	AV	5.284G	108.00	Inf	-Inf	3	Horizontal	358	2.40
5270MHz	Pass	AV	5.35G	52.27	54.00	-1.73	3	Horizontal	358	2.40
5270MHz	Pass	PK	5.2728G	120.67	Inf	-Inf	3	Horizontal	358	2.40
5270MHz	Pass	PK	5.35G	65.80	74.00	-8.20	3	Horizontal	358	2.40
5270MHz	Pass	PK	10.54828G	54.77	68.20	-13.43	3	Vertical	43	2.99
5270MHz	Pass	PK	10.53904G	57.13	68.20	-11.07	3	Horizontal	315	1.71
5310MHz	Pass	AV	5.3052G	104.36	Inf	-Inf	3	Horizontal	359	2.23
5310MHz	Pass	AV	5.35032G	53.83	54.00	-0.17	3	Horizontal	359	2.23
5310MHz	Pass	PK	5.2956G	116.76	Inf	-Inf	3	Horizontal	359	2.23
5310MHz	Pass	PK	5.35128G	65.75	74.00	-8.25	3	Horizontal	359	2.23
5310MHz	Pass	AV	10.62032G	41.75	54.00	-12.25	3	Vertical	244	1.40
5310MHz	Pass	PK	10.61964G	54.71	74.00	-19.29	3	Vertical	244	1.40
5310MHz	Pass	AV	10.62284G	41.76	54.00	-12.24	3	Horizontal	352	2.12
5310MHz	Pass	PK	10.61192G	54.33	74.00	-19.67	3	Horizontal	352	2.12
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.80	54.00	-0.20	3	Horizontal	0	2.33
5210MHz	Pass	AV	5.18G	100.01	Inf	-Inf	3	Horizontal	0	2.33
5210MHz	Pass	AV	5.35G	49.00	54.00	-5.00	3	Horizontal	0	2.33
5210MHz	Pass	PK	5.146G	64.99	74.00	-9.01	3	Horizontal	0	2.33
5210MHz	Pass	PK	5.186G	112.62	Inf	-Inf	3	Horizontal	0	2.33
5210MHz	Pass	PK	5.35G	61.22	74.00	-12.78	3	Horizontal	0	2.33
5210MHz	Pass	PK	10.36936G	55.16	68.20	-13.04	3	Vertical	143	1.50
5210MHz	Pass	PK	10.42096G	55.62	68.20	-12.58	3	Horizontal	272	1.52
5290MHz	Pass	AV	5.145G	48.42	54.00	-5.58	3	Horizontal	360	2.15



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	AV	5.301G	100.31	Inf	-Inf	3	Horizontal	360	2.15
5290MHz	Pass	AV	5.35G	53.45	54.00	-0.55	3	Horizontal	360	2.15
5290MHz	Pass	PK	5.144G	60.18	74.00	-13.82	3	Horizontal	360	2.15
5290MHz	Pass	PK	5.303G	112.64	Inf	-Inf	3	Horizontal	360	2.15
5290MHz	Pass	PK	5.35G	64.67	74.00	-9.33	3	Horizontal	360	2.15
5290MHz	Pass	PK	5.506G	60.12	68.20	-8.08	3	Horizontal	360	2.15
5290MHz	Pass	PK	10.54448G	54.53	68.20	-13.67	3	Vertical	134	1.50
5290MHz	Pass	PK	10.53752G	55.04	68.20	-13.16	3	Horizontal	254	1.50


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX

