



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	311.3M	34.64	46.00	-11.36	3	Horizontal	360	1.00



**RSE TX below 1GHz_Non-Beamforming_
Radio 3_2T1S_Patch**


Appendix E.25

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz_PoE	Pass	PK	30M	28.28	40.00	-11.72	3	Vertical	0	1.00
5210MHz_PoE	Pass	PK	68.8M	24.20	40.00	-15.80	3	Vertical	0	1.00
5210MHz_PoE	Pass	PK	148.34M	25.06	43.50	-18.44	3	Vertical	0	1.00
5210MHz_PoE	Pass	PK	307.42M	31.54	46.00	-14.46	3	Vertical	0	1.00
5210MHz_PoE	Pass	PK	371.44M	27.44	46.00	-18.56	3	Vertical	0	1.00
5210MHz_PoE	Pass	PK	449.04M	32.72	46.00	-13.28	3	Vertical	0	1.00
5210MHz_PoE	Pass	PK	30M	24.04	40.00	-15.96	3	Horizontal	360	1.00
5210MHz_PoE	Pass	PK	105.66M	29.88	43.50	-13.62	3	Horizontal	360	1.00
5210MHz_PoE	Pass	PK	148.34M	26.30	43.50	-17.20	3	Horizontal	360	1.00
5210MHz_PoE	Pass	PK	311.3M	34.64	46.00	-11.36	3	Horizontal	360	1.00
5210MHz_PoE	Pass	PK	476.2M	28.98	46.00	-17.02	3	Horizontal	360	1.00
5210MHz_PoE	Pass	PK	538.28M	28.88	46.00	-17.12	3	Horizontal	360	1.00

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	28.28	40.00	-11.72	-3.00	3	Vertical	0	1.00	31.28	24.27	0.24	27.51
PK	68.8M	24.20	40.00	-15.80	-14.29	3	Vertical	0	1.00	38.49	12.45	0.63	27.37
PK	148.34M	25.06	43.50	-18.44	-8.92	3	Vertical	0	1.00	33.98	16.64	1.59	27.15
PK	307.42M	31.54	46.00	-14.46	-4.88	3	Vertical	0	1.00	36.42	19.59	2.28	26.75
PK	371.44M	27.44	46.00	-18.56	-3.58	3	Vertical	0	1.00	31.02	21.07	2.59	27.24
PK	449.04M	32.72	46.00	-13.28	-2.01	3	Vertical	0	1.00	34.73	22.93	2.90	27.84

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	24.04	40.00	-15.96	-3.00	3	Horizontal	360	1.00	27.04	24.27	0.24	27.51
PK	105.66M	29.88	43.50	-13.62	-8.46	3	Horizontal	360	1.00	38.34	17.77	1.05	27.28
PK	148.34M	26.30	43.50	-17.20	-8.92	3	Horizontal	360	1.00	35.22	16.64	1.59	27.15
PK	311.3M	34.64	46.00	-11.36	-4.80	3	Horizontal	360	1.00	39.44	19.68	2.30	26.78
PK	476.2M	28.98	46.00	-17.02	-1.40	3	Horizontal	360	1.00	30.38	23.54	3.08	28.02
PK	538.28M	28.88	46.00	-17.12	0.15	3	Horizontal	360	1.00	28.73	24.94	3.38	28.17



**RSE TX above 1GHz_Non-Beamforming_
Radio 3_2T2S_Patch**

Appendix E.26

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.1392G	53.13	54.00	-0.87	3	Horizontal	356	2.05
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.38	54.00	-0.62	3	Horizontal	357	1.74
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.40	54.00	-0.60	3	Horizontal	356	2.04
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.3608G	51.81	54.00	-2.19	3	Horizontal	360	1.63
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.3504G	53.88	54.00	-0.12	3	Horizontal	360	2.09
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.56	54.00	-0.44	3	Vertical	350	1.94



RSE TX above 1GHz_Non-Beamforming_ Radio 3_2T2S_Patch

Appendix E.26

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	51.99	54.00	-2.01	3	Vertical	357	1.81
5180MHz	Pass	AV	5.1728G	107.55	Inf	-Inf	3	Vertical	357	1.81
5180MHz	Pass	PK	5.14G	66.79	74.00	-7.21	3	Vertical	357	1.81
5180MHz	Pass	PK	5.1844G	121.45	Inf	-Inf	3	Vertical	357	1.81
5180MHz	Pass	AV	5.1392G	53.13	54.00	-0.87	3	Horizontal	356	2.05
5180MHz	Pass	AV	5.1764G	108.89	Inf	-Inf	3	Horizontal	356	2.05
5180MHz	Pass	PK	5.1396G	69.25	74.00	-4.75	3	Horizontal	356	2.05
5180MHz	Pass	PK	5.1814G	123.13	Inf	-Inf	3	Horizontal	356	2.05
5180MHz	Pass	PK	10.36384G	59.82	68.20	-8.38	3	Vertical	7	1.48
5180MHz	Pass	PK	10.36126G	60.03	68.20	-8.17	3	Horizontal	34	1.09
5200MHz	Pass	AV	5.15G	50.50	54.00	-3.50	3	Vertical	350	1.79
5200MHz	Pass	AV	5.2016G	107.19	Inf	-Inf	3	Vertical	350	1.79
5200MHz	Pass	PK	5.1464G	63.79	74.00	-10.21	3	Vertical	350	1.79
5200MHz	Pass	PK	5.196G	121.24	Inf	-Inf	3	Vertical	350	1.79
5200MHz	Pass	AV	5.1496G	51.52	54.00	-2.48	3	Horizontal	357	1.80
5200MHz	Pass	AV	5.1912G	107.80	Inf	-Inf	3	Horizontal	357	1.80
5200MHz	Pass	PK	5.1492G	65.40	74.00	-8.60	3	Horizontal	357	1.80
5200MHz	Pass	PK	5.1924G	121.45	Inf	-Inf	3	Horizontal	357	1.80
5200MHz	Pass	PK	10.4063G	59.87	68.20	-8.33	3	Vertical	350	1.53
5200MHz	Pass	PK	10.40126G	59.68	68.20	-8.52	3	Horizontal	0	1.86
5240MHz	Pass	AV	5.1494G	49.22	54.00	-4.78	3	Vertical	350	1.95
5240MHz	Pass	AV	5.2472G	106.96	Inf	-Inf	3	Vertical	350	1.95
5240MHz	Pass	AV	5.3612G	48.80	54.00	-5.20	3	Vertical	350	1.95
5240MHz	Pass	PK	5.1404G	63.05	74.00	-10.95	3	Vertical	350	1.95
5240MHz	Pass	PK	5.2382G	121.75	Inf	-Inf	3	Vertical	350	1.95
5240MHz	Pass	PK	5.3648G	62.79	74.00	-11.21	3	Vertical	350	1.95
5240MHz	Pass	AV	5.15G	49.91	54.00	-4.09	3	Horizontal	357	1.80
5240MHz	Pass	AV	5.2424G	107.79	Inf	-Inf	3	Horizontal	357	1.80
5240MHz	Pass	AV	5.363G	48.91	54.00	-5.09	3	Horizontal	357	1.80
5240MHz	Pass	PK	5.1314G	63.18	74.00	-10.82	3	Horizontal	357	1.80
5240MHz	Pass	PK	5.2412G	121.47	Inf	-Inf	3	Horizontal	357	1.80
5240MHz	Pass	PK	5.3672G	62.62	74.00	-11.38	3	Horizontal	357	1.80
5240MHz	Pass	PK	10.47904G	58.68	68.20	-9.52	3	Vertical	351	1.50
5240MHz	Pass	PK	10.48798G	58.71	68.20	-9.49	3	Horizontal	14	1.49
5260MHz	Pass	AV	5.149G	49.04	54.00	-4.96	3	Vertical	352	1.94
5260MHz	Pass	AV	5.2672G	107.40	Inf	-Inf	3	Vertical	352	1.94
5260MHz	Pass	AV	5.3626G	49.11	54.00	-4.89	3	Vertical	352	1.94
5260MHz	Pass	PK	5.1418G	63.70	74.00	-10.30	3	Vertical	352	1.94
5260MHz	Pass	PK	5.2648G	121.67	Inf	-Inf	3	Vertical	352	1.94
5260MHz	Pass	PK	5.359G	62.68	74.00	-11.32	3	Vertical	352	1.94
5260MHz	Pass	AV	5.15G	49.48	54.00	-4.52	3	Horizontal	358	1.77
5260MHz	Pass	AV	5.2528G	107.41	Inf	-Inf	3	Horizontal	358	1.77
5260MHz	Pass	AV	5.3638G	48.94	54.00	-5.06	3	Horizontal	358	1.77
5260MHz	Pass	PK	5.143G	63.10	74.00	-10.90	3	Horizontal	358	1.77
5260MHz	Pass	PK	5.2612G	121.69	Inf	-Inf	3	Horizontal	358	1.77
5260MHz	Pass	PK	5.353G	62.36	74.00	-11.64	3	Horizontal	358	1.77
5260MHz	Pass	PK	10.51742G	59.15	68.20	-9.05	3	Vertical	33	1.41
5260MHz	Pass	PK	10.51508G	59.18	68.20	-9.02	3	Horizontal	337	3.00
5300MHz	Pass	AV	5.2948G	107.83	Inf	-Inf	3	Vertical	351	1.95
5300MHz	Pass	AV	5.3504G	49.50	54.00	-4.50	3	Vertical	351	1.95
5300MHz	Pass	PK	5.2948G	121.39	Inf	-Inf	3	Vertical	351	1.95
5300MHz	Pass	PK	5.3684G	63.32	74.00	-10.68	3	Vertical	351	1.95
5300MHz	Pass	AV	5.294G	107.60	Inf	-Inf	3	Horizontal	360	2.09
5300MHz	Pass	AV	5.3568G	49.38	54.00	-4.62	3	Horizontal	360	2.09
5300MHz	Pass	PK	5.2976G	120.80	Inf	-Inf	3	Horizontal	360	2.09
5300MHz	Pass	PK	5.3572G	63.24	74.00	-10.76	3	Horizontal	360	2.09
5300MHz	Pass	PK	10.5985G	60.70	68.20	-7.50	3	Vertical	46	1.54
5300MHz	Pass	PK	10.60132G	61.36	74.00	-12.64	3	Horizontal	27	1.72
5320MHz	Pass	AV	5.315G	107.08	Inf	-Inf	3	Vertical	352	1.82
5320MHz	Pass	AV	5.3602G	51.61	54.00	-2.39	3	Vertical	352	1.82

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	PK	5.316G	121.11	Inf	-Inf	3	Vertical	352	1.82
5320MHz	Pass	PK	5.3696G	70.92	74.00	-3.08	3	Vertical	352	1.82
5320MHz	Pass	AV	5.3126G	107.07	Inf	-Inf	3	Horizontal	360	1.63
5320MHz	Pass	AV	5.3608G	51.81	54.00	-2.19	3	Horizontal	360	1.63
5320MHz	Pass	PK	5.3124G	120.93	Inf	-Inf	3	Horizontal	360	1.63
5320MHz	Pass	PK	5.3618G	66.36	74.00	-7.64	3	Horizontal	360	1.63
5320MHz	Pass	AV	10.63442G	45.75	54.00	-8.25	3	Vertical	308	1.50
5320MHz	Pass	PK	10.63004G	60.20	74.00	-13.80	3	Vertical	308	1.50
5320MHz	Pass	AV	10.63514G	45.88	54.00	-8.12	3	Horizontal	334	1.56
5320MHz	Pass	PK	10.64108G	60.03	74.00	-13.97	3	Horizontal	334	1.56
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.20	54.00	-0.80	3	Vertical	350	1.77
5190MHz	Pass	AV	5.1836G	102.44	Inf	-Inf	3	Vertical	350	1.77
5190MHz	Pass	PK	5.1444G	70.27	74.00	-3.73	3	Vertical	350	1.77
5190MHz	Pass	PK	5.1872G	117.46	Inf	-Inf	3	Vertical	350	1.77
5190MHz	Pass	AV	5.15G	53.38	54.00	-0.62	3	Horizontal	357	1.74
5190MHz	Pass	AV	5.1836G	103.40	Inf	-Inf	3	Horizontal	357	1.74
5190MHz	Pass	PK	5.1436G	67.44	74.00	-6.56	3	Horizontal	357	1.74
5190MHz	Pass	PK	5.1848G	116.82	Inf	-Inf	3	Horizontal	357	1.74
5190MHz	Pass	PK	10.39848G	58.86	68.20	-9.34	3	Vertical	46	1.50
5190MHz	Pass	PK	10.39668G	58.58	68.20	-9.62	3	Horizontal	175	1.50
5230MHz	Pass	AV	5.15G	50.64	54.00	-3.36	3	Vertical	350	1.90
5230MHz	Pass	AV	5.244G	103.95	Inf	-Inf	3	Vertical	350	1.90
5230MHz	Pass	PK	5.1408G	64.02	74.00	-9.98	3	Vertical	350	1.90
5230MHz	Pass	PK	5.2448G	118.45	Inf	-Inf	3	Vertical	350	1.90
5230MHz	Pass	AV	5.15G	51.97	54.00	-2.03	3	Horizontal	357	1.79
5230MHz	Pass	AV	5.2436G	105.09	Inf	-Inf	3	Horizontal	357	1.79
5230MHz	Pass	PK	5.1472G	65.24	74.00	-8.76	3	Horizontal	357	1.79
5230MHz	Pass	PK	5.2368G	118.77	Inf	-Inf	3	Horizontal	357	1.79
5230MHz	Pass	PK	10.4888G	57.99	68.20	-10.21	3	Vertical	10	2.64
5230MHz	Pass	PK	10.46468G	59.02	68.20	-9.18	3	Horizontal	342	1.34
5270MHz	Pass	AV	5.2876G	104.72	Inf	-Inf	3	Vertical	351	1.92
5270MHz	Pass	AV	5.3508G	49.84	54.00	-4.16	3	Vertical	351	1.92
5270MHz	Pass	PK	5.2872G	119.36	Inf	-Inf	3	Vertical	351	1.92
5270MHz	Pass	PK	5.3504G	64.04	74.00	-9.96	3	Vertical	351	1.92
5270MHz	Pass	AV	5.2876G	104.78	Inf	-Inf	3	Horizontal	360	1.82
5270MHz	Pass	AV	5.3504G	49.97	54.00	-4.03	3	Horizontal	360	1.82
5270MHz	Pass	PK	5.2752G	118.34	Inf	-Inf	3	Horizontal	360	1.82
5270MHz	Pass	PK	5.35G	63.23	74.00	-10.77	3	Horizontal	360	1.82
5270MHz	Pass	PK	10.54816G	58.27	68.20	-9.93	3	Vertical	35	1.50
5270MHz	Pass	PK	10.54372G	58.95	68.20	-9.25	3	Horizontal	13	1.61
5310MHz	Pass	AV	5.296G	104.29	Inf	-Inf	3	Vertical	350	1.93
5310MHz	Pass	AV	5.35G	52.50	54.00	-1.50	3	Vertical	350	1.93
5310MHz	Pass	PK	5.2968G	119.03	Inf	-Inf	3	Vertical	350	1.93
5310MHz	Pass	PK	5.358G	68.60	74.00	-5.40	3	Vertical	350	1.93
5310MHz	Pass	AV	5.2976G	104.43	Inf	-Inf	3	Horizontal	360	2.09
5310MHz	Pass	AV	5.3504G	53.88	54.00	-0.12	3	Horizontal	360	2.09
5310MHz	Pass	PK	5.2932G	118.45	Inf	-Inf	3	Horizontal	360	2.09
5310MHz	Pass	PK	5.3544G	68.87	74.00	-5.13	3	Horizontal	360	2.09
5310MHz	Pass	AV	10.62348G	45.31	54.00	-8.69	3	Vertical	329	2.36
5310MHz	Pass	PK	10.62156G	59.67	74.00	-14.33	3	Vertical	329	2.36
5310MHz	Pass	AV	10.62G	45.70	54.00	-8.30	3	Horizontal	340	1.50
5310MHz	Pass	PK	10.61928G	59.80	74.00	-14.20	3	Horizontal	340	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	52.51	54.00	-1.49	3	Vertical	358	1.89
5210MHz	Pass	AV	5.181G	97.80	Inf	-Inf	3	Vertical	358	1.89
5210MHz	Pass	AV	5.357G	48.89	54.00	-5.11	3	Vertical	358	1.89
5210MHz	Pass	PK	5.15G	65.80	74.00	-8.20	3	Vertical	358	1.89
5210MHz	Pass	PK	5.186G	112.25	Inf	-Inf	3	Vertical	358	1.89
5210MHz	Pass	PK	5.354G	62.52	74.00	-11.48	3	Vertical	358	1.89
5210MHz	Pass	AV	5.15G	53.40	54.00	-0.60	3	Horizontal	356	2.04
5210MHz	Pass	AV	5.179G	98.80	Inf	-Inf	3	Horizontal	356	2.04




**RSE TX above 1GHz_Non-Beamforming_
Radio 3_2T2S_Patch**

Appendix E.26

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5210MHz	Pass	AV	5.363G	48.88	54.00	-5.12	3	Horizontal	356	2.04
5210MHz	Pass	PK	5.15G	66.71	74.00	-7.29	3	Horizontal	356	2.04
5210MHz	Pass	PK	5.18G	112.69	Inf	-Inf	3	Horizontal	356	2.04
5210MHz	Pass	PK	5.377G	62.47	74.00	-11.53	3	Horizontal	356	2.04
5210MHz	Pass	PK	10.37872G	58.25	68.20	-9.95	3	Vertical	115	1.06
5210MHz	Pass	PK	10.366G	58.71	68.20	-9.49	3	Horizontal	268	1.50
5290MHz	Pass	AV	5.15G	49.49	54.00	-4.51	3	Vertical	350	1.94
5290MHz	Pass	AV	5.297G	100.00	Inf	-Inf	3	Vertical	350	1.94
5290MHz	Pass	AV	5.35G	53.56	54.00	-0.44	3	Vertical	350	1.94
5290MHz	Pass	PK	5.147G	63.03	74.00	-10.97	3	Vertical	350	1.94
5290MHz	Pass	PK	5.285G	114.14	Inf	-Inf	3	Vertical	350	1.94
5290MHz	Pass	PK	5.35G	67.20	74.00	-6.80	3	Vertical	350	1.94
5290MHz	Pass	PK	5.479G	62.06	68.20	-6.14	3	Vertical	350	1.94
5290MHz	Pass	AV	5.147G	49.63	54.00	-4.37	3	Horizontal	360	2.10
5290MHz	Pass	AV	5.297G	99.43	Inf	-Inf	3	Horizontal	360	2.10
5290MHz	Pass	AV	5.35G	53.38	54.00	-0.62	3	Horizontal	360	2.10
5290MHz	Pass	PK	5.146G	63.23	74.00	-10.77	3	Horizontal	360	2.10
5290MHz	Pass	PK	5.295G	114.50	Inf	-Inf	3	Horizontal	360	2.10
5290MHz	Pass	PK	5.35G	66.65	74.00	-7.35	3	Horizontal	360	2.10
5290MHz	Pass	PK	5.461G	62.23	68.20	-5.97	3	Horizontal	360	2.10
5290MHz	Pass	AV	10.63304G	45.13	54.00	-8.87	3	Vertical	134	1.49
5290MHz	Pass	PK	10.62104G	59.22	74.00	-14.78	3	Vertical	134	1.49
5290MHz	Pass	AV	10.62512G	45.15	54.00	-8.85	3	Horizontal	15	1.50
5290MHz	Pass	PK	10.6112G	58.94	74.00	-15.06	3	Horizontal	15	1.50


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.51	54.00	-1.49	8.15	3	Vertical	358	1.89	44.36	33.20	8.95	34.00
AV	5.181G	97.80	Inf	-Inf	8.11	3	Vertical	358	1.89	89.69	33.14	8.97	34.00
AV	5.357G	48.89	54.00	-5.11	8.03	3	Vertical	358	1.89	40.86	32.89	9.13	33.99
PK	5.15G	65.80	74.00	-8.20	8.15	3	Vertical	358	1.89	57.65	33.20	8.95	34.00
PK	5.186G	112.25	Inf	-Inf	8.10	3	Vertical	358	1.89	104.15	33.13	8.97	34.00
PK	5.354G	62.52	74.00	-11.48	8.03	3	Vertical	358	1.89	54.49	32.89	9.13	33.99

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.40	54.00	-0.60	8.15	3	Horizontal	356	2.04	45.25	33.20	8.95	34.00
AV	5.179G	98.80	Inf	-Inf	8.11	3	Horizontal	356	2.04	90.69	33.14	8.97	34.00
AV	5.363G	48.88	54.00	-5.12	8.01	3	Horizontal	356	2.04	40.87	32.87	9.13	33.99
PK	5.15G	66.71	74.00	-7.29	8.15	3	Horizontal	356	2.04	58.56	33.20	8.95	34.00
PK	5.18G	112.69	Inf	-Inf	8.11	3	Horizontal	356	2.04	104.58	33.14	8.97	34.00
PK	5.377G	62.47	74.00	-11.53	8.01	3	Horizontal	356	2.04	54.46	32.85	9.15	33.99


5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	5.03063G	35.39	54.00	-18.61	Vertical
Mode 2	Pass	AV	4.53125G	33.27	54.00	-20.73	Horizontal
Mode 3	Pass	PK	5.19375G	49.72	68.20	-18.48	Vertical
Mode 4	Pass	AV	4.07625G	33.41	54.00	-20.59	Vertical
Mode 5	Pass	AV	4.11G	31.23	54.00	-22.77	Horizontal
Mode 6	Pass	AV	3.64063G	32.80	54.00	-21.20	Vertical
Mode 7	Pass	AV	3.95313G	32.97	54.00	-21.03	Vertical
Mode 8	Pass	AV	1.3925G	31.58	54.00	-22.42	Vertical
Mode 9	Pass	AV	5.03063G	35.39	54.00	-18.61	Vertical
Mode 10	Pass	AV	1.38188G	31.59	54.00	-22.41	Vertical
Mode 11	Pass	AV	3.87G	32.69	54.00	-21.31	Horizontal
Mode 12	Pass	AV	3.98063G	31.97	54.00	-22.03	Horizontal


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	1.93438G	26.54	68.20	-41.66	3	Vertical	128	2.47
Mode 1	Pass	AV	3.04188G	30.62	68.20	-37.58	3	Vertical	15	1.14
Mode 1	Pass	AV	5.03063G	35.39	54.00	-18.61	3	Vertical	247	1.94
Mode 1	Pass	PK	1.93438G	38.70	68.20	-29.50	3	Vertical	128	2.47
Mode 1	Pass	PK	3.04188G	42.98	68.20	-25.22	3	Vertical	15	1.14
Mode 1	Pass	PK	5.03063G	47.11	74.00	-26.89	3	Vertical	247	1.94
Mode 1	Pass	AV	1.32813G	28.15	54.00	-25.85	3	Horizontal	352	1.59
Mode 1	Pass	AV	1.94938G	26.78	68.20	-41.42	3	Horizontal	344	1.76
Mode 1	Pass	AV	4.8625G	34.57	54.00	-19.43	3	Horizontal	12	1.60
Mode 1	Pass	PK	1.32813G	40.90	74.00	-33.10	3	Horizontal	352	1.59
Mode 1	Pass	PK	1.94938G	38.51	68.20	-29.69	3	Horizontal	344	1.76
Mode 1	Pass	PK	4.8625G	46.06	74.00	-27.94	3	Horizontal	12	1.60
Mode 2	Pass	AV	1.33188G	26.85	54.00	-27.15	3	Vertical	146	1.45
Mode 2	Pass	AV	2.06G	27.51	68.20	-40.69	3	Vertical	288	2.45
Mode 2	Pass	AV	3.84125G	31.58	54.00	-22.42	3	Vertical	150	2.36
Mode 2	Pass	PK	1.33188G	38.88	74.00	-35.12	3	Vertical	146	1.45
Mode 2	Pass	PK	2.06G	39.20	68.20	-29.00	3	Vertical	288	2.45
Mode 2	Pass	PK	3.84125G	43.41	74.00	-30.59	3	Vertical	150	2.36
Mode 2	Pass	AV	1.32938G	27.79	54.00	-26.21	3	Horizontal	289	1.21
Mode 2	Pass	AV	1.98938G	29.17	68.20	-39.03	3	Horizontal	95	1.51
Mode 2	Pass	AV	4.53125G	33.27	54.00	-20.73	3	Horizontal	269	1.52
Mode 2	Pass	PK	1.32938G	39.25	74.00	-34.75	3	Horizontal	289	1.21
Mode 2	Pass	PK	1.98938G	40.42	68.20	-27.78	3	Horizontal	95	1.51
Mode 2	Pass	PK	4.53125G	45.44	74.00	-28.56	3	Horizontal	269	1.52
Mode 3	Pass	AV	1.39063G	27.97	54.00	-26.03	3	Vertical	139	1.40
Mode 3	Pass	AV	1.50938G	26.13	54.00	-27.87	3	Vertical	131	1.54
Mode 3	Pass	AV	5.19375G	37.31	68.20	-30.89	3	Vertical	280	2.41
Mode 3	Pass	PK	1.39063G	39.51	74.00	-34.49	3	Vertical	139	1.40
Mode 3	Pass	PK	1.50938G	38.06	74.00	-35.94	3	Vertical	131	1.54
Mode 3	Pass	PK	5.19375G	49.72	68.20	-18.48	3	Vertical	280	2.41
Mode 3	Pass	AV	1.32938G	30.58	54.00	-23.42	3	Horizontal	170	1.34
Mode 3	Pass	AV	2.02938G	27.66	68.20	-40.54	3	Horizontal	344	1.51
Mode 3	Pass	AV	3.8775G	31.62	54.00	-22.38	3	Horizontal	10	2.10
Mode 3	Pass	PK	1.32938G	41.66	74.00	-32.34	3	Horizontal	170	1.34
Mode 3	Pass	PK	2.02938G	39.14	68.20	-29.06	3	Horizontal	344	1.51
Mode 3	Pass	PK	3.8775G	43.97	74.00	-30.03	3	Horizontal	10	2.10
Mode 4	Pass	AV	1.38313G	30.97	54.00	-23.03	3	Vertical	103	1.20
Mode 4	Pass	AV	2.11813G	26.77	68.20	-41.43	3	Vertical	168	1.70
Mode 4	Pass	AV	4.07625G	33.41	54.00	-20.59	3	Vertical	317	2.12
Mode 4	Pass	PK	1.38313G	42.13	74.00	-31.87	3	Vertical	103	1.20
Mode 4	Pass	PK	2.11813G	39.31	68.20	-28.89	3	Vertical	168	1.70
Mode 4	Pass	PK	4.07625G	44.93	74.00	-29.07	3	Vertical	317	2.12
Mode 4	Pass	AV	1.57188G	26.17	54.00	-27.83	3	Horizontal	201	2.11
Mode 4	Pass	AV	2.95813G	30.67	68.20	-37.53	3	Horizontal	241	2.41
Mode 4	Pass	AV	3.78438G	32.14	54.00	-21.86	3	Horizontal	212	1.16
Mode 4	Pass	PK	1.57188G	38.11	74.00	-35.89	3	Horizontal	201	2.11
Mode 4	Pass	PK	2.95813G	42.20	68.20	-26.00	3	Horizontal	241	2.41
Mode 4	Pass	PK	3.78438G	44.05	74.00	-29.95	3	Horizontal	212	1.16
Mode 5	Pass	AV	1.03188G	26.63	54.00	-27.37	3	Vertical	35	2.06
Mode 5	Pass	AV	1.99938G	27.65	68.20	-40.55	3	Vertical	39	1.84

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 5	Pass	AV	3.27688G	31.69	68.20	-36.51	3	Vertical	190	2.46
Mode 5	Pass	PK	1.03188G	37.76	74.00	-36.24	3	Vertical	35	2.06
Mode 5	Pass	PK	1.99938G	39.95	68.20	-28.25	3	Vertical	39	1.84
Mode 5	Pass	PK	3.27688G	43.00	68.20	-25.20	3	Vertical	190	2.46
Mode 5	Pass	AV	1.56188G	26.33	54.00	-27.67	3	Horizontal	1	1.23
Mode 5	Pass	AV	1.83063G	25.69	68.20	-42.51	3	Horizontal	345	2.24
Mode 5	Pass	AV	4.11G	31.23	54.00	-22.77	3	Horizontal	207	2.11
Mode 5	Pass	PK	1.56188G	37.82	74.00	-36.18	3	Horizontal	1	1.23
Mode 5	Pass	PK	1.83063G	37.28	68.20	-30.92	3	Horizontal	345	2.24
Mode 5	Pass	PK	4.11G	44.29	74.00	-29.71	3	Horizontal	207	2.11
Mode 6	Pass	AV	1.18875G	29.66	54.00	-24.34	3	Vertical	324	1.29
Mode 6	Pass	AV	1.80188G	24.21	68.20	-43.99	3	Vertical	108	1.69
Mode 6	Pass	AV	3.64063G	32.80	54.00	-21.20	3	Vertical	197	2.42
Mode 6	Pass	PK	1.18875G	40.21	74.00	-33.79	3	Vertical	324	1.29
Mode 6	Pass	PK	1.80188G	37.42	68.20	-30.78	3	Vertical	108	1.69
Mode 6	Pass	PK	3.64063G	43.55	74.00	-30.45	3	Vertical	197	2.42
Mode 6	Pass	AV	1.385G	26.66	54.00	-27.34	3	Horizontal	287	1.91
Mode 6	Pass	AV	1.7725G	24.97	68.20	-43.23	3	Horizontal	212	2.30
Mode 6	Pass	AV	3.7125G	31.59	54.00	-22.41	3	Horizontal	165	1.37
Mode 6	Pass	PK	1.385G	37.88	74.00	-36.12	3	Horizontal	287	1.91
Mode 6	Pass	PK	1.7725G	36.61	68.20	-31.59	3	Horizontal	212	2.30
Mode 6	Pass	PK	3.7125G	43.65	74.00	-30.35	3	Horizontal	165	1.37
Mode 7	Pass	AV	1.24063G	25.10	68.20	-43.10	3	Vertical	66	1.73
Mode 7	Pass	AV	1.82G	25.33	68.20	-42.87	3	Vertical	181	1.19
Mode 7	Pass	AV	3.95313G	32.97	54.00	-21.03	3	Vertical	356	2.50
Mode 7	Pass	PK	1.24063G	37.92	68.20	-30.28	3	Vertical	66	1.73
Mode 7	Pass	PK	1.82G	37.28	68.20	-30.92	3	Vertical	181	1.19
Mode 7	Pass	PK	3.95313G	44.33	74.00	-29.67	3	Vertical	356	2.50
Mode 7	Pass	AV	1.41813G	26.69	54.00	-27.31	3	Horizontal	252	2.16
Mode 7	Pass	AV	2.2175G	29.66	54.00	-24.34	3	Horizontal	238	1.05
Mode 7	Pass	AV	3.71875G	31.54	54.00	-22.46	3	Horizontal	201	1.76
Mode 7	Pass	PK	1.41813G	37.78	74.00	-36.22	3	Horizontal	252	2.16
Mode 7	Pass	PK	2.2175G	40.68	74.00	-33.32	3	Horizontal	238	1.05
Mode 7	Pass	PK	3.71875G	43.43	74.00	-30.57	3	Horizontal	201	1.76
Mode 8	Pass	AV	1.3925G	31.58	54.00	-22.42	3	Vertical	34	2.35
Mode 8	Pass	AV	2.305G	29.63	68.20	-38.57	3	Vertical	348	2.32
Mode 8	Pass	AV	3.64438G	31.09	54.00	-22.91	3	Vertical	182	1.32
Mode 8	Pass	PK	1.3925G	43.42	74.00	-30.58	3	Vertical	34	2.35
Mode 8	Pass	PK	2.305G	40.01	68.20	-28.19	3	Vertical	348	2.32
Mode 8	Pass	PK	3.64438G	42.82	74.00	-31.18	3	Vertical	182	1.32
Mode 8	Pass	AV	1.625G	26.66	54.00	-27.34	3	Horizontal	298	1.78
Mode 8	Pass	AV	2.00813G	27.63	68.20	-40.57	3	Horizontal	230	1.40
Mode 8	Pass	AV	3.4325G	30.52	68.20	-37.68	3	Horizontal	1	2.22
Mode 8	Pass	PK	1.625G	37.56	74.00	-36.44	3	Horizontal	298	1.78
Mode 8	Pass	PK	2.00813G	39.73	68.20	-28.47	3	Horizontal	230	1.40
Mode 8	Pass	PK	3.4325G	42.90	68.20	-25.30	3	Horizontal	1	2.22
Mode 9	Pass	AV	1.93438G	26.54	68.20	-41.66	3	Vertical	128	2.47
Mode 9	Pass	AV	3.04188G	30.62	68.20	-37.58	3	Vertical	15	1.14
Mode 9	Pass	AV	5.03063G	35.39	54.00	-18.61	3	Vertical	247	1.94
Mode 9	Pass	PK	1.93438G	38.70	68.20	-29.50	3	Vertical	128	2.47


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 9	Pass	PK	3.04188G	42.98	68.20	-25.22	3	Vertical	15	1.14
Mode 9	Pass	PK	5.03063G	47.11	74.00	-26.89	3	Vertical	247	1.94
Mode 9	Pass	AV	1.32813G	28.15	54.00	-25.85	3	Horizontal	352	1.59
Mode 9	Pass	AV	1.94938G	26.78	68.20	-41.42	3	Horizontal	344	1.76
Mode 9	Pass	AV	4.8625G	34.57	54.00	-19.43	3	Horizontal	12	1.60
Mode 9	Pass	PK	1.32813G	40.90	74.00	-33.10	3	Horizontal	352	1.59
Mode 9	Pass	PK	1.94938G	38.51	68.20	-29.69	3	Horizontal	344	1.76
Mode 9	Pass	PK	4.8625G	46.06	74.00	-27.94	3	Horizontal	12	1.60
Mode 10	Pass	AV	1.38188G	31.59	54.00	-22.41	3	Vertical	213	1.71
Mode 10	Pass	AV	1.84313G	26.33	68.20	-41.87	3	Vertical	248	1.78
Mode 10	Pass	AV	3.59G	30.64	68.20	-37.56	3	Vertical	115	2.42
Mode 10	Pass	PK	1.38188G	42.73	74.00	-31.27	3	Vertical	213	1.71
Mode 10	Pass	PK	1.84313G	37.35	68.20	-30.85	3	Vertical	248	1.78
Mode 10	Pass	PK	3.59G	42.66	68.20	-25.54	3	Vertical	115	2.42
Mode 10	Pass	AV	1.26813G	26.31	68.20	-41.89	3	Horizontal	195	2.47
Mode 10	Pass	AV	2.375G	30.33	54.00	-23.67	3	Horizontal	249	2.24
Mode 10	Pass	AV	3.18375G	30.69	68.20	-37.51	3	Horizontal	67	1.63
Mode 10	Pass	PK	1.26813G	38.27	68.20	-29.93	3	Horizontal	195	2.47
Mode 10	Pass	PK	2.375G	42.04	74.00	-31.96	3	Horizontal	249	2.24
Mode 10	Pass	PK	3.18375G	42.79	68.20	-25.41	3	Horizontal	67	1.63
Mode 11	Pass	AV	1.187G	30.64	54.00	-23.36	3	Vertical	152	1.47
Mode 11	Pass	AV	2.067G	29.30	68.20	-38.90	3	Vertical	288	1.62
Mode 11	Pass	AV	3.596G	32.36	68.20	-35.84	3	Vertical	192	1.61
Mode 11	Pass	PK	1.187G	40.67	74.00	-33.33	3	Vertical	152	1.47
Mode 11	Pass	PK	2.067G	40.56	68.20	-27.64	3	Vertical	288	1.62
Mode 11	Pass	PK	3.596G	43.50	68.20	-24.70	3	Vertical	192	1.61
Mode 11	Pass	AV	1.332G	30.64	54.00	-23.36	3	Horizontal	338	1.76
Mode 11	Pass	AV	2.009G	30.33	68.20	-37.87	3	Horizontal	255	2.01
Mode 11	Pass	AV	3.87G	32.69	54.00	-21.31	3	Horizontal	110	1.15
Mode 11	Pass	PK	1.332G	41.25	74.00	-32.75	3	Horizontal	338	1.76
Mode 11	Pass	PK	2.009G	40.06	68.20	-28.14	3	Horizontal	255	2.01
Mode 11	Pass	PK	3.87G	44.18	74.00	-29.82	3	Horizontal	110	1.15
Mode 12	Pass	AV	1.29G	27.60	68.20	-40.60	3	Vertical	65	1.44
Mode 12	Pass	AV	2.14438G	26.63	68.20	-41.57	3	Vertical	5	2.22
Mode 12	Pass	AV	3.5975G	30.51	68.20	-37.69	3	Vertical	127	1.40
Mode 12	Pass	PK	1.29G	39.49	68.20	-28.71	3	Vertical	65	1.44
Mode 12	Pass	PK	2.14438G	39.41	68.20	-28.79	3	Vertical	5	2.22
Mode 12	Pass	PK	3.5975G	42.66	68.20	-25.54	3	Vertical	127	1.40
Mode 12	Pass	AV	1.32938G	27.19	54.00	-26.81	3	Horizontal	243	1.86
Mode 12	Pass	AV	3.03063G	30.30	68.20	-37.90	3	Horizontal	282	2.30
Mode 12	Pass	AV	3.98063G	31.97	54.00	-22.03	3	Horizontal	358	2.15
Mode 12	Pass	PK	1.32938G	39.19	74.00	-34.81	3	Horizontal	243	1.86
Mode 12	Pass	PK	3.03063G	42.68	68.20	-25.52	3	Horizontal	282	2.30
Mode 12	Pass	PK	3.98063G	44.07	74.00	-29.93	3	Horizontal	358	2.15

Radiated Emissions above 1GHz_Mode 1




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)	(dBuV)	(dB/m)	(dB)	(dB)				
AV	1.93438G	26.54	68.20	-41.66	-4.67	3	Vertical	128	2.47	31.21	25.93	4.40	35.00				
AV	3.04188G	30.62	68.20	-37.58	0.05	3	Vertical	15	1.14	30.57	29.68	5.59	35.22				
AV	5.03063G	35.39	54.00	-18.61	5.27	3	Vertical	247	1.94	30.12	33.08	7.26	35.07				
PK	1.93438G	38.70	68.20	-29.50	-4.67	3	Vertical	128	2.47	43.37	25.93	4.40	35.00				
PK	3.04188G	42.98	68.20	-25.22	0.05	3	Vertical	15	1.14	42.93	29.68	5.59	35.22				
PK	5.03063G	47.11	74.00	-26.89	5.27	3	Vertical	247	1.94	41.84	33.08	7.26	35.07				

Radiated Emissions above 1GHz_Mode 1




Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)	(dBuV)	(dB/m)	(dB)	(dB)				
AV	1.32813G	28.15	54.00	-25.85	-5.86	3	Horizontal	352	1.59	34.01	25.92	3.58	35.36				
AV	1.94938G	26.78	68.20	-41.42	-4.19	3	Horizontal	344	1.76	30.97	26.38	4.42	34.99				
AV	4.8625G	34.57	54.00	-19.43	4.54	3	Horizontal	12	1.60	30.03	32.55	7.05	35.06				
PK	1.32813G	40.90	74.00	-33.10	-5.86	3	Horizontal	352	1.59	46.76	25.92	3.58	35.36				
PK	1.94938G	38.51	68.20	-29.69	-4.19	3	Horizontal	344	1.76	42.70	26.38	4.42	34.99				
PK	4.8625G	46.06	74.00	-27.94	4.54	3	Horizontal	12	1.60	41.52	32.55	7.05	35.06				

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.33188G	26.85	54.00	-27.15	-5.87	3	Vertical	146	1.45	32.72	25.90	3.59	35.36
AV	2.06G	27.51	68.20	-40.69	-3.15	3	Vertical	288	2.45	30.66	27.30	4.55	35.00
AV	3.84125G	31.58	54.00	-22.42	1.87	3	Vertical	150	2.36	29.71	30.65	6.33	35.11
PK	1.33188G	38.88	74.00	-35.12	-5.87	3	Vertical	146	1.45	44.75	25.90	3.59	35.36
PK	2.06G	39.20	68.20	-29.00	-3.15	3	Vertical	288	2.45	42.35	27.30	4.55	35.00
PK	3.84125G	43.41	74.00	-30.59	1.87	3	Vertical	150	2.36	41.54	30.65	6.33	35.11

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.32938G	27.79	54.00	-26.21	-5.87	3	Horizontal	289	1.21	33.66	25.91	3.58	35.36
AV	1.98938G	29.17	68.20	-39.03	-3.71	3	Horizontal	95	1.51	32.88	26.79	4.48	34.98
AV	4.53125G	33.27	54.00	-20.73	3.33	3	Horizontal	269	1.52	29.94	31.56	6.81	35.04
PK	1.32938G	39.25	74.00	-34.75	-5.87	3	Horizontal	289	1.21	45.12	25.91	3.58	35.36
PK	1.98938G	40.42	68.20	-27.78	-3.71	3	Horizontal	95	1.51	44.13	26.79	4.48	34.98
PK	4.53125G	45.44	74.00	-28.56	3.33	3	Horizontal	269	1.52	42.11	31.56	6.81	35.04

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.39063G	27.97	54.00	-26.03	-5.50	3	Vertical	139	1.40	33.47	26.09	3.68	35.27
AV	1.50938G	26.13	54.00	-27.87	-5.89	3	Vertical	131	1.54	32.02	25.29	3.93	35.11
AV	5.19375G	37.31	68.20	-30.89	5.17	3	Vertical	280	2.41	32.14	33.01	7.23	35.07
PK	1.39063G	39.51	74.00	-34.49	-5.50	3	Vertical	139	1.40	45.01	26.09	3.68	35.27
PK	1.50938G	38.06	74.00	-35.94	-5.89	3	Vertical	131	1.54	43.95	25.29	3.93	35.11
PK	5.19375G	49.72	68.20	-18.48	5.17	3	Vertical	280	2.41	44.55	33.01	7.23	35.07

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.32938G	30.58	54.00	-23.42	-5.87	3	Horizontal	170	1.34	36.45	25.91	3.58	35.36
AV	2.02938G	27.66	68.20	-40.54	-3.19	3	Horizontal	344	1.51	30.85	27.28	4.52	34.99
AV	3.8775G	31.62	54.00	-22.38	2.01	3	Horizontal	10	2.10	29.61	30.76	6.34	35.09
PK	1.32938G	41.66	74.00	-32.34	-5.87	3	Horizontal	170	1.34	47.53	25.91	3.58	35.36
PK	2.02938G	39.14	68.20	-29.06	-3.19	3	Horizontal	344	1.51	42.33	27.28	4.52	34.99
PK	3.8775G	43.97	74.00	-30.03	2.01	3	Horizontal	10	2.10	41.96	30.76	6.34	35.09

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.38313G	30.97	54.00	-23.03	-5.58	3	Vertical	103	1.20	36.55	26.03	3.67	35.28				
AV	2.11813G	26.77	68.20	-41.43	-2.83	3	Vertical	168	1.70	29.60	27.58	4.61	35.02				
AV	4.07625G	33.41	54.00	-20.59	2.28	3	Vertical	317	2.12	31.13	30.85	6.47	35.04				
PK	1.38313G	42.13	74.00	-31.87	-5.58	3	Vertical	103	1.20	47.71	26.03	3.67	35.28				
PK	2.11813G	39.31	68.20	-28.89	-2.83	3	Vertical	168	1.70	42.14	27.58	4.61	35.02				
PK	4.07625G	44.93	74.00	-29.07	2.28	3	Vertical	317	2.12	42.65	30.85	6.47	35.04				

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.57188G	26.17	54.00	-27.83	-5.51	3	Horizontal	201	2.11	31.68	25.52	4.06	35.09				
AV	2.95813G	30.67	68.20	-37.53	-0.43	3	Horizontal	241	2.41	31.10	29.28	5.50	35.21				
AV	3.78438G	32.14	54.00	-21.86	1.49	3	Horizontal	212	1.16	30.65	30.31	6.31	35.13				
PK	1.57188G	38.11	74.00	-35.89	-5.51	3	Horizontal	201	2.11	43.62	25.52	4.06	35.09				
PK	2.95813G	42.20	68.20	-26.00	-0.43	3	Horizontal	241	2.41	42.63	29.28	5.50	35.21				
PK	3.78438G	44.05	74.00	-29.95	1.49	3	Horizontal	212	1.16	42.56	30.31	6.31	35.13				


Radiated Emissions above 1GHz_Mode 5



Radiated Emissions above 1GHz_Mode 5




Radiated Emissions above 1GHz_Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.18875G	29.66	54.00	-24.34	-6.11	3	Vertical	324	1.29	35.77	26.10	3.36	35.57				
AV	1.80188G	24.21	68.20	-43.99	-5.71	3	Vertical	108	1.69	29.92	25.10	4.22	35.03				
AV	3.64063G	32.80	54.00	-21.20	0.57	3	Vertical	197	2.42	32.23	29.58	6.18	35.19				
PK	1.18875G	40.21	74.00	-33.79	-6.11	3	Vertical	324	1.29	46.32	26.10	3.36	35.57				
PK	1.80188G	37.42	68.20	-30.78	-5.71	3	Vertical	108	1.69	43.13	25.10	4.22	35.03				
PK	3.64063G	43.55	74.00	-30.45	0.57	3	Vertical	197	2.42	42.98	29.58	6.18	35.19				

Radiated Emissions above 1GHz_Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.385G	26.66	54.00	-27.34	-5.55	3	Horizontal	287	1.91	32.21	26.05	3.68	35.28				
AV	1.7725G	24.97	68.20	-43.23	-5.93	3	Horizontal	212	2.30	30.90	24.90	4.21	35.04				
AV	3.7125G	31.59	54.00	-22.41	0.96	3	Horizontal	165	1.37	30.63	29.87	6.25	35.16				
PK	1.385G	37.88	74.00	-36.12	-5.55	3	Horizontal	287	1.91	43.43	26.05	3.68	35.28				
PK	1.7725G	36.61	68.20	-31.59	-5.93	3	Horizontal	212	2.30	42.54	24.90	4.21	35.04				
PK	3.7125G	43.65	74.00	-30.35	0.96	3	Horizontal	165	1.37	42.69	29.87	6.25	35.16				

Radiated Emissions above 1GHz_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.24063G	25.10	68.20	-43.10	-6.05	3	Vertical	66	1.73	31.15	26.00	3.44	35.49				
AV	1.82G	25.33	68.20	-42.87	-5.58	3	Vertical	181	1.19	30.91	25.20	4.25	35.03				
AV	3.95313G	32.97	54.00	-21.03	2.01	3	Vertical	356	2.50	30.96	30.70	6.37	35.06				
PK	1.24063G	37.92	68.20	-30.28	-6.05	3	Vertical	66	1.73	43.97	26.00	3.44	35.49				
PK	1.82G	37.28	68.20	-30.92	-5.58	3	Vertical	181	1.19	42.86	25.20	4.25	35.03				
PK	3.95313G	44.33	74.00	-29.67	2.01	3	Vertical	356	2.50	42.32	30.70	6.37	35.06				

Radiated Emissions above 1GHz_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.41813G	26.69	54.00	-27.31	-5.79	3	Horizontal	252	2.16	32.48	25.70	3.74	35.23				
AV	2.2175G	29.66	54.00	-24.34	-3.15	3	Horizontal	238	1.05	32.81	27.20	4.70	35.05				
AV	3.71875G	31.54	54.00	-22.46	1.00	3	Horizontal	201	1.76	30.54	29.91	6.25	35.16				
PK	1.41813G	37.78	74.00	-36.22	-5.79	3	Horizontal	252	2.16	43.57	25.70	3.74	35.23				
PK	2.2175G	40.68	74.00	-33.32	-3.15	3	Horizontal	238	1.05	43.83	27.20	4.70	35.05				
PK	3.71875G	43.43	74.00	-30.57	1.00	3	Horizontal	201	1.76	42.43	29.91	6.25	35.16				

Radiated Emissions above 1GHz_Mode 8




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.3925G	31.58	54.00	-22.42	-5.53	3	Vertical	34	2.35	37.11	26.05	3.69	35.27				
AV	2.305G	29.63	68.20	-38.57	-3.24	3	Vertical	348	2.32	32.87	27.05	4.78	35.07				
AV	3.64438G	31.09	54.00	-22.91	0.59	3	Vertical	182	1.32	30.50	29.59	6.19	35.19				
PK	1.3925G	43.42	74.00	-30.58	-5.53	3	Vertical	34	2.35	48.95	26.05	3.69	35.27				
PK	2.305G	40.01	68.20	-28.19	-3.24	3	Vertical	348	2.32	43.25	27.05	4.78	35.07				
PK	3.64438G	42.82	74.00	-31.18	0.59	3	Vertical	182	1.32	42.23	29.59	6.19	35.19				

Radiated Emissions above 1GHz_Mode 8




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.625G	26.66	54.00	-27.34	-5.40	3	Horizontal	298	1.78	32.06	25.55	4.13	35.08				
AV	2.00813G	27.63	68.20	-40.57	-3.68	3	Horizontal	230	1.40	31.31	26.80	4.50	34.98				
AV	3.4325G	30.52	68.20	-37.68	0.10	3	Horizontal	1	2.22	30.42	29.43	5.92	35.25				
PK	1.625G	37.56	74.00	-36.44	-5.40	3	Horizontal	298	1.78	42.96	25.55	4.13	35.08				
PK	2.00813G	39.73	68.20	-28.47	-3.68	3	Horizontal	230	1.40	43.41	26.80	4.50	34.98				
PK	3.4325G	42.90	68.20	-25.30	0.10	3	Horizontal	1	2.22	42.80	29.43	5.92	35.25				

Radiated Emissions above 1GHz_Mode 9




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.93438G	26.54	68.20	-41.66	-4.67	3	Vertical	128	2.47	31.21	25.93	4.40	35.00				
AV	3.04188G	30.62	68.20	-37.58	0.05	3	Vertical	15	1.14	30.57	29.68	5.59	35.22				
AV	5.03063G	35.39	54.00	-18.61	5.27	3	Vertical	247	1.94	30.12	33.08	7.26	35.07				
PK	1.93438G	38.70	68.20	-29.50	-4.67	3	Vertical	128	2.47	43.37	25.93	4.40	35.00				
PK	3.04188G	42.98	68.20	-25.22	0.05	3	Vertical	15	1.14	42.93	29.68	5.59	35.22				
PK	5.03063G	47.11	74.00	-26.89	5.27	3	Vertical	247	1.94	41.84	33.08	7.26	35.07				

Radiated Emissions above 1GHz_Mode 9




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.32813G	28.15	54.00	-25.85	-5.86	3	Horizontal	352	1.59	34.01	25.92	3.58	35.36				
AV	1.94938G	26.78	68.20	-41.42	-4.19	3	Horizontal	344	1.76	30.97	26.38	4.42	34.99				
AV	4.8625G	34.57	54.00	-19.43	4.54	3	Horizontal	12	1.60	30.03	32.55	7.05	35.06				
PK	1.32813G	40.90	74.00	-33.10	-5.86	3	Horizontal	352	1.59	46.76	25.92	3.58	35.36				
PK	1.94938G	38.51	68.20	-29.69	-4.19	3	Horizontal	344	1.76	42.70	26.38	4.42	34.99				
PK	4.8625G	46.06	74.00	-27.94	4.54	3	Horizontal	12	1.60	41.52	32.55	7.05	35.06				

Radiated Emissions above 1GHz_Mode 10




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.38188G	31.59	54.00	-22.41	-5.59	3	Vertical	213	1.71	37.18	26.02	3.67	35.28
AV	1.84313G	26.33	68.20	-41.87	-5.41	3	Vertical	248	1.78	31.74	25.33	4.28	35.02
AV	3.59G	30.64	68.20	-37.56	0.41	3	Vertical	115	2.42	30.23	29.48	6.14	35.21
PK	1.38188G	42.73	74.00	-31.27	-5.59	3	Vertical	213	1.71	48.32	26.02	3.67	35.28
PK	1.84313G	37.35	68.20	-30.85	-5.41	3	Vertical	248	1.78	42.76	25.33	4.28	35.02
PK	3.59G	42.66	68.20	-25.54	0.41	3	Vertical	115	2.42	42.25	29.48	6.14	35.21

Radiated Emissions above 1GHz_Mode 10




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.26813G	26.31	68.20	-41.89	-5.99	3	Horizontal	195	2.47	32.30	25.98	3.48	35.45
AV	2.375G	30.33	54.00	-23.67	-3.05	3	Horizontal	249	2.24	33.38	27.20	4.84	35.09
AV	3.18375G	30.69	68.20	-37.51	0.22	3	Horizontal	67	1.63	30.47	29.70	5.75	35.23
PK	1.26813G	38.27	68.20	-29.93	-5.99	3	Horizontal	195	2.47	44.26	25.98	3.48	35.45
PK	2.375G	42.04	74.00	-31.96	-3.05	3	Horizontal	249	2.24	45.09	27.20	4.84	35.09
PK	3.18375G	42.79	68.20	-25.41	0.22	3	Horizontal	67	1.63	42.57	29.70	5.75	35.23


Radiated Emissions above 1GHz_Mode 11




Radiated Emissions above 1GHz_Mode 11



Radiated Emissions above 1GHz_Mode 12



Radiated Emissions above 1GHz_Mode 12



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	5.354G	37.49	54.00	-16.51	Vertical
Mode 2	Pass	AV	4.504G	33.67	54.00	-20.33	Horizontal
Mode 3	Pass	AV	7.286G	42.06	54.00	-11.94	Horizontal
Mode 4	Pass	AV	2.89625G	30.57	54.00	-23.43	Horizontal
Mode 5	Pass	AV	4.26375G	33.62	54.00	-20.38	Vertical
Mode 6	Pass	AV	4.0575G	33.71	54.00	-20.29	Horizontal
Mode 7	Pass	AV	3.76875G	31.55	54.00	-22.45	Vertical
Mode 8	Pass	PK	2.91375G	42.24	68.20	-25.96	Vertical
Mode 9	Pass	AV	1.3325G	29.66	54.00	-24.34	Vertical
Mode 10	Pass	PK	3.06875G	43.95	68.20	-24.25	Vertical
Mode 11	Pass	AV	4.04125G	33.51	54.00	-20.49	Vertical
Mode 12	Pass	PK	3.0325G	42.89	68.20	-25.31	Horizontal


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	1.065G	27.33	54.00	-26.67	3	Vertical	210	2.00
Mode 1	Pass	AV	2.249G	30.32	54.00	-23.68	3	Vertical	358	2.00
Mode 1	Pass	AV	5.354G	37.49	54.00	-16.51	3	Vertical	357	1.00
Mode 1	Pass	PK	1.065G	39.14	74.00	-34.86	3	Vertical	210	2.00
Mode 1	Pass	PK	2.249G	41.16	74.00	-32.84	3	Vertical	358	2.00
Mode 1	Pass	PK	5.354G	49.60	74.00	-24.40	3	Vertical	357	1.00
Mode 1	Pass	AV	1.388G	27.66	54.00	-26.34	3	Horizontal	185	1.50
Mode 1	Pass	AV	2.133G	30.17	68.20	-38.03	3	Horizontal	215	2.00
Mode 1	Pass	AV	4.295G	32.31	54.00	-21.69	3	Horizontal	236	2.50
Mode 1	Pass	PK	1.388G	39.95	74.00	-34.05	3	Horizontal	185	1.50
Mode 1	Pass	PK	2.133G	41.71	68.20	-26.49	3	Horizontal	215	2.00
Mode 1	Pass	PK	4.295G	45.28	74.00	-28.72	3	Horizontal	236	2.50
Mode 2	Pass	AV	1.328G	29.31	54.00	-24.69	3	Vertical	171	2.03
Mode 2	Pass	AV	1.916G	26.66	68.20	-41.54	3	Vertical	12	1.07
Mode 2	Pass	AV	4.165G	33.12	54.00	-20.88	3	Vertical	39	1.70
Mode 2	Pass	PK	1.328G	40.55	74.00	-33.45	3	Vertical	171	2.03
Mode 2	Pass	PK	1.916G	38.92	68.20	-29.28	3	Vertical	12	1.07
Mode 2	Pass	PK	4.165G	45.17	74.00	-28.83	3	Vertical	39	1.70
Mode 2	Pass	AV	1.572G	29.33	54.00	-24.67	3	Horizontal	288	1.80
Mode 2	Pass	AV	2.946G	31.24	68.20	-36.96	3	Horizontal	288	1.28
Mode 2	Pass	AV	4.504G	33.67	54.00	-20.33	3	Horizontal	15	2.03
Mode 2	Pass	PK	1.572G	38.03	74.00	-35.97	3	Horizontal	288	1.80
Mode 2	Pass	PK	2.946G	42.95	68.20	-25.25	3	Horizontal	288	1.28
Mode 2	Pass	PK	4.504G	45.78	74.00	-28.22	3	Horizontal	15	2.03
Mode 3	Pass	AV	1.328G	29.43	54.00	-24.57	3	Vertical	251	1.96
Mode 3	Pass	AV	2.001G	30.39	68.20	-37.81	3	Vertical	356	1.31
Mode 3	Pass	AV	6.407G	37.58	68.20	-30.62	3	Vertical	46	1.87
Mode 3	Pass	PK	1.328G	40.44	74.00	-33.56	3	Vertical	251	1.96
Mode 3	Pass	PK	2.001G	40.38	68.20	-27.82	3	Vertical	356	1.31
Mode 3	Pass	PK	6.407G	49.65	68.20	-18.55	3	Vertical	46	1.87
Mode 3	Pass	AV	2.04G	31.55	68.20	-36.65	3	Horizontal	352	1.99
Mode 3	Pass	AV	3.829G	33.97	54.00	-20.03	3	Horizontal	86	2.43
Mode 3	Pass	AV	7.286G	42.06	54.00	-11.94	3	Horizontal	35	2.48
Mode 3	Pass	PK	2.04G	40.81	68.20	-27.39	3	Horizontal	352	1.99
Mode 3	Pass	PK	3.829G	44.31	74.00	-29.69	3	Horizontal	86	2.43
Mode 3	Pass	PK	7.286G	53.27	74.00	-20.73	3	Horizontal	35	2.48
Mode 4	Pass	AV	1.38375G	30.54	54.00	-23.46	3	Vertical	41	1.94
Mode 4	Pass	AV	1.64313G	25.67	68.20	-42.53	3	Vertical	168	1.77
Mode 4	Pass	AV	3.01563G	30.61	68.20	-37.59	3	Vertical	69	1.96
Mode 4	Pass	PK	1.38375G	41.07	74.00	-32.93	3	Vertical	41	1.94
Mode 4	Pass	PK	1.64313G	37.78	68.20	-30.42	3	Vertical	168	1.77
Mode 4	Pass	PK	3.01563G	42.59	68.20	-25.61	3	Vertical	69	1.96
Mode 4	Pass	AV	1.63938G	26.66	68.20	-41.54	3	Horizontal	164	1.05
Mode 4	Pass	AV	2.06625G	36.10	68.20	-32.10	3	Horizontal	352	1.63
Mode 4	Pass	AV	2.89625G	30.57	54.00	-23.43	3	Horizontal	235	1.46
Mode 4	Pass	PK	1.63938G	38.19	68.20	-30.01	3	Horizontal	164	1.05
Mode 4	Pass	PK	2.06625G	39.59	68.20	-28.61	3	Horizontal	352	1.63
Mode 4	Pass	PK	2.89625G	40.13	74.00	-33.87	3	Horizontal	235	1.46
Mode 5	Pass	AV	1.44375G	25.31	54.00	-28.69	3	Vertical	271	1.65
Mode 5	Pass	AV	1.995G	27.85	68.20	-40.35	3	Vertical	75	1.45

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 5	Pass	AV	4.26375G	33.62	54.00	-20.38	3	Vertical	47	1.55
Mode 5	Pass	PK	1.44375G	37.81	74.00	-36.19	3	Vertical	271	1.65
Mode 5	Pass	PK	1.995G	39.39	68.20	-28.81	3	Vertical	75	1.45
Mode 5	Pass	PK	4.26375G	45.23	74.00	-28.77	3	Vertical	47	1.55
Mode 5	Pass	AV	2.12125G	29.93	68.20	-38.27	3	Horizontal	350	1.82
Mode 5	Pass	AV	3.15563G	30.33	68.20	-37.87	3	Horizontal	117	1.45
Mode 5	Pass	AV	3.94563G	32.69	54.00	-21.31	3	Horizontal	87	1.04
Mode 5	Pass	PK	2.12125G	40.09	68.20	-28.11	3	Horizontal	350	1.82
Mode 5	Pass	PK	3.15563G	42.58	68.20	-25.62	3	Horizontal	117	1.45
Mode 5	Pass	PK	3.94563G	45.20	74.00	-28.80	3	Horizontal	87	1.04
Mode 6	Pass	AV	1.195G	26.21	54.00	-58.16	3	Vertical	69	1.47
Mode 6	Pass	AV	1.725G	23.69	54.00	-58.16	3	Vertical	360	1.22
Mode 6	Pass	AV	3.60875G	31.58	54.00	-58.16	3	Vertical	200	2.12
Mode 6	Pass	PK	1.195G	38.28	74.00	-35.72	3	Vertical	69	1.47
Mode 6	Pass	PK	1.725G	36.88	88.20	-51.32	3	Vertical	360	1.22
Mode 6	Pass	PK	3.60875G	43.46	74.00	-30.54	3	Vertical	200	2.12
Mode 6	Pass	AV	1.2475G	27.62	68.20	-40.58	3	Horizontal	283	1.47
Mode 6	Pass	AV	2.06813G	29.32	68.20	-38.88	3	Horizontal	360	1.23
Mode 6	Pass	AV	4.0575G	33.71	54.00	-20.29	3	Horizontal	201	1.39
Mode 6	Pass	PK	1.2475G	38.67	88.20	-49.53	3	Horizontal	283	1.47
Mode 6	Pass	PK	2.06813G	40.64	88.20	-47.56	3	Horizontal	360	1.23
Mode 6	Pass	PK	4.0575G	44.46	74.00	-29.54	3	Horizontal	201	1.39
Mode 7	Pass	AV	1.33188G	27.58	54.00	-26.42	3	Vertical	125	2.26
Mode 7	Pass	AV	2.185G	29.67	68.20	-38.53	3	Vertical	218	1.28
Mode 7	Pass	AV	3.76875G	31.55	54.00	-22.45	3	Vertical	100	1.41
Mode 7	Pass	PK	1.33188G	39.95	74.00	-34.05	3	Vertical	125	2.26
Mode 7	Pass	PK	2.185G	40.07	68.20	-28.13	3	Vertical	218	1.28
Mode 7	Pass	PK	3.76875G	43.09	74.00	-30.91	3	Vertical	100	1.41
Mode 7	Pass	AV	1.38938G	27.37	54.00	-26.63	3	Horizontal	207	1.34
Mode 7	Pass	AV	2.05938G	28.63	68.20	-39.57	3	Horizontal	8	1.94
Mode 7	Pass	AV	3.03313G	31.58	68.20	-36.62	3	Horizontal	266	1.92
Mode 7	Pass	PK	1.38938G	39.69	74.00	-34.31	3	Horizontal	207	1.34
Mode 7	Pass	PK	2.05938G	39.93	68.20	-28.27	3	Horizontal	8	1.94
Mode 7	Pass	PK	3.03313G	43.47	68.20	-24.73	3	Horizontal	266	1.92
Mode 8	Pass	AV	1.3875G	27.51	54.00	-26.49	3	Vertical	237	2.09
Mode 8	Pass	AV	1.9525G	26.37	68.20	-41.83	3	Vertical	323	2.39
Mode 8	Pass	AV	2.91375G	31.58	68.20	-36.62	3	Vertical	52	1.33
Mode 8	Pass	PK	1.3875G	39.80	74.00	-34.20	3	Vertical	237	2.09
Mode 8	Pass	PK	1.9525G	38.66	68.20	-29.54	3	Vertical	323	2.39
Mode 8	Pass	PK	2.91375G	42.24	68.20	-25.96	3	Vertical	52	1.33
Mode 8	Pass	AV	1.195G	27.58	54.00	-26.42	3	Horizontal	315	1.09
Mode 8	Pass	AV	2.05938G	28.37	68.20	-39.83	3	Horizontal	89	2.15
Mode 8	Pass	AV	3.50625G	31.53	68.20	-36.67	3	Horizontal	82	1.14
Mode 8	Pass	PK	1.195G	39.49	74.00	-34.51	3	Horizontal	315	1.09
Mode 8	Pass	PK	2.05938G	39.92	68.20	-28.28	3	Horizontal	89	2.15
Mode 8	Pass	PK	3.50625G	42.19	68.20	-26.01	3	Horizontal	82	1.14
Mode 9	Pass	AV	1.3325G	29.66	54.00	-24.34	3	Vertical	28	1.92
Mode 9	Pass	AV	1.485G	27.52	54.00	-26.48	3	Vertical	319	1.49
Mode 9	Pass	AV	3.04375G	31.51	68.20	-36.69	3	Vertical	237	2.23
Mode 9	Pass	PK	1.3325G	40.78	74.00	-33.22	3	Vertical	28	1.92


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 9	Pass	PK	1.485G	38.70	74.00	-35.30	3	Vertical	319	1.49
Mode 9	Pass	PK	3.04375G	43.05	68.20	-25.15	3	Vertical	237	2.23
Mode 9	Pass	AV	1.43125G	27.59	68.20	-40.61	3	Horizontal	61	1.96
Mode 9	Pass	AV	2.15125G	27.63	68.20	-40.57	3	Horizontal	6	1.15
Mode 9	Pass	AV	3.50625G	30.91	68.20	-37.29	3	Horizontal	241	2.08
Mode 9	Pass	PK	1.43125G	38.14	68.20	-30.06	3	Horizontal	61	1.96
Mode 9	Pass	PK	2.15125G	40.38	68.20	-27.82	3	Horizontal	6	1.15
Mode 9	Pass	PK	3.50625G	42.21	68.20	-25.99	3	Horizontal	241	2.08
Mode 10	Pass	AV	1.27625G	28.63	68.20	-39.57	3	Vertical	337	1.12
Mode 10	Pass	AV	1.39188G	28.63	54.00	-25.37	3	Vertical	248	1.00
Mode 10	Pass	AV	3.06875G	31.58	68.20	-36.62	3	Vertical	279	2.33
Mode 10	Pass	PK	1.27625G	39.53	68.20	-28.67	3	Vertical	337	1.12
Mode 10	Pass	PK	1.39188G	40.27	74.00	-33.73	3	Vertical	248	1.00
Mode 10	Pass	PK	3.06875G	43.95	68.20	-24.25	3	Vertical	279	2.33
Mode 10	Pass	AV	1.03875G	27.53	54.00	-26.47	3	Horizontal	348	1.03
Mode 10	Pass	AV	1.62G	28.19	54.00	-25.81	3	Horizontal	62	2.34
Mode 10	Pass	AV	3.0825G	30.18	68.20	-38.02	3	Horizontal	22	2.03
Mode 10	Pass	PK	1.03875G	38.16	74.00	-35.84	3	Horizontal	348	1.03
Mode 10	Pass	PK	1.62G	38.46	74.00	-35.54	3	Horizontal	62	2.34
Mode 10	Pass	PK	3.0825G	42.91	68.20	-25.29	3	Horizontal	22	2.03
Mode 11	Pass	AV	2.08438G	27.66	68.20	-40.54	3	Vertical	51	2.31
Mode 11	Pass	AV	3.17063G	30.97	68.20	-37.23	3	Vertical	10	1.46
Mode 11	Pass	AV	4.04125G	33.51	54.00	-20.49	3	Vertical	218	2.29
Mode 11	Pass	PK	2.08438G	39.58	68.20	-28.62	3	Vertical	51	2.31
Mode 11	Pass	PK	3.17063G	42.72	68.20	-25.48	3	Vertical	10	1.46
Mode 11	Pass	PK	4.04125G	45.23	74.00	-28.77	3	Vertical	218	2.29
Mode 11	Pass	AV	2.9425G	30.54	68.20	-37.66	3	Horizontal	113	1.35
Mode 11	Pass	AV	3.29938G	31.87	68.20	-36.33	3	Horizontal	182	2.01
Mode 11	Pass	AV	4.40125G	33.64	68.20	-34.56	3	Horizontal	297	2.18
Mode 11	Pass	PK	2.9425G	41.96	68.20	-26.24	3	Horizontal	113	1.35
Mode 11	Pass	PK	3.29938G	42.80	68.20	-25.40	3	Horizontal	182	2.01
Mode 11	Pass	PK	4.40125G	45.84	68.20	-22.36	3	Horizontal	297	2.18
Mode 12	Pass	AV	1.39063G	27.66	54.00	-26.34	3	Vertical	217	1.98
Mode 12	Pass	AV	2.05875G	28.31	68.20	-39.89	3	Vertical	22	1.66
Mode 12	Pass	AV	3.04063G	30.69	68.20	-37.51	3	Vertical	203	2.48
Mode 12	Pass	PK	1.39063G	39.71	74.00	-34.29	3	Vertical	217	1.98
Mode 12	Pass	PK	2.05875G	39.97	68.20	-28.23	3	Vertical	22	1.66
Mode 12	Pass	PK	3.04063G	42.68	68.20	-25.52	3	Vertical	203	2.48
Mode 12	Pass	AV	1.385G	27.63	54.00	-26.37	3	Horizontal	242	1.47
Mode 12	Pass	AV	2.06875G	28.93	68.20	-39.27	3	Horizontal	94	2.14
Mode 12	Pass	AV	3.0325G	30.71	68.20	-37.49	3	Horizontal	216	1.69
Mode 12	Pass	PK	1.385G	40.54	74.00	-33.46	3	Horizontal	242	1.47
Mode 12	Pass	PK	2.06875G	40.08	68.20	-28.12	3	Horizontal	94	2.14
Mode 12	Pass	PK	3.0325G	42.89	68.20	-25.31	3	Horizontal	216	1.69

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.065G	27.33	54.00	-26.67	-7.59	3	Vertical	210	2.00	34.92	24.95	3.21	35.75
AV	2.249G	30.32	54.00	-23.68	-3.12	3	Vertical	358	2.00	33.44	27.20	4.73	35.05
AV	5.354G	37.49	54.00	-16.51	5.23	3	Vertical	357	1.00	32.26	32.79	7.51	35.07
PK	1.065G	39.14	74.00	-34.86	-7.59	3	Vertical	210	2.00	46.73	24.95	3.21	35.75
PK	2.249G	41.16	74.00	-32.84	-3.12	3	Vertical	358	2.00	44.28	27.20	4.73	35.05
PK	5.354G	49.60	74.00	-24.40	5.23	3	Vertical	357	1.00	44.37	32.79	7.51	35.07

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.388G	27.66	54.00	-26.34	-5.52	3	Horizontal	185	1.50	33.18	26.08	3.68	35.28
AV	2.133G	30.17	68.20	-38.03	-3.00	3	Horizontal	215	2.00	33.17	27.40	4.62	35.02
AV	4.295G	32.31	54.00	-21.69	2.95	3	Horizontal	236	2.50	29.36	31.37	6.62	35.04
PK	1.388G	39.95	74.00	-34.05	-5.52	3	Horizontal	185	1.50	45.47	26.08	3.68	35.28
PK	2.133G	41.71	68.20	-26.49	-3.00	3	Horizontal	215	2.00	44.71	27.40	4.62	35.02
PK	4.295G	45.28	74.00	-28.72	2.95	3	Horizontal	236	2.50	42.33	31.37	6.62	35.04


Radiated Emissions above 1GHz_Mode 2




Radiated Emissions above 1GHz_Mode 2




Radiated Emissions above 1GHz_Mode 3




Radiated Emissions above 1GHz_Mode 3




Radiated Emissions above 1GHz_Mode 4



Radiated Emissions above 1GHz_Mode 4




Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.44375G	25.31	54.00	-28.69	-5.78	3	Vertical	271	1.65	31.09	25.62	3.79	35.19				
AV	1.995G	27.85	68.20	-40.35	-3.70	3	Vertical	75	1.45	31.55	26.80	4.48	34.98				
AV	4.26375G	33.62	54.00	-20.38	2.76	3	Vertical	47	1.55	30.86	31.18	6.62	35.04				
PK	1.44375G	37.81	74.00	-36.19	-5.78	3	Vertical	271	1.65	43.59	25.62	3.79	35.19				
PK	1.995G	39.39	68.20	-28.81	-3.70	3	Vertical	75	1.45	43.09	26.80	4.48	34.98				
PK	4.26375G	45.23	74.00	-28.77	2.76	3	Vertical	47	1.55	42.47	31.18	6.62	35.04				

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.12125G	29.93	68.20	-38.27	-2.83	3	Horizontal	350	1.82	32.76	27.58	4.61	35.02				
AV	3.15563G	30.33	68.20	-37.87	0.19	3	Horizontal	117	1.45	30.14	29.70	5.72	35.23				
AV	3.94563G	32.69	54.00	-21.31	2.01	3	Horizontal	87	1.04	30.68	30.71	6.36	35.06				
PK	2.12125G	40.09	68.20	-28.11	-2.83	3	Horizontal	350	1.82	42.92	27.58	4.61	35.02				
PK	3.15563G	42.58	68.20	-25.62	0.19	3	Horizontal	117	1.45	42.39	29.70	5.72	35.23				
PK	3.94563G	45.20	74.00	-28.80	2.01	3	Horizontal	87	1.04	43.19	30.71	6.36	35.06				

Radiated Emissions above 1GHz_Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.195G	26.21	54.00	-58.16	-4.16	3	Vertical	69	1.47	0.00	29.90	2.53	36.59				
AV	1.725G	23.69	54.00	-58.16	-4.16	3	Vertical	360	1.22	0.00	29.90	2.53	36.59				
AV	3.60875G	31.58	54.00	-58.16	-4.16	3	Vertical	200	2.12	0.00	29.90	2.53	36.59				
PK	1.195G	38.28	74.00	-35.72	-6.10	3	Vertical	69	1.47	44.38	26.10	3.36	35.56				
PK	1.725G	36.88	88.20	-51.32	-5.97	3	Vertical	360	1.22	42.85	24.90	4.18	35.05				
PK	3.60875G	43.46	74.00	-30.54	0.48	3	Vertical	200	2.12	42.98	29.52	6.16	35.20				

Radiated Emissions above 1GHz_Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.2475G	27.62	68.20	-40.58	-6.03	3	Horizontal	283	1.47	33.65	26.00	3.45	35.48				
AV	2.06813G	29.32	68.20	-38.88	-2.98	3	Horizontal	360	1.23	32.30	27.46	4.56	35.00				
AV	4.0575G	33.71	54.00	-20.29	2.23	3	Horizontal	201	1.39	31.48	30.82	6.45	35.04				
PK	1.2475G	38.67	88.20	-49.53	-6.03	3	Horizontal	283	1.47	44.70	26.00	3.45	35.48				
PK	2.06813G	40.64	88.20	-47.56	-2.98	3	Horizontal	360	1.23	43.62	27.46	4.56	35.00				
PK	4.0575G	44.46	74.00	-29.54	2.23	3	Horizontal	201	1.39	42.23	30.82	6.45	35.04				

Radiated Emissions above 1GHz_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.33188G	27.58	54.00	-26.42	-5.87	3	Vertical	125	2.26	33.45	25.90	3.59	35.36
AV	2.185G	29.67	68.20	-38.53	-3.11	3	Vertical	218	1.28	32.78	27.25	4.68	35.04
AV	3.76875G	31.55	54.00	-22.45	1.36	3	Vertical	100	1.41	30.19	30.21	6.29	35.14
PK	1.33188G	39.95	74.00	-34.05	-5.87	3	Vertical	125	2.26	45.82	25.90	3.59	35.36
PK	2.185G	40.07	68.20	-28.13	-3.11	3	Vertical	218	1.28	43.18	27.25	4.68	35.04
PK	3.76875G	43.09	74.00	-30.91	1.36	3	Vertical	100	1.41	41.73	30.21	6.29	35.14

Radiated Emissions above 1GHz_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.38938G	27.37	54.00	-26.63	-5.50	3	Horizontal	207	1.34	32.87	26.09	3.68	35.27
AV	2.05938G	28.63	68.20	-39.57	-3.15	3	Horizontal	8	1.94	31.78	27.30	4.55	35.00
AV	3.03313G	31.58	68.20	-36.62	0.03	3	Horizontal	266	1.92	31.55	29.67	5.58	35.22
PK	1.38938G	39.69	74.00	-34.31	-5.50	3	Horizontal	207	1.34	45.19	26.09	3.68	35.27
PK	2.05938G	39.93	68.20	-28.27	-3.15	3	Horizontal	8	1.94	43.08	27.30	4.55	35.00
PK	3.03313G	43.47	68.20	-24.73	0.03	3	Horizontal	266	1.92	43.44	29.67	5.58	35.22


Radiated Emissions above 1GHz_Mode 8



Radiated Emissions above 1GHz_Mode 8




Radiated Emissions above 1GHz_Mode 9




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.3325G	29.66	54.00	-24.34	-5.87	3	Vertical	28	1.92	35.53	25.90	3.59	35.36
AV	1.485G	27.52	54.00	-26.48	-5.85	3	Vertical	319	1.49	33.37	25.40	3.88	35.13
AV	3.04375G	31.51	68.20	-36.69	0.06	3	Vertical	237	2.23	31.45	29.69	5.59	35.22
PK	1.3325G	40.78	74.00	-33.22	-5.87	3	Vertical	28	1.92	46.65	25.90	3.59	35.36
PK	1.485G	38.70	74.00	-35.30	-5.85	3	Vertical	319	1.49	44.55	25.40	3.88	35.13
PK	3.04375G	43.05	68.20	-25.15	0.06	3	Vertical	237	2.23	42.99	29.69	5.59	35.22

Radiated Emissions above 1GHz_Mode 9




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.43125G	27.59	68.20	-40.61	-5.65	3	Horizontal	61	1.96	33.24	25.79	3.77	35.21
AV	2.15125G	27.63	68.20	-40.57	-3.09	3	Horizontal	6	1.15	30.72	27.30	4.64	35.03
AV	3.50625G	30.91	68.20	-37.29	0.17	3	Horizontal	241	2.08	30.74	29.40	6.02	35.25
PK	1.43125G	38.14	68.20	-30.06	-5.65	3	Horizontal	61	1.96	43.79	25.79	3.77	35.21
PK	2.15125G	40.38	68.20	-27.82	-3.09	3	Horizontal	6	1.15	43.47	27.30	4.64	35.03
PK	3.50625G	42.21	68.20	-25.99	0.17	3	Horizontal	241	2.08	42.04	29.40	6.02	35.25


Radiated Emissions above 1GHz_Mode 10




Radiated Emissions above 1GHz_Mode 10




Radiated Emissions above 1GHz_Mode 11



Radiated Emissions above 1GHz_Mode 11




Radiated Emissions above 1GHz_Mode 12



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.39063G	27.66	54.00	-26.34	-5.50	3	Vertical	217	1.98	33.16	26.09	3.68	35.27				
AV	2.05875G	28.31	68.20	-39.89	-3.15	3	Vertical	22	1.66	31.46	27.30	4.55	35.00				
AV	3.04063G	30.69	68.20	-37.51	0.05	3	Vertical	203	2.48	30.64	29.68	5.59	35.22				
PK	1.39063G	39.71	74.00	-34.29	-5.50	3	Vertical	217	1.98	45.21	26.09	3.68	35.27				
PK	2.05875G	39.97	68.20	-28.23	-3.15	3	Vertical	22	1.66	43.12	27.30	4.55	35.00				
PK	3.04063G	42.68	68.20	-25.52	0.05	3	Vertical	203	2.48	42.63	29.68	5.59	35.22				

Radiated Emissions above 1GHz_Mode 12



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.385G	27.63	54.00	-26.37	-5.55	3	Horizontal	242	1.47	33.18	26.05	3.68	35.28				
AV	2.06875G	28.93	68.20	-39.27	-2.96	3	Horizontal	94	2.14	31.89	27.48	4.56	35.00				
AV	3.0325G	30.71	68.20	-37.49	0.02	3	Horizontal	216	1.69	30.69	29.66	5.58	35.22				
PK	1.385G	40.54	74.00	-33.46	-5.55	3	Horizontal	242	1.47	46.09	26.05	3.68	35.28				
PK	2.06875G	40.08	68.20	-28.12	-2.96	3	Horizontal	94	2.14	43.04	27.48	4.56	35.00				
PK	3.0325G	42.89	68.20	-25.31	0.02	3	Horizontal	216	1.69	42.87	29.66	5.58	35.22				