



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	51.46	54.00	-2.54	8.14	3	Vertical	357	1.48	43.32	33.19	8.95	34.00
AV	5.198G	100.09	Inf	-Inf	8.08	3	Vertical	357	1.48	92.01	33.10	8.98	34.00
AV	5.351G	48.33	54.00	-5.67	8.03	3	Vertical	357	1.48	40.30	32.90	9.12	33.99
PK	5.126G	64.35	74.00	-9.65	8.04	3	Vertical	357	1.48	56.31	33.10	8.94	34.00
PK	5.198G	114.59	Inf	-Inf	8.08	3	Vertical	357	1.48	106.51	33.10	8.98	34.00
PK	5.353G	62.56	74.00	-11.44	8.03	3	Vertical	357	1.48	54.53	32.89	9.13	33.99

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.76	54.00	-0.24	8.15	3	Horizontal	347	1.45	45.61	33.20	8.95	34.00
AV	5.223G	102.36	Inf	-Inf	8.05	3	Horizontal	347	1.45	94.31	33.05	9.00	34.00
AV	5.352G	49.65	54.00	-4.35	8.03	3	Horizontal	347	1.45	41.62	32.90	9.12	33.99
PK	5.15G	66.44	74.00	-7.56	8.15	3	Horizontal	347	1.45	58.29	33.20	8.95	34.00
PK	5.218G	116.06	Inf	-Inf	8.06	3	Horizontal	347	1.45	108.00	33.06	9.00	34.00
PK	5.359G	63.31	74.00	-10.69	8.02	3	Horizontal	347	1.45	55.29	32.88	9.13	33.99


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX



5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX


5250MHz Straddle 5.15-5.25GHz_TX






5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.26	54.00	-6.74	8.03	3	Vertical	4	1.53	39.23	32.90	9.12	33.99
AV	5.459G	51.92	54.00	-2.08	8.06	3	Vertical	4	1.53	43.86	32.84	9.20	33.98
AV	5.517G	99.63	Inf	-Inf	8.20	3	Vertical	4	1.53	91.43	32.97	9.22	33.99
PK	5.316G	61.78	68.20	-6.42	8.00	3	Vertical	4	1.53	53.78	32.90	9.09	33.99
PK	5.459G	64.71	74.00	-9.29	8.06	3	Vertical	4	1.53	56.65	32.84	9.20	33.98
PK	5.469G	65.34	68.20	-2.86	8.10	3	Vertical	4	1.53	57.24	32.88	9.20	33.98
PK	5.517G	112.71	Inf	-Inf	8.20	3	Vertical	4	1.53	104.51	32.97	9.22	33.99
PK	5.74G	62.63	68.20	-5.57	8.94	3	Vertical	4	1.53	53.69	33.68	9.34	34.08

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.77	54.00	-6.23	8.03	3	Horizontal	0	2.00	39.74	32.90	9.12	33.99
AV	5.46G	53.75	54.00	-0.25	8.06	3	Horizontal	0	2.00	45.69	32.84	9.20	33.98
AV	5.502G	100.93	Inf	-Inf	8.24	3	Horizontal	0	2.00	92.69	33.00	9.22	33.98
PK	5.311G	61.21	68.20	-6.99	8.00	3	Horizontal	0	2.00	53.21	32.90	9.09	33.99
PK	5.456G	67.12	74.00	-6.88	8.04	3	Horizontal	0	2.00	59.08	32.82	9.20	33.98
PK	5.467G	68.19	68.20	-0.01	8.09	3	Horizontal	0	2.00	60.10	32.87	9.20	33.98
PK	5.506G	114.25	Inf	-Inf	8.23	3	Horizontal	0	2.00	106.02	32.99	9.22	33.98
PK	5.744G	61.93	68.20	-6.27	8.95	3	Horizontal	0	2.00	52.98	33.69	9.34	34.08


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	303.54M	35.66	46.00	-10.34	3	Horizontal	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz_PoE	Pass	PK	30M	26.94	40.00	-13.06	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	68.8M	24.33	40.00	-15.67	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	148.34M	25.35	43.50	-18.15	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	313.24M	30.55	46.00	-15.45	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	449.04M	32.48	46.00	-13.52	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	546.04M	29.39	46.00	-16.61	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	30M	23.85	40.00	-16.15	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	99.84M	24.54	43.50	-18.96	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	148.34M	26.84	43.50	-16.66	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	303.54M	35.66	46.00	-10.34	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	414.12M	27.03	46.00	-18.97	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	555.74M	29.03	46.00	-16.97	3	Horizontal	0	1.00


5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_PoE



5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_PoE





RSE TX above 1GHz_Non-Beamforming_ Radio 2_2T2S_Patch

Appendix E.14

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.15G	52.40	54.00	-1.60	3	Horizontal	349	1.44
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.19	54.00	-0.81	3	Horizontal	348	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.47	54.00	-0.53	3	Horizontal	348	1.62
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	PK	5.3676G	72.61	74.00	-1.39	3	Horizontal	0	2.06
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.3502G	53.54	54.00	-0.46	3	Horizontal	0	2.04
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.94	54.00	-0.06	3	Horizontal	360	2.03
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.86	54.00	-0.14	3	Horizontal	360	1.95
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.4596G	51.92	54.00	-2.08	3	Horizontal	359	1.96
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	PK	5.4656G	68.09	68.20	-0.11	3	Horizontal	360	2.01
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	5.469G	67.92	68.20	-0.28	3	Horizontal	0	1.98
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	PK	5.4608G	67.73	68.20	-0.47	3	Horizontal	360	2.01
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	6.01845G	63.25	68.20	-4.95	3	Vertical	6	1.40
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	PK	5.5978G	63.10	68.20	-5.10	3	Horizontal	0	1.93
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	5.649G	66.91	68.20	-1.29	3	Horizontal	0	2.37



RSE TX above 1GHz_Non-Beamforming_ Radio 2_2T2S_Patch

Appendix E.14

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1392G	50.58	54.00	-3.42	3	Vertical	6	1.44
5180MHz	Pass	AV	5.1856G	104.72	Inf	-Inf	3	Vertical	6	1.44
5180MHz	Pass	PK	5.1398G	65.63	74.00	-8.37	3	Vertical	6	1.44
5180MHz	Pass	PK	5.183G	118.33	Inf	-Inf	3	Vertical	6	1.44
5180MHz	Pass	AV	5.15G	52.40	54.00	-1.60	3	Horizontal	349	1.44
5180MHz	Pass	AV	5.1758G	107.43	Inf	-Inf	3	Horizontal	349	1.44
5180MHz	Pass	PK	5.1394G	68.71	74.00	-5.29	3	Horizontal	349	1.44
5180MHz	Pass	PK	5.1742G	121.43	Inf	-Inf	3	Horizontal	349	1.44
5180MHz	Pass	PK	10.36546G	59.51	68.20	-8.69	3	Vertical	154	1.50
5180MHz	Pass	PK	10.36348G	59.05	68.20	-9.15	3	Horizontal	255	2.00
5200MHz	Pass	AV	5.1496G	48.67	54.00	-5.33	3	Vertical	358	1.50
5200MHz	Pass	AV	5.1968G	105.02	Inf	-Inf	3	Vertical	358	1.50
5200MHz	Pass	PK	5.1464G	62.26	74.00	-11.74	3	Vertical	358	1.50
5200MHz	Pass	PK	5.2048G	118.27	Inf	-Inf	3	Vertical	358	1.50
5200MHz	Pass	AV	5.15G	50.09	54.00	-3.91	3	Horizontal	348	1.47
5200MHz	Pass	AV	5.2056G	106.96	Inf	-Inf	3	Horizontal	348	1.47
5200MHz	Pass	PK	5.15G	64.18	74.00	-9.82	3	Horizontal	348	1.47
5200MHz	Pass	PK	5.2024G	120.86	Inf	-Inf	3	Horizontal	348	1.47
5200MHz	Pass	PK	10.403G	58.70	68.20	-9.50	3	Vertical	113	1.50
5200MHz	Pass	PK	10.40198G	59.27	68.20	-8.93	3	Horizontal	316	2.85
5240MHz	Pass	AV	5.1482G	47.47	54.00	-6.53	3	Vertical	357	1.77
5240MHz	Pass	AV	5.2364G	105.84	Inf	-Inf	3	Vertical	357	1.77
5240MHz	Pass	AV	5.3636G	47.50	54.00	-6.50	3	Vertical	357	1.77
5240MHz	Pass	PK	5.135G	62.50	74.00	-11.50	3	Vertical	357	1.77
5240MHz	Pass	PK	5.2358G	120.07	Inf	-Inf	3	Vertical	357	1.77
5240MHz	Pass	PK	5.3798G	61.05	74.00	-12.95	3	Vertical	357	1.77
5240MHz	Pass	AV	5.15G	47.86	54.00	-6.14	3	Horizontal	347	1.42
5240MHz	Pass	AV	5.2424G	107.52	Inf	-Inf	3	Horizontal	347	1.42
5240MHz	Pass	AV	5.3516G	47.86	54.00	-6.14	3	Horizontal	347	1.42
5240MHz	Pass	PK	5.1242G	61.51	74.00	-12.49	3	Horizontal	347	1.42
5240MHz	Pass	PK	5.2442G	121.86	Inf	-Inf	3	Horizontal	347	1.42
5240MHz	Pass	PK	5.366G	61.07	74.00	-12.93	3	Horizontal	347	1.42
5240MHz	Pass	PK	10.46596G	58.60	68.20	-9.60	3	Vertical	172	1.50
5240MHz	Pass	PK	10.4761G	58.64	68.20	-9.56	3	Horizontal	328	1.50
5260MHz	Pass	AV	5.1424G	47.17	54.00	-6.83	3	Vertical	356	1.97
5260MHz	Pass	AV	5.2534G	105.20	Inf	-Inf	3	Vertical	356	1.97
5260MHz	Pass	AV	5.3572G	47.60	54.00	-6.40	3	Vertical	356	1.97
5260MHz	Pass	PK	5.1364G	61.11	74.00	-12.89	3	Vertical	356	1.97
5260MHz	Pass	PK	5.2672G	118.24	Inf	-Inf	3	Vertical	356	1.97
5260MHz	Pass	PK	5.3644G	61.55	74.00	-12.45	3	Vertical	356	1.97
5260MHz	Pass	AV	5.15G	47.55	54.00	-6.45	3	Horizontal	360	1.98
5260MHz	Pass	AV	5.2624G	107.72	Inf	-Inf	3	Horizontal	360	1.98
5260MHz	Pass	AV	5.3512G	48.35	54.00	-5.65	3	Horizontal	360	1.98
5260MHz	Pass	PK	5.1118G	61.22	74.00	-12.78	3	Horizontal	360	1.98
5260MHz	Pass	PK	5.2642G	121.42	Inf	-Inf	3	Horizontal	360	1.98
5260MHz	Pass	PK	5.3692G	62.58	74.00	-11.42	3	Horizontal	360	1.98
5260MHz	Pass	PK	10.51862G	58.80	68.20	-9.40	3	Vertical	341	1.50
5260MHz	Pass	PK	10.52216G	58.03	68.20	-10.17	3	Horizontal	167	1.50
5300MHz	Pass	AV	5.2928G	105.64	Inf	-Inf	3	Vertical	358	2.32
5300MHz	Pass	AV	5.35G	49.01	54.00	-4.99	3	Vertical	358	2.32
5300MHz	Pass	PK	5.2912G	119.07	Inf	-Inf	3	Vertical	358	2.32
5300MHz	Pass	PK	5.3904G	61.88	74.00	-12.12	3	Vertical	358	2.32
5300MHz	Pass	AV	5.2952G	107.52	Inf	-Inf	3	Horizontal	360	1.95
5300MHz	Pass	AV	5.35G	50.14	54.00	-3.86	3	Horizontal	360	1.95
5300MHz	Pass	PK	5.308G	121.93	Inf	-Inf	3	Horizontal	360	1.95
5300MHz	Pass	PK	5.3524G	64.08	74.00	-9.92	3	Horizontal	360	1.95
5300MHz	Pass	AV	10.6078G	44.86	54.00	-9.14	3	Vertical	334	2.10
5300MHz	Pass	PK	10.60454G	59.43	74.00	-14.57	3	Vertical	334	2.10
5300MHz	Pass	AV	10.60504G	44.79	54.00	-9.21	3	Horizontal	295	1.50
5300MHz	Pass	PK	10.60826G	59.24	74.00	-14.76	3	Horizontal	295	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_2T2S_Patch**

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	AV	5.3184G	105.06	Inf	-Inf	3	Vertical	359	2.41
5320MHz	Pass	AV	5.3606G	51.36	54.00	-2.64	3	Vertical	359	2.41
5320MHz	Pass	PK	5.3222G	118.78	Inf	-Inf	3	Vertical	359	2.41
5320MHz	Pass	PK	5.36G	65.61	74.00	-8.39	3	Vertical	359	2.41
5320MHz	Pass	AV	5.3226G	107.47	Inf	-Inf	3	Horizontal	0	2.04
5320MHz	Pass	AV	5.3502G	53.54	54.00	-0.46	3	Horizontal	0	2.04
5320MHz	Pass	PK	5.3276G	121.18	Inf	-Inf	3	Horizontal	0	2.04
5320MHz	Pass	PK	5.361G	68.85	74.00	-5.15	3	Horizontal	0	2.04
5320MHz	Pass	AV	10.63208G	44.99	54.00	-9.01	3	Vertical	313	1.50
5320MHz	Pass	PK	10.62692G	60.15	74.00	-13.85	3	Vertical	313	1.50
5320MHz	Pass	AV	10.63244G	45.06	54.00	-8.94	3	Horizontal	352	1.50
5320MHz	Pass	PK	10.6331G	59.46	74.00	-14.54	3	Horizontal	352	1.50
5500MHz	Pass	AV	5.4598G	51.02	54.00	-2.98	3	Vertical	8	2.34
5500MHz	Pass	AV	5.4984G	106.23	Inf	-Inf	3	Vertical	8	2.34
5500MHz	Pass	PK	5.4596G	67.17	74.00	-6.83	3	Vertical	8	2.34
5500MHz	Pass	PK	5.4604G	65.54	68.20	-2.66	3	Vertical	8	2.34
5500MHz	Pass	PK	5.4958G	120.29	Inf	-Inf	3	Vertical	8	2.34
5500MHz	Pass	AV	5.4596G	51.92	54.00	-2.08	3	Horizontal	359	1.96
5500MHz	Pass	AV	5.4974G	107.97	Inf	-Inf	3	Horizontal	359	1.96
5500MHz	Pass	PK	5.458G	67.89	74.00	-6.11	3	Horizontal	359	1.96
5500MHz	Pass	PK	5.4612G	65.61	68.20	-2.59	3	Horizontal	359	1.96
5500MHz	Pass	PK	5.4922G	122.42	Inf	-Inf	3	Horizontal	359	1.96
5500MHz	Pass	AV	11.00954G	45.02	54.00	-8.98	3	Vertical	343	1.50
5500MHz	Pass	PK	11.00816G	59.25	74.00	-14.75	3	Vertical	343	1.50
5500MHz	Pass	AV	11.01224G	45.07	54.00	-8.93	3	Horizontal	138	2.79
5500MHz	Pass	PK	11.0018G	59.48	74.00	-14.52	3	Horizontal	138	2.79
5580MHz	Pass	AV	5.4576G	47.31	54.00	-6.69	3	Vertical	9	1.50
5580MHz	Pass	AV	5.5812G	105.55	Inf	-Inf	3	Vertical	9	1.50
5580MHz	Pass	PK	5.4504G	61.67	74.00	-12.33	3	Vertical	9	1.50
5580MHz	Pass	PK	5.4642G	60.72	68.20	-7.48	3	Vertical	9	1.50
5580MHz	Pass	PK	5.5854G	119.45	Inf	-Inf	3	Vertical	9	1.50
5580MHz	Pass	PK	5.7252G	61.64	68.20	-6.56	3	Vertical	9	1.50
5580MHz	Pass	AV	5.4576G	47.63	54.00	-6.37	3	Horizontal	0	2.07
5580MHz	Pass	AV	5.5782G	107.88	Inf	-Inf	3	Horizontal	0	2.07
5580MHz	Pass	PK	5.4576G	61.49	74.00	-12.51	3	Horizontal	0	2.07
5580MHz	Pass	PK	5.4666G	60.96	68.20	-7.24	3	Horizontal	0	2.07
5580MHz	Pass	PK	5.5812G	121.55	Inf	-Inf	3	Horizontal	0	2.07
5580MHz	Pass	PK	5.7294G	61.52	68.20	-6.68	3	Horizontal	0	2.07
5580MHz	Pass	AV	11.17116G	45.35	54.00	-8.65	3	Vertical	71	1.50
5580MHz	Pass	PK	11.16678G	59.77	74.00	-14.23	3	Vertical	71	1.50
5580MHz	Pass	AV	11.17098G	45.20	54.00	-8.80	3	Horizontal	299	1.50
5580MHz	Pass	PK	11.15922G	60.14	74.00	-13.86	3	Horizontal	299	1.50
5700MHz	Pass	AV	5.7036G	101.07	Inf	-Inf	3	Vertical	4	1.59
5700MHz	Pass	PK	5.696G	115.22	Inf	-Inf	3	Vertical	4	1.59
5700MHz	Pass	PK	5.726G	63.55	68.20	-4.65	3	Vertical	4	1.59
5700MHz	Pass	AV	5.7036G	102.32	Inf	-Inf	3	Horizontal	0	1.94
5700MHz	Pass	PK	5.706G	116.31	Inf	-Inf	3	Horizontal	0	1.94
5700MHz	Pass	PK	5.7276G	65.57	68.20	-2.63	3	Horizontal	0	1.94
5700MHz	Pass	AV	11.40666G	46.01	54.00	-7.99	3	Vertical	162	1.86
5700MHz	Pass	PK	11.40558G	60.33	74.00	-13.67	3	Vertical	162	1.86
5700MHz	Pass	AV	11.409G	46.05	54.00	-7.95	3	Horizontal	72	1.26
5700MHz	Pass	PK	11.40882G	60.23	74.00	-13.77	3	Horizontal	72	1.26
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4392G	47.06	54.00	-6.94	3	Vertical	4	1.82
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7164G	106.01	Inf	-Inf	3	Vertical	4	1.82
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4248G	60.49	74.00	-13.51	3	Vertical	4	1.82
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	60.28	68.20	-7.92	3	Vertical	4	1.82
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	118.68	Inf	-Inf	3	Vertical	4	1.82
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8976G	62.25	68.20	-5.95	3	Vertical	4	1.82
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4272G	47.45	54.00	-6.55	3	Horizontal	0	1.90
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	107.57	Inf	-Inf	3	Horizontal	0	1.90
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4344G	61.23	74.00	-12.77	3	Horizontal	0	1.90
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	60.71	68.20	-7.49	3	Horizontal	0	1.90

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.726G	121.17	Inf	-Inf	3	Horizontal	0	1.90
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8832G	62.06	68.20	-6.14	3	Horizontal	0	1.90
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44978G	46.05	54.00	-7.95	3	Vertical	214	2.69
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43046G	60.19	74.00	-13.81	3	Vertical	214	2.69
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.45128G	46.03	54.00	-7.97	3	Horizontal	168	2.24
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4535G	60.11	74.00	-13.89	3	Horizontal	168	2.24
5745MHz	Pass	AV	5.4582G	47.20	54.00	-6.80	3	Vertical	4	1.92
5745MHz	Pass	AV	5.7414G	107.09	Inf	-Inf	3	Vertical	4	1.92
5745MHz	Pass	PK	5.5794G	61.93	68.20	-6.27	3	Vertical	4	1.92
5745MHz	Pass	PK	5.7522G	121.09	Inf	-Inf	3	Vertical	4	1.92
5745MHz	Pass	PK	5.925G	62.24	68.20	-5.96	3	Vertical	4	1.92
5745MHz	Pass	AV	5.4594G	47.62	54.00	-6.38	3	Horizontal	0	1.98
5745MHz	Pass	AV	5.7378G	107.73	Inf	-Inf	3	Horizontal	0	1.98
5745MHz	Pass	PK	5.6142G	62.43	68.20	-5.77	3	Horizontal	0	1.98
5745MHz	Pass	PK	5.7366G	120.66	Inf	-Inf	3	Horizontal	0	1.98
5745MHz	Pass	PK	5.9262G	62.14	68.20	-6.06	3	Horizontal	0	1.98
5745MHz	Pass	AV	11.49822G	46.01	54.00	-7.99	3	Vertical	55	1.50
5745MHz	Pass	PK	11.50392G	60.38	74.00	-13.62	3	Vertical	55	1.50
5745MHz	Pass	AV	11.50188G	45.95	54.00	-8.05	3	Horizontal	75	1.50
5745MHz	Pass	PK	11.49414G	60.03	74.00	-13.97	3	Horizontal	75	1.50
5785MHz	Pass	AV	5.77645G	106.09	Inf	-Inf	3	Vertical	6	1.40
5785MHz	Pass	PK	5.6494G	62.02	68.20	-6.18	3	Vertical	6	1.40
5785MHz	Pass	PK	5.77887G	119.76	Inf	-Inf	3	Vertical	6	1.40
5785MHz	Pass	PK	6.01845G	63.25	68.20	-4.95	3	Vertical	6	1.40
5785MHz	Pass	AV	5.77887G	107.27	Inf	-Inf	3	Horizontal	0	2.45
5785MHz	Pass	PK	5.64214G	62.64	68.20	-5.56	3	Horizontal	0	2.45
5785MHz	Pass	PK	5.78008G	120.12	Inf	-Inf	3	Horizontal	0	2.45
5785MHz	Pass	PK	5.9398G	62.24	68.20	-5.96	3	Horizontal	0	2.45
5785MHz	Pass	AV	11.57528G	45.65	54.00	-8.35	3	Vertical	221	2.79
5785MHz	Pass	PK	11.5787G	60.00	74.00	-14.00	3	Vertical	221	2.79
5785MHz	Pass	AV	11.57828G	45.65	54.00	-8.35	3	Horizontal	336	1.50
5785MHz	Pass	PK	11.56412G	60.37	74.00	-13.63	3	Horizontal	336	1.50
5825MHz	Pass	AV	5.8334G	103.80	Inf	-Inf	3	Vertical	4	1.49
5825MHz	Pass	PK	5.6054G	61.90	68.20	-6.30	3	Vertical	4	1.49
5825MHz	Pass	PK	5.8226G	118.08	Inf	-Inf	3	Vertical	4	1.49
5825MHz	Pass	PK	6.0026G	61.90	68.20	-6.30	3	Vertical	4	1.49
5825MHz	Pass	AV	5.8178G	106.13	Inf	-Inf	3	Horizontal	0	2.34
5825MHz	Pass	PK	5.5766G	63.14	68.20	-5.06	3	Horizontal	0	2.34
5825MHz	Pass	PK	5.8202G	120.18	Inf	-Inf	3	Horizontal	0	2.34
5825MHz	Pass	PK	6.1022G	62.82	68.20	-5.38	3	Horizontal	0	2.34
5825MHz	Pass	AV	11.64448G	45.68	54.00	-8.32	3	Vertical	281	1.50
5825MHz	Pass	PK	11.66476G	60.40	74.00	-13.60	3	Vertical	281	1.50
5825MHz	Pass	AV	11.64514G	45.83	54.00	-8.17	3	Horizontal	66	2.61
5825MHz	Pass	PK	11.63548G	60.22	74.00	-13.78	3	Horizontal	66	2.61
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1488G	52.33	54.00	-1.67	3	Vertical	360	1.81
5190MHz	Pass	AV	5.1964G	102.78	Inf	-Inf	3	Vertical	360	1.81
5190MHz	Pass	PK	5.15G	65.94	74.00	-8.06	3	Vertical	360	1.81
5190MHz	Pass	PK	5.196G	117.03	Inf	-Inf	3	Vertical	360	1.81
5190MHz	Pass	AV	5.15G	53.19	54.00	-0.81	3	Horizontal	348	1.50
5190MHz	Pass	AV	5.1852G	104.64	Inf	-Inf	3	Horizontal	348	1.50
5190MHz	Pass	PK	5.1408G	67.85	74.00	-6.15	3	Horizontal	348	1.50
5190MHz	Pass	PK	5.192G	118.75	Inf	-Inf	3	Horizontal	348	1.50
5190MHz	Pass	PK	10.37304G	59.00	68.20	-9.20	3	Vertical	274	3.00
5190MHz	Pass	PK	10.3782G	59.81	68.20	-8.39	3	Horizontal	138	2.00
5230MHz	Pass	AV	5.15G	49.16	54.00	-4.84	3	Vertical	356	1.62
5230MHz	Pass	AV	5.238G	102.97	Inf	-Inf	3	Vertical	356	1.62
5230MHz	Pass	PK	5.1468G	63.29	74.00	-10.71	3	Vertical	356	1.62
5230MHz	Pass	PK	5.2404G	117.24	Inf	-Inf	3	Vertical	356	1.62
5230MHz	Pass	AV	5.15G	50.80	54.00	-3.20	3	Horizontal	347	1.54
5230MHz	Pass	AV	5.2316G	105.36	Inf	-Inf	3	Horizontal	347	1.54
5230MHz	Pass	PK	5.1492G	63.72	74.00	-10.28	3	Horizontal	347	1.54



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_2T2S_Patch**

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5230MHz	Pass	PK	5.234G	119.00	Inf	-Inf	3	Horizontal	347	1.54
5230MHz	Pass	PK	10.44392G	58.95	68.20	-9.25	3	Vertical	246	2.12
5230MHz	Pass	PK	10.44488G	58.57	68.20	-9.63	3	Horizontal	116	1.50
5270MHz	Pass	AV	5.2728G	102.63	Inf	-Inf	3	Vertical	360	2.30
5270MHz	Pass	AV	5.35G	49.61	54.00	-4.39	3	Vertical	360	2.30
5270MHz	Pass	PK	5.2716G	116.94	Inf	-Inf	3	Vertical	360	2.30
5270MHz	Pass	PK	5.3532G	63.30	74.00	-10.70	3	Vertical	360	2.30
5270MHz	Pass	AV	5.266G	105.17	Inf	-Inf	3	Horizontal	360	1.99
5270MHz	Pass	AV	5.35G	51.57	54.00	-2.43	3	Horizontal	360	1.99
5270MHz	Pass	PK	5.2604G	118.97	Inf	-Inf	3	Horizontal	360	1.99
5270MHz	Pass	PK	5.3508G	65.92	74.00	-8.08	3	Horizontal	360	1.99
5270MHz	Pass	PK	10.52464G	58.56	68.20	-9.64	3	Vertical	80	2.28
5270MHz	Pass	PK	10.56844G	58.60	68.20	-9.60	3	Horizontal	231	1.50
5310MHz	Pass	AV	5.3156G	100.13	Inf	-Inf	3	Vertical	360	2.37
5310MHz	Pass	AV	5.35G	50.83	54.00	-3.17	3	Vertical	360	2.37
5310MHz	Pass	PK	5.3208G	113.95	Inf	-Inf	3	Vertical	360	2.37
5310MHz	Pass	PK	5.3588G	65.19	74.00	-8.81	3	Vertical	360	2.37
5310MHz	Pass	AV	5.3236G	102.28	Inf	-Inf	3	Horizontal	360	2.03
5310MHz	Pass	AV	5.35G	53.94	54.00	-0.06	3	Horizontal	360	2.03
5310MHz	Pass	PK	5.3256G	116.43	Inf	-Inf	3	Horizontal	360	2.03
5310MHz	Pass	PK	5.3532G	68.49	74.00	-5.51	3	Horizontal	360	2.03
5310MHz	Pass	AV	10.63284G	44.97	54.00	-9.03	3	Vertical	249	2.89
5310MHz	Pass	PK	10.62864G	59.24	74.00	-14.76	3	Vertical	249	2.89
5310MHz	Pass	AV	10.62624G	45.08	54.00	-8.92	3	Horizontal	65	1.50
5310MHz	Pass	PK	10.62372G	60.23	74.00	-13.77	3	Horizontal	65	1.50
5510MHz	Pass	AV	5.46G	50.64	54.00	-3.36	3	Vertical	5	1.50
5510MHz	Pass	AV	5.502G	103.35	Inf	-Inf	3	Vertical	5	1.50
5510MHz	Pass	PK	5.4588G	65.42	74.00	-8.58	3	Vertical	5	1.50
5510MHz	Pass	PK	5.468G	67.19	68.20	-1.01	3	Vertical	5	1.50
5510MHz	Pass	PK	5.5024G	116.90	Inf	-Inf	3	Vertical	5	1.50
5510MHz	Pass	AV	5.46G	52.09	54.00	-1.91	3	Horizontal	360	2.01
5510MHz	Pass	AV	5.5032G	105.86	Inf	-Inf	3	Horizontal	360	2.01
5510MHz	Pass	PK	5.4596G	67.18	74.00	-6.82	3	Horizontal	360	2.01
5510MHz	Pass	PK	5.4656G	68.09	68.20	-0.11	3	Horizontal	360	2.01
5510MHz	Pass	PK	5.5048G	119.81	Inf	-Inf	3	Horizontal	360	2.01
5510MHz	Pass	AV	11.00224G	45.04	54.00	-8.96	3	Vertical	16	1.48
5510MHz	Pass	PK	11.01652G	59.55	74.00	-14.45	3	Vertical	16	1.48
5510MHz	Pass	AV	11.0062G	45.00	54.00	-9.00	3	Horizontal	44	1.37
5510MHz	Pass	PK	11.02144G	59.24	74.00	-14.76	3	Horizontal	44	1.37
5550MHz	Pass	AV	5.4584G	48.63	54.00	-5.37	3	Vertical	3	1.59
5550MHz	Pass	AV	5.568G	103.75	Inf	-Inf	3	Vertical	3	1.59
5550MHz	Pass	PK	5.4524G	62.23	74.00	-11.77	3	Vertical	3	1.59
5550MHz	Pass	PK	5.4692G	63.08	68.20	-5.12	3	Vertical	3	1.59
5550MHz	Pass	PK	5.5488G	117.51	Inf	-Inf	3	Vertical	3	1.59
5550MHz	Pass	AV	5.4592G	49.80	54.00	-4.20	3	Horizontal	0	1.97
5550MHz	Pass	AV	5.544G	104.63	Inf	-Inf	3	Horizontal	0	1.97
5550MHz	Pass	PK	5.46G	63.32	74.00	-10.68	3	Horizontal	0	1.97
5550MHz	Pass	PK	5.4688G	64.72	68.20	-3.48	3	Horizontal	0	1.97
5550MHz	Pass	PK	5.5476G	118.75	Inf	-Inf	3	Horizontal	0	1.97
5550MHz	Pass	AV	11.08332G	44.66	54.00	-9.34	3	Vertical	341	2.38
5550MHz	Pass	PK	11.11092G	58.85	74.00	-15.15	3	Vertical	341	2.38
5550MHz	Pass	AV	11.07336G	44.59	54.00	-9.41	3	Horizontal	119	1.50
5550MHz	Pass	PK	11.1288G	59.57	74.00	-14.43	3	Horizontal	119	1.50
5670MHz	Pass	AV	5.6808G	99.77	Inf	-Inf	3	Vertical	5	1.60
5670MHz	Pass	PK	5.6814G	113.73	Inf	-Inf	3	Vertical	5	1.60
5670MHz	Pass	PK	5.7264G	65.22	68.20	-2.98	3	Vertical	5	1.60
5670MHz	Pass	AV	5.6604G	101.25	Inf	-Inf	3	Horizontal	0	1.99
5670MHz	Pass	PK	5.6616G	114.73	Inf	-Inf	3	Horizontal	0	1.99
5670MHz	Pass	PK	5.7252G	67.96	68.20	-0.24	3	Horizontal	0	1.99
5670MHz	Pass	AV	11.3616G	46.05	54.00	-7.95	3	Vertical	300	1.50
5670MHz	Pass	PK	11.32944G	60.23	74.00	-13.77	3	Vertical	300	1.50
5670MHz	Pass	AV	11.34528G	46.05	54.00	-7.95	3	Horizontal	102	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5670MHz	Pass	PK	11.31348G	60.50	74.00	-13.50	3	Horizontal	102	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4292G	47.25	54.00	-6.75	3	Vertical	4	1.82
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.716G	103.82	Inf	-Inf	3	Vertical	4	1.82
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.452G	61.35	74.00	-12.65	3	Vertical	4	1.82
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4664G	60.86	68.20	-7.34	3	Vertical	4	1.82
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7052G	117.13	Inf	-Inf	3	Vertical	4	1.82
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8624G	62.60	68.20	-5.60	3	Vertical	4	1.82
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4592G	47.84	54.00	-6.16	3	Horizontal	0	1.94
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7028G	105.47	Inf	-Inf	3	Horizontal	0	1.94
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4448G	61.55	74.00	-12.45	3	Horizontal	0	1.94
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4652G	60.96	68.20	-7.24	3	Horizontal	0	1.94
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7028G	119.04	Inf	-Inf	3	Horizontal	0	1.94
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9632G	61.86	68.20	-6.34	3	Horizontal	0	1.94
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40248G	46.01	54.00	-7.99	3	Vertical	120	1.67
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40152G	60.09	74.00	-13.91	3	Vertical	120	1.67
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.44712G	45.97	54.00	-8.03	3	Horizontal	0	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.44064G	60.26	74.00	-13.74	3	Horizontal	0	1.50
5755MHz	Pass	AV	5.4598G	47.20	54.00	-6.80	3	Vertical	4	1.87
5755MHz	Pass	AV	5.7418G	103.68	Inf	-Inf	3	Vertical	4	1.87
5755MHz	Pass	PK	5.6074G	61.62	68.20	-6.58	3	Vertical	4	1.87
5755MHz	Pass	PK	5.749G	116.82	Inf	-Inf	3	Vertical	4	1.87
5755MHz	Pass	PK	5.9494G	62.51	68.20	-5.69	3	Vertical	4	1.87
5755MHz	Pass	AV	5.4574G	47.77	54.00	-6.23	3	Horizontal	0	1.93
5755MHz	Pass	AV	5.7382G	104.93	Inf	-Inf	3	Horizontal	0	1.93
5755MHz	Pass	PK	5.5978G	63.10	68.20	-5.10	3	Horizontal	0	1.93
5755MHz	Pass	PK	5.7442G	118.10	Inf	-Inf	3	Horizontal	0	1.93
5755MHz	Pass	PK	6.0022G	62.32	68.20	-5.88	3	Horizontal	0	1.93
5755MHz	Pass	AV	11.50052G	46.03	54.00	-7.97	3	Vertical	360	1.50
5755MHz	Pass	PK	11.50952G	60.46	74.00	-13.54	3	Vertical	360	1.50
5755MHz	Pass	AV	11.49776G	46.01	54.00	-7.99	3	Horizontal	279	1.50
5755MHz	Pass	PK	11.50808G	60.28	74.00	-13.72	3	Horizontal	279	1.50
5795MHz	Pass	AV	5.7782G	102.34	Inf	-Inf	3	Vertical	4	1.53
5795MHz	Pass	PK	5.5454G	61.82	68.20	-6.38	3	Vertical	4	1.53
5795MHz	Pass	PK	5.783G	115.85	Inf	-Inf	3	Vertical	4	1.53
5795MHz	Pass	PK	5.9858G	62.46	68.20	-5.74	3	Vertical	4	1.53
5795MHz	Pass	AV	5.7806G	104.14	Inf	-Inf	3	Horizontal	0	2.10
5795MHz	Pass	PK	5.5166G	62.84	68.20	-5.36	3	Horizontal	0	2.10
5795MHz	Pass	PK	5.7998G	118.05	Inf	-Inf	3	Horizontal	0	2.10
5795MHz	Pass	PK	6.0782G	62.21	68.20	-5.99	3	Horizontal	0	2.10
5795MHz	Pass	AV	11.57776G	45.55	54.00	-8.45	3	Vertical	138	2.44
5795MHz	Pass	PK	11.60464G	60.53	74.00	-13.47	3	Vertical	138	2.44
5795MHz	Pass	AV	11.58004G	45.58	54.00	-8.42	3	Horizontal	54	1.50
5795MHz	Pass	PK	11.56972G	59.94	74.00	-14.06	3	Horizontal	54	1.50
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.148G	50.50	54.00	-3.50	3	Vertical	360	1.89
5210MHz	Pass	AV	5.203G	99.15	Inf	-Inf	3	Vertical	360	1.89
5210MHz	Pass	AV	5.354G	48.46	54.00	-5.54	3	Vertical	360	1.89
5210MHz	Pass	PK	5.147G	64.01	74.00	-9.99	3	Vertical	360	1.89
5210MHz	Pass	PK	5.193G	113.16	Inf	-Inf	3	Vertical	360	1.89
5210MHz	Pass	PK	5.372G	62.72	74.00	-11.28	3	Vertical	360	1.89
5210MHz	Pass	AV	5.15G	53.47	54.00	-0.53	3	Horizontal	348	1.62
5210MHz	Pass	AV	5.225G	101.39	Inf	-Inf	3	Horizontal	348	1.62
5210MHz	Pass	AV	5.354G	49.49	54.00	-4.51	3	Horizontal	348	1.62
5210MHz	Pass	PK	5.15G	66.76	74.00	-7.24	3	Horizontal	348	1.62
5210MHz	Pass	PK	5.226G	115.94	Inf	-Inf	3	Horizontal	348	1.62
5210MHz	Pass	PK	5.35G	63.06	74.00	-10.94	3	Horizontal	348	1.62
5210MHz	Pass	PK	10.40896G	59.89	68.20	-8.31	3	Vertical	163	3.00
5210MHz	Pass	PK	10.40608G	58.93	68.20	-9.27	3	Horizontal	162	1.50
5290MHz	Pass	AV	5.148G	47.54	54.00	-6.46	3	Vertical	360	2.31
5290MHz	Pass	AV	5.293G	97.33	Inf	-Inf	3	Vertical	360	2.31
5290MHz	Pass	AV	5.35G	51.69	54.00	-2.31	3	Vertical	360	2.31
5290MHz	Pass	PK	5.128G	60.75	74.00	-13.25	3	Vertical	360	2.31



RSE TX above 1GHz_Non-Beamforming_ Radio 2_2T2S_Patch

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	PK	5.274G	111.09	Inf	-Inf	3	Vertical	360	2.31
5290MHz	Pass	PK	5.359G	63.63	74.00	-10.37	3	Vertical	360	2.31
5290MHz	Pass	PK	5.47G	61.67	68.20	-6.53	3	Vertical	360	2.31
5290MHz	Pass	AV	5.148G	48.02	54.00	-5.98	3	Horizontal	360	1.95
5290MHz	Pass	AV	5.297G	99.54	Inf	-Inf	3	Horizontal	360	1.95
5290MHz	Pass	AV	5.35G	53.86	54.00	-0.14	3	Horizontal	360	1.95
5290MHz	Pass	PK	5.047G	61.14	74.00	-12.86	3	Horizontal	360	1.95
5290MHz	Pass	PK	5.284G	114.40	Inf	-Inf	3	Horizontal	360	1.95
5290MHz	Pass	PK	5.35G	67.68	74.00	-6.32	3	Horizontal	360	1.95
5290MHz	Pass	PK	5.491G	63.22	68.20	-4.98	3	Horizontal	360	1.95
5290MHz	Pass	AV	10.63808G	44.94	54.00	-9.06	3	Vertical	203	1.50
5290MHz	Pass	PK	10.60376G	58.72	74.00	-15.28	3	Vertical	203	1.50
5290MHz	Pass	AV	10.6316G	44.97	54.00	-9.03	3	Horizontal	131	1.50
5290MHz	Pass	PK	10.62992G	59.38	74.00	-14.62	3	Horizontal	131	1.50
5530MHz	Pass	AV	5.35G	47.29	54.00	-6.71	3	Vertical	4	1.79
5530MHz	Pass	AV	5.459G	51.04	54.00	-2.96	3	Vertical	4	1.79
5530MHz	Pass	AV	5.54G	98.29	Inf	-Inf	3	Vertical	4	1.79
5530MHz	Pass	PK	5.295G	61.49	68.20	-6.71	3	Vertical	4	1.79
5530MHz	Pass	PK	5.443G	65.04	74.00	-8.96	3	Vertical	4	1.79
5530MHz	Pass	PK	5.47G	65.17	68.20	-3.03	3	Vertical	4	1.79
5530MHz	Pass	PK	5.536G	112.42	Inf	-Inf	3	Vertical	4	1.79
5530MHz	Pass	PK	5.772G	61.52	68.20	-6.68	3	Vertical	4	1.79
5530MHz	Pass	AV	5.35G	47.67	54.00	-6.33	3	Horizontal	0	1.98
5530MHz	Pass	AV	5.46G	53.63	54.00	-0.37	3	Horizontal	0	1.98
5530MHz	Pass	AV	5.5G	100.27	Inf	-Inf	3	Horizontal	0	1.98
5530MHz	Pass	PK	5.349G	62.67	68.20	-5.53	3	Horizontal	0	1.98
5530MHz	Pass	PK	5.459G	67.53	74.00	-6.47	3	Horizontal	0	1.98
5530MHz	Pass	PK	5.469G	67.92	68.20	-0.28	3	Horizontal	0	1.98
5530MHz	Pass	PK	5.498G	114.23	Inf	-Inf	3	Horizontal	0	1.98
5530MHz	Pass	PK	5.731G	62.02	68.20	-6.18	3	Horizontal	0	1.98
5530MHz	Pass	AV	11.01008G	45.08	54.00	-8.92	3	Vertical	125	1.23
5530MHz	Pass	PK	11.06936G	59.16	74.00	-14.84	3	Vertical	125	1.23
5530MHz	Pass	AV	11.00816G	45.04	54.00	-8.96	3	Horizontal	287	1.50
5530MHz	Pass	PK	11.0036G	58.77	74.00	-15.23	3	Horizontal	287	1.50
5610MHz	Pass	AV	5.459G	48.83	54.00	-5.17	3	Vertical	4	1.53
5610MHz	Pass	AV	5.598G	99.46	Inf	-Inf	3	Vertical	4	1.53
5610MHz	Pass	PK	5.449G	62.43	74.00	-11.57	3	Vertical	4	1.53
5610MHz	Pass	PK	5.461G	63.06	68.20	-5.14	3	Vertical	4	1.53
5610MHz	Pass	PK	5.599G	114.00	Inf	-Inf	3	Vertical	4	1.53
5610MHz	Pass	PK	5.726G	64.45	68.20	-3.75	3	Vertical	4	1.53
5610MHz	Pass	AV	5.457G	50.17	54.00	-3.83	3	Horizontal	0	2.06
5610MHz	Pass	AV	5.579G	101.93	Inf	-Inf	3	Horizontal	0	2.06
5610MHz	Pass	PK	5.442G	63.52	74.00	-10.48	3	Horizontal	0	2.06
5610MHz	Pass	PK	5.469G	64.70	68.20	-3.50	3	Horizontal	0	2.06
5610MHz	Pass	PK	5.593G	116.20	Inf	-Inf	3	Horizontal	0	2.06
5610MHz	Pass	PK	5.727G	65.16	68.20	-3.04	3	Horizontal	0	2.06
5610MHz	Pass	AV	11.26872G	45.71	54.00	-8.29	3	Vertical	264	2.84
5610MHz	Pass	PK	11.25768G	59.84	74.00	-14.16	3	Vertical	264	2.84
5610MHz	Pass	AV	11.27904G	45.75	54.00	-8.25	3	Horizontal	114	2.40
5610MHz	Pass	PK	11.24064G	59.74	74.00	-14.26	3	Horizontal	114	2.40
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	47.46	54.00	-6.54	3	Vertical	5	1.53
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7032G	99.64	Inf	-Inf	3	Vertical	5	1.53
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4572G	61.15	74.00	-12.85	3	Vertical	5	1.53
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	60.69	68.20	-7.51	3	Vertical	5	1.53
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7044G	113.06	Inf	-Inf	3	Vertical	5	1.53
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8628G	62.19	68.20	-6.01	3	Vertical	5	1.53
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4068G	48.36	54.00	-5.64	3	Horizontal	0	1.88
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7032G	101.40	Inf	-Inf	3	Horizontal	0	1.88
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4512G	62.20	74.00	-11.80	3	Horizontal	0	1.88
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	61.81	68.20	-6.39	3	Horizontal	0	1.88
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	115.70	Inf	-Inf	3	Horizontal	0	1.88
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8868G	63.12	68.20	-5.08	3	Horizontal	0	1.88




RSE TX above 1GHz_Non-Beamforming_ Radio 2_2T2S_Patch

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.36464G	46.15	54.00	-7.85	3	Vertical	302	1.01
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.43976G	60.86	74.00	-13.14	3	Vertical	302	1.01
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.368G	46.14	54.00	-7.86	3	Horizontal	35	2.16
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.41168G	60.38	74.00	-13.62	3	Horizontal	35	2.16
5775MHz	Pass	AV	5.7438G	100.12	Inf	-Inf	3	Vertical	4	1.85
5775MHz	Pass	PK	5.6502G	64.48	68.35	-3.87	3	Vertical	4	1.85
5775MHz	Pass	PK	5.7546G	113.92	Inf	-Inf	3	Vertical	4	1.85
5775MHz	Pass	PK	6.0498G	62.73	68.20	-5.47	3	Vertical	4	1.85
5775MHz	Pass	AV	5.7462G	101.04	Inf	-Inf	3	Horizontal	0	2.37
5775MHz	Pass	PK	5.649G	66.91	68.20	-1.29	3	Horizontal	0	2.37
5775MHz	Pass	PK	5.7582G	115.47	Inf	-Inf	3	Horizontal	0	2.37
5775MHz	Pass	PK	6.0234G	62.28	68.20	-5.92	3	Horizontal	0	2.37
5775MHz	Pass	AV	11.4972G	46.01	54.00	-7.99	3	Vertical	97	1.50
5775MHz	Pass	PK	11.5128G	59.81	74.00	-14.19	3	Vertical	97	1.50
5775MHz	Pass	AV	11.4996G	46.00	54.00	-8.00	3	Horizontal	360	2.15
5775MHz	Pass	PK	11.54688G	60.68	74.00	-13.32	3	Horizontal	360	2.15
802.11be EHT160_Nss2_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.13072G	50.41	54.00	-3.59	3	Vertical	357	2.19
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2752G	93.75	Inf	-Inf	3	Vertical	357	2.19
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.36424G	49.46	54.00	-4.54	3	Vertical	357	2.19
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.14584G	64.49	74.00	-9.51	3	Vertical	357	2.19
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.28024G	108.19	Inf	-Inf	3	Vertical	357	2.19
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3592G	68.81	74.00	-5.19	3	Vertical	357	2.19
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4684G	62.16	68.20	-6.04	3	Vertical	357	2.19
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1492G	51.68	54.00	-2.32	3	Horizontal	0	2.06
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3256G	96.69	Inf	-Inf	3	Horizontal	0	2.06
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.35G	50.91	54.00	-3.09	3	Horizontal	0	2.06
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.13408G	71.24	74.00	-2.76	3	Horizontal	0	2.06
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.27352G	110.59	Inf	-Inf	3	Horizontal	0	2.06
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3676G	72.61	74.00	-1.39	3	Horizontal	0	2.06
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4936G	65.92	68.20	-2.28	3	Horizontal	0	2.06
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.50712G	59.02	68.20	-9.18	3	Vertical	198	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.50168G	59.02	68.20	-9.18	3	Horizontal	264	1.50
5570MHz	Pass	AV	5.4596G	49.67	54.00	-4.33	3	Vertical	4	2.05
5570MHz	Pass	AV	5.5076G	93.52	Inf	-Inf	3	Vertical	4	2.05
5570MHz	Pass	PK	5.3048G	61.58	68.20	-6.62	3	Vertical	4	2.05
5570MHz	Pass	PK	5.4548G	64.47	74.00	-9.53	3	Vertical	4	2.05
5570MHz	Pass	PK	5.4644G	66.53	68.20	-1.67	3	Vertical	4	2.05
5570MHz	Pass	PK	5.5088G	108.28	Inf	-Inf	3	Vertical	4	2.05
5570MHz	Pass	PK	5.732G	63.53	68.20	-4.67	3	Vertical	4	2.05
5570MHz	Pass	AV	5.4584G	50.33	54.00	-3.67	3	Horizontal	360	2.01
5570MHz	Pass	AV	5.4944G	95.43	Inf	-Inf	3	Horizontal	360	2.01
5570MHz	Pass	PK	5.2952G	61.07	68.20	-7.13	3	Horizontal	360	2.01
5570MHz	Pass	PK	5.4524G	67.49	74.00	-6.51	3	Horizontal	360	2.01
5570MHz	Pass	PK	5.4608G	67.73	68.20	-0.47	3	Horizontal	360	2.01
5570MHz	Pass	PK	5.4944G	109.64	Inf	-Inf	3	Horizontal	360	2.01
5570MHz	Pass	PK	5.7308G	63.16	68.20	-5.04	3	Horizontal	360	2.01
5570MHz	Pass	AV	11.2552G	45.66	54.00	-8.34	3	Vertical	317	2.24
5570MHz	Pass	PK	11.16304G	59.37	74.00	-14.63	3	Vertical	317	2.24
5570MHz	Pass	AV	11.25856G	45.59	54.00	-8.41	3	Horizontal	91	1.50
5570MHz	Pass	PK	11.19568G	59.71	74.00	-14.29	3	Horizontal	91	1.50


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	50.50	54.00	-3.50	8.14	3	Vertical	360	1.89	42.36	33.19	8.95	34.00
AV	5.203G	99.15	Inf	-Inf	8.07	3	Vertical	360	1.89	91.08	33.09	8.98	34.00
AV	5.354G	48.46	54.00	-5.54	8.03	3	Vertical	360	1.89	40.43	32.89	9.13	33.99
PK	5.147G	64.01	74.00	-9.99	8.14	3	Vertical	360	1.89	55.87	33.19	8.95	34.00
PK	5.193G	113.16	Inf	-Inf	8.09	3	Vertical	360	1.89	105.07	33.11	8.98	34.00
PK	5.372G	62.72	74.00	-11.28	8.01	3	Vertical	360	1.89	54.71	32.86	9.14	33.99

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.47	54.00	-0.53	8.15	3	Horizontal	348	1.62	45.32	33.20	8.95	34.00
AV	5.225G	101.39	Inf	-Inf	8.05	3	Horizontal	348	1.62	93.34	33.05	9.00	34.00
AV	5.354G	49.49	54.00	-4.51	8.03	3	Horizontal	348	1.62	41.46	32.89	9.13	33.99
PK	5.15G	66.76	74.00	-7.24	8.15	3	Horizontal	348	1.62	58.61	33.20	8.95	34.00
PK	5.226G	115.94	Inf	-Inf	8.05	3	Horizontal	348	1.62	107.89	33.05	9.00	34.00
PK	5.35G	63.06	74.00	-10.94	8.03	3	Horizontal	348	1.62	55.03	32.90	9.12	33.99


5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX



5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	51.02	54.00	-2.98	8.06	3	Vertical	8	2.34	42.96	32.84	9.20	33.98
AV	5.4984G	106.23	Inf	-Inf	8.22	3	Vertical	8	2.34	98.01	32.99	9.21	33.98
PK	5.4596G	67.17	74.00	-6.83	8.06	3	Vertical	8	2.34	59.11	32.84	9.20	33.98
PK	5.4604G	65.54	68.20	-2.66	8.06	3	Vertical	8	2.34	57.48	32.84	9.20	33.98
PK	5.4958G	120.29	Inf	-Inf	8.21	3	Vertical	8	2.34	112.08	32.98	9.21	33.98

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	51.92	54.00	-2.08	8.06	3	Horizontal	359	1.96	43.86	32.84	9.20	33.98
AV	5.4974G	107.97	Inf	-Inf	8.22	3	Horizontal	359	1.96	99.75	32.99	9.21	33.98
PK	5.458G	67.89	74.00	-6.11	8.05	3	Horizontal	359	1.96	59.84	32.83	9.20	33.98
PK	5.4612G	65.61	68.20	-2.59	8.06	3	Horizontal	359	1.96	57.55	32.84	9.20	33.98
PK	5.4922G	122.42	Inf	-Inf	8.20	3	Horizontal	359	1.96	114.22	32.97	9.21	33.98


5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5500MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5500MHz_TX



5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.64	54.00	-3.36	8.06	3	Vertical	5	1.50	42.58	32.84	9.20	33.98
AV	5.502G	103.35	Inf	-Inf	8.24	3	Vertical	5	1.50	95.11	33.00	9.22	33.98
PK	5.4588G	65.42	74.00	-8.58	8.06	3	Vertical	5	1.50	57.36	32.84	9.20	33.98
PK	5.468G	67.19	68.20	-1.01	8.09	3	Vertical	5	1.50	59.10	32.87	9.20	33.98
PK	5.5024G	116.90	Inf	-Inf	8.24	3	Vertical	5	1.50	108.66	33.00	9.22	33.98

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	52.09	54.00	-1.91	8.06	3	Horizontal	360	2.01	44.03	32.84	9.20	33.98
AV	5.5032G	105.86	Inf	-Inf	8.23	3	Horizontal	360	2.01	97.63	32.99	9.22	33.98
PK	5.4596G	67.18	74.00	-6.82	8.06	3	Horizontal	360	2.01	59.12	32.84	9.20	33.98
PK	5.4656G	68.09	68.20	-0.11	8.08	3	Horizontal	360	2.01	60.01	32.86	9.20	33.98
PK	5.5048G	119.81	Inf	-Inf	8.23	3	Horizontal	360	2.01	111.58	32.99	9.22	33.98


5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.29	54.00	-6.71	8.03	3	Vertical	4	1.79	39.26	32.90	9.12	33.99
AV	5.459G	51.04	54.00	-2.96	8.06	3	Vertical	4	1.79	42.98	32.84	9.20	33.98
AV	5.54G	98.29	Inf	-Inf	8.15	3	Vertical	4	1.79	90.14	32.92	9.23	34.00
PK	5.295G	61.49	68.20	-6.71	7.99	3	Vertical	4	1.79	53.50	32.91	9.07	33.99
PK	5.443G	65.04	74.00	-8.96	8.01	3	Vertical	4	1.79	57.03	32.80	9.19	33.98
PK	5.47G	65.17	68.20	-3.03	8.10	3	Vertical	4	1.79	57.07	32.88	9.20	33.98
PK	5.536G	112.42	Inf	-Inf	8.16	3	Vertical	4	1.79	104.26	32.93	9.23	34.00
PK	5.772G	61.52	68.20	-6.68	9.05	3	Vertical	4	1.79	52.47	33.79	9.35	34.09

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.67	54.00	-6.33	8.03	3	Horizontal	0	1.98	39.64	32.90	9.12	33.99
AV	5.46G	53.63	54.00	-0.37	8.06	3	Horizontal	0	1.98	45.57	32.84	9.20	33.98
AV	5.5G	100.27	Inf	-Inf	8.23	3	Horizontal	0	1.98	92.04	33.00	9.21	33.98
PK	5.349G	62.67	68.20	-5.53	8.03	3	Horizontal	0	1.98	54.64	32.90	9.12	33.99
PK	5.459G	67.53	74.00	-6.47	8.06	3	Horizontal	0	1.98	59.47	32.84	9.20	33.98
PK	5.469G	67.92	68.20	-0.28	8.10	3	Horizontal	0	1.98	59.82	32.88	9.20	33.98
PK	5.498G	114.23	Inf	-Inf	8.22	3	Horizontal	0	1.98	106.01	32.99	9.21	33.98
PK	5.731G	62.02	68.20	-6.18	8.91	3	Horizontal	0	1.98	53.11	33.66	9.33	34.08


5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5785MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5785MHz_TX



5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	47.20	54.00	-6.80	8.06	3	Vertical	4	1.87	39.14	32.84	9.20	33.98
AV	5.7418G	103.68	Inf	-Inf	8.94	3	Vertical	4	1.87	94.74	33.68	9.34	34.08
PK	5.6074G	61.62	68.20	-6.58	8.17	3	Vertical	4	1.87	53.45	32.94	9.26	34.03
PK	5.749G	116.82	Inf	-Inf	8.96	3	Vertical	4	1.87	107.86	33.70	9.34	34.08
PK	5.9494G	62.51	68.20	-5.69	9.34	3	Vertical	4	1.87	53.17	34.10	9.41	34.17

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4574G	47.77	54.00	-6.23	8.05	3	Horizontal	0	1.93	39.72	32.83	9.20	33.98
AV	5.7382G	104.93	Inf	-Inf	8.94	3	Horizontal	0	1.93	95.99	33.68	9.34	34.08
PK	5.5978G	63.10	68.20	-5.10	8.14	3	Horizontal	0	1.93	54.96	32.90	9.26	34.02
PK	5.7442G	118.10	Inf	-Inf	8.95	3	Horizontal	0	1.93	109.15	33.69	9.34	34.08
PK	6.0022G	62.32	68.20	-5.88	9.34	3	Horizontal	0	1.93	52.98	34.10	9.43	34.19


5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	100.12	Inf	-Inf	8.95	3	Vertical	4	1.85	91.17	33.69	9.34	34.08
PK	5.6502G	64.48	68.35	-3.87	8.45	3	Vertical	4	1.85	56.03	33.20	9.29	34.04
PK	5.7546G	113.92	Inf	-Inf	8.98	3	Vertical	4	1.85	104.94	33.72	9.35	34.09
PK	6.0498G	62.73	68.20	-5.47	9.36	3	Vertical	4	1.85	53.37	34.10	9.47	34.21

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	101.04	Inf	-Inf	8.95	3	Horizontal	0	2.37	92.09	33.69	9.34	34.08
PK	5.649G	66.91	68.20	-1.29	8.44	3	Horizontal	0	2.37	58.47	33.19	9.29	34.04
PK	5.7582G	115.47	Inf	-Inf	8.99	3	Horizontal	0	2.37	106.48	33.73	9.35	34.09
PK	6.0234G	62.28	68.20	-5.92	9.35	3	Horizontal	0	2.37	52.93	34.10	9.45	34.20


5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX





**RSE TX below 1GHz_Non-Beamforming_
Radio 3_1T1S_Dipole**

Appendix E.15

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	PK	311.3M	37.80	46.00	-8.20	3	Horizontal	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz_PoE	Pass	PK	33.88M	29.16	40.00	-10.84	3	Vertical	360	1.00
5210MHz_PoE	Pass	PK	107.6M	25.13	43.50	-18.37	3	Vertical	360	1.00
5210MHz_PoE	Pass	PK	148.34M	26.91	43.50	-16.59	3	Vertical	360	1.00
5210MHz_PoE	Pass	PK	301.6M	34.72	46.00	-11.28	3	Vertical	360	1.00
5210MHz_PoE	Pass	PK	449.04M	28.78	46.00	-17.22	3	Vertical	360	1.00
5210MHz_PoE	Pass	PK	544.1M	29.45	46.00	-16.55	3	Vertical	360	1.00
5210MHz_PoE	Pass	PK	30M	23.84	40.00	-16.16	3	Horizontal	0	1.00
5210MHz_PoE	Pass	PK	107.6M	29.34	43.50	-14.16	3	Horizontal	0	1.00
5210MHz_PoE	Pass	PK	148.34M	27.46	43.50	-16.04	3	Horizontal	0	1.00
5210MHz_PoE	Pass	PK	311.3M	37.80	46.00	-8.20	3	Horizontal	0	1.00
5210MHz_PoE	Pass	PK	449.04M	34.21	46.00	-11.79	3	Horizontal	0	1.00
5210MHz_PoE	Pass	PK	567.38M	29.23	46.00	-16.77	3	Horizontal	0	1.00

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5210MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	33.88M	29.16	40.00	-10.84	-4.60	3	Vertical	360	1.00	33.76	22.62	0.27	27.49
PK	107.6M	25.13	43.50	-18.37	-8.19	3	Vertical	360	1.00	33.32	18.00	1.08	27.27
PK	148.34M	26.91	43.50	-16.59	-8.92	3	Vertical	360	1.00	35.83	16.64	1.59	27.15
PK	301.6M	34.72	46.00	-11.28	-4.98	3	Vertical	360	1.00	39.70	19.48	2.25	26.71
PK	449.04M	28.78	46.00	-17.22	-2.01	3	Vertical	360	1.00	30.79	22.93	2.90	27.84
PK	544.1M	29.45	46.00	-16.55	0.50	3	Vertical	360	1.00	28.95	25.27	3.40	28.17

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	23.84	40.00	-16.16	-3.00	3	Horizontal	0	1.00	26.84	24.27	0.24	27.51
PK	107.6M	29.34	43.50	-14.16	-8.19	3	Horizontal	0	1.00	37.53	18.00	1.08	27.27
PK	148.34M	27.46	43.50	-16.04	-8.92	3	Horizontal	0	1.00	36.38	16.64	1.59	27.15
PK	311.3M	37.80	46.00	-8.20	-4.80	3	Horizontal	0	1.00	42.60	19.68	2.30	26.78
PK	449.04M	34.21	46.00	-11.79	-2.01	3	Horizontal	0	1.00	36.22	22.93	2.90	27.84
PK	567.38M	29.23	46.00	-16.77	0.08	3	Horizontal	0	1.00	29.15	24.80	3.47	28.19



**RSE TX above 1GHz_Non-Beamforming_
Radio 3_1T1S_Dipole**

Appendix E.16

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.1498G	46.79	54.00	-7.21	3	Horizontal	177	2.47
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.15G	47.26	54.00	-6.74	3	Horizontal	175	2.32
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.15G	52.30	54.00	-1.70	3	Horizontal	176	2.49
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.15G	51.27	54.00	-2.73	3	Horizontal	176	2.45
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.15G	46.15	54.00	-7.85	3	Horizontal	177	2.55
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.3612G	46.25	54.00	-7.75	3	Horizontal	177	2.49
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.3504G	47.73	54.00	-6.27	3	Horizontal	177	2.51
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.35G	47.09	54.00	-6.91	3	Horizontal	179	2.39

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1498G	46.79	54.00	-7.21	3	Horizontal	177	2.47
5180MHz	Pass	AV	5.182G	99.58	Inf	-Inf	3	Horizontal	177	2.47
5180MHz	Pass	PK	5.149G	59.40	74.00	-14.60	3	Horizontal	177	2.47
5180MHz	Pass	PK	5.1818G	110.82	Inf	-Inf	3	Horizontal	177	2.47
5180MHz	Pass	PK	10.369G	53.91	68.20	-14.29	3	Vertical	60	1.50
5180MHz	Pass	PK	10.35816G	53.78	68.20	-14.42	3	Horizontal	199	1.50
5200MHz	Pass	AV	5.1492G	46.55	54.00	-7.45	3	Horizontal	176	2.45
5200MHz	Pass	AV	5.1964G	99.59	Inf	-Inf	3	Horizontal	176	2.45
5200MHz	Pass	PK	5.1424G	58.52	74.00	-15.48	3	Horizontal	176	2.45
5200MHz	Pass	PK	5.2G	110.75	Inf	-Inf	3	Horizontal	176	2.45
5200MHz	Pass	PK	10.40812G	54.18	68.20	-14.02	3	Vertical	19	2.14
5200MHz	Pass	PK	10.4076G	54.76	68.20	-13.44	3	Horizontal	343	1.21
5240MHz	Pass	AV	5.1476G	46.18	54.00	-7.82	3	Horizontal	177	2.41
5240MHz	Pass	AV	5.2412G	99.03	Inf	-Inf	3	Horizontal	177	2.41
5240MHz	Pass	AV	5.3534G	45.60	54.00	-8.40	3	Horizontal	177	2.41
5240MHz	Pass	PK	5.147G	59.44	74.00	-14.56	3	Horizontal	177	2.41
5240MHz	Pass	PK	5.2442G	109.55	Inf	-Inf	3	Horizontal	177	2.41
5240MHz	Pass	PK	5.3588G	58.09	74.00	-15.91	3	Horizontal	177	2.41
5240MHz	Pass	PK	10.48924G	54.29	68.20	-13.91	3	Vertical	285	2.72
5240MHz	Pass	PK	10.4858G	54.41	68.20	-13.79	3	Horizontal	104	1.00
5260MHz	Pass	AV	5.15G	46.15	54.00	-7.85	3	Horizontal	177	2.55
5260MHz	Pass	AV	5.2642G	99.59	Inf	-Inf	3	Horizontal	177	2.55
5260MHz	Pass	AV	5.3506G	45.68	54.00	-8.32	3	Horizontal	177	2.55
5260MHz	Pass	PK	5.1196G	59.11	74.00	-14.89	3	Horizontal	177	2.55
5260MHz	Pass	PK	5.2648G	111.70	Inf	-Inf	3	Horizontal	177	2.55
5260MHz	Pass	PK	5.3524G	58.06	74.00	-15.94	3	Horizontal	177	2.55
5260MHz	Pass	PK	10.52432G	55.57	68.20	-12.63	3	Vertical	227	3.00
5260MHz	Pass	PK	10.51924G	54.62	68.20	-13.58	3	Horizontal	120	1.13
5300MHz	Pass	AV	5.2948G	98.60	Inf	-Inf	3	Horizontal	176	2.25
5300MHz	Pass	AV	5.3508G	45.91	54.00	-8.09	3	Horizontal	176	2.25
5300MHz	Pass	PK	5.298G	109.30	Inf	-Inf	3	Horizontal	176	2.25
5300MHz	Pass	PK	5.3608G	58.25	74.00	-15.75	3	Horizontal	176	2.25
5300MHz	Pass	AV	10.608G	41.86	54.00	-12.14	3	Vertical	51	1.87
5300MHz	Pass	PK	10.60604G	56.83	74.00	-17.17	3	Vertical	51	1.87
5300MHz	Pass	AV	10.60888G	41.83	54.00	-12.17	3	Horizontal	207	1.50
5300MHz	Pass	PK	10.602G	56.16	74.00	-17.84	3	Horizontal	207	1.50
5320MHz	Pass	AV	5.3126G	98.24	Inf	-Inf	3	Horizontal	179	2.52
5320MHz	Pass	AV	5.3508G	46.01	54.00	-7.99	3	Horizontal	179	2.52
5320MHz	Pass	PK	5.3134G	108.89	Inf	-Inf	3	Horizontal	179	2.52
5320MHz	Pass	PK	5.3514G	59.16	74.00	-14.84	3	Horizontal	179	2.52
5320MHz	Pass	AV	10.64776G	42.50	54.00	-11.50	3	Vertical	245	1.40
5320MHz	Pass	PK	10.64744G	56.41	74.00	-17.59	3	Vertical	245	1.40
5320MHz	Pass	AV	10.64416G	42.52	54.00	-11.48	3	Horizontal	298	1.50
5320MHz	Pass	PK	10.64812G	56.44	74.00	-17.56	3	Horizontal	298	1.50
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	47.26	54.00	-6.74	3	Horizontal	175	2.32
5180MHz	Pass	AV	5.173G	98.55	Inf	-Inf	3	Horizontal	175	2.32
5180MHz	Pass	PK	5.149G	60.37	74.00	-13.63	3	Horizontal	175	2.32
5180MHz	Pass	PK	5.1738G	111.75	Inf	-Inf	3	Horizontal	175	2.32
5180MHz	Pass	PK	10.36796G	55.00	68.20	-13.20	3	Vertical	254	2.36
5180MHz	Pass	PK	10.36132G	55.89	68.20	-12.31	3	Horizontal	177	2.57
5200MHz	Pass	AV	5.15G	46.52	54.00	-7.48	3	Horizontal	176	2.48
5200MHz	Pass	AV	5.1964G	98.44	Inf	-Inf	3	Horizontal	176	2.48
5200MHz	Pass	PK	5.1448G	58.74	74.00	-15.26	3	Horizontal	176	2.48
5200MHz	Pass	PK	5.1948G	112.59	Inf	-Inf	3	Horizontal	176	2.48
5200MHz	Pass	PK	10.39472G	54.97	68.20	-13.23	3	Vertical	278	2.52
5200MHz	Pass	PK	10.39748G	55.26	68.20	-12.94	3	Horizontal	219	1.01
5240MHz	Pass	AV	5.15G	46.12	54.00	-7.88	3	Horizontal	176	2.44
5240MHz	Pass	AV	5.2388G	98.70	Inf	-Inf	3	Horizontal	176	2.44
5240MHz	Pass	AV	5.3558G	45.87	54.00	-8.13	3	Horizontal	176	2.44

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	PK	5.1356G	59.08	74.00	-14.92	3	Horizontal	176	2.44
5240MHz	Pass	PK	5.2418G	112.21	Inf	-Inf	3	Horizontal	176	2.44
5240MHz	Pass	PK	5.3558G	58.37	74.00	-15.63	3	Horizontal	176	2.44
5240MHz	Pass	PK	10.48464G	54.36	68.20	-13.84	3	Vertical	156	1.00
5240MHz	Pass	PK	10.47888G	54.63	68.20	-13.57	3	Horizontal	298	1.50
5260MHz	Pass	AV	5.149G	46.06	54.00	-7.94	3	Horizontal	176	2.58
5260MHz	Pass	AV	5.2642G	98.46	Inf	-Inf	3	Horizontal	176	2.58
5260MHz	Pass	AV	5.3584G	45.71	54.00	-8.29	3	Horizontal	176	2.58
5260MHz	Pass	PK	5.15G	58.52	74.00	-15.48	3	Horizontal	176	2.58
5260MHz	Pass	PK	5.2606G	110.69	Inf	-Inf	3	Horizontal	176	2.58
5260MHz	Pass	PK	5.3926G	57.80	74.00	-16.20	3	Horizontal	176	2.58
5260MHz	Pass	PK	10.51292G	55.30	68.20	-12.90	3	Vertical	153	1.50
5260MHz	Pass	PK	10.52516G	55.13	68.20	-13.07	3	Horizontal	0	1.50
5300MHz	Pass	AV	5.3076G	98.37	Inf	-Inf	3	Horizontal	177	2.52
5300MHz	Pass	AV	5.3504G	45.98	54.00	-8.02	3	Horizontal	177	2.52
5300MHz	Pass	PK	5.2928G	111.37	Inf	-Inf	3	Horizontal	177	2.52
5300MHz	Pass	PK	5.3544G	58.59	74.00	-15.41	3	Horizontal	177	2.52
5300MHz	Pass	AV	10.60816G	41.88	54.00	-12.12	3	Vertical	50	2.78
5300MHz	Pass	PK	10.60016G	55.71	74.00	-18.29	3	Vertical	50	2.78
5300MHz	Pass	AV	10.60928G	41.90	54.00	-12.10	3	Horizontal	19	1.50
5300MHz	Pass	PK	10.59672G	55.93	68.20	-12.27	3	Horizontal	19	1.50
5300MHz	Pass	AV	5.3124G	97.64	Inf	-Inf	3	Horizontal	177	2.49
5320MHz	Pass	AV	5.3612G	46.25	54.00	-7.75	3	Horizontal	177	2.49
5320MHz	Pass	PK	5.311G	110.18	Inf	-Inf	3	Horizontal	177	2.49
5320MHz	Pass	PK	5.3534G	59.50	74.00	-14.50	3	Horizontal	177	2.49
5320MHz	Pass	AV	10.64864G	42.55	54.00	-11.45	3	Vertical	238	1.50
5320MHz	Pass	PK	10.649G	56.81	74.00	-17.19	3	Vertical	238	1.50
5320MHz	Pass	AV	10.64924G	42.55	54.00	-11.45	3	Horizontal	255	2.77
5320MHz	Pass	PK	10.64972G	56.87	74.00	-17.13	3	Horizontal	255	2.77
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	52.30	54.00	-1.70	3	Horizontal	176	2.49
5190MHz	Pass	AV	5.1832G	95.96	Inf	-Inf	3	Horizontal	176	2.49
5190MHz	Pass	PK	5.1492G	66.64	74.00	-7.36	3	Horizontal	176	2.49
5190MHz	Pass	PK	5.1832G	109.02	Inf	-Inf	3	Horizontal	176	2.49
5190MHz	Pass	PK	10.38268G	55.07	68.20	-13.13	3	Vertical	145	1.50
5190MHz	Pass	PK	10.38972G	54.96	68.20	-13.24	3	Horizontal	0	1.08
5230MHz	Pass	AV	5.15G	46.65	54.00	-7.35	3	Horizontal	176	2.42
5230MHz	Pass	AV	5.2388G	95.82	Inf	-Inf	3	Horizontal	176	2.42
5230MHz	Pass	PK	5.1468G	59.66	74.00	-14.34	3	Horizontal	176	2.42
5230MHz	Pass	PK	5.2436G	109.64	Inf	-Inf	3	Horizontal	176	2.42
5230MHz	Pass	PK	10.46916G	54.49	68.20	-13.71	3	Vertical	16	1.00
5230MHz	Pass	PK	10.4682G	54.58	68.20	-13.62	3	Horizontal	99	1.03
5270MHz	Pass	AV	5.2644G	96.21	Inf	-Inf	3	Horizontal	178	2.55
5270MHz	Pass	AV	5.3508G	45.87	54.00	-8.13	3	Horizontal	178	2.55
5270MHz	Pass	PK	5.2652G	109.69	Inf	-Inf	3	Horizontal	178	2.55
5270MHz	Pass	PK	5.3544G	58.19	74.00	-15.81	3	Horizontal	178	2.55
5270MHz	Pass	PK	10.54668G	55.82	68.20	-12.38	3	Vertical	137	1.00
5270MHz	Pass	PK	10.54488G	55.92	68.20	-12.28	3	Horizontal	104	1.50
5310MHz	Pass	AV	5.3044G	96.20	Inf	-Inf	3	Horizontal	177	2.51
5310MHz	Pass	AV	5.3504G	47.73	54.00	-6.27	3	Horizontal	177	2.51
5310MHz	Pass	PK	5.3072G	109.12	Inf	-Inf	3	Horizontal	177	2.51
5310MHz	Pass	PK	5.3508G	60.08	74.00	-13.92	3	Horizontal	177	2.51
5310MHz	Pass	AV	10.62084G	42.13	54.00	-11.87	3	Vertical	295	1.50
5310MHz	Pass	PK	10.62432G	56.22	74.00	-17.78	3	Vertical	295	1.50
5310MHz	Pass	AV	10.6156G	42.10	54.00	-11.90	3	Horizontal	135	1.50
5310MHz	Pass	PK	10.62204G	55.83	74.00	-18.17	3	Horizontal	135	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	51.27	54.00	-2.73	3	Horizontal	176	2.45
5210MHz	Pass	AV	5.198G	93.05	Inf	-Inf	3	Horizontal	176	2.45
5210MHz	Pass	AV	5.355G	45.91	54.00	-8.09	3	Horizontal	176	2.45
5210MHz	Pass	PK	5.15G	63.49	74.00	-10.51	3	Horizontal	176	2.45
5210MHz	Pass	PK	5.198G	105.59	Inf	-Inf	3	Horizontal	176	2.45




**RSE TX above 1GHz_Non-Beamforming_
Radio 3_1T1S_Dipole**

Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5210MHz	Pass	PK	5.415G	57.72	74.00	-16.28	3	Horizontal	176	2.45
5210MHz	Pass	PK	10.4176G	54.94	68.20	-13.26	3	Vertical	2	1.50
5210MHz	Pass	PK	10.41292G	54.61	68.20	-13.59	3	Horizontal	2	1.50
5290MHz	Pass	AV	5.149G	46.29	54.00	-7.71	3	Horizontal	179	2.39
5290MHz	Pass	AV	5.276G	91.92	Inf	-Inf	3	Horizontal	179	2.39
5290MHz	Pass	AV	5.35G	47.09	54.00	-6.91	3	Horizontal	179	2.39
5290MHz	Pass	PK	5.117G	58.93	74.00	-15.07	3	Horizontal	179	2.39
5290MHz	Pass	PK	5.297G	104.68	Inf	-Inf	3	Horizontal	179	2.39
5290MHz	Pass	PK	5.351G	59.06	74.00	-14.94	3	Horizontal	179	2.39
5290MHz	Pass	PK	5.538G	57.74	68.20	-10.46	3	Horizontal	179	2.39
5290MHz	Pass	PK	10.5866G	55.29	68.20	-12.91	3	Vertical	47	2.66
5290MHz	Pass	PK	10.58604G	56.12	68.20	-12.08	3	Horizontal	258	1.50


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.15	54.00	-7.85	8.15	3	Horizontal	177	2.55	38.00	33.20	8.95	34.00
AV	5.2642G	99.59	Inf	-Inf	8.02	3	Horizontal	177	2.55	91.57	32.97	9.04	33.99
AV	5.3506G	45.68	54.00	-8.32	8.03	3	Horizontal	177	2.55	37.65	32.90	9.12	33.99
PK	5.1196G	59.11	74.00	-14.89	8.02	3	Horizontal	177	2.55	51.09	33.08	8.94	34.00
PK	5.2648G	111.70	Inf	-Inf	8.02	3	Horizontal	177	2.55	103.68	32.97	9.04	33.99
PK	5.3524G	58.06	74.00	-15.94	8.03	3	Horizontal	177	2.55	50.03	32.90	9.12	33.99

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.52432G	55.57	68.20	-12.63	17.17	3	Vertical	227	3.00	38.40	38.70	13.09	34.62


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5260MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3044G	96.20	Inf	-Inf	7.99	3	Horizontal	177	2.51	88.21	32.90	9.08	33.99
AV	5.3504G	47.73	54.00	-6.27	8.03	3	Horizontal	177	2.51	39.70	32.90	9.12	33.99
PK	5.3072G	109.12	Inf	-Inf	7.99	3	Horizontal	177	2.51	101.13	32.90	9.08	33.99
PK	5.3508G	60.08	74.00	-13.92	8.03	3	Horizontal	177	2.51	52.05	32.90	9.12	33.99

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62084G	42.13	54.00	-11.87	17.77	3	Vertical	295	1.50	24.36	39.14	13.19	34.56
PK	10.62432G	56.22	74.00	-17.78	17.79	3	Vertical	295	1.50	38.43	39.15	13.20	34.56


5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX





**RSE TX below 1GHz_Non-Beamforming_
Radio 3_2T1S_Dipole**

Appendix E.17

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	313.24M	37.95	46.00	-8.05	3	Horizontal	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz_PoE	Pass	PK	33.88M	29.71	40.00	-10.29	3	Vertical	360	1.00
5210MHz_PoE	Pass	PK	105.66M	23.42	43.50	-20.08	3	Vertical	360	1.00
5210MHz_PoE	Pass	PK	148.34M	26.31	43.50	-17.19	3	Vertical	360	1.00
5210MHz_PoE	Pass	PK	303.54M	34.92	46.00	-11.08	3	Vertical	360	1.00
5210MHz_PoE	Pass	PK	449.04M	29.71	46.00	-16.29	3	Vertical	360	1.00
5210MHz_PoE	Pass	PK	546.04M	30.01	46.00	-15.99	3	Vertical	360	1.00
5210MHz_PoE	Pass	PK	30M	23.66	40.00	-16.34	3	Horizontal	0	1.00
5210MHz_PoE	Pass	PK	107.6M	27.71	43.50	-15.79	3	Horizontal	0	1.00
5210MHz_PoE	Pass	PK	148.34M	26.34	43.50	-17.16	3	Horizontal	0	1.00
5210MHz_PoE	Pass	PK	313.24M	37.95	46.00	-8.05	3	Horizontal	0	1.00
5210MHz_PoE	Pass	PK	449.04M	33.67	46.00	-12.33	3	Horizontal	0	1.00
5210MHz_PoE	Pass	PK	542.16M	29.10	46.00	-16.90	3	Horizontal	0	1.00


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_PoE



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_PoE





**RSE TX above 1GHz_Non-Beamforming_
Radio 3_2T1S_Dipole**

Appendix E.18

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.1496G	48.50	54.00	-5.50	3	Horizontal	129	1.80
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.351G	50.75	54.00	-3.25	3	Horizontal	190	1.48
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.86	54.00	-0.14	3	Horizontal	130	1.68
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.83	54.00	-0.17	3	Horizontal	130	1.63
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.3616G	47.82	54.00	-6.18	3	Horizontal	303	1.83
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.361G	48.64	54.00	-5.36	3	Horizontal	303	1.81
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.3504G	50.16	54.00	-3.84	3	Horizontal	188	1.17
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.351G	50.75	54.00	-3.25	3	Horizontal	190	1.48

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1496G	48.50	54.00	-5.50	3	Horizontal	129	1.80
5180MHz	Pass	AV	5.1764G	105.23	Inf	-Inf	3	Horizontal	129	1.80
5180MHz	Pass	PK	5.15G	61.14	74.00	-12.86	3	Horizontal	129	1.80
5180MHz	Pass	PK	5.1768G	115.34	Inf	-Inf	3	Horizontal	129	1.80
5180MHz	Pass	PK	10.35044G	56.21	68.20	-11.99	3	Vertical	49	2.66
5180MHz	Pass	PK	10.3628G	59.01	68.20	-9.19	3	Horizontal	158	1.58
5200MHz	Pass	AV	5.1492G	47.68	54.00	-6.32	3	Horizontal	131	1.63
5200MHz	Pass	AV	5.1964G	104.40	Inf	-Inf	3	Horizontal	131	1.63
5200MHz	Pass	PK	5.1496G	60.27	74.00	-13.73	3	Horizontal	131	1.63
5200MHz	Pass	PK	5.1964G	114.43	Inf	-Inf	3	Horizontal	131	1.63
5200MHz	Pass	PK	10.39704G	55.05	68.20	-13.15	3	Vertical	40	2.19
5200MHz	Pass	PK	10.3994G	56.66	68.20	-11.54	3	Horizontal	160	1.71
5240MHz	Pass	AV	5.1488G	46.95	54.00	-7.05	3	Horizontal	132	1.71
5240MHz	Pass	AV	5.2418G	104.05	Inf	-Inf	3	Horizontal	132	1.71
5240MHz	Pass	AV	5.3558G	46.51	54.00	-7.49	3	Horizontal	132	1.71
5240MHz	Pass	PK	5.1326G	59.44	74.00	-14.56	3	Horizontal	132	1.71
5240MHz	Pass	PK	5.2412G	114.64	Inf	-Inf	3	Horizontal	132	1.71
5240MHz	Pass	PK	5.378G	58.55	74.00	-15.45	3	Horizontal	132	1.71
5240MHz	Pass	PK	10.48972G	54.84	68.20	-13.36	3	Vertical	316	1.82
5240MHz	Pass	PK	10.47616G	56.69	68.20	-11.51	3	Horizontal	141	1.40
5260MHz	Pass	AV	5.1496G	46.67	54.00	-7.33	3	Horizontal	190	1.48
5260MHz	Pass	AV	5.2618G	103.95	Inf	-Inf	3	Horizontal	190	1.48
5260MHz	Pass	AV	5.3608G	46.58	54.00	-7.42	3	Horizontal	190	1.48
5260MHz	Pass	PK	5.1232G	59.36	74.00	-14.64	3	Horizontal	190	1.48
5260MHz	Pass	PK	5.2618G	113.93	Inf	-Inf	3	Horizontal	190	1.48
5260MHz	Pass	PK	5.3638G	59.58	74.00	-14.42	3	Horizontal	190	1.48
5260MHz	Pass	PK	10.5254G	54.70	68.20	-13.50	3	Vertical	332	1.50
5260MHz	Pass	PK	10.521G	55.66	68.20	-12.54	3	Horizontal	141	1.33
5300MHz	Pass	AV	5.302G	103.35	Inf	-Inf	3	Horizontal	188	1.76
5300MHz	Pass	AV	5.35G	46.79	54.00	-7.21	3	Horizontal	188	1.76
5300MHz	Pass	PK	5.302G	114.14	Inf	-Inf	3	Horizontal	188	1.76
5300MHz	Pass	PK	5.3616G	59.60	74.00	-14.40	3	Horizontal	188	1.76
5300MHz	Pass	PK	10.59352G	55.88	68.20	-12.32	3	Vertical	71	1.50
5300MHz	Pass	PK	10.59276G	55.85	68.20	-12.35	3	Horizontal	160	1.50
5320MHz	Pass	AV	5.3166G	105.13	Inf	-Inf	3	Horizontal	303	1.83
5320MHz	Pass	AV	5.3616G	47.82	54.00	-6.18	3	Horizontal	303	1.83
5320MHz	Pass	PK	5.3214G	115.56	Inf	-Inf	3	Horizontal	303	1.83
5320MHz	Pass	PK	5.3608G	61.40	74.00	-12.60	3	Horizontal	303	1.83
5320MHz	Pass	AV	10.64884G	42.58	54.00	-11.42	3	Vertical	27	2.62
5320MHz	Pass	PK	10.64644G	56.18	74.00	-17.82	3	Vertical	27	2.62
5320MHz	Pass	AV	10.6424G	43.09	54.00	-10.91	3	Horizontal	161	1.58
5320MHz	Pass	PK	10.64188G	57.84	74.00	-16.16	3	Horizontal	161	1.58
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	47.02	54.00	-6.98	3	Horizontal	190	1.48
5180MHz	Pass	AV	5.303G	96.71	Inf	-Inf	3	Horizontal	190	1.48
5180MHz	Pass	AV	5.351G	50.75	54.00	-3.25	3	Horizontal	190	1.48
5180MHz	Pass	PK	5.15G	59.22	74.00	-14.78	3	Horizontal	190	1.48
5180MHz	Pass	PK	5.258G	108.81	Inf	-Inf	3	Horizontal	190	1.48
5180MHz	Pass	PK	5.35G	62.21	74.00	-11.79	3	Horizontal	190	1.48
5180MHz	Pass	PK	5.53G	58.32	68.20	-9.88	3	Horizontal	190	1.48
5180MHz	Pass	PK	10.36164G	55.97	68.20	-12.23	3	Vertical	108	1.84
5180MHz	Pass	PK	10.35412G	57.62	68.20	-10.58	3	Horizontal	159	1.62
5200MHz	Pass	AV	5.1496G	47.86	54.00	-6.14	3	Horizontal	130	1.71
5200MHz	Pass	AV	5.1928G	103.41	Inf	-Inf	3	Horizontal	130	1.71
5200MHz	Pass	PK	5.1492G	61.06	74.00	-12.94	3	Horizontal	130	1.71
5200MHz	Pass	PK	5.206G	116.44	Inf	-Inf	3	Horizontal	130	1.71
5200MHz	Pass	PK	10.3946G	56.06	68.20	-12.14	3	Vertical	105	1.84
5200MHz	Pass	PK	10.4018G	56.15	68.20	-12.05	3	Horizontal	158	1.67
5240MHz	Pass	AV	5.15G	46.93	54.00	-7.07	3	Horizontal	126	1.72
5240MHz	Pass	AV	5.2436G	103.53	Inf	-Inf	3	Horizontal	126	1.72



**RSE TX above 1GHz_Non-Beamforming_
Radio 3_2T1S_Dipole**

Appendix E.18

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	AV	5.351G	46.43	54.00	-7.57	3	Horizontal	126	1.72
5240MHz	Pass	PK	5.15G	58.81	74.00	-15.19	3	Horizontal	126	1.72
5240MHz	Pass	PK	5.2436G	116.78	Inf	-Inf	3	Horizontal	126	1.72
5240MHz	Pass	PK	5.357G	59.22	74.00	-14.78	3	Horizontal	126	1.72
5240MHz	Pass	PK	10.48224G	54.99	68.20	-13.21	3	Vertical	59	3.00
5240MHz	Pass	PK	10.4782G	55.56	68.20	-12.64	3	Horizontal	141	1.38
5260MHz	Pass	AV	5.1496G	46.88	54.00	-7.12	3	Horizontal	130	1.62
5260MHz	Pass	AV	5.2582G	102.89	Inf	-Inf	3	Horizontal	130	1.62
5260MHz	Pass	AV	5.359G	46.56	54.00	-7.44	3	Horizontal	130	1.62
5260MHz	Pass	PK	5.1334G	60.29	74.00	-13.71	3	Horizontal	130	1.62
5260MHz	Pass	PK	5.2582G	115.84	Inf	-Inf	3	Horizontal	130	1.62
5260MHz	Pass	PK	5.3524G	59.82	74.00	-14.18	3	Horizontal	130	1.62
5260MHz	Pass	PK	10.51148G	55.08	68.20	-13.12	3	Vertical	185	1.49
5260MHz	Pass	PK	10.52116G	55.24	68.20	-12.96	3	Horizontal	224	1.19
5300MHz	Pass	AV	5.306G	104.32	Inf	-Inf	3	Horizontal	304	1.94
5300MHz	Pass	AV	5.3508G	47.23	54.00	-6.77	3	Horizontal	304	1.94
5300MHz	Pass	PK	5.3064G	116.70	Inf	-Inf	3	Horizontal	304	1.94
5300MHz	Pass	PK	5.356G	60.22	74.00	-13.78	3	Horizontal	304	1.94
5300MHz	Pass	PK	10.59772G	55.96	68.20	-12.24	3	Vertical	225	2.77
5300MHz	Pass	PK	10.59848G	55.62	68.20	-12.58	3	Horizontal	83	1.50
5320MHz	Pass	AV	5.3156G	104.32	Inf	-Inf	3	Horizontal	303	1.81
5320MHz	Pass	AV	5.361G	48.64	54.00	-5.36	3	Horizontal	303	1.81
5320MHz	Pass	PK	5.3136G	117.29	Inf	-Inf	3	Horizontal	303	1.81
5320MHz	Pass	PK	5.3606G	62.63	74.00	-11.37	3	Horizontal	303	1.81
5320MHz	Pass	AV	10.64112G	42.68	54.00	-11.32	3	Vertical	44	1.65
5320MHz	Pass	PK	10.63272G	56.19	74.00	-17.81	3	Vertical	44	1.65
5320MHz	Pass	AV	10.63888G	43.18	54.00	-10.82	3	Horizontal	159	1.50
5320MHz	Pass	PK	10.64872G	57.22	74.00	-16.78	3	Horizontal	159	1.50
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.86	54.00	-0.14	3	Horizontal	130	1.68
5190MHz	Pass	AV	5.1756G	100.51	Inf	-Inf	3	Horizontal	130	1.68
5190MHz	Pass	PK	5.15G	68.08	74.00	-5.92	3	Horizontal	130	1.68
5190MHz	Pass	PK	5.1776G	114.20	Inf	-Inf	3	Horizontal	130	1.68
5190MHz	Pass	PK	10.38232G	55.44	68.20	-12.76	3	Vertical	38	1.50
5190MHz	Pass	PK	10.37416G	55.90	68.20	-12.30	3	Horizontal	158	1.55
5230MHz	Pass	AV	5.15G	48.09	54.00	-5.91	3	Horizontal	126	1.72
5230MHz	Pass	AV	5.2432G	100.58	Inf	-Inf	3	Horizontal	126	1.72
5230MHz	Pass	PK	5.148G	60.96	74.00	-13.04	3	Horizontal	126	1.72
5230MHz	Pass	PK	5.2432G	113.62	Inf	-Inf	3	Horizontal	126	1.72
5230MHz	Pass	PK	10.44992G	54.81	68.20	-13.39	3	Vertical	224	1.50
5230MHz	Pass	PK	10.4528G	55.08	68.20	-13.12	3	Horizontal	141	1.34
5270MHz	Pass	AV	5.2604G	99.70	Inf	-Inf	3	Horizontal	188	1.18
5270MHz	Pass	AV	5.3536G	47.02	54.00	-6.98	3	Horizontal	188	1.18
5270MHz	Pass	PK	5.2552G	112.54	Inf	-Inf	3	Horizontal	188	1.18
5270MHz	Pass	PK	5.3612G	59.31	74.00	-14.69	3	Horizontal	188	1.18
5270MHz	Pass	PK	10.5368G	54.62	68.20	-13.58	3	Vertical	100	2.22
5270MHz	Pass	PK	10.5296G	54.76	68.20	-13.44	3	Horizontal	136	1.50
5310MHz	Pass	AV	5.3076G	99.73	Inf	-Inf	3	Horizontal	188	1.17
5310MHz	Pass	AV	5.3504G	50.16	54.00	-3.84	3	Horizontal	188	1.17
5310MHz	Pass	PK	5.3004G	112.48	Inf	-Inf	3	Horizontal	188	1.17
5310MHz	Pass	PK	5.3528G	63.22	74.00	-10.78	3	Horizontal	188	1.17
5310MHz	Pass	AV	10.63888G	42.36	54.00	-11.64	3	Vertical	84	2.60
5310MHz	Pass	PK	10.60176G	56.33	74.00	-17.67	3	Vertical	84	2.60
5310MHz	Pass	AV	10.61856G	42.68	54.00	-11.32	3	Horizontal	160	1.62
5310MHz	Pass	PK	10.62984G	56.04	74.00	-17.96	3	Horizontal	160	1.62
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.83	54.00	-0.17	3	Horizontal	130	1.63
5210MHz	Pass	AV	5.18G	96.73	Inf	-Inf	3	Horizontal	130	1.63
5210MHz	Pass	AV	5.363G	46.54	54.00	-7.46	3	Horizontal	130	1.63
5210MHz	Pass	PK	5.15G	66.36	74.00	-7.64	3	Horizontal	130	1.63
5210MHz	Pass	PK	5.196G	110.13	Inf	-Inf	3	Horizontal	130	1.63
5210MHz	Pass	PK	5.366G	59.44	74.00	-14.56	3	Horizontal	130	1.63




**RSE TX above 1GHz_Non-Beamforming_
Radio 3_2T1S_Dipole**

Appendix E.18

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5210MHz	Pass	PK	10.40304G	55.11	68.20	-13.09	3	Vertical	115	1.50
5210MHz	Pass	PK	10.38896G	54.83	68.20	-13.37	3	Horizontal	161	2.70
5290MHz	Pass	AV	5.15G	47.02	54.00	-6.98	3	Horizontal	190	1.48
5290MHz	Pass	AV	5.303G	96.71	Inf	-Inf	3	Horizontal	190	1.48
5290MHz	Pass	AV	5.351G	50.75	54.00	-3.25	3	Horizontal	190	1.48
5290MHz	Pass	PK	5.15G	59.22	74.00	-14.78	3	Horizontal	190	1.48
5290MHz	Pass	PK	5.258G	108.81	Inf	-Inf	3	Horizontal	190	1.48
5290MHz	Pass	PK	5.35G	62.21	74.00	-11.79	3	Horizontal	190	1.48
5290MHz	Pass	PK	5.53G	58.32	68.20	-9.88	3	Horizontal	190	1.48
5290MHz	Pass	AV	10.61872G	42.10	54.00	-11.90	3	Vertical	152	1.50
5290MHz	Pass	PK	10.616G	54.94	74.00	-19.06	3	Vertical	152	1.50
5290MHz	Pass	AV	10.61968G	42.08	54.00	-11.92	3	Horizontal	100	2.14
5290MHz	Pass	PK	10.61712G	54.96	74.00	-19.04	3	Horizontal	100	2.14


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.86	54.00	-0.14	8.15	3	Horizontal	130	1.68	45.71	33.20	8.95	34.00
AV	5.1756G	100.51	Inf	-Inf	8.12	3	Horizontal	130	1.68	92.39	33.15	8.97	34.00
PK	5.15G	68.08	74.00	-5.92	8.15	3	Horizontal	130	1.68	59.93	33.20	8.95	34.00
PK	5.1776G	114.20	Inf	-Inf	8.11	3	Horizontal	130	1.68	106.09	33.14	8.97	34.00

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.38232G	55.44	68.20	-12.76	16.95	3	Vertical	38	1.50	38.49	38.70	12.95	34.70


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX





**RSE TX below 1GHz_Non-Beamforming_
Radio 3_2T2S_Dipole**

Appendix E.19

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	311.3M	37.56	46.00	-8.44	3	Horizontal	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz_PoE	Pass	PK	33.88M	29.44	40.00	-10.56	3	Vertical	0	1.00
5210MHz_PoE	Pass	PK	107.6M	24.15	43.50	-19.35	3	Vertical	0	1.00
5210MHz_PoE	Pass	PK	148.34M	26.58	43.50	-16.92	3	Vertical	0	1.00
5210MHz_PoE	Pass	PK	303.54M	34.14	46.00	-11.86	3	Vertical	0	1.00
5210MHz_PoE	Pass	PK	466.5M	28.87	46.00	-17.13	3	Vertical	0	1.00
5210MHz_PoE	Pass	PK	569.32M	29.60	46.00	-16.40	3	Vertical	0	1.00
5210MHz_PoE	Pass	PK	30M	23.42	40.00	-16.58	3	Horizontal	360	1.00
5210MHz_PoE	Pass	PK	107.6M	27.33	43.50	-16.17	3	Horizontal	360	1.00
5210MHz_PoE	Pass	PK	148.34M	26.25	43.50	-17.25	3	Horizontal	360	1.00
5210MHz_PoE	Pass	PK	311.3M	37.56	46.00	-8.44	3	Horizontal	360	1.00
5210MHz_PoE	Pass	PK	449.04M	34.25	46.00	-11.75	3	Horizontal	360	1.00
5210MHz_PoE	Pass	PK	547.98M	29.20	46.00	-16.80	3	Horizontal	360	1.00

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	33.88M	29.44	40.00	-10.56	-4.60	3	Vertical	0	1.00	34.04	22.62	0.27	27.49
PK	107.6M	24.15	43.50	-19.35	-8.19	3	Vertical	0	1.00	32.34	18.00	1.08	27.27
PK	148.34M	26.58	43.50	-16.92	-8.92	3	Vertical	0	1.00	35.50	16.64	1.59	27.15
PK	303.54M	34.14	46.00	-11.86	-4.96	3	Vertical	0	1.00	39.10	19.51	2.26	26.73
PK	466.5M	28.87	46.00	-17.13	-1.56	3	Vertical	0	1.00	30.43	23.39	3.01	27.96
PK	569.32M	29.60	46.00	-16.40	0.05	3	Vertical	0	1.00	29.55	24.76	3.48	28.19

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	23.42	40.00	-16.58	-3.00	3	Horizontal	360	1.00	26.42	24.27	0.24	27.51
PK	107.6M	27.33	43.50	-16.17	-8.19	3	Horizontal	360	1.00	35.52	18.00	1.08	27.27
PK	148.34M	26.25	43.50	-17.25	-8.92	3	Horizontal	360	1.00	35.17	16.64	1.59	27.15
PK	311.3M	37.56	46.00	-8.44	-4.80	3	Horizontal	360	1.00	42.36	19.68	2.30	26.78
PK	449.04M	34.25	46.00	-11.75	-2.01	3	Horizontal	360	1.00	36.26	22.93	2.90	27.84
PK	547.98M	29.20	46.00	-16.80	0.49	3	Horizontal	360	1.00	28.71	25.25	3.41	28.17



**RSE TX above 1GHz_Non-Beamforming_
Radio 3_2T2S_Dipole**

Appendix E.20

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.1498G	49.35	54.00	-4.65	3	Horizontal	130	1.73
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.1496G	53.32	54.00	-0.68	3	Horizontal	131	1.74
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.36	54.00	-0.64	3	Horizontal	130	1.71
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.361G	48.23	54.00	-5.77	3	Horizontal	303	1.84
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.35G	50.64	54.00	-3.36	3	Horizontal	303	1.82
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.35G	50.02	54.00	-3.98	3	Horizontal	189	1.49



RSE TX above 1GHz_Non-Beamforming_ Radio 3_2T2S_Dipole

Appendix E.20


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1498G	49.35	54.00	-4.65	3	Horizontal	130	1.73
5180MHz	Pass	AV	5.1728G	102.65	Inf	-Inf	3	Horizontal	130	1.73
5180MHz	Pass	PK	5.1494G	63.51	74.00	-10.49	3	Horizontal	130	1.73
5180MHz	Pass	PK	5.1768G	116.49	Inf	-Inf	3	Horizontal	130	1.73
5180MHz	Pass	PK	10.35332G	55.01	68.20	-13.19	3	Vertical	72	1.50
5180MHz	Pass	PK	10.35748G	57.71	68.20	-10.49	3	Horizontal	158	1.57
5200MHz	Pass	AV	5.1496G	47.95	54.00	-6.05	3	Horizontal	130	1.71
5200MHz	Pass	AV	5.1928G	101.91	Inf	-Inf	3	Horizontal	130	1.71
5200MHz	Pass	PK	5.13G	60.20	74.00	-13.80	3	Horizontal	130	1.71
5200MHz	Pass	PK	5.1932G	115.30	Inf	-Inf	3	Horizontal	130	1.71
5200MHz	Pass	PK	10.41G	54.24	68.20	-13.96	3	Vertical	138	2.48
5200MHz	Pass	PK	10.40256G	55.60	68.20	-12.60	3	Horizontal	158	1.45
5240MHz	Pass	AV	5.1488G	47.01	54.00	-6.99	3	Horizontal	131	1.70
5240MHz	Pass	AV	5.2382G	101.40	Inf	-Inf	3	Horizontal	131	1.70
5240MHz	Pass	AV	5.3582G	46.50	54.00	-7.50	3	Horizontal	131	1.70
5240MHz	Pass	PK	5.1332G	59.54	74.00	-14.46	3	Horizontal	131	1.70
5240MHz	Pass	PK	5.2376G	114.58	Inf	-Inf	3	Horizontal	131	1.70
5240MHz	Pass	PK	5.354G	59.99	74.00	-14.01	3	Horizontal	131	1.70
5240MHz	Pass	PK	10.48744G	54.28	68.20	-13.92	3	Vertical	240	2.98
5240MHz	Pass	PK	10.47816G	54.54	68.20	-13.66	3	Horizontal	161	1.49
5260MHz	Pass	AV	5.149G	46.83	54.00	-7.17	3	Horizontal	130	1.67
5260MHz	Pass	AV	5.2582G	101.29	Inf	-Inf	3	Horizontal	130	1.67
5260MHz	Pass	AV	5.356G	46.55	54.00	-7.45	3	Horizontal	130	1.67
5260MHz	Pass	PK	5.1154G	59.70	74.00	-14.30	3	Horizontal	130	1.67
5260MHz	Pass	PK	5.2558G	113.62	Inf	-Inf	3	Horizontal	130	1.67
5260MHz	Pass	PK	5.3536G	59.25	74.00	-14.75	3	Horizontal	130	1.67
5260MHz	Pass	PK	10.51308G	55.05	68.20	-13.15	3	Vertical	11	2.25
5260MHz	Pass	PK	10.51548G	54.70	68.20	-13.50	3	Horizontal	160	1.12
5300MHz	Pass	AV	5.304G	100.72	Inf	-Inf	3	Horizontal	189	1.91
5300MHz	Pass	AV	5.354G	46.95	54.00	-7.05	3	Horizontal	189	1.91
5300MHz	Pass	PK	5.3064G	113.80	Inf	-Inf	3	Horizontal	189	1.91
5300MHz	Pass	PK	5.3664G	60.03	74.00	-13.97	3	Horizontal	189	1.91
5300MHz	Pass	AV	10.60892G	41.47	54.00	-12.53	3	Vertical	79	1.00
5300MHz	Pass	PK	10.60152G	55.40	74.00	-18.60	3	Vertical	79	1.00
5300MHz	Pass	AV	10.608G	41.76	54.00	-12.24	3	Horizontal	319	1.50
5300MHz	Pass	PK	10.59968G	56.15	68.20	-12.05	3	Horizontal	319	1.50
5320MHz	Pass	AV	5.3184G	102.32	Inf	-Inf	3	Horizontal	303	1.84
5320MHz	Pass	AV	5.361G	48.23	54.00	-5.77	3	Horizontal	303	1.84
5320MHz	Pass	PK	5.3256G	115.79	Inf	-Inf	3	Horizontal	303	1.84
5320MHz	Pass	PK	5.362G	62.68	74.00	-11.32	3	Horizontal	303	1.84
5320MHz	Pass	AV	10.6488G	42.17	54.00	-11.83	3	Vertical	9	1.50
5320MHz	Pass	PK	10.63304G	55.98	74.00	-18.02	3	Vertical	9	1.50
5320MHz	Pass	AV	10.64088G	42.69	54.00	-11.31	3	Horizontal	25	1.69
5320MHz	Pass	PK	10.64416G	56.57	74.00	-17.43	3	Horizontal	25	1.69
802.11be EHT40_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1496G	53.32	54.00	-0.68	3	Horizontal	131	1.74
5190MHz	Pass	AV	5.1796G	98.79	Inf	-Inf	3	Horizontal	131	1.74
5190MHz	Pass	PK	5.1408G	68.33	74.00	-5.67	3	Horizontal	131	1.74
5190MHz	Pass	PK	5.1796G	112.33	Inf	-Inf	3	Horizontal	131	1.74
5190MHz	Pass	PK	10.36712G	55.12	68.20	-13.08	3	Vertical	152	3.00
5190MHz	Pass	PK	10.3688G	55.68	68.20	-12.52	3	Horizontal	160	1.58
5230MHz	Pass	AV	5.15G	48.12	54.00	-5.88	3	Horizontal	129	1.72
5230MHz	Pass	AV	5.2432G	98.68	Inf	-Inf	3	Horizontal	129	1.72
5230MHz	Pass	PK	5.15G	60.66	74.00	-13.34	3	Horizontal	129	1.72
5230MHz	Pass	PK	5.2448G	112.07	Inf	-Inf	3	Horizontal	129	1.72
5230MHz	Pass	PK	10.4564G	54.39	68.20	-13.81	3	Vertical	55	1.50
5230MHz	Pass	PK	10.44744G	54.98	68.20	-13.22	3	Horizontal	162	1.50
5270MHz	Pass	AV	5.2536G	97.69	Inf	-Inf	3	Horizontal	188	1.49
5270MHz	Pass	AV	5.3508G	47.04	54.00	-6.96	3	Horizontal	188	1.49
5270MHz	Pass	PK	5.2632G	111.34	Inf	-Inf	3	Horizontal	188	1.49

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5270MHz	Pass	PK	5.3504G	60.10	74.00	-13.90	3	Horizontal	188	1.49
5270MHz	Pass	PK	10.5552G	54.70	68.20	-13.50	3	Vertical	32	1.50
5270MHz	Pass	PK	10.52032G	55.18	68.20	-13.02	3	Horizontal	99	1.00
5310MHz	Pass	AV	5.3108G	99.83	Inf	-Inf	3	Horizontal	303	1.82
5310MHz	Pass	AV	5.35G	50.64	54.00	-3.36	3	Horizontal	303	1.82
5310MHz	Pass	PK	5.312G	113.32	Inf	-Inf	3	Horizontal	303	1.82
5310MHz	Pass	PK	5.3536G	63.04	74.00	-10.96	3	Horizontal	303	1.82
5310MHz	Pass	AV	10.63872G	42.02	54.00	-11.98	3	Vertical	73	1.50
5310MHz	Pass	PK	10.60296G	55.96	74.00	-18.04	3	Vertical	73	1.50
5310MHz	Pass	AV	10.63912G	42.18	54.00	-11.82	3	Horizontal	159	1.38
5310MHz	Pass	PK	10.60448G	56.03	74.00	-17.97	3	Horizontal	159	1.38
802.11be EHT80_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.36	54.00	-0.64	3	Horizontal	130	1.71
5210MHz	Pass	AV	5.181G	94.86	Inf	-Inf	3	Horizontal	130	1.71
5210MHz	Pass	AV	5.369G	46.66	54.00	-7.34	3	Horizontal	130	1.71
5210MHz	Pass	PK	5.148G	64.82	74.00	-9.18	3	Horizontal	130	1.71
5210MHz	Pass	PK	5.196G	108.51	Inf	-Inf	3	Horizontal	130	1.71
5210MHz	Pass	PK	5.372G	60.23	74.00	-13.77	3	Horizontal	130	1.71
5210MHz	Pass	PK	10.41776G	55.39	68.20	-12.81	3	Vertical	89	1.50
5210MHz	Pass	PK	10.416G	54.71	68.20	-13.49	3	Horizontal	232	1.50
5290MHz	Pass	AV	5.15G	46.89	54.00	-7.11	3	Horizontal	189	1.49
5290MHz	Pass	AV	5.305G	94.21	Inf	-Inf	3	Horizontal	189	1.49
5290MHz	Pass	AV	5.35G	50.02	54.00	-3.98	3	Horizontal	189	1.49
5290MHz	Pass	PK	5.129G	60.41	74.00	-13.59	3	Horizontal	189	1.49
5290MHz	Pass	PK	5.301G	108.52	Inf	-Inf	3	Horizontal	189	1.49
5290MHz	Pass	PK	5.366G	61.91	74.00	-12.09	3	Horizontal	189	1.49
5290MHz	Pass	PK	5.523G	58.70	68.20	-9.50	3	Horizontal	189	1.49
5290MHz	Pass	AV	10.61808G	41.86	54.00	-12.14	3	Vertical	292	1.76
5290MHz	Pass	PK	10.61488G	55.05	74.00	-18.95	3	Vertical	292	1.76
5290MHz	Pass	AV	10.61568G	41.88	54.00	-12.12	3	Horizontal	200	1.50
5290MHz	Pass	PK	10.572G	55.15	68.20	-13.05	3	Horizontal	200	1.50


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.36	54.00	-0.64	8.15	3	Horizontal	130	1.71	45.21	33.20	8.95	34.00
AV	5.181G	94.86	Inf	-Inf	8.11	3	Horizontal	130	1.71	86.75	33.14	8.97	34.00
AV	5.369G	46.66	54.00	-7.34	8.01	3	Horizontal	130	1.71	38.65	32.86	9.14	33.99
PK	5.148G	64.82	74.00	-9.18	8.14	3	Horizontal	130	1.71	56.68	33.19	8.95	34.00
PK	5.196G	108.51	Inf	-Inf	8.09	3	Horizontal	130	1.71	100.42	33.11	8.98	34.00
PK	5.372G	60.23	74.00	-13.77	8.01	3	Horizontal	130	1.71	52.22	32.86	9.14	33.99

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.41776G	55.39	68.20	-12.81	17.01	3	Vertical	89	1.50	38.38	38.70	12.99	34.68


5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX





**RSE TX below 1GHz_Non-Beamforming_
Radio 3_1T1S_Patch**

Appendix E.21

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	PK	303.54M	35.14	46.00	-10.86	3	Horizontal	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz_PoE	Pass	PK	30M	27.86	40.00	-12.14	3	Vertical	360	1.00
5210MHz_PoE	Pass	PK	105.66M	25.01	43.50	-18.49	3	Vertical	360	1.00
5210MHz_PoE	Pass	PK	148.34M	25.31	43.50	-18.19	3	Vertical	360	1.00
5210MHz_PoE	Pass	PK	307.42M	32.19	46.00	-13.81	3	Vertical	360	1.00
5210MHz_PoE	Pass	PK	449.04M	32.42	46.00	-13.58	3	Vertical	360	1.00
5210MHz_PoE	Pass	PK	547.98M	30.07	46.00	-15.93	3	Vertical	360	1.00
5210MHz_PoE	Pass	PK	30M	23.93	40.00	-16.07	3	Horizontal	0	1.00
5210MHz_PoE	Pass	PK	105.66M	30.82	43.50	-12.68	3	Horizontal	0	1.00
5210MHz_PoE	Pass	PK	148.34M	26.83	43.50	-16.67	3	Horizontal	0	1.00
5210MHz_PoE	Pass	PK	303.54M	35.14	46.00	-10.86	3	Horizontal	0	1.00
5210MHz_PoE	Pass	PK	449.04M	29.08	46.00	-16.92	3	Horizontal	0	1.00
5210MHz_PoE	Pass	PK	546.04M	29.49	46.00	-16.51	3	Horizontal	0	1.00

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5210MHz_PoE



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
PK	30M	27.86	40.00	-12.14	-3.00	3	Vertical	360	1.00	30.86	24.27	0.24	27.51				
PK	105.66M	25.01	43.50	-18.49	-8.46	3	Vertical	360	1.00	33.47	17.77	1.05	27.28				
PK	148.34M	25.31	43.50	-18.19	-8.92	3	Vertical	360	1.00	34.23	16.64	1.59	27.15				
PK	307.42M	32.19	46.00	-13.81	-4.88	3	Vertical	360	1.00	37.07	19.59	2.28	26.75				
PK	449.04M	32.42	46.00	-13.58	-2.01	3	Vertical	360	1.00	34.43	22.93	2.90	27.84				
PK	547.98M	30.07	46.00	-15.93	0.49	3	Vertical	360	1.00	29.58	25.25	3.41	28.17				

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_PoE



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
PK	30M	23.93	40.00	-16.07	-3.00	3	Horizontal	0	1.00	26.93	24.27	0.24	27.51				
PK	105.66M	30.82	43.50	-12.68	-8.46	3	Horizontal	0	1.00	39.28	17.77	1.05	27.28				
PK	148.34M	26.83	43.50	-16.67	-8.92	3	Horizontal	0	1.00	35.75	16.64	1.59	27.15				
PK	303.54M	35.14	46.00	-10.86	-4.96	3	Horizontal	0	1.00	40.10	19.51	2.26	26.73				
PK	449.04M	29.08	46.00	-16.92	-2.01	3	Horizontal	0	1.00	31.09	22.93	2.90	27.84				
PK	546.04M	29.49	46.00	-16.51	0.50	3	Horizontal	0	1.00	28.99	25.26	3.41	28.17				



RSE TX above 1GHz_Non-Beamforming_ Radio 3_1T1S_Patch

Appendix E.22

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.15G	52.20	54.00	-1.80	3	Horizontal	359	1.86
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.1398G	52.77	54.00	-1.23	3	Horizontal	360	2.06
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.36	54.00	-0.64	3	Horizontal	360	2.06
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.89	54.00	-0.11	3	Horizontal	357	1.86
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.3504G	49.62	54.00	-4.38	3	Horizontal	0	2.04
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.3604G	50.52	54.00	-3.48	3	Horizontal	3	2.24
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.64	54.00	-0.36	3	Horizontal	4	2.26
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.56	54.00	-0.44	3	Horizontal	4	2.22

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	52.20	54.00	-1.80	3	Horizontal	359	1.86
5180MHz	Pass	AV	5.1814G	108.94	Inf	-Inf	3	Horizontal	359	1.86
5180MHz	Pass	PK	5.139G	66.86	74.00	-7.14	3	Horizontal	359	1.86
5180MHz	Pass	PK	5.1802G	120.53	Inf	-Inf	3	Horizontal	359	1.86
5180MHz	Pass	PK	10.36768G	57.58	68.20	-10.62	3	Vertical	262	1.50
5180MHz	Pass	PK	10.36104G	57.84	68.20	-10.36	3	Horizontal	180	2.26
5200MHz	Pass	AV	5.15G	50.38	54.00	-3.62	3	Horizontal	357	1.82
5200MHz	Pass	AV	5.1948G	108.13	Inf	-Inf	3	Horizontal	357	1.82
5200MHz	Pass	PK	5.1388G	63.98	74.00	-10.02	3	Horizontal	357	1.82
5200MHz	Pass	PK	5.1932G	119.16	Inf	-Inf	3	Horizontal	357	1.82
5200MHz	Pass	PK	10.40524G	58.10	68.20	-10.10	3	Vertical	147	1.50
5200MHz	Pass	PK	10.39912G	57.65	68.20	-10.55	3	Horizontal	319	1.50
5240MHz	Pass	AV	5.1488G	48.86	54.00	-5.14	3	Horizontal	360	1.81
5240MHz	Pass	AV	5.243G	108.06	Inf	-Inf	3	Horizontal	360	1.81
5240MHz	Pass	AV	5.3678G	47.49	54.00	-6.51	3	Horizontal	360	1.81
5240MHz	Pass	PK	5.1314G	62.47	74.00	-11.53	3	Horizontal	360	1.81
5240MHz	Pass	PK	5.2448G	119.00	Inf	-Inf	3	Horizontal	360	1.81
5240MHz	Pass	PK	5.366G	62.56	74.00	-11.44	3	Horizontal	360	1.81
5240MHz	Pass	PK	10.4822G	57.95	68.20	-10.25	3	Vertical	173	1.10
5240MHz	Pass	PK	10.48424G	57.42	68.20	-10.78	3	Horizontal	222	1.50
5260MHz	Pass	AV	5.1496G	48.27	54.00	-5.73	3	Horizontal	360	1.75
5260MHz	Pass	AV	5.263G	107.39	Inf	-Inf	3	Horizontal	360	1.75
5260MHz	Pass	AV	5.3674G	47.50	54.00	-6.50	3	Horizontal	360	1.75
5260MHz	Pass	PK	5.1304G	62.13	74.00	-11.87	3	Horizontal	360	1.75
5260MHz	Pass	PK	5.266G	119.08	Inf	-Inf	3	Horizontal	360	1.75
5260MHz	Pass	PK	5.3548G	61.41	74.00	-12.59	3	Horizontal	360	1.75
5260MHz	Pass	PK	10.52412G	57.27	68.20	-10.93	3	Vertical	264	1.00
5260MHz	Pass	PK	10.51408G	56.90	68.20	-11.30	3	Horizontal	332	1.32
5300MHz	Pass	AV	5.294G	108.00	Inf	-Inf	3	Horizontal	0	1.99
5300MHz	Pass	AV	5.3516G	48.12	54.00	-5.88	3	Horizontal	0	1.99
5300MHz	Pass	PK	5.2988G	118.75	Inf	-Inf	3	Horizontal	0	1.99
5300MHz	Pass	PK	5.3692G	62.03	74.00	-11.97	3	Horizontal	0	1.99
5300MHz	Pass	AV	10.60536G	44.96	54.00	-9.04	3	Vertical	123	1.50
5300MHz	Pass	PK	10.6088G	58.57	74.00	-15.43	3	Vertical	123	1.50
5300MHz	Pass	AV	10.60064G	44.99	54.00	-9.01	3	Horizontal	360	1.50
5300MHz	Pass	PK	10.60384G	58.99	74.00	-15.01	3	Horizontal	360	1.50
5320MHz	Pass	AV	5.317G	106.99	Inf	-Inf	3	Horizontal	0	2.04
5320MHz	Pass	AV	5.3504G	49.62	54.00	-4.38	3	Horizontal	0	2.04
5320MHz	Pass	PK	5.3222G	118.33	Inf	-Inf	3	Horizontal	0	2.04
5320MHz	Pass	PK	5.361G	65.18	74.00	-8.82	3	Horizontal	0	2.04
5320MHz	Pass	AV	10.63248G	45.17	54.00	-8.83	3	Vertical	71	1.34
5320MHz	Pass	PK	10.63464G	58.94	74.00	-15.06	3	Vertical	71	1.34
5320MHz	Pass	AV	10.632G	45.13	54.00	-8.87	3	Horizontal	47	1.98
5320MHz	Pass	PK	10.64676G	59.14	74.00	-14.86	3	Horizontal	47	1.98
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1398G	52.77	54.00	-1.23	3	Horizontal	360	2.06
5180MHz	Pass	AV	5.1724G	108.23	Inf	-Inf	3	Horizontal	360	2.06
5180MHz	Pass	PK	5.1398G	69.23	74.00	-4.77	3	Horizontal	360	2.06
5180MHz	Pass	PK	5.1742G	121.97	Inf	-Inf	3	Horizontal	360	2.06
5180MHz	Pass	PK	10.3646G	57.61	68.20	-10.59	3	Vertical	187	1.50
5180MHz	Pass	PK	10.36368G	58.45	68.20	-9.75	3	Horizontal	9	1.50
5200MHz	Pass	AV	5.15G	50.54	54.00	-3.46	3	Horizontal	360	1.81
5200MHz	Pass	AV	5.1924G	107.62	Inf	-Inf	3	Horizontal	360	1.81
5200MHz	Pass	PK	5.1464G	63.47	74.00	-10.53	3	Horizontal	360	1.81
5200MHz	Pass	PK	5.1944G	120.86	Inf	-Inf	3	Horizontal	360	1.81
5200MHz	Pass	PK	10.40824G	58.34	68.20	-9.86	3	Vertical	360	1.50
5200MHz	Pass	PK	10.39044G	59.03	68.20	-9.17	3	Horizontal	228	2.75
5240MHz	Pass	AV	5.15G	48.64	54.00	-5.36	3	Horizontal	360	1.78
5240MHz	Pass	AV	5.2448G	107.28	Inf	-Inf	3	Horizontal	360	1.78
5240MHz	Pass	AV	5.366G	47.44	54.00	-6.56	3	Horizontal	360	1.78



**RSE TX above 1GHz_Non-Beamforming_
Radio 3_1T1S_Patch**

Appendix E.22

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	PK	5.1494G	62.19	74.00	-11.81	3	Horizontal	360	1.78
5240MHz	Pass	PK	5.2454G	120.83	Inf	-Inf	3	Horizontal	360	1.78
5240MHz	Pass	PK	5.3762G	61.09	74.00	-12.91	3	Horizontal	360	1.78
5240MHz	Pass	PK	10.4892G	56.86	68.20	-11.34	3	Vertical	34	1.50
5240MHz	Pass	PK	10.47056G	58.18	68.20	-10.02	3	Horizontal	107	1.50
5260MHz	Pass	AV	5.15G	48.31	54.00	-5.69	3	Horizontal	0	1.77
5260MHz	Pass	AV	5.2624G	107.07	Inf	-Inf	3	Horizontal	0	1.77
5260MHz	Pass	AV	5.3662G	47.54	54.00	-6.46	3	Horizontal	0	1.77
5260MHz	Pass	PK	5.1472G	61.78	74.00	-12.22	3	Horizontal	0	1.77
5260MHz	Pass	PK	5.2516G	120.42	Inf	-Inf	3	Horizontal	0	1.77
5260MHz	Pass	PK	5.368G	61.01	74.00	-12.99	3	Horizontal	0	1.77
5260MHz	Pass	PK	10.51636G	56.61	68.20	-11.59	3	Vertical	351	2.11
5260MHz	Pass	PK	10.51992G	58.17	68.20	-10.03	3	Horizontal	156	1.50
5300MHz	Pass	AV	5.296G	107.25	Inf	-Inf	3	Horizontal	357	2.23
5300MHz	Pass	AV	5.3508G	48.01	54.00	-5.99	3	Horizontal	357	2.23
5300MHz	Pass	PK	5.2932G	120.78	Inf	-Inf	3	Horizontal	357	2.23
5300MHz	Pass	PK	5.3524G	61.88	74.00	-12.12	3	Horizontal	357	2.23
5300MHz	Pass	AV	10.60648G	44.98	54.00	-9.02	3	Vertical	38	1.00
5300MHz	Pass	PK	10.59944G	58.25	68.20	-9.95	3	Vertical	38	1.00
5300MHz	Pass	AV	10.6032G	44.95	54.00	-9.05	3	Horizontal	204	1.50
5300MHz	Pass	PK	10.60092G	58.52	74.00	-15.48	3	Horizontal	204	1.50
5320MHz	Pass	AV	5.3126G	106.72	Inf	-Inf	3	Horizontal	3	2.24
5320MHz	Pass	AV	5.3604G	50.52	54.00	-3.48	3	Horizontal	3	2.24
5320MHz	Pass	PK	5.3164G	120.19	Inf	-Inf	3	Horizontal	3	2.24
5320MHz	Pass	PK	5.361G	64.92	74.00	-9.08	3	Horizontal	3	2.24
5320MHz	Pass	AV	10.63576G	45.16	54.00	-8.84	3	Vertical	289	2.05
5320MHz	Pass	PK	10.6304G	58.37	74.00	-15.63	3	Vertical	289	2.05
5320MHz	Pass	AV	10.63056G	45.20	54.00	-8.80	3	Horizontal	60	1.50
5320MHz	Pass	PK	10.63364G	58.47	74.00	-15.53	3	Horizontal	60	1.50
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.36	54.00	-0.64	3	Horizontal	360	2.06
5190MHz	Pass	AV	5.1724G	103.17	Inf	-Inf	3	Horizontal	360	2.06
5190MHz	Pass	PK	5.1448G	69.60	74.00	-4.40	3	Horizontal	360	2.06
5190MHz	Pass	PK	5.1752G	116.79	Inf	-Inf	3	Horizontal	360	2.06
5190MHz	Pass	PK	10.3754G	58.69	68.20	-9.51	3	Vertical	173	1.15
5190MHz	Pass	PK	10.3754G	58.62	68.20	-9.58	3	Horizontal	234	1.50
5230MHz	Pass	AV	5.1496G	51.46	54.00	-2.54	3	Horizontal	360	1.80
5230MHz	Pass	AV	5.2424G	104.72	Inf	-Inf	3	Horizontal	360	1.80
5230MHz	Pass	PK	5.1492G	65.75	74.00	-8.25	3	Horizontal	360	1.80
5230MHz	Pass	PK	5.2412G	118.60	Inf	-Inf	3	Horizontal	360	1.80
5230MHz	Pass	PK	10.457G	56.86	68.20	-11.34	3	Vertical	205	1.31
5230MHz	Pass	PK	10.45984G	56.60	68.20	-11.60	3	Horizontal	189	3.00
5270MHz	Pass	AV	5.268G	103.93	Inf	-Inf	3	Horizontal	357	2.18
5270MHz	Pass	AV	5.35G	48.59	54.00	-5.41	3	Horizontal	357	2.18
5270MHz	Pass	PK	5.2528G	117.40	Inf	-Inf	3	Horizontal	357	2.18
5270MHz	Pass	PK	5.364G	62.31	74.00	-11.69	3	Horizontal	357	2.18
5270MHz	Pass	PK	10.54444G	58.14	68.20	-10.06	3	Vertical	174	1.50
5270MHz	Pass	PK	10.546G	57.25	68.20	-10.95	3	Horizontal	212	1.50
5310MHz	Pass	AV	5.296G	104.50	Inf	-Inf	3	Horizontal	4	2.26
5310MHz	Pass	AV	5.35G	53.64	54.00	-0.36	3	Horizontal	4	2.26
5310MHz	Pass	PK	5.3052G	117.58	Inf	-Inf	3	Horizontal	4	2.26
5310MHz	Pass	PK	5.356G	68.51	74.00	-5.49	3	Horizontal	4	2.26
5310MHz	Pass	AV	10.6278G	45.15	54.00	-8.85	3	Vertical	66	1.50
5310MHz	Pass	PK	10.61768G	58.95	74.00	-15.05	3	Vertical	66	1.50
5310MHz	Pass	AV	10.62844G	45.16	54.00	-8.84	3	Horizontal	183	1.50
5310MHz	Pass	PK	10.61008G	58.35	74.00	-15.65	3	Horizontal	183	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.89	54.00	-0.11	3	Horizontal	357	1.86
5210MHz	Pass	AV	5.182G	99.81	Inf	-Inf	3	Horizontal	357	1.86
5210MHz	Pass	AV	5.365G	47.70	54.00	-6.30	3	Horizontal	357	1.86
5210MHz	Pass	PK	5.149G	66.62	74.00	-7.38	3	Horizontal	357	1.86
5210MHz	Pass	PK	5.183G	113.29	Inf	-Inf	3	Horizontal	357	1.86




**RSE TX above 1GHz_Non-Beamforming_
Radio 3_1T1S_Patch**

Appendix E.22

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5210MHz	Pass	PK	5.379G	62.36	74.00	-11.64	3	Horizontal	357	1.86
5210MHz	Pass	PK	10.41248G	57.72	68.20	-10.48	3	Vertical	317	1.19
5210MHz	Pass	PK	10.41236G	57.65	68.20	-10.55	3	Horizontal	288	2.80
5290MHz	Pass	AV	5.15G	48.63	54.00	-5.37	3	Horizontal	4	2.22
5290MHz	Pass	AV	5.294G	100.45	Inf	-Inf	3	Horizontal	4	2.22
5290MHz	Pass	AV	5.35G	53.56	54.00	-0.44	3	Horizontal	4	2.22
5290MHz	Pass	PK	5.14G	61.65	74.00	-12.35	3	Horizontal	4	2.22
5290MHz	Pass	PK	5.274G	113.68	Inf	-Inf	3	Horizontal	4	2.22
5290MHz	Pass	PK	5.35G	67.34	74.00	-6.66	3	Horizontal	4	2.22
5290MHz	Pass	PK	5.473G	60.40	68.20	-7.80	3	Horizontal	4	2.22
5290MHz	Pass	PK	10.58568G	58.46	68.20	-9.74	3	Vertical	326	1.25
5290MHz	Pass	PK	10.58424G	57.80	68.20	-10.40	3	Horizontal	26	1.50


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX





**RSE TX below 1GHz_Non-Beamforming_
Radio 3_2T1S_Patch**

Appendix E.23

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	30M	30.68	40.00	-9.32	3	Vertical	0	1.00



**RSE TX below 1GHz_Non-Beamforming_
Radio 3_2T1S_Patch**


Appendix E.23

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz_PoE	Pass	PK	30M	30.68	40.00	-9.32	3	Vertical	0	1.00
5210MHz_PoE	Pass	PK	148.34M	25.33	43.50	-18.17	3	Vertical	0	1.00
5210MHz_PoE	Pass	PK	249.22M	26.89	46.00	-19.11	3	Vertical	0	1.00
5210MHz_PoE	Pass	PK	307.42M	32.03	46.00	-13.97	3	Vertical	0	1.00
5210MHz_PoE	Pass	PK	476.2M	32.20	46.00	-13.80	3	Vertical	0	1.00
5210MHz_PoE	Pass	PK	547.98M	29.44	46.00	-16.56	3	Vertical	0	1.00
5210MHz_PoE	Pass	PK	30M	25.17	40.00	-14.83	3	Horizontal	360	1.00
5210MHz_PoE	Pass	PK	105.66M	28.48	43.50	-15.02	3	Horizontal	360	1.00
5210MHz_PoE	Pass	PK	167.74M	27.00	43.50	-16.50	3	Horizontal	360	1.00
5210MHz_PoE	Pass	PK	301.6M	34.77	46.00	-11.23	3	Horizontal	360	1.00
5210MHz_PoE	Pass	PK	470.38M	28.88	46.00	-17.12	3	Horizontal	360	1.00
5210MHz_PoE	Pass	PK	542.16M	29.43	46.00	-16.57	3	Horizontal	360	1.00

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	30.68	40.00	-9.32	-3.00	3	Vertical	0	1.00	33.68	24.27	0.24	27.51
PK	148.34M	25.33	43.50	-18.17	-8.92	3	Vertical	0	1.00	34.25	16.64	1.59	27.15
PK	249.22M	26.89	46.00	-19.11	-6.12	3	Vertical	0	1.00	33.01	18.46	2.16	26.74
PK	307.42M	32.03	46.00	-13.97	-4.88	3	Vertical	0	1.00	36.91	19.59	2.28	26.75
PK	476.2M	32.20	46.00	-13.80	-1.40	3	Vertical	0	1.00	33.60	23.54	3.08	28.02
PK	547.98M	29.44	46.00	-16.56	0.49	3	Vertical	0	1.00	28.95	25.25	3.41	28.17

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	25.17	40.00	-14.83	-3.00	3	Horizontal	360	1.00	28.17	24.27	0.24	27.51
PK	105.66M	28.48	43.50	-15.02	-8.46	3	Horizontal	360	1.00	36.94	17.77	1.05	27.28
PK	167.74M	27.00	43.50	-16.50	-9.40	3	Horizontal	360	1.00	36.40	15.88	1.80	27.08
PK	301.6M	34.77	46.00	-11.23	-4.98	3	Horizontal	360	1.00	39.75	19.48	2.25	26.71
PK	470.38M	28.88	46.00	-17.12	-1.45	3	Horizontal	360	1.00	30.33	23.49	3.04	27.98
PK	542.16M	29.43	46.00	-16.57	0.42	3	Horizontal	360	1.00	29.01	25.20	3.39	28.17



RSE TX above 1GHz_Non-Beamforming_ Radio 3_2T1S_Patch

Appendix E.24

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.1498G	51.77	54.00	-2.23	3	Horizontal	354	2.11
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.15G	52.77	54.00	-1.23	3	Horizontal	360	1.86
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.1488G	53.19	54.00	-0.81	3	Horizontal	0	1.91
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.32	54.00	-0.68	3	Horizontal	360	1.91
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.2494G	67.59	68.20	-0.61	3	Horizontal	360	1.84
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.36G	51.13	54.00	-2.87	3	Vertical	354	2.09
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.3504G	53.78	54.00	-0.22	3	Horizontal	3	2.00
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.49	54.00	-0.51	3	Vertical	353	2.06

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1498G	51.15	54.00	-2.85	3	Vertical	351	1.73
5180MHz	Pass	AV	5.1822G	108.34	Inf	-Inf	3	Vertical	351	1.73
5180MHz	Pass	PK	5.1486G	65.35	74.00	-8.65	3	Vertical	351	1.73
5180MHz	Pass	PK	5.1818G	120.67	Inf	-Inf	3	Vertical	351	1.73
5180MHz	Pass	AV	5.1498G	51.77	54.00	-2.23	3	Horizontal	354	2.11
5180MHz	Pass	AV	5.1776G	109.00	Inf	-Inf	3	Horizontal	354	2.11
5180MHz	Pass	PK	5.1378G	66.14	74.00	-7.86	3	Horizontal	354	2.11
5180MHz	Pass	PK	5.1822G	119.71	Inf	-Inf	3	Horizontal	354	2.11
5180MHz	Pass	PK	10.35988G	60.67	68.20	-7.53	3	Vertical	38	1.49
5180MHz	Pass	PK	10.35824G	61.89	68.20	-6.31	3	Horizontal	331	2.24
5200MHz	Pass	AV	5.15G	49.28	54.00	-4.72	3	Vertical	351	1.61
5200MHz	Pass	AV	5.1968G	107.86	Inf	-Inf	3	Vertical	351	1.61
5200MHz	Pass	PK	5.15G	62.73	74.00	-11.27	3	Vertical	351	1.61
5200MHz	Pass	PK	5.202G	119.39	Inf	-Inf	3	Vertical	351	1.61
5200MHz	Pass	AV	5.15G	50.58	54.00	-3.42	3	Horizontal	360	1.82
5200MHz	Pass	AV	5.1964G	108.96	Inf	-Inf	3	Horizontal	360	1.82
5200MHz	Pass	PK	5.1484G	64.81	74.00	-9.19	3	Horizontal	360	1.82
5200MHz	Pass	PK	5.2008G	119.44	Inf	-Inf	3	Horizontal	360	1.82
5200MHz	Pass	PK	10.39812G	60.37	68.20	-7.83	3	Vertical	313	2.05
5200MHz	Pass	PK	10.393G	59.55	68.20	-8.65	3	Horizontal	10	3.00
5240MHz	Pass	AV	5.15G	49.36	54.00	-4.64	3	Vertical	350	1.59
5240MHz	Pass	AV	5.2424G	107.73	Inf	-Inf	3	Vertical	350	1.59
5240MHz	Pass	AV	5.363G	48.77	54.00	-5.23	3	Vertical	350	1.59
5240MHz	Pass	PK	5.1386G	63.18	74.00	-10.82	3	Vertical	350	1.59
5240MHz	Pass	PK	5.2466G	119.28	Inf	-Inf	3	Vertical	350	1.59
5240MHz	Pass	PK	5.3534G	62.39	74.00	-11.61	3	Vertical	350	1.59
5240MHz	Pass	AV	5.15G	49.96	54.00	-4.04	3	Horizontal	360	1.82
5240MHz	Pass	AV	5.2412G	108.59	Inf	-Inf	3	Horizontal	360	1.82
5240MHz	Pass	AV	5.3666G	48.91	54.00	-5.09	3	Horizontal	360	1.82
5240MHz	Pass	PK	5.1446G	63.16	74.00	-10.84	3	Horizontal	360	1.82
5240MHz	Pass	PK	5.2418G	119.54	Inf	-Inf	3	Horizontal	360	1.82
5240MHz	Pass	PK	5.3744G	62.58	74.00	-11.42	3	Horizontal	360	1.82
5240MHz	Pass	PK	10.47496G	58.62	68.20	-9.58	3	Vertical	348	1.50
5240MHz	Pass	PK	10.48276G	59.86	68.20	-8.34	3	Horizontal	339	3.00
5260MHz	Pass	AV	5.15G	47.77	54.00	-6.23	3	Vertical	350	1.50
5260MHz	Pass	AV	5.2624G	107.61	Inf	-Inf	3	Vertical	350	1.50
5260MHz	Pass	AV	5.3614G	47.56	54.00	-6.44	3	Vertical	350	1.50
5260MHz	Pass	PK	5.119G	61.57	74.00	-12.43	3	Vertical	350	1.50
5260MHz	Pass	PK	5.2618G	119.34	Inf	-Inf	3	Vertical	350	1.50
5260MHz	Pass	PK	5.3668G	61.70	74.00	-12.30	3	Vertical	350	1.50
5260MHz	Pass	AV	5.1496G	48.44	54.00	-5.56	3	Horizontal	360	1.71
5260MHz	Pass	AV	5.266G	108.13	Inf	-Inf	3	Horizontal	360	1.71
5260MHz	Pass	AV	5.371G	47.58	54.00	-6.42	3	Horizontal	360	1.71
5260MHz	Pass	PK	5.1484G	62.65	74.00	-11.35	3	Horizontal	360	1.71
5260MHz	Pass	PK	5.2576G	119.00	Inf	-Inf	3	Horizontal	360	1.71
5260MHz	Pass	PK	5.3512G	61.27	74.00	-12.73	3	Horizontal	360	1.71
5260MHz	Pass	PK	10.51932G	58.59	68.20	-9.61	3	Vertical	351	1.52
5260MHz	Pass	PK	10.52476G	59.82	68.20	-8.38	3	Horizontal	336	2.37
5300MHz	Pass	AV	5.294G	108.31	Inf	-Inf	3	Vertical	353	2.08
5300MHz	Pass	AV	5.3508G	48.63	54.00	-5.37	3	Vertical	353	2.08
5300MHz	Pass	PK	5.304G	120.79	Inf	-Inf	3	Vertical	353	2.08
5300MHz	Pass	PK	5.3512G	62.24	74.00	-11.76	3	Vertical	353	2.08
5300MHz	Pass	AV	5.2964G	108.53	Inf	-Inf	3	Horizontal	360	1.91
5300MHz	Pass	AV	5.352G	48.10	54.00	-5.90	3	Horizontal	360	1.91
5300MHz	Pass	PK	5.2972G	119.30	Inf	-Inf	3	Horizontal	360	1.91
5300MHz	Pass	PK	5.3504G	61.56	74.00	-12.44	3	Horizontal	360	1.91
5300MHz	Pass	PK	10.601G	61.23	74.00	-12.77	3	Vertical	46	1.53
5300MHz	Pass	PK	10.60792G	61.77	74.00	-12.23	3	Horizontal	14	1.50
5320MHz	Pass	AV	5.1498G	47.12	54.00	-6.88	3	Vertical	353	1.98
5320MHz	Pass	AV	5.283G	104.83	Inf	-Inf	3	Vertical	353	1.98

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	AV	5.3586G	47.30	54.00	-6.70	3	Vertical	353	1.98
5320MHz	Pass	PK	5.2494G	67.50	68.20	-0.70	3	Vertical	353	1.98
5320MHz	Pass	PK	5.2866G	116.72	Inf	-Inf	3	Vertical	353	1.98
5320MHz	Pass	PK	5.3616G	61.04	74.00	-12.96	3	Vertical	353	1.98
5320MHz	Pass	AV	5.1492G	47.49	54.00	-6.51	3	Horizontal	360	1.84
5320MHz	Pass	AV	5.2866G	105.53	Inf	-Inf	3	Horizontal	360	1.84
5320MHz	Pass	AV	5.361G	47.24	54.00	-6.76	3	Horizontal	360	1.84
5320MHz	Pass	PK	5.2494G	67.59	68.20	-0.61	3	Horizontal	360	1.84
5320MHz	Pass	PK	5.286G	115.91	Inf	-Inf	3	Horizontal	360	1.84
5320MHz	Pass	PK	5.364G	60.66	74.00	-13.34	3	Horizontal	360	1.84
5320MHz	Pass	AV	10.63008G	45.16	54.00	-8.84	3	Vertical	353	1.50
5320MHz	Pass	PK	10.649G	59.91	74.00	-14.09	3	Vertical	353	1.50
5320MHz	Pass	AV	10.63156G	45.14	54.00	-8.86	3	Horizontal	293	1.15
5320MHz	Pass	PK	10.6484G	59.35	74.00	-14.65	3	Horizontal	293	1.15
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	51.61	54.00	-2.39	3	Vertical	360	2.19
5180MHz	Pass	AV	5.1764G	107.67	Inf	-Inf	3	Vertical	360	2.19
5180MHz	Pass	PK	5.1404G	67.80	74.00	-6.20	3	Vertical	360	2.19
5180MHz	Pass	PK	5.184G	121.19	Inf	-Inf	3	Vertical	360	2.19
5180MHz	Pass	AV	5.15G	52.77	54.00	-1.23	3	Horizontal	360	1.86
5180MHz	Pass	AV	5.181G	108.85	Inf	-Inf	3	Horizontal	360	1.86
5180MHz	Pass	PK	5.14G	68.30	74.00	-5.70	3	Horizontal	360	1.86
5180MHz	Pass	PK	5.171G	122.71	Inf	-Inf	3	Horizontal	360	1.86
5180MHz	Pass	PK	10.35792G	59.59	68.20	-8.61	3	Vertical	6	1.44
5180MHz	Pass	PK	10.36284G	61.06	68.20	-7.14	3	Horizontal	324	2.05
5200MHz	Pass	AV	5.15G	49.41	54.00	-4.59	3	Vertical	352	1.59
5200MHz	Pass	AV	5.196G	107.05	Inf	-Inf	3	Vertical	352	1.59
5200MHz	Pass	PK	5.15G	62.51	74.00	-11.49	3	Vertical	352	1.59
5200MHz	Pass	PK	5.1932G	120.15	Inf	-Inf	3	Vertical	352	1.59
5200MHz	Pass	AV	5.1496G	50.87	54.00	-3.13	3	Horizontal	360	1.82
5200MHz	Pass	AV	5.1932G	108.14	Inf	-Inf	3	Horizontal	360	1.82
5200MHz	Pass	PK	5.146G	65.32	74.00	-8.68	3	Horizontal	360	1.82
5200MHz	Pass	PK	5.1932G	122.03	Inf	-Inf	3	Horizontal	360	1.82
5200MHz	Pass	PK	10.39828G	60.18	68.20	-8.02	3	Vertical	350	1.46
5200MHz	Pass	PK	10.40276G	59.51	68.20	-8.69	3	Horizontal	16	2.50
5240MHz	Pass	AV	5.1494G	47.96	54.00	-6.04	3	Vertical	349	1.50
5240MHz	Pass	AV	5.246G	106.93	Inf	-Inf	3	Vertical	349	1.50
5240MHz	Pass	AV	5.3666G	47.35	54.00	-6.65	3	Vertical	349	1.50
5240MHz	Pass	PK	5.1212G	61.40	74.00	-12.60	3	Vertical	349	1.50
5240MHz	Pass	PK	5.246G	119.68	Inf	-Inf	3	Vertical	349	1.50
5240MHz	Pass	PK	5.3618G	61.61	74.00	-12.39	3	Vertical	349	1.50
5240MHz	Pass	AV	5.15G	48.75	54.00	-5.25	3	Horizontal	360	1.80
5240MHz	Pass	AV	5.243G	107.83	Inf	-Inf	3	Horizontal	360	1.80
5240MHz	Pass	AV	5.366G	47.57	54.00	-6.43	3	Horizontal	360	1.80
5240MHz	Pass	PK	5.1494G	61.94	74.00	-12.06	3	Horizontal	360	1.80
5240MHz	Pass	PK	5.2424G	120.83	Inf	-Inf	3	Horizontal	360	1.80
5240MHz	Pass	PK	5.3684G	61.02	74.00	-12.98	3	Horizontal	360	1.80
5240MHz	Pass	PK	10.47156G	58.81	68.20	-9.39	3	Vertical	34	1.38
5240MHz	Pass	PK	10.4772G	59.89	68.20	-8.31	3	Horizontal	346	2.96
5260MHz	Pass	AV	5.1484G	47.77	54.00	-6.23	3	Vertical	349	1.50
5260MHz	Pass	AV	5.2636G	107.00	Inf	-Inf	3	Vertical	349	1.50
5260MHz	Pass	AV	5.365G	47.47	54.00	-6.53	3	Vertical	349	1.50
5260MHz	Pass	PK	5.1136G	62.33	74.00	-11.67	3	Vertical	349	1.50
5260MHz	Pass	PK	5.2582G	119.76	Inf	-Inf	3	Vertical	349	1.50
5260MHz	Pass	PK	5.3812G	61.15	74.00	-12.85	3	Vertical	349	1.50
5260MHz	Pass	AV	5.1496G	48.31	54.00	-5.69	3	Horizontal	360	1.74
5260MHz	Pass	AV	5.263G	107.58	Inf	-Inf	3	Horizontal	360	1.74
5260MHz	Pass	AV	5.3656G	47.60	54.00	-6.40	3	Horizontal	360	1.74
5260MHz	Pass	PK	5.1388G	61.52	74.00	-12.48	3	Horizontal	360	1.74
5260MHz	Pass	PK	5.263G	120.61	Inf	-Inf	3	Horizontal	360	1.74
5260MHz	Pass	PK	5.3632G	61.06	74.00	-12.94	3	Horizontal	360	1.74
5260MHz	Pass	PK	10.51848G	58.73	68.20	-9.47	3	Vertical	32	1.32



**RSE TX above 1GHz_Non-Beamforming_
Radio 3_2T1S_Patch**

Appendix E.24

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5260MHz	Pass	PK	10.5166G	59.39	68.20	-8.81	3	Horizontal	13	1.60
5300MHz	Pass	AV	5.2944G	107.92	Inf	-Inf	3	Vertical	353	2.07
5300MHz	Pass	AV	5.35G	48.61	54.00	-5.39	3	Vertical	353	2.07
5300MHz	Pass	PK	5.3044G	121.43	Inf	-Inf	3	Vertical	353	2.07
5300MHz	Pass	PK	5.3536G	63.11	74.00	-10.89	3	Vertical	353	2.07
5300MHz	Pass	AV	5.2932G	108.06	Inf	-Inf	3	Horizontal	3	1.97
5300MHz	Pass	AV	5.3504G	48.38	54.00	-5.62	3	Horizontal	3	1.97
5300MHz	Pass	PK	5.3032G	121.72	Inf	-Inf	3	Horizontal	3	1.97
5300MHz	Pass	PK	5.3652G	62.44	74.00	-11.56	3	Horizontal	3	1.97
5300MHz	Pass	PK	10.60188G	61.44	74.00	-12.56	3	Vertical	46	1.56
5300MHz	Pass	PK	10.59472G	62.11	68.20	-6.09	3	Horizontal	27	1.50
5320MHz	Pass	AV	5.312G	107.38	Inf	-Inf	3	Vertical	354	2.09
5320MHz	Pass	AV	5.36G	51.13	54.00	-2.87	3	Vertical	354	2.09
5320MHz	Pass	PK	5.3118G	120.68	Inf	-Inf	3	Vertical	354	2.09
5320MHz	Pass	PK	5.3618G	66.91	74.00	-7.09	3	Vertical	354	2.09
5320MHz	Pass	AV	5.3128G	107.09	Inf	-Inf	3	Horizontal	1	1.84
5320MHz	Pass	AV	5.3606G	50.75	54.00	-3.25	3	Horizontal	1	1.84
5320MHz	Pass	PK	5.3154G	121.05	Inf	-Inf	3	Horizontal	1	1.84
5320MHz	Pass	PK	5.3608G	66.55	74.00	-7.45	3	Horizontal	1	1.84
5320MHz	Pass	AV	10.6346G	45.73	54.00	-8.27	3	Vertical	45	1.50
5320MHz	Pass	PK	10.64452G	59.90	74.00	-14.10	3	Vertical	45	1.50
5320MHz	Pass	AV	10.63736G	46.61	54.00	-7.39	3	Horizontal	25	1.49
5320MHz	Pass	PK	10.63512G	61.05	74.00	-12.95	3	Horizontal	25	1.49
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1488G	52.12	54.00	-1.88	3	Vertical	351	1.64
5190MHz	Pass	AV	5.1836G	102.43	Inf	-Inf	3	Vertical	351	1.64
5190MHz	Pass	PK	5.148G	66.78	74.00	-7.22	3	Vertical	351	1.64
5190MHz	Pass	PK	5.184G	116.29	Inf	-Inf	3	Vertical	351	1.64
5190MHz	Pass	AV	5.1488G	53.19	54.00	-0.81	3	Horizontal	0	1.91
5190MHz	Pass	AV	5.1836G	103.78	Inf	-Inf	3	Horizontal	0	1.91
5190MHz	Pass	PK	5.1496G	67.61	74.00	-6.39	3	Horizontal	0	1.91
5190MHz	Pass	PK	5.184G	117.20	Inf	-Inf	3	Horizontal	0	1.91
5190MHz	Pass	PK	10.36024G	58.85	68.20	-9.35	3	Vertical	140	1.50
5190MHz	Pass	PK	10.37792G	59.54	68.20	-8.66	3	Horizontal	0	1.12
5230MHz	Pass	AV	5.15G	49.77	54.00	-4.23	3	Vertical	351	1.58
5230MHz	Pass	AV	5.2436G	104.10	Inf	-Inf	3	Vertical	351	1.58
5230MHz	Pass	PK	5.1496G	63.84	74.00	-10.16	3	Vertical	351	1.58
5230MHz	Pass	PK	5.2436G	118.58	Inf	-Inf	3	Vertical	351	1.58
5230MHz	Pass	AV	5.15G	51.21	54.00	-2.79	3	Horizontal	360	1.76
5230MHz	Pass	AV	5.2432G	104.94	Inf	-Inf	3	Horizontal	360	1.76
5230MHz	Pass	PK	5.1488G	65.59	74.00	-8.41	3	Horizontal	360	1.76
5230MHz	Pass	PK	5.2384G	118.49	Inf	-Inf	3	Horizontal	360	1.76
5230MHz	Pass	PK	10.45496G	58.95	68.20	-9.25	3	Vertical	34	1.50
5230MHz	Pass	PK	10.44248G	60.11	68.20	-8.09	3	Horizontal	345	2.93
5270MHz	Pass	AV	5.2844G	104.52	Inf	-Inf	3	Vertical	354	1.97
5270MHz	Pass	AV	5.3516G	48.89	54.00	-5.11	3	Vertical	354	1.97
5270MHz	Pass	PK	5.2868G	118.59	Inf	-Inf	3	Vertical	354	1.97
5270MHz	Pass	PK	5.3512G	62.71	74.00	-11.29	3	Vertical	354	1.97
5270MHz	Pass	AV	5.288G	104.62	Inf	-Inf	3	Horizontal	0	2.01
5270MHz	Pass	AV	5.3508G	48.94	54.00	-5.06	3	Horizontal	0	2.01
5270MHz	Pass	PK	5.2764G	118.15	Inf	-Inf	3	Horizontal	0	2.01
5270MHz	Pass	PK	5.3628G	63.20	74.00	-10.80	3	Horizontal	0	2.01
5270MHz	Pass	PK	10.5368G	59.05	68.20	-9.15	3	Vertical	39	1.96
5270MHz	Pass	PK	10.54472G	59.73	68.20	-8.47	3	Horizontal	13	1.50
5310MHz	Pass	AV	5.3068G	104.58	Inf	-Inf	3	Vertical	354	2.02
5310MHz	Pass	AV	5.35G	52.54	54.00	-1.46	3	Vertical	354	2.02
5310MHz	Pass	PK	5.2972G	118.33	Inf	-Inf	3	Vertical	354	2.02
5310MHz	Pass	PK	5.3556G	67.87	74.00	-6.13	3	Vertical	354	2.02
5310MHz	Pass	AV	5.2932G	104.97	Inf	-Inf	3	Horizontal	3	2.00
5310MHz	Pass	AV	5.3504G	53.78	54.00	-0.22	3	Horizontal	3	2.00
5310MHz	Pass	PK	5.3128G	117.96	Inf	-Inf	3	Horizontal	3	2.00
5310MHz	Pass	PK	5.3584G	70.08	74.00	-3.92	3	Horizontal	3	2.00




RSE TX above 1GHz_Non-Beamforming_ Radio 3_2T1S_Patch

Appendix E.24

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz	Pass	AV	10.62768G	45.62	54.00	-8.38	3	Vertical	36	1.76
5310MHz	Pass	PK	10.62088G	60.48	74.00	-13.52	3	Vertical	36	1.76
5310MHz	Pass	AV	10.62G	46.09	54.00	-7.91	3	Horizontal	25	1.46
5310MHz	Pass	PK	10.62736G	60.16	74.00	-13.84	3	Horizontal	25	1.46
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	51.78	54.00	-2.22	3	Vertical	351	1.63
5210MHz	Pass	AV	5.181G	98.36	Inf	-Inf	3	Vertical	351	1.63
5210MHz	Pass	AV	5.368G	47.55	54.00	-6.45	3	Vertical	351	1.63
5210MHz	Pass	PK	5.15G	65.11	74.00	-8.89	3	Vertical	351	1.63
5210MHz	Pass	PK	5.201G	112.01	Inf	-Inf	3	Vertical	351	1.63
5210MHz	Pass	PK	5.353G	61.43	74.00	-12.57	3	Vertical	351	1.63
5210MHz	Pass	AV	5.15G	53.32	54.00	-0.68	3	Horizontal	360	1.91
5210MHz	Pass	AV	5.181G	99.52	Inf	-Inf	3	Horizontal	360	1.91
5210MHz	Pass	AV	5.37G	47.56	54.00	-6.44	3	Horizontal	360	1.91
5210MHz	Pass	PK	5.15G	65.33	74.00	-8.67	3	Horizontal	360	1.91
5210MHz	Pass	PK	5.191G	113.33	Inf	-Inf	3	Horizontal	360	1.91
5210MHz	Pass	PK	5.364G	61.11	74.00	-12.89	3	Horizontal	360	1.91
5210MHz	Pass	PK	10.4232G	59.48	68.20	-8.72	3	Vertical	61	1.50
5210MHz	Pass	PK	10.42208G	59.37	68.20	-8.83	3	Horizontal	326	1.14
5290MHz	Pass	AV	5.15G	48.44	54.00	-5.56	3	Vertical	353	2.06
5290MHz	Pass	AV	5.299G	100.58	Inf	-Inf	3	Vertical	353	2.06
5290MHz	Pass	AV	5.35G	53.49	54.00	-0.51	3	Vertical	353	2.06
5290MHz	Pass	PK	5.106G	61.12	74.00	-12.88	3	Vertical	353	2.06
5290MHz	Pass	PK	5.292G	114.57	Inf	-Inf	3	Vertical	353	2.06
5290MHz	Pass	PK	5.35G	66.20	74.00	-7.80	3	Vertical	353	2.06
5290MHz	Pass	PK	5.502G	60.57	68.20	-7.63	3	Vertical	353	2.06
5290MHz	Pass	AV	5.15G	47.86	54.00	-6.14	3	Horizontal	0	1.90
5290MHz	Pass	AV	5.296G	100.62	Inf	-Inf	3	Horizontal	0	1.90
5290MHz	Pass	AV	5.35G	52.09	54.00	-1.91	3	Horizontal	0	1.90
5290MHz	Pass	PK	5.144G	61.38	74.00	-12.62	3	Horizontal	0	1.90
5290MHz	Pass	PK	5.298G	114.61	Inf	-Inf	3	Horizontal	0	1.90
5290MHz	Pass	PK	5.354G	64.95	74.00	-9.05	3	Horizontal	0	1.90
5290MHz	Pass	PK	5.526G	58.23	68.20	-9.97	3	Horizontal	0	1.90
5290MHz	Pass	AV	10.6008G	44.99	54.00	-9.01	3	Vertical	354	1.50
5290MHz	Pass	PK	10.58816G	59.60	68.20	-8.60	3	Vertical	354	1.50
5290MHz	Pass	AV	10.60064G	45.13	54.00	-8.87	3	Horizontal	347	2.62
5290MHz	Pass	PK	10.61984G	59.37	74.00	-14.63	3	Horizontal	347	2.62


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.78	54.00	-2.22	8.15	3	Vertical	351	1.63	43.63	33.20	8.95	34.00
AV	5.181G	98.36	Inf	-Inf	8.11	3	Vertical	351	1.63	90.25	33.14	8.97	34.00
AV	5.368G	47.55	54.00	-6.45	8.01	3	Vertical	351	1.63	39.54	32.86	9.14	33.99
PK	5.15G	65.11	74.00	-8.89	8.15	3	Vertical	351	1.63	56.96	33.20	8.95	34.00
PK	5.201G	112.01	Inf	-Inf	8.08	3	Vertical	351	1.63	103.93	33.10	8.98	34.00
PK	5.353G	61.43	74.00	-12.57	8.03	3	Vertical	351	1.63	53.40	32.89	9.13	33.99

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.32	54.00	-0.68	8.15	3	Horizontal	360	1.91	45.17	33.20	8.95	34.00
AV	5.181G	99.52	Inf	-Inf	8.11	3	Horizontal	360	1.91	91.41	33.14	8.97	34.00
AV	5.37G	47.56	54.00	-6.44	8.01	3	Horizontal	360	1.91	39.55	32.86	9.14	33.99
PK	5.15G	65.33	74.00	-8.67	8.15	3	Horizontal	360	1.91	57.18	33.20	8.95	34.00
PK	5.191G	113.33	Inf	-Inf	8.10	3	Horizontal	360	1.91	105.23	33.12	8.98	34.00
PK	5.364G	61.11	74.00	-12.89	8.02	3	Horizontal	360	1.91	53.09	32.87	9.14	33.99


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	47.12	54.00	-6.88	8.15	3	Vertical	353	1.98	38.97	33.20	8.95	34.00
AV	5.283G	104.83	Inf	-Inf	8.00	3	Vertical	353	1.98	96.83	32.93	9.06	33.99
AV	5.3586G	47.30	54.00	-6.70	8.02	3	Vertical	353	1.98	39.28	32.88	9.13	33.99
PK	5.2494G	67.50	68.20	-0.70	8.03	3	Vertical	353	1.98	59.47	33.00	9.03	34.00
PK	5.2866G	116.72	Inf	-Inf	8.00	3	Vertical	353	1.98	108.72	32.93	9.06	33.99
PK	5.3616G	61.04	74.00	-12.96	8.02	3	Vertical	353	1.98	53.02	32.88	9.13	33.99

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	47.49	54.00	-6.51	8.15	3	Horizontal	360	1.84	39.34	33.20	8.95	34.00
AV	5.2866G	105.53	Inf	-Inf	8.00	3	Horizontal	360	1.84	97.53	32.93	9.06	33.99
AV	5.361G	47.24	54.00	-6.76	8.02	3	Horizontal	360	1.84	39.22	32.88	9.13	33.99
PK	5.2494G	67.59	68.20	-0.61	8.03	3	Horizontal	360	1.84	59.56	33.00	9.03	34.00
PK	5.286G	115.91	Inf	-Inf	8.00	3	Horizontal	360	1.84	107.91	32.93	9.06	33.99
PK	5.364G	60.66	74.00	-13.34	8.02	3	Horizontal	360	1.84	52.64	32.87	9.14	33.99


5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX

