


5.47-5.725GHz_a40_Nss1,(6Mbps)_1TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	50.77	54.00	-3.23	8.05	3	Vertical	9	1.63	42.72	32.83	9.20	33.98
AV	5.5016G	88.78	Inf	-Inf	8.24	3	Vertical	9	1.63	80.54	33.00	9.22	33.98
PK	5.46G	62.31	74.00	-11.69	8.06	3	Vertical	9	1.63	54.25	32.84	9.20	33.98
PK	5.4696G	67.37	68.20	-0.83	8.10	3	Vertical	9	1.63	59.27	32.88	9.20	33.98
PK	5.5016G	97.32	Inf	-Inf	8.24	3	Vertical	9	1.63	89.08	33.00	9.22	33.98

5.47-5.725GHz_a40_Nss1,(6Mbps)_1TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	50.78	54.00	-3.22	8.06	3	Horizontal	308	1.79	42.72	32.84	9.20	33.98
AV	5.4976G	90.77	Inf	-Inf	8.22	3	Horizontal	308	1.79	82.55	32.99	9.21	33.98
PK	5.458G	64.82	74.00	-9.18	8.05	3	Horizontal	308	1.79	56.77	32.83	9.20	33.98
PK	5.4696G	68.02	68.20	-0.18	8.10	3	Horizontal	308	1.79	59.92	32.88	9.20	33.98
PK	5.5056G	100.52	Inf	-Inf	8.23	3	Horizontal	308	1.79	92.29	32.99	9.22	33.98


5.47-5.725GHz_a40_Nss1,(6Mbps)_1TX

5510MHz_TX




5.47-5.725GHz_a40_Nss1,(6Mbps)_1TX

5510MHz_TX



5.47-5.725GHz_a80_Nss1,(6Mbps)_1TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	50.33	54.00	-3.67	8.05	3	Vertical	17	1.57	42.28	32.83	9.20	33.98
AV	5.647G	91.39	Inf	-Inf	8.43	3	Vertical	17	1.57	82.96	33.18	9.29	34.04
PK	5.383G	60.30	74.00	-13.70	7.99	3	Vertical	17	1.57	52.31	32.83	9.15	33.99
PK	5.462G	60.52	68.20	-7.68	8.07	3	Vertical	17	1.57	52.45	32.85	9.20	33.98
PK	5.636G	100.47	Inf	-Inf	8.36	3	Vertical	17	1.57	92.11	33.12	9.28	34.04
PK	5.725G	67.65	68.20	-0.55	8.91	3	Vertical	17	1.57	58.74	33.65	9.33	34.07

5.47-5.725GHz_a80_Nss1,(6Mbps)_1TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.441G	50.02	54.00	-3.98	8.01	3	Horizontal	296	1.78	42.01	32.80	9.19	33.98
AV	5.648G	92.40	Inf	-Inf	8.44	3	Horizontal	296	1.78	83.96	33.19	9.29	34.04
PK	5.46G	60.66	74.00	-13.34	8.06	3	Horizontal	296	1.78	52.60	32.84	9.20	33.98
PK	5.464G	61.30	68.20	-6.90	8.08	3	Horizontal	296	1.78	53.22	32.86	9.20	33.98
PK	5.646G	101.14	Inf	-Inf	8.43	3	Horizontal	296	1.78	92.71	33.18	9.29	34.04
PK	5.729G	67.50	68.20	-0.70	8.91	3	Horizontal	296	1.78	58.59	33.66	9.33	34.08


5.47-5.725GHz_a80_Nss1,(6Mbps)_1TX

5610MHz_TX




5.47-5.725GHz_a80_Nss1,(6Mbps)_1TX

5610MHz_TX




5.47-5.725GHz_a160_Nss1,(6Mbps)_1TX

5570MHz_TX




5.47-5.725GHz_a160_Nss1,(6Mbps)_1TX

5570MHz_TX




5.47-5.725GHz_a160_Nss1,(6Mbps)_1TX

5570MHz_TX




5.47-5.725GHz_a160_Nss1,(6Mbps)_1TX

5570MHz_TX



5.725-5.85GHz_a20_Nss1,(6Mbps)_1TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4522G	48.39	54.00	-5.61	8.02	3	Vertical	19	1.58	40.37	32.81	9.19	33.98
AV	5.7486G	101.57	Inf	-Inf	8.96	3	Vertical	19	1.58	92.61	33.70	9.34	34.08
PK	5.5614G	59.27	68.20	-8.93	8.13	3	Vertical	19	1.58	51.14	32.90	9.24	34.01
PK	5.7486G	110.16	Inf	-Inf	8.96	3	Vertical	19	1.58	101.20	33.70	9.34	34.08
PK	5.9826G	58.94	68.20	-9.26	9.34	3	Vertical	19	1.58	49.60	34.10	9.42	34.18

5.725-5.85GHz_a20_Nss1,(6Mbps)_1TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4582G	48.97	54.00	-5.03	8.05	3	Horizontal	293	1.73	40.92	32.83	9.20	33.98
AV	5.7438G	103.48	Inf	-Inf	8.95	3	Horizontal	293	1.73	94.53	33.69	9.34	34.08
PK	5.5458G	59.35	68.20	-8.85	8.15	3	Horizontal	293	1.73	51.20	32.91	9.24	34.00
PK	5.7438G	111.68	Inf	-Inf	8.95	3	Horizontal	293	1.73	102.73	33.69	9.34	34.08
PK	5.9526G	60.66	68.20	-7.54	9.35	3	Horizontal	293	1.73	51.31	34.10	9.42	34.17


5.725-5.85GHz_a20_Nss1,(6Mbps)_1TX

5745MHz_TX




5.725-5.85GHz_a20_Nss1,(6Mbps)_1TX

5745MHz_TX



5.725-5.85GHz_a40_Nss1,(6Mbps)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	48.60	54.00	-5.40	8.06	3	Vertical	16	1.49	40.54	32.84	9.20	33.98
AV	5.7526G	99.65	Inf	-Inf	8.96	3	Vertical	16	1.49	90.69	33.71	9.34	34.09
PK	5.6506G	62.84	68.64	-5.80	8.45	3	Vertical	16	1.49	54.39	33.20	9.29	34.04
PK	5.7514G	108.29	Inf	-Inf	8.96	3	Vertical	16	1.49	99.33	33.71	9.34	34.09
PK	5.9362G	60.64	68.20	-7.56	9.38	3	Vertical	16	1.49	51.26	34.13	9.41	34.16

5.725-5.85GHz_a40_Nss1,(6Mbps)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4562G	48.88	54.00	-5.12	8.04	3	Horizontal	296	1.77	40.84	32.82	9.20	33.98
AV	5.7598G	102.36	Inf	-Inf	9.00	3	Horizontal	296	1.77	93.36	33.74	9.35	34.09
PK	5.6506G	63.93	68.64	-4.71	8.45	3	Horizontal	296	1.77	55.48	33.20	9.29	34.04
PK	5.7478G	110.78	Inf	-Inf	8.96	3	Horizontal	296	1.77	101.82	33.70	9.34	34.08
PK	5.9362G	60.38	68.20	-7.82	9.38	3	Horizontal	296	1.77	51.00	34.13	9.41	34.16


5.725-5.85GHz_a40_Nss1,(6Mbps)_1TX

5755MHz_TX




5.725-5.85GHz_a40_Nss1,(6Mbps)_1TX

5755MHz_TX




5.725-5.85GHz_a80_Nss1,(6Mbps)_1TX

5775MHz_TX




5.725-5.85GHz_a80_Nss1,(6Mbps)_1TX

5775MHz_TX




5.725-5.85GHz_a80_Nss1,(6Mbps)_1TX

5775MHz_TX



5.725-5.85GHz_a80_Nss1,(6Mbps)_1TX

5775MHz_TX





**RSE TX below 1GHz_Non-Beamforming_
Radio 2_1T1S_Dipole**

Appendix E.3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	PK	311.3M	35.39	46.00	-10.61	3	Horizontal	360	1.00



**RSE TX below 1GHz_Non-Beamforming_
Radio 2_1T1S_Dipole**


Appendix E.3

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5775MHz_PoE	Pass	PK	33.88M	28.82	40.00	-11.18	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	107.6M	23.62	43.50	-19.88	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	148.34M	26.80	43.50	-16.70	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	299.66M	32.24	46.00	-13.76	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	449.04M	30.30	46.00	-15.70	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	549.92M	29.32	46.00	-16.68	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	30M	23.62	40.00	-16.38	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	109.54M	22.33	43.50	-21.17	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	148.34M	27.17	43.50	-16.33	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	311.3M	35.39	46.00	-10.61	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	449.04M	30.68	46.00	-15.32	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	594.54M	28.97	46.00	-17.03	3	Horizontal	360	1.00

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	33.88M	28.82	40.00	-11.18	-4.60	3	Vertical	0	1.00	33.42	22.62	0.27	27.49
PK	107.6M	23.62	43.50	-19.88	-8.19	3	Vertical	0	1.00	31.81	18.00	1.08	27.27
PK	148.34M	26.80	43.50	-16.70	-8.92	3	Vertical	0	1.00	35.72	16.64	1.59	27.15
PK	299.66M	32.24	46.00	-13.76	-5.01	3	Vertical	0	1.00	37.25	19.45	2.24	26.70
PK	449.04M	30.30	46.00	-15.70	-2.01	3	Vertical	0	1.00	32.31	22.93	2.90	27.84
PK	549.92M	29.32	46.00	-16.68	0.47	3	Vertical	0	1.00	28.85	25.22	3.42	28.17

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	23.62	40.00	-16.38	-3.00	3	Horizontal	360	1.00	26.62	24.27	0.24	27.51
PK	109.54M	22.33	43.50	-21.17	-7.98	3	Horizontal	360	1.00	30.31	18.17	1.11	27.26
PK	148.34M	27.17	43.50	-16.33	-8.92	3	Horizontal	360	1.00	36.09	16.64	1.59	27.15
PK	311.3M	35.39	46.00	-10.61	-4.80	3	Horizontal	360	1.00	40.19	19.68	2.30	26.78
PK	449.04M	30.68	46.00	-15.32	-2.01	3	Horizontal	360	1.00	32.69	22.93	2.90	27.84
PK	594.54M	28.97	46.00	-17.03	-0.06	3	Horizontal	360	1.00	29.03	24.61	3.55	28.22



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_1T1S_Dipole**

Appendix E.4

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.1498G	45.73	54.00	-8.27	3	Horizontal	180	2.08
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.139G	48.60	54.00	-5.40	3	Horizontal	230	1.12
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.15G	50.17	54.00	-3.83	3	Horizontal	179	2.09
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.149G	48.92	54.00	-5.08	3	Horizontal	180	1.44
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.44	54.00	-0.56	3	Horizontal	230	1.11
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.3516G	45.61	54.00	-8.39	3	Horizontal	178	1.68
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.3598G	48.22	54.00	-5.78	3	Horizontal	178	1.48
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.3516G	49.09	54.00	-4.91	3	Horizontal	178	1.72
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.351G	48.64	54.00	-5.36	3	Horizontal	178	2.13
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.728G	68.00	68.20	-0.20	3	Horizontal	229	1.20
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	PK	5.7264G	65.97	68.20	-2.23	3	Horizontal	229	1.17
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	PK	5.7252G	64.93	68.20	-3.27	3	Horizontal	233	1.01
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.46G	51.03	54.00	-2.97	3	Horizontal	232	1.13
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	PK	5.4692G	67.09	68.20	-1.11	3	Horizontal	230	1.19
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	11.48284G	44.52	54.00	-9.48	3	Horizontal	356	2.97
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.457G	46.83	54.00	-7.17	3	Horizontal	231	1.14
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.455G	46.82	54.00	-7.18	3	Horizontal	229	1.03
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	PK	5.6478G	60.72	68.20	-7.48	3	Horizontal	229	1.03



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_1T1S_Dipole**

Appendix E.4

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1498G	45.73	54.00	-8.27	3	Horizontal	180	2.08
5180MHz	Pass	AV	5.1776G	101.00	Inf	-Inf	3	Horizontal	180	2.08
5180MHz	Pass	PK	5.135G	58.77	74.00	-15.23	3	Horizontal	180	2.08
5180MHz	Pass	PK	5.1778G	112.10	Inf	-Inf	3	Horizontal	180	2.08
5180MHz	Pass	PK	10.3598G	56.14	68.20	-12.06	3	Vertical	146	1.17
5180MHz	Pass	PK	10.36G	56.24	68.20	-11.96	3	Horizontal	349	1.50
5200MHz	Pass	AV	5.15G	44.82	54.00	-9.18	3	Horizontal	180	1.44
5200MHz	Pass	AV	5.1976G	100.61	Inf	-Inf	3	Horizontal	180	1.44
5200MHz	Pass	PK	5.148G	57.69	74.00	-16.31	3	Horizontal	180	1.44
5200MHz	Pass	PK	5.1944G	111.26	Inf	-Inf	3	Horizontal	180	1.44
5200MHz	Pass	PK	10.39428G	56.39	68.20	-11.81	3	Vertical	92	2.26
5200MHz	Pass	PK	10.39496G	57.52	68.20	-10.68	3	Horizontal	207	1.18
5240MHz	Pass	AV	5.15G	44.13	54.00	-9.87	3	Horizontal	182	2.30
5240MHz	Pass	AV	5.243G	99.80	Inf	-Inf	3	Horizontal	182	2.30
5240MHz	Pass	AV	5.3594G	44.53	54.00	-9.47	3	Horizontal	182	2.30
5240MHz	Pass	PK	5.1302G	57.28	74.00	-16.72	3	Horizontal	182	2.30
5240MHz	Pass	PK	5.2412G	110.70	Inf	-Inf	3	Horizontal	182	2.30
5240MHz	Pass	PK	5.3744G	57.37	74.00	-16.63	3	Horizontal	182	2.30
5240MHz	Pass	PK	10.47072G	57.34	68.20	-10.86	3	Vertical	121	1.50
5240MHz	Pass	PK	10.4708G	56.62	68.20	-11.58	3	Horizontal	209	2.73
5260MHz	Pass	AV	5.1496G	44.15	54.00	-9.85	3	Horizontal	181	2.16
5260MHz	Pass	AV	5.2624G	99.73	Inf	-Inf	3	Horizontal	181	2.16
5260MHz	Pass	AV	5.3536G	44.36	54.00	-9.64	3	Horizontal	181	2.16
5260MHz	Pass	PK	5.1262G	57.03	74.00	-16.97	3	Horizontal	181	2.16
5260MHz	Pass	PK	5.2636G	110.55	Inf	-Inf	3	Horizontal	181	2.16
5260MHz	Pass	PK	5.3536G	57.44	74.00	-16.56	3	Horizontal	181	2.16
5260MHz	Pass	PK	10.52904G	56.07	68.20	-12.13	3	Vertical	317	1.50
5260MHz	Pass	PK	10.51552G	57.08	68.20	-11.12	3	Horizontal	56	2.19
5300MHz	Pass	AV	5.2964G	99.67	Inf	-Inf	3	Horizontal	178	1.71
5300MHz	Pass	AV	5.3512G	44.90	54.00	-9.10	3	Horizontal	178	1.71
5300MHz	Pass	PK	5.3016G	110.28	Inf	-Inf	3	Horizontal	178	1.71
5300MHz	Pass	PK	5.362G	58.16	74.00	-15.84	3	Horizontal	178	1.71
5300MHz	Pass	AV	10.60984G	43.31	54.00	-10.69	3	Vertical	258	1.00
5300MHz	Pass	PK	10.59468G	57.63	68.20	-10.57	3	Vertical	258	1.00
5300MHz	Pass	PK	10.59032G	57.11	68.20	-11.09	3	Horizontal	50	1.50
5320MHz	Pass	AV	5.3132G	99.04	Inf	-Inf	3	Horizontal	178	1.68
5320MHz	Pass	AV	5.3516G	45.61	54.00	-8.39	3	Horizontal	178	1.68
5320MHz	Pass	PK	5.3156G	110.13	Inf	-Inf	3	Horizontal	178	1.68
5320MHz	Pass	PK	5.3614G	58.63	74.00	-15.37	3	Horizontal	178	1.68
5320MHz	Pass	AV	10.64812G	43.88	54.00	-10.12	3	Vertical	302	1.50
5320MHz	Pass	PK	10.64892G	57.54	74.00	-16.46	3	Vertical	302	1.50
5320MHz	Pass	AV	10.64832G	43.88	54.00	-10.12	3	Horizontal	179	1.50
5320MHz	Pass	PK	10.6482G	58.24	74.00	-15.76	3	Horizontal	179	1.50
5500MHz	Pass	AV	5.4588G	44.88	54.00	-9.12	3	Horizontal	234	1.05
5500MHz	Pass	AV	5.5048G	98.85	Inf	-Inf	3	Horizontal	234	1.05
5500MHz	Pass	PK	5.4568G	58.74	74.00	-15.26	3	Horizontal	234	1.05
5500MHz	Pass	PK	5.469G	57.97	68.20	-10.23	3	Horizontal	234	1.05
5500MHz	Pass	PK	5.5002G	110.02	Inf	-Inf	3	Horizontal	234	1.05
5500MHz	Pass	AV	11.00528G	42.55	54.00	-11.45	3	Vertical	117	2.51
5500MHz	Pass	PK	10.99332G	56.38	74.00	-17.62	3	Vertical	117	2.51
5500MHz	Pass	AV	11.0078G	42.62	54.00	-11.38	3	Horizontal	165	1.50
5500MHz	Pass	PK	11.00624G	56.15	74.00	-17.85	3	Horizontal	165	1.50
5580MHz	Pass	AV	5.4378G	43.95	54.00	-10.05	3	Horizontal	231	2.10
5580MHz	Pass	AV	5.574G	98.42	Inf	-Inf	3	Horizontal	231	2.10
5580MHz	Pass	PK	5.436G	56.89	74.00	-17.11	3	Horizontal	231	2.10
5580MHz	Pass	PK	5.4642G	57.22	68.20	-10.98	3	Horizontal	231	2.10
5580MHz	Pass	PK	5.5848G	109.62	Inf	-Inf	3	Horizontal	231	2.10
5580MHz	Pass	PK	5.7258G	58.73	68.20	-9.47	3	Horizontal	231	2.10
5580MHz	Pass	AV	11.15828G	43.45	54.00	-10.55	3	Vertical	206	2.56
5580MHz	Pass	PK	11.15344G	57.03	74.00	-16.97	3	Vertical	206	2.56

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	AV	11.16948G	43.41	54.00	-10.59	3	Horizontal	163	1.49
5580MHz	Pass	PK	11.15856G	57.13	74.00	-16.87	3	Horizontal	163	1.49
5700MHz	Pass	AV	5.6976G	100.58	Inf	-Inf	3	Horizontal	229	1.20
5700MHz	Pass	PK	5.7G	111.36	Inf	-Inf	3	Horizontal	229	1.20
5700MHz	Pass	PK	5.728G	68.00	68.20	-0.20	3	Horizontal	229	1.20
5700MHz	Pass	AV	11.39196G	44.85	54.00	-9.15	3	Vertical	270	2.61
5700MHz	Pass	PK	11.40768G	58.23	74.00	-15.77	3	Vertical	270	2.61
5700MHz	Pass	AV	11.39G	44.79	54.00	-9.21	3	Horizontal	334	1.50
5700MHz	Pass	PK	11.40116G	58.69	74.00	-15.31	3	Horizontal	334	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4368G	43.90	54.00	-10.10	3	Horizontal	230	1.18
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	100.77	Inf	-Inf	3	Horizontal	230	1.18
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4416G	56.88	74.00	-17.12	3	Horizontal	230	1.18
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	55.28	68.20	-12.92	3	Horizontal	230	1.18
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7152G	111.03	Inf	-Inf	3	Horizontal	230	1.18
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8772G	57.79	68.20	-10.41	3	Horizontal	230	1.18
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44992G	44.37	54.00	-9.63	3	Vertical	131	1.19
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.445G	58.31	74.00	-15.69	3	Vertical	131	1.19
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44984G	44.41	54.00	-9.59	3	Horizontal	98	1.07
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43736G	58.50	74.00	-15.50	3	Horizontal	98	1.07
5745MHz	Pass	AV	5.4546G	43.80	54.00	-10.20	3	Horizontal	229	1.06
5745MHz	Pass	AV	5.739G	101.21	Inf	-Inf	3	Horizontal	229	1.06
5745MHz	Pass	PK	5.649G	57.50	68.20	-10.70	3	Horizontal	229	1.06
5745MHz	Pass	PK	5.7486G	111.54	Inf	-Inf	3	Horizontal	229	1.06
5745MHz	Pass	PK	5.9286G	57.23	68.20	-10.97	3	Horizontal	229	1.06
5745MHz	Pass	AV	11.49512G	44.51	54.00	-9.49	3	Vertical	0	1.66
5745MHz	Pass	PK	11.48824G	57.87	74.00	-16.13	3	Vertical	0	1.66
5745MHz	Pass	AV	11.48284G	44.52	54.00	-9.48	3	Horizontal	356	2.97
5745MHz	Pass	PK	11.49804G	58.55	74.00	-15.45	3	Horizontal	356	2.97
5785MHz	Pass	AV	5.77766G	100.37	Inf	-Inf	3	Horizontal	226	1.14
5785MHz	Pass	PK	5.63004G	58.27	68.20	-9.93	3	Horizontal	226	1.14
5785MHz	Pass	PK	5.77887G	110.86	Inf	-Inf	3	Horizontal	226	1.14
5785MHz	Pass	PK	5.95432G	57.53	68.20	-10.67	3	Horizontal	226	1.14
5785MHz	Pass	AV	11.56132G	43.64	54.00	-10.36	3	Vertical	199	1.98
5785MHz	Pass	PK	11.57152G	57.62	74.00	-16.38	3	Vertical	199	1.98
5785MHz	Pass	AV	11.56144G	43.56	54.00	-10.44	3	Horizontal	104	1.67
5785MHz	Pass	PK	11.56216G	56.98	74.00	-17.02	3	Horizontal	104	1.67
5825MHz	Pass	AV	5.8286G	99.41	Inf	-Inf	3	Horizontal	226	1.13
5825MHz	Pass	PK	5.6258G	57.99	68.20	-10.21	3	Horizontal	226	1.13
5825MHz	Pass	PK	5.8274G	109.96	Inf	-Inf	3	Horizontal	226	1.13
5825MHz	Pass	PK	6.065G	57.13	68.20	-11.07	3	Horizontal	226	1.13
5825MHz	Pass	AV	11.65824G	43.98	54.00	-10.02	3	Vertical	309	1.27
5825MHz	Pass	PK	11.65612G	57.32	74.00	-16.68	3	Vertical	309	1.27
5825MHz	Pass	AV	11.65308G	43.93	54.00	-10.07	3	Horizontal	57	2.82
5825MHz	Pass	PK	11.64704G	57.65	74.00	-16.35	3	Horizontal	57	2.82
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.139G	48.60	54.00	-5.40	3	Horizontal	230	1.12
5180MHz	Pass	AV	5.1758G	100.11	Inf	-Inf	3	Horizontal	230	1.12
5180MHz	Pass	PK	5.14G	61.69	74.00	-12.31	3	Horizontal	230	1.12
5180MHz	Pass	PK	5.177G	113.37	Inf	-Inf	3	Horizontal	230	1.12
5180MHz	Pass	PK	10.36164G	56.41	68.20	-11.79	3	Vertical	114	2.44
5180MHz	Pass	PK	10.36216G	56.94	68.20	-11.26	3	Horizontal	149	2.62
5200MHz	Pass	AV	5.1496G	47.89	54.00	-6.11	3	Horizontal	180	1.43
5200MHz	Pass	AV	5.1984G	99.73	Inf	-Inf	3	Horizontal	180	1.43
5200MHz	Pass	PK	5.1424G	60.72	74.00	-13.28	3	Horizontal	180	1.43
5200MHz	Pass	PK	5.1984G	112.94	Inf	-Inf	3	Horizontal	180	1.43
5200MHz	Pass	PK	10.39152G	57.30	68.20	-10.90	3	Vertical	298	1.50
5200MHz	Pass	PK	10.39996G	56.34	68.20	-11.86	3	Horizontal	66	1.50
5240MHz	Pass	AV	5.1494G	47.46	54.00	-6.54	3	Horizontal	179	2.29
5240MHz	Pass	AV	5.2376G	99.44	Inf	-Inf	3	Horizontal	179	2.29
5240MHz	Pass	AV	5.3564G	47.39	54.00	-6.61	3	Horizontal	179	2.29
5240MHz	Pass	PK	5.1344G	60.25	74.00	-13.75	3	Horizontal	179	2.29
5240MHz	Pass	PK	5.246G	112.42	Inf	-Inf	3	Horizontal	179	2.29



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_1T1S_Dipole**

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	PK	5.3624G	60.12	74.00	-13.88	3	Horizontal	179	2.29
5240MHz	Pass	PK	10.4848G	56.51	68.20	-11.69	3	Vertical	259	1.50
5240MHz	Pass	PK	10.483G	56.62	68.20	-11.58	3	Horizontal	327	2.67
5260MHz	Pass	AV	5.149G	47.38	54.00	-6.62	3	Horizontal	179	2.16
5260MHz	Pass	AV	5.2624G	99.13	Inf	-Inf	3	Horizontal	179	2.16
5260MHz	Pass	AV	5.3506G	47.36	54.00	-6.64	3	Horizontal	179	2.16
5260MHz	Pass	PK	5.137G	60.23	74.00	-13.77	3	Horizontal	179	2.16
5260MHz	Pass	PK	5.2672G	111.79	Inf	-Inf	3	Horizontal	179	2.16
5260MHz	Pass	PK	5.3638G	60.68	74.00	-13.32	3	Horizontal	179	2.16
5260MHz	Pass	PK	10.5248G	56.59	68.20	-11.61	3	Vertical	216	1.50
5260MHz	Pass	PK	10.51544G	57.09	68.20	-11.11	3	Horizontal	63	2.05
5300MHz	Pass	AV	5.2928G	98.71	Inf	-Inf	3	Horizontal	178	1.58
5300MHz	Pass	AV	5.3512G	47.68	54.00	-6.32	3	Horizontal	178	1.58
5300MHz	Pass	PK	5.2952G	112.47	Inf	-Inf	3	Horizontal	178	1.58
5300MHz	Pass	PK	5.3568G	60.92	74.00	-13.08	3	Horizontal	178	1.58
5300MHz	Pass	AV	10.60988G	43.30	54.00	-10.70	3	Vertical	357	1.50
5300MHz	Pass	PK	10.60392G	56.86	74.00	-17.14	3	Vertical	357	1.50
5300MHz	Pass	AV	10.60972G	43.29	54.00	-10.71	3	Horizontal	151	1.25
5300MHz	Pass	PK	10.59588G	57.68	68.20	-10.52	3	Horizontal	151	1.25
5320MHz	Pass	AV	5.3128G	98.04	Inf	-Inf	3	Horizontal	178	1.48
5320MHz	Pass	AV	5.3598G	48.22	54.00	-5.78	3	Horizontal	178	1.48
5320MHz	Pass	PK	5.3152G	111.79	Inf	-Inf	3	Horizontal	178	1.48
5320MHz	Pass	PK	5.3514G	61.38	74.00	-12.62	3	Horizontal	178	1.48
5320MHz	Pass	AV	10.64896G	43.92	54.00	-10.08	3	Vertical	313	1.73
5320MHz	Pass	PK	10.6446G	58.07	74.00	-15.93	3	Vertical	313	1.73
5320MHz	Pass	AV	10.64924G	43.91	54.00	-10.09	3	Horizontal	50	1.50
5320MHz	Pass	PK	10.6464G	57.55	74.00	-16.45	3	Horizontal	50	1.50
5500MHz	Pass	AV	5.4594G	47.91	54.00	-6.09	3	Horizontal	235	1.00
5500MHz	Pass	AV	5.502G	98.30	Inf	-Inf	3	Horizontal	235	1.00
5500MHz	Pass	PK	5.4598G	60.42	74.00	-13.58	3	Horizontal	235	1.00
5500MHz	Pass	PK	5.469G	60.39	68.20	-7.81	3	Horizontal	235	1.00
5500MHz	Pass	PK	5.5056G	111.66	Inf	-Inf	3	Horizontal	235	1.00
5500MHz	Pass	AV	11.00544G	43.14	54.00	-10.86	3	Vertical	69	1.50
5500MHz	Pass	PK	11.00056G	57.10	74.00	-16.90	3	Vertical	69	1.50
5500MHz	Pass	AV	11.00784G	43.11	54.00	-10.89	3	Horizontal	210	1.50
5500MHz	Pass	PK	10.9974G	57.64	74.00	-16.36	3	Horizontal	210	1.50
5580MHz	Pass	AV	5.4378G	46.92	54.00	-7.08	3	Horizontal	232	1.06
5580MHz	Pass	AV	5.5722G	98.42	Inf	-Inf	3	Horizontal	232	1.06
5580MHz	Pass	PK	5.439G	59.56	74.00	-14.44	3	Horizontal	232	1.06
5580MHz	Pass	PK	5.466G	58.93	68.20	-9.27	3	Horizontal	232	1.06
5580MHz	Pass	PK	5.5716G	111.17	Inf	-Inf	3	Horizontal	232	1.06
5580MHz	Pass	PK	5.7264G	60.83	68.20	-7.37	3	Horizontal	232	1.06
5580MHz	Pass	AV	11.15824G	43.54	54.00	-10.46	3	Vertical	232	1.05
5580MHz	Pass	PK	11.15684G	57.07	74.00	-16.93	3	Vertical	232	1.05
5580MHz	Pass	AV	11.15572G	43.54	54.00	-10.46	3	Horizontal	35	1.50
5580MHz	Pass	PK	11.159G	57.72	74.00	-16.28	3	Horizontal	35	1.50
5700MHz	Pass	AV	5.7076G	98.04	Inf	-Inf	3	Horizontal	229	1.17
5700MHz	Pass	PK	5.6948G	111.14	Inf	-Inf	3	Horizontal	229	1.17
5700MHz	Pass	PK	5.7264G	65.97	68.20	-2.23	3	Horizontal	229	1.17
5700MHz	Pass	AV	11.3908G	44.86	54.00	-9.14	3	Vertical	303	1.46
5700MHz	Pass	PK	11.40728G	58.57	74.00	-15.43	3	Vertical	303	1.46
5700MHz	Pass	AV	11.39012G	44.96	54.00	-9.04	3	Horizontal	204	1.91
5700MHz	Pass	PK	11.40764G	59.08	74.00	-14.92	3	Horizontal	204	1.91
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4392G	46.84	54.00	-7.16	3	Horizontal	229	1.16
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	99.72	Inf	-Inf	3	Horizontal	229	1.16
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.438G	59.29	74.00	-14.71	3	Horizontal	229	1.16
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	58.97	68.20	-9.23	3	Horizontal	229	1.16
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	112.95	Inf	-Inf	3	Horizontal	229	1.16
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8556G	60.88	68.20	-7.32	3	Horizontal	229	1.16
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43788G	44.43	54.00	-9.57	3	Vertical	18	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4306G	58.20	74.00	-15.80	3	Vertical	18	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4454G	44.45	54.00	-9.55	3	Horizontal	177	2.66



RSE TX above 1GHz_Non-Beamforming_ Radio 2_1T1S_Dipole

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44456G	58.24	74.00	-15.76	3	Horizontal	177	2.66
5745MHz	Pass	AV	5.457G	46.83	54.00	-7.17	3	Horizontal	231	1.14
5745MHz	Pass	AV	5.7378G	100.58	Inf	-Inf	3	Horizontal	231	1.14
5745MHz	Pass	PK	5.493G	60.79	68.20	-7.41	3	Horizontal	231	1.14
5745MHz	Pass	PK	5.7366G	113.94	Inf	-Inf	3	Horizontal	231	1.14
5745MHz	Pass	PK	5.943G	60.18	68.20	-8.02	3	Horizontal	231	1.14
5745MHz	Pass	AV	11.49532G	44.69	54.00	-9.31	3	Vertical	142	1.50
5745MHz	Pass	PK	11.49712G	58.73	74.00	-15.27	3	Vertical	142	1.50
5745MHz	Pass	AV	11.49588G	44.70	54.00	-9.30	3	Horizontal	142	2.63
5745MHz	Pass	PK	11.48556G	58.28	74.00	-15.72	3	Horizontal	142	2.63
5785MHz	Pass	AV	5.77766G	99.00	Inf	-Inf	3	Horizontal	225	2.10
5785MHz	Pass	PK	5.61915G	60.90	68.20	-7.30	3	Horizontal	225	2.10
5785MHz	Pass	PK	5.7825G	111.24	Inf	-Inf	3	Horizontal	225	2.10
5785MHz	Pass	PK	5.92649G	60.67	68.20	-7.53	3	Horizontal	225	2.10
5785MHz	Pass	AV	11.56644G	44.00	54.00	-10.00	3	Vertical	11	2.13
5785MHz	Pass	PK	11.56364G	57.97	74.00	-16.03	3	Vertical	11	2.13
5785MHz	Pass	AV	11.56132G	44.01	54.00	-9.99	3	Horizontal	109	1.10
5785MHz	Pass	PK	11.5698G	57.69	74.00	-16.31	3	Horizontal	109	1.10
5825MHz	Pass	AV	5.831G	98.85	Inf	-Inf	3	Horizontal	227	1.28
5825MHz	Pass	PK	5.6486G	59.65	68.20	-8.55	3	Horizontal	227	1.28
5825MHz	Pass	PK	5.831G	111.49	Inf	-Inf	3	Horizontal	227	1.28
5825MHz	Pass	PK	6.0602G	60.84	68.20	-7.36	3	Horizontal	227	1.28
5825MHz	Pass	AV	11.6584G	44.10	54.00	-9.90	3	Vertical	335	2.73
5825MHz	Pass	PK	11.655G	58.72	74.00	-15.28	3	Vertical	335	2.73
5825MHz	Pass	AV	11.6562G	44.10	54.00	-9.90	3	Horizontal	360	1.88
5825MHz	Pass	PK	11.65304G	58.05	74.00	-15.95	3	Horizontal	360	1.88
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	50.17	54.00	-3.83	3	Horizontal	179	2.09
5190MHz	Pass	AV	5.1796G	97.70	Inf	-Inf	3	Horizontal	179	2.09
5190MHz	Pass	PK	5.15G	62.83	74.00	-11.17	3	Horizontal	179	2.09
5190MHz	Pass	PK	5.1756G	110.86	Inf	-Inf	3	Horizontal	179	2.09
5190MHz	Pass	PK	10.36136G	56.83	68.20	-11.37	3	Vertical	11	1.50
5190MHz	Pass	PK	10.38792G	56.85	68.20	-11.35	3	Horizontal	323	2.39
5230MHz	Pass	AV	5.15G	48.15	54.00	-5.85	3	Horizontal	178	1.23
5230MHz	Pass	AV	5.216G	96.79	Inf	-Inf	3	Horizontal	178	1.23
5230MHz	Pass	PK	5.1456G	60.66	74.00	-13.34	3	Horizontal	178	1.23
5230MHz	Pass	PK	5.216G	110.11	Inf	-Inf	3	Horizontal	178	1.23
5230MHz	Pass	PK	10.46664G	57.72	68.20	-10.48	3	Vertical	162	1.50
5230MHz	Pass	PK	10.46928G	56.83	68.20	-11.37	3	Horizontal	3	1.50
5270MHz	Pass	AV	5.2632G	96.83	Inf	-Inf	3	Horizontal	179	2.16
5270MHz	Pass	AV	5.3512G	47.95	54.00	-6.05	3	Horizontal	179	2.16
5270MHz	Pass	PK	5.2644G	110.40	Inf	-Inf	3	Horizontal	179	2.16
5270MHz	Pass	PK	5.3624G	60.67	74.00	-13.33	3	Horizontal	179	2.16
5270MHz	Pass	PK	10.52816G	56.50	68.20	-11.70	3	Vertical	256	2.57
5270MHz	Pass	PK	10.53768G	56.63	68.20	-11.57	3	Horizontal	209	3.00
5310MHz	Pass	AV	5.296G	96.25	Inf	-Inf	3	Horizontal	178	1.72
5310MHz	Pass	AV	5.3516G	49.09	54.00	-4.91	3	Horizontal	178	1.72
5310MHz	Pass	PK	5.2992G	110.08	Inf	-Inf	3	Horizontal	178	1.72
5310MHz	Pass	PK	5.3968G	61.85	74.00	-12.15	3	Horizontal	178	1.72
5310MHz	Pass	AV	10.63856G	43.83	54.00	-10.17	3	Vertical	176	1.50
5310MHz	Pass	PK	10.61472G	57.76	74.00	-16.24	3	Vertical	176	1.50
5310MHz	Pass	AV	10.63976G	43.78	54.00	-10.22	3	Horizontal	176	2.47
5310MHz	Pass	PK	10.63896G	57.39	74.00	-16.61	3	Horizontal	176	2.47
5510MHz	Pass	AV	5.4588G	48.00	54.00	-6.00	3	Horizontal	234	1.03
5510MHz	Pass	AV	5.5024G	95.89	Inf	-Inf	3	Horizontal	234	1.03
5510MHz	Pass	PK	5.4276G	60.36	74.00	-13.64	3	Horizontal	234	1.03
5510MHz	Pass	PK	5.4628G	61.26	68.20	-6.94	3	Horizontal	234	1.03
5510MHz	Pass	PK	5.5204G	108.89	Inf	-Inf	3	Horizontal	234	1.03
5510MHz	Pass	AV	11.01048G	43.30	54.00	-10.70	3	Vertical	56	2.63
5510MHz	Pass	PK	11.0324G	56.87	74.00	-17.13	3	Vertical	56	2.63
5510MHz	Pass	AV	11.02064G	43.33	54.00	-10.67	3	Horizontal	291	2.38
5510MHz	Pass	PK	11.00512G	56.84	74.00	-17.16	3	Horizontal	291	2.38



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_1T1S_Dipole**


Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5550MHz	Pass	AV	5.4588G	47.15	54.00	-6.85	3	Horizontal	179	1.50
5550MHz	Pass	AV	5.5436G	94.10	Inf	-Inf	3	Horizontal	179	1.50
5550MHz	Pass	PK	5.4508G	59.59	74.00	-14.41	3	Horizontal	179	1.50
5550MHz	Pass	PK	5.4652G	60.35	68.20	-7.85	3	Horizontal	179	1.50
5550MHz	Pass	PK	5.5448G	107.41	Inf	-Inf	3	Horizontal	179	1.50
5550MHz	Pass	AV	11.1196G	43.38	54.00	-10.62	3	Vertical	108	1.50
5550MHz	Pass	PK	11.10104G	56.99	74.00	-17.01	3	Vertical	108	1.50
5550MHz	Pass	AV	11.12G	43.40	54.00	-10.60	3	Horizontal	111	1.50
5550MHz	Pass	PK	11.09424G	57.12	74.00	-16.88	3	Horizontal	111	1.50
5670MHz	Pass	AV	5.676G	98.58	Inf	-Inf	3	Horizontal	233	1.01
5670MHz	Pass	PK	5.6748G	111.85	Inf	-Inf	3	Horizontal	233	1.01
5670MHz	Pass	PK	5.7252G	64.93	68.20	-3.27	3	Horizontal	233	1.01
5670MHz	Pass	AV	11.3484G	45.37	54.00	-8.63	3	Vertical	68	1.50
5670MHz	Pass	PK	11.3352G	58.80	74.00	-15.20	3	Vertical	68	1.50
5670MHz	Pass	AV	11.34568G	45.28	54.00	-8.72	3	Horizontal	331	1.50
5670MHz	Pass	PK	11.3588G	59.81	74.00	-14.19	3	Horizontal	331	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4136G	46.97	54.00	-7.03	3	Horizontal	233	1.22
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.704G	97.89	Inf	-Inf	3	Horizontal	233	1.22
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4124G	58.94	74.00	-15.06	3	Horizontal	233	1.22
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4664G	59.36	68.20	-8.84	3	Horizontal	233	1.22
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7076G	111.82	Inf	-Inf	3	Horizontal	233	1.22
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8528G	60.89	68.20	-7.31	3	Horizontal	233	1.22
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4048G	44.92	54.00	-9.08	3	Vertical	34	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4272G	59.09	74.00	-14.91	3	Vertical	34	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.402G	44.91	54.00	-9.09	3	Horizontal	96	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41032G	58.46	74.00	-15.54	3	Horizontal	96	1.50
5755MHz	Pass	AV	5.455G	46.82	54.00	-7.18	3	Horizontal	229	1.03
5755MHz	Pass	AV	5.7466G	97.49	Inf	-Inf	3	Horizontal	229	1.03
5755MHz	Pass	PK	5.6482G	59.90	68.20	-8.30	3	Horizontal	229	1.03
5755MHz	Pass	PK	5.7514G	110.27	Inf	-Inf	3	Horizontal	229	1.03
5755MHz	Pass	PK	5.9974G	60.55	68.20	-7.65	3	Horizontal	229	1.03
5755MHz	Pass	AV	11.5004G	44.86	54.00	-9.14	3	Vertical	360	1.19
5755MHz	Pass	PK	11.50848G	58.29	74.00	-15.71	3	Vertical	360	1.19
5755MHz	Pass	AV	11.5056G	44.84	54.00	-9.16	3	Horizontal	312	1.46
5755MHz	Pass	PK	11.51824G	58.60	74.00	-15.40	3	Horizontal	312	1.46
5795MHz	Pass	AV	5.777G	95.90	Inf	-Inf	3	Horizontal	227	1.15
5795MHz	Pass	PK	5.5922G	60.67	68.20	-7.53	3	Horizontal	227	1.15
5795MHz	Pass	PK	5.7866G	108.30	Inf	-Inf	3	Horizontal	227	1.15
5795MHz	Pass	PK	5.957G	60.48	68.20	-7.72	3	Horizontal	227	1.15
5795MHz	Pass	AV	11.59256G	44.13	54.00	-9.87	3	Vertical	0	1.50
5795MHz	Pass	PK	11.5712G	57.90	74.00	-16.10	3	Vertical	0	1.50
5795MHz	Pass	AV	11.58696G	44.12	54.00	-9.88	3	Horizontal	98	1.50
5795MHz	Pass	PK	11.574G	57.82	74.00	-16.18	3	Horizontal	98	1.50
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	48.92	54.00	-5.08	3	Horizontal	180	1.44
5210MHz	Pass	AV	5.198G	94.17	Inf	-Inf	3	Horizontal	180	1.44
5210MHz	Pass	AV	5.357G	47.64	54.00	-6.36	3	Horizontal	180	1.44
5210MHz	Pass	PK	5.116G	61.01	74.00	-12.99	3	Horizontal	180	1.44
5210MHz	Pass	PK	5.173G	106.70	Inf	-Inf	3	Horizontal	180	1.44
5210MHz	Pass	PK	5.351G	60.34	74.00	-13.66	3	Horizontal	180	1.44
5210MHz	Pass	PK	10.38368G	56.60	68.20	-11.60	3	Vertical	345	1.01
5210MHz	Pass	PK	10.45584G	56.37	68.20	-11.83	3	Horizontal	314	2.77
5290MHz	Pass	AV	5.149G	47.64	54.00	-6.36	3	Horizontal	178	2.13
5290MHz	Pass	AV	5.282G	93.92	Inf	-Inf	3	Horizontal	178	2.13
5290MHz	Pass	AV	5.351G	48.64	54.00	-5.36	3	Horizontal	178	2.13
5290MHz	Pass	PK	5.142G	60.08	74.00	-13.92	3	Horizontal	178	2.13
5290MHz	Pass	PK	5.282G	106.72	Inf	-Inf	3	Horizontal	178	2.13
5290MHz	Pass	PK	5.372G	60.74	74.00	-13.26	3	Horizontal	178	2.13
5290MHz	Pass	PK	5.506G	59.29	68.20	-8.91	3	Horizontal	178	2.13
5290MHz	Pass	AV	10.62G	43.71	54.00	-10.29	3	Vertical	125	2.89
5290MHz	Pass	PK	10.60608G	57.04	74.00	-16.96	3	Vertical	125	2.89
5290MHz	Pass	AV	10.61504G	43.70	54.00	-10.30	3	Horizontal	349	1.48

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	PK	10.58784G	57.02	68.20	-11.18	3	Horizontal	349	1.48
5530MHz	Pass	AV	5.35G	47.35	54.00	-6.65	3	Horizontal	232	1.13
5530MHz	Pass	AV	5.46G	51.03	54.00	-2.97	3	Horizontal	232	1.13
5530MHz	Pass	AV	5.527G	92.84	Inf	-Inf	3	Horizontal	232	1.13
5530MHz	Pass	PK	5.304G	61.17	68.20	-7.03	3	Horizontal	232	1.13
5530MHz	Pass	PK	5.451G	64.07	74.00	-9.93	3	Horizontal	232	1.13
5530MHz	Pass	PK	5.469G	64.43	68.20	-3.77	3	Horizontal	232	1.13
5530MHz	Pass	PK	5.543G	105.74	Inf	-Inf	3	Horizontal	232	1.13
5530MHz	Pass	PK	5.758G	60.69	68.20	-7.51	3	Horizontal	232	1.13
5530MHz	Pass	AV	11.02G	43.37	54.00	-10.63	3	Vertical	41	1.50
5530MHz	Pass	PK	11.0264G	56.83	74.00	-17.17	3	Vertical	41	1.50
5530MHz	Pass	AV	11.02G	43.45	54.00	-10.55	3	Horizontal	98	1.50
5530MHz	Pass	PK	11.0456G	56.66	74.00	-17.34	3	Horizontal	98	1.50
5610MHz	Pass	AV	5.46G	47.53	54.00	-6.47	3	Horizontal	233	1.09
5610MHz	Pass	AV	5.641G	93.81	Inf	-Inf	3	Horizontal	233	1.09
5610MHz	Pass	PK	5.446G	59.99	74.00	-14.01	3	Horizontal	233	1.09
5610MHz	Pass	PK	5.465G	59.94	68.20	-8.26	3	Horizontal	233	1.09
5610MHz	Pass	PK	5.639G	107.51	Inf	-Inf	3	Horizontal	233	1.09
5610MHz	Pass	PK	5.737G	61.88	68.20	-6.32	3	Horizontal	233	1.09
5610MHz	Pass	AV	11.25952G	44.40	54.00	-9.60	3	Vertical	250	1.50
5610MHz	Pass	PK	11.2376G	59.09	74.00	-14.91	3	Vertical	250	1.50
5610MHz	Pass	AV	11.26G	44.30	54.00	-9.70	3	Horizontal	154	2.69
5610MHz	Pass	PK	11.21696G	57.99	74.00	-16.01	3	Horizontal	154	2.69
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.3912G	47.07	54.00	-6.93	3	Horizontal	232	1.10
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.678G	94.65	Inf	-Inf	3	Horizontal	232	1.10
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4104G	59.63	74.00	-14.37	3	Horizontal	232	1.10
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	59.32	68.20	-8.88	3	Horizontal	232	1.10
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6804G	108.19	Inf	-Inf	3	Horizontal	232	1.10
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8712G	61.42	68.20	-6.78	3	Horizontal	232	1.10
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.34864G	45.34	54.00	-8.66	3	Vertical	7	2.73
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3832G	58.77	74.00	-15.23	3	Vertical	7	2.73
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.34992G	45.32	54.00	-8.68	3	Horizontal	57	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.34448G	59.11	74.00	-14.89	3	Horizontal	57	1.50
5775MHz	Pass	AV	5.7618G	94.35	Inf	-Inf	3	Horizontal	229	1.03
5775MHz	Pass	PK	5.6478G	60.72	68.20	-7.48	3	Horizontal	229	1.03
5775MHz	Pass	PK	5.7438G	107.11	Inf	-Inf	3	Horizontal	229	1.03
5775MHz	Pass	PK	6.003G	60.59	68.20	-7.61	3	Horizontal	229	1.03
5775MHz	Pass	AV	11.51272G	45.03	54.00	-8.97	3	Vertical	320	1.75
5775MHz	Pass	PK	11.5516G	58.46	74.00	-15.54	3	Vertical	320	1.75
5775MHz	Pass	AV	11.51336G	44.89	54.00	-9.11	3	Horizontal	250	1.50
5775MHz	Pass	PK	11.5188G	59.47	74.00	-14.53	3	Horizontal	250	1.50
802.11be EHT160_Nss1_(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.15G	53.44	54.00	-0.56	3	Horizontal	230	1.11
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1732G	91.49	Inf	-Inf	3	Horizontal	230	1.11
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.358G	52.28	54.00	-1.72	3	Horizontal	230	1.11
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1468G	70.33	74.00	-3.67	3	Horizontal	230	1.11
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.1876G	104.88	Inf	-Inf	3	Horizontal	230	1.11
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4084G	70.44	74.00	-3.56	3	Horizontal	230	1.11
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.466G	64.35	68.20	-3.85	3	Horizontal	230	1.11
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.4872G	56.12	68.20	-12.08	3	Vertical	83	2.29
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.492G	56.21	68.20	-11.99	3	Horizontal	356	1.50
5570MHz	Pass	AV	5.4548G	51.03	54.00	-2.97	3	Horizontal	230	1.19
5570MHz	Pass	AV	5.6456G	89.67	Inf	-Inf	3	Horizontal	230	1.19
5570MHz	Pass	PK	5.294G	60.92	68.20	-7.28	3	Horizontal	230	1.19
5570MHz	Pass	PK	5.45G	68.13	74.00	-5.87	3	Horizontal	230	1.19
5570MHz	Pass	PK	5.4692G	67.09	68.20	-1.11	3	Horizontal	230	1.19
5570MHz	Pass	PK	5.6468G	102.51	Inf	-Inf	3	Horizontal	230	1.19
5570MHz	Pass	PK	5.7632G	65.82	68.20	-2.38	3	Horizontal	230	1.19
5570MHz	Pass	AV	11.21744G	43.96	54.00	-10.04	3	Vertical	240	1.50
5570MHz	Pass	PK	11.18896G	56.99	74.00	-17.01	3	Vertical	240	1.50
5570MHz	Pass	AV	11.21392G	43.95	54.00	-10.05	3	Horizontal	243	2.26
5570MHz	Pass	PK	11.19152G	57.34	74.00	-16.66	3	Horizontal	243	2.26


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.15-5.25GHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.35	54.00	-6.65	8.03	3	Horizontal	232	1.13	39.32	32.90	9.12	33.99
AV	5.46G	51.03	54.00	-2.97	8.06	3	Horizontal	232	1.13	42.97	32.84	9.20	33.98
AV	5.527G	92.84	Inf	-Inf	8.19	3	Horizontal	232	1.13	84.65	32.95	9.23	33.99
PK	5.304G	61.17	68.20	-7.03	7.99	3	Horizontal	232	1.13	53.18	32.90	9.08	33.99
PK	5.451G	64.07	74.00	-9.93	8.01	3	Horizontal	232	1.13	56.06	32.80	9.19	33.98
PK	5.469G	64.43	68.20	-3.77	8.10	3	Horizontal	232	1.13	56.33	32.88	9.20	33.98
PK	5.543G	105.74	Inf	-Inf	8.14	3	Horizontal	232	1.13	97.60	32.91	9.23	34.00
PK	5.758G	60.69	68.20	-7.51	8.99	3	Horizontal	232	1.13	51.70	33.73	9.35	34.09

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02G	43.37	54.00	-10.63	18.03	3	Vertical	41	1.50	25.34	38.76	13.60	34.33
PK	11.0264G	56.83	74.00	-17.17	18.03	3	Vertical	41	1.50	38.80	38.75	13.61	34.33


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4546G	43.80	54.00	-10.20	8.03	3	Horizontal	229	1.06	35.77	32.82	9.19	33.98
AV	5.739G	101.21	Inf	-Inf	8.94	3	Horizontal	229	1.06	92.27	33.68	9.34	34.08
PK	5.649G	57.50	68.20	-10.70	8.44	3	Horizontal	229	1.06	49.06	33.19	9.29	34.04
PK	5.7486G	111.54	Inf	-Inf	8.96	3	Horizontal	229	1.06	102.58	33.70	9.34	34.08
PK	5.9286G	57.23	68.20	-10.97	9.39	3	Horizontal	229	1.06	47.84	34.14	9.41	34.16

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49512G	44.51	54.00	-9.49	19.00	3	Vertical	0	1.66	25.51	39.00	14.09	34.09
PK	11.48824G	57.87	74.00	-16.13	18.98	3	Vertical	0	1.66	38.89	39.00	14.08	34.10


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5745MHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	46.82	54.00	-7.18	8.03	3	Horizontal	229	1.03	38.79	32.82	9.19	33.98
AV	5.7466G	97.49	Inf	-Inf	8.95	3	Horizontal	229	1.03	88.54	33.69	9.34	34.08
PK	5.6482G	59.90	68.20	-8.30	8.44	3	Horizontal	229	1.03	51.46	33.19	9.29	34.04
PK	5.7514G	110.27	Inf	-Inf	8.96	3	Horizontal	229	1.03	101.31	33.71	9.34	34.09
PK	5.9974G	60.55	68.20	-7.65	9.34	3	Horizontal	229	1.03	51.21	34.10	9.43	34.19

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5004G	44.86	54.00	-9.14	19.00	3	Vertical	360	1.19	25.86	39.00	14.09	34.09
PK	11.50848G	58.29	74.00	-15.71	18.98	3	Vertical	360	1.19	39.31	38.97	14.10	34.09


5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5755MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX





**RSE TX below 1GHz_Non-Beamforming_
Radio 2_2T1S_Dipole**

Appendix E.5

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	313.24M	36.05	46.00	-9.95	3	Horizontal	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz_PoE	Pass	PK	33.88M	28.48	40.00	-11.52	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	78.5M	24.04	40.00	-15.96	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	148.34M	27.47	43.50	-16.03	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	291.9M	31.29	46.00	-14.71	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	449.04M	31.05	46.00	-14.95	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	575.14M	29.07	46.00	-16.93	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	30M	23.79	40.00	-16.21	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	107.6M	20.80	43.50	-22.70	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	148.34M	26.65	43.50	-16.85	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	313.24M	36.05	46.00	-9.95	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	449.04M	29.77	46.00	-16.23	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	582.9M	29.51	46.00	-16.49	3	Horizontal	0	1.00

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	33.88M	28.48	40.00	-11.52	-4.60	3	Vertical	360	1.00	33.08	22.62	0.27	27.49
PK	78.5M	24.04	40.00	-15.96	-13.65	3	Vertical	360	1.00	37.69	12.96	0.74	27.35
PK	148.34M	27.47	43.50	-16.03	-8.92	3	Vertical	360	1.00	36.39	16.64	1.59	27.15
PK	291.9M	31.29	46.00	-14.71	-5.26	3	Vertical	360	1.00	36.55	19.22	2.23	26.71
PK	449.04M	31.05	46.00	-14.95	-2.01	3	Vertical	360	1.00	33.06	22.93	2.90	27.84
PK	575.14M	29.07	46.00	-16.93	-0.12	3	Vertical	360	1.00	29.19	24.58	3.50	28.20

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	23.79	40.00	-16.21	-3.00	3	Horizontal	0	1.00	26.79	24.27	0.24	27.51
PK	107.6M	20.80	43.50	-22.70	-8.19	3	Horizontal	0	1.00	28.99	18.00	1.08	27.27
PK	148.34M	26.65	43.50	-16.85	-8.92	3	Horizontal	0	1.00	35.57	16.64	1.59	27.15
PK	313.24M	36.05	46.00	-9.95	-4.79	3	Horizontal	0	1.00	40.84	19.70	2.31	26.80
PK	449.04M	29.77	46.00	-16.23	-2.01	3	Horizontal	0	1.00	31.78	22.93	2.90	27.84
PK	582.9M	29.51	46.00	-16.49	0.06	3	Horizontal	0	1.00	29.45	24.75	3.52	28.21



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_2T1S_Dipole**

Appendix E.6

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.15G	49.25	54.00	-4.75	3	Horizontal	44	1.12
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.1402G	50.07	54.00	-3.93	3	Horizontal	41	1.00
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.15G	51.55	54.00	-2.45	3	Horizontal	137	1.00
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.148G	50.72	54.00	-3.28	3	Horizontal	141	1.00
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	5.3592G	53.24	54.00	-0.76	3	Horizontal	183	1.02
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.35G	49.34	54.00	-4.66	3	Horizontal	186	1.11
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.3518G	49.99	54.00	-4.01	3	Horizontal	186	1.01
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.352G	51.22	54.00	-2.78	3	Horizontal	184	1.02
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.35G	50.95	54.00	-3.05	3	Horizontal	185	1.07
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.7256G	66.26	68.20	-1.94	3	Horizontal	135	1.13
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	5.7252G	66.47	68.20	-1.73	3	Horizontal	136	1.13
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.4632G	67.54	68.20	-0.66	3	Horizontal	360	2.16
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.456G	53.88	54.00	-0.12	3	Horizontal	360	2.31
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	PK	5.4632G	65.10	68.20	-3.10	3	Horizontal	360	2.18
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.933G	61.72	68.20	-6.48	3	Horizontal	0	1.12
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.4582G	46.91	54.00	-7.09	3	Horizontal	136	1.12
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.6482G	61.52	68.20	-6.68	3	Horizontal	137	1.12
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.6478G	63.31	68.20	-4.89	3	Horizontal	3	2.25



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_2T1S_Dipole**

Appendix E.6

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	49.25	54.00	-4.75	3	Horizontal	44	1.12
5180MHz	Pass	AV	5.1808G	104.92	Inf	-Inf	3	Horizontal	44	1.12
5180MHz	Pass	PK	5.1398G	61.98	74.00	-12.02	3	Horizontal	44	1.12
5180MHz	Pass	PK	5.1856G	115.35	Inf	-Inf	3	Horizontal	44	1.12
5180MHz	Pass	PK	10.35324G	56.39	68.20	-11.81	3	Vertical	180	1.50
5180MHz	Pass	PK	10.36704G	56.54	68.20	-11.66	3	Horizontal	252	1.31
5200MHz	Pass	AV	5.15G	48.07	54.00	-5.93	3	Horizontal	139	1.05
5200MHz	Pass	AV	5.2008G	105.08	Inf	-Inf	3	Horizontal	139	1.05
5200MHz	Pass	PK	5.1472G	60.28	74.00	-13.72	3	Horizontal	139	1.05
5200MHz	Pass	PK	5.196G	115.22	Inf	-Inf	3	Horizontal	139	1.05
5200MHz	Pass	PK	10.39032G	55.84	68.20	-12.36	3	Vertical	211	1.50
5200MHz	Pass	PK	10.40628G	56.75	68.20	-11.45	3	Horizontal	87	1.38
5240MHz	Pass	AV	5.15G	47.22	54.00	-6.78	3	Horizontal	182	2.10
5240MHz	Pass	AV	5.2436G	104.62	Inf	-Inf	3	Horizontal	182	2.10
5240MHz	Pass	AV	5.3612G	47.66	54.00	-6.34	3	Horizontal	182	2.10
5240MHz	Pass	PK	5.1416G	59.94	74.00	-14.06	3	Horizontal	182	2.10
5240MHz	Pass	PK	5.2436G	114.80	Inf	-Inf	3	Horizontal	182	2.10
5240MHz	Pass	PK	5.3534G	61.09	74.00	-12.91	3	Horizontal	182	2.10
5240MHz	Pass	PK	10.47296G	56.75	68.20	-11.45	3	Vertical	18	1.18
5240MHz	Pass	PK	10.4788G	56.73	68.20	-11.47	3	Horizontal	118	1.50
5260MHz	Pass	AV	5.1472G	47.26	54.00	-6.74	3	Horizontal	182	2.21
5260MHz	Pass	AV	5.2636G	104.20	Inf	-Inf	3	Horizontal	182	2.21
5260MHz	Pass	AV	5.353G	47.77	54.00	-6.23	3	Horizontal	182	2.21
5260MHz	Pass	PK	5.1298G	59.49	74.00	-14.51	3	Horizontal	182	2.21
5260MHz	Pass	PK	5.2642G	114.87	Inf	-Inf	3	Horizontal	182	2.21
5260MHz	Pass	PK	5.3614G	60.61	74.00	-13.39	3	Horizontal	182	2.21
5260MHz	Pass	PK	10.52584G	57.28	68.20	-10.92	3	Vertical	6	1.50
5260MHz	Pass	PK	10.52416G	57.34	68.20	-10.86	3	Horizontal	37	2.18
5300MHz	Pass	AV	5.2936G	103.66	Inf	-Inf	3	Horizontal	184	1.04
5300MHz	Pass	AV	5.35G	48.13	54.00	-5.87	3	Horizontal	184	1.04
5300MHz	Pass	PK	5.2936G	114.13	Inf	-Inf	3	Horizontal	184	1.04
5300MHz	Pass	PK	5.3568G	60.50	74.00	-13.50	3	Horizontal	184	1.04
5300MHz	Pass	AV	10.60996G	43.42	54.00	-10.58	3	Vertical	267	2.64
5300MHz	Pass	PK	10.60732G	57.39	74.00	-16.61	3	Vertical	267	2.64
5300MHz	Pass	AV	10.6098G	43.42	54.00	-10.58	3	Horizontal	156	1.50
5300MHz	Pass	PK	10.60356G	57.50	74.00	-16.50	3	Horizontal	156	1.50
5320MHz	Pass	AV	5.3238G	103.50	Inf	-Inf	3	Horizontal	186	1.11
5320MHz	Pass	AV	5.35G	49.34	54.00	-4.66	3	Horizontal	186	1.11
5320MHz	Pass	PK	5.3238G	114.44	Inf	-Inf	3	Horizontal	186	1.11
5320MHz	Pass	PK	5.36G	63.82	74.00	-10.18	3	Horizontal	186	1.11
5320MHz	Pass	AV	10.64992G	43.85	54.00	-10.15	3	Vertical	109	1.50
5320MHz	Pass	PK	10.63372G	57.94	74.00	-16.06	3	Vertical	109	1.50
5320MHz	Pass	AV	10.64816G	43.85	54.00	-10.15	3	Horizontal	332	2.73
5320MHz	Pass	PK	10.64848G	57.36	74.00	-16.64	3	Horizontal	332	2.73
5500MHz	Pass	AV	5.4568G	48.11	54.00	-5.89	3	Horizontal	360	2.06
5500MHz	Pass	AV	5.5014G	103.25	Inf	-Inf	3	Horizontal	360	2.06
5500MHz	Pass	PK	5.4568G	61.31	74.00	-12.69	3	Horizontal	360	2.06
5500MHz	Pass	PK	5.461G	61.12	68.20	-7.08	3	Horizontal	360	2.06
5500MHz	Pass	PK	5.5014G	114.00	Inf	-Inf	3	Horizontal	360	2.06
5500MHz	Pass	AV	11.00776G	42.82	54.00	-11.18	3	Vertical	345	2.24
5500MHz	Pass	PK	11.0004G	56.44	74.00	-17.56	3	Vertical	345	2.24
5500MHz	Pass	AV	11.00776G	42.75	54.00	-11.25	3	Horizontal	188	2.57
5500MHz	Pass	PK	11.00072G	56.75	74.00	-17.25	3	Horizontal	188	2.57
5580MHz	Pass	AV	5.46G	47.14	54.00	-6.86	3	Horizontal	132	1.10
5580MHz	Pass	AV	5.5746G	103.38	Inf	-Inf	3	Horizontal	132	1.10
5580MHz	Pass	PK	5.4492G	59.78	74.00	-14.22	3	Horizontal	132	1.10
5580MHz	Pass	PK	5.4648G	59.54	68.20	-8.66	3	Horizontal	132	1.10
5580MHz	Pass	PK	5.5746G	113.75	Inf	-Inf	3	Horizontal	132	1.10
5580MHz	Pass	PK	5.7294G	61.02	68.20	-7.18	3	Horizontal	132	1.10
5580MHz	Pass	AV	11.16948G	43.52	54.00	-10.48	3	Vertical	195	1.18



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_2T1S_Dipole**

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	11.16472G	57.62	74.00	-16.38	3	Vertical	195	1.18
5580MHz	Pass	AV	11.16848G	43.48	54.00	-10.52	3	Horizontal	214	1.50
5580MHz	Pass	PK	11.16492G	57.66	74.00	-16.34	3	Horizontal	214	1.50
5700MHz	Pass	AV	5.7048G	103.09	Inf	-Inf	3	Horizontal	135	1.13
5700MHz	Pass	PK	5.7048G	113.72	Inf	-Inf	3	Horizontal	135	1.13
5700MHz	Pass	PK	5.7256G	66.26	68.20	-1.94	3	Horizontal	135	1.13
5700MHz	Pass	AV	11.39156G	44.80	54.00	-9.20	3	Vertical	52	1.01
5700MHz	Pass	PK	11.40688G	60.24	74.00	-13.76	3	Vertical	52	1.01
5700MHz	Pass	AV	11.39216G	44.83	54.00	-9.17	3	Horizontal	253	1.61
5700MHz	Pass	PK	11.39808G	58.64	74.00	-15.36	3	Horizontal	253	1.61
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	46.96	54.00	-7.04	3	Horizontal	178	1.19
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	104.07	Inf	-Inf	3	Horizontal	178	1.19
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4464G	60.04	74.00	-13.96	3	Horizontal	178	1.19
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	58.84	68.20	-9.36	3	Horizontal	178	1.19
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7236G	114.92	Inf	-Inf	3	Horizontal	178	1.19
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8772G	61.50	68.20	-6.70	3	Horizontal	178	1.19
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44788G	44.48	54.00	-9.52	3	Vertical	125	2.47
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43556G	57.94	74.00	-16.06	3	Vertical	125	2.47
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44736G	44.48	54.00	-9.52	3	Horizontal	153	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43184G	58.29	74.00	-15.71	3	Horizontal	153	1.50
5745MHz	Pass	AV	5.4594G	47.03	54.00	-6.97	3	Horizontal	136	1.12
5745MHz	Pass	AV	5.7402G	105.80	Inf	-Inf	3	Horizontal	136	1.12
5745MHz	Pass	PK	5.6286G	59.98	68.20	-8.22	3	Horizontal	136	1.12
5745MHz	Pass	PK	5.739G	115.92	Inf	-Inf	3	Horizontal	136	1.12
5745MHz	Pass	PK	5.9706G	60.57	68.20	-7.63	3	Horizontal	136	1.12
5745MHz	Pass	AV	11.48044G	44.54	54.00	-9.46	3	Vertical	326	1.41
5745MHz	Pass	PK	11.48892G	58.36	74.00	-15.64	3	Vertical	326	1.41
5745MHz	Pass	AV	11.49772G	44.52	54.00	-9.48	3	Horizontal	149	1.50
5745MHz	Pass	PK	11.49816G	58.72	74.00	-15.28	3	Horizontal	149	1.50
5785MHz	Pass	AV	5.78008G	104.21	Inf	-Inf	3	Horizontal	3	2.31
5785MHz	Pass	PK	5.63125G	60.99	68.20	-7.21	3	Horizontal	3	2.31
5785MHz	Pass	PK	5.78008G	114.68	Inf	-Inf	3	Horizontal	3	2.31
5785MHz	Pass	PK	5.96037G	60.80	68.20	-7.40	3	Horizontal	3	2.31
5785MHz	Pass	AV	11.56136G	43.76	54.00	-10.24	3	Vertical	321	1.28
5785MHz	Pass	PK	11.56092G	57.13	74.00	-16.87	3	Vertical	321	1.28
5785MHz	Pass	AV	11.56136G	43.82	54.00	-10.18	3	Horizontal	55	2.21
5785MHz	Pass	PK	11.57964G	58.22	74.00	-15.78	3	Horizontal	55	2.21
5825MHz	Pass	AV	5.8298G	101.85	Inf	-Inf	3	Horizontal	0	1.12
5825MHz	Pass	PK	5.645G	60.48	68.20	-7.72	3	Horizontal	0	1.12
5825MHz	Pass	PK	5.8298G	112.02	Inf	-Inf	3	Horizontal	0	1.12
5825MHz	Pass	PK	5.933G	61.72	68.20	-6.48	3	Horizontal	0	1.12
5825MHz	Pass	AV	11.65328G	44.02	54.00	-9.98	3	Vertical	283	1.50
5825MHz	Pass	PK	11.64316G	57.74	74.00	-16.26	3	Vertical	283	1.50
5825MHz	Pass	AV	11.65572G	43.99	54.00	-10.01	3	Horizontal	85	1.50
5825MHz	Pass	PK	11.65576G	57.58	74.00	-16.42	3	Horizontal	85	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1402G	50.07	54.00	-3.93	3	Horizontal	41	1.00
5180MHz	Pass	AV	5.1876G	103.34	Inf	-Inf	3	Horizontal	41	1.00
5180MHz	Pass	PK	5.1404G	63.21	74.00	-10.79	3	Horizontal	41	1.00
5180MHz	Pass	PK	5.1776G	116.15	Inf	-Inf	3	Horizontal	41	1.00
5180MHz	Pass	PK	10.36652G	56.15	68.20	-12.05	3	Vertical	153	1.50
5180MHz	Pass	PK	10.3658G	56.67	68.20	-11.53	3	Horizontal	263	1.50
5200MHz	Pass	AV	5.15G	48.22	54.00	-5.78	3	Horizontal	47	1.04
5200MHz	Pass	AV	5.1956G	103.61	Inf	-Inf	3	Horizontal	47	1.04
5200MHz	Pass	PK	5.1484G	60.91	74.00	-13.09	3	Horizontal	47	1.04
5200MHz	Pass	PK	5.1928G	115.93	Inf	-Inf	3	Horizontal	47	1.04
5200MHz	Pass	PK	10.4096G	56.47	68.20	-11.73	3	Vertical	49	1.14
5200MHz	Pass	PK	10.40228G	56.30	68.20	-11.90	3	Horizontal	352	1.50
5240MHz	Pass	AV	5.15G	47.31	54.00	-6.69	3	Horizontal	182	2.11
5240MHz	Pass	AV	5.2418G	103.59	Inf	-Inf	3	Horizontal	182	2.11
5240MHz	Pass	AV	5.3552G	47.70	54.00	-6.30	3	Horizontal	182	2.11
5240MHz	Pass	PK	5.135G	59.49	74.00	-14.51	3	Horizontal	182	2.11



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_2T1S_Dipole**

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	PK	5.2346G	115.45	Inf	-Inf	3	Horizontal	182	2.11
5240MHz	Pass	PK	5.3612G	60.42	74.00	-13.58	3	Horizontal	182	2.11
5240MHz	Pass	PK	10.4726G	56.83	68.20	-11.37	3	Vertical	260	1.49
5240MHz	Pass	PK	10.4706G	56.80	68.20	-11.40	3	Horizontal	346	1.05
5260MHz	Pass	AV	5.15G	47.25	54.00	-6.75	3	Horizontal	182	2.20
5260MHz	Pass	AV	5.2618G	103.34	Inf	-Inf	3	Horizontal	182	2.20
5260MHz	Pass	AV	5.353G	47.71	54.00	-6.29	3	Horizontal	182	2.20
5260MHz	Pass	PK	5.1376G	60.39	74.00	-13.61	3	Horizontal	182	2.20
5260MHz	Pass	PK	5.2648G	116.34	Inf	-Inf	3	Horizontal	182	2.20
5260MHz	Pass	PK	5.3686G	61.04	74.00	-12.96	3	Horizontal	182	2.20
5260MHz	Pass	PK	10.52684G	56.71	68.20	-11.49	3	Vertical	277	1.50
5260MHz	Pass	PK	10.51512G	56.75	68.20	-11.45	3	Horizontal	7	2.98
5300MHz	Pass	AV	5.292G	102.62	Inf	-Inf	3	Horizontal	183	2.00
5300MHz	Pass	AV	5.35G	48.45	54.00	-5.55	3	Horizontal	183	2.00
5300MHz	Pass	PK	5.2968G	115.57	Inf	-Inf	3	Horizontal	183	2.00
5300MHz	Pass	PK	5.3732G	61.04	74.00	-12.96	3	Horizontal	183	2.00
5300MHz	Pass	AV	10.61G	43.39	54.00	-10.61	3	Vertical	266	1.50
5300MHz	Pass	PK	10.59204G	56.90	68.20	-11.30	3	Vertical	266	1.50
5300MHz	Pass	PK	10.60712G	57.51	74.00	-16.49	3	Horizontal	208	2.99
5320MHz	Pass	AV	5.3268G	102.74	Inf	-Inf	3	Horizontal	186	1.01
5320MHz	Pass	AV	5.3518G	49.99	54.00	-4.01	3	Horizontal	186	1.01
5320MHz	Pass	PK	5.3242G	115.59	Inf	-Inf	3	Horizontal	186	1.01
5320MHz	Pass	PK	5.3518G	64.13	74.00	-9.87	3	Horizontal	186	1.01
5320MHz	Pass	AV	10.64856G	43.88	54.00	-10.12	3	Vertical	168	1.50
5320MHz	Pass	PK	10.64712G	57.79	74.00	-16.21	3	Vertical	168	1.50
5320MHz	Pass	AV	10.64932G	43.86	54.00	-10.14	3	Horizontal	153	1.81
5320MHz	Pass	PK	10.63176G	57.99	74.00	-16.01	3	Horizontal	153	1.81
5500MHz	Pass	AV	5.4586G	48.91	54.00	-5.09	3	Horizontal	360	2.08
5500MHz	Pass	AV	5.5008G	102.09	Inf	-Inf	3	Horizontal	360	2.08
5500MHz	Pass	PK	5.4582G	62.79	74.00	-11.21	3	Horizontal	360	2.08
5500MHz	Pass	PK	5.4608G	62.51	68.20	-5.69	3	Horizontal	360	2.08
5500MHz	Pass	PK	5.501G	115.68	Inf	-Inf	3	Horizontal	360	2.08
5500MHz	Pass	AV	11.00828G	43.20	54.00	-10.80	3	Vertical	342	2.07
5500MHz	Pass	PK	10.9998G	57.24	74.00	-16.76	3	Vertical	342	2.07
5500MHz	Pass	AV	11.00668G	43.16	54.00	-10.84	3	Horizontal	182	1.50
5500MHz	Pass	PK	11.00572G	56.96	74.00	-17.04	3	Horizontal	182	1.50
5580MHz	Pass	AV	5.4594G	47.08	54.00	-6.92	3	Horizontal	131	1.02
5580MHz	Pass	AV	5.5722G	102.50	Inf	-Inf	3	Horizontal	131	1.02
5580MHz	Pass	PK	5.4588G	60.01	74.00	-13.99	3	Horizontal	131	1.02
5580MHz	Pass	PK	5.4612G	59.46	68.20	-8.74	3	Horizontal	131	1.02
5580MHz	Pass	PK	5.5746G	115.55	Inf	-Inf	3	Horizontal	131	1.02
5580MHz	Pass	PK	5.7282G	60.77	68.20	-7.43	3	Horizontal	131	1.02
5580MHz	Pass	AV	11.15584G	43.67	54.00	-10.33	3	Vertical	347	1.49
5580MHz	Pass	PK	11.16728G	57.40	74.00	-16.60	3	Vertical	347	1.49
5580MHz	Pass	AV	11.15564G	43.52	54.00	-10.48	3	Horizontal	111	2.73
5580MHz	Pass	PK	11.15696G	58.30	74.00	-15.70	3	Horizontal	111	2.73
5700MHz	Pass	AV	5.7024G	101.68	Inf	-Inf	3	Horizontal	136	1.13
5700MHz	Pass	PK	5.6976G	114.83	Inf	-Inf	3	Horizontal	136	1.13
5700MHz	Pass	PK	5.7252G	66.47	68.20	-1.73	3	Horizontal	136	1.13
5700MHz	Pass	AV	11.3938G	44.80	54.00	-9.20	3	Vertical	273	1.73
5700MHz	Pass	PK	11.40364G	58.63	74.00	-15.37	3	Vertical	273	1.73
5700MHz	Pass	AV	11.39388G	44.77	54.00	-9.23	3	Horizontal	99	1.49
5700MHz	Pass	PK	11.40952G	58.25	74.00	-15.75	3	Horizontal	99	1.49
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.438G	46.98	54.00	-7.02	3	Horizontal	136	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	104.17	Inf	-Inf	3	Horizontal	136	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4392G	59.48	74.00	-14.52	3	Horizontal	136	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	59.17	68.20	-9.03	3	Horizontal	136	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	116.94	Inf	-Inf	3	Horizontal	136	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.87G	62.04	68.20	-6.16	3	Horizontal	136	1.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43808G	44.47	54.00	-9.53	3	Vertical	122	1.13
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44628G	58.09	74.00	-15.91	3	Vertical	122	1.13
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44932G	44.48	54.00	-9.52	3	Horizontal	61	2.43

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.433G	58.92	74.00	-15.08	3	Horizontal	61	2.43
5745MHz	Pass	AV	5.4582G	46.91	54.00	-7.09	3	Horizontal	136	1.12
5745MHz	Pass	AV	5.7378G	104.68	Inf	-Inf	3	Horizontal	136	1.12
5745MHz	Pass	PK	5.6466G	61.00	68.20	-7.20	3	Horizontal	136	1.12
5745MHz	Pass	PK	5.7414G	116.43	Inf	-Inf	3	Horizontal	136	1.12
5745MHz	Pass	PK	5.9634G	60.60	68.20	-7.60	3	Horizontal	136	1.12
5745MHz	Pass	AV	11.49344G	44.62	54.00	-9.38	3	Vertical	173	2.56
5745MHz	Pass	PK	11.49284G	58.04	74.00	-15.96	3	Vertical	173	2.56
5745MHz	Pass	AV	11.49852G	44.69	54.00	-9.31	3	Horizontal	269	1.50
5745MHz	Pass	PK	11.49792G	58.79	74.00	-15.21	3	Horizontal	269	1.50
5785MHz	Pass	AV	5.78008G	103.44	Inf	-Inf	3	Horizontal	4	2.32
5785MHz	Pass	PK	5.62157G	60.46	68.20	-7.74	3	Horizontal	4	2.32
5785MHz	Pass	PK	5.77766G	115.66	Inf	-Inf	3	Horizontal	4	2.32
5785MHz	Pass	PK	5.99667G	60.66	68.20	-7.54	3	Horizontal	4	2.32
5785MHz	Pass	AV	11.56156G	44.20	54.00	-9.80	3	Vertical	143	1.50
5785MHz	Pass	PK	11.56908G	58.22	74.00	-15.78	3	Vertical	143	1.50
5785MHz	Pass	AV	11.56128G	44.09	54.00	-9.91	3	Horizontal	0	1.50
5785MHz	Pass	PK	11.56192G	57.95	74.00	-16.05	3	Horizontal	0	1.50
5825MHz	Pass	AV	5.8226G	101.05	Inf	-Inf	3	Horizontal	3	1.00
5825MHz	Pass	PK	5.5706G	60.04	68.20	-8.16	3	Horizontal	3	1.00
5825MHz	Pass	PK	5.8298G	113.46	Inf	-Inf	3	Horizontal	3	1.00
5825MHz	Pass	PK	5.9594G	60.78	68.20	-7.42	3	Horizontal	3	1.00
5825MHz	Pass	AV	11.6584G	44.31	54.00	-9.69	3	Vertical	271	1.50
5825MHz	Pass	PK	11.65336G	58.68	74.00	-15.32	3	Vertical	271	1.50
5825MHz	Pass	AV	11.6454G	44.26	54.00	-9.74	3	Horizontal	188	1.30
5825MHz	Pass	PK	11.641G	58.37	74.00	-15.63	3	Horizontal	188	1.30
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	51.55	54.00	-2.45	3	Horizontal	137	1.00
5190MHz	Pass	AV	5.1852G	101.39	Inf	-Inf	3	Horizontal	137	1.00
5190MHz	Pass	PK	5.15G	63.06	74.00	-10.94	3	Horizontal	137	1.00
5190MHz	Pass	PK	5.188G	114.33	Inf	-Inf	3	Horizontal	137	1.00
5190MHz	Pass	PK	10.37416G	56.35	68.20	-11.85	3	Vertical	62	1.50
5190MHz	Pass	PK	10.37672G	56.35	68.20	-11.85	3	Horizontal	359	1.50
5230MHz	Pass	AV	5.1496G	48.00	54.00	-6.00	3	Horizontal	182	2.12
5230MHz	Pass	AV	5.2468G	100.72	Inf	-Inf	3	Horizontal	182	2.12
5230MHz	Pass	PK	5.1444G	61.48	74.00	-12.52	3	Horizontal	182	2.12
5230MHz	Pass	PK	5.2468G	113.75	Inf	-Inf	3	Horizontal	182	2.12
5230MHz	Pass	PK	10.47208G	56.33	68.20	-11.87	3	Vertical	36	1.50
5230MHz	Pass	PK	10.44536G	56.37	68.20	-11.83	3	Horizontal	264	1.50
5270MHz	Pass	AV	5.2644G	100.67	Inf	-Inf	3	Horizontal	183	2.21
5270MHz	Pass	AV	5.35G	48.89	54.00	-5.11	3	Horizontal	183	2.21
5270MHz	Pass	PK	5.2668G	113.80	Inf	-Inf	3	Horizontal	183	2.21
5270MHz	Pass	PK	5.352G	60.98	74.00	-13.02	3	Horizontal	183	2.21
5270MHz	Pass	PK	10.52312G	56.69	68.20	-11.51	3	Vertical	169	1.00
5270MHz	Pass	PK	10.552G	56.90	68.20	-11.30	3	Horizontal	245	2.53
5310MHz	Pass	AV	5.312G	100.24	Inf	-Inf	3	Horizontal	184	1.02
5310MHz	Pass	AV	5.352G	51.22	54.00	-2.78	3	Horizontal	184	1.02
5310MHz	Pass	PK	5.3068G	112.99	Inf	-Inf	3	Horizontal	184	1.02
5310MHz	Pass	PK	5.352G	64.32	74.00	-9.68	3	Horizontal	184	1.02
5310MHz	Pass	AV	10.63952G	43.73	54.00	-10.27	3	Vertical	222	1.91
5310MHz	Pass	PK	10.63072G	57.19	74.00	-16.81	3	Vertical	222	1.91
5310MHz	Pass	AV	10.63848G	43.78	54.00	-10.22	3	Horizontal	130	1.50
5310MHz	Pass	PK	10.61584G	57.27	74.00	-16.73	3	Horizontal	130	1.50
5510MHz	Pass	AV	5.46G	49.40	54.00	-4.60	3	Horizontal	360	2.16
5510MHz	Pass	AV	5.498G	99.32	Inf	-Inf	3	Horizontal	360	2.16
5510MHz	Pass	PK	5.4588G	63.36	74.00	-10.64	3	Horizontal	360	2.16
5510MHz	Pass	PK	5.4632G	67.54	68.20	-0.66	3	Horizontal	360	2.16
5510MHz	Pass	PK	5.496G	112.37	Inf	-Inf	3	Horizontal	360	2.16
5510MHz	Pass	AV	11.02296G	43.45	54.00	-10.55	3	Vertical	348	1.50
5510MHz	Pass	PK	11.00288G	57.14	74.00	-16.86	3	Vertical	348	1.50
5510MHz	Pass	AV	11.01552G	43.45	54.00	-10.55	3	Horizontal	87	1.50
5510MHz	Pass	PK	11.02032G	56.96	74.00	-17.04	3	Horizontal	87	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_2T1S_Dipole**

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5550MHz	Pass	AV	5.4592G	47.57	54.00	-6.43	3	Horizontal	132	1.00
5550MHz	Pass	AV	5.5524G	100.33	Inf	-Inf	3	Horizontal	132	1.00
5550MHz	Pass	PK	5.4592G	59.97	74.00	-14.03	3	Horizontal	132	1.00
5550MHz	Pass	PK	5.4696G	61.42	68.20	-6.78	3	Horizontal	132	1.00
5550MHz	Pass	PK	5.5548G	113.72	Inf	-Inf	3	Horizontal	132	1.00
5550MHz	Pass	AV	11.11992G	43.53	54.00	-10.47	3	Vertical	157	1.50
5550MHz	Pass	PK	11.08448G	56.95	74.00	-17.05	3	Vertical	157	1.50
5550MHz	Pass	AV	11.11992G	43.55	54.00	-10.45	3	Horizontal	312	2.00
5550MHz	Pass	PK	11.11816G	57.34	74.00	-16.66	3	Horizontal	312	2.00
5670MHz	Pass	AV	5.6772G	102.58	Inf	-Inf	3	Horizontal	134	1.06
5670MHz	Pass	PK	5.6676G	115.29	Inf	-Inf	3	Horizontal	134	1.06
5670MHz	Pass	PK	5.7252G	67.00	68.20	-1.20	3	Horizontal	134	1.06
5670MHz	Pass	AV	11.35112G	45.21	54.00	-8.79	3	Vertical	160	1.50
5670MHz	Pass	PK	11.3404G	59.07	74.00	-14.93	3	Vertical	160	1.50
5670MHz	Pass	AV	11.34896G	45.17	54.00	-8.83	3	Horizontal	249	1.50
5670MHz	Pass	PK	11.3444G	59.63	74.00	-14.37	3	Horizontal	249	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4136G	47.07	54.00	-6.93	3	Horizontal	136	1.13
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7052G	102.21	Inf	-Inf	3	Horizontal	136	1.13
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4388G	59.39	74.00	-14.61	3	Horizontal	136	1.13
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4628G	59.23	68.20	-8.97	3	Horizontal	136	1.13
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7004G	115.11	Inf	-Inf	3	Horizontal	136	1.13
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8888G	61.13	68.20	-7.07	3	Horizontal	136	1.13
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40112G	44.87	54.00	-9.13	3	Vertical	142	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41056G	58.47	74.00	-15.53	3	Vertical	142	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40664G	44.87	54.00	-9.13	3	Horizontal	58	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40232G	58.93	74.00	-15.07	3	Horizontal	58	1.50
5755MHz	Pass	AV	5.4586G	46.98	54.00	-7.02	3	Horizontal	137	1.12
5755MHz	Pass	AV	5.7394G	101.67	Inf	-Inf	3	Horizontal	137	1.12
5755MHz	Pass	PK	5.6482G	61.52	68.20	-6.68	3	Horizontal	137	1.12
5755MHz	Pass	PK	5.7646G	114.44	Inf	-Inf	3	Horizontal	137	1.12
5755MHz	Pass	PK	5.9482G	60.84	68.20	-7.36	3	Horizontal	137	1.12
5755MHz	Pass	AV	11.49872G	44.90	54.00	-9.10	3	Vertical	164	1.50
5755MHz	Pass	PK	11.4984G	58.82	74.00	-15.18	3	Vertical	164	1.50
5755MHz	Pass	AV	11.51128G	44.92	54.00	-9.08	3	Horizontal	27	1.50
5755MHz	Pass	PK	11.52808G	58.56	74.00	-15.44	3	Horizontal	27	1.50
5795MHz	Pass	AV	5.783G	100.25	Inf	-Inf	3	Horizontal	3	2.31
5795MHz	Pass	PK	5.4974G	60.12	68.20	-8.08	3	Horizontal	3	2.31
5795MHz	Pass	PK	5.783G	112.23	Inf	-Inf	3	Horizontal	3	2.31
5795MHz	Pass	PK	5.927G	60.51	68.20	-7.69	3	Horizontal	3	2.31
5795MHz	Pass	AV	11.5972G	44.26	54.00	-9.74	3	Vertical	29	2.29
5795MHz	Pass	PK	11.57912G	57.69	74.00	-16.31	3	Vertical	29	2.29
5795MHz	Pass	AV	11.58472G	44.36	54.00	-9.64	3	Horizontal	274	1.88
5795MHz	Pass	PK	11.60712G	57.96	74.00	-16.04	3	Horizontal	274	1.88
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.148G	50.72	54.00	-3.28	3	Horizontal	141	1.00
5210MHz	Pass	AV	5.221G	98.13	Inf	-Inf	3	Horizontal	141	1.00
5210MHz	Pass	AV	5.36G	48.32	54.00	-5.68	3	Horizontal	141	1.00
5210MHz	Pass	PK	5.12G	63.39	74.00	-10.61	3	Horizontal	141	1.00
5210MHz	Pass	PK	5.183G	110.48	Inf	-Inf	3	Horizontal	141	1.00
5210MHz	Pass	PK	5.351G	61.06	74.00	-12.94	3	Horizontal	141	1.00
5210MHz	Pass	PK	10.39584G	56.27	68.20	-11.93	3	Vertical	279	2.74
5210MHz	Pass	PK	10.43984G	56.20	68.20	-12.00	3	Horizontal	129	1.50
5290MHz	Pass	AV	5.147G	47.48	54.00	-6.52	3	Horizontal	185	1.07
5290MHz	Pass	AV	5.299G	97.25	Inf	-Inf	3	Horizontal	185	1.07
5290MHz	Pass	AV	5.35G	50.95	54.00	-3.05	3	Horizontal	185	1.07
5290MHz	Pass	PK	5.137G	59.51	74.00	-14.49	3	Horizontal	185	1.07
5290MHz	Pass	PK	5.294G	109.50	Inf	-Inf	3	Horizontal	185	1.07
5290MHz	Pass	PK	5.35G	62.69	74.00	-11.31	3	Horizontal	185	1.07
5290MHz	Pass	PK	5.47G	59.95	68.20	-8.25	3	Horizontal	185	1.07
5290MHz	Pass	AV	10.6176G	43.75	54.00	-10.25	3	Vertical	212	1.50
5290MHz	Pass	PK	10.60032G	56.97	74.00	-17.03	3	Vertical	212	1.50
5290MHz	Pass	AV	10.62G	43.65	54.00	-10.35	3	Horizontal	278	2.73




RSE TX above 1GHz_Non-Beamforming_ Radio 2_2T1S_Dipole

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	PK	10.59248G	56.88	68.20	-11.32	3	Horizontal	278	2.73
5530MHz	Pass	AV	5.35G	47.40	54.00	-6.60	3	Horizontal	360	2.31
5530MHz	Pass	AV	5.456G	53.88	54.00	-0.12	3	Horizontal	360	2.31
5530MHz	Pass	AV	5.523G	96.34	Inf	-Inf	3	Horizontal	360	2.31
5530MHz	Pass	PK	5.296G	60.71	68.20	-7.49	3	Horizontal	360	2.31
5530MHz	Pass	PK	5.45G	66.73	74.00	-7.27	3	Horizontal	360	2.31
5530MHz	Pass	PK	5.468G	66.74	68.20	-1.46	3	Horizontal	360	2.31
5530MHz	Pass	PK	5.521G	108.39	Inf	-Inf	3	Horizontal	360	2.31
5530MHz	Pass	PK	5.747G	62.35	68.20	-5.85	3	Horizontal	360	2.31
5530MHz	Pass	AV	11.08896G	43.65	54.00	-10.35	3	Vertical	108	1.50
5530MHz	Pass	PK	11.08928G	57.14	74.00	-16.86	3	Vertical	108	1.50
5530MHz	Pass	AV	11.04592G	43.46	54.00	-10.54	3	Horizontal	89	1.43
5530MHz	Pass	PK	11.0224G	57.38	74.00	-16.62	3	Horizontal	89	1.43
5610MHz	Pass	AV	5.46G	47.85	54.00	-6.15	3	Horizontal	135	1.00
5610MHz	Pass	AV	5.64G	97.54	Inf	-Inf	3	Horizontal	135	1.00
5610MHz	Pass	PK	5.454G	61.46	74.00	-12.54	3	Horizontal	135	1.00
5610MHz	Pass	PK	5.464G	61.38	68.20	-6.82	3	Horizontal	135	1.00
5610MHz	Pass	PK	5.648G	110.01	Inf	-Inf	3	Horizontal	135	1.00
5610MHz	Pass	PK	5.737G	62.87	68.20	-5.33	3	Horizontal	135	1.00
5610MHz	Pass	AV	11.25968G	44.33	54.00	-9.67	3	Vertical	59	1.50
5610MHz	Pass	PK	11.25152G	57.51	74.00	-16.49	3	Vertical	59	1.50
5610MHz	Pass	AV	11.25952G	44.31	54.00	-9.69	3	Horizontal	237	3.00
5610MHz	Pass	PK	11.20752G	57.61	74.00	-16.39	3	Horizontal	237	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.3912G	47.24	54.00	-6.76	3	Horizontal	135	1.06
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6804G	99.41	Inf	-Inf	3	Horizontal	135	1.06
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4128G	59.44	74.00	-14.56	3	Horizontal	135	1.06
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	58.75	68.20	-9.45	3	Horizontal	135	1.06
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6756G	111.73	Inf	-Inf	3	Horizontal	135	1.06
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8748G	60.89	68.20	-7.31	3	Horizontal	135	1.06
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3464G	45.25	54.00	-8.75	3	Vertical	320	1.84
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.41088G	59.29	74.00	-14.71	3	Vertical	320	1.84
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.34864G	45.22	54.00	-8.78	3	Horizontal	209	2.61
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.388G	58.29	74.00	-15.71	3	Horizontal	209	2.61
5775MHz	Pass	AV	5.745G	98.03	Inf	-Inf	3	Horizontal	3	2.25
5775MHz	Pass	PK	5.6478G	63.31	68.20	-4.89	3	Horizontal	3	2.25
5775MHz	Pass	PK	5.7606G	110.51	Inf	-Inf	3	Horizontal	3	2.25
5775MHz	Pass	PK	6.033G	60.86	68.20	-7.34	3	Horizontal	3	2.25
5775MHz	Pass	AV	11.52328G	44.90	54.00	-9.10	3	Vertical	11	2.41
5775MHz	Pass	PK	11.51928G	58.58	74.00	-15.42	3	Vertical	11	2.41
5775MHz	Pass	AV	11.51336G	44.87	54.00	-9.13	3	Horizontal	174	1.40
5775MHz	Pass	PK	11.51128G	58.27	74.00	-15.73	3	Horizontal	174	1.40
802.11be EHT160_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1492G	52.46	54.00	-1.54	3	Horizontal	183	1.02
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.2752G	93.27	Inf	-Inf	3	Horizontal	183	1.02
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3592G	53.24	54.00	-0.76	3	Horizontal	183	1.02
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.14752G	68.98	74.00	-5.02	3	Horizontal	183	1.02
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3088G	105.61	Inf	-Inf	3	Horizontal	183	1.02
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3592G	71.94	74.00	-2.06	3	Horizontal	183	1.02
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.46168G	64.50	68.20	-3.70	3	Horizontal	183	1.02
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.52304G	56.55	68.20	-11.65	3	Vertical	61	2.12
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.43248G	56.28	68.20	-11.92	3	Horizontal	230	1.50
5570MHz	Pass	AV	5.4584G	49.79	54.00	-4.21	3	Horizontal	360	2.18
5570MHz	Pass	AV	5.4932G	90.77	Inf	-Inf	3	Horizontal	360	2.18
5570MHz	Pass	PK	5.33G	60.33	68.20	-7.87	3	Horizontal	360	2.18
5570MHz	Pass	PK	5.4524G	65.79	74.00	-8.21	3	Horizontal	360	2.18
5570MHz	Pass	PK	5.4632G	65.10	68.20	-3.10	3	Horizontal	360	2.18
5570MHz	Pass	PK	5.6456G	103.75	Inf	-Inf	3	Horizontal	360	2.18
5570MHz	Pass	PK	5.7368G	62.25	68.20	-5.95	3	Horizontal	360	2.18
5570MHz	Pass	AV	11.21168G	44.05	54.00	-9.95	3	Vertical	316	1.50
5570MHz	Pass	PK	11.1992G	57.70	74.00	-16.30	3	Vertical	316	1.50
5570MHz	Pass	AV	11.1944G	44.07	54.00	-9.93	3	Horizontal	308	2.93
5570MHz	Pass	PK	11.17104G	57.37	74.00	-16.63	3	Horizontal	308	2.93


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5310MHz_TX



5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	47.48	54.00	-6.52	8.14	3	Horizontal	185	1.07	39.34	33.19	8.95	34.00
AV	5.299G	97.25	Inf	-Inf	7.98	3	Horizontal	185	1.07	89.27	32.90	9.07	33.99
AV	5.35G	50.95	54.00	-3.05	8.03	3	Horizontal	185	1.07	42.92	32.90	9.12	33.99
PK	5.137G	59.51	74.00	-14.49	8.10	3	Horizontal	185	1.07	51.41	33.15	8.95	34.00
PK	5.294G	109.50	Inf	-Inf	7.99	3	Horizontal	185	1.07	101.51	32.91	9.07	33.99
PK	5.35G	62.69	74.00	-11.31	8.03	3	Horizontal	185	1.07	54.66	32.90	9.12	33.99
PK	5.47G	59.95	68.20	-8.25	8.10	3	Horizontal	185	1.07	51.85	32.88	9.20	33.98

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6176G	43.75	54.00	-10.25	17.77	3	Vertical	212	1.50	25.98	39.14	13.19	34.56
PK	10.60032G	56.97	74.00	-17.03	17.70	3	Vertical	212	1.50	39.27	39.10	13.17	34.57


5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5290MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5510MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.40	54.00	-6.60	8.03	3	Horizontal	360	2.31	39.37	32.90	9.12	33.99
AV	5.456G	53.88	54.00	-0.12	8.04	3	Horizontal	360	2.31	45.84	32.82	9.20	33.98
AV	5.523G	96.34	Inf	-Inf	8.19	3	Horizontal	360	2.31	88.15	32.95	9.23	33.99
PK	5.296G	60.71	68.20	-7.49	7.99	3	Horizontal	360	2.31	52.72	32.91	9.07	33.99
PK	5.45G	66.73	74.00	-7.27	8.01	3	Horizontal	360	2.31	58.72	32.80	9.19	33.98
PK	5.468G	66.74	68.20	-1.46	8.09	3	Horizontal	360	2.31	58.65	32.87	9.20	33.98
PK	5.521G	108.39	Inf	-Inf	8.19	3	Horizontal	360	2.31	100.20	32.96	9.22	33.99
PK	5.747G	62.35	68.20	-5.85	8.95	3	Horizontal	360	2.31	53.40	33.69	9.34	34.08

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08896G	43.65	54.00	-10.35	18.07	3	Vertical	108	1.50	25.58	38.70	13.67	34.30
PK	11.08928G	57.14	74.00	-16.86	18.07	3	Vertical	108	1.50	39.07	38.70	13.67	34.30


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_2TX

5570MHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8298G	101.85	Inf	-Inf	9.28	3	Horizontal	0	1.12	92.57	34.02	9.38	34.12
PK	5.645G	60.48	68.20	-7.72	8.41	3	Horizontal	0	1.12	52.07	33.17	9.28	34.04
PK	5.8298G	112.02	Inf	-Inf	9.28	3	Horizontal	0	1.12	102.74	34.02	9.38	34.12
PK	5.933G	61.72	68.20	-6.48	9.38	3	Horizontal	0	1.12	52.34	34.13	9.41	34.16

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65328G	44.02	54.00	-9.98	18.66	3	Vertical	283	1.50	25.36	38.52	14.25	34.11
PK	11.64316G	57.74	74.00	-16.26	18.63	3	Vertical	283	1.50	39.11	38.50	14.24	34.11


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4586G	46.98	54.00	-7.02	8.05	3	Horizontal	137	1.12	38.93	32.83	9.20	33.98
AV	5.7394G	101.67	Inf	-Inf	8.94	3	Horizontal	137	1.12	92.73	33.68	9.34	34.08
PK	5.6482G	61.52	68.20	-6.68	8.44	3	Horizontal	137	1.12	53.08	33.19	9.29	34.04
PK	5.7646G	114.44	Inf	-Inf	9.02	3	Horizontal	137	1.12	105.42	33.76	9.35	34.09
PK	5.9482G	60.84	68.20	-7.36	9.34	3	Horizontal	137	1.12	51.50	34.10	9.41	34.17

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49872G	44.90	54.00	-9.10	19.00	3	Vertical	164	1.50	25.90	39.00	14.09	34.09
PK	11.4984G	58.82	74.00	-15.18	19.00	3	Vertical	164	1.50	39.82	39.00	14.09	34.09


5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX





**RSE TX below 1GHz_Non-Beamforming_
Radio 2_2T2S_Dipole**

Appendix E.7

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	315.18M	35.66	46.00	-10.34	3	Horizontal	0	1.00



**RSE TX below 1GHz_Non-Beamforming_
Radio 2_2T2S_Dipole**


Appendix E.7

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz_PoE	Pass	PK	33.88M	28.33	40.00	-11.67	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	78.5M	25.12	40.00	-14.88	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	148.34M	27.19	43.50	-16.31	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	293.84M	31.51	46.00	-14.49	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	449.04M	29.63	46.00	-16.37	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	551.86M	29.32	46.00	-16.68	3	Vertical	360	1.00
5775MHz_PoE	Pass	PK	33.88M	24.12	40.00	-15.88	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	107.6M	21.45	43.50	-22.05	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	148.34M	27.03	43.50	-16.47	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	315.18M	35.66	46.00	-10.34	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	449.04M	29.67	46.00	-16.33	3	Horizontal	0	1.00
5775MHz_PoE	Pass	PK	555.74M	29.43	46.00	-16.57	3	Horizontal	0	1.00

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	33.88M	28.33	40.00	-11.67	-4.60	3	Vertical	360	1.00	32.93	22.62	0.27	27.49
PK	78.5M	25.12	40.00	-14.88	-13.65	3	Vertical	360	1.00	38.77	12.96	0.74	27.35
PK	148.34M	27.19	43.50	-16.31	-8.92	3	Vertical	360	1.00	36.11	16.64	1.59	27.15
PK	293.84M	31.51	46.00	-14.49	-5.20	3	Vertical	360	1.00	36.71	19.27	2.23	26.70
PK	449.04M	29.63	46.00	-16.37	-2.01	3	Vertical	360	1.00	31.64	22.93	2.90	27.84
PK	551.86M	29.32	46.00	-16.68	0.46	3	Vertical	360	1.00	28.86	25.20	3.43	28.17

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	33.88M	24.12	40.00	-15.88	-4.60	3	Horizontal	0	1.00	28.72	22.62	0.27	27.49
PK	107.6M	21.45	43.50	-22.05	-8.19	3	Horizontal	0	1.00	29.64	18.00	1.08	27.27
PK	148.34M	27.03	43.50	-16.47	-8.92	3	Horizontal	0	1.00	35.95	16.64	1.59	27.15
PK	315.18M	35.66	46.00	-10.34	-4.79	3	Horizontal	0	1.00	40.45	19.70	2.32	26.81
PK	449.04M	29.67	46.00	-16.33	-2.01	3	Horizontal	0	1.00	31.68	22.93	2.90	27.84
PK	555.74M	29.43	46.00	-16.57	0.33	3	Horizontal	0	1.00	29.10	25.07	3.44	28.18



RSE TX above 1GHz_Non-Beamforming_ Radio 2_2T2S_Dipole

Appendix E.8

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.15G	48.87	54.00	-5.13	3	Horizontal	41	1.20
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.15G	49.96	54.00	-4.04	3	Horizontal	40	1.06
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.147G	50.34	54.00	-3.66	3	Horizontal	44	1.04
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	AV	5.35752G	53.07	54.00	-0.93	3	Horizontal	181	2.20
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.3606G	48.87	54.00	-5.13	3	Horizontal	183	1.04
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	AV	5.3508G	50.49	54.00	-3.51	3	Horizontal	181	2.23
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.352G	49.06	54.00	-4.94	3	Horizontal	182	1.17
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	5.7252G	67.25	68.20	-0.95	3	Horizontal	131	1.08
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	PK	5.4636G	66.13	68.20	-2.07	3	Horizontal	183	1.92
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.457G	51.57	54.00	-2.43	3	Horizontal	356	1.00
802.11be EHT160_Nss2,(MCS0)_2TX	Pass	PK	5.4668G	67.24	68.20	-0.96	3	Horizontal	356	1.22
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	5.4594G	46.43	54.00	-7.57	3	Horizontal	0	2.34
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	PK	5.953G	61.56	68.20	-6.64	3	Horizontal	0	1.00
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	PK	5.649G	61.23	68.20	-6.97	3	Horizontal	360	2.12



RSE TX above 1GHz_Non-Beamforming_ Radio 2_2T2S_Dipole

Appendix E.8

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	48.87	54.00	-5.13	3	Horizontal	41	1.20
5180MHz	Pass	AV	5.1782G	100.67	Inf	-Inf	3	Horizontal	41	1.20
5180MHz	Pass	PK	5.138G	61.90	74.00	-12.10	3	Horizontal	41	1.20
5180MHz	Pass	PK	5.1816G	113.57	Inf	-Inf	3	Horizontal	41	1.20
5180MHz	Pass	PK	10.35032G	54.70	68.20	-13.50	3	Vertical	214	1.50
5180MHz	Pass	PK	10.35596G	54.47	68.20	-13.73	3	Horizontal	217	3.00
5200MHz	Pass	AV	5.1488G	47.65	54.00	-6.35	3	Horizontal	37	1.00
5200MHz	Pass	AV	5.2068G	100.89	Inf	-Inf	3	Horizontal	37	1.00
5200MHz	Pass	PK	5.1492G	60.08	74.00	-13.92	3	Horizontal	37	1.00
5200MHz	Pass	PK	5.2048G	114.72	Inf	-Inf	3	Horizontal	37	1.00
5200MHz	Pass	PK	10.40292G	54.88	68.20	-13.32	3	Vertical	139	1.50
5200MHz	Pass	PK	10.40648G	54.72	68.20	-13.48	3	Horizontal	341	1.50
5240MHz	Pass	AV	5.15G	46.97	54.00	-7.03	3	Horizontal	180	2.21
5240MHz	Pass	AV	5.2418G	101.46	Inf	-Inf	3	Horizontal	180	2.21
5240MHz	Pass	AV	5.3504G	47.12	54.00	-6.88	3	Horizontal	180	2.21
5240MHz	Pass	PK	5.1074G	59.05	74.00	-14.95	3	Horizontal	180	2.21
5240MHz	Pass	PK	5.2352G	115.16	Inf	-Inf	3	Horizontal	180	2.21
5240MHz	Pass	PK	5.3642G	60.15	74.00	-13.85	3	Horizontal	180	2.21
5240MHz	Pass	PK	10.4746G	54.55	68.20	-13.65	3	Vertical	137	1.50
5240MHz	Pass	PK	10.48164G	53.94	68.20	-14.26	3	Horizontal	307	1.50
5260MHz	Pass	AV	5.1466G	46.91	54.00	-7.09	3	Horizontal	182	1.00
5260MHz	Pass	AV	5.2672G	100.12	Inf	-Inf	3	Horizontal	182	1.00
5260MHz	Pass	AV	5.3554G	47.08	54.00	-6.92	3	Horizontal	182	1.00
5260MHz	Pass	PK	5.1484G	59.45	74.00	-14.55	3	Horizontal	182	1.00
5260MHz	Pass	PK	5.2672G	113.27	Inf	-Inf	3	Horizontal	182	1.00
5260MHz	Pass	PK	5.3638G	59.96	74.00	-14.04	3	Horizontal	182	1.00
5260MHz	Pass	PK	10.5118G	54.61	68.20	-13.59	3	Vertical	0	1.50
5260MHz	Pass	PK	10.52056G	54.72	68.20	-13.48	3	Horizontal	75	2.04
5300MHz	Pass	AV	5.3016G	100.44	Inf	-Inf	3	Horizontal	181	1.86
5300MHz	Pass	AV	5.3532G	47.69	54.00	-6.31	3	Horizontal	181	1.86
5300MHz	Pass	PK	5.2992G	113.10	Inf	-Inf	3	Horizontal	181	1.86
5300MHz	Pass	PK	5.3524G	60.74	74.00	-13.26	3	Horizontal	181	1.86
5300MHz	Pass	AV	10.6084G	41.43	54.00	-12.57	3	Vertical	209	2.35
5300MHz	Pass	PK	10.60884G	55.75	74.00	-18.25	3	Vertical	209	2.35
5300MHz	Pass	AV	10.6088G	41.49	54.00	-12.51	3	Horizontal	184	2.98
5300MHz	Pass	PK	10.60892G	55.14	74.00	-18.86	3	Horizontal	184	2.98
5320MHz	Pass	AV	5.3276G	99.98	Inf	-Inf	3	Horizontal	183	1.04
5320MHz	Pass	AV	5.3606G	48.87	54.00	-5.13	3	Horizontal	183	1.04
5320MHz	Pass	PK	5.3204G	113.49	Inf	-Inf	3	Horizontal	183	1.04
5320MHz	Pass	PK	5.3604G	62.93	74.00	-11.07	3	Horizontal	183	1.04
5320MHz	Pass	AV	10.64708G	42.14	54.00	-11.86	3	Vertical	136	1.50
5320MHz	Pass	PK	10.64836G	55.81	74.00	-18.19	3	Vertical	136	1.50
5320MHz	Pass	AV	10.6488G	42.11	54.00	-11.89	3	Horizontal	246	1.50
5320MHz	Pass	PK	10.64576G	56.02	74.00	-17.98	3	Horizontal	246	1.50
5500MHz	Pass	AV	5.46G	47.80	54.00	-6.20	3	Horizontal	356	1.23
5500MHz	Pass	AV	5.4964G	99.58	Inf	-Inf	3	Horizontal	356	1.23
5500MHz	Pass	PK	5.4584G	60.99	74.00	-13.01	3	Horizontal	356	1.23
5500MHz	Pass	PK	5.4652G	60.18	68.20	-8.02	3	Horizontal	356	1.23
5500MHz	Pass	PK	5.502G	112.87	Inf	-Inf	3	Horizontal	356	1.23
5500MHz	Pass	AV	11.00592G	40.82	54.00	-13.18	3	Vertical	309	1.01
5500MHz	Pass	PK	11.00684G	54.57	74.00	-19.43	3	Vertical	309	1.01
5500MHz	Pass	AV	11.00844G	40.73	54.00	-13.27	3	Horizontal	118	1.65
5500MHz	Pass	PK	10.99748G	54.65	74.00	-19.35	3	Horizontal	118	1.65
5580MHz	Pass	AV	5.4342G	46.32	54.00	-7.68	3	Horizontal	129	1.00
5580MHz	Pass	AV	5.5734G	99.67	Inf	-Inf	3	Horizontal	129	1.00
5580MHz	Pass	PK	5.4588G	58.95	74.00	-15.05	3	Horizontal	129	1.00
5580MHz	Pass	PK	5.4618G	58.35	68.20	-9.85	3	Horizontal	129	1.00
5580MHz	Pass	PK	5.574G	112.26	Inf	-Inf	3	Horizontal	129	1.00
5580MHz	Pass	PK	5.7282G	60.28	68.20	-7.92	3	Horizontal	129	1.00
5580MHz	Pass	AV	11.16952G	41.56	54.00	-12.44	3	Vertical	184	2.30



RSE TX above 1GHz_Non-Beamforming_ Radio 2_2T2S_Dipole

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	11.15464G	55.01	74.00	-18.99	3	Vertical	184	2.30
5580MHz	Pass	AV	11.16992G	41.61	54.00	-12.39	3	Horizontal	10	1.98
5580MHz	Pass	PK	11.16204G	55.24	74.00	-18.76	3	Horizontal	10	1.98
5700MHz	Pass	AV	5.7064G	99.42	Inf	-Inf	3	Horizontal	131	1.08
5700MHz	Pass	PK	5.6916G	112.91	Inf	-Inf	3	Horizontal	131	1.08
5700MHz	Pass	PK	5.7252G	67.25	68.20	-0.95	3	Horizontal	131	1.08
5700MHz	Pass	AV	11.39392G	42.45	54.00	-11.55	3	Vertical	118	1.31
5700MHz	Pass	PK	11.40956G	56.31	74.00	-17.69	3	Vertical	118	1.31
5700MHz	Pass	AV	11.39132G	42.49	54.00	-11.51	3	Horizontal	205	1.50
5700MHz	Pass	PK	11.39064G	56.16	74.00	-17.84	3	Horizontal	205	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.42G	46.48	54.00	-7.52	3	Horizontal	0	2.25
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	100.56	Inf	-Inf	3	Horizontal	0	2.25
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.444G	58.54	74.00	-15.46	3	Horizontal	0	2.25
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	57.81	68.20	-10.39	3	Horizontal	0	2.25
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7128G	112.95	Inf	-Inf	3	Horizontal	0	2.25
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.864G	60.38	68.20	-7.82	3	Horizontal	0	2.25
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44416G	41.80	54.00	-12.20	3	Vertical	16	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44244G	56.87	74.00	-17.13	3	Vertical	16	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4442G	41.73	54.00	-12.27	3	Horizontal	147	1.18
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44016G	55.69	74.00	-18.31	3	Horizontal	147	1.18
5745MHz	Pass	AV	5.4594G	46.43	54.00	-7.57	3	Horizontal	0	2.34
5745MHz	Pass	AV	5.7366G	101.47	Inf	-Inf	3	Horizontal	0	2.34
5745MHz	Pass	PK	5.6178G	59.09	68.20	-9.11	3	Horizontal	0	2.34
5745MHz	Pass	PK	5.7402G	114.13	Inf	-Inf	3	Horizontal	0	2.34
5745MHz	Pass	PK	5.9514G	59.31	68.20	-8.89	3	Horizontal	0	2.34
5745MHz	Pass	AV	11.4844G	41.61	54.00	-12.39	3	Vertical	15	2.10
5745MHz	Pass	PK	11.48792G	55.64	74.00	-18.36	3	Vertical	15	2.10
5745MHz	Pass	AV	11.48204G	41.56	54.00	-12.44	3	Horizontal	0	1.50
5745MHz	Pass	PK	11.48328G	55.82	74.00	-18.18	3	Horizontal	0	1.50
5785MHz	Pass	AV	5.77645G	100.02	Inf	-Inf	3	Horizontal	0	2.36
5785MHz	Pass	PK	5.64214G	59.41	68.20	-8.79	3	Horizontal	0	2.36
5785MHz	Pass	PK	5.78008G	112.58	Inf	-Inf	3	Horizontal	0	2.36
5785MHz	Pass	PK	6.02692G	60.16	68.20	-8.04	3	Horizontal	0	2.36
5785MHz	Pass	AV	11.56464G	40.72	54.00	-13.28	3	Vertical	212	1.50
5785MHz	Pass	PK	11.57036G	55.17	74.00	-18.83	3	Vertical	212	1.50
5785MHz	Pass	AV	11.56076G	40.72	54.00	-13.28	3	Horizontal	181	3.00
5785MHz	Pass	PK	11.57516G	54.21	74.00	-19.79	3	Horizontal	181	3.00
5825MHz	Pass	AV	5.8274G	98.54	Inf	-Inf	3	Horizontal	0	1.10
5825MHz	Pass	PK	5.6114G	59.50	68.20	-8.70	3	Horizontal	0	1.10
5825MHz	Pass	PK	5.8298G	111.30	Inf	-Inf	3	Horizontal	0	1.10
5825MHz	Pass	PK	5.9354G	60.43	68.20	-7.77	3	Horizontal	0	1.10
5825MHz	Pass	AV	11.65944G	41.59	54.00	-12.41	3	Vertical	309	1.18
5825MHz	Pass	PK	11.65876G	55.43	74.00	-18.57	3	Vertical	309	1.18
5825MHz	Pass	AV	11.65932G	41.57	54.00	-12.43	3	Horizontal	101	1.50
5825MHz	Pass	PK	11.64656G	55.56	74.00	-18.44	3	Horizontal	101	1.50
802.11be EHT40_Nss2_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	49.96	54.00	-4.04	3	Horizontal	40	1.06
5190MHz	Pass	AV	5.198G	98.90	Inf	-Inf	3	Horizontal	40	1.06
5190MHz	Pass	PK	5.1492G	62.80	74.00	-11.20	3	Horizontal	40	1.06
5190MHz	Pass	PK	5.198G	112.81	Inf	-Inf	3	Horizontal	40	1.06
5190MHz	Pass	PK	10.37144G	55.47	68.20	-12.73	3	Vertical	153	1.50
5190MHz	Pass	PK	10.386G	55.19	68.20	-13.01	3	Horizontal	116	2.92
5230MHz	Pass	AV	5.15G	48.11	54.00	-5.89	3	Horizontal	36	1.23
5230MHz	Pass	AV	5.2336G	97.92	Inf	-Inf	3	Horizontal	36	1.23
5230MHz	Pass	PK	5.15G	61.15	74.00	-12.85	3	Horizontal	36	1.23
5230MHz	Pass	PK	5.2252G	111.57	Inf	-Inf	3	Horizontal	36	1.23
5230MHz	Pass	PK	10.46456G	54.79	68.20	-13.41	3	Vertical	317	1.00
5230MHz	Pass	PK	10.47416G	54.18	68.20	-14.02	3	Horizontal	274	1.50
5270MHz	Pass	AV	5.2644G	98.26	Inf	-Inf	3	Horizontal	180	2.13
5270MHz	Pass	AV	5.3504G	48.27	54.00	-5.73	3	Horizontal	180	2.13
5270MHz	Pass	PK	5.2628G	111.86	Inf	-Inf	3	Horizontal	180	2.13
5270MHz	Pass	PK	5.354G	60.52	74.00	-13.48	3	Horizontal	180	2.13

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5270MHz	Pass	PK	10.55392G	54.66	68.20	-13.54	3	Vertical	139	1.44
5270MHz	Pass	PK	10.53136G	54.61	68.20	-13.59	3	Horizontal	321	2.76
5310MHz	Pass	AV	5.302G	97.70	Inf	-Inf	3	Horizontal	181	2.23
5310MHz	Pass	AV	5.3508G	50.49	54.00	-3.51	3	Horizontal	181	2.23
5310MHz	Pass	PK	5.296G	111.09	Inf	-Inf	3	Horizontal	181	2.23
5310MHz	Pass	PK	5.3512G	62.72	74.00	-11.28	3	Horizontal	181	2.23
5310MHz	Pass	AV	10.63864G	41.96	54.00	-12.04	3	Vertical	53	2.65
5310MHz	Pass	PK	10.61216G	55.63	74.00	-18.37	3	Vertical	53	2.65
5310MHz	Pass	AV	10.63984G	41.99	54.00	-12.01	3	Horizontal	351	1.50
5310MHz	Pass	PK	10.61136G	56.40	74.00	-17.60	3	Horizontal	351	1.50
5510MHz	Pass	AV	5.46G	48.93	54.00	-5.07	3	Horizontal	183	1.92
5510MHz	Pass	AV	5.504G	96.27	Inf	-Inf	3	Horizontal	183	1.92
5510MHz	Pass	PK	5.4572G	62.17	74.00	-11.83	3	Horizontal	183	1.92
5510MHz	Pass	PK	5.4636G	66.13	68.20	-2.07	3	Horizontal	183	1.92
5510MHz	Pass	PK	5.5016G	108.68	Inf	-Inf	3	Horizontal	183	1.92
5510MHz	Pass	AV	11.01112G	40.90	54.00	-13.10	3	Vertical	132	2.58
5510MHz	Pass	PK	11.01864G	54.83	74.00	-19.17	3	Vertical	132	2.58
5510MHz	Pass	AV	11.01144G	40.88	54.00	-13.12	3	Horizontal	279	1.50
5510MHz	Pass	PK	11.00912G	54.52	74.00	-19.48	3	Horizontal	279	1.50
5550MHz	Pass	AV	5.46G	46.94	54.00	-7.06	3	Horizontal	357	2.28
5550MHz	Pass	AV	5.5528G	96.95	Inf	-Inf	3	Horizontal	357	2.28
5550MHz	Pass	PK	5.4552G	59.14	74.00	-14.86	3	Horizontal	357	2.28
5550MHz	Pass	PK	5.4652G	59.42	68.20	-8.78	3	Horizontal	357	2.28
5550MHz	Pass	PK	5.5408G	110.00	Inf	-Inf	3	Horizontal	357	2.28
5550MHz	Pass	AV	11.11832G	41.19	54.00	-12.81	3	Vertical	19	1.09
5550MHz	Pass	PK	11.10712G	54.80	74.00	-19.20	3	Vertical	19	1.09
5550MHz	Pass	AV	11.11904G	41.18	54.00	-12.82	3	Horizontal	176	1.74
5550MHz	Pass	PK	11.11336G	54.83	74.00	-19.17	3	Horizontal	176	1.74
5670MHz	Pass	AV	5.6736G	99.98	Inf	-Inf	3	Horizontal	131	1.03
5670MHz	Pass	PK	5.673G	113.94	Inf	-Inf	3	Horizontal	131	1.03
5670MHz	Pass	PK	5.7264G	65.17	68.20	-3.03	3	Horizontal	131	1.03
5670MHz	Pass	AV	11.33904G	43.25	54.00	-10.75	3	Vertical	211	1.50
5670MHz	Pass	PK	11.34408G	57.11	74.00	-16.89	3	Vertical	211	1.50
5670MHz	Pass	AV	11.34376G	43.23	54.00	-10.77	3	Horizontal	253	1.64
5670MHz	Pass	PK	11.34624G	56.73	74.00	-17.27	3	Horizontal	253	1.64
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4124G	46.47	54.00	-7.53	3	Horizontal	131	1.06
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7076G	99.33	Inf	-Inf	3	Horizontal	131	1.06
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4244G	59.08	74.00	-14.92	3	Horizontal	131	1.06
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4628G	58.23	68.20	-9.97	3	Horizontal	131	1.06
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7028G	112.49	Inf	-Inf	3	Horizontal	131	1.06
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8516G	59.93	68.20	-8.27	3	Horizontal	131	1.06
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4016G	42.51	54.00	-11.49	3	Vertical	234	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4252G	56.50	74.00	-17.50	3	Vertical	234	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40168G	42.43	54.00	-11.57	3	Horizontal	159	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4104G	56.44	74.00	-17.56	3	Horizontal	159	1.50
5755MHz	Pass	AV	5.4586G	46.46	54.00	-7.54	3	Horizontal	0	1.00
5755MHz	Pass	AV	5.7394G	97.91	Inf	-Inf	3	Horizontal	0	1.00
5755MHz	Pass	PK	5.6146G	59.98	68.20	-8.22	3	Horizontal	0	1.00
5755MHz	Pass	PK	5.7526G	111.90	Inf	-Inf	3	Horizontal	0	1.00
5755MHz	Pass	PK	5.953G	61.56	68.20	-6.64	3	Horizontal	0	1.00
5755MHz	Pass	AV	11.49976G	42.34	54.00	-11.66	3	Vertical	328	1.50
5755MHz	Pass	PK	11.49048G	56.63	74.00	-17.37	3	Vertical	328	1.50
5755MHz	Pass	AV	11.50744G	42.37	54.00	-11.63	3	Horizontal	111	3.00
5755MHz	Pass	PK	11.50488G	56.18	74.00	-17.82	3	Horizontal	111	3.00
5795MHz	Pass	AV	5.7818G	96.83	Inf	-Inf	3	Horizontal	0	1.94
5795MHz	Pass	PK	5.6246G	60.67	68.20	-7.53	3	Horizontal	0	1.94
5795MHz	Pass	PK	5.777G	110.14	Inf	-Inf	3	Horizontal	0	1.94
5795MHz	Pass	PK	6.023G	59.60	68.20	-8.60	3	Horizontal	0	1.94
5795MHz	Pass	AV	11.58912G	41.45	54.00	-12.55	3	Vertical	313	1.50
5795MHz	Pass	PK	11.5824G	55.02	74.00	-18.98	3	Vertical	313	1.50
5795MHz	Pass	AV	11.59144G	41.41	54.00	-12.59	3	Horizontal	102	2.19
5795MHz	Pass	PK	11.59416G	55.60	74.00	-18.40	3	Horizontal	102	2.19



RSE TX above 1GHz_Non-Beamforming_ Radio 2_2T2S_Dipole

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.147G	50.34	54.00	-3.66	3	Horizontal	44	1.04
5210MHz	Pass	AV	5.198G	94.84	Inf	-Inf	3	Horizontal	44	1.04
5210MHz	Pass	AV	5.355G	46.90	54.00	-7.10	3	Horizontal	44	1.04
5210MHz	Pass	PK	5.136G	63.33	74.00	-10.67	3	Horizontal	44	1.04
5210MHz	Pass	PK	5.228G	108.18	Inf	-Inf	3	Horizontal	44	1.04
5210MHz	Pass	PK	5.352G	58.99	74.00	-15.01	3	Horizontal	44	1.04
5210MHz	Pass	PK	10.4136G	54.70	68.20	-13.50	3	Vertical	207	2.33
5210MHz	Pass	PK	10.42064G	54.79	68.20	-13.41	3	Horizontal	261	1.88
5290MHz	Pass	AV	5.147G	47.17	54.00	-6.83	3	Horizontal	182	1.17
5290MHz	Pass	AV	5.299G	94.05	Inf	-Inf	3	Horizontal	182	1.17
5290MHz	Pass	AV	5.352G	49.06	54.00	-4.94	3	Horizontal	182	1.17
5290MHz	Pass	PK	5.14G	59.60	74.00	-14.40	3	Horizontal	182	1.17
5290MHz	Pass	PK	5.299G	107.07	Inf	-Inf	3	Horizontal	182	1.17
5290MHz	Pass	PK	5.372G	61.40	74.00	-12.60	3	Horizontal	182	1.17
5290MHz	Pass	PK	5.463G	59.36	68.20	-8.84	3	Horizontal	182	1.17
5290MHz	Pass	AV	10.61648G	41.82	54.00	-12.18	3	Vertical	348	1.00
5290MHz	Pass	PK	10.60592G	55.50	74.00	-18.50	3	Vertical	348	1.00
5290MHz	Pass	AV	10.6184G	41.81	54.00	-12.19	3	Horizontal	61	1.02
5290MHz	Pass	PK	10.61472G	55.51	74.00	-18.49	3	Horizontal	61	1.02
5530MHz	Pass	AV	5.35G	47.00	54.00	-7.00	3	Horizontal	356	1.00
5530MHz	Pass	AV	5.457G	51.57	54.00	-2.43	3	Horizontal	356	1.00
5530MHz	Pass	AV	5.522G	93.23	Inf	-Inf	3	Horizontal	356	1.00
5530MHz	Pass	PK	5.349G	59.69	68.20	-8.51	3	Horizontal	356	1.00
5530MHz	Pass	PK	5.459G	64.59	74.00	-9.41	3	Horizontal	356	1.00
5530MHz	Pass	PK	5.465G	64.25	68.20	-3.95	3	Horizontal	356	1.00
5530MHz	Pass	PK	5.512G	106.91	Inf	-Inf	3	Horizontal	356	1.00
5530MHz	Pass	PK	5.777G	60.62	68.20	-7.58	3	Horizontal	356	1.00
5530MHz	Pass	AV	11.02128G	40.96	54.00	-13.04	3	Vertical	78	1.73
5530MHz	Pass	PK	11.09888G	55.13	74.00	-18.87	3	Vertical	78	1.73
5530MHz	Pass	AV	11.09536G	40.93	54.00	-13.07	3	Horizontal	14	1.32
5530MHz	Pass	PK	11.08688G	54.51	74.00	-19.49	3	Horizontal	14	1.32
5610MHz	Pass	AV	5.459G	46.93	54.00	-7.07	3	Horizontal	132	1.11
5610MHz	Pass	AV	5.62G	94.62	Inf	-Inf	3	Horizontal	132	1.11
5610MHz	Pass	PK	5.442G	60.61	74.00	-13.39	3	Horizontal	132	1.11
5610MHz	Pass	PK	5.465G	58.72	68.20	-9.48	3	Horizontal	132	1.11
5610MHz	Pass	PK	5.62G	107.90	Inf	-Inf	3	Horizontal	132	1.11
5610MHz	Pass	PK	5.742G	62.80	68.20	-5.40	3	Horizontal	132	1.11
5610MHz	Pass	AV	11.25952G	42.63	54.00	-11.37	3	Vertical	271	2.63
5610MHz	Pass	PK	11.23952G	56.28	74.00	-17.72	3	Vertical	271	2.63
5610MHz	Pass	AV	11.25872G	42.66	54.00	-11.34	3	Horizontal	62	1.87
5610MHz	Pass	PK	11.25152G	55.78	74.00	-18.22	3	Horizontal	62	1.87
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.39G	46.64	54.00	-7.36	3	Horizontal	180	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6792G	94.85	Inf	-Inf	3	Horizontal	180	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4212G	58.93	74.00	-15.07	3	Horizontal	180	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	58.10	68.20	-10.10	3	Horizontal	180	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6804G	108.65	Inf	-Inf	3	Horizontal	180	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8664G	60.10	68.20	-8.10	3	Horizontal	180	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.34192G	43.18	54.00	-10.82	3	Vertical	150	1.18
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.34688G	56.57	74.00	-17.43	3	Vertical	150	1.18
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.34112G	43.23	54.00	-10.77	3	Horizontal	351	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.364G	56.78	74.00	-17.22	3	Horizontal	351	1.50
5775MHz	Pass	AV	5.7462G	94.24	Inf	-Inf	3	Horizontal	360	2.12
5775MHz	Pass	PK	5.649G	61.23	68.20	-6.97	3	Horizontal	360	2.12
5775MHz	Pass	PK	5.757G	107.75	Inf	-Inf	3	Horizontal	360	2.12
5775MHz	Pass	PK	6.003G	59.88	68.20	-8.32	3	Horizontal	360	2.12
5775MHz	Pass	AV	11.51256G	42.43	54.00	-11.57	3	Vertical	278	1.40
5775MHz	Pass	PK	11.53512G	55.47	74.00	-18.53	3	Vertical	278	1.40
5775MHz	Pass	AV	11.51224G	42.40	54.00	-11.60	3	Horizontal	122	1.50
5775MHz	Pass	PK	11.52344G	55.47	74.00	-18.53	3	Horizontal	122	1.50
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1492G	50.49	54.00	-3.51	3	Horizontal	181	2.20




**RSE TX above 1GHz_Non-Beamforming_
Radio 2_2T2S_Dipole**

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.31384G	90.59	Inf	-Inf	3	Horizontal	181	2.20
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.35752G	53.07	54.00	-0.93	3	Horizontal	181	2.20
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.14752G	70.46	74.00	-3.54	3	Horizontal	181	2.20
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.31384G	105.02	Inf	-Inf	3	Horizontal	181	2.20
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.35584G	72.40	74.00	-1.60	3	Horizontal	181	2.20
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.47176G	62.21	68.20	-5.99	3	Horizontal	181	2.20
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.57936G	55.10	68.20	-13.10	3	Vertical	255	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.47824G	54.87	68.20	-13.33	3	Horizontal	360	1.50
5570MHz	Pass	AV	5.4596G	47.42	54.00	-6.58	3	Horizontal	356	1.22
5570MHz	Pass	AV	5.4932G	87.05	Inf	-Inf	3	Horizontal	356	1.22
5570MHz	Pass	PK	5.3312G	59.48	68.20	-8.72	3	Horizontal	356	1.22
5570MHz	Pass	PK	5.4572G	66.37	74.00	-7.63	3	Horizontal	356	1.22
5570MHz	Pass	PK	5.4668G	67.24	68.20	-0.96	3	Horizontal	356	1.22
5570MHz	Pass	PK	5.4968G	100.99	Inf	-Inf	3	Horizontal	356	1.22
5570MHz	Pass	PK	5.7572G	60.93	68.20	-7.27	3	Horizontal	356	1.22
5570MHz	Pass	AV	11.21552G	42.32	54.00	-11.68	3	Vertical	202	1.49
5570MHz	Pass	PK	11.21872G	55.91	74.00	-18.09	3	Vertical	202	1.49
5570MHz	Pass	AV	11.21552G	42.36	54.00	-11.64	3	Horizontal	12	1.50
5570MHz	Pass	PK	11.20496G	55.75	74.00	-18.25	3	Horizontal	12	1.50


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX



5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	50.34	54.00	-3.66	8.14	3	Horizontal	44	1.04	42.20	33.19	8.95	34.00
AV	5.198G	94.84	Inf	-Inf	8.08	3	Horizontal	44	1.04	86.76	33.10	8.98	34.00
AV	5.355G	46.90	54.00	-7.10	8.03	3	Horizontal	44	1.04	38.87	32.89	9.13	33.99
PK	5.136G	63.33	74.00	-10.67	8.08	3	Horizontal	44	1.04	55.25	33.14	8.94	34.00
PK	5.228G	108.18	Inf	-Inf	8.05	3	Horizontal	44	1.04	100.13	33.04	9.01	34.00
PK	5.352G	58.99	74.00	-15.01	8.03	3	Horizontal	44	1.04	50.96	32.90	9.12	33.99

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.4136G	54.70	68.20	-13.50	17.00	3	Vertical	207	2.33	37.70	38.70	12.98	34.68


5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.15-5.25GHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX



5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.93	54.00	-5.07	8.06	3	Horizontal	183	1.92	40.87	32.84	9.20	33.98
AV	5.504G	96.27	Inf	-Inf	8.23	3	Horizontal	183	1.92	88.04	32.99	9.22	33.98
PK	5.4572G	62.17	74.00	-11.83	8.05	3	Horizontal	183	1.92	54.12	32.83	9.20	33.98
PK	5.4636G	66.13	68.20	-2.07	8.07	3	Horizontal	183	1.92	58.06	32.85	9.20	33.98
PK	5.5016G	108.68	Inf	-Inf	8.24	3	Horizontal	183	1.92	100.44	33.00	9.22	33.98

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01112G	40.90	54.00	-13.10	18.04	3	Vertical	132	2.58	22.86	38.78	13.59	34.33
PK	11.01864G	54.83	74.00	-19.17	18.03	3	Vertical	132	2.58	36.80	38.76	13.60	34.33


5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX



5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4586G	46.46	54.00	-7.54	8.05	3	Horizontal	0	1.00	38.41	32.83	9.20	33.98
AV	5.7394G	97.91	Inf	-Inf	8.94	3	Horizontal	0	1.00	88.97	33.68	9.34	34.08
PK	5.6146G	59.98	68.20	-8.22	8.23	3	Horizontal	0	1.00	51.75	32.99	9.27	34.03
PK	5.7526G	111.90	Inf	-Inf	8.96	3	Horizontal	0	1.00	102.94	33.71	9.34	34.09
PK	5.953G	61.56	68.20	-6.64	9.35	3	Horizontal	0	1.00	52.21	34.10	9.42	34.17

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49976G	42.34	54.00	-11.66	19.00	3	Vertical	328	1.50	23.34	39.00	14.09	34.09
PK	11.49048G	56.63	74.00	-17.37	18.99	3	Vertical	328	1.50	37.64	39.00	14.08	34.09


5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX





**RSE TX below 1GHz_Non-Beamforming_
Radio 2_1T1S_Patch**

Appendix E.9

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	PK	303.54M	37.05	46.00	-8.95	3	Horizontal	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5775MHz_PoE	Pass	PK	30M	26.89	40.00	-13.11	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	90.14M	26.63	43.50	-16.87	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	148.34M	25.87	43.50	-17.63	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	291.9M	29.97	46.00	-16.03	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	449.04M	31.33	46.00	-14.67	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	582.9M	29.45	46.00	-16.55	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	30M	23.97	40.00	-16.03	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	99.84M	25.21	43.50	-18.29	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	148.34M	26.30	43.50	-17.20	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	303.54M	37.05	46.00	-8.95	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	470.38M	29.20	46.00	-16.80	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	549.92M	29.37	46.00	-16.63	3	Horizontal	360	1.00

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	26.89	40.00	-13.11	-3.00	3	Vertical	0	1.00	29.89	24.27	0.24	27.51
PK	90.14M	26.63	43.50	-16.87	-11.16	3	Vertical	0	1.00	37.79	15.25	0.91	27.32
PK	148.34M	25.87	43.50	-17.63	-8.92	3	Vertical	0	1.00	34.79	16.64	1.59	27.15
PK	291.9M	29.97	46.00	-16.03	-5.26	3	Vertical	0	1.00	35.23	19.22	2.23	26.71
PK	449.04M	31.33	46.00	-14.67	-2.01	3	Vertical	0	1.00	33.34	22.93	2.90	27.84
PK	582.9M	29.45	46.00	-16.55	0.06	3	Vertical	0	1.00	29.39	24.75	3.52	28.21

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	23.97	40.00	-16.03	-3.00	3	Horizontal	360	1.00	26.97	24.27	0.24	27.51
PK	99.84M	25.21	43.50	-18.29	-9.00	3	Horizontal	360	1.00	34.21	17.33	0.97	27.30
PK	148.34M	26.30	43.50	-17.20	-8.92	3	Horizontal	360	1.00	35.22	16.64	1.59	27.15
PK	303.54M	37.05	46.00	-8.95	-4.96	3	Horizontal	360	1.00	42.01	19.51	2.26	26.73
PK	470.38M	29.20	46.00	-16.80	-1.45	3	Horizontal	360	1.00	30.65	23.49	3.04	27.98
PK	549.92M	29.37	46.00	-16.63	0.47	3	Horizontal	360	1.00	28.90	25.22	3.42	28.17



RSE TX above 1GHz_Non-Beamforming_ Radio 2_1T1S_Patch

Appendix E.10

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.15G	49.36	54.00	-4.64	3	Vertical	4	1.45
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.14G	50.26	54.00	-3.74	3	Vertical	357	1.46
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.18	54.00	-0.82	3	Vertical	357	1.55
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.149G	50.49	54.00	-3.51	3	Vertical	357	1.49
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	AV	5.14584G	52.30	54.00	-1.70	3	Vertical	357	1.74
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.3504G	50.49	54.00	-3.51	3	Vertical	358	2.41
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.3606G	50.99	54.00	-3.01	3	Vertical	360	2.42
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.3504G	52.29	54.00	-1.71	3	Vertical	358	2.38
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.35G	52.07	54.00	-1.93	3	Vertical	358	2.35
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.7252G	67.43	68.20	-0.77	3	Vertical	4	1.64
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	PK	5.7252G	68.18	68.20	-0.02	3	Vertical	5	1.72
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	PK	5.7252G	67.16	68.20	-1.04	3	Vertical	5	1.48
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	AV	5.46G	53.31	54.00	-0.69	3	Vertical	3	1.62
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	PK	5.4644G	66.66	68.20	-1.54	3	Vertical	3	1.50
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.4594G	47.00	54.00	-7.00	3	Vertical	4	1.90
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	AV	5.445G	46.82	54.00	-7.18	3	Vertical	4	1.72
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	AV	5.4562G	47.01	54.00	-6.99	3	Vertical	4	1.94
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	PK	5.643G	64.07	68.20	-4.13	3	Vertical	6	1.93



RSE TX above 1GHz_Non-Beamforming_ Radio 2_1T1S_Patch

Appendix E.10

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1_(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	49.36	54.00	-4.64	3	Vertical	4	1.45
5180MHz	Pass	AV	5.186G	104.99	Inf	-Inf	3	Vertical	4	1.45
5180MHz	Pass	PK	5.1354G	63.21	74.00	-10.79	3	Vertical	4	1.45
5180MHz	Pass	PK	5.1866G	116.35	Inf	-Inf	3	Vertical	4	1.45
5180MHz	Pass	PK	10.37452G	56.52	68.20	-11.68	3	Vertical	310	1.50
5180MHz	Pass	PK	10.37086G	55.93	68.20	-12.27	3	Horizontal	217	1.49
5200MHz	Pass	AV	5.1496G	48.58	54.00	-5.42	3	Vertical	357	1.49
5200MHz	Pass	AV	5.1968G	105.73	Inf	-Inf	3	Vertical	357	1.49
5200MHz	Pass	PK	5.1324G	60.86	74.00	-13.14	3	Vertical	357	1.49
5200MHz	Pass	PK	5.206G	116.80	Inf	-Inf	3	Vertical	357	1.49
5200MHz	Pass	PK	10.39436G	55.54	68.20	-12.66	3	Vertical	124	1.50
5200MHz	Pass	PK	10.385G	55.61	68.20	-12.59	3	Horizontal	338	2.10
5240MHz	Pass	AV	5.1464G	47.74	54.00	-6.26	3	Vertical	355	1.50
5240MHz	Pass	AV	5.2358G	105.97	Inf	-Inf	3	Vertical	355	1.50
5240MHz	Pass	AV	5.3528G	47.70	54.00	-6.30	3	Vertical	355	1.50
5240MHz	Pass	PK	5.1446G	60.58	74.00	-13.42	3	Vertical	355	1.50
5240MHz	Pass	PK	5.2448G	116.41	Inf	-Inf	3	Vertical	355	1.50
5240MHz	Pass	PK	5.3516G	60.26	74.00	-13.74	3	Vertical	355	1.50
5240MHz	Pass	PK	10.47838G	55.59	68.20	-12.61	3	Vertical	226	1.96
5240MHz	Pass	PK	10.47928G	55.76	68.20	-12.44	3	Horizontal	90	1.50
5260MHz	Pass	AV	5.15G	47.65	54.00	-6.35	3	Vertical	360	1.96
5260MHz	Pass	AV	5.2564G	105.38	Inf	-Inf	3	Vertical	360	1.96
5260MHz	Pass	AV	5.3548G	47.94	54.00	-6.06	3	Vertical	360	1.96
5260MHz	Pass	PK	5.1484G	59.83	74.00	-14.17	3	Vertical	360	1.96
5260MHz	Pass	PK	5.2564G	116.37	Inf	-Inf	3	Vertical	360	1.96
5260MHz	Pass	PK	5.386G	60.62	74.00	-13.38	3	Vertical	360	1.96
5260MHz	Pass	PK	10.5245G	55.96	68.20	-12.24	3	Vertical	271	1.50
5260MHz	Pass	PK	10.52426G	56.01	68.20	-12.19	3	Horizontal	123	1.50
5300MHz	Pass	AV	5.3024G	105.36	Inf	-Inf	3	Vertical	360	2.06
5300MHz	Pass	AV	5.3504G	49.00	54.00	-5.00	3	Vertical	360	2.06
5300MHz	Pass	PK	5.3024G	116.02	Inf	-Inf	3	Vertical	360	2.06
5300MHz	Pass	PK	5.3612G	61.38	74.00	-12.62	3	Vertical	360	2.06
5300MHz	Pass	AV	10.61386G	43.03	54.00	-10.97	3	Vertical	70	1.89
5300MHz	Pass	PK	10.61122G	56.29	74.00	-17.71	3	Vertical	70	1.89
5300MHz	Pass	AV	10.6144G	43.05	54.00	-10.95	3	Horizontal	212	1.50
5300MHz	Pass	PK	10.60306G	56.63	74.00	-17.37	3	Horizontal	212	1.50
5320MHz	Pass	AV	5.3226G	105.12	Inf	-Inf	3	Vertical	358	2.41
5320MHz	Pass	AV	5.3504G	50.49	54.00	-3.51	3	Vertical	358	2.41
5320MHz	Pass	PK	5.322G	115.99	Inf	-Inf	3	Vertical	358	2.41
5320MHz	Pass	PK	5.3604G	65.24	74.00	-8.76	3	Vertical	358	2.41
5320MHz	Pass	AV	10.65374G	43.60	54.00	-10.40	3	Vertical	82	1.50
5320MHz	Pass	PK	10.65362G	57.60	74.00	-16.40	3	Vertical	82	1.50
5320MHz	Pass	AV	10.65398G	43.66	54.00	-10.34	3	Horizontal	340	1.50
5320MHz	Pass	PK	10.64456G	58.28	74.00	-15.72	3	Horizontal	340	1.50
5500MHz	Pass	AV	5.46G	49.11	54.00	-4.89	3	Vertical	3	1.50
5500MHz	Pass	AV	5.4966G	104.84	Inf	-Inf	3	Vertical	3	1.50
5500MHz	Pass	PK	5.4582G	62.73	74.00	-11.27	3	Vertical	3	1.50
5500MHz	Pass	PK	5.4604G	62.10	68.20	-6.10	3	Vertical	3	1.50
5500MHz	Pass	PK	5.5046G	116.54	Inf	-Inf	3	Vertical	3	1.50
5500MHz	Pass	AV	10.985G	42.10	54.00	-11.90	3	Vertical	57	1.50
5500MHz	Pass	PK	11.01038G	56.17	74.00	-17.83	3	Vertical	57	1.50
5500MHz	Pass	AV	10.9853G	42.03	54.00	-11.97	3	Horizontal	125	2.66
5500MHz	Pass	PK	11.0006G	55.83	74.00	-18.17	3	Horizontal	125	2.66
5580MHz	Pass	AV	5.4372G	47.11	54.00	-6.89	3	Vertical	3	1.75
5580MHz	Pass	AV	5.5734G	105.02	Inf	-Inf	3	Vertical	3	1.75
5580MHz	Pass	PK	5.4396G	59.70	74.00	-14.30	3	Vertical	3	1.75
5580MHz	Pass	PK	5.4648G	59.13	68.20	-9.07	3	Vertical	3	1.75
5580MHz	Pass	PK	5.5734G	115.95	Inf	-Inf	3	Vertical	3	1.75
5580MHz	Pass	PK	5.7276G	60.75	68.20	-7.45	3	Vertical	3	1.75
5580MHz	Pass	AV	11.17344G	43.29	54.00	-10.71	3	Vertical	245	1.61



RSE TX above 1GHz_Non-Beamforming_ Radio 2_1T1S_Patch

Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	11.17296G	57.24	74.00	-16.76	3	Vertical	245	1.61
5580MHz	Pass	AV	11.1747G	43.23	54.00	-10.77	3	Horizontal	42	1.50
5580MHz	Pass	PK	11.17218G	57.16	74.00	-16.84	3	Horizontal	42	1.50
5700MHz	Pass	AV	5.702G	103.57	Inf	-Inf	3	Vertical	4	1.64
5700MHz	Pass	PK	5.702G	114.33	Inf	-Inf	3	Vertical	4	1.64
5700MHz	Pass	PK	5.7252G	67.43	68.20	-0.77	3	Vertical	4	1.64
5700MHz	Pass	AV	11.38506G	44.61	54.00	-9.39	3	Vertical	214	1.57
5700MHz	Pass	PK	11.39088G	58.45	74.00	-15.55	3	Vertical	214	1.57
5700MHz	Pass	AV	11.3853G	44.58	54.00	-9.42	3	Horizontal	183	1.50
5700MHz	Pass	PK	11.3979G	58.53	74.00	-15.47	3	Horizontal	183	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.42G	47.03	54.00	-6.97	3	Vertical	6	2.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7164G	105.75	Inf	-Inf	3	Vertical	6	2.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4476G	59.05	74.00	-14.95	3	Vertical	6	2.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	59.04	68.20	-9.16	3	Vertical	6	2.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7152G	116.61	Inf	-Inf	3	Vertical	6	2.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9048G	61.17	68.20	-7.03	3	Vertical	6	2.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.45062G	43.87	54.00	-10.13	3	Vertical	148	2.08
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.45302G	59.32	74.00	-14.68	3	Vertical	148	2.08
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.425G	43.93	54.00	-10.07	3	Horizontal	40	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44492G	58.02	74.00	-15.98	3	Horizontal	40	1.50
5745MHz	Pass	AV	5.4594G	47.00	54.00	-7.00	3	Vertical	4	1.90
5745MHz	Pass	AV	5.7414G	106.96	Inf	-Inf	3	Vertical	4	1.90
5745MHz	Pass	PK	5.6478G	60.12	68.20	-8.08	3	Vertical	4	1.90
5745MHz	Pass	PK	5.7414G	117.64	Inf	-Inf	3	Vertical	4	1.90
5745MHz	Pass	PK	6.0114G	59.72	68.20	-8.48	3	Vertical	4	1.90
5745MHz	Pass	AV	11.48328G	43.88	54.00	-10.12	3	Vertical	242	1.69
5745MHz	Pass	PK	11.4789G	57.64	74.00	-16.36	3	Vertical	242	1.69
5745MHz	Pass	AV	11.48328G	43.90	54.00	-10.10	3	Horizontal	36	1.50
5745MHz	Pass	PK	11.47938G	57.73	74.00	-16.27	3	Horizontal	36	1.50
5785MHz	Pass	AV	5.77766G	105.77	Inf	-Inf	3	Vertical	5	1.38
5785MHz	Pass	PK	5.64819G	60.53	68.20	-7.67	3	Vertical	5	1.38
5785MHz	Pass	PK	5.78129G	115.98	Inf	-Inf	3	Vertical	5	1.38
5785MHz	Pass	PK	5.95311G	59.78	68.20	-8.42	3	Vertical	5	1.38
5785MHz	Pass	AV	11.55674G	42.95	54.00	-11.05	3	Vertical	108	1.50
5785MHz	Pass	PK	11.58104G	56.40	74.00	-17.60	3	Vertical	108	1.50
5785MHz	Pass	AV	11.55704G	42.98	54.00	-11.02	3	Horizontal	326	2.09
5785MHz	Pass	PK	11.56424G	56.92	74.00	-17.08	3	Horizontal	326	2.09
5825MHz	Pass	AV	5.8298G	103.81	Inf	-Inf	3	Vertical	5	1.66
5825MHz	Pass	PK	5.6294G	60.25	68.20	-7.95	3	Vertical	5	1.66
5825MHz	Pass	PK	5.8286G	114.17	Inf	-Inf	3	Vertical	5	1.66
5825MHz	Pass	PK	6.053G	60.29	68.20	-7.91	3	Vertical	5	1.66
5825MHz	Pass	AV	11.65636G	43.37	54.00	-10.63	3	Vertical	322	1.50
5825MHz	Pass	PK	11.65804G	57.29	74.00	-16.71	3	Vertical	322	1.50
5825MHz	Pass	AV	11.65654G	43.39	54.00	-10.61	3	Horizontal	82	1.02
5825MHz	Pass	PK	11.66374G	57.14	74.00	-16.86	3	Horizontal	82	1.02
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.14G	50.26	54.00	-3.74	3	Vertical	357	1.46
5180MHz	Pass	AV	5.1856G	104.78	Inf	-Inf	3	Vertical	357	1.46
5180MHz	Pass	PK	5.139G	65.10	74.00	-8.90	3	Vertical	357	1.46
5180MHz	Pass	PK	5.1836G	118.22	Inf	-Inf	3	Vertical	357	1.46
5180MHz	Pass	PK	10.35172G	56.58	68.20	-11.62	3	Vertical	158	1.50
5180MHz	Pass	PK	10.3558G	56.89	68.20	-11.31	3	Horizontal	43	1.12
5200MHz	Pass	AV	5.15G	48.76	54.00	-5.24	3	Vertical	357	1.49
5200MHz	Pass	AV	5.1972G	105.12	Inf	-Inf	3	Vertical	357	1.49
5200MHz	Pass	PK	5.1476G	61.66	74.00	-12.34	3	Vertical	357	1.49
5200MHz	Pass	PK	5.1972G	118.36	Inf	-Inf	3	Vertical	357	1.49
5200MHz	Pass	PK	10.38662G	56.27	68.20	-11.93	3	Vertical	249	1.50
5200MHz	Pass	PK	10.39256G	57.01	68.20	-11.19	3	Horizontal	12	1.50
5240MHz	Pass	AV	5.147G	47.73	54.00	-6.27	3	Vertical	355	1.50
5240MHz	Pass	AV	5.2346G	104.90	Inf	-Inf	3	Vertical	355	1.50
5240MHz	Pass	AV	5.3504G	47.64	54.00	-6.36	3	Vertical	355	1.50
5240MHz	Pass	PK	5.132G	60.78	74.00	-13.22	3	Vertical	355	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_1T1S_Patch**

Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	PK	5.234G	118.31	Inf	-Inf	3	Vertical	355	1.50
5240MHz	Pass	PK	5.369G	60.22	74.00	-13.78	3	Vertical	355	1.50
5240MHz	Pass	PK	10.47034G	57.27	68.20	-10.93	3	Vertical	250	1.22
5240MHz	Pass	PK	10.46848G	56.06	68.20	-12.14	3	Horizontal	60	1.50
5260MHz	Pass	AV	5.149G	47.52	54.00	-6.48	3	Vertical	360	2.16
5260MHz	Pass	AV	5.254G	104.71	Inf	-Inf	3	Vertical	360	2.16
5260MHz	Pass	AV	5.353G	47.87	54.00	-6.13	3	Vertical	360	2.16
5260MHz	Pass	PK	5.1322G	60.60	74.00	-13.40	3	Vertical	360	2.16
5260MHz	Pass	PK	5.2612G	117.75	Inf	-Inf	3	Vertical	360	2.16
5260MHz	Pass	PK	5.3614G	61.02	74.00	-12.98	3	Vertical	360	2.16
5260MHz	Pass	PK	10.5134G	56.76	68.20	-11.44	3	Vertical	175	1.50
5260MHz	Pass	PK	10.51574G	56.39	68.20	-11.81	3	Horizontal	360	1.50
5300MHz	Pass	AV	5.302G	104.72	Inf	-Inf	3	Vertical	360	2.06
5300MHz	Pass	AV	5.3504G	48.99	54.00	-5.01	3	Vertical	360	2.06
5300MHz	Pass	PK	5.302G	117.35	Inf	-Inf	3	Vertical	360	2.06
5300MHz	Pass	PK	5.3564G	62.74	74.00	-11.26	3	Vertical	360	2.06
5300MHz	Pass	AV	10.6138G	43.13	54.00	-10.87	3	Vertical	305	1.50
5300MHz	Pass	PK	10.60048G	57.04	74.00	-16.96	3	Vertical	305	1.50
5300MHz	Pass	AV	10.61332G	43.09	54.00	-10.91	3	Horizontal	21	1.36
5300MHz	Pass	PK	10.61182G	56.89	74.00	-17.11	3	Horizontal	21	1.36
5320MHz	Pass	AV	5.3224G	104.36	Inf	-Inf	3	Vertical	360	2.42
5320MHz	Pass	AV	5.3606G	50.99	54.00	-3.01	3	Vertical	360	2.42
5320MHz	Pass	PK	5.3148G	118.34	Inf	-Inf	3	Vertical	360	2.42
5320MHz	Pass	PK	5.361G	64.83	74.00	-9.17	3	Vertical	360	2.42
5320MHz	Pass	AV	10.6544G	43.74	54.00	-10.26	3	Vertical	203	1.50
5320MHz	Pass	PK	10.65326G	57.87	74.00	-16.13	3	Vertical	203	1.50
5320MHz	Pass	AV	10.65362G	43.73	54.00	-10.27	3	Horizontal	221	1.65
5320MHz	Pass	PK	10.65092G	57.56	74.00	-16.44	3	Horizontal	221	1.65
5500MHz	Pass	AV	5.46G	49.63	54.00	-4.37	3	Vertical	5	1.50
5500MHz	Pass	AV	5.5016G	103.99	Inf	-Inf	3	Vertical	5	1.50
5500MHz	Pass	PK	5.4578G	63.71	74.00	-10.29	3	Vertical	5	1.50
5500MHz	Pass	PK	5.4604G	62.37	68.20	-5.83	3	Vertical	5	1.50
5500MHz	Pass	PK	5.5016G	116.93	Inf	-Inf	3	Vertical	5	1.50
5500MHz	Pass	AV	10.98506G	42.13	54.00	-11.87	3	Vertical	63	1.50
5500MHz	Pass	PK	10.99034G	55.89	74.00	-18.11	3	Vertical	63	1.50
5500MHz	Pass	AV	10.98524G	42.15	54.00	-11.85	3	Horizontal	331	3.00
5500MHz	Pass	PK	11.00204G	56.01	74.00	-17.99	3	Horizontal	331	3.00
5580MHz	Pass	AV	5.4444G	47.02	54.00	-6.98	3	Vertical	4	1.77
5580MHz	Pass	AV	5.5758G	104.48	Inf	-Inf	3	Vertical	4	1.77
5580MHz	Pass	PK	5.4474G	59.60	74.00	-14.40	3	Vertical	4	1.77
5580MHz	Pass	PK	5.4624G	58.65	68.20	-9.55	3	Vertical	4	1.77
5580MHz	Pass	PK	5.5716G	117.04	Inf	-Inf	3	Vertical	4	1.77
5580MHz	Pass	PK	5.727G	61.03	68.20	-7.17	3	Vertical	4	1.77
5580MHz	Pass	AV	11.17332G	43.19	54.00	-10.81	3	Vertical	10	3.00
5580MHz	Pass	PK	11.16996G	57.45	74.00	-16.55	3	Vertical	10	3.00
5580MHz	Pass	AV	11.17482G	43.27	54.00	-10.73	3	Horizontal	225	1.50
5580MHz	Pass	PK	11.1744G	57.01	74.00	-16.99	3	Horizontal	225	1.50
5700MHz	Pass	AV	5.7044G	102.29	Inf	-Inf	3	Vertical	5	1.72
5700MHz	Pass	PK	5.6944G	115.51	Inf	-Inf	3	Vertical	5	1.72
5700MHz	Pass	PK	5.7252G	68.18	68.20	-0.02	3	Vertical	5	1.72
5700MHz	Pass	AV	11.385G	44.41	54.00	-9.59	3	Vertical	136	1.50
5700MHz	Pass	PK	11.40138G	58.71	74.00	-15.29	3	Vertical	136	1.50
5700MHz	Pass	AV	11.385G	44.35	54.00	-9.65	3	Horizontal	343	1.31
5700MHz	Pass	PK	11.40222G	58.49	74.00	-15.51	3	Horizontal	343	1.31
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.42G	46.90	54.00	-7.10	3	Vertical	4	1.81
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	105.40	Inf	-Inf	3	Vertical	4	1.81
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4344G	58.97	74.00	-15.03	3	Vertical	4	1.81
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	59.09	68.20	-9.11	3	Vertical	4	1.81
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	117.94	Inf	-Inf	3	Vertical	4	1.81
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8724G	60.59	68.20	-7.61	3	Vertical	4	1.81
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.425G	43.75	54.00	-10.25	3	Vertical	360	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44222G	57.19	74.00	-16.81	3	Vertical	360	1.50



RSE TX above 1GHz_Non-Beamforming_ Radio 2_1T1S_Patch

Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.45308G	43.82	54.00	-10.18	3	Horizontal	133	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44624G	58.14	74.00	-15.86	3	Horizontal	133	1.50
5745MHz	Pass	AV	5.445G	46.82	54.00	-7.18	3	Vertical	4	1.72
5745MHz	Pass	AV	5.7366G	106.31	Inf	-Inf	3	Vertical	4	1.72
5745MHz	Pass	PK	5.5854G	60.73	68.20	-7.47	3	Vertical	4	1.72
5745MHz	Pass	PK	5.7426G	119.77	Inf	-Inf	3	Vertical	4	1.72
5745MHz	Pass	PK	5.9274G	60.82	68.20	-7.38	3	Vertical	4	1.72
5745MHz	Pass	AV	11.4756G	43.71	54.00	-10.29	3	Vertical	279	1.50
5745MHz	Pass	PK	11.50488G	58.11	74.00	-15.89	3	Vertical	279	1.50
5745MHz	Pass	AV	11.47836G	43.70	54.00	-10.30	3	Horizontal	326	1.50
5745MHz	Pass	PK	11.49372G	57.81	74.00	-16.19	3	Horizontal	326	1.50
5785MHz	Pass	AV	5.77645G	105.52	Inf	-Inf	3	Vertical	5	1.38
5785MHz	Pass	PK	5.64214G	59.97	68.20	-8.23	3	Vertical	5	1.38
5785MHz	Pass	PK	5.79218G	117.34	Inf	-Inf	3	Vertical	5	1.38
5785MHz	Pass	PK	6.07532G	60.44	68.20	-7.76	3	Vertical	5	1.38
5785MHz	Pass	AV	11.55698G	42.84	54.00	-11.16	3	Vertical	345	1.01
5785MHz	Pass	PK	11.57762G	57.22	74.00	-16.78	3	Vertical	345	1.01
5785MHz	Pass	AV	11.555G	42.80	54.00	-11.20	3	Horizontal	30	2.75
5785MHz	Pass	PK	11.5556G	56.32	74.00	-17.68	3	Horizontal	30	2.75
5825MHz	Pass	AV	5.8322G	102.72	Inf	-Inf	3	Vertical	3	1.64
5825MHz	Pass	PK	5.5874G	60.13	68.20	-8.07	3	Vertical	3	1.64
5825MHz	Pass	PK	5.8298G	115.57	Inf	-Inf	3	Vertical	3	1.64
5825MHz	Pass	PK	5.9258G	60.07	68.20	-8.13	3	Vertical	3	1.64
5825MHz	Pass	AV	11.66434G	43.29	54.00	-10.71	3	Vertical	60	2.85
5825MHz	Pass	PK	11.64838G	57.43	74.00	-16.57	3	Vertical	60	2.85
5825MHz	Pass	AV	11.66218G	43.33	54.00	-10.67	3	Horizontal	233	2.43
5825MHz	Pass	PK	11.66158G	57.55	74.00	-16.45	3	Horizontal	233	2.43
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.18	54.00	-0.82	3	Vertical	357	1.55
5190MHz	Pass	AV	5.1952G	102.64	Inf	-Inf	3	Vertical	357	1.55
5190MHz	Pass	PK	5.1492G	66.30	74.00	-7.70	3	Vertical	357	1.55
5190MHz	Pass	PK	5.1808G	115.62	Inf	-Inf	3	Vertical	357	1.55
5190MHz	Pass	PK	10.37232G	56.65	68.20	-11.55	3	Vertical	295	1.50
5190MHz	Pass	PK	10.37412G	56.45	68.20	-11.75	3	Horizontal	189	2.41
5230MHz	Pass	AV	5.15G	49.35	54.00	-4.65	3	Vertical	360	2.04
5230MHz	Pass	AV	5.2364G	103.12	Inf	-Inf	3	Vertical	360	2.04
5230MHz	Pass	PK	5.1492G	62.13	74.00	-11.87	3	Vertical	360	2.04
5230MHz	Pass	PK	5.242G	117.00	Inf	-Inf	3	Vertical	360	2.04
5230MHz	Pass	PK	10.48436G	56.03	68.20	-12.17	3	Vertical	202	1.50
5230MHz	Pass	PK	10.43252G	56.06	68.20	-12.14	3	Horizontal	56	1.50
5270MHz	Pass	AV	5.256G	102.43	Inf	-Inf	3	Vertical	360	1.95
5270MHz	Pass	AV	5.3504G	49.32	54.00	-4.68	3	Vertical	360	1.95
5270MHz	Pass	PK	5.2564G	115.87	Inf	-Inf	3	Vertical	360	1.95
5270MHz	Pass	PK	5.35G	62.05	74.00	-11.95	3	Vertical	360	1.95
5270MHz	Pass	PK	10.51324G	56.21	68.20	-11.99	3	Vertical	322	1.50
5270MHz	Pass	PK	10.52236G	55.80	68.20	-12.40	3	Horizontal	100	1.49
5310MHz	Pass	AV	5.3024G	102.44	Inf	-Inf	3	Vertical	358	2.38
5310MHz	Pass	AV	5.3504G	52.29	54.00	-1.71	3	Vertical	358	2.38
5310MHz	Pass	PK	5.3136G	115.72	Inf	-Inf	3	Vertical	358	2.38
5310MHz	Pass	PK	5.3604G	64.45	74.00	-9.55	3	Vertical	358	2.38
5310MHz	Pass	AV	10.64952G	43.75	54.00	-10.25	3	Vertical	166	1.50
5310MHz	Pass	PK	10.64868G	57.52	74.00	-16.48	3	Vertical	166	1.50
5310MHz	Pass	AV	10.6494G	43.70	54.00	-10.30	3	Horizontal	77	1.00
5310MHz	Pass	PK	10.6464G	57.64	74.00	-16.36	3	Horizontal	77	1.00
5510MHz	Pass	AV	5.46G	49.91	54.00	-4.09	3	Vertical	4	2.09
5510MHz	Pass	AV	5.5064G	101.67	Inf	-Inf	3	Vertical	4	2.09
5510MHz	Pass	PK	5.4588G	62.79	74.00	-11.21	3	Vertical	4	2.09
5510MHz	Pass	PK	5.4624G	65.55	68.20	-2.65	3	Vertical	4	2.09
5510MHz	Pass	PK	5.5056G	114.13	Inf	-Inf	3	Vertical	4	2.09
5510MHz	Pass	AV	11.01124G	42.05	54.00	-11.95	3	Vertical	15	2.24
5510MHz	Pass	PK	11.00656G	56.20	74.00	-17.80	3	Vertical	15	2.24
5510MHz	Pass	AV	10.99G	42.02	54.00	-11.98	3	Horizontal	81	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5510MHz	Pass	PK	11.01136G	56.22	74.00	-17.78	3	Horizontal	81	1.50
5550MHz	Pass	AV	5.46G	48.08	54.00	-5.92	3	Vertical	5	1.73
5550MHz	Pass	AV	5.5476G	101.79	Inf	-Inf	3	Vertical	5	1.73
5550MHz	Pass	PK	5.4576G	60.28	74.00	-13.72	3	Vertical	5	1.73
5550MHz	Pass	PK	5.4696G	60.86	68.20	-7.34	3	Vertical	5	1.73
5550MHz	Pass	PK	5.5448G	115.41	Inf	-Inf	3	Vertical	5	1.73
5550MHz	Pass	AV	11.1282G	42.61	54.00	-11.39	3	Vertical	220	1.50
5550MHz	Pass	PK	11.11944G	56.13	74.00	-17.87	3	Vertical	220	1.50
5550MHz	Pass	AV	11.12808G	42.62	54.00	-11.38	3	Horizontal	290	1.50
5550MHz	Pass	PK	11.11044G	56.27	74.00	-17.73	3	Horizontal	290	1.50
5670MHz	Pass	AV	5.676G	101.64	Inf	-Inf	3	Vertical	5	1.48
5670MHz	Pass	PK	5.6646G	115.01	Inf	-Inf	3	Vertical	5	1.48
5670MHz	Pass	PK	5.7252G	67.16	68.20	-1.04	3	Vertical	5	1.48
5670MHz	Pass	AV	11.31276G	44.80	54.00	-9.20	3	Vertical	107	1.50
5670MHz	Pass	PK	11.35188G	58.98	74.00	-15.02	3	Vertical	107	1.50
5670MHz	Pass	AV	11.34288G	44.81	54.00	-9.19	3	Horizontal	24	3.00
5670MHz	Pass	PK	11.32704G	59.24	74.00	-14.76	3	Horizontal	24	3.00
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4148G	47.10	54.00	-6.90	3	Vertical	4	1.53
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7136G	103.30	Inf	-Inf	3	Vertical	4	1.53
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4124G	59.50	74.00	-14.50	3	Vertical	4	1.53
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4688G	60.18	68.20	-8.02	3	Vertical	4	1.53
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6956G	116.03	Inf	-Inf	3	Vertical	4	1.53
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8648G	60.97	68.20	-7.23	3	Vertical	4	1.53
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.39024G	44.45	54.00	-9.55	3	Vertical	335	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.3966G	57.81	74.00	-16.19	3	Vertical	335	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.39012G	44.39	54.00	-9.61	3	Horizontal	354	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.3954G	58.04	74.00	-15.96	3	Horizontal	354	1.50
5755MHz	Pass	AV	5.4562G	47.01	54.00	-6.99	3	Vertical	4	1.94
5755MHz	Pass	AV	5.7466G	102.96	Inf	-Inf	3	Vertical	4	1.94
5755MHz	Pass	PK	5.635G	60.94	68.20	-7.26	3	Vertical	4	1.94
5755MHz	Pass	PK	5.7382G	116.14	Inf	-Inf	3	Vertical	4	1.94
5755MHz	Pass	PK	6.013G	60.56	68.20	-7.64	3	Vertical	4	1.94
5755MHz	Pass	AV	11.48828G	43.69	54.00	-10.31	3	Vertical	107	2.33
5755MHz	Pass	PK	11.49788G	57.80	74.00	-16.20	3	Vertical	107	2.33
5755MHz	Pass	AV	11.48072G	43.69	54.00	-10.31	3	Horizontal	293	2.40
5755MHz	Pass	PK	11.48624G	57.01	74.00	-16.99	3	Horizontal	293	2.40
5795MHz	Pass	AV	5.777G	101.53	Inf	-Inf	3	Vertical	4	1.42
5795MHz	Pass	PK	5.6486G	60.56	68.20	-7.64	3	Vertical	4	1.42
5795MHz	Pass	PK	5.7914G	114.39	Inf	-Inf	3	Vertical	4	1.42
5795MHz	Pass	PK	6.0782G	60.54	68.20	-7.66	3	Vertical	4	1.42
5795MHz	Pass	AV	11.59024G	42.72	54.00	-11.28	3	Vertical	30	2.24
5795MHz	Pass	PK	11.5786G	56.37	74.00	-17.63	3	Vertical	30	2.24
5795MHz	Pass	AV	11.59048G	42.75	54.00	-11.25	3	Horizontal	144	1.33
5795MHz	Pass	PK	11.58556G	56.41	74.00	-17.59	3	Horizontal	144	1.33
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	50.49	54.00	-3.51	3	Vertical	357	1.49
5210MHz	Pass	AV	5.197G	99.50	Inf	-Inf	3	Vertical	357	1.49
5210MHz	Pass	AV	5.355G	48.23	54.00	-5.77	3	Vertical	357	1.49
5210MHz	Pass	PK	5.144G	63.16	74.00	-10.84	3	Vertical	357	1.49
5210MHz	Pass	PK	5.233G	112.96	Inf	-Inf	3	Vertical	357	1.49
5210MHz	Pass	PK	5.361G	60.98	74.00	-13.02	3	Vertical	357	1.49
5210MHz	Pass	PK	10.38064G	56.60	68.20	-11.60	3	Vertical	121	1.50
5210MHz	Pass	PK	10.38232G	56.79	68.20	-11.41	3	Horizontal	248	1.50
5290MHz	Pass	AV	5.15G	48.17	54.00	-5.83	3	Vertical	358	2.35
5290MHz	Pass	AV	5.304G	99.02	Inf	-Inf	3	Vertical	358	2.35
5290MHz	Pass	AV	5.35G	52.07	54.00	-1.93	3	Vertical	358	2.35
5290MHz	Pass	PK	5.149G	60.36	74.00	-13.64	3	Vertical	358	2.35
5290MHz	Pass	PK	5.289G	113.12	Inf	-Inf	3	Vertical	358	2.35
5290MHz	Pass	PK	5.35G	64.85	74.00	-9.15	3	Vertical	358	2.35
5290MHz	Pass	PK	5.525G	60.39	68.20	-7.81	3	Vertical	358	2.35
5290MHz	Pass	AV	10.63904G	43.43	54.00	-10.57	3	Vertical	106	1.50
5290MHz	Pass	PK	10.62536G	57.52	74.00	-16.48	3	Vertical	106	1.50



RSE TX above 1GHz_Non-Beamforming_ Radio 2_1T1S_Patch

Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	AV	10.63856G	43.49	54.00	-10.51	3	Horizontal	75	1.36
5290MHz	Pass	PK	10.62368G	57.65	74.00	-16.35	3	Horizontal	75	1.36
5530MHz	Pass	AV	5.35G	47.91	54.00	-6.09	3	Vertical	3	1.62
5530MHz	Pass	AV	5.46G	53.31	54.00	-0.69	3	Vertical	3	1.62
5530MHz	Pass	AV	5.542G	98.02	Inf	-Inf	3	Vertical	3	1.62
5530MHz	Pass	PK	5.34G	61.13	68.20	-7.07	3	Vertical	3	1.62
5530MHz	Pass	PK	5.458G	66.38	74.00	-7.62	3	Vertical	3	1.62
5530MHz	Pass	PK	5.469G	66.46	68.20	-1.74	3	Vertical	3	1.62
5530MHz	Pass	PK	5.528G	111.20	Inf	-Inf	3	Vertical	3	1.62
5530MHz	Pass	PK	5.725G	61.53	68.20	-6.67	3	Vertical	3	1.62
5530MHz	Pass	AV	11.11808G	43.04	54.00	-10.96	3	Vertical	141	1.50
5530MHz	Pass	PK	11.07032G	56.34	74.00	-17.66	3	Vertical	141	1.50
5530MHz	Pass	AV	11.11568G	42.96	54.00	-11.04	3	Horizontal	281	1.50
5530MHz	Pass	PK	11.11928G	57.09	74.00	-16.91	3	Horizontal	281	1.50
5610MHz	Pass	AV	5.459G	48.22	54.00	-5.78	3	Vertical	5	1.45
5610MHz	Pass	AV	5.617G	98.43	Inf	-Inf	3	Vertical	5	1.45
5610MHz	Pass	PK	5.414G	60.53	74.00	-13.47	3	Vertical	5	1.45
5610MHz	Pass	PK	5.466G	60.13	68.20	-8.07	3	Vertical	5	1.45
5610MHz	Pass	PK	5.635G	111.73	Inf	-Inf	3	Vertical	5	1.45
5610MHz	Pass	PK	5.726G	63.75	68.20	-4.45	3	Vertical	5	1.45
5610MHz	Pass	AV	11.27976G	44.59	54.00	-9.41	3	Vertical	287	2.03
5610MHz	Pass	PK	11.27688G	58.51	74.00	-15.49	3	Vertical	287	2.03
5610MHz	Pass	AV	11.27784G	44.58	54.00	-9.42	3	Horizontal	327	2.49
5610MHz	Pass	PK	11.18808G	58.23	74.00	-15.77	3	Horizontal	327	2.49
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.39G	47.36	54.00	-6.64	3	Vertical	4	1.73
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7008G	99.82	Inf	-Inf	3	Vertical	4	1.73
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.402G	59.64	74.00	-14.36	3	Vertical	4	1.73
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	59.22	68.20	-8.98	3	Vertical	4	1.73
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7104G	113.58	Inf	-Inf	3	Vertical	4	1.73
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8652G	60.53	68.20	-7.67	3	Vertical	4	1.73
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.35288G	45.05	54.00	-8.95	3	Vertical	46	2.73
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.34088G	58.88	74.00	-15.12	3	Vertical	46	2.73
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3476G	45.07	54.00	-8.93	3	Horizontal	0	1.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.34136G	58.79	74.00	-15.21	3	Horizontal	0	1.00
5775MHz	Pass	AV	5.7366G	99.50	Inf	-Inf	3	Vertical	6	1.93
5775MHz	Pass	PK	5.643G	64.07	68.20	-4.13	3	Vertical	6	1.93
5775MHz	Pass	PK	5.7462G	112.96	Inf	-Inf	3	Vertical	6	1.93
5775MHz	Pass	PK	6.0522G	60.53	68.20	-7.67	3	Vertical	6	1.93
5775MHz	Pass	AV	11.49312G	44.30	54.00	-9.70	3	Vertical	262	1.70
5775MHz	Pass	PK	11.53248G	57.79	74.00	-16.21	3	Vertical	262	1.70
5775MHz	Pass	AV	11.49576G	44.36	54.00	-9.64	3	Horizontal	360	2.43
5775MHz	Pass	PK	11.49792G	57.72	74.00	-16.28	3	Horizontal	360	2.43
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.14584G	52.30	54.00	-1.70	3	Vertical	357	1.74
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.19288G	94.93	Inf	-Inf	3	Vertical	357	1.74
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.35248G	51.56	54.00	-2.44	3	Vertical	357	1.74
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.14752G	68.33	74.00	-5.67	3	Vertical	357	1.74
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.19456G	108.48	Inf	-Inf	3	Vertical	357	1.74
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.35416G	71.55	74.00	-2.45	3	Vertical	357	1.74
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.46168G	64.71	68.20	-3.49	3	Vertical	357	1.74
5250MHz Straddle 5.15-5.25GHz	Pass	AV	10.61328G	43.30	54.00	-10.70	3	Vertical	176	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.59552G	56.35	68.20	-11.85	3	Vertical	176	1.50
5250MHz Straddle 5.15-5.25GHz	Pass	AV	10.61808G	43.26	54.00	-10.74	3	Horizontal	281	2.91
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.6128G	56.25	74.00	-17.75	3	Horizontal	281	2.91
5570MHz	Pass	AV	5.4596G	51.10	54.00	-2.90	3	Vertical	3	1.50
5570MHz	Pass	AV	5.6468G	93.29	Inf	-Inf	3	Vertical	3	1.50
5570MHz	Pass	PK	5.3324G	61.18	68.20	-7.02	3	Vertical	3	1.50
5570MHz	Pass	PK	5.4524G	67.45	74.00	-6.55	3	Vertical	3	1.50
5570MHz	Pass	PK	5.4644G	66.66	68.20	-1.54	3	Vertical	3	1.50
5570MHz	Pass	PK	5.5448G	107.28	Inf	-Inf	3	Vertical	3	1.50
5570MHz	Pass	PK	5.7368G	63.50	68.20	-4.70	3	Vertical	3	1.50
5570MHz	Pass	AV	11.25952G	44.23	54.00	-9.77	3	Vertical	282	1.88




**RSE TX above 1GHz_Non-Beamforming_
Radio 2_1T1S_Patch**

Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5570MHz	Pass	PK	11.20336G	57.96	74.00	-16.04	3	Vertical	282	1.88
5570MHz	Pass	AV	11.26G	44.16	54.00	-9.84	3	Horizontal	146	1.35
5570MHz	Pass	PK	11.18608G	57.62	74.00	-16.38	3	Horizontal	146	1.35


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.15-5.25GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5250MHz Straddle 5.15-5.25GHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5320MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5310MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5700MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5670MHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	47.91	54.00	-6.09	8.03	3	Vertical	3	1.62	39.88	32.90	9.12	33.99
AV	5.46G	53.31	54.00	-0.69	8.06	3	Vertical	3	1.62	45.25	32.84	9.20	33.98
AV	5.542G	98.02	Inf	-Inf	8.15	3	Vertical	3	1.62	89.87	32.92	9.23	34.00
PK	5.34G	61.13	68.20	-7.07	8.02	3	Vertical	3	1.62	53.11	32.90	9.11	33.99
PK	5.458G	66.38	74.00	-7.62	8.05	3	Vertical	3	1.62	58.33	32.83	9.20	33.98
PK	5.469G	66.46	68.20	-1.74	8.10	3	Vertical	3	1.62	58.36	32.88	9.20	33.98
PK	5.528G	111.20	Inf	-Inf	8.18	3	Vertical	3	1.62	103.02	32.94	9.23	33.99
PK	5.725G	61.53	68.20	-6.67	8.91	3	Vertical	3	1.62	52.62	33.65	9.33	34.07

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.11808G	43.04	54.00	-10.96	18.16	3	Vertical	141	1.50	24.88	38.74	13.70	34.28
PK	11.07032G	56.34	74.00	-17.66	18.05	3	Vertical	141	1.50	38.29	38.70	13.65	34.30


5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5530MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_1TX

5570MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5745MHz_TX




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5745MHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4562G	47.01	54.00	-6.99	8.04	3	Vertical	4	1.94	38.97	32.82	9.20	33.98
AV	5.7466G	102.96	Inf	-Inf	8.95	3	Vertical	4	1.94	94.01	33.69	9.34	34.08
PK	5.635G	60.94	68.20	-7.26	8.35	3	Vertical	4	1.94	52.59	33.11	9.28	34.04
PK	5.7382G	116.14	Inf	-Inf	8.94	3	Vertical	4	1.94	107.20	33.68	9.34	34.08
PK	6.013G	60.56	68.20	-7.64	9.34	3	Vertical	4	1.94	51.22	34.10	9.44	34.20

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48828G	43.69	54.00	-10.31	18.98	3	Vertical	107	2.33	24.71	39.00	14.08	34.10
PK	11.49788G	57.80	74.00	-16.20	19.00	3	Vertical	107	2.33	38.80	39.00	14.09	34.09


5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX





**RSE TX below 1GHz_Non-Beamforming_
Radio 2_2T1S_Patch**

Appendix E.11

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	291.9M	36.28	46.00	-9.72	3	Horizontal	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz_PoE	Pass	PK	31.94M	28.35	40.00	-11.65	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	90.14M	26.00	43.50	-17.50	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	148.34M	25.24	43.50	-18.26	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	317.12M	31.64	46.00	-14.36	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	449.04M	31.80	46.00	-14.20	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	546.04M	29.58	46.00	-16.42	3	Vertical	0	1.00
5775MHz_PoE	Pass	PK	30M	23.83	40.00	-16.17	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	99.84M	24.02	43.50	-19.48	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	148.34M	27.18	43.50	-16.32	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	291.9M	36.28	46.00	-9.72	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	449.04M	29.90	46.00	-16.10	3	Horizontal	360	1.00
5775MHz_PoE	Pass	PK	547.98M	29.45	46.00	-16.55	3	Horizontal	360	1.00


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_PoE



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_PoE





RSE TX above 1GHz_Non-Beamforming_ Radio 2_2T1S_Patch

Appendix E.12

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.15G	52.33	54.00	-1.67	3	Horizontal	349	1.45
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.15G	52.22	54.00	-1.78	3	Horizontal	348	1.48
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.57	54.00	-0.43	3	Horizontal	347	1.47
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.76	54.00	-0.24	3	Horizontal	347	1.45
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	PK	5.46672G	67.01	68.20	-1.19	3	Horizontal	0	2.02
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.35G	52.97	54.00	-1.03	3	Horizontal	360	2.05
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.73	54.00	-0.27	3	Horizontal	360	2.03
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.89	54.00	-0.11	3	Horizontal	360	2.05
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.88	54.00	-0.12	3	Horizontal	360	1.95
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.7268G	65.91	68.20	-2.29	3	Vertical	4	1.70
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	5.728G	67.64	68.20	-0.56	3	Horizontal	0	1.98
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.4636G	67.51	68.20	-0.69	3	Horizontal	360	2.01
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.467G	68.19	68.20	-0.01	3	Horizontal	0	2.00
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	PK	5.468G	66.76	68.20	-1.44	3	Horizontal	360	2.03
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.9778G	62.65	68.20	-5.55	3	Horizontal	0	1.94
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	5.92528G	63.19	68.20	-5.01	3	Vertical	2	1.77
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	PK	5.6458G	63.81	68.20	-4.39	3	Horizontal	0	1.96
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	PK	5.6538G	69.71	71.01	-1.30	3	Horizontal	0	1.97



RSE TX above 1GHz_Non-Beamforming_ Radio 2_2T1S_Patch

Appendix E.12

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1498G	49.41	54.00	-4.59	3	Vertical	357	1.54
5180MHz	Pass	AV	5.1818G	106.40	Inf	-Inf	3	Vertical	357	1.54
5180MHz	Pass	PK	5.1388G	64.45	74.00	-9.55	3	Vertical	357	1.54
5180MHz	Pass	PK	5.1818G	116.87	Inf	-Inf	3	Vertical	357	1.54
5180MHz	Pass	AV	5.15G	52.33	54.00	-1.67	3	Horizontal	349	1.45
5180MHz	Pass	AV	5.176G	108.43	Inf	-Inf	3	Horizontal	349	1.45
5180MHz	Pass	PK	5.1396G	67.52	74.00	-6.48	3	Horizontal	349	1.45
5180MHz	Pass	PK	5.1772G	120.18	Inf	-Inf	3	Horizontal	349	1.45
5180MHz	Pass	PK	10.37038G	59.19	68.20	-9.01	3	Vertical	175	1.50
5180MHz	Pass	PK	10.36642G	57.09	68.20	-11.11	3	Horizontal	186	1.50
5200MHz	Pass	AV	5.1488G	48.50	54.00	-5.50	3	Vertical	7	1.49
5200MHz	Pass	AV	5.1972G	106.48	Inf	-Inf	3	Vertical	7	1.49
5200MHz	Pass	PK	5.1284G	61.61	74.00	-12.39	3	Vertical	7	1.49
5200MHz	Pass	PK	5.1976G	117.30	Inf	-Inf	3	Vertical	7	1.49
5200MHz	Pass	AV	5.15G	49.40	54.00	-4.60	3	Horizontal	347	1.48
5200MHz	Pass	AV	5.2052G	108.04	Inf	-Inf	3	Horizontal	347	1.48
5200MHz	Pass	PK	5.1496G	63.50	74.00	-10.50	3	Horizontal	347	1.48
5200MHz	Pass	PK	5.206G	119.46	Inf	-Inf	3	Horizontal	347	1.48
5200MHz	Pass	PK	10.3916G	58.20	68.20	-10.00	3	Vertical	17	2.35
5200MHz	Pass	PK	10.41284G	58.11	68.20	-10.09	3	Horizontal	166	2.81
5240MHz	Pass	AV	5.1392G	47.43	54.00	-6.57	3	Vertical	357	1.86
5240MHz	Pass	AV	5.2466G	107.08	Inf	-Inf	3	Vertical	357	1.86
5240MHz	Pass	AV	5.3666G	47.52	54.00	-6.48	3	Vertical	357	1.86
5240MHz	Pass	PK	5.1452G	61.63	74.00	-12.37	3	Vertical	357	1.86
5240MHz	Pass	PK	5.2412G	117.38	Inf	-Inf	3	Vertical	357	1.86
5240MHz	Pass	PK	5.3804G	61.13	74.00	-12.87	3	Vertical	357	1.86
5240MHz	Pass	AV	5.15G	47.94	54.00	-6.06	3	Horizontal	348	1.55
5240MHz	Pass	AV	5.2346G	108.25	Inf	-Inf	3	Horizontal	348	1.55
5240MHz	Pass	AV	5.3882G	47.78	54.00	-6.22	3	Horizontal	348	1.55
5240MHz	Pass	PK	5.138G	61.61	74.00	-12.39	3	Horizontal	348	1.55
5240MHz	Pass	PK	5.2436G	120.33	Inf	-Inf	3	Horizontal	348	1.55
5240MHz	Pass	PK	5.3678G	61.46	74.00	-12.54	3	Horizontal	348	1.55
5240MHz	Pass	PK	10.47988G	56.50	68.20	-11.70	3	Vertical	319	1.14
5240MHz	Pass	PK	10.47412G	56.76	68.20	-11.44	3	Horizontal	227	1.50
5260MHz	Pass	AV	5.15G	47.23	54.00	-6.77	3	Vertical	357	2.04
5260MHz	Pass	AV	5.2564G	106.66	Inf	-Inf	3	Vertical	357	2.04
5260MHz	Pass	AV	5.3566G	47.58	54.00	-6.42	3	Vertical	357	2.04
5260MHz	Pass	PK	5.125G	61.02	74.00	-12.98	3	Vertical	357	2.04
5260MHz	Pass	PK	5.266G	116.91	Inf	-Inf	3	Vertical	357	2.04
5260MHz	Pass	PK	5.3818G	61.43	74.00	-12.57	3	Vertical	357	2.04
5260MHz	Pass	AV	5.15G	47.59	54.00	-6.41	3	Horizontal	360	1.98
5260MHz	Pass	AV	5.263G	108.09	Inf	-Inf	3	Horizontal	360	1.98
5260MHz	Pass	AV	5.3614G	48.41	54.00	-5.59	3	Horizontal	360	1.98
5260MHz	Pass	PK	5.1316G	61.26	74.00	-12.74	3	Horizontal	360	1.98
5260MHz	Pass	PK	5.2576G	120.67	Inf	-Inf	3	Horizontal	360	1.98
5260MHz	Pass	PK	5.3806G	62.34	74.00	-11.66	3	Horizontal	360	1.98
5260MHz	Pass	PK	10.52738G	56.72	68.20	-11.48	3	Vertical	143	1.50
5260MHz	Pass	PK	10.50878G	57.20	68.20	-11.00	3	Horizontal	45	1.50
5300MHz	Pass	AV	5.2964G	107.31	Inf	-Inf	3	Vertical	360	2.34
5300MHz	Pass	AV	5.3508G	48.82	54.00	-5.18	3	Vertical	360	2.34
5300MHz	Pass	PK	5.3012G	117.30	Inf	-Inf	3	Vertical	360	2.34
5300MHz	Pass	PK	5.3508G	62.60	74.00	-11.40	3	Vertical	360	2.34
5300MHz	Pass	AV	5.296G	108.19	Inf	-Inf	3	Horizontal	360	2.05
5300MHz	Pass	AV	5.3508G	49.90	54.00	-4.10	3	Horizontal	360	2.05
5300MHz	Pass	PK	5.3016G	120.19	Inf	-Inf	3	Horizontal	360	2.05
5300MHz	Pass	PK	5.3504G	63.20	74.00	-10.80	3	Horizontal	360	2.05
5300MHz	Pass	AV	10.6144G	44.94	54.00	-9.06	3	Vertical	187	1.50
5300MHz	Pass	PK	10.59994G	58.31	68.20	-9.89	3	Vertical	187	1.50
5300MHz	Pass	AV	10.60864G	44.98	54.00	-9.02	3	Horizontal	136	1.50
5300MHz	Pass	PK	10.59952G	58.37	68.20	-9.83	3	Horizontal	136	1.50



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_2T1S_Patch**

Appendix E.12

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5320MHz	Pass	AV	5.321G	107.02	Inf	-Inf	3	Vertical	356	2.02
5320MHz	Pass	AV	5.3504G	50.65	54.00	-3.35	3	Vertical	356	2.02
5320MHz	Pass	PK	5.326G	117.61	Inf	-Inf	3	Vertical	356	2.02
5320MHz	Pass	PK	5.3608G	65.65	74.00	-8.35	3	Vertical	356	2.02
5320MHz	Pass	AV	5.3218G	108.21	Inf	-Inf	3	Horizontal	360	2.05
5320MHz	Pass	AV	5.35G	52.97	54.00	-1.03	3	Horizontal	360	2.05
5320MHz	Pass	PK	5.3256G	120.21	Inf	-Inf	3	Horizontal	360	2.05
5320MHz	Pass	PK	5.3602G	69.58	74.00	-4.42	3	Horizontal	360	2.05
5320MHz	Pass	AV	10.63262G	45.17	54.00	-8.83	3	Vertical	96	1.20
5320MHz	Pass	PK	10.63334G	58.00	74.00	-16.00	3	Vertical	96	1.20
5320MHz	Pass	AV	10.63232G	45.16	54.00	-8.84	3	Horizontal	266	1.50
5320MHz	Pass	PK	10.63016G	58.34	74.00	-15.66	3	Horizontal	266	1.50
5500MHz	Pass	AV	5.4594G	49.79	54.00	-4.21	3	Vertical	3	1.50
5500MHz	Pass	AV	5.4938G	107.50	Inf	-Inf	3	Vertical	3	1.50
5500MHz	Pass	PK	5.4594G	64.78	74.00	-9.22	3	Vertical	3	1.50
5500MHz	Pass	PK	5.4684G	63.55	68.20	-4.65	3	Vertical	3	1.50
5500MHz	Pass	PK	5.5044G	118.19	Inf	-Inf	3	Vertical	3	1.50
5500MHz	Pass	AV	5.46G	50.91	54.00	-3.09	3	Horizontal	360	2.03
5500MHz	Pass	AV	5.495G	108.62	Inf	-Inf	3	Horizontal	360	2.03
5500MHz	Pass	PK	5.4594G	68.53	74.00	-5.47	3	Horizontal	360	2.03
5500MHz	Pass	PK	5.4604G	65.66	68.20	-2.54	3	Horizontal	360	2.03
5500MHz	Pass	PK	5.4956G	120.76	Inf	-Inf	3	Horizontal	360	2.03
5500MHz	Pass	AV	11.00204G	45.01	54.00	-8.99	3	Vertical	55	2.35
5500MHz	Pass	PK	11.00252G	59.64	74.00	-14.36	3	Vertical	55	2.35
5500MHz	Pass	AV	11.00516G	44.98	54.00	-9.02	3	Horizontal	171	1.50
5500MHz	Pass	PK	10.99226G	57.66	74.00	-16.34	3	Horizontal	171	1.50
5580MHz	Pass	AV	5.4564G	47.42	54.00	-6.58	3	Vertical	3	1.76
5580MHz	Pass	AV	5.5734G	107.39	Inf	-Inf	3	Vertical	3	1.76
5580MHz	Pass	PK	5.4534G	61.04	74.00	-12.96	3	Vertical	3	1.76
5580MHz	Pass	PK	5.4642G	60.82	68.20	-7.38	3	Vertical	3	1.76
5580MHz	Pass	PK	5.5782G	118.18	Inf	-Inf	3	Vertical	3	1.76
5580MHz	Pass	PK	5.7252G	61.90	68.20	-6.30	3	Vertical	3	1.76
5580MHz	Pass	AV	5.46G	47.79	54.00	-6.21	3	Horizontal	0	1.98
5580MHz	Pass	AV	5.577G	107.94	Inf	-Inf	3	Horizontal	0	1.98
5580MHz	Pass	PK	5.4486G	61.43	74.00	-12.57	3	Horizontal	0	1.98
5580MHz	Pass	PK	5.4642G	61.35	68.20	-6.85	3	Horizontal	0	1.98
5580MHz	Pass	PK	5.5752G	120.23	Inf	-Inf	3	Horizontal	0	1.98
5580MHz	Pass	PK	5.7264G	60.80	68.20	-7.40	3	Horizontal	0	1.98
5580MHz	Pass	AV	11.1732G	45.31	54.00	-8.69	3	Vertical	190	1.50
5580MHz	Pass	PK	11.15244G	58.29	74.00	-15.71	3	Vertical	190	1.50
5580MHz	Pass	AV	11.17374G	45.29	54.00	-8.71	3	Horizontal	360	1.50
5580MHz	Pass	PK	11.15592G	58.36	74.00	-15.64	3	Horizontal	360	1.50
5700MHz	Pass	AV	5.698G	103.17	Inf	-Inf	3	Vertical	4	1.70
5700MHz	Pass	PK	5.698G	114.52	Inf	-Inf	3	Vertical	4	1.70
5700MHz	Pass	PK	5.7268G	65.91	68.20	-2.29	3	Vertical	4	1.70
5700MHz	Pass	AV	5.7016G	104.14	Inf	-Inf	3	Horizontal	0	1.94
5700MHz	Pass	PK	5.7056G	116.56	Inf	-Inf	3	Horizontal	0	1.94
5700MHz	Pass	PK	5.7276G	65.32	68.20	-2.88	3	Horizontal	0	1.94
5700MHz	Pass	AV	11.39088G	46.02	54.00	-7.98	3	Vertical	126	1.05
5700MHz	Pass	PK	11.38644G	59.21	74.00	-14.79	3	Vertical	126	1.05
5700MHz	Pass	AV	11.40402G	45.95	54.00	-8.05	3	Horizontal	118	2.73
5700MHz	Pass	PK	11.3922G	59.25	74.00	-14.75	3	Horizontal	118	2.73
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4452G	47.08	54.00	-6.92	3	Vertical	1	1.59
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	107.29	Inf	-Inf	3	Vertical	1	1.59
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4584G	60.45	74.00	-13.55	3	Vertical	1	1.59
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	60.35	68.20	-7.85	3	Vertical	1	1.59
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7272G	117.28	Inf	-Inf	3	Vertical	1	1.59
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9792G	61.85	68.20	-6.35	3	Vertical	1	1.59
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	47.46	54.00	-6.54	3	Horizontal	0	1.92
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7164G	108.61	Inf	-Inf	3	Horizontal	0	1.92
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.426G	60.83	74.00	-13.17	3	Horizontal	0	1.92
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	61.18	68.20	-7.02	3	Horizontal	0	1.92



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_2T1S_Patch**

Appendix E.12

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7152G	119.64	Inf	-Inf	3	Horizontal	0	1.92
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8676G	62.80	68.20	-5.40	3	Horizontal	0	1.92
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43958G	46.01	54.00	-7.99	3	Vertical	78	2.66
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43292G	59.00	74.00	-15.00	3	Vertical	78	2.66
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44888G	46.00	54.00	-8.00	3	Horizontal	306	2.99
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43808G	59.05	74.00	-14.95	3	Horizontal	306	2.99
5745MHz	Pass	AV	5.4546G	47.24	54.00	-6.76	3	Vertical	4	1.72
5745MHz	Pass	AV	5.7426G	108.97	Inf	-Inf	3	Vertical	4	1.72
5745MHz	Pass	PK	5.6502G	62.10	68.35	-6.25	3	Vertical	4	1.72
5745MHz	Pass	PK	5.7426G	119.05	Inf	-Inf	3	Vertical	4	1.72
5745MHz	Pass	PK	5.9346G	62.22	68.20	-5.98	3	Vertical	4	1.72
5745MHz	Pass	AV	5.4546G	47.67	54.00	-6.33	3	Horizontal	0	1.94
5745MHz	Pass	AV	5.7414G	108.70	Inf	-Inf	3	Horizontal	0	1.94
5745MHz	Pass	PK	5.4978G	62.59	68.20	-5.61	3	Horizontal	0	1.94
5745MHz	Pass	PK	5.7414G	119.93	Inf	-Inf	3	Horizontal	0	1.94
5745MHz	Pass	PK	5.9778G	62.65	68.20	-5.55	3	Horizontal	0	1.94
5745MHz	Pass	AV	11.50098G	45.97	54.00	-8.03	3	Vertical	110	1.19
5745MHz	Pass	PK	11.4903G	59.09	74.00	-14.91	3	Vertical	110	1.19
5745MHz	Pass	AV	11.48886G	45.93	54.00	-8.07	3	Horizontal	85	1.49
5745MHz	Pass	PK	11.48814G	59.52	74.00	-14.48	3	Horizontal	85	1.49
5785MHz	Pass	AV	5.77766G	108.08	Inf	-Inf	3	Vertical	3	1.76
5785MHz	Pass	PK	5.59737G	61.33	68.20	-6.87	3	Vertical	3	1.76
5785MHz	Pass	PK	5.7825G	118.47	Inf	-Inf	3	Vertical	3	1.76
5785MHz	Pass	PK	5.99062G	62.13	68.20	-6.07	3	Vertical	3	1.76
5785MHz	Pass	AV	5.78129G	107.90	Inf	-Inf	3	Horizontal	0	2.07
5785MHz	Pass	PK	5.5405G	62.50	68.20	-5.70	3	Horizontal	0	2.07
5785MHz	Pass	PK	5.78008G	120.35	Inf	-Inf	3	Horizontal	0	2.07
5785MHz	Pass	PK	6.01119G	62.64	68.20	-5.56	3	Horizontal	0	2.07
5785MHz	Pass	AV	11.57702G	45.56	54.00	-8.44	3	Vertical	93	1.85
5785MHz	Pass	PK	11.58212G	58.65	74.00	-15.35	3	Vertical	93	1.85
5785MHz	Pass	AV	11.58122G	45.59	54.00	-8.41	3	Horizontal	341	1.50
5785MHz	Pass	PK	11.56502G	58.71	74.00	-15.29	3	Horizontal	341	1.50
5825MHz	Pass	AV	5.8322G	104.80	Inf	-Inf	3	Vertical	4	1.50
5825MHz	Pass	PK	5.5286G	61.12	68.20	-7.08	3	Vertical	4	1.50
5825MHz	Pass	PK	5.8274G	114.72	Inf	-Inf	3	Vertical	4	1.50
5825MHz	Pass	PK	6.0098G	62.03	68.20	-6.17	3	Vertical	4	1.50
5825MHz	Pass	AV	5.8214G	106.61	Inf	-Inf	3	Horizontal	0	2.25
5825MHz	Pass	PK	5.6102G	61.63	68.20	-6.57	3	Horizontal	0	2.25
5825MHz	Pass	PK	5.8202G	117.84	Inf	-Inf	3	Horizontal	0	2.25
5825MHz	Pass	PK	5.945G	62.53	68.20	-5.67	3	Horizontal	0	2.25
5825MHz	Pass	AV	11.64556G	45.76	54.00	-8.24	3	Vertical	329	1.46
5825MHz	Pass	PK	11.64076G	58.40	74.00	-15.60	3	Vertical	329	1.46
5825MHz	Pass	AV	11.64406G	45.65	54.00	-8.35	3	Horizontal	341	2.23
5825MHz	Pass	PK	11.65984G	58.59	74.00	-15.41	3	Horizontal	341	2.23
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1386G	50.53	54.00	-3.47	3	Vertical	360	1.84
5180MHz	Pass	AV	5.1836G	105.67	Inf	-Inf	3	Vertical	360	1.84
5180MHz	Pass	PK	5.1406G	65.21	74.00	-8.79	3	Vertical	360	1.84
5180MHz	Pass	PK	5.1836G	119.16	Inf	-Inf	3	Vertical	360	1.84
5180MHz	Pass	AV	5.15G	52.22	54.00	-1.78	3	Horizontal	348	1.48
5180MHz	Pass	AV	5.1756G	107.69	Inf	-Inf	3	Horizontal	348	1.48
5180MHz	Pass	PK	5.14G	68.58	74.00	-5.42	3	Horizontal	348	1.48
5180MHz	Pass	PK	5.1812G	121.17	Inf	-Inf	3	Horizontal	348	1.48
5180MHz	Pass	PK	10.37332G	59.51	68.20	-8.69	3	Vertical	51	1.43
5180MHz	Pass	PK	10.3513G	58.57	68.20	-9.63	3	Horizontal	56	2.59
5200MHz	Pass	AV	5.15G	48.55	54.00	-5.45	3	Vertical	7	1.49
5200MHz	Pass	AV	5.196G	105.80	Inf	-Inf	3	Vertical	7	1.49
5200MHz	Pass	PK	5.1372G	62.28	74.00	-11.72	3	Vertical	7	1.49
5200MHz	Pass	PK	5.1984G	118.65	Inf	-Inf	3	Vertical	7	1.49
5200MHz	Pass	AV	5.15G	49.89	54.00	-4.11	3	Horizontal	347	1.42
5200MHz	Pass	AV	5.2076G	107.72	Inf	-Inf	3	Horizontal	347	1.42
5200MHz	Pass	PK	5.1496G	63.44	74.00	-10.56	3	Horizontal	347	1.42



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_2T1S_Patch**

Appendix E.12

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5200MHz	Pass	PK	5.2076G	120.82	Inf	-Inf	3	Horizontal	347	1.42
5200MHz	Pass	PK	10.41092G	59.10	68.20	-9.10	3	Vertical	120	1.03
5200MHz	Pass	PK	10.38734G	59.17	68.20	-9.03	3	Horizontal	349	2.09
5240MHz	Pass	AV	5.1332G	47.38	54.00	-6.62	3	Vertical	357	1.87
5240MHz	Pass	AV	5.2406G	106.58	Inf	-Inf	3	Vertical	357	1.87
5240MHz	Pass	AV	5.3636G	47.49	54.00	-6.51	3	Vertical	357	1.87
5240MHz	Pass	PK	5.1326G	60.95	74.00	-13.05	3	Vertical	357	1.87
5240MHz	Pass	PK	5.2412G	120.20	Inf	-Inf	3	Vertical	357	1.87
5240MHz	Pass	PK	5.3594G	61.79	74.00	-12.21	3	Vertical	357	1.87
5240MHz	Pass	AV	5.15G	47.88	54.00	-6.12	3	Horizontal	0	1.90
5240MHz	Pass	AV	5.2472G	108.38	Inf	-Inf	3	Horizontal	0	1.90
5240MHz	Pass	AV	5.35G	48.45	54.00	-5.55	3	Horizontal	0	1.90
5240MHz	Pass	PK	5.1332G	62.23	74.00	-11.77	3	Horizontal	0	1.90
5240MHz	Pass	PK	5.234G	121.90	Inf	-Inf	3	Horizontal	0	1.90
5240MHz	Pass	PK	5.354G	62.65	74.00	-11.35	3	Horizontal	0	1.90
5240MHz	Pass	PK	10.48114G	58.48	68.20	-9.72	3	Vertical	311	1.50
5240MHz	Pass	PK	10.48384G	58.02	68.20	-10.18	3	Horizontal	283	1.50
5260MHz	Pass	AV	5.134G	47.21	54.00	-6.79	3	Vertical	357	2.00
5260MHz	Pass	AV	5.2534G	106.01	Inf	-Inf	3	Vertical	357	2.00
5260MHz	Pass	AV	5.3578G	47.63	54.00	-6.37	3	Vertical	357	2.00
5260MHz	Pass	PK	5.1166G	60.90	74.00	-13.10	3	Vertical	357	2.00
5260MHz	Pass	PK	5.2588G	119.10	Inf	-Inf	3	Vertical	357	2.00
5260MHz	Pass	PK	5.3644G	61.64	74.00	-12.36	3	Vertical	357	2.00
5260MHz	Pass	AV	5.15G	47.50	54.00	-6.50	3	Horizontal	360	1.98
5260MHz	Pass	AV	5.2636G	107.71	Inf	-Inf	3	Horizontal	360	1.98
5260MHz	Pass	AV	5.3566G	48.36	54.00	-5.64	3	Horizontal	360	1.98
5260MHz	Pass	PK	5.1472G	60.84	74.00	-13.16	3	Horizontal	360	1.98
5260MHz	Pass	PK	5.2672G	121.05	Inf	-Inf	3	Horizontal	360	1.98
5260MHz	Pass	PK	5.4034G	62.20	74.00	-11.80	3	Horizontal	360	1.98
5260MHz	Pass	PK	10.5185G	59.22	68.20	-8.98	3	Vertical	81	2.18
5260MHz	Pass	PK	10.51928G	59.00	68.20	-9.20	3	Horizontal	360	1.50
5300MHz	Pass	AV	5.2932G	106.44	Inf	-Inf	3	Vertical	360	2.32
5300MHz	Pass	AV	5.3504G	48.94	54.00	-5.06	3	Vertical	360	2.32
5300MHz	Pass	PK	5.2932G	119.56	Inf	-Inf	3	Vertical	360	2.32
5300MHz	Pass	PK	5.3504G	62.90	74.00	-11.10	3	Vertical	360	2.32
5300MHz	Pass	AV	5.2928G	107.57	Inf	-Inf	3	Horizontal	360	2.04
5300MHz	Pass	AV	5.35G	50.24	54.00	-3.76	3	Horizontal	360	2.04
5300MHz	Pass	PK	5.3016G	121.24	Inf	-Inf	3	Horizontal	360	2.04
5300MHz	Pass	PK	5.3536G	64.24	74.00	-9.76	3	Horizontal	360	2.04
5300MHz	Pass	AV	10.60342G	44.94	54.00	-9.06	3	Vertical	102	1.50
5300MHz	Pass	PK	10.60234G	59.31	74.00	-14.69	3	Vertical	102	1.50
5300MHz	Pass	AV	10.60738G	44.88	54.00	-9.12	3	Horizontal	237	1.44
5300MHz	Pass	PK	10.61014G	59.17	74.00	-14.83	3	Horizontal	237	1.44
5320MHz	Pass	AV	5.323G	106.07	Inf	-Inf	3	Vertical	360	2.41
5320MHz	Pass	AV	5.3604G	51.71	54.00	-2.29	3	Vertical	360	2.41
5320MHz	Pass	PK	5.3136G	119.11	Inf	-Inf	3	Vertical	360	2.41
5320MHz	Pass	PK	5.3608G	67.43	74.00	-6.57	3	Vertical	360	2.41
5320MHz	Pass	AV	5.325G	107.47	Inf	-Inf	3	Horizontal	360	2.03
5320MHz	Pass	AV	5.35G	53.73	54.00	-0.27	3	Horizontal	360	2.03
5320MHz	Pass	PK	5.3206G	121.04	Inf	-Inf	3	Horizontal	360	2.03
5320MHz	Pass	PK	5.3602G	69.19	74.00	-4.81	3	Horizontal	360	2.03
5320MHz	Pass	AV	10.63124G	45.12	54.00	-8.88	3	Vertical	283	1.18
5320MHz	Pass	PK	10.64324G	59.40	74.00	-14.60	3	Vertical	283	1.18
5320MHz	Pass	AV	10.6325G	45.08	54.00	-8.92	3	Horizontal	126	1.50
5320MHz	Pass	PK	10.63094G	59.59	74.00	-14.41	3	Horizontal	126	1.50
5500MHz	Pass	AV	5.4594G	50.90	54.00	-3.10	3	Vertical	4	1.66
5500MHz	Pass	AV	5.5022G	106.89	Inf	-Inf	3	Vertical	4	1.66
5500MHz	Pass	PK	5.46G	66.75	74.00	-7.25	3	Vertical	4	1.66
5500MHz	Pass	PK	5.4602G	65.31	68.20	-2.89	3	Vertical	4	1.66
5500MHz	Pass	PK	5.4946G	120.34	Inf	-Inf	3	Vertical	4	1.66
5500MHz	Pass	AV	5.4598G	51.84	54.00	-2.16	3	Horizontal	359	2.02
5500MHz	Pass	AV	5.4974G	108.24	Inf	-Inf	3	Horizontal	359	2.02



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_2T1S_Patch**

Appendix E.12

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz	Pass	PK	5.4576G	67.90	74.00	-6.10	3	Horizontal	359	2.02
5500MHz	Pass	PK	5.4604G	66.76	68.20	-1.44	3	Horizontal	359	2.02
5500MHz	Pass	PK	5.4954G	122.18	Inf	-Inf	3	Horizontal	359	2.02
5500MHz	Pass	AV	11.00228G	44.93	54.00	-9.07	3	Vertical	341	2.10
5500MHz	Pass	PK	10.99628G	59.16	74.00	-14.84	3	Vertical	341	2.10
5500MHz	Pass	AV	11.01314G	44.94	54.00	-9.06	3	Horizontal	181	1.32
5500MHz	Pass	PK	11.01134G	59.09	74.00	-14.91	3	Horizontal	181	1.32
5580MHz	Pass	AV	5.4576G	47.45	54.00	-6.55	3	Vertical	3	1.78
5580MHz	Pass	AV	5.577G	106.76	Inf	-Inf	3	Vertical	3	1.78
5580MHz	Pass	PK	5.4528G	60.74	74.00	-13.26	3	Vertical	3	1.78
5580MHz	Pass	PK	5.463G	62.07	68.20	-6.13	3	Vertical	3	1.78
5580MHz	Pass	PK	5.5722G	120.28	Inf	-Inf	3	Vertical	3	1.78
5580MHz	Pass	PK	5.7264G	61.03	68.20	-7.17	3	Vertical	3	1.78
5580MHz	Pass	AV	5.457G	47.67	54.00	-6.33	3	Horizontal	0	2.06
5580MHz	Pass	AV	5.5812G	107.65	Inf	-Inf	3	Horizontal	0	2.06
5580MHz	Pass	PK	5.4396G	60.83	74.00	-13.17	3	Horizontal	0	2.06
5580MHz	Pass	PK	5.4678G	60.94	68.20	-7.26	3	Horizontal	0	2.06
5580MHz	Pass	PK	5.5728G	121.62	Inf	-Inf	3	Horizontal	0	2.06
5580MHz	Pass	PK	5.73G	61.88	68.20	-6.32	3	Horizontal	0	2.06
5580MHz	Pass	AV	11.17044G	45.22	54.00	-8.78	3	Vertical	348	1.91
5580MHz	Pass	PK	11.15766G	60.08	74.00	-13.92	3	Vertical	348	1.91
5580MHz	Pass	AV	11.1678G	45.29	54.00	-8.71	3	Horizontal	340	2.85
5580MHz	Pass	PK	11.17314G	59.71	74.00	-14.29	3	Horizontal	340	2.85
5700MHz	Pass	AV	5.7012G	102.59	Inf	-Inf	3	Vertical	3	1.65
5700MHz	Pass	PK	5.7084G	116.32	Inf	-Inf	3	Vertical	3	1.65
5700MHz	Pass	PK	5.7316G	65.55	68.20	-2.65	3	Vertical	3	1.65
5700MHz	Pass	AV	5.7056G	103.14	Inf	-Inf	3	Horizontal	0	1.98
5700MHz	Pass	PK	5.7036G	116.91	Inf	-Inf	3	Horizontal	0	1.98
5700MHz	Pass	PK	5.728G	67.64	68.20	-0.56	3	Horizontal	0	1.98
5700MHz	Pass	AV	11.39376G	45.90	54.00	-8.10	3	Vertical	9	1.50
5700MHz	Pass	PK	11.38602G	60.02	74.00	-13.98	3	Vertical	9	1.50
5700MHz	Pass	AV	11.40414G	45.93	54.00	-8.07	3	Horizontal	349	1.50
5700MHz	Pass	PK	11.39202G	60.54	74.00	-13.46	3	Horizontal	349	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4488G	47.08	54.00	-6.92	3	Vertical	3	1.63
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	106.96	Inf	-Inf	3	Vertical	3	1.63
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4416G	61.30	74.00	-12.70	3	Vertical	3	1.63
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	61.10	68.20	-7.10	3	Vertical	3	1.63
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.726G	119.94	Inf	-Inf	3	Vertical	3	1.63
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.864G	62.52	68.20	-5.68	3	Vertical	3	1.63
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	47.51	54.00	-6.49	3	Horizontal	0	1.98
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	107.92	Inf	-Inf	3	Horizontal	0	1.98
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4488G	61.20	74.00	-12.80	3	Horizontal	0	1.98
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	60.83	68.20	-7.37	3	Horizontal	0	1.98
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7236G	120.44	Inf	-Inf	3	Horizontal	0	1.98
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9096G	62.24	68.20	-5.96	3	Horizontal	0	1.98
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.45392G	45.97	54.00	-8.03	3	Vertical	53	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43172G	60.79	74.00	-13.21	3	Vertical	53	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44816G	45.94	54.00	-8.06	3	Horizontal	281	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43094G	60.00	74.00	-14.00	3	Horizontal	281	1.50
5745MHz	Pass	AV	5.4594G	47.19	54.00	-6.81	3	Vertical	4	1.93
5745MHz	Pass	AV	5.7414G	108.18	Inf	-Inf	3	Vertical	4	1.93
5745MHz	Pass	PK	5.4918G	62.15	68.20	-6.05	3	Vertical	4	1.93
5745MHz	Pass	PK	5.739G	121.17	Inf	-Inf	3	Vertical	4	1.93
5745MHz	Pass	PK	6.0186G	62.52	68.20	-5.68	3	Vertical	4	1.93
5745MHz	Pass	AV	5.4462G	47.50	54.00	-6.50	3	Horizontal	0	1.80
5745MHz	Pass	AV	5.7378G	108.24	Inf	-Inf	3	Horizontal	0	1.80
5745MHz	Pass	PK	5.6382G	62.29	68.20	-5.91	3	Horizontal	0	1.80
5745MHz	Pass	PK	5.751G	120.97	Inf	-Inf	3	Horizontal	0	1.80
5745MHz	Pass	PK	6.0138G	61.70	68.20	-6.50	3	Horizontal	0	1.80
5745MHz	Pass	AV	11.50212G	45.97	54.00	-8.03	3	Vertical	108	2.23
5745MHz	Pass	PK	11.48256G	60.32	74.00	-13.68	3	Vertical	108	2.23
5745MHz	Pass	AV	11.49516G	45.91	54.00	-8.09	3	Horizontal	191	2.75



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_2T1S_Patch**

Appendix E.12

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5745MHz	Pass	PK	11.48706G	60.63	74.00	-13.37	3	Horizontal	191	2.75
5785MHz	Pass	AV	5.77887G	107.68	Inf	-Inf	3	Vertical	2	1.77
5785MHz	Pass	PK	5.53687G	61.88	68.20	-6.32	3	Vertical	2	1.77
5785MHz	Pass	PK	5.79339G	119.81	Inf	-Inf	3	Vertical	2	1.77
5785MHz	Pass	PK	5.92528G	63.19	68.20	-5.01	3	Vertical	2	1.77
5785MHz	Pass	AV	5.78008G	107.72	Inf	-Inf	3	Horizontal	0	2.11
5785MHz	Pass	PK	5.48726G	62.00	68.20	-6.20	3	Horizontal	0	2.11
5785MHz	Pass	PK	5.78008G	120.99	Inf	-Inf	3	Horizontal	0	2.11
5785MHz	Pass	PK	5.94343G	62.15	68.20	-6.05	3	Horizontal	0	2.11
5785MHz	Pass	AV	11.57924G	45.60	54.00	-8.40	3	Vertical	27	1.99
5785MHz	Pass	PK	11.57072G	60.10	74.00	-13.90	3	Vertical	27	1.99
5785MHz	Pass	AV	11.5835G	45.57	54.00	-8.43	3	Horizontal	208	1.50
5785MHz	Pass	PK	11.58218G	59.89	74.00	-14.11	3	Horizontal	208	1.50
5825MHz	Pass	AV	5.819G	104.59	Inf	-Inf	3	Vertical	0	1.69
5825MHz	Pass	PK	5.6018G	61.76	68.20	-6.44	3	Vertical	0	1.69
5825MHz	Pass	PK	5.8238G	117.20	Inf	-Inf	3	Vertical	0	1.69
5825MHz	Pass	PK	6.053G	63.09	68.20	-5.11	3	Vertical	0	1.69
5825MHz	Pass	AV	5.8178G	106.36	Inf	-Inf	3	Horizontal	360	1.95
5825MHz	Pass	PK	5.5802G	61.98	68.20	-6.22	3	Horizontal	360	1.95
5825MHz	Pass	PK	5.8202G	118.88	Inf	-Inf	3	Horizontal	360	1.95
5825MHz	Pass	PK	6.0938G	62.29	68.20	-5.91	3	Horizontal	360	1.95
5825MHz	Pass	AV	11.64556G	45.71	54.00	-8.29	3	Vertical	46	1.04
5825MHz	Pass	PK	11.65642G	59.65	74.00	-14.35	3	Vertical	46	1.04
5825MHz	Pass	AV	11.64706G	45.62	54.00	-8.38	3	Horizontal	127	2.52
5825MHz	Pass	PK	11.65672G	60.49	74.00	-13.51	3	Horizontal	127	2.52
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1484G	52.85	54.00	-1.15	3	Vertical	357	1.49
5190MHz	Pass	AV	5.1956G	103.43	Inf	-Inf	3	Vertical	357	1.49
5190MHz	Pass	PK	5.146G	66.27	74.00	-7.73	3	Vertical	357	1.49
5190MHz	Pass	PK	5.1884G	117.64	Inf	-Inf	3	Vertical	357	1.49
5190MHz	Pass	AV	5.15G	53.57	54.00	-0.43	3	Horizontal	347	1.47
5190MHz	Pass	AV	5.1828G	105.15	Inf	-Inf	3	Horizontal	347	1.47
5190MHz	Pass	PK	5.1488G	67.54	74.00	-6.46	3	Horizontal	347	1.47
5190MHz	Pass	PK	5.1852G	119.18	Inf	-Inf	3	Horizontal	347	1.47
5190MHz	Pass	PK	10.3704G	58.84	68.20	-9.36	3	Vertical	314	1.50
5190MHz	Pass	PK	10.36524G	59.86	68.20	-8.34	3	Horizontal	152	1.00
5230MHz	Pass	AV	5.148G	48.99	54.00	-5.01	3	Vertical	356	1.66
5230MHz	Pass	AV	5.2356G	103.80	Inf	-Inf	3	Vertical	356	1.66
5230MHz	Pass	PK	5.1456G	63.24	74.00	-10.76	3	Vertical	356	1.66
5230MHz	Pass	PK	5.2308G	117.78	Inf	-Inf	3	Vertical	356	1.66
5230MHz	Pass	AV	5.15G	50.86	54.00	-3.14	3	Horizontal	347	1.53
5230MHz	Pass	AV	5.2324G	105.62	Inf	-Inf	3	Horizontal	347	1.53
5230MHz	Pass	PK	5.1496G	64.95	74.00	-9.05	3	Horizontal	347	1.53
5230MHz	Pass	PK	5.2252G	119.35	Inf	-Inf	3	Horizontal	347	1.53
5230MHz	Pass	PK	10.44872G	58.43	68.20	-9.77	3	Vertical	252	1.50
5230MHz	Pass	PK	10.47848G	58.64	68.20	-9.56	3	Horizontal	231	1.18
5270MHz	Pass	AV	5.2756G	103.82	Inf	-Inf	3	Vertical	356	2.08
5270MHz	Pass	AV	5.3508G	49.77	54.00	-4.23	3	Vertical	356	2.08
5270MHz	Pass	PK	5.2732G	117.32	Inf	-Inf	3	Vertical	356	2.08
5270MHz	Pass	PK	5.3524G	63.20	74.00	-10.80	3	Vertical	356	2.08
5270MHz	Pass	AV	5.266G	105.33	Inf	-Inf	3	Horizontal	360	1.98
5270MHz	Pass	AV	5.3504G	51.44	54.00	-2.56	3	Horizontal	360	1.98
5270MHz	Pass	PK	5.2644G	119.73	Inf	-Inf	3	Horizontal	360	1.98
5270MHz	Pass	PK	5.3508G	65.36	74.00	-8.64	3	Horizontal	360	1.98
5270MHz	Pass	PK	10.56484G	58.91	68.20	-9.29	3	Vertical	216	1.50
5270MHz	Pass	PK	10.549G	58.38	68.20	-9.82	3	Horizontal	0	1.50
5310MHz	Pass	AV	5.3232G	101.44	Inf	-Inf	3	Vertical	360	2.33
5310MHz	Pass	AV	5.3504G	51.41	54.00	-2.59	3	Vertical	360	2.33
5310MHz	Pass	PK	5.3084G	115.17	Inf	-Inf	3	Vertical	360	2.33
5310MHz	Pass	PK	5.356G	67.43	74.00	-6.57	3	Vertical	360	2.33
5310MHz	Pass	AV	5.3232G	102.70	Inf	-Inf	3	Horizontal	360	2.05
5310MHz	Pass	AV	5.35G	53.89	54.00	-0.11	3	Horizontal	360	2.05



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_2T1S_Patch**

Appendix E.12

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz	Pass	PK	5.3168G	116.23	Inf	-Inf	3	Horizontal	360	2.05
5310MHz	Pass	PK	5.356G	67.95	74.00	-6.05	3	Horizontal	360	2.05
5310MHz	Pass	AV	10.63032G	45.09	54.00	-8.91	3	Vertical	289	1.50
5310MHz	Pass	PK	10.63644G	60.17	74.00	-13.83	3	Vertical	289	1.50
5310MHz	Pass	AV	10.63056G	45.13	54.00	-8.87	3	Horizontal	12	1.50
5310MHz	Pass	PK	10.63896G	59.42	74.00	-14.58	3	Horizontal	12	1.50
5510MHz	Pass	AV	5.4592G	48.92	54.00	-5.08	3	Vertical	3	1.50
5510MHz	Pass	AV	5.5044G	102.68	Inf	-Inf	3	Vertical	3	1.50
5510MHz	Pass	PK	5.4216G	61.78	74.00	-12.22	3	Vertical	3	1.50
5510MHz	Pass	PK	5.47G	65.40	68.20	-2.80	3	Vertical	3	1.50
5510MHz	Pass	PK	5.502G	116.23	Inf	-Inf	3	Vertical	3	1.50
5510MHz	Pass	AV	5.4596G	50.28	54.00	-3.72	3	Horizontal	360	2.01
5510MHz	Pass	AV	5.4972G	103.99	Inf	-Inf	3	Horizontal	360	2.01
5510MHz	Pass	PK	5.4576G	63.89	74.00	-10.11	3	Horizontal	360	2.01
5510MHz	Pass	PK	5.4636G	67.51	68.20	-0.69	3	Horizontal	360	2.01
5510MHz	Pass	PK	5.5044G	117.83	Inf	-Inf	3	Horizontal	360	2.01
5510MHz	Pass	AV	11.00344G	45.00	54.00	-9.00	3	Vertical	327	1.50
5510MHz	Pass	PK	10.99972G	59.78	74.00	-14.22	3	Vertical	327	1.50
5510MHz	Pass	AV	11.00128G	45.07	54.00	-8.93	3	Horizontal	104	1.50
5510MHz	Pass	PK	11.03356G	59.08	74.00	-14.92	3	Horizontal	104	1.50
5550MHz	Pass	AV	5.4592G	48.63	54.00	-5.37	3	Vertical	1	1.50
5550MHz	Pass	AV	5.5644G	104.33	Inf	-Inf	3	Vertical	1	1.50
5550MHz	Pass	PK	5.46G	61.78	74.00	-12.22	3	Vertical	1	1.50
5550MHz	Pass	PK	5.4696G	63.72	68.20	-4.48	3	Vertical	1	1.50
5550MHz	Pass	PK	5.5468G	118.18	Inf	-Inf	3	Vertical	1	1.50
5550MHz	Pass	AV	5.4576G	49.66	54.00	-4.34	3	Horizontal	0	2.07
5550MHz	Pass	AV	5.532G	104.84	Inf	-Inf	3	Horizontal	0	2.07
5550MHz	Pass	PK	5.46G	62.69	74.00	-11.31	3	Horizontal	0	2.07
5550MHz	Pass	PK	5.4688G	64.47	68.20	-3.73	3	Horizontal	0	2.07
5550MHz	Pass	PK	5.5648G	118.70	Inf	-Inf	3	Horizontal	0	2.07
5550MHz	Pass	AV	11.12808G	44.59	54.00	-9.41	3	Vertical	229	1.50
5550MHz	Pass	PK	11.07744G	59.03	74.00	-14.97	3	Vertical	229	1.50
5550MHz	Pass	AV	11.07396G	44.56	54.00	-9.44	3	Horizontal	351	1.50
5550MHz	Pass	PK	11.10876G	59.28	74.00	-14.72	3	Horizontal	351	1.50
5670MHz	Pass	AV	5.6592G	100.98	Inf	-Inf	3	Vertical	0	1.79
5670MHz	Pass	PK	5.6592G	114.53	Inf	-Inf	3	Vertical	0	1.79
5670MHz	Pass	PK	5.7252G	66.02	68.20	-2.18	3	Vertical	0	1.79
5670MHz	Pass	AV	5.6634G	102.50	Inf	-Inf	3	Horizontal	1	1.98
5670MHz	Pass	PK	5.6586G	115.85	Inf	-Inf	3	Horizontal	1	1.98
5670MHz	Pass	PK	5.7252G	66.76	68.20	-1.44	3	Horizontal	1	1.98
5670MHz	Pass	AV	11.36232G	46.05	54.00	-7.95	3	Vertical	316	1.50
5670MHz	Pass	PK	11.346G	60.25	74.00	-13.75	3	Vertical	316	1.50
5670MHz	Pass	AV	11.3634G	46.03	54.00	-7.97	3	Horizontal	30	1.12
5670MHz	Pass	PK	11.34G	60.40	74.00	-13.60	3	Horizontal	30	1.12
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4544G	47.34	54.00	-6.66	3	Vertical	3	1.66
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.716G	104.87	Inf	-Inf	3	Vertical	3	1.66
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.46G	61.13	74.00	-12.87	3	Vertical	3	1.66
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4604G	61.13	68.20	-7.07	3	Vertical	3	1.66
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7088G	118.03	Inf	-Inf	3	Vertical	3	1.66
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.86G	62.14	68.20	-6.06	3	Vertical	3	1.66
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.458G	47.93	54.00	-6.07	3	Horizontal	0	1.94
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7028G	105.79	Inf	-Inf	3	Horizontal	0	1.94
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.416G	61.47	74.00	-12.53	3	Horizontal	0	1.94
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4652G	61.15	68.20	-7.05	3	Horizontal	0	1.94
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7124G	119.37	Inf	-Inf	3	Horizontal	0	1.94
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.902G	62.52	68.20	-5.68	3	Horizontal	0	1.94
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.43968G	45.92	54.00	-8.08	3	Vertical	308	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41604G	60.35	74.00	-13.65	3	Vertical	308	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.44628G	45.96	54.00	-8.04	3	Horizontal	23	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40716G	60.55	74.00	-13.45	3	Horizontal	23	1.50
5755MHz	Pass	AV	5.4574G	47.16	54.00	-6.84	3	Vertical	3	1.66
5755MHz	Pass	AV	5.749G	104.84	Inf	-Inf	3	Vertical	3	1.66



**RSE TX above 1GHz_Non-Beamforming_
Radio 2_2T1S_Patch**

Appendix E.12

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5755MHz	Pass	PK	5.5918G	61.89	68.20	-6.31	3	Vertical	3	1.66
5755MHz	Pass	PK	5.749G	118.41	Inf	-Inf	3	Vertical	3	1.66
5755MHz	Pass	PK	5.929G	62.11	68.20	-6.09	3	Vertical	3	1.66
5755MHz	Pass	AV	5.4586G	47.82	54.00	-6.18	3	Horizontal	0	1.96
5755MHz	Pass	AV	5.7382G	105.34	Inf	-Inf	3	Horizontal	0	1.96
5755MHz	Pass	PK	5.6458G	63.81	68.20	-4.39	3	Horizontal	0	1.96
5755MHz	Pass	PK	5.737G	118.79	Inf	-Inf	3	Horizontal	0	1.96
5755MHz	Pass	PK	6.001G	62.03	68.20	-6.17	3	Horizontal	0	1.96
5755MHz	Pass	AV	11.50124G	45.89	54.00	-8.11	3	Vertical	196	2.99
5755MHz	Pass	PK	11.5292G	60.48	74.00	-13.52	3	Vertical	196	2.99
5755MHz	Pass	AV	11.49836G	45.95	54.00	-8.05	3	Horizontal	136	1.30
5755MHz	Pass	PK	11.49092G	60.18	74.00	-13.82	3	Horizontal	136	1.30
5795MHz	Pass	AV	5.7806G	103.70	Inf	-Inf	3	Vertical	0	1.70
5795MHz	Pass	PK	5.531G	62.14	68.20	-6.06	3	Vertical	0	1.70
5795MHz	Pass	PK	5.8034G	116.12	Inf	-Inf	3	Vertical	0	1.70
5795MHz	Pass	PK	5.9966G	62.47	68.20	-5.73	3	Vertical	0	1.70
5795MHz	Pass	AV	5.783G	104.68	Inf	-Inf	3	Horizontal	0	2.04
5795MHz	Pass	PK	5.6366G	62.82	68.20	-5.38	3	Horizontal	0	2.04
5795MHz	Pass	PK	5.789G	117.76	Inf	-Inf	3	Horizontal	0	2.04
5795MHz	Pass	PK	5.9306G	61.91	68.20	-6.29	3	Horizontal	0	2.04
5795MHz	Pass	AV	11.58532G	45.49	54.00	-8.51	3	Vertical	0	1.30
5795MHz	Pass	PK	11.5696G	60.81	74.00	-13.19	3	Vertical	0	1.30
5795MHz	Pass	AV	11.5804G	45.50	54.00	-8.50	3	Horizontal	256	1.50
5795MHz	Pass	PK	11.61232G	59.97	74.00	-14.03	3	Horizontal	256	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.148G	51.46	54.00	-2.54	3	Vertical	357	1.48
5210MHz	Pass	AV	5.198G	100.09	Inf	-Inf	3	Vertical	357	1.48
5210MHz	Pass	AV	5.351G	48.33	54.00	-5.67	3	Vertical	357	1.48
5210MHz	Pass	PK	5.126G	64.35	74.00	-9.65	3	Vertical	357	1.48
5210MHz	Pass	PK	5.198G	114.59	Inf	-Inf	3	Vertical	357	1.48
5210MHz	Pass	PK	5.353G	62.56	74.00	-11.44	3	Vertical	357	1.48
5210MHz	Pass	AV	5.15G	53.76	54.00	-0.24	3	Horizontal	347	1.45
5210MHz	Pass	AV	5.223G	102.36	Inf	-Inf	3	Horizontal	347	1.45
5210MHz	Pass	AV	5.352G	49.65	54.00	-4.35	3	Horizontal	347	1.45
5210MHz	Pass	PK	5.15G	66.44	74.00	-7.56	3	Horizontal	347	1.45
5210MHz	Pass	PK	5.218G	116.06	Inf	-Inf	3	Horizontal	347	1.45
5210MHz	Pass	PK	5.359G	63.31	74.00	-10.69	3	Horizontal	347	1.45
5210MHz	Pass	PK	10.468G	59.08	68.20	-9.12	3	Vertical	93	1.35
5210MHz	Pass	PK	10.40728G	59.22	68.20	-8.98	3	Horizontal	327	1.18
5290MHz	Pass	AV	5.14G	47.61	54.00	-6.39	3	Vertical	360	2.33
5290MHz	Pass	AV	5.296G	98.96	Inf	-Inf	3	Vertical	360	2.33
5290MHz	Pass	AV	5.35G	51.31	54.00	-2.69	3	Vertical	360	2.33
5290MHz	Pass	PK	5.088G	60.89	74.00	-13.11	3	Vertical	360	2.33
5290MHz	Pass	PK	5.296G	112.46	Inf	-Inf	3	Vertical	360	2.33
5290MHz	Pass	PK	5.352G	63.63	74.00	-10.37	3	Vertical	360	2.33
5290MHz	Pass	PK	5.505G	61.54	68.20	-6.66	3	Vertical	360	2.33
5290MHz	Pass	AV	5.149G	48.12	54.00	-5.88	3	Horizontal	360	1.95
5290MHz	Pass	AV	5.298G	99.95	Inf	-Inf	3	Horizontal	360	1.95
5290MHz	Pass	AV	5.35G	53.88	54.00	-0.12	3	Horizontal	360	1.95
5290MHz	Pass	PK	5.15G	61.39	74.00	-12.61	3	Horizontal	360	1.95
5290MHz	Pass	PK	5.272G	113.35	Inf	-Inf	3	Horizontal	360	1.95
5290MHz	Pass	PK	5.352G	65.83	74.00	-8.17	3	Horizontal	360	1.95
5290MHz	Pass	PK	5.493G	63.33	68.20	-4.87	3	Horizontal	360	1.95
5290MHz	Pass	AV	10.63016G	45.03	54.00	-8.97	3	Vertical	225	1.41
5290MHz	Pass	PK	10.62176G	59.94	74.00	-14.06	3	Vertical	225	1.41
5290MHz	Pass	AV	10.63184G	45.04	54.00	-8.96	3	Horizontal	271	2.80
5290MHz	Pass	PK	10.6388G	58.95	74.00	-15.05	3	Horizontal	271	2.80
5530MHz	Pass	AV	5.35G	47.26	54.00	-6.74	3	Vertical	4	1.53
5530MHz	Pass	AV	5.459G	51.92	54.00	-2.08	3	Vertical	4	1.53
5530MHz	Pass	AV	5.517G	99.63	Inf	-Inf	3	Vertical	4	1.53
5530MHz	Pass	PK	5.316G	61.78	68.20	-6.42	3	Vertical	4	1.53
5530MHz	Pass	PK	5.459G	64.71	74.00	-9.29	3	Vertical	4	1.53



RSE TX above 1GHz_Non-Beamforming_ Radio 2_2T1S_Patch

Appendix E.12

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5530MHz	Pass	PK	5.469G	65.34	68.20	-2.86	3	Vertical	4	1.53
5530MHz	Pass	PK	5.517G	112.71	Inf	-Inf	3	Vertical	4	1.53
5530MHz	Pass	PK	5.74G	62.63	68.20	-5.57	3	Vertical	4	1.53
5530MHz	Pass	AV	5.35G	47.77	54.00	-6.23	3	Horizontal	0	2.00
5530MHz	Pass	AV	5.46G	53.75	54.00	-0.25	3	Horizontal	0	2.00
5530MHz	Pass	AV	5.502G	100.93	Inf	-Inf	3	Horizontal	0	2.00
5530MHz	Pass	PK	5.311G	61.21	68.20	-6.99	3	Horizontal	0	2.00
5530MHz	Pass	PK	5.456G	67.12	74.00	-6.88	3	Horizontal	0	2.00
5530MHz	Pass	PK	5.467G	68.19	68.20	-0.01	3	Horizontal	0	2.00
5530MHz	Pass	PK	5.506G	114.25	Inf	-Inf	3	Horizontal	0	2.00
5530MHz	Pass	PK	5.744G	61.93	68.20	-6.27	3	Horizontal	0	2.00
5530MHz	Pass	AV	11.00528G	45.01	54.00	-8.99	3	Vertical	236	1.49
5530MHz	Pass	PK	11.02928G	58.87	74.00	-15.13	3	Vertical	236	1.49
5530MHz	Pass	AV	11.00624G	44.97	54.00	-9.03	3	Horizontal	29	1.50
5530MHz	Pass	PK	11.05184G	59.00	74.00	-15.00	3	Horizontal	29	1.50
5610MHz	Pass	AV	5.46G	48.93	54.00	-5.07	3	Vertical	0	1.74
5610MHz	Pass	AV	5.622G	100.99	Inf	-Inf	3	Vertical	0	1.74
5610MHz	Pass	PK	5.438G	62.10	74.00	-11.90	3	Vertical	0	1.74
5610MHz	Pass	PK	5.465G	62.08	68.20	-6.12	3	Vertical	0	1.74
5610MHz	Pass	PK	5.636G	114.78	Inf	-Inf	3	Vertical	0	1.74
5610MHz	Pass	PK	5.728G	64.60	68.20	-3.60	3	Vertical	0	1.74
5610MHz	Pass	AV	5.46G	50.46	54.00	-3.54	3	Horizontal	0	2.06
5610MHz	Pass	AV	5.579G	102.55	Inf	-Inf	3	Horizontal	0	2.06
5610MHz	Pass	PK	5.46G	63.91	74.00	-10.09	3	Horizontal	0	2.06
5610MHz	Pass	PK	5.467G	64.08	68.20	-4.12	3	Horizontal	0	2.06
5610MHz	Pass	PK	5.58G	115.64	Inf	-Inf	3	Horizontal	0	2.06
5610MHz	Pass	PK	5.727G	66.01	68.20	-2.19	3	Horizontal	0	2.06
5610MHz	Pass	AV	11.27328G	45.80	54.00	-8.20	3	Vertical	342	2.70
5610MHz	Pass	PK	11.22744G	59.57	74.00	-14.43	3	Vertical	342	2.70
5610MHz	Pass	AV	11.27808G	45.77	54.00	-8.23	3	Horizontal	0	1.50
5610MHz	Pass	PK	11.24232G	60.28	74.00	-13.72	3	Horizontal	0	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	47.45	54.00	-6.55	3	Vertical	3	1.63
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7008G	101.25	Inf	-Inf	3	Vertical	3	1.63
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4224G	61.31	74.00	-12.69	3	Vertical	3	1.63
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	60.49	68.20	-7.71	3	Vertical	3	1.63
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6996G	114.34	Inf	-Inf	3	Vertical	3	1.63
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.99G	62.49	68.20	-5.71	3	Vertical	3	1.63
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4068G	48.42	54.00	-5.58	3	Horizontal	0	1.93
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7008G	102.32	Inf	-Inf	3	Horizontal	0	1.93
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4248G	62.20	74.00	-11.80	3	Horizontal	0	1.93
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	62.19	68.20	-6.01	3	Horizontal	0	1.93
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6936G	117.17	Inf	-Inf	3	Horizontal	0	1.93
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8568G	62.07	68.20	-6.13	3	Horizontal	0	1.93
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.36152G	46.09	54.00	-7.91	3	Vertical	295	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.39848G	60.55	74.00	-13.45	3	Vertical	295	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.36728G	46.08	54.00	-7.92	3	Horizontal	288	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.36128G	60.20	74.00	-13.80	3	Horizontal	288	1.50
5775MHz	Pass	AV	5.7642G	101.75	Inf	-Inf	3	Vertical	1	1.76
5775MHz	Pass	PK	5.643G	64.30	68.20	-3.90	3	Vertical	1	1.76
5775MHz	Pass	PK	5.7858G	114.58	Inf	-Inf	3	Vertical	1	1.76
5775MHz	Pass	PK	6.0042G	62.09	68.20	-6.11	3	Vertical	1	1.76
5775MHz	Pass	AV	5.7378G	102.07	Inf	-Inf	3	Horizontal	0	1.97
5775MHz	Pass	PK	5.6538G	69.71	71.01	-1.30	3	Horizontal	0	1.97
5775MHz	Pass	PK	5.7678G	115.24	Inf	-Inf	3	Horizontal	0	1.97
5775MHz	Pass	PK	6.0306G	63.10	68.20	-5.10	3	Horizontal	0	1.97
5775MHz	Pass	AV	11.50464G	45.94	54.00	-8.06	3	Vertical	115	2.01
5775MHz	Pass	PK	11.53224G	60.51	74.00	-13.49	3	Vertical	115	2.01
5775MHz	Pass	AV	11.50296G	45.95	54.00	-8.05	3	Horizontal	75	1.50
5775MHz	Pass	PK	11.51784G	60.22	74.00	-13.78	3	Horizontal	75	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1408G	50.63	54.00	-3.37	3	Vertical	8	2.43
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3256G	94.96	Inf	-Inf	3	Vertical	8	2.43




**RSE TX above 1GHz_Non-Beamforming_
Radio 2_2T1S_Patch**

Appendix E.12

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.36088G	49.62	54.00	-4.38	3	Vertical	8	2.43
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.10384G	65.70	74.00	-8.30	3	Vertical	8	2.43
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.3088G	109.22	Inf	-Inf	3	Vertical	8	2.43
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.35416G	71.28	74.00	-2.72	3	Vertical	8	2.43
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.4684G	62.73	68.20	-5.47	3	Vertical	8	2.43
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.1492G	51.61	54.00	-2.39	3	Horizontal	0	2.02
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.3256G	96.81	Inf	-Inf	3	Horizontal	0	2.02
5250MHz Straddle 5.15-5.25GHz	Pass	AV	5.35G	51.81	54.00	-2.19	3	Horizontal	0	2.02
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.14248G	69.87	74.00	-4.13	3	Horizontal	0	2.02
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.32056G	110.50	Inf	-Inf	3	Horizontal	0	2.02
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.39784G	70.94	74.00	-3.06	3	Horizontal	0	2.02
5250MHz Straddle 5.15-5.25GHz	Pass	PK	5.46672G	67.01	68.20	-1.19	3	Horizontal	0	2.02
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.5008G	58.74	68.20	-9.46	3	Vertical	37	2.26
5250MHz Straddle 5.15-5.25GHz	Pass	PK	10.5001G	58.57	68.20	-9.63	3	Horizontal	112	1.49
5570MHz	Pass	AV	5.4596G	50.52	54.00	-3.48	3	Vertical	3	1.60
5570MHz	Pass	AV	5.5064G	94.84	Inf	-Inf	3	Vertical	3	1.60
5570MHz	Pass	PK	5.3276G	61.03	68.20	-7.17	3	Vertical	3	1.60
5570MHz	Pass	PK	5.45G	65.87	74.00	-8.13	3	Vertical	3	1.60
5570MHz	Pass	PK	5.468G	65.80	68.20	-2.40	3	Vertical	3	1.60
5570MHz	Pass	PK	5.54G	108.27	Inf	-Inf	3	Vertical	3	1.60
5570MHz	Pass	PK	5.7392G	64.21	68.20	-3.99	3	Vertical	3	1.60
5570MHz	Pass	AV	5.4596G	51.45	54.00	-2.55	3	Horizontal	360	2.03
5570MHz	Pass	AV	5.4944G	96.02	Inf	-Inf	3	Horizontal	360	2.03
5570MHz	Pass	PK	5.3348G	61.40	68.20	-6.80	3	Horizontal	360	2.03
5570MHz	Pass	PK	5.4404G	68.66	74.00	-5.34	3	Horizontal	360	2.03
5570MHz	Pass	PK	5.468G	66.76	68.20	-1.44	3	Horizontal	360	2.03
5570MHz	Pass	PK	5.51G	109.61	Inf	-Inf	3	Horizontal	360	2.03
5570MHz	Pass	PK	5.7416G	66.26	68.20	-1.94	3	Horizontal	360	2.03
5570MHz	Pass	AV	11.1496G	44.72	54.00	-9.28	3	Vertical	140	2.34
5570MHz	Pass	PK	11.13392G	57.93	74.00	-16.07	3	Vertical	140	2.34
5570MHz	Pass	AV	11.14936G	44.74	54.00	-9.26	3	Horizontal	226	2.54
5570MHz	Pass	PK	11.1428G	57.51	74.00	-16.49	3	Horizontal	226	2.54


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	52.85	54.00	-1.15	8.14	3	Vertical	357	1.49	44.71	33.19	8.95	34.00
AV	5.1956G	103.43	Inf	-Inf	8.09	3	Vertical	357	1.49	95.34	33.11	8.98	34.00
PK	5.146G	66.27	74.00	-7.73	8.13	3	Vertical	357	1.49	58.14	33.18	8.95	34.00
PK	5.1884G	117.64	Inf	-Inf	8.09	3	Vertical	357	1.49	109.55	33.12	8.97	34.00

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.57	54.00	-0.43	8.15	3	Horizontal	347	1.47	45.42	33.20	8.95	34.00
AV	5.1828G	105.15	Inf	-Inf	8.10	3	Horizontal	347	1.47	97.05	33.13	8.97	34.00
PK	5.1488G	67.54	74.00	-6.46	8.15	3	Horizontal	347	1.47	59.39	33.20	8.95	34.00
PK	5.1852G	119.18	Inf	-Inf	8.10	3	Horizontal	347	1.47	111.08	33.13	8.97	34.00