



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	31.94M	36.44	40.00	-3.56	3	Vertical	360	1.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2437MHz_PoE	Pass	PK	31.94M	36.44	40.00	-3.56	3	Vertical	360	1.00
2437MHz_PoE	Pass	PK	148.34M	31.44	43.50	-12.06	3	Vertical	360	1.00
2437MHz_PoE	Pass	PK	256.98M	31.04	46.00	-14.96	3	Vertical	360	1.00
2437MHz_PoE	Pass	PK	262.8M	32.00	46.00	-14.00	3	Vertical	360	1.00
2437MHz_PoE	Pass	PK	709M	38.19	46.00	-7.81	3	Vertical	360	1.00
2437MHz_PoE	Pass	QP	49.4M	26.94	40.00	-13.06	3	Vertical	343	1.29
2437MHz_PoE	Pass	PK	49.4M	23.08	40.00	-16.92	3	Horizontal	0	1.00
2437MHz_PoE	Pass	PK	148.34M	31.95	43.50	-11.55	3	Horizontal	0	1.00
2437MHz_PoE	Pass	PK	258.92M	30.96	46.00	-15.04	3	Horizontal	0	1.00
2437MHz_PoE	Pass	PK	291.9M	35.23	46.00	-10.77	3	Horizontal	0	1.00
2437MHz_PoE	Pass	PK	301.6M	33.28	46.00	-12.72	3	Horizontal	0	1.00
2437MHz_PoE	Pass	PK	491.72M	28.18	46.00	-17.82	3	Horizontal	0	1.00


2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_PoE



2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_PoE





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	2.39G	53.58	54.00	-0.42	3	Horizontal	18	1.29

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	52.90	54.00	-1.10	3	Horizontal	167	2.39
2412MHz	Pass	AV	2.4156G	102.29	Inf	-Inf	3	Horizontal	167	2.39
2412MHz	Pass	PK	2.39G	68.60	74.00	-5.40	3	Horizontal	167	2.39
2412MHz	Pass	PK	2.4208G	116.03	Inf	-Inf	3	Horizontal	167	2.39
2412MHz	Pass	AV	4.82406G	29.14	54.00	-24.86	3	Vertical	16	2.95
2412MHz	Pass	PK	4.8225G	42.87	74.00	-31.13	3	Vertical	16	2.95
2412MHz	Pass	AV	4.8258G	27.78	54.00	-26.22	3	Horizontal	319	1.58
2412MHz	Pass	PK	4.82106G	41.64	74.00	-32.36	3	Horizontal	319	1.58
2417MHz	Pass	AV	2.39G	53.58	54.00	-0.42	3	Horizontal	18	1.29
2417MHz	Pass	AV	2.4258G	102.12	Inf	-Inf	3	Horizontal	18	1.29
2417MHz	Pass	PK	2.39G	67.62	74.00	-6.38	3	Horizontal	18	1.29
2417MHz	Pass	PK	2.4226G	115.47	Inf	-Inf	3	Horizontal	18	1.29
2437MHz	Pass	AV	2.3898G	51.83	54.00	-2.17	3	Horizontal	166	2.09
2437MHz	Pass	AV	2.4282G	103.94	Inf	-Inf	3	Horizontal	166	2.09
2437MHz	Pass	AV	2.4835G	52.65	54.00	-1.35	3	Horizontal	166	2.09
2437MHz	Pass	PK	2.3898G	66.43	74.00	-7.57	3	Horizontal	166	2.09
2437MHz	Pass	PK	2.4394G	117.42	Inf	-Inf	3	Horizontal	166	2.09
2437MHz	Pass	PK	2.4838G	66.16	74.00	-7.84	3	Horizontal	166	2.09
2437MHz	Pass	AV	4.87526G	30.51	54.00	-23.49	3	Vertical	47	1.81
2437MHz	Pass	PK	4.88528G	45.08	74.00	-28.92	3	Vertical	47	1.81
2437MHz	Pass	AV	7.31334G	38.44	54.00	-15.56	3	Horizontal	305	1.62
2437MHz	Pass	PK	7.31406G	53.27	74.00	-20.73	3	Horizontal	305	1.62
2457MHz	Pass	AV	2.4586G	102.55	Inf	-Inf	3	Horizontal	16	1.59
2457MHz	Pass	AV	2.4835G	52.20	54.00	-1.80	3	Horizontal	16	1.59
2457MHz	Pass	PK	2.4598G	116.93	Inf	-Inf	3	Horizontal	16	1.59
2457MHz	Pass	PK	2.4835G	67.40	74.00	-6.60	3	Horizontal	16	1.59
2462MHz	Pass	AV	2.4584G	100.89	Inf	-Inf	3	Horizontal	175	1.73
2462MHz	Pass	AV	2.4835G	53.11	54.00	-0.89	3	Horizontal	175	1.73
2462MHz	Pass	PK	2.4586G	114.65	Inf	-Inf	3	Horizontal	175	1.73
2462MHz	Pass	PK	2.4836G	67.34	74.00	-6.66	3	Horizontal	175	1.73
2462MHz	Pass	AV	4.92382G	30.31	54.00	-23.69	3	Vertical	24	2.99
2462MHz	Pass	PK	4.9213G	44.34	74.00	-29.66	3	Vertical	24	2.99
2462MHz	Pass	AV	7.3857G	35.03	54.00	-18.97	3	Horizontal	70	1.86
2462MHz	Pass	PK	7.37952G	49.32	74.00	-24.68	3	Horizontal	70	1.86

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	2.39G	53.58	54.00	-0.42	30.30	3	Horizontal	18	1.29	23.28	27.50	2.80	-				
AV	2.4258G	102.12	Inf	-Inf	30.51	3	Horizontal	18	1.29	71.61	27.70	2.81	-				
PK	2.39G	67.62	74.00	-6.38	30.30	3	Horizontal	18	1.29	37.32	27.50	2.80	-				
PK	2.4226G	115.47	Inf	-Inf	30.51	3	Horizontal	18	1.29	84.96	27.70	2.81	-				



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth	Height
									(°)	(m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX(Port1)	Pass	PK	45.52M	35.74	40.00	-4.26	3	Vertical	360	1.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth	Height
									(°)	(m)
802.11be EHT20_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
2437MHz_PoE	Pass	PK	45.52M	35.74	40.00	-4.26	3	Vertical	360	1.00
2437MHz_PoE	Pass	PK	90.14M	33.32	43.50	-10.18	3	Vertical	360	1.00
2437MHz_PoE	Pass	PK	198.78M	30.13	43.50	-13.37	3	Vertical	360	1.00
2437MHz_PoE	Pass	PK	293.84M	33.25	46.00	-12.75	3	Vertical	360	1.00
2437MHz_PoE	Pass	PK	901.06M	33.00	46.00	-13.00	3	Vertical	360	1.00
2437MHz_PoE	Pass	QP	31.94M	31.84	40.00	-8.16	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	31.94M	24.61	40.00	-15.39	3	Horizontal	0	1.00
2437MHz_PoE	Pass	PK	78.5M	30.14	40.00	-9.86	3	Horizontal	0	1.00
2437MHz_PoE	Pass	PK	148.34M	30.89	43.50	-12.61	3	Horizontal	0	1.00
2437MHz_PoE	Pass	PK	198.78M	34.72	43.50	-8.78	3	Horizontal	0	1.00
2437MHz_PoE	Pass	PK	289.96M	34.89	46.00	-11.11	3	Horizontal	0	1.00
2437MHz_PoE	Pass	PK	513.06M	28.90	46.00	-17.10	3	Horizontal	0	1.00


2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port1)

2437MHz_PoE



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port1)

2437MHz_PoE





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX(Port1)	Pass	AV	2.4842G	53.59	54.00	-0.41	3	Horizontal	0	1.66
802.11g_Nss1,(6Mbps)_1TX(Port1)	Pass	AV	2.4835G	53.47	54.00	-0.53	3	Horizontal	0	1.86
802.11be EHT20_Nss1,(MCS0)_1TX(Port1)	Pass	AV	2.4835G	53.87	54.00	-0.13	3	Horizontal	0	1.64



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	51.73	54.00	-2.27	3	Horizontal	6	1.80
2412MHz	Pass	AV	2.4128G	115.09	Inf	-Inf	3	Horizontal	6	1.80
2412MHz	Pass	PK	2.39G	63.39	74.00	-10.61	3	Horizontal	6	1.80
2412MHz	Pass	PK	2.4128G	118.13	Inf	-Inf	3	Horizontal	6	1.80
2412MHz	Pass	AV	4.824G	41.40	54.00	-12.60	3	Vertical	173	1.38
2412MHz	Pass	PK	4.82388G	46.89	74.00	-27.11	3	Vertical	173	1.38
2412MHz	Pass	AV	4.824G	36.22	54.00	-17.78	3	Horizontal	222	1.46
2412MHz	Pass	PK	4.82394G	43.53	74.00	-30.47	3	Horizontal	222	1.46
2437MHz	Pass	AV	2.38964G	49.84	54.00	-4.16	3	Horizontal	0	1.88
2437MHz	Pass	AV	2.43636G	116.08	Inf	-Inf	3	Horizontal	0	1.88
2437MHz	Pass	AV	2.48436G	53.24	54.00	-0.76	3	Horizontal	0	1.88
2437MHz	Pass	PK	2.38996G	61.60	74.00	-12.40	3	Horizontal	0	1.88
2437MHz	Pass	PK	2.43604G	119.02	Inf	-Inf	3	Horizontal	0	1.88
2437MHz	Pass	PK	2.4835G	64.82	74.00	-9.18	3	Horizontal	0	1.88
2437MHz	Pass	AV	4.874G	45.07	54.00	-8.93	3	Vertical	171	1.50
2437MHz	Pass	PK	4.87394G	48.51	74.00	-25.49	3	Vertical	171	1.50
2437MHz	Pass	AV	4.87406G	37.38	54.00	-16.62	3	Horizontal	225	1.35
2437MHz	Pass	PK	4.87406G	44.04	74.00	-29.96	3	Horizontal	225	1.35
2457MHz	Pass	AV	2.4578G	115.80	Inf	-Inf	3	Horizontal	0	1.66
2457MHz	Pass	AV	2.4842G	53.59	54.00	-0.41	3	Horizontal	0	1.66
2457MHz	Pass	PK	2.4578G	118.63	Inf	-Inf	3	Horizontal	0	1.66
2457MHz	Pass	PK	2.4842G	63.72	74.00	-10.28	3	Horizontal	0	1.66
2462MHz	Pass	AV	2.4612G	114.89	Inf	-Inf	3	Horizontal	0	1.66
2462MHz	Pass	AV	2.4874G	50.26	54.00	-3.74	3	Horizontal	0	1.66
2462MHz	Pass	PK	2.4612G	117.92	Inf	-Inf	3	Horizontal	0	1.66
2462MHz	Pass	PK	2.4874G	62.54	74.00	-11.46	3	Horizontal	0	1.66
2462MHz	Pass	AV	4.924G	43.27	54.00	-10.73	3	Vertical	173	1.52
2462MHz	Pass	PK	4.92394G	47.03	74.00	-26.97	3	Vertical	173	1.52
2462MHz	Pass	AV	4.924G	37.36	54.00	-16.64	3	Horizontal	225	2.57
2462MHz	Pass	PK	4.92412G	44.21	74.00	-29.79	3	Horizontal	225	2.57
802.11g_Nss1,(6Mbps)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	53.39	54.00	-0.61	3	Horizontal	8	1.68
2412MHz	Pass	AV	2.4164G	107.51	Inf	-Inf	3	Horizontal	8	1.68
2412MHz	Pass	PK	2.3896G	68.43	74.00	-5.57	3	Horizontal	8	1.68
2412MHz	Pass	PK	2.4178G	119.15	Inf	-Inf	3	Horizontal	8	1.68
2412MHz	Pass	AV	4.82382G	27.97	54.00	-26.03	3	Vertical	172	1.41
2412MHz	Pass	PK	4.83312G	41.95	74.00	-32.05	3	Vertical	172	1.41
2412MHz	Pass	AV	4.8252G	27.02	54.00	-26.98	3	Horizontal	221	1.57
2412MHz	Pass	PK	4.82862G	41.28	74.00	-32.72	3	Horizontal	221	1.57
2437MHz	Pass	AV	2.38996G	50.58	54.00	-3.42	3	Horizontal	0	1.86
2437MHz	Pass	AV	2.43028G	108.03	Inf	-Inf	3	Horizontal	0	1.86
2437MHz	Pass	AV	2.4835G	53.47	54.00	-0.53	3	Horizontal	0	1.86
2437MHz	Pass	PK	2.38996G	70.09	74.00	-3.91	3	Horizontal	0	1.86
2437MHz	Pass	PK	2.43476G	119.95	Inf	-Inf	3	Horizontal	0	1.86
2437MHz	Pass	PK	2.48404G	69.38	74.00	-4.62	3	Horizontal	0	1.86
2437MHz	Pass	AV	4.87388G	30.63	54.00	-23.37	3	Vertical	171	1.34
2437MHz	Pass	PK	4.871G	44.46	74.00	-29.54	3	Vertical	171	1.34
2437MHz	Pass	AV	4.87436G	27.84	54.00	-26.16	3	Horizontal	224	1.35
2437MHz	Pass	PK	4.87526G	41.91	74.00	-32.09	3	Horizontal	224	1.35
2457MHz	Pass	AV	2.4606G	107.90	Inf	-Inf	3	Horizontal	5	1.69
2457MHz	Pass	AV	2.4835G	52.25	54.00	-1.75	3	Horizontal	5	1.69
2457MHz	Pass	PK	2.4628G	119.45	Inf	-Inf	3	Horizontal	5	1.69
2457MHz	Pass	PK	2.484G	67.30	74.00	-6.70	3	Horizontal	5	1.69
2462MHz	Pass	AV	2.4608G	106.28	Inf	-Inf	3	Horizontal	0	1.66
2462MHz	Pass	AV	2.4835G	52.97	54.00	-1.03	3	Horizontal	0	1.66
2462MHz	Pass	PK	2.462G	118.21	Inf	-Inf	3	Horizontal	0	1.66
2462MHz	Pass	PK	2.4835G	69.15	74.00	-4.85	3	Horizontal	0	1.66
2462MHz	Pass	AV	4.9243G	29.90	54.00	-24.10	3	Vertical	172	1.46
2462MHz	Pass	PK	4.92478G	43.48	74.00	-30.52	3	Vertical	172	1.46
2462MHz	Pass	AV	4.92472G	27.52	54.00	-26.48	3	Horizontal	228	1.50




RSE TX above 1GHz_Non-Beamforming_Radio 1_1T1S_Patch Appendix F.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2462MHz	Pass	PK	4.92736G	41.11	74.00	-32.89	3	Horizontal	228	1.50
802.11be EHT20_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	53.50	54.00	-0.50	3	Horizontal	4	1.69
2412MHz	Pass	AV	2.416G	106.97	Inf	-Inf	3	Horizontal	4	1.69
2412MHz	Pass	PK	2.39G	67.98	74.00	-6.02	3	Horizontal	4	1.69
2412MHz	Pass	PK	2.4188G	121.57	Inf	-Inf	3	Horizontal	4	1.69
2412MHz	Pass	AV	4.82412G	28.00	54.00	-26.00	3	Vertical	172	1.20
2412MHz	Pass	PK	4.83078G	42.13	74.00	-31.87	3	Vertical	172	1.20
2412MHz	Pass	AV	4.82784G	26.95	54.00	-27.05	3	Horizontal	224	1.42
2412MHz	Pass	PK	4.82334G	40.88	74.00	-33.12	3	Horizontal	224	1.42
2437MHz	Pass	AV	2.38996G	51.38	54.00	-2.62	3	Horizontal	0	1.86
2437MHz	Pass	AV	2.43444G	107.38	Inf	-Inf	3	Horizontal	0	1.86
2437MHz	Pass	AV	2.4835G	53.76	54.00	-0.24	3	Horizontal	0	1.86
2437MHz	Pass	PK	2.38996G	67.59	74.00	-6.41	3	Horizontal	0	1.86
2437MHz	Pass	PK	2.4322G	121.24	Inf	-Inf	3	Horizontal	0	1.86
2437MHz	Pass	PK	2.48372G	69.01	74.00	-4.99	3	Horizontal	0	1.86
2437MHz	Pass	AV	4.87382G	30.36	54.00	-23.64	3	Vertical	172	1.49
2437MHz	Pass	PK	4.87514G	45.00	74.00	-29.00	3	Vertical	172	1.49
2437MHz	Pass	AV	4.87496G	27.62	54.00	-26.38	3	Horizontal	224	1.41
2437MHz	Pass	PK	4.88354G	42.44	74.00	-31.56	3	Horizontal	224	1.41
2457MHz	Pass	AV	2.4612G	106.94	Inf	-Inf	3	Horizontal	0	1.71
2457MHz	Pass	AV	2.4835G	52.43	54.00	-1.57	3	Horizontal	0	1.71
2457MHz	Pass	PK	2.4636G	121.37	Inf	-Inf	3	Horizontal	0	1.71
2457MHz	Pass	PK	2.4838G	68.34	74.00	-5.66	3	Horizontal	0	1.71
2462MHz	Pass	AV	2.4608G	105.52	Inf	-Inf	3	Horizontal	0	1.64
2462MHz	Pass	AV	2.4835G	53.87	54.00	-0.13	3	Horizontal	0	1.64
2462MHz	Pass	PK	2.4648G	119.49	Inf	-Inf	3	Horizontal	0	1.64
2462MHz	Pass	PK	2.486G	68.62	74.00	-5.38	3	Horizontal	0	1.64
2462MHz	Pass	AV	4.92388G	29.56	54.00	-24.44	3	Vertical	173	1.44
2462MHz	Pass	PK	4.92538G	43.37	74.00	-30.63	3	Vertical	173	1.44
2462MHz	Pass	AV	4.92316G	27.53	54.00	-26.47	3	Horizontal	226	1.38
2462MHz	Pass	PK	4.92886G	41.67	74.00	-32.33	3	Horizontal	226	1.38


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX(Port1)

2457MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port1)

2437MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port1)

2437MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX(Port1)

2437MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port1)

2462MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port1)

2462MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_1TX(Port1)

2462MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	PK	86.26M	33.21	40.00	-6.79	3	Vertical	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2437MHz_PoE	Pass	PK	86.26M	33.21	40.00	-6.79	3	Vertical	360	1.00
2437MHz_PoE	Pass	PK	198.78M	29.52	43.50	-13.98	3	Vertical	360	1.00
2437MHz_PoE	Pass	PK	291.9M	33.92	46.00	-12.08	3	Vertical	360	1.00
2437MHz_PoE	Pass	PK	516.94M	28.19	46.00	-17.81	3	Vertical	360	1.00
2437MHz_PoE	Pass	PK	899.12M	33.04	46.00	-12.96	3	Vertical	360	1.00
2437MHz_PoE	Pass	QP	31.94M	32.58	40.00	-7.42	3	Vertical	354	1.00
2437MHz_PoE	Pass	PK	78.5M	30.19	40.00	-9.81	3	Horizontal	0	1.00
2437MHz_PoE	Pass	PK	148.34M	30.85	43.50	-12.65	3	Horizontal	0	1.00
2437MHz_PoE	Pass	PK	198.78M	34.50	43.50	-9.00	3	Horizontal	0	1.00
2437MHz_PoE	Pass	PK	293.84M	35.28	46.00	-10.72	3	Horizontal	0	1.00
2437MHz_PoE	Pass	PK	406.36M	22.96	46.00	-23.04	3	Horizontal	0	1.00
2437MHz_PoE	Pass	PK	747.8M	34.66	46.00	-11.34	3	Horizontal	0	1.00


2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_PoE



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2437MHz_PoE





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	2.3892G	52.31	54.00	-1.69	3	Vertical	0	1.99
802.11g_Nss1,(6Mbps)_2TX	Pass	AV	2.39G	53.85	54.00	-0.15	3	Horizontal	0	1.66
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	2.4835G	53.42	54.00	-0.58	3	Horizontal	354	1.51



RSE TX above 1GHz_Non-Beamforming_Radio 1_2T1S_Patch Appendix F.10

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3892G	52.31	54.00	-1.69	3	Vertical	0	1.99
2412MHz	Pass	AV	2.4128G	113.67	Inf	-Inf	3	Vertical	0	1.99
2412MHz	Pass	PK	2.3894G	61.83	74.00	-12.17	3	Vertical	0	1.99
2412MHz	Pass	PK	2.4128G	116.72	Inf	-Inf	3	Vertical	0	1.99
2412MHz	Pass	AV	2.39G	50.22	54.00	-3.78	3	Horizontal	3	1.80
2412MHz	Pass	AV	2.4127G	114.02	Inf	-Inf	3	Horizontal	3	1.80
2412MHz	Pass	PK	2.3879G	61.25	74.00	-12.75	3	Horizontal	3	1.80
2412MHz	Pass	PK	2.413G	116.90	Inf	-Inf	3	Horizontal	3	1.80
2412MHz	Pass	AV	4.824G	39.63	54.00	-14.37	3	Vertical	126	1.54
2412MHz	Pass	PK	4.82388G	44.85	74.00	-29.15	3	Vertical	126	1.54
2412MHz	Pass	AV	4.82394G	34.91	54.00	-19.09	3	Horizontal	221	2.53
2412MHz	Pass	PK	4.82418G	42.44	74.00	-31.56	3	Horizontal	221	2.53
2437MHz	Pass	AV	2.389G	45.18	54.00	-8.82	3	Vertical	4	2.00
2437MHz	Pass	AV	2.43764G	114.59	Inf	-Inf	3	Vertical	4	2.00
2437MHz	Pass	AV	2.48372G	48.73	54.00	-5.27	3	Vertical	4	2.00
2437MHz	Pass	PK	2.38996G	59.67	74.00	-14.33	3	Vertical	4	2.00
2437MHz	Pass	PK	2.43796G	117.45	Inf	-Inf	3	Vertical	4	2.00
2437MHz	Pass	PK	2.48404G	60.76	74.00	-13.24	3	Vertical	4	2.00
2437MHz	Pass	AV	2.38996G	51.05	54.00	-2.95	3	Horizontal	0	1.64
2437MHz	Pass	AV	2.4362G	114.02	Inf	-Inf	3	Horizontal	0	1.64
2437MHz	Pass	AV	2.48388G	51.81	54.00	-2.19	3	Horizontal	0	1.64
2437MHz	Pass	PK	2.38996G	62.04	74.00	-11.96	3	Horizontal	0	1.64
2437MHz	Pass	PK	2.4362G	117.21	Inf	-Inf	3	Horizontal	0	1.64
2437MHz	Pass	PK	2.48372G	62.92	74.00	-11.08	3	Horizontal	0	1.64
2437MHz	Pass	AV	4.87406G	42.28	54.00	-11.72	3	Vertical	212	1.88
2437MHz	Pass	AV	7.31022G	47.51	54.00	-6.49	3	Vertical	216	2.04
2437MHz	Pass	PK	4.87394G	46.64	74.00	-27.36	3	Vertical	212	1.88
2437MHz	Pass	PK	7.31016G	53.60	74.00	-20.40	3	Vertical	216	2.04
2437MHz	Pass	AV	4.874G	39.88	54.00	-14.12	3	Horizontal	222	2.62
2437MHz	Pass	AV	7.31172G	42.86	54.00	-11.14	3	Horizontal	188	1.33
2437MHz	Pass	PK	4.87394G	45.26	74.00	-28.74	3	Horizontal	222	2.62
2437MHz	Pass	PK	7.31076G	51.13	74.00	-22.87	3	Horizontal	188	1.33
2457MHz	Pass	AV	2.4578G	114.39	Inf	-Inf	3	Vertical	5	2.00
2457MHz	Pass	AV	2.4835G	51.62	54.00	-2.38	3	Vertical	5	2.00
2457MHz	Pass	PK	2.4578G	117.22	Inf	-Inf	3	Vertical	5	2.00
2457MHz	Pass	PK	2.4836G	62.69	74.00	-11.31	3	Vertical	5	2.00
2457MHz	Pass	AV	2.4578G	114.94	Inf	-Inf	3	Horizontal	357	1.73
2457MHz	Pass	AV	2.4842G	52.19	54.00	-1.81	3	Horizontal	357	1.73
2457MHz	Pass	PK	2.4579G	117.80	Inf	-Inf	3	Horizontal	357	1.73
2457MHz	Pass	PK	2.4839G	62.32	74.00	-11.68	3	Horizontal	357	1.73
2462MHz	Pass	AV	2.4628G	113.45	Inf	-Inf	3	Vertical	6	1.96
2462MHz	Pass	AV	2.4842G	52.15	54.00	-1.85	3	Vertical	6	1.96
2462MHz	Pass	PK	2.4628G	116.29	Inf	-Inf	3	Vertical	6	1.96
2462MHz	Pass	PK	2.4835G	63.11	74.00	-10.89	3	Vertical	6	1.96
2462MHz	Pass	AV	2.4612G	114.46	Inf	-Inf	3	Horizontal	0	1.56
2462MHz	Pass	AV	2.4877G	50.46	54.00	-3.54	3	Horizontal	0	1.56
2462MHz	Pass	PK	2.4612G	117.57	Inf	-Inf	3	Horizontal	0	1.56
2462MHz	Pass	PK	2.4872G	61.02	74.00	-12.98	3	Horizontal	0	1.56
2462MHz	Pass	AV	4.924G	42.36	54.00	-11.64	3	Vertical	213	1.96
2462MHz	Pass	AV	7.38672G	39.20	54.00	-14.80	3	Vertical	229	1.49
2462MHz	Pass	PK	4.92388G	46.50	74.00	-27.50	3	Vertical	213	1.96
2462MHz	Pass	PK	7.38732G	49.18	74.00	-24.82	3	Vertical	229	1.49
2462MHz	Pass	AV	4.92406G	39.28	54.00	-14.72	3	Horizontal	222	2.56
2462MHz	Pass	AV	7.38522G	38.43	54.00	-15.57	3	Horizontal	191	1.21
2462MHz	Pass	PK	4.92412G	44.83	74.00	-29.17	3	Horizontal	222	2.56
2462MHz	Pass	PK	7.38474G	49.33	74.00	-24.67	3	Horizontal	191	1.21
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	50.02	54.00	-3.98	3	Vertical	0	2.00
2412MHz	Pass	AV	2.4166G	106.30	Inf	-Inf	3	Vertical	0	2.00
2412MHz	Pass	PK	2.3894G	64.59	74.00	-9.41	3	Vertical	0	2.00



RSE TX above 1GHz_Non-Beamforming_Radio 1_2T1S_Patch Appendix F.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz	Pass	PK	2.4159G	118.93	Inf	-Inf	3	Vertical	0	2.00
2412MHz	Pass	AV	2.39G	53.85	54.00	-0.15	3	Horizontal	0	1.66
2412MHz	Pass	AV	2.4149G	107.03	Inf	-Inf	3	Horizontal	0	1.66
2412MHz	Pass	PK	2.3899G	67.46	74.00	-6.54	3	Horizontal	0	1.66
2412MHz	Pass	PK	2.4155G	118.21	Inf	-Inf	3	Horizontal	0	1.66
2412MHz	Pass	AV	4.82712G	31.17	54.00	-22.83	3	Vertical	212	1.62
2412MHz	Pass	PK	4.82694G	45.53	74.00	-28.47	3	Vertical	212	1.62
2412MHz	Pass	AV	4.82676G	28.72	54.00	-25.28	3	Horizontal	222	2.35
2412MHz	Pass	PK	4.82256G	42.65	74.00	-31.35	3	Horizontal	222	2.35
2417MHz	Pass	AV	2.39G	49.71	54.00	-4.29	3	Vertical	357	2.00
2417MHz	Pass	AV	2.4204G	102.82	Inf	-Inf	3	Vertical	357	2.00
2417MHz	Pass	PK	2.3894G	62.16	74.00	-11.84	3	Vertical	357	2.00
2417MHz	Pass	PK	2.4219G	114.49	Inf	-Inf	3	Vertical	357	2.00
2417MHz	Pass	AV	2.39G	53.75	54.00	-0.25	3	Horizontal	360	1.72
2417MHz	Pass	AV	2.4188G	103.57	Inf	-Inf	3	Horizontal	360	1.72
2417MHz	Pass	PK	2.3897G	65.80	74.00	-8.20	3	Horizontal	360	1.72
2417MHz	Pass	PK	2.4147G	114.64	Inf	-Inf	3	Horizontal	360	1.72
2437MHz	Pass	AV	2.3898G	45.41	54.00	-8.59	3	Vertical	356	1.99
2437MHz	Pass	AV	2.44036G	107.36	Inf	-Inf	3	Vertical	356	1.99
2437MHz	Pass	AV	2.4835G	48.39	54.00	-5.61	3	Vertical	356	1.99
2437MHz	Pass	PK	2.38948G	59.86	74.00	-14.14	3	Vertical	356	1.99
2437MHz	Pass	PK	2.44052G	119.25	Inf	-Inf	3	Vertical	356	1.99
2437MHz	Pass	PK	2.48404G	62.65	74.00	-11.35	3	Vertical	356	1.99
2437MHz	Pass	AV	2.38996G	49.85	54.00	-4.15	3	Horizontal	352	1.94
2437MHz	Pass	AV	2.43476G	107.85	Inf	-Inf	3	Horizontal	352	1.94
2437MHz	Pass	AV	2.4835G	52.31	54.00	-1.69	3	Horizontal	352	1.94
2437MHz	Pass	PK	2.38996G	66.42	74.00	-7.58	3	Horizontal	352	1.94
2437MHz	Pass	PK	2.43476G	118.48	Inf	-Inf	3	Horizontal	352	1.94
2437MHz	Pass	PK	2.48436G	68.65	74.00	-5.35	3	Horizontal	352	1.94
2437MHz	Pass	AV	4.87694G	34.51	54.00	-19.49	3	Vertical	212	1.84
2437MHz	Pass	AV	7.3143G	36.99	54.00	-17.01	3	Vertical	145	1.56
2437MHz	Pass	PK	4.87688G	48.63	74.00	-25.37	3	Vertical	212	1.84
2437MHz	Pass	PK	7.31454G	50.48	74.00	-23.52	3	Vertical	145	1.56
2437MHz	Pass	AV	4.87712G	31.78	54.00	-22.22	3	Horizontal	222	2.63
2437MHz	Pass	AV	7.31424G	36.66	54.00	-17.34	3	Horizontal	208	1.84
2437MHz	Pass	PK	4.8716G	45.19	74.00	-28.81	3	Horizontal	222	2.63
2437MHz	Pass	PK	7.31406G	50.44	74.00	-23.56	3	Horizontal	208	1.84
2457MHz	Pass	AV	2.4605G	106.82	Inf	-Inf	3	Vertical	359	1.80
2457MHz	Pass	AV	2.4835G	50.26	54.00	-3.74	3	Vertical	359	1.80
2457MHz	Pass	PK	2.4628G	118.32	Inf	-Inf	3	Vertical	359	1.80
2457MHz	Pass	PK	2.4849G	63.22	74.00	-10.78	3	Vertical	359	1.80
2457MHz	Pass	AV	2.4607G	108.06	Inf	-Inf	3	Horizontal	360	1.67
2457MHz	Pass	AV	2.4836G	53.83	54.00	-0.17	3	Horizontal	360	1.67
2457MHz	Pass	PK	2.4604G	119.05	Inf	-Inf	3	Horizontal	360	1.67
2457MHz	Pass	PK	2.4845G	67.46	74.00	-6.54	3	Horizontal	360	1.67
2462MHz	Pass	AV	2.4663G	105.16	Inf	-Inf	3	Vertical	360	2.00
2462MHz	Pass	AV	2.4835G	48.62	54.00	-5.38	3	Vertical	360	2.00
2462MHz	Pass	PK	2.4665G	116.82	Inf	-Inf	3	Vertical	360	2.00
2462MHz	Pass	PK	2.4855G	61.30	74.00	-12.70	3	Vertical	360	2.00
2462MHz	Pass	AV	2.4605G	105.74	Inf	-Inf	3	Horizontal	355	1.63
2462MHz	Pass	AV	2.4835G	53.13	54.00	-0.87	3	Horizontal	355	1.63
2462MHz	Pass	PK	2.4647G	116.58	Inf	-Inf	3	Horizontal	355	1.63
2462MHz	Pass	PK	2.4842G	68.59	74.00	-5.41	3	Horizontal	355	1.63
2462MHz	Pass	AV	4.92202G	33.56	54.00	-20.44	3	Vertical	213	1.86
2462MHz	Pass	AV	7.38348G	34.14	54.00	-19.86	3	Vertical	212	1.57
2462MHz	Pass	PK	4.92232G	48.87	74.00	-25.13	3	Vertical	213	1.86
2462MHz	Pass	PK	7.39422G	48.12	74.00	-25.88	3	Vertical	212	1.57
2462MHz	Pass	AV	4.92232G	30.78	54.00	-23.22	3	Horizontal	221	2.79
2462MHz	Pass	AV	7.37976G	33.66	54.00	-20.34	3	Horizontal	275	2.36
2462MHz	Pass	PK	4.9273G	44.68	74.00	-29.32	3	Horizontal	221	2.79
2462MHz	Pass	PK	7.38486G	47.46	74.00	-26.54	3	Horizontal	275	2.36
802.11be EHT20_Nss1(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-




RSE TX above 1GHz_Non-Beamforming_Radio 1_2T1S_Patch Appendix F.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz	Pass	AV	2.3895G	50.19	54.00	-3.81	3	Vertical	0	2.00
2412MHz	Pass	AV	2.4191G	105.54	Inf	-Inf	3	Vertical	0	2.00
2412MHz	Pass	PK	2.3883G	63.81	74.00	-10.19	3	Vertical	0	2.00
2412MHz	Pass	PK	2.4166G	118.66	Inf	-Inf	3	Vertical	0	2.00
2412MHz	Pass	AV	2.3899G	52.55	54.00	-1.45	3	Horizontal	0	1.80
2412MHz	Pass	AV	2.4158G	106.28	Inf	-Inf	3	Horizontal	0	1.80
2412MHz	Pass	PK	2.3897G	64.91	74.00	-9.09	3	Horizontal	0	1.80
2412MHz	Pass	PK	2.4159G	119.89	Inf	-Inf	3	Horizontal	0	1.80
2412MHz	Pass	AV	4.82544G	30.58	54.00	-23.42	3	Vertical	213	1.50
2412MHz	Pass	PK	4.82526G	44.70	74.00	-29.30	3	Vertical	213	1.50
2412MHz	Pass	AV	4.82556G	28.20	54.00	-25.80	3	Horizontal	221	1.51
2412MHz	Pass	PK	4.8258G	42.05	74.00	-31.95	3	Horizontal	221	1.51
2437MHz	Pass	AV	2.38996G	45.77	54.00	-8.23	3	Vertical	353	2.00
2437MHz	Pass	AV	2.4386G	106.32	Inf	-Inf	3	Vertical	353	2.00
2437MHz	Pass	AV	2.48372G	48.61	54.00	-5.39	3	Vertical	353	2.00
2437MHz	Pass	PK	2.389G	59.20	74.00	-14.80	3	Vertical	353	2.00
2437MHz	Pass	PK	2.4338G	119.61	Inf	-Inf	3	Vertical	353	2.00
2437MHz	Pass	PK	2.4835G	62.83	74.00	-11.17	3	Vertical	353	2.00
2437MHz	Pass	AV	2.38996G	50.79	54.00	-3.21	3	Horizontal	357	1.80
2437MHz	Pass	AV	2.43348G	106.92	Inf	-Inf	3	Horizontal	357	1.80
2437MHz	Pass	AV	2.4835G	52.96	54.00	-1.04	3	Horizontal	357	1.80
2437MHz	Pass	PK	2.38996G	68.26	74.00	-5.74	3	Horizontal	357	1.80
2437MHz	Pass	PK	2.43348G	119.91	Inf	-Inf	3	Horizontal	357	1.80
2437MHz	Pass	PK	2.48468G	69.25	74.00	-4.75	3	Horizontal	357	1.80
2437MHz	Pass	AV	4.8755G	33.81	54.00	-20.19	3	Vertical	212	1.94
2437MHz	Pass	AV	7.31244G	36.48	54.00	-17.52	3	Vertical	146	1.80
2437MHz	Pass	PK	4.8731G	46.61	74.00	-27.39	3	Vertical	212	1.94
2437MHz	Pass	PK	7.30464G	49.62	74.00	-24.38	3	Vertical	146	1.80
2437MHz	Pass	AV	4.87562G	30.73	54.00	-23.27	3	Horizontal	221	2.60
2437MHz	Pass	AV	7.31502G	35.81	54.00	-18.19	3	Horizontal	210	1.87
2437MHz	Pass	PK	4.87004G	44.37	74.00	-29.63	3	Horizontal	221	2.60
2437MHz	Pass	PK	7.31004G	50.14	74.00	-23.86	3	Horizontal	210	1.87
2457MHz	Pass	AV	2.4638G	106.34	Inf	-Inf	3	Vertical	360	2.00
2457MHz	Pass	AV	2.4835G	52.01	54.00	-1.99	3	Vertical	360	2.00
2457MHz	Pass	PK	2.4619G	119.79	Inf	-Inf	3	Vertical	360	2.00
2457MHz	Pass	PK	2.4839G	67.09	74.00	-6.91	3	Vertical	360	2.00
2457MHz	Pass	AV	2.4613G	107.18	Inf	-Inf	3	Horizontal	360	1.65
2457MHz	Pass	AV	2.4835G	53.15	54.00	-0.85	3	Horizontal	360	1.65
2457MHz	Pass	PK	2.4639G	120.55	Inf	-Inf	3	Horizontal	360	1.65
2457MHz	Pass	PK	2.4835G	68.10	74.00	-5.90	3	Horizontal	360	1.65
2462MHz	Pass	AV	2.4665G	104.41	Inf	-Inf	3	Vertical	360	1.96
2462MHz	Pass	AV	2.4835G	49.86	54.00	-4.14	3	Vertical	360	1.96
2462MHz	Pass	PK	2.4634G	117.69	Inf	-Inf	3	Vertical	360	1.96
2462MHz	Pass	PK	2.4837G	63.94	74.00	-10.06	3	Vertical	360	1.96
2462MHz	Pass	AV	2.464G	104.54	Inf	-Inf	3	Horizontal	354	1.51
2462MHz	Pass	AV	2.4835G	53.42	54.00	-0.58	3	Horizontal	354	1.51
2462MHz	Pass	PK	2.4613G	118.66	Inf	-Inf	3	Horizontal	354	1.51
2462MHz	Pass	PK	2.4846G	68.58	74.00	-5.42	3	Horizontal	354	1.51
2462MHz	Pass	AV	4.9231G	32.86	54.00	-21.14	3	Vertical	212	2.00
2462MHz	Pass	AV	7.38492G	33.55	54.00	-20.45	3	Vertical	211	1.50
2462MHz	Pass	PK	4.92532G	46.99	74.00	-27.01	3	Vertical	212	2.00
2462MHz	Pass	PK	7.39236G	47.43	74.00	-26.57	3	Vertical	211	1.50
2462MHz	Pass	AV	4.92304G	30.39	54.00	-23.61	3	Horizontal	222	2.86
2462MHz	Pass	AV	7.37958G	33.49	54.00	-20.51	3	Horizontal	198	1.72
2462MHz	Pass	PK	4.9177G	43.67	74.00	-30.33	3	Horizontal	222	2.86
2462MHz	Pass	PK	7.37184G	47.42	74.00	-26.58	3	Horizontal	198	1.72


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_2TX

2462MHz_TX





RSE TX below 1GHz_Non-Beamforming_Radio 1_2T2S_Patch Appendix F.11

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	88M	32.98	40.00	-7.02	3	Vertical	0	1.00




RSE TX below 1GHz_Non-Beamforming_Radio 1_2T2S_Patch Appendix F.11

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2437MHz_PoE	Pass	PK	51.34M	31.70	40.00	-8.30	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	88M	32.98	40.00	-7.02	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	148.34M	29.43	43.50	-14.07	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	196.84M	29.93	43.50	-13.57	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	291.9M	33.43	46.00	-12.57	3	Vertical	0	1.00
2437MHz_PoE	Pass	QP	31.94M	31.25	40.00	-8.75	3	Vertical	3	1.00
2437MHz_PoE	Pass	PK	80.44M	29.34	40.00	-10.66	3	Horizontal	360	1.00
2437MHz_PoE	Pass	PK	119.24M	28.77	43.50	-14.73	3	Horizontal	360	1.00
2437MHz_PoE	Pass	PK	148.34M	31.21	43.50	-12.29	3	Horizontal	360	1.00
2437MHz_PoE	Pass	PK	198.78M	34.22	43.50	-9.28	3	Horizontal	360	1.00
2437MHz_PoE	Pass	PK	206.54M	33.91	43.50	-9.59	3	Horizontal	360	1.00
2437MHz_PoE	Pass	PK	291.9M	35.53	46.00	-10.47	3	Horizontal	360	1.00


2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_PoE



2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_PoE





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	2.4835G	53.78	54.00	-0.22	3	Horizontal	360	1.70




RSE TX above 1GHz_Non-Beamforming_Radio 1_2T2S_Patch Appendix F.12

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	50.06	54.00	-3.94	3	Vertical	355	2.05
2412MHz	Pass	AV	2.4192G	104.75	Inf	-Inf	3	Vertical	355	2.05
2412MHz	Pass	PK	2.3898G	63.20	74.00	-10.80	3	Vertical	355	2.05
2412MHz	Pass	PK	2.4192G	118.02	Inf	-Inf	3	Vertical	355	2.05
2412MHz	Pass	AV	2.39G	51.94	54.00	-2.06	3	Horizontal	360	1.78
2412MHz	Pass	AV	2.417G	105.91	Inf	-Inf	3	Horizontal	360	1.78
2412MHz	Pass	PK	2.39G	64.56	74.00	-9.44	3	Horizontal	360	1.78
2412MHz	Pass	PK	2.4164G	119.03	Inf	-Inf	3	Horizontal	360	1.78
2412MHz	Pass	AV	4.824G	30.07	54.00	-23.93	3	Vertical	174	1.78
2412MHz	Pass	PK	4.82616G	45.08	74.00	-28.92	3	Vertical	174	1.78
2412MHz	Pass	AV	4.81464G	26.60	54.00	-27.40	3	Horizontal	113	1.50
2412MHz	Pass	PK	4.8267G	40.88	74.00	-33.12	3	Horizontal	113	1.50
2437MHz	Pass	AV	2.38996G	46.07	54.00	-7.93	3	Vertical	357	2.00
2437MHz	Pass	AV	2.4386G	106.19	Inf	-Inf	3	Vertical	357	2.00
2437MHz	Pass	AV	2.4835G	49.18	54.00	-4.82	3	Vertical	357	2.00
2437MHz	Pass	PK	2.38964G	61.33	74.00	-12.67	3	Vertical	357	2.00
2437MHz	Pass	PK	2.4386G	120.59	Inf	-Inf	3	Vertical	357	2.00
2437MHz	Pass	PK	2.48404G	64.07	74.00	-9.93	3	Vertical	357	2.00
2437MHz	Pass	AV	2.38996G	51.30	54.00	-2.70	3	Horizontal	358	1.57
2437MHz	Pass	AV	2.429G	107.16	Inf	-Inf	3	Horizontal	358	1.57
2437MHz	Pass	AV	2.4835G	53.75	54.00	-0.25	3	Horizontal	358	1.57
2437MHz	Pass	PK	2.389G	66.95	74.00	-7.05	3	Horizontal	358	1.57
2437MHz	Pass	PK	2.43828G	121.33	Inf	-Inf	3	Horizontal	358	1.57
2437MHz	Pass	PK	2.48404G	68.54	74.00	-5.46	3	Horizontal	358	1.57
2437MHz	Pass	AV	4.87412G	32.21	54.00	-21.79	3	Vertical	174	1.97
2437MHz	Pass	PK	4.87658G	46.35	74.00	-27.65	3	Vertical	174	1.97
2437MHz	Pass	AV	4.87412G	27.60	54.00	-26.40	3	Horizontal	67	2.05
2437MHz	Pass	PK	4.87322G	41.66	74.00	-32.34	3	Horizontal	67	2.05
2457MHz	Pass	AV	2.4652G	106.29	Inf	-Inf	3	Vertical	360	2.00
2457MHz	Pass	AV	2.4835G	52.13	54.00	-1.87	3	Vertical	360	2.00
2457MHz	Pass	PK	2.4622G	120.69	Inf	-Inf	3	Vertical	360	2.00
2457MHz	Pass	PK	2.4838G	69.38	74.00	-4.62	3	Vertical	360	2.00
2457MHz	Pass	AV	2.462G	106.62	Inf	-Inf	3	Horizontal	360	1.70
2457MHz	Pass	AV	2.4835G	51.92	54.00	-2.08	3	Horizontal	360	1.70
2457MHz	Pass	PK	2.465G	120.89	Inf	-Inf	3	Horizontal	360	1.70
2457MHz	Pass	PK	2.4836G	69.31	74.00	-4.69	3	Horizontal	360	1.70
2462MHz	Pass	AV	2.4674G	103.23	Inf	-Inf	3	Vertical	360	1.87
2462MHz	Pass	AV	2.4835G	49.25	54.00	-4.75	3	Vertical	360	1.87
2462MHz	Pass	PK	2.4658G	116.60	Inf	-Inf	3	Vertical	360	1.87
2462MHz	Pass	PK	2.4836G	63.03	74.00	-10.97	3	Vertical	360	1.87
2462MHz	Pass	AV	2.4636G	103.80	Inf	-Inf	3	Horizontal	360	1.70
2462MHz	Pass	AV	2.4835G	53.78	54.00	-0.22	3	Horizontal	360	1.70
2462MHz	Pass	PK	2.4636G	117.45	Inf	-Inf	3	Horizontal	360	1.70
2462MHz	Pass	PK	2.484G	69.28	74.00	-4.72	3	Horizontal	360	1.70
2462MHz	Pass	AV	4.92406G	30.17	54.00	-23.83	3	Vertical	231	2.56
2462MHz	Pass	PK	4.92256G	44.42	74.00	-29.58	3	Vertical	231	2.56
2462MHz	Pass	AV	4.92298G	27.37	54.00	-26.63	3	Horizontal	97	2.78
2462MHz	Pass	PK	4.93174G	41.13	74.00	-32.87	3	Horizontal	97	2.78


2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX




2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX



2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
g20_Nss1,(6Mbps)_1TX(Port1)	Pass	PK	30M	34.75	40.00	-5.25	3	Vertical	0	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
g20_Nss1,(6Mbps)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
2437MHz_PoE	Pass	PK	30M	34.75	40.00	-5.25	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	53.28M	32.48	40.00	-7.52	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	177.44M	27.31	43.50	-16.19	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	256.98M	33.54	46.00	-12.46	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	291.9M	33.26	46.00	-12.74	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	747.8M	34.01	46.00	-11.99	3	Vertical	0	1.00
2437MHz_PoE	Pass	PK	90.14M	20.86	43.50	-22.64	3	Horizontal	360	1.00
2437MHz_PoE	Pass	PK	175.5M	26.39	43.50	-17.11	3	Horizontal	360	1.00
2437MHz_PoE	Pass	PK	229.82M	28.47	46.00	-17.53	3	Horizontal	360	1.00
2437MHz_PoE	Pass	PK	266.68M	32.50	46.00	-13.50	3	Horizontal	360	1.00
2437MHz_PoE	Pass	PK	293.84M	32.93	46.00	-13.07	3	Horizontal	360	1.00
2437MHz_PoE	Pass	PK	819.58M	34.99	46.00	-11.01	3	Horizontal	360	1.00


2.4-2.4835GHz_g20_Nss1,(6Mbps)_1TX(Port1)

2437MHz_PoE



2.4-2.4835GHz_g20_Nss1,(6Mbps)_1TX(Port1)

2437MHz_PoE



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-
b20_Nss1,(1Mbps)_1TX(Port1)	Pass	PK	2.39G	73.79	74.00	-0.21	3	Horizontal	314	1.21
g20_Nss1,(6Mbps)_1TX(Port1)	Pass	PK	2.48372G	73.89	74.00	-0.11	3	Horizontal	50	1.61



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
b20_Nss1.(1Mbps)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3872G	45.75	54.00	-8.25	3	Vertical	343	2.86
2412MHz	Pass	AV	2.4128G	104.09	Inf	-Inf	3	Vertical	343	2.86
2412MHz	Pass	PK	2.3896G	70.64	74.00	-3.36	3	Vertical	343	2.86
2412MHz	Pass	PK	2.4118G	108.55	Inf	-Inf	3	Vertical	343	2.86
2412MHz	Pass	AV	2.3872G	47.86	54.00	-6.14	3	Horizontal	314	1.21
2412MHz	Pass	AV	2.4128G	106.09	Inf	-Inf	3	Horizontal	314	1.21
2412MHz	Pass	PK	2.39G	73.79	74.00	-0.21	3	Horizontal	314	1.21
2412MHz	Pass	PK	2.412G	109.55	Inf	-Inf	3	Horizontal	314	1.21
2412MHz	Pass	AV	4.824G	27.28	54.00	-26.72	3	Vertical	21	1.50
2412MHz	Pass	PK	4.82748G	40.93	74.00	-33.07	3	Vertical	21	1.50
2412MHz	Pass	AV	4.82392G	29.54	54.00	-24.46	3	Horizontal	259	1.32
2412MHz	Pass	PK	4.82424G	41.35	74.00	-32.65	3	Horizontal	259	1.32
2417MHz	Pass	AV	2.39G	46.90	54.00	-7.10	3	Vertical	344	2.86
2417MHz	Pass	AV	2.4178G	103.58	Inf	-Inf	3	Vertical	344	2.86
2417MHz	Pass	PK	2.3852G	71.13	74.00	-2.87	3	Vertical	344	2.86
2417MHz	Pass	PK	2.4168G	106.55	Inf	-Inf	3	Vertical	344	2.86
2417MHz	Pass	AV	2.39G	49.38	54.00	-4.62	3	Horizontal	313	1.17
2417MHz	Pass	AV	2.4162G	107.53	Inf	-Inf	3	Horizontal	313	1.17
2417MHz	Pass	PK	2.3836G	73.47	74.00	-0.53	3	Horizontal	313	1.17
2417MHz	Pass	PK	2.4168G	110.54	Inf	-Inf	3	Horizontal	313	1.17
2437MHz	Pass	AV	2.38964G	43.11	54.00	-10.89	3	Vertical	343	2.52
2437MHz	Pass	AV	2.43764G	106.06	Inf	-Inf	3	Vertical	343	2.52
2437MHz	Pass	AV	2.48404G	43.16	54.00	-10.84	3	Vertical	343	2.52
2437MHz	Pass	PK	2.389G	65.68	74.00	-8.32	3	Vertical	343	2.52
2437MHz	Pass	PK	2.43796G	108.94	Inf	-Inf	3	Vertical	343	2.52
2437MHz	Pass	PK	2.48628G	68.90	74.00	-5.10	3	Vertical	343	2.52
2437MHz	Pass	AV	2.38932G	43.78	54.00	-10.22	3	Horizontal	314	1.16
2437MHz	Pass	AV	2.43764G	109.95	Inf	-Inf	3	Horizontal	314	1.16
2437MHz	Pass	AV	2.48468G	43.79	54.00	-10.21	3	Horizontal	314	1.16
2437MHz	Pass	PK	2.38228G	67.92	74.00	-6.08	3	Horizontal	314	1.16
2437MHz	Pass	PK	2.43796G	113.04	Inf	-Inf	3	Horizontal	314	1.16
2437MHz	Pass	PK	2.485G	71.76	74.00	-2.24	3	Horizontal	314	1.16
2437MHz	Pass	AV	4.874G	36.64	54.00	-17.36	3	Vertical	33	2.70
2437MHz	Pass	PK	4.874G	44.41	74.00	-29.59	3	Vertical	33	2.70
2437MHz	Pass	AV	4.87396G	40.69	54.00	-13.31	3	Horizontal	71	1.90
2437MHz	Pass	PK	4.87394G	46.09	74.00	-27.91	3	Horizontal	71	1.90
2457MHz	Pass	AV	2.4578G	99.57	Inf	-Inf	3	Vertical	29	1.09
2457MHz	Pass	AV	2.4835G	46.25	54.00	-7.75	3	Vertical	29	1.09
2457MHz	Pass	PK	2.458G	102.49	Inf	-Inf	3	Vertical	29	1.09
2457MHz	Pass	PK	2.4902G	63.88	74.00	-10.12	3	Vertical	29	1.09
2457MHz	Pass	AV	2.4578G	108.49	Inf	-Inf	3	Horizontal	49	2.37
2457MHz	Pass	AV	2.4835G	53.39	54.00	-0.61	3	Horizontal	49	2.37
2457MHz	Pass	PK	2.458G	111.31	Inf	-Inf	3	Horizontal	49	2.37
2457MHz	Pass	PK	2.5G	72.69	74.00	-1.31	3	Horizontal	49	2.37
2462MHz	Pass	AV	2.4628G	99.15	Inf	-Inf	3	Vertical	29	1.09
2462MHz	Pass	AV	2.4878G	44.99	54.00	-9.01	3	Vertical	29	1.09
2462MHz	Pass	PK	2.463G	101.96	Inf	-Inf	3	Vertical	29	1.09
2462MHz	Pass	PK	2.4842G	65.74	74.00	-8.26	3	Vertical	29	1.09
2462MHz	Pass	AV	2.4612G	107.53	Inf	-Inf	3	Horizontal	50	2.39
2462MHz	Pass	AV	2.4878G	53.23	54.00	-0.77	3	Horizontal	50	2.39
2462MHz	Pass	PK	2.4618G	110.54	Inf	-Inf	3	Horizontal	50	2.39
2462MHz	Pass	PK	2.4836G	73.37	74.00	-0.63	3	Horizontal	50	2.39
2462MHz	Pass	AV	4.924G	30.79	54.00	-23.21	3	Vertical	14	1.59
2462MHz	Pass	PK	4.92428G	41.82	74.00	-32.18	3	Vertical	14	1.59
2462MHz	Pass	AV	4.924G	32.63	54.00	-21.37	3	Horizontal	268	1.17
2462MHz	Pass	PK	4.92412G	42.06	74.00	-31.94	3	Horizontal	268	1.17
g20_Nss1.(6Mbps)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	51.09	54.00	-2.91	3	Vertical	343	2.87
2412MHz	Pass	AV	2.4154G	94.93	Inf	-Inf	3	Vertical	343	2.87
2412MHz	Pass	PK	2.3898G	71.70	74.00	-2.30	3	Vertical	343	2.87




RSE TX above 1GHz_Non-Beamforming_Radio 1_Scan

Appendix F.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2412MHz	Pass	PK	2.4164G	106.20	Inf	-Inf	3	Vertical	343	2.87
2412MHz	Pass	AV	2.39G	53.41	54.00	-0.59	3	Horizontal	311	1.20
2412MHz	Pass	AV	2.4138G	99.07	Inf	-Inf	3	Horizontal	311	1.20
2412MHz	Pass	PK	2.39G	73.23	74.00	-0.77	3	Horizontal	311	1.20
2412MHz	Pass	PK	2.4164G	110.39	Inf	-Inf	3	Horizontal	311	1.20
2412MHz	Pass	AV	4.81432G	27.08	54.00	-26.92	3	Vertical	226	1.50
2412MHz	Pass	PK	4.81796G	40.84	74.00	-33.16	3	Vertical	226	1.50
2412MHz	Pass	AV	4.83104G	27.04	54.00	-26.96	3	Horizontal	199	1.21
2412MHz	Pass	PK	4.81568G	40.36	74.00	-33.64	3	Horizontal	199	1.21
2417MHz	Pass	AV	2.39G	48.39	54.00	-5.61	3	Vertical	344	2.85
2417MHz	Pass	AV	2.418G	95.48	Inf	-Inf	3	Vertical	344	2.85
2417MHz	Pass	PK	2.3858G	70.70	74.00	-3.30	3	Vertical	344	2.85
2417MHz	Pass	PK	2.417G	106.69	Inf	-Inf	3	Vertical	344	2.85
2417MHz	Pass	AV	2.39G	50.33	54.00	-3.67	3	Horizontal	314	1.20
2417MHz	Pass	AV	2.416G	99.16	Inf	-Inf	3	Horizontal	314	1.20
2417MHz	Pass	PK	2.3868G	73.73	74.00	-0.27	3	Horizontal	314	1.20
2417MHz	Pass	PK	2.417G	111.33	Inf	-Inf	3	Horizontal	314	1.20
2437MHz	Pass	AV	2.38996G	45.34	54.00	-8.66	3	Vertical	343	2.79
2437MHz	Pass	AV	2.4354G	97.99	Inf	-Inf	3	Vertical	343	2.79
2437MHz	Pass	AV	2.4835G	45.50	54.00	-8.50	3	Vertical	343	2.79
2437MHz	Pass	PK	2.38388G	67.64	74.00	-6.36	3	Vertical	343	2.79
2437MHz	Pass	PK	2.44276G	109.39	Inf	-Inf	3	Vertical	343	2.79
2437MHz	Pass	PK	2.48372G	69.89	74.00	-4.11	3	Vertical	343	2.79
2437MHz	Pass	AV	2.38996G	46.01	54.00	-7.99	3	Horizontal	50	1.61
2437MHz	Pass	AV	2.43764G	102.00	Inf	-Inf	3	Horizontal	50	1.61
2437MHz	Pass	AV	2.4835G	47.42	54.00	-6.58	3	Horizontal	50	1.61
2437MHz	Pass	PK	2.38324G	67.25	74.00	-6.75	3	Horizontal	50	1.61
2437MHz	Pass	PK	2.437G	113.86	Inf	-Inf	3	Horizontal	50	1.61
2437MHz	Pass	PK	2.48372G	73.89	74.00	-0.11	3	Horizontal	50	1.61
2437MHz	Pass	AV	4.874G	27.80	54.00	-26.20	3	Vertical	35	1.50
2437MHz	Pass	PK	4.86528G	41.15	74.00	-32.85	3	Vertical	35	1.50
2437MHz	Pass	AV	4.872G	27.71	54.00	-26.29	3	Horizontal	288	1.34
2437MHz	Pass	PK	4.87308G	41.62	74.00	-32.38	3	Horizontal	288	1.34
2457MHz	Pass	AV	2.458G	94.95	Inf	-Inf	3	Vertical	333	2.74
2457MHz	Pass	AV	2.4835G	46.48	54.00	-7.52	3	Vertical	333	2.74
2457MHz	Pass	PK	2.4616G	106.28	Inf	-Inf	3	Vertical	333	2.74
2457MHz	Pass	PK	2.488G	66.92	74.00	-7.08	3	Vertical	333	2.74
2457MHz	Pass	AV	2.4584G	98.20	Inf	-Inf	3	Horizontal	47	2.38
2457MHz	Pass	AV	2.4835G	48.78	54.00	-5.22	3	Horizontal	47	2.38
2457MHz	Pass	PK	2.457G	109.32	Inf	-Inf	3	Horizontal	47	2.38
2457MHz	Pass	PK	2.4874G	73.69	74.00	-0.31	3	Horizontal	47	2.38
2462MHz	Pass	AV	2.468G	89.51	Inf	-Inf	3	Vertical	30	1.09
2462MHz	Pass	AV	2.4835G	47.02	54.00	-6.98	3	Vertical	30	1.09
2462MHz	Pass	PK	2.4596G	100.33	Inf	-Inf	3	Vertical	30	1.09
2462MHz	Pass	PK	2.4835G	67.68	74.00	-6.32	3	Vertical	30	1.09
2462MHz	Pass	AV	2.4608G	97.69	Inf	-Inf	3	Horizontal	49	2.39
2462MHz	Pass	AV	2.4836G	52.70	54.00	-1.30	3	Horizontal	49	2.39
2462MHz	Pass	PK	2.4618G	108.73	Inf	-Inf	3	Horizontal	49	2.39
2462MHz	Pass	PK	2.4835G	73.56	74.00	-0.44	3	Horizontal	49	2.39
2462MHz	Pass	AV	4.9212G	27.41	54.00	-26.59	3	Vertical	3	1.50
2462MHz	Pass	PK	4.92112G	41.24	74.00	-32.76	3	Vertical	3	1.50
2462MHz	Pass	AV	4.91852G	27.39	54.00	-26.61	3	Horizontal	42	1.50
2462MHz	Pass	PK	4.93396G	40.65	74.00	-33.35	3	Horizontal	42	1.50


2.4-2.4835GHz_b20_Nss1,(1Mbps)_1TX(Port1)

2412MHz_TX




2.4-2.4835GHz_b20_Nss1,(1Mbps)_1TX(Port1)

2412MHz_TX




2.4-2.4835GHz_b20_Nss1,(1Mbps)_1TX(Port1)

2412MHz_TX




2.4-2.4835GHz_b20_Nss1,(1Mbps)_1TX(Port1)

2412MHz_TX



2.4-2.4835GHz_g20_Nss1,(6Mbps)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.38996G	45.34	54.00	-8.66	30.30	3	Vertical	343	2.79	15.04	27.50	2.80	-
AV	2.4354G	97.99	Inf	-Inf	30.51	3	Vertical	343	2.79	67.48	27.70	2.81	-
AV	2.4835G	45.50	54.00	-8.50	30.71	3	Vertical	343	2.79	14.79	27.90	2.81	-
PK	2.38388G	67.64	74.00	-6.36	30.24	3	Vertical	343	2.79	37.40	27.44	2.80	-
PK	2.44276G	109.39	Inf	-Inf	30.51	3	Vertical	343	2.79	78.88	27.70	2.81	-
PK	2.48372G	69.89	74.00	-4.11	30.71	3	Vertical	343	2.79	39.18	27.90	2.81	-

2.4-2.4835GHz_g20_Nss1,(6Mbps)_1TX(Port1)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.38996G	46.01	54.00	-7.99	30.30	3	Horizontal	50	1.61	15.71	27.50	2.80	-
AV	2.43764G	102.00	Inf	-Inf	30.51	3	Horizontal	50	1.61	71.49	27.70	2.81	-
AV	2.4835G	47.42	54.00	-6.58	30.71	3	Horizontal	50	1.61	16.71	27.90	2.81	-
PK	2.38324G	67.25	74.00	-6.75	30.23	3	Horizontal	50	1.61	37.02	27.43	2.80	-
PK	2.437G	113.86	Inf	-Inf	30.51	3	Horizontal	50	1.61	83.35	27.70	2.81	-
PK	2.48372G	73.89	74.00	-0.11	30.71	3	Horizontal	50	1.61	43.18	27.90	2.81	-


2.4-2.4835GHz_g20_Nss1,(6Mbps)_1TX(Port1)

2437MHz_TX



2.4-2.4835GHz_g20_Nss1,(6Mbps)_1TX(Port1)

2437MHz_TX



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	5.03063G	35.39	54.00	-18.61	Vertical
Mode 2	Pass	AV	4.53125G	33.27	54.00	-20.73	Horizontal
Mode 3	Pass	PK	5.19375G	49.72	68.20	-18.48	Vertical
Mode 4	Pass	AV	4.07625G	33.41	54.00	-20.59	Vertical
Mode 5	Pass	AV	4.11G	31.23	54.00	-22.77	Horizontal
Mode 6	Pass	AV	3.64063G	32.80	54.00	-21.20	Vertical
Mode 7	Pass	AV	3.95313G	32.97	54.00	-21.03	Vertical
Mode 8	Pass	AV	1.3925G	31.58	54.00	-22.42	Vertical
Mode 9	Pass	AV	5.03063G	35.39	54.00	-18.61	Vertical
Mode 10	Pass	AV	1.38188G	31.59	54.00	-22.41	Vertical
Mode 11	Pass	AV	3.87G	32.69	54.00	-21.31	Horizontal
Mode 12	Pass	AV	3.98063G	31.97	54.00	-22.03	Horizontal


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	1.93438G	26.54	68.20	-41.66	3	Vertical	128	2.47
Mode 1	Pass	AV	3.04188G	30.62	68.20	-37.58	3	Vertical	15	1.14
Mode 1	Pass	AV	5.03063G	35.39	54.00	-18.61	3	Vertical	247	1.94
Mode 1	Pass	PK	1.93438G	38.70	68.20	-29.50	3	Vertical	128	2.47
Mode 1	Pass	PK	3.04188G	42.98	68.20	-25.22	3	Vertical	15	1.14
Mode 1	Pass	PK	5.03063G	47.11	74.00	-26.89	3	Vertical	247	1.94
Mode 1	Pass	AV	1.32813G	28.15	54.00	-25.85	3	Horizontal	352	1.59
Mode 1	Pass	AV	1.94938G	26.78	68.20	-41.42	3	Horizontal	344	1.76
Mode 1	Pass	AV	4.8625G	34.57	54.00	-19.43	3	Horizontal	12	1.60
Mode 1	Pass	PK	1.32813G	40.90	74.00	-33.10	3	Horizontal	352	1.59
Mode 1	Pass	PK	1.94938G	38.51	68.20	-29.69	3	Horizontal	344	1.76
Mode 1	Pass	PK	4.8625G	46.06	74.00	-27.94	3	Horizontal	12	1.60
Mode 2	Pass	AV	1.33188G	26.85	54.00	-27.15	3	Vertical	146	1.45
Mode 2	Pass	AV	2.06G	27.51	68.20	-40.69	3	Vertical	288	2.45
Mode 2	Pass	AV	3.84125G	31.58	54.00	-22.42	3	Vertical	150	2.36
Mode 2	Pass	PK	1.33188G	38.88	74.00	-35.12	3	Vertical	146	1.45
Mode 2	Pass	PK	2.06G	39.20	68.20	-29.00	3	Vertical	288	2.45
Mode 2	Pass	PK	3.84125G	43.41	74.00	-30.59	3	Vertical	150	2.36
Mode 2	Pass	AV	1.32938G	27.79	54.00	-26.21	3	Horizontal	289	1.21
Mode 2	Pass	AV	1.98938G	29.17	68.20	-39.03	3	Horizontal	95	1.51
Mode 2	Pass	AV	4.53125G	33.27	54.00	-20.73	3	Horizontal	269	1.52
Mode 2	Pass	PK	1.32938G	39.25	74.00	-34.75	3	Horizontal	289	1.21
Mode 2	Pass	PK	1.98938G	40.42	68.20	-27.78	3	Horizontal	95	1.51
Mode 2	Pass	PK	4.53125G	45.44	74.00	-28.56	3	Horizontal	269	1.52
Mode 3	Pass	AV	1.39063G	27.97	54.00	-26.03	3	Vertical	139	1.40
Mode 3	Pass	AV	1.50938G	26.13	54.00	-27.87	3	Vertical	131	1.54
Mode 3	Pass	AV	5.19375G	37.31	68.20	-30.89	3	Vertical	280	2.41
Mode 3	Pass	PK	1.39063G	39.51	74.00	-34.49	3	Vertical	139	1.40
Mode 3	Pass	PK	1.50938G	38.06	74.00	-35.94	3	Vertical	131	1.54
Mode 3	Pass	PK	5.19375G	49.72	68.20	-18.48	3	Vertical	280	2.41
Mode 3	Pass	AV	1.32938G	30.58	54.00	-23.42	3	Horizontal	170	1.34
Mode 3	Pass	AV	2.02938G	27.66	68.20	-40.54	3	Horizontal	344	1.51
Mode 3	Pass	AV	3.8775G	31.62	54.00	-22.38	3	Horizontal	10	2.10
Mode 3	Pass	PK	1.32938G	41.66	74.00	-32.34	3	Horizontal	170	1.34
Mode 3	Pass	PK	2.02938G	39.14	68.20	-29.06	3	Horizontal	344	1.51
Mode 3	Pass	PK	3.8775G	43.97	74.00	-30.03	3	Horizontal	10	2.10
Mode 4	Pass	AV	1.38313G	30.97	54.00	-23.03	3	Vertical	103	1.20
Mode 4	Pass	AV	2.11813G	26.77	68.20	-41.43	3	Vertical	168	1.70
Mode 4	Pass	AV	4.07625G	33.41	54.00	-20.59	3	Vertical	317	2.12
Mode 4	Pass	PK	1.38313G	42.13	74.00	-31.87	3	Vertical	103	1.20
Mode 4	Pass	PK	2.11813G	39.31	68.20	-28.89	3	Vertical	168	1.70
Mode 4	Pass	PK	4.07625G	44.93	74.00	-29.07	3	Vertical	317	2.12
Mode 4	Pass	AV	1.57188G	26.17	54.00	-27.83	3	Horizontal	201	2.11
Mode 4	Pass	AV	2.95813G	30.67	68.20	-37.53	3	Horizontal	241	2.41
Mode 4	Pass	AV	3.78438G	32.14	54.00	-21.86	3	Horizontal	212	1.16
Mode 4	Pass	PK	1.57188G	38.11	74.00	-35.89	3	Horizontal	201	2.11
Mode 4	Pass	PK	2.95813G	42.20	68.20	-26.00	3	Horizontal	241	2.41
Mode 4	Pass	PK	3.78438G	44.05	74.00	-29.95	3	Horizontal	212	1.16
Mode 5	Pass	AV	1.03188G	26.63	54.00	-27.37	3	Vertical	35	2.06
Mode 5	Pass	AV	1.99938G	27.65	68.20	-40.55	3	Vertical	39	1.84

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 5	Pass	AV	3.27688G	31.69	68.20	-36.51	3	Vertical	190	2.46
Mode 5	Pass	PK	1.03188G	37.76	74.00	-36.24	3	Vertical	35	2.06
Mode 5	Pass	PK	1.99938G	39.95	68.20	-28.25	3	Vertical	39	1.84
Mode 5	Pass	PK	3.27688G	43.00	68.20	-25.20	3	Vertical	190	2.46
Mode 5	Pass	AV	1.56188G	26.33	54.00	-27.67	3	Horizontal	1	1.23
Mode 5	Pass	AV	1.83063G	25.69	68.20	-42.51	3	Horizontal	345	2.24
Mode 5	Pass	AV	4.11G	31.23	54.00	-22.77	3	Horizontal	207	2.11
Mode 5	Pass	PK	1.56188G	37.82	74.00	-36.18	3	Horizontal	1	1.23
Mode 5	Pass	PK	1.83063G	37.28	68.20	-30.92	3	Horizontal	345	2.24
Mode 5	Pass	PK	4.11G	44.29	74.00	-29.71	3	Horizontal	207	2.11
Mode 6	Pass	AV	1.18875G	29.66	54.00	-24.34	3	Vertical	324	1.29
Mode 6	Pass	AV	1.80188G	24.21	68.20	-43.99	3	Vertical	108	1.69
Mode 6	Pass	AV	3.64063G	32.80	54.00	-21.20	3	Vertical	197	2.42
Mode 6	Pass	PK	1.18875G	40.21	74.00	-33.79	3	Vertical	324	1.29
Mode 6	Pass	PK	1.80188G	37.42	68.20	-30.78	3	Vertical	108	1.69
Mode 6	Pass	PK	3.64063G	43.55	74.00	-30.45	3	Vertical	197	2.42
Mode 6	Pass	AV	1.385G	26.66	54.00	-27.34	3	Horizontal	287	1.91
Mode 6	Pass	AV	1.7725G	24.97	68.20	-43.23	3	Horizontal	212	2.30
Mode 6	Pass	AV	3.7125G	31.59	54.00	-22.41	3	Horizontal	165	1.37
Mode 6	Pass	PK	1.385G	37.88	74.00	-36.12	3	Horizontal	287	1.91
Mode 6	Pass	PK	1.7725G	36.61	68.20	-31.59	3	Horizontal	212	2.30
Mode 6	Pass	PK	3.7125G	43.65	74.00	-30.35	3	Horizontal	165	1.37
Mode 7	Pass	AV	1.24063G	25.10	68.20	-43.10	3	Vertical	66	1.73
Mode 7	Pass	AV	1.82G	25.33	68.20	-42.87	3	Vertical	181	1.19
Mode 7	Pass	AV	3.95313G	32.97	54.00	-21.03	3	Vertical	356	2.50
Mode 7	Pass	PK	1.24063G	37.92	68.20	-30.28	3	Vertical	66	1.73
Mode 7	Pass	PK	1.82G	37.28	68.20	-30.92	3	Vertical	181	1.19
Mode 7	Pass	PK	3.95313G	44.33	74.00	-29.67	3	Vertical	356	2.50
Mode 7	Pass	AV	1.41813G	26.69	54.00	-27.31	3	Horizontal	252	2.16
Mode 7	Pass	AV	2.2175G	29.66	54.00	-24.34	3	Horizontal	238	1.05
Mode 7	Pass	AV	3.71875G	31.54	54.00	-22.46	3	Horizontal	201	1.76
Mode 7	Pass	PK	1.41813G	37.78	74.00	-36.22	3	Horizontal	252	2.16
Mode 7	Pass	PK	2.2175G	40.68	74.00	-33.32	3	Horizontal	238	1.05
Mode 7	Pass	PK	3.71875G	43.43	74.00	-30.57	3	Horizontal	201	1.76
Mode 8	Pass	AV	1.3925G	31.58	54.00	-22.42	3	Vertical	34	2.35
Mode 8	Pass	AV	2.305G	29.63	68.20	-38.57	3	Vertical	348	2.32
Mode 8	Pass	AV	3.64438G	31.09	54.00	-22.91	3	Vertical	182	1.32
Mode 8	Pass	PK	1.3925G	43.42	74.00	-30.58	3	Vertical	34	2.35
Mode 8	Pass	PK	2.305G	40.01	68.20	-28.19	3	Vertical	348	2.32
Mode 8	Pass	PK	3.64438G	42.82	74.00	-31.18	3	Vertical	182	1.32
Mode 8	Pass	AV	1.625G	26.66	54.00	-27.34	3	Horizontal	298	1.78
Mode 8	Pass	AV	2.00813G	27.63	68.20	-40.57	3	Horizontal	230	1.40
Mode 8	Pass	AV	3.4325G	30.52	68.20	-37.68	3	Horizontal	1	2.22
Mode 8	Pass	PK	1.625G	37.56	74.00	-36.44	3	Horizontal	298	1.78
Mode 8	Pass	PK	2.00813G	39.73	68.20	-28.47	3	Horizontal	230	1.40
Mode 8	Pass	PK	3.4325G	42.90	68.20	-25.30	3	Horizontal	1	2.22
Mode 9	Pass	AV	1.93438G	26.54	68.20	-41.66	3	Vertical	128	2.47
Mode 9	Pass	AV	3.04188G	30.62	68.20	-37.58	3	Vertical	15	1.14
Mode 9	Pass	AV	5.03063G	35.39	54.00	-18.61	3	Vertical	247	1.94
Mode 9	Pass	PK	1.93438G	38.70	68.20	-29.50	3	Vertical	128	2.47


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 9	Pass	PK	3.04188G	42.98	68.20	-25.22	3	Vertical	15	1.14
Mode 9	Pass	PK	5.03063G	47.11	74.00	-26.89	3	Vertical	247	1.94
Mode 9	Pass	AV	1.32813G	28.15	54.00	-25.85	3	Horizontal	352	1.59
Mode 9	Pass	AV	1.94938G	26.78	68.20	-41.42	3	Horizontal	344	1.76
Mode 9	Pass	AV	4.8625G	34.57	54.00	-19.43	3	Horizontal	12	1.60
Mode 9	Pass	PK	1.32813G	40.90	74.00	-33.10	3	Horizontal	352	1.59
Mode 9	Pass	PK	1.94938G	38.51	68.20	-29.69	3	Horizontal	344	1.76
Mode 9	Pass	PK	4.8625G	46.06	74.00	-27.94	3	Horizontal	12	1.60
Mode 10	Pass	AV	1.38188G	31.59	54.00	-22.41	3	Vertical	213	1.71
Mode 10	Pass	AV	1.84313G	26.33	68.20	-41.87	3	Vertical	248	1.78
Mode 10	Pass	AV	3.59G	30.64	68.20	-37.56	3	Vertical	115	2.42
Mode 10	Pass	PK	1.38188G	42.73	74.00	-31.27	3	Vertical	213	1.71
Mode 10	Pass	PK	1.84313G	37.35	68.20	-30.85	3	Vertical	248	1.78
Mode 10	Pass	PK	3.59G	42.66	68.20	-25.54	3	Vertical	115	2.42
Mode 10	Pass	AV	1.26813G	26.31	68.20	-41.89	3	Horizontal	195	2.47
Mode 10	Pass	AV	2.375G	30.33	54.00	-23.67	3	Horizontal	249	2.24
Mode 10	Pass	AV	3.18375G	30.69	68.20	-37.51	3	Horizontal	67	1.63
Mode 10	Pass	PK	1.26813G	38.27	68.20	-29.93	3	Horizontal	195	2.47
Mode 10	Pass	PK	2.375G	42.04	74.00	-31.96	3	Horizontal	249	2.24
Mode 10	Pass	PK	3.18375G	42.79	68.20	-25.41	3	Horizontal	67	1.63
Mode 11	Pass	AV	1.187G	30.64	54.00	-23.36	3	Vertical	152	1.47
Mode 11	Pass	AV	2.067G	29.30	68.20	-38.90	3	Vertical	288	1.62
Mode 11	Pass	AV	3.596G	32.36	68.20	-35.84	3	Vertical	192	1.61
Mode 11	Pass	PK	1.187G	40.67	74.00	-33.33	3	Vertical	152	1.47
Mode 11	Pass	PK	2.067G	40.56	68.20	-27.64	3	Vertical	288	1.62
Mode 11	Pass	PK	3.596G	43.50	68.20	-24.70	3	Vertical	192	1.61
Mode 11	Pass	AV	1.332G	30.64	54.00	-23.36	3	Horizontal	338	1.76
Mode 11	Pass	AV	2.009G	30.33	68.20	-37.87	3	Horizontal	255	2.01
Mode 11	Pass	AV	3.87G	32.69	54.00	-21.31	3	Horizontal	110	1.15
Mode 11	Pass	PK	1.332G	41.25	74.00	-32.75	3	Horizontal	338	1.76
Mode 11	Pass	PK	2.009G	40.06	68.20	-28.14	3	Horizontal	255	2.01
Mode 11	Pass	PK	3.87G	44.18	74.00	-29.82	3	Horizontal	110	1.15
Mode 12	Pass	AV	1.29G	27.60	68.20	-40.60	3	Vertical	65	1.44
Mode 12	Pass	AV	2.14438G	26.63	68.20	-41.57	3	Vertical	5	2.22
Mode 12	Pass	AV	3.5975G	30.51	68.20	-37.69	3	Vertical	127	1.40
Mode 12	Pass	PK	1.29G	39.49	68.20	-28.71	3	Vertical	65	1.44
Mode 12	Pass	PK	2.14438G	39.41	68.20	-28.79	3	Vertical	5	2.22
Mode 12	Pass	PK	3.5975G	42.66	68.20	-25.54	3	Vertical	127	1.40
Mode 12	Pass	AV	1.32938G	27.19	54.00	-26.81	3	Horizontal	243	1.86
Mode 12	Pass	AV	3.03063G	30.30	68.20	-37.90	3	Horizontal	282	2.30
Mode 12	Pass	AV	3.98063G	31.97	54.00	-22.03	3	Horizontal	358	2.15
Mode 12	Pass	PK	1.32938G	39.19	74.00	-34.81	3	Horizontal	243	1.86
Mode 12	Pass	PK	3.03063G	42.68	68.20	-25.52	3	Horizontal	282	2.30
Mode 12	Pass	PK	3.98063G	44.07	74.00	-29.93	3	Horizontal	358	2.15

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.93438G	26.54	68.20	-41.66	-4.67	3	Vertical	128	2.47	31.21	25.93	4.40	35.00
AV	3.04188G	30.62	68.20	-37.58	0.05	3	Vertical	15	1.14	30.57	29.68	5.59	35.22
AV	5.03063G	35.39	54.00	-18.61	5.27	3	Vertical	247	1.94	30.12	33.08	7.26	35.07
PK	1.93438G	38.70	68.20	-29.50	-4.67	3	Vertical	128	2.47	43.37	25.93	4.40	35.00
PK	3.04188G	42.98	68.20	-25.22	0.05	3	Vertical	15	1.14	42.93	29.68	5.59	35.22
PK	5.03063G	47.11	74.00	-26.89	5.27	3	Vertical	247	1.94	41.84	33.08	7.26	35.07

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.32813G	28.15	54.00	-25.85	-5.86	3	Horizontal	352	1.59	34.01	25.92	3.58	35.36
AV	1.94938G	26.78	68.20	-41.42	-4.19	3	Horizontal	344	1.76	30.97	26.38	4.42	34.99
AV	4.8625G	34.57	54.00	-19.43	4.54	3	Horizontal	12	1.60	30.03	32.55	7.05	35.06
PK	1.32813G	40.90	74.00	-33.10	-5.86	3	Horizontal	352	1.59	46.76	25.92	3.58	35.36
PK	1.94938G	38.51	68.20	-29.69	-4.19	3	Horizontal	344	1.76	42.70	26.38	4.42	34.99
PK	4.8625G	46.06	74.00	-27.94	4.54	3	Horizontal	12	1.60	41.52	32.55	7.05	35.06

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.33188G	26.85	54.00	-27.15	-5.87	3	Vertical	146	1.45	32.72	25.90	3.59	35.36				
AV	2.06G	27.51	68.20	-40.69	-3.15	3	Vertical	288	2.45	30.66	27.30	4.55	35.00				
AV	3.84125G	31.58	54.00	-22.42	1.87	3	Vertical	150	2.36	29.71	30.65	6.33	35.11				
PK	1.33188G	38.88	74.00	-35.12	-5.87	3	Vertical	146	1.45	44.75	25.90	3.59	35.36				
PK	2.06G	39.20	68.20	-29.00	-3.15	3	Vertical	288	2.45	42.35	27.30	4.55	35.00				
PK	3.84125G	43.41	74.00	-30.59	1.87	3	Vertical	150	2.36	41.54	30.65	6.33	35.11				

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.32938G	27.79	54.00	-26.21	-5.87	3	Horizontal	289	1.21	33.66	25.91	3.58	35.36				
AV	1.98938G	29.17	68.20	-39.03	-3.71	3	Horizontal	95	1.51	32.88	26.79	4.48	34.98				
AV	4.53125G	33.27	54.00	-20.73	3.33	3	Horizontal	269	1.52	29.94	31.56	6.81	35.04				
PK	1.32938G	39.25	74.00	-34.75	-5.87	3	Horizontal	289	1.21	45.12	25.91	3.58	35.36				
PK	1.98938G	40.42	68.20	-27.78	-3.71	3	Horizontal	95	1.51	44.13	26.79	4.48	34.98				
PK	4.53125G	45.44	74.00	-28.56	3.33	3	Horizontal	269	1.52	42.11	31.56	6.81	35.04				

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.39063G	27.97	54.00	-26.03	-5.50	3	Vertical	139	1.40	33.47	26.09	3.68	35.27
AV	1.50938G	26.13	54.00	-27.87	-5.89	3	Vertical	131	1.54	32.02	25.29	3.93	35.11
AV	5.19375G	37.31	68.20	-30.89	5.17	3	Vertical	280	2.41	32.14	33.01	7.23	35.07
PK	1.39063G	39.51	74.00	-34.49	-5.50	3	Vertical	139	1.40	45.01	26.09	3.68	35.27
PK	1.50938G	38.06	74.00	-35.94	-5.89	3	Vertical	131	1.54	43.95	25.29	3.93	35.11
PK	5.19375G	49.72	68.20	-18.48	5.17	3	Vertical	280	2.41	44.55	33.01	7.23	35.07

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.32938G	30.58	54.00	-23.42	-5.87	3	Horizontal	170	1.34	36.45	25.91	3.58	35.36
AV	2.02938G	27.66	68.20	-40.54	-3.19	3	Horizontal	344	1.51	30.85	27.28	4.52	34.99
AV	3.8775G	31.62	54.00	-22.38	2.01	3	Horizontal	10	2.10	29.61	30.76	6.34	35.09
PK	1.32938G	41.66	74.00	-32.34	-5.87	3	Horizontal	170	1.34	47.53	25.91	3.58	35.36
PK	2.02938G	39.14	68.20	-29.06	-3.19	3	Horizontal	344	1.51	42.33	27.28	4.52	34.99
PK	3.8775G	43.97	74.00	-30.03	2.01	3	Horizontal	10	2.10	41.96	30.76	6.34	35.09

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.38313G	30.97	54.00	-23.03	-5.58	3	Vertical	103	1.20	36.55	26.03	3.67	35.28
AV	2.11813G	26.77	68.20	-41.43	-2.83	3	Vertical	168	1.70	29.60	27.58	4.61	35.02
AV	4.07625G	33.41	54.00	-20.59	2.28	3	Vertical	317	2.12	31.13	30.85	6.47	35.04
PK	1.38313G	42.13	74.00	-31.87	-5.58	3	Vertical	103	1.20	47.71	26.03	3.67	35.28
PK	2.11813G	39.31	68.20	-28.89	-2.83	3	Vertical	168	1.70	42.14	27.58	4.61	35.02
PK	4.07625G	44.93	74.00	-29.07	2.28	3	Vertical	317	2.12	42.65	30.85	6.47	35.04

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.57188G	26.17	54.00	-27.83	-5.51	3	Horizontal	201	2.11	31.68	25.52	4.06	35.09
AV	2.95813G	30.67	68.20	-37.53	-0.43	3	Horizontal	241	2.41	31.10	29.28	5.50	35.21
AV	3.78438G	32.14	54.00	-21.86	1.49	3	Horizontal	212	1.16	30.65	30.31	6.31	35.13
PK	1.57188G	38.11	74.00	-35.89	-5.51	3	Horizontal	201	2.11	43.62	25.52	4.06	35.09
PK	2.95813G	42.20	68.20	-26.00	-0.43	3	Horizontal	241	2.41	42.63	29.28	5.50	35.21
PK	3.78438G	44.05	74.00	-29.95	1.49	3	Horizontal	212	1.16	42.56	30.31	6.31	35.13

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.03188G	26.63	54.00	-27.37	-7.55	3	Vertical	35	2.06	34.18	25.08	3.17	35.80
AV	1.99938G	27.65	68.20	-40.55	-3.69	3	Vertical	39	1.84	31.34	26.80	4.49	34.98
AV	3.27688G	31.69	68.20	-36.51	0.17	3	Vertical	190	2.46	31.52	29.60	5.81	35.24
PK	1.03188G	37.76	74.00	-36.24	-7.55	3	Vertical	35	2.06	45.31	25.08	3.17	35.80
PK	1.99938G	39.95	68.20	-28.25	-3.69	3	Vertical	39	1.84	43.64	26.80	4.49	34.98
PK	3.27688G	43.00	68.20	-25.20	0.17	3	Vertical	190	2.46	42.83	29.60	5.81	35.24

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.56188G	26.33	54.00	-27.67	-5.63	3	Horizontal	1	1.23	31.96	25.42	4.04	35.09
AV	1.83063G	25.69	68.20	-42.51	-5.55	3	Horizontal	345	2.24	31.24	25.21	4.26	35.02
AV	4.11G	31.23	54.00	-22.77	2.37	3	Horizontal	207	2.11	28.86	30.90	6.51	35.04
PK	1.56188G	37.82	74.00	-36.18	-5.63	3	Horizontal	1	1.23	43.45	25.42	4.04	35.09
PK	1.83063G	37.28	68.20	-30.92	-5.55	3	Horizontal	345	2.24	42.83	25.21	4.26	35.02
PK	4.11G	44.29	74.00	-29.71	2.37	3	Horizontal	207	2.11	41.92	30.90	6.51	35.04

Radiated Emissions above 1GHz_Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.18875G	29.66	54.00	-24.34	-6.11	3	Vertical	324	1.29	35.77	26.10	3.36	35.57				
AV	1.80188G	24.21	68.20	-43.99	-5.71	3	Vertical	108	1.69	29.92	25.10	4.22	35.03				
AV	3.64063G	32.80	54.00	-21.20	0.57	3	Vertical	197	2.42	32.23	29.58	6.18	35.19				
PK	1.18875G	40.21	74.00	-33.79	-6.11	3	Vertical	324	1.29	46.32	26.10	3.36	35.57				
PK	1.80188G	37.42	68.20	-30.78	-5.71	3	Vertical	108	1.69	43.13	25.10	4.22	35.03				
PK	3.64063G	43.55	74.00	-30.45	0.57	3	Vertical	197	2.42	42.98	29.58	6.18	35.19				

Radiated Emissions above 1GHz_Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.385G	26.66	54.00	-27.34	-5.55	3	Horizontal	287	1.91	32.21	26.05	3.68	35.28				
AV	1.7725G	24.97	68.20	-43.23	-5.93	3	Horizontal	212	2.30	30.90	24.90	4.21	35.04				
AV	3.7125G	31.59	54.00	-22.41	0.96	3	Horizontal	165	1.37	30.63	29.87	6.25	35.16				
PK	1.385G	37.88	74.00	-36.12	-5.55	3	Horizontal	287	1.91	43.43	26.05	3.68	35.28				
PK	1.7725G	36.61	68.20	-31.59	-5.93	3	Horizontal	212	2.30	42.54	24.90	4.21	35.04				
PK	3.7125G	43.65	74.00	-30.35	0.96	3	Horizontal	165	1.37	42.69	29.87	6.25	35.16				

Radiated Emissions above 1GHz_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.24063G	25.10	68.20	-43.10	-6.05	3	Vertical	66	1.73	31.15	26.00	3.44	35.49				
AV	1.82G	25.33	68.20	-42.87	-5.58	3	Vertical	181	1.19	30.91	25.20	4.25	35.03				
AV	3.95313G	32.97	54.00	-21.03	2.01	3	Vertical	356	2.50	30.96	30.70	6.37	35.06				
PK	1.24063G	37.92	68.20	-30.28	-6.05	3	Vertical	66	1.73	43.97	26.00	3.44	35.49				
PK	1.82G	37.28	68.20	-30.92	-5.58	3	Vertical	181	1.19	42.86	25.20	4.25	35.03				
PK	3.95313G	44.33	74.00	-29.67	2.01	3	Vertical	356	2.50	42.32	30.70	6.37	35.06				

Radiated Emissions above 1GHz_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.41813G	26.69	54.00	-27.31	-5.79	3	Horizontal	252	2.16	32.48	25.70	3.74	35.23				
AV	2.2175G	29.66	54.00	-24.34	-3.15	3	Horizontal	238	1.05	32.81	27.20	4.70	35.05				
AV	3.71875G	31.54	54.00	-22.46	1.00	3	Horizontal	201	1.76	30.54	29.91	6.25	35.16				
PK	1.41813G	37.78	74.00	-36.22	-5.79	3	Horizontal	252	2.16	43.57	25.70	3.74	35.23				
PK	2.2175G	40.68	74.00	-33.32	-3.15	3	Horizontal	238	1.05	43.83	27.20	4.70	35.05				
PK	3.71875G	43.43	74.00	-30.57	1.00	3	Horizontal	201	1.76	42.43	29.91	6.25	35.16				

Radiated Emissions above 1GHz_Mode 8




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.3925G	31.58	54.00	-22.42	-5.53	3	Vertical	34	2.35	37.11	26.05	3.69	35.27
AV	2.305G	29.63	68.20	-38.57	-3.24	3	Vertical	348	2.32	32.87	27.05	4.78	35.07
AV	3.64438G	31.09	54.00	-22.91	0.59	3	Vertical	182	1.32	30.50	29.59	6.19	35.19
PK	1.3925G	43.42	74.00	-30.58	-5.53	3	Vertical	34	2.35	48.95	26.05	3.69	35.27
PK	2.305G	40.01	68.20	-28.19	-3.24	3	Vertical	348	2.32	43.25	27.05	4.78	35.07
PK	3.64438G	42.82	74.00	-31.18	0.59	3	Vertical	182	1.32	42.23	29.59	6.19	35.19

Radiated Emissions above 1GHz_Mode 8




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.625G	26.66	54.00	-27.34	-5.40	3	Horizontal	298	1.78	32.06	25.55	4.13	35.08
AV	2.00813G	27.63	68.20	-40.57	-3.68	3	Horizontal	230	1.40	31.31	26.80	4.50	34.98
AV	3.4325G	30.52	68.20	-37.68	0.10	3	Horizontal	1	2.22	30.42	29.43	5.92	35.25
PK	1.625G	37.56	74.00	-36.44	-5.40	3	Horizontal	298	1.78	42.96	25.55	4.13	35.08
PK	2.00813G	39.73	68.20	-28.47	-3.68	3	Horizontal	230	1.40	43.41	26.80	4.50	34.98
PK	3.4325G	42.90	68.20	-25.30	0.10	3	Horizontal	1	2.22	42.80	29.43	5.92	35.25

Radiated Emissions above 1GHz_Mode 9




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.93438G	26.54	68.20	-41.66	-4.67	3	Vertical	128	2.47	31.21	25.93	4.40	35.00
AV	3.04188G	30.62	68.20	-37.58	0.05	3	Vertical	15	1.14	30.57	29.68	5.59	35.22
AV	5.03063G	35.39	54.00	-18.61	5.27	3	Vertical	247	1.94	30.12	33.08	7.26	35.07
PK	1.93438G	38.70	68.20	-29.50	-4.67	3	Vertical	128	2.47	43.37	25.93	4.40	35.00
PK	3.04188G	42.98	68.20	-25.22	0.05	3	Vertical	15	1.14	42.93	29.68	5.59	35.22
PK	5.03063G	47.11	74.00	-26.89	5.27	3	Vertical	247	1.94	41.84	33.08	7.26	35.07

Radiated Emissions above 1GHz_Mode 9




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.32813G	28.15	54.00	-25.85	-5.86	3	Horizontal	352	1.59	34.01	25.92	3.58	35.36
AV	1.94938G	26.78	68.20	-41.42	-4.19	3	Horizontal	344	1.76	30.97	26.38	4.42	34.99
AV	4.8625G	34.57	54.00	-19.43	4.54	3	Horizontal	12	1.60	30.03	32.55	7.05	35.06
PK	1.32813G	40.90	74.00	-33.10	-5.86	3	Horizontal	352	1.59	46.76	25.92	3.58	35.36
PK	1.94938G	38.51	68.20	-29.69	-4.19	3	Horizontal	344	1.76	42.70	26.38	4.42	34.99
PK	4.8625G	46.06	74.00	-27.94	4.54	3	Horizontal	12	1.60	41.52	32.55	7.05	35.06

Radiated Emissions above 1GHz_Mode 10




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.38188G	31.59	54.00	-22.41	-5.59	3	Vertical	213	1.71	37.18	26.02	3.67	35.28
AV	1.84313G	26.33	68.20	-41.87	-5.41	3	Vertical	248	1.78	31.74	25.33	4.28	35.02
AV	3.59G	30.64	68.20	-37.56	0.41	3	Vertical	115	2.42	30.23	29.48	6.14	35.21
PK	1.38188G	42.73	74.00	-31.27	-5.59	3	Vertical	213	1.71	48.32	26.02	3.67	35.28
PK	1.84313G	37.35	68.20	-30.85	-5.41	3	Vertical	248	1.78	42.76	25.33	4.28	35.02
PK	3.59G	42.66	68.20	-25.54	0.41	3	Vertical	115	2.42	42.25	29.48	6.14	35.21

Radiated Emissions above 1GHz_Mode 10




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.26813G	26.31	68.20	-41.89	-5.99	3	Horizontal	195	2.47	32.30	25.98	3.48	35.45
AV	2.375G	30.33	54.00	-23.67	-3.05	3	Horizontal	249	2.24	33.38	27.20	4.84	35.09
AV	3.18375G	30.69	68.20	-37.51	0.22	3	Horizontal	67	1.63	30.47	29.70	5.75	35.23
PK	1.26813G	38.27	68.20	-29.93	-5.99	3	Horizontal	195	2.47	44.26	25.98	3.48	35.45
PK	2.375G	42.04	74.00	-31.96	-3.05	3	Horizontal	249	2.24	45.09	27.20	4.84	35.09
PK	3.18375G	42.79	68.20	-25.41	0.22	3	Horizontal	67	1.63	42.57	29.70	5.75	35.23


Radiated Emissions above 1GHz_Mode 11




Radiated Emissions above 1GHz_Mode 11



Radiated Emissions above 1GHz_Mode 12



Radiated Emissions above 1GHz_Mode 12



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	5.354G	37.49	54.00	-16.51	Vertical
Mode 2	Pass	AV	4.504G	33.67	54.00	-20.33	Horizontal
Mode 3	Pass	AV	7.286G	42.06	54.00	-11.94	Horizontal
Mode 4	Pass	AV	2.89625G	30.57	54.00	-23.43	Horizontal
Mode 5	Pass	AV	4.26375G	33.62	54.00	-20.38	Vertical
Mode 6	Pass	AV	4.0575G	33.71	54.00	-20.29	Horizontal
Mode 7	Pass	AV	3.76875G	31.55	54.00	-22.45	Vertical
Mode 8	Pass	PK	2.91375G	42.24	68.20	-25.96	Vertical
Mode 9	Pass	AV	1.3325G	29.66	54.00	-24.34	Vertical
Mode 10	Pass	PK	3.06875G	43.95	68.20	-24.25	Vertical
Mode 11	Pass	AV	4.04125G	33.51	54.00	-20.49	Vertical
Mode 12	Pass	PK	3.0325G	42.89	68.20	-25.31	Horizontal


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	1.065G	27.33	54.00	-26.67	3	Vertical	210	2.00
Mode 1	Pass	AV	2.249G	30.32	54.00	-23.68	3	Vertical	358	2.00
Mode 1	Pass	AV	5.354G	37.49	54.00	-16.51	3	Vertical	357	1.00
Mode 1	Pass	PK	1.065G	39.14	74.00	-34.86	3	Vertical	210	2.00
Mode 1	Pass	PK	2.249G	41.16	74.00	-32.84	3	Vertical	358	2.00
Mode 1	Pass	PK	5.354G	49.60	74.00	-24.40	3	Vertical	357	1.00
Mode 1	Pass	AV	1.388G	27.66	54.00	-26.34	3	Horizontal	185	1.50
Mode 1	Pass	AV	2.133G	30.17	68.20	-38.03	3	Horizontal	215	2.00
Mode 1	Pass	AV	4.295G	32.31	54.00	-21.69	3	Horizontal	236	2.50
Mode 1	Pass	PK	1.388G	39.95	74.00	-34.05	3	Horizontal	185	1.50
Mode 1	Pass	PK	2.133G	41.71	68.20	-26.49	3	Horizontal	215	2.00
Mode 1	Pass	PK	4.295G	45.28	74.00	-28.72	3	Horizontal	236	2.50
Mode 2	Pass	AV	1.328G	29.31	54.00	-24.69	3	Vertical	171	2.03
Mode 2	Pass	AV	1.916G	26.66	68.20	-41.54	3	Vertical	12	1.07
Mode 2	Pass	AV	4.165G	33.12	54.00	-20.88	3	Vertical	39	1.70
Mode 2	Pass	PK	1.328G	40.55	74.00	-33.45	3	Vertical	171	2.03
Mode 2	Pass	PK	1.916G	38.92	68.20	-29.28	3	Vertical	12	1.07
Mode 2	Pass	PK	4.165G	45.17	74.00	-28.83	3	Vertical	39	1.70
Mode 2	Pass	AV	1.572G	29.33	54.00	-24.67	3	Horizontal	288	1.80
Mode 2	Pass	AV	2.946G	31.24	68.20	-36.96	3	Horizontal	288	1.28
Mode 2	Pass	AV	4.504G	33.67	54.00	-20.33	3	Horizontal	15	2.03
Mode 2	Pass	PK	1.572G	38.03	74.00	-35.97	3	Horizontal	288	1.80
Mode 2	Pass	PK	2.946G	42.95	68.20	-25.25	3	Horizontal	288	1.28
Mode 2	Pass	PK	4.504G	45.78	74.00	-28.22	3	Horizontal	15	2.03
Mode 3	Pass	AV	1.328G	29.43	54.00	-24.57	3	Vertical	251	1.96
Mode 3	Pass	AV	2.001G	30.39	68.20	-37.81	3	Vertical	356	1.31
Mode 3	Pass	AV	6.407G	37.58	68.20	-30.62	3	Vertical	46	1.87
Mode 3	Pass	PK	1.328G	40.44	74.00	-33.56	3	Vertical	251	1.96
Mode 3	Pass	PK	2.001G	40.38	68.20	-27.82	3	Vertical	356	1.31
Mode 3	Pass	PK	6.407G	49.65	68.20	-18.55	3	Vertical	46	1.87
Mode 3	Pass	AV	2.04G	31.55	68.20	-36.65	3	Horizontal	352	1.99
Mode 3	Pass	AV	3.829G	33.97	54.00	-20.03	3	Horizontal	86	2.43
Mode 3	Pass	AV	7.286G	42.06	54.00	-11.94	3	Horizontal	35	2.48
Mode 3	Pass	PK	2.04G	40.81	68.20	-27.39	3	Horizontal	352	1.99
Mode 3	Pass	PK	3.829G	44.31	74.00	-29.69	3	Horizontal	86	2.43
Mode 3	Pass	PK	7.286G	53.27	74.00	-20.73	3	Horizontal	35	2.48
Mode 4	Pass	AV	1.38375G	30.54	54.00	-23.46	3	Vertical	41	1.94
Mode 4	Pass	AV	1.64313G	25.67	68.20	-42.53	3	Vertical	168	1.77
Mode 4	Pass	AV	3.01563G	30.61	68.20	-37.59	3	Vertical	69	1.96
Mode 4	Pass	PK	1.38375G	41.07	74.00	-32.93	3	Vertical	41	1.94
Mode 4	Pass	PK	1.64313G	37.78	68.20	-30.42	3	Vertical	168	1.77
Mode 4	Pass	PK	3.01563G	42.59	68.20	-25.61	3	Vertical	69	1.96
Mode 4	Pass	AV	1.63938G	26.66	68.20	-41.54	3	Horizontal	164	1.05
Mode 4	Pass	AV	2.06625G	36.10	68.20	-32.10	3	Horizontal	352	1.63
Mode 4	Pass	AV	2.89625G	30.57	54.00	-23.43	3	Horizontal	235	1.46
Mode 4	Pass	PK	1.63938G	38.19	68.20	-30.01	3	Horizontal	164	1.05
Mode 4	Pass	PK	2.06625G	39.59	68.20	-28.61	3	Horizontal	352	1.63
Mode 4	Pass	PK	2.89625G	40.13	74.00	-33.87	3	Horizontal	235	1.46
Mode 5	Pass	AV	1.44375G	25.31	54.00	-28.69	3	Vertical	271	1.65
Mode 5	Pass	AV	1.995G	27.85	68.20	-40.35	3	Vertical	75	1.45

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 5	Pass	AV	4.26375G	33.62	54.00	-20.38	3	Vertical	47	1.55
Mode 5	Pass	PK	1.44375G	37.81	74.00	-36.19	3	Vertical	271	1.65
Mode 5	Pass	PK	1.995G	39.39	68.20	-28.81	3	Vertical	75	1.45
Mode 5	Pass	PK	4.26375G	45.23	74.00	-28.77	3	Vertical	47	1.55
Mode 5	Pass	AV	2.12125G	29.93	68.20	-38.27	3	Horizontal	350	1.82
Mode 5	Pass	AV	3.15563G	30.33	68.20	-37.87	3	Horizontal	117	1.45
Mode 5	Pass	AV	3.94563G	32.69	54.00	-21.31	3	Horizontal	87	1.04
Mode 5	Pass	PK	2.12125G	40.09	68.20	-28.11	3	Horizontal	350	1.82
Mode 5	Pass	PK	3.15563G	42.58	68.20	-25.62	3	Horizontal	117	1.45
Mode 5	Pass	PK	3.94563G	45.20	74.00	-28.80	3	Horizontal	87	1.04
Mode 6	Pass	AV	1.195G	26.21	54.00	-58.16	3	Vertical	69	1.47
Mode 6	Pass	AV	1.725G	23.69	54.00	-58.16	3	Vertical	360	1.22
Mode 6	Pass	AV	3.60875G	31.58	54.00	-58.16	3	Vertical	200	2.12
Mode 6	Pass	PK	1.195G	38.28	74.00	-35.72	3	Vertical	69	1.47
Mode 6	Pass	PK	1.725G	36.88	88.20	-51.32	3	Vertical	360	1.22
Mode 6	Pass	PK	3.60875G	43.46	74.00	-30.54	3	Vertical	200	2.12
Mode 6	Pass	AV	1.2475G	27.62	68.20	-40.58	3	Horizontal	283	1.47
Mode 6	Pass	AV	2.06813G	29.32	68.20	-38.88	3	Horizontal	360	1.23
Mode 6	Pass	AV	4.0575G	33.71	54.00	-20.29	3	Horizontal	201	1.39
Mode 6	Pass	PK	1.2475G	38.67	88.20	-49.53	3	Horizontal	283	1.47
Mode 6	Pass	PK	2.06813G	40.64	88.20	-47.56	3	Horizontal	360	1.23
Mode 6	Pass	PK	4.0575G	44.46	74.00	-29.54	3	Horizontal	201	1.39
Mode 7	Pass	AV	1.33188G	27.58	54.00	-26.42	3	Vertical	125	2.26
Mode 7	Pass	AV	2.185G	29.67	68.20	-38.53	3	Vertical	218	1.28
Mode 7	Pass	AV	3.76875G	31.55	54.00	-22.45	3	Vertical	100	1.41
Mode 7	Pass	PK	1.33188G	39.95	74.00	-34.05	3	Vertical	125	2.26
Mode 7	Pass	PK	2.185G	40.07	68.20	-28.13	3	Vertical	218	1.28
Mode 7	Pass	PK	3.76875G	43.09	74.00	-30.91	3	Vertical	100	1.41
Mode 7	Pass	AV	1.38938G	27.37	54.00	-26.63	3	Horizontal	207	1.34
Mode 7	Pass	AV	2.05938G	28.63	68.20	-39.57	3	Horizontal	8	1.94
Mode 7	Pass	AV	3.03313G	31.58	68.20	-36.62	3	Horizontal	266	1.92
Mode 7	Pass	PK	1.38938G	39.69	74.00	-34.31	3	Horizontal	207	1.34
Mode 7	Pass	PK	2.05938G	39.93	68.20	-28.27	3	Horizontal	8	1.94
Mode 7	Pass	PK	3.03313G	43.47	68.20	-24.73	3	Horizontal	266	1.92
Mode 8	Pass	AV	1.3875G	27.51	54.00	-26.49	3	Vertical	237	2.09
Mode 8	Pass	AV	1.9525G	26.37	68.20	-41.83	3	Vertical	323	2.39
Mode 8	Pass	AV	2.91375G	31.58	68.20	-36.62	3	Vertical	52	1.33
Mode 8	Pass	PK	1.3875G	39.80	74.00	-34.20	3	Vertical	237	2.09
Mode 8	Pass	PK	1.9525G	38.66	68.20	-29.54	3	Vertical	323	2.39
Mode 8	Pass	PK	2.91375G	42.24	68.20	-25.96	3	Vertical	52	1.33
Mode 8	Pass	AV	1.195G	27.58	54.00	-26.42	3	Horizontal	315	1.09
Mode 8	Pass	AV	2.05938G	28.37	68.20	-39.83	3	Horizontal	89	2.15
Mode 8	Pass	AV	3.50625G	31.53	68.20	-36.67	3	Horizontal	82	1.14
Mode 8	Pass	PK	1.195G	39.49	74.00	-34.51	3	Horizontal	315	1.09
Mode 8	Pass	PK	2.05938G	39.92	68.20	-28.28	3	Horizontal	89	2.15
Mode 8	Pass	PK	3.50625G	42.19	68.20	-26.01	3	Horizontal	82	1.14
Mode 9	Pass	AV	1.3325G	29.66	54.00	-24.34	3	Vertical	28	1.92
Mode 9	Pass	AV	1.485G	27.52	54.00	-26.48	3	Vertical	319	1.49
Mode 9	Pass	AV	3.04375G	31.51	68.20	-36.69	3	Vertical	237	2.23
Mode 9	Pass	PK	1.3325G	40.78	74.00	-33.22	3	Vertical	28	1.92


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 9	Pass	PK	1.485G	38.70	74.00	-35.30	3	Vertical	319	1.49
Mode 9	Pass	PK	3.04375G	43.05	68.20	-25.15	3	Vertical	237	2.23
Mode 9	Pass	AV	1.43125G	27.59	68.20	-40.61	3	Horizontal	61	1.96
Mode 9	Pass	AV	2.15125G	27.63	68.20	-40.57	3	Horizontal	6	1.15
Mode 9	Pass	AV	3.50625G	30.91	68.20	-37.29	3	Horizontal	241	2.08
Mode 9	Pass	PK	1.43125G	38.14	68.20	-30.06	3	Horizontal	61	1.96
Mode 9	Pass	PK	2.15125G	40.38	68.20	-27.82	3	Horizontal	6	1.15
Mode 9	Pass	PK	3.50625G	42.21	68.20	-25.99	3	Horizontal	241	2.08
Mode 10	Pass	AV	1.27625G	28.63	68.20	-39.57	3	Vertical	337	1.12
Mode 10	Pass	AV	1.39188G	28.63	54.00	-25.37	3	Vertical	248	1.00
Mode 10	Pass	AV	3.06875G	31.58	68.20	-36.62	3	Vertical	279	2.33
Mode 10	Pass	PK	1.27625G	39.53	68.20	-28.67	3	Vertical	337	1.12
Mode 10	Pass	PK	1.39188G	40.27	74.00	-33.73	3	Vertical	248	1.00
Mode 10	Pass	PK	3.06875G	43.95	68.20	-24.25	3	Vertical	279	2.33
Mode 10	Pass	AV	1.03875G	27.53	54.00	-26.47	3	Horizontal	348	1.03
Mode 10	Pass	AV	1.62G	28.19	54.00	-25.81	3	Horizontal	62	2.34
Mode 10	Pass	AV	3.0825G	30.18	68.20	-38.02	3	Horizontal	22	2.03
Mode 10	Pass	PK	1.03875G	38.16	74.00	-35.84	3	Horizontal	348	1.03
Mode 10	Pass	PK	1.62G	38.46	74.00	-35.54	3	Horizontal	62	2.34
Mode 10	Pass	PK	3.0825G	42.91	68.20	-25.29	3	Horizontal	22	2.03
Mode 11	Pass	AV	2.08438G	27.66	68.20	-40.54	3	Vertical	51	2.31
Mode 11	Pass	AV	3.17063G	30.97	68.20	-37.23	3	Vertical	10	1.46
Mode 11	Pass	AV	4.04125G	33.51	54.00	-20.49	3	Vertical	218	2.29
Mode 11	Pass	PK	2.08438G	39.58	68.20	-28.62	3	Vertical	51	2.31
Mode 11	Pass	PK	3.17063G	42.72	68.20	-25.48	3	Vertical	10	1.46
Mode 11	Pass	PK	4.04125G	45.23	74.00	-28.77	3	Vertical	218	2.29
Mode 11	Pass	AV	2.9425G	30.54	68.20	-37.66	3	Horizontal	113	1.35
Mode 11	Pass	AV	3.29938G	31.87	68.20	-36.33	3	Horizontal	182	2.01
Mode 11	Pass	AV	4.40125G	33.64	68.20	-34.56	3	Horizontal	297	2.18
Mode 11	Pass	PK	2.9425G	41.96	68.20	-26.24	3	Horizontal	113	1.35
Mode 11	Pass	PK	3.29938G	42.80	68.20	-25.40	3	Horizontal	182	2.01
Mode 11	Pass	PK	4.40125G	45.84	68.20	-22.36	3	Horizontal	297	2.18
Mode 12	Pass	AV	1.39063G	27.66	54.00	-26.34	3	Vertical	217	1.98
Mode 12	Pass	AV	2.05875G	28.31	68.20	-39.89	3	Vertical	22	1.66
Mode 12	Pass	AV	3.04063G	30.69	68.20	-37.51	3	Vertical	203	2.48
Mode 12	Pass	PK	1.39063G	39.71	74.00	-34.29	3	Vertical	217	1.98
Mode 12	Pass	PK	2.05875G	39.97	68.20	-28.23	3	Vertical	22	1.66
Mode 12	Pass	PK	3.04063G	42.68	68.20	-25.52	3	Vertical	203	2.48
Mode 12	Pass	AV	1.385G	27.63	54.00	-26.37	3	Horizontal	242	1.47
Mode 12	Pass	AV	2.06875G	28.93	68.20	-39.27	3	Horizontal	94	2.14
Mode 12	Pass	AV	3.0325G	30.71	68.20	-37.49	3	Horizontal	216	1.69
Mode 12	Pass	PK	1.385G	40.54	74.00	-33.46	3	Horizontal	242	1.47
Mode 12	Pass	PK	2.06875G	40.08	68.20	-28.12	3	Horizontal	94	2.14
Mode 12	Pass	PK	3.0325G	42.89	68.20	-25.31	3	Horizontal	216	1.69

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.065G	27.33	54.00	-26.67	-7.59	3	Vertical	210	2.00	34.92	24.95	3.21	35.75
AV	2.249G	30.32	54.00	-23.68	-3.12	3	Vertical	358	2.00	33.44	27.20	4.73	35.05
AV	5.354G	37.49	54.00	-16.51	5.23	3	Vertical	357	1.00	32.26	32.79	7.51	35.07
PK	1.065G	39.14	74.00	-34.86	-7.59	3	Vertical	210	2.00	46.73	24.95	3.21	35.75
PK	2.249G	41.16	74.00	-32.84	-3.12	3	Vertical	358	2.00	44.28	27.20	4.73	35.05
PK	5.354G	49.60	74.00	-24.40	5.23	3	Vertical	357	1.00	44.37	32.79	7.51	35.07

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.388G	27.66	54.00	-26.34	-5.52	3	Horizontal	185	1.50	33.18	26.08	3.68	35.28
AV	2.133G	30.17	68.20	-38.03	-3.00	3	Horizontal	215	2.00	33.17	27.40	4.62	35.02
AV	4.295G	32.31	54.00	-21.69	2.95	3	Horizontal	236	2.50	29.36	31.37	6.62	35.04
PK	1.388G	39.95	74.00	-34.05	-5.52	3	Horizontal	185	1.50	45.47	26.08	3.68	35.28
PK	2.133G	41.71	68.20	-26.49	-3.00	3	Horizontal	215	2.00	44.71	27.40	4.62	35.02
PK	4.295G	45.28	74.00	-28.72	2.95	3	Horizontal	236	2.50	42.33	31.37	6.62	35.04

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.328G	29.31	54.00	-24.69	-5.86	3	Vertical	171	2.03	35.17	25.92	3.58	35.36				
AV	1.916G	26.66	68.20	-41.54	-4.82	3	Vertical	12	1.07	31.48	25.80	4.38	35.00				
AV	4.165G	33.12	54.00	-20.88	2.47	3	Vertical	39	1.70	30.65	30.93	6.58	35.04				
PK	1.328G	40.55	74.00	-33.45	-5.86	3	Vertical	171	2.03	46.41	25.92	3.58	35.36				
PK	1.916G	38.92	68.20	-29.28	-4.82	3	Vertical	12	1.07	43.74	25.80	4.38	35.00				
PK	4.165G	45.17	74.00	-28.83	2.47	3	Vertical	39	1.70	42.70	30.93	6.58	35.04				

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.572G	29.33	54.00	-24.67	-5.51	3	Horizontal	288	1.80	34.84	25.52	4.06	35.09				
AV	2.946G	31.24	68.20	-36.96	-0.56	3	Horizontal	288	1.28	31.80	29.16	5.49	35.21				
AV	4.504G	33.67	54.00	-20.33	3.25	3	Horizontal	15	2.03	30.42	31.51	6.78	35.04				
PK	1.572G	38.03	74.00	-35.97	-5.51	3	Horizontal	288	1.80	43.54	25.52	4.06	35.09				
PK	2.946G	42.95	68.20	-25.25	-0.56	3	Horizontal	288	1.28	43.51	29.16	5.49	35.21				
PK	4.504G	45.78	74.00	-28.22	3.25	3	Horizontal	15	2.03	42.53	31.51	6.78	35.04				

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.328G	29.43	54.00	-24.57	-5.86	3	Vertical	251	1.96	35.29	25.92	3.58	35.36
AV	2.001G	30.39	68.20	-37.81	-3.69	3	Vertical	356	1.31	34.08	26.80	4.49	34.98
AV	6.407G	37.58	68.20	-30.62	7.27	3	Vertical	46	1.87	30.31	34.71	8.04	35.48
PK	1.328G	40.44	74.00	-33.56	-5.86	3	Vertical	251	1.96	46.30	25.92	3.58	35.36
PK	2.001G	40.38	68.20	-27.82	-3.69	3	Vertical	356	1.31	44.07	26.80	4.49	34.98
PK	6.407G	49.65	68.20	-18.55	7.27	3	Vertical	46	1.87	42.38	34.71	8.04	35.48

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.04G	31.55	68.20	-36.65	-3.06	3	Horizontal	352	1.99	34.61	27.40	4.53	34.99
AV	3.829G	33.97	54.00	-20.03	1.79	3	Horizontal	86	2.43	32.18	30.57	6.33	35.11
AV	7.286G	42.06	54.00	-11.94	10.42	3	Horizontal	35	2.48	31.64	36.80	8.86	35.24
PK	2.04G	40.81	68.20	-27.39	-3.06	3	Horizontal	352	1.99	43.87	27.40	4.53	34.99
PK	3.829G	44.31	74.00	-29.69	1.79	3	Horizontal	86	2.43	42.52	30.57	6.33	35.11
PK	7.286G	53.27	74.00	-20.73	10.42	3	Horizontal	35	2.48	42.85	36.80	8.86	35.24

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.38375G	30.54	54.00	-23.46	-5.57	3	Vertical	41	1.94	36.11	26.04	3.67	35.28				
AV	1.64313G	25.67	68.20	-42.53	-5.69	3	Vertical	168	1.77	31.36	25.24	4.14	35.07				
AV	3.01563G	30.61	68.20	-37.59	-0.03	3	Vertical	69	1.96	30.64	29.63	5.56	35.22				
PK	1.38375G	41.07	74.00	-32.93	-5.57	3	Vertical	41	1.94	46.64	26.04	3.67	35.28				
PK	1.64313G	37.78	68.20	-30.42	-5.69	3	Vertical	168	1.77	43.47	25.24	4.14	35.07				
PK	3.01563G	42.59	68.20	-25.61	-0.03	3	Vertical	69	1.96	42.62	29.63	5.56	35.22				

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.63938G	26.66	68.20	-41.54	-5.62	3	Horizontal	164	1.05	32.28	25.31	4.14	35.07				
AV	2.06625G	36.10	68.20	-32.10	-3.01	3	Horizontal	352	1.63	39.11	27.43	4.56	35.00				
AV	2.89625G	30.57	54.00	-23.43	-0.90	3	Horizontal	235	1.46	31.47	28.86	5.44	35.20				
PK	1.63938G	38.19	68.20	-30.01	-5.62	3	Horizontal	164	1.05	43.81	25.31	4.14	35.07				
PK	2.06625G	39.59	68.20	-28.61	-3.01	3	Horizontal	352	1.63	42.60	27.43	4.56	35.00				
PK	2.89625G	40.13	74.00	-33.87	-0.90	3	Horizontal	235	1.46	41.03	28.86	5.44	35.20				

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.44375G	25.31	54.00	-28.69	-5.78	3	Vertical	271	1.65	31.09	25.62	3.79	35.19				
AV	1.995G	27.85	68.20	-40.35	-3.70	3	Vertical	75	1.45	31.55	26.80	4.48	34.98				
AV	4.26375G	33.62	54.00	-20.38	2.76	3	Vertical	47	1.55	30.86	31.18	6.62	35.04				
PK	1.44375G	37.81	74.00	-36.19	-5.78	3	Vertical	271	1.65	43.59	25.62	3.79	35.19				
PK	1.995G	39.39	68.20	-28.81	-3.70	3	Vertical	75	1.45	43.09	26.80	4.48	34.98				
PK	4.26375G	45.23	74.00	-28.77	2.76	3	Vertical	47	1.55	42.47	31.18	6.62	35.04				

Radiated Emissions above 1GHz_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	2.12125G	29.93	68.20	-38.27	-2.83	3	Horizontal	350	1.82	32.76	27.58	4.61	35.02				
AV	3.15563G	30.33	68.20	-37.87	0.19	3	Horizontal	117	1.45	30.14	29.70	5.72	35.23				
AV	3.94563G	32.69	54.00	-21.31	2.01	3	Horizontal	87	1.04	30.68	30.71	6.36	35.06				
PK	2.12125G	40.09	68.20	-28.11	-2.83	3	Horizontal	350	1.82	42.92	27.58	4.61	35.02				
PK	3.15563G	42.58	68.20	-25.62	0.19	3	Horizontal	117	1.45	42.39	29.70	5.72	35.23				
PK	3.94563G	45.20	74.00	-28.80	2.01	3	Horizontal	87	1.04	43.19	30.71	6.36	35.06				

Radiated Emissions above 1GHz_Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.195G	26.21	54.00	-58.16	-4.16	3	Vertical	69	1.47	0.00	29.90	2.53	36.59				
AV	1.725G	23.69	54.00	-58.16	-4.16	3	Vertical	360	1.22	0.00	29.90	2.53	36.59				
AV	3.60875G	31.58	54.00	-58.16	-4.16	3	Vertical	200	2.12	0.00	29.90	2.53	36.59				
PK	1.195G	38.28	74.00	-35.72	-6.10	3	Vertical	69	1.47	44.38	26.10	3.36	35.56				
PK	1.725G	36.88	88.20	-51.32	-5.97	3	Vertical	360	1.22	42.85	24.90	4.18	35.05				
PK	3.60875G	43.46	74.00	-30.54	0.48	3	Vertical	200	2.12	42.98	29.52	6.16	35.20				

Radiated Emissions above 1GHz_Mode 6




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)				
AV	1.2475G	27.62	68.20	-40.58	-6.03	3	Horizontal	283	1.47	33.65	26.00	3.45	35.48				
AV	2.06813G	29.32	68.20	-38.88	-2.98	3	Horizontal	360	1.23	32.30	27.46	4.56	35.00				
AV	4.0575G	33.71	54.00	-20.29	2.23	3	Horizontal	201	1.39	31.48	30.82	6.45	35.04				
PK	1.2475G	38.67	88.20	-49.53	-6.03	3	Horizontal	283	1.47	44.70	26.00	3.45	35.48				
PK	2.06813G	40.64	88.20	-47.56	-2.98	3	Horizontal	360	1.23	43.62	27.46	4.56	35.00				
PK	4.0575G	44.46	74.00	-29.54	2.23	3	Horizontal	201	1.39	42.23	30.82	6.45	35.04				

Radiated Emissions above 1GHz_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.33188G	27.58	54.00	-26.42	-5.87	3	Vertical	125	2.26	33.45	25.90	3.59	35.36
AV	2.185G	29.67	68.20	-38.53	-3.11	3	Vertical	218	1.28	32.78	27.25	4.68	35.04
AV	3.76875G	31.55	54.00	-22.45	1.36	3	Vertical	100	1.41	30.19	30.21	6.29	35.14
PK	1.33188G	39.95	74.00	-34.05	-5.87	3	Vertical	125	2.26	45.82	25.90	3.59	35.36
PK	2.185G	40.07	68.20	-28.13	-3.11	3	Vertical	218	1.28	43.18	27.25	4.68	35.04
PK	3.76875G	43.09	74.00	-30.91	1.36	3	Vertical	100	1.41	41.73	30.21	6.29	35.14

Radiated Emissions above 1GHz_Mode 7




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.38938G	27.37	54.00	-26.63	-5.50	3	Horizontal	207	1.34	32.87	26.09	3.68	35.27
AV	2.05938G	28.63	68.20	-39.57	-3.15	3	Horizontal	8	1.94	31.78	27.30	4.55	35.00
AV	3.03313G	31.58	68.20	-36.62	0.03	3	Horizontal	266	1.92	31.55	29.67	5.58	35.22
PK	1.38938G	39.69	74.00	-34.31	-5.50	3	Horizontal	207	1.34	45.19	26.09	3.68	35.27
PK	2.05938G	39.93	68.20	-28.27	-3.15	3	Horizontal	8	1.94	43.08	27.30	4.55	35.00
PK	3.03313G	43.47	68.20	-24.73	0.03	3	Horizontal	266	1.92	43.44	29.67	5.58	35.22


Radiated Emissions above 1GHz_Mode 8



Radiated Emissions above 1GHz_Mode 8




Radiated Emissions above 1GHz_Mode 9




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.3325G	29.66	54.00	-24.34	-5.87	3	Vertical	28	1.92	35.53	25.90	3.59	35.36
AV	1.485G	27.52	54.00	-26.48	-5.85	3	Vertical	319	1.49	33.37	25.40	3.88	35.13
AV	3.04375G	31.51	68.20	-36.69	0.06	3	Vertical	237	2.23	31.45	29.69	5.59	35.22
PK	1.3325G	40.78	74.00	-33.22	-5.87	3	Vertical	28	1.92	46.65	25.90	3.59	35.36
PK	1.485G	38.70	74.00	-35.30	-5.85	3	Vertical	319	1.49	44.55	25.40	3.88	35.13
PK	3.04375G	43.05	68.20	-25.15	0.06	3	Vertical	237	2.23	42.99	29.69	5.59	35.22

Radiated Emissions above 1GHz_Mode 9




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.43125G	27.59	68.20	-40.61	-5.65	3	Horizontal	61	1.96	33.24	25.79	3.77	35.21
AV	2.15125G	27.63	68.20	-40.57	-3.09	3	Horizontal	6	1.15	30.72	27.30	4.64	35.03
AV	3.50625G	30.91	68.20	-37.29	0.17	3	Horizontal	241	2.08	30.74	29.40	6.02	35.25
PK	1.43125G	38.14	68.20	-30.06	-5.65	3	Horizontal	61	1.96	43.79	25.79	3.77	35.21
PK	2.15125G	40.38	68.20	-27.82	-3.09	3	Horizontal	6	1.15	43.47	27.30	4.64	35.03
PK	3.50625G	42.21	68.20	-25.99	0.17	3	Horizontal	241	2.08	42.04	29.40	6.02	35.25

Radiated Emissions above 1GHz_Mode 10




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.27625G	28.63	68.20	-39.57	-6.00	3	Vertical	337	1.12	34.63	25.94	3.50	35.44
AV	1.39188G	28.63	54.00	-25.37	-5.52	3	Vertical	248	1.00	34.15	26.06	3.69	35.27
AV	3.06875G	31.58	68.20	-36.62	0.06	3	Vertical	279	2.33	31.52	29.66	5.62	35.22
PK	1.27625G	39.53	68.20	-28.67	-6.00	3	Vertical	337	1.12	45.53	25.94	3.50	35.44
PK	1.39188G	40.27	74.00	-33.73	-5.52	3	Vertical	248	1.00	45.79	26.06	3.69	35.27
PK	3.06875G	43.95	68.20	-24.25	0.06	3	Vertical	279	2.33	43.89	29.66	5.62	35.22

Radiated Emissions above 1GHz_Mode 10




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.03875G	27.53	54.00	-26.47	-7.60	3	Horizontal	348	1.03	35.13	25.01	3.18	35.79
AV	1.62G	28.19	54.00	-25.81	-5.35	3	Horizontal	62	2.34	33.54	25.60	4.13	35.08
AV	3.0825G	30.18	68.20	-38.02	0.05	3	Horizontal	22	2.03	30.13	29.64	5.63	35.22
PK	1.03875G	38.16	74.00	-35.84	-7.60	3	Horizontal	348	1.03	45.76	25.01	3.18	35.79
PK	1.62G	38.46	74.00	-35.54	-5.35	3	Horizontal	62	2.34	43.81	25.60	4.13	35.08
PK	3.0825G	42.91	68.20	-25.29	0.05	3	Horizontal	22	2.03	42.86	29.64	5.63	35.22

Radiated Emissions above 1GHz_Mode 11




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.08438G	27.66	68.20	-40.54	-2.98	3	Vertical	51	2.31	30.64	27.46	4.57	35.01
AV	3.17063G	30.97	68.20	-37.23	0.21	3	Vertical	10	1.46	30.76	29.70	5.74	35.23
AV	4.04125G	33.51	54.00	-20.49	2.17	3	Vertical	218	2.29	31.34	30.78	6.43	35.04
PK	2.08438G	39.58	68.20	-28.62	-2.98	3	Vertical	51	2.31	42.56	27.46	4.57	35.01
PK	3.17063G	42.72	68.20	-25.48	0.21	3	Vertical	10	1.46	42.51	29.70	5.74	35.23
PK	4.04125G	45.23	74.00	-28.77	2.17	3	Vertical	218	2.29	43.06	30.78	6.43	35.04

Radiated Emissions above 1GHz_Mode 11



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.9425G	30.54	68.20	-37.66	-0.61	3	Horizontal	113	1.35	31.15	29.12	5.48	35.21
AV	3.29938G	31.87	68.20	-36.33	0.18	3	Horizontal	182	2.01	31.69	29.60	5.82	35.24
AV	4.40125G	33.64	68.20	-34.56	3.19	3	Horizontal	297	2.18	30.45	31.60	6.63	35.04
PK	2.9425G	41.96	68.20	-26.24	-0.61	3	Horizontal	113	1.35	42.57	29.12	5.48	35.21
PK	3.29938G	42.80	68.20	-25.40	0.18	3	Horizontal	182	2.01	42.62	29.60	5.82	35.24
PK	4.40125G	45.84	68.20	-22.36	3.19	3	Horizontal	297	2.18	42.65	31.60	6.63	35.04

Radiated Emissions above 1GHz_Mode 12



Radiated Emissions above 1GHz_Mode 12

