


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 49
04-C-4
FSP
Panel-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87112G	44.76	74.00	-29.24	3.11	3	Horizontal	44	1.53	-	41.65			
AV	4.871G	32.21	54.00	-21.79	3.11	3	Horizontal	44	1.53	-	29.10			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2452MHz_TX




EUT Z_2TX
Setting 46
04-W-3
FSP
Panel-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3896G	60.23	74.00	-13.77	29.84	3	Vertical	187	1.97	-	30.39			
AV	2.3896G	47.24	54.00	-6.76	29.84	3	Vertical	187	1.97	-	17.40			
PK	2.448G	112.89	Inf	-Inf	29.96	3	Vertical	187	1.97	-	82.93			
AV	2.4348G	99.97	Inf	-Inf	29.93	3	Vertical	187	1.97	-	70.04			
PK	2.4996G	66.94	74.00	-7.06	30.09	3	Vertical	187	1.97	-	36.85			
AV	2.48351G	53.48	54.00	-0.52	30.05	3	Vertical	187	1.97	-	23.43			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2452MHz_TX




EUT Z_2TX
Setting 46
04-W-3
FSP
Panel-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3768G	54.51	74.00	-19.49	29.85	3	Horizontal	356	1.15	-	24.66
AV	2.3876G	42.33	54.00	-11.67	29.84	3	Horizontal	356	1.15	-	12.49
PK	2.448G	101.69	Inf	-Inf	29.96	3	Horizontal	356	1.15	-	71.73
AV	2.4452G	88.65	Inf	-Inf	29.95	3	Horizontal	356	1.15	-	58.70
PK	2.4892G	56.32	74.00	-17.68	30.06	3	Horizontal	356	1.15	-	26.26
AV	2.484G	43.42	54.00	-10.58	30.05	3	Horizontal	356	1.15	-	13.37

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2452MHz_TX




EUT_Z_2TX
Setting 46
04-C-4
FSP
Panel-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.90802G	55.44	74.00	-18.56	3.22	3	Vertical	330	1.12	-	52.22			
AV	4.90406G	45.52	54.00	-8.48	3.21	3	Vertical	330	1.12	-	42.31			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2452MHz_TX



EUT_Z_2TX
Setting 46
04-C-4
FSP
Panel-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.90238G	46.32	74.00	-27.68	3.20	3	Horizontal	177	1.45	-	43.12			
AV	4.90406G	41.93	54.00	-12.07	3.21	3	Horizontal	177	1.45	-	38.72			


**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11g_Nss1,(6Mbps)_1TX	Pass	PK	2.4838G	73.49	74.00	-0.51	31.39	3	Horizontal	186	1.25	-

802.11b_Nss1,(1Mbps)_1TX

05/10/2019

2412MHz_TX




EUT X_1TX
Setting 86
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3888G	63.81	74.00	-10.19	31.20	3	Vertical	174	2.32	-	32.61			
AV	2.389G	52.71	54.00	-1.29	31.20	3	Vertical	174	2.32	-	21.51			
PK	2.411G	116.59	Inf	-Inf	31.25	3	Vertical	174	2.32	-	85.34			
AV	2.4112G	112.90	Inf	-Inf	31.25	3	Vertical	174	2.32	-	81.65			

802.11b_Nss1,(1Mbps)_1TX

05/10/2019

2412MHz_TX




EUT X_1TX
Setting 86
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3774G	63.68	74.00	-10.32	31.17	3	Horizontal	188	1.02	-	32.51			
AV	2.378G	52.22	54.00	-1.78	31.17	3	Horizontal	188	1.02	-	21.05			
PK	2.413G	116.80	Inf	-Inf	31.26	3	Horizontal	188	1.02	-	85.54			
AV	2.4112G	112.83	Inf	-Inf	31.25	3	Horizontal	188	1.02	-	81.58			

802.11b_Nss1,(1Mbps)_1TX

05/10/2019

2412MHz_TX




EUT X_1TX
Setting 86
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82396G	47.40	74.00	-26.60	7.17	3	Vertical	152	1.43	-	40.23			
AV	4.82399G	37.41	54.00	-16.59	7.17	3	Vertical	152	1.43	-	30.24			

802.11b_Nss1,(1Mbps)_1TX

05/10/2019

2412MHz_TX




EUT X_1TX
Setting 86
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82399G	48.25	74.00	-25.75	7.17	3	Horizontal	319	1.91	-	41.08			
AV	4.82396G	38.89	54.00	-15.11	7.17	3	Horizontal	319	1.91	-	31.72			

802.11b_Nss1,(1Mbps)_1TX

05/10/2019

2437MHz_TX




EUT X_1TX
Setting 92
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3886G	63.49	74.00	-10.51	31.20	3	Vertical	184	2.57	-	32.29
AV	2.3882G	52.25	54.00	-1.75	31.20	3	Vertical	184	2.57	-	21.05
PK	2.4378G	117.79	Inf	-Inf	31.31	3	Vertical	184	2.57	-	86.48
AV	2.4362G	114.10	Inf	-Inf	31.30	3	Vertical	184	2.57	-	82.80
PK	2.4866G	61.05	74.00	-12.95	31.40	3	Vertical	184	2.57	-	29.65
AV	2.491G	49.28	54.00	-4.72	31.42	3	Vertical	184	2.57	-	17.86

802.11b_Nss1,(1Mbps)_1TX

05/10/2019

2437MHz_TX




EUT X_1TX
Setting 92
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3882G	62.21	74.00	-11.79	31.20	3	Horizontal	177	1.10	-	31.01
AV	2.3886G	50.20	54.00	-3.80	31.20	3	Horizontal	177	1.10	-	19.00
PK	2.4362G	119.51	Inf	-Inf	31.30	3	Horizontal	177	1.10	-	88.21
AV	2.4362G	115.96	Inf	-Inf	31.30	3	Horizontal	177	1.10	-	84.66
PK	2.485G	63.28	74.00	-10.72	31.40	3	Horizontal	177	1.10	-	31.88
AV	2.4858G	51.47	54.00	-2.53	31.40	3	Horizontal	177	1.10	-	20.07

802.11b_Nss1,(1Mbps)_1TX

05/10/2019

2437MHz_TX




EUT X_1TX
Setting 92
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87419G	48.14	74.00	-25.86	7.28	3	Vertical	150	1.52	-	40.86			
AV	4.87393G	39.90	54.00	-14.10	7.28	3	Vertical	150	1.52	-	32.62			
PK	7.31008G	54.76	74.00	-19.24	10.54	3	Vertical	219	1.49	-	44.22			
AV	7.31168G	47.76	54.00	-6.24	10.55	3	Vertical	219	1.49	-	37.21			

802.11b_Nss1,(1Mbps)_1TX

05/10/2019

2437MHz_TX




EUT X_1TX
Setting 92
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87398G	47.89	74.00	-26.11	7.28	3	Horizontal	304	1.79	-	40.61			
AV	4.87396G	40.34	54.00	-13.66	7.28	3	Horizontal	304	1.79	-	33.06			
PK	7.31G	59.16	74.00	-14.84	10.54	3	Horizontal	160	1.80	-	48.62			
AV	7.30972G	53.39	54.00	-0.61	10.54	3	Horizontal	160	1.80	-	42.85			

802.11b_Nss1,(1Mbps)_1TX

05/10/2019

2462MHz_TX




EUT X_1TX
Setting 84
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.463G	114.12	Inf	-Inf	31.36	3	Vertical	192	2.29	-	82.76			
AV	2.4612G	110.26	Inf	-Inf	31.35	3	Vertical	192	2.29	-	78.91			
PK	2.4846G	62.57	74.00	-11.43	31.40	3	Vertical	192	2.29	-	31.17			
AV	2.4854G	51.55	54.00	-2.45	31.40	3	Vertical	192	2.29	-	20.15			

802.11b_Nss1,(1Mbps)_1TX

05/10/2019

2462MHz_TX




EUT X_1TX
Setting 84
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.463G	116.71	Inf	-Inf	31.36	3	Horizontal	193	1.24	-	85.35			
AV	2.4628G	112.86	Inf	-Inf	31.36	3	Horizontal	193	1.24	-	81.50			
PK	2.4835G	63.75	74.00	-10.25	31.39	3	Horizontal	193	1.24	-	32.36			
AV	2.4835G	53.28	54.00	-0.72	31.39	3	Horizontal	193	1.24	-	21.89			

802.11b_Nss1,(1Mbps)_1TX

05/10/2019

2462MHz_TX




EUT X_1TX
Setting 84
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.92396G	47.54	74.00	-26.46	7.40	3	Vertical	204	2.15	-	40.14			
AV	4.92403G	36.97	54.00	-17.03	7.40	3	Vertical	204	2.15	-	29.57			
PK	7.38728G	52.95	74.00	-21.05	10.76	3	Vertical	78	1.11	-	42.19			
AV	7.38676G	43.98	54.00	-10.02	10.76	3	Vertical	78	1.11	-	33.22			

802.11b_Nss1,(1Mbps)_1TX

05/10/2019

2462MHz_TX




EUT X_1TX
Setting 84
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.9239G	47.10	74.00	-26.90	7.40	3	Horizontal	104	2.38	-	39.70			
AV	4.92399G	36.23	54.00	-17.77	7.40	3	Horizontal	104	2.38	-	28.83			
PK	7.38696G	54.85	74.00	-19.15	10.76	3	Horizontal	129	2.37	-	44.09			
AV	7.38472G	46.48	54.00	-7.52	10.76	3	Horizontal	129	2.37	-	35.72			

802.11g_Nss1,(6Mbps)_1TX

05/10/2019

2412MHz_TX




EUT X_1TX
Setting 63
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.39G	73.42	74.00	-0.58	31.20	3	Vertical	180	1.99	-	42.22			
AV	2.39G	51.50	54.00	-2.50	31.20	3	Vertical	180	1.99	-	20.30			
PK	2.4054G	111.49	Inf	-Inf	31.24	3	Vertical	180	1.99	-	80.25			
AV	2.406G	101.70	Inf	-Inf	31.24	3	Vertical	180	1.99	-	70.46			

802.11g_Nss1,(6Mbps)_1TX

05/10/2019

2412MHz_TX




EUT X_1TX
Setting 63
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3898G	70.42	74.00	-3.58	31.20	3	Horizontal	184	1.33	-	39.22			
AV	2.39G	50.15	54.00	-3.85	31.20	3	Horizontal	184	1.33	-	18.95			
PK	2.4136G	111.61	Inf	-Inf	31.26	3	Horizontal	184	1.33	-	80.35			
AV	2.4162G	101.50	Inf	-Inf	31.27	3	Horizontal	184	1.33	-	70.23			

802.11g_Nss1,(6Mbps)_1TX

05/10/2019

2412MHz_TX




EUT X_1TX
Setting 63
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82604G	46.38	74.00	-27.62	7.18	3	Vertical	239	2.87	-	39.20			
AV	4.82304G	32.11	54.00	-21.89	7.16	3	Vertical	239	2.87	-	24.95			

802.11g_Nss1,(6Mbps)_1TX

05/10/2019

2412MHz_TX




EUT X_1TX
Setting 63
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82444G	45.87	74.00	-28.13	7.17	3	Horizontal	183	1.89	-	38.70			
AV	4.82543G	32.34	54.00	-21.66	7.18	3	Horizontal	183	1.89	-	25.16			

802.11g_Nss1,(6Mbps)_1TX

05/10/2019

2417MHz_TX




EUT X_1TX
Setting 74
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3878G	73.26	74.00	-0.74	31.20	3	Vertical	188	1.84	-	42.06
AV	2.3898G	52.01	54.00	-1.99	31.20	3	Vertical	188	1.84	-	20.81
PK	2.4104G	113.78	Inf	-Inf	31.25	3	Vertical	188	1.84	-	82.53
AV	2.4122G	103.61	Inf	-Inf	31.25	3	Vertical	188	1.84	-	72.36

802.11g_Nss1,(6Mbps)_1TX

05/10/2019

2417MHz_TX




EUT X_1TX
Setting 74
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3866G	70.57	74.00	-3.43	31.20	3	Horizontal	173	1.04	-	39.37			
AV	2.3836G	50.12	54.00	-3.88	31.19	3	Horizontal	173	1.04	-	18.93			
PK	2.4194G	113.21	Inf	-Inf	31.27	3	Horizontal	173	1.04	-	81.94			
AV	2.4212G	103.45	Inf	-Inf	31.27	3	Horizontal	173	1.04	-	72.18			

802.11g_Nss1,(6Mbps)_1TX

05/10/2019

2437MHz_TX




EUT X_1TX
Setting 87
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3838G	68.96	74.00	-5.04	31.19	3	Vertical	186	2.29	-	37.77
AV	2.3898G	53.48	54.00	-0.52	31.20	3	Vertical	186	2.29	-	22.28
PK	2.4394G	116.34	Inf	-Inf	31.31	3	Vertical	186	2.29	-	85.03
AV	2.441G	106.83	Inf	-Inf	31.32	3	Vertical	186	2.29	-	75.51
PK	2.4854G	70.79	74.00	-3.21	31.40	3	Vertical	186	2.29	-	39.39
AV	2.4835G	51.27	54.00	-2.73	31.39	3	Vertical	186	2.29	-	19.88

802.11g_Nss1,(6Mbps)_1TX

05/10/2019

2437MHz_TX




EUT X_1TX
Setting 87
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3798G	69.55	74.00	-4.45	31.18	3	Horizontal	174	1.21	-	38.37
AV	2.3894G	52.25	54.00	-1.75	31.20	3	Horizontal	174	1.21	-	21.05
PK	2.4302G	117.55	Inf	-Inf	31.29	3	Horizontal	174	1.21	-	86.26
AV	2.4322G	107.75	Inf	-Inf	31.29	3	Horizontal	174	1.21	-	76.46
PK	2.4838G	73.04	74.00	-0.96	31.39	3	Horizontal	174	1.21	-	41.65
AV	2.4835G	53.01	54.00	-0.99	31.39	3	Horizontal	174	1.21	-	21.62

802.11g_Nss1,(6Mbps)_1TX

05/10/2019

2437MHz_TX




EUT X_1TX
Setting 87
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.8741G	46.45	74.00	-27.55	7.28	3	Vertical	135	1.43	-	39.17			
AV	4.87486G	32.36	54.00	-21.64	7.28	3	Vertical	135	1.43	-	25.08			

802.11g_Nss1,(6Mbps)_1TX

05/10/2019

2437MHz_TX




EUT X_1TX
Setting 87
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87497G	45.56	74.00	-28.44	7.28	3	Horizontal	254	1.72	-	38.28			
AV	4.87646G	32.07	54.00	-21.93	7.30	3	Horizontal	254	1.72	-	24.77			

802.11g_Nss1,(6Mbps)_1TX

05/10/2019

2457MHz_TX




EUT X_1TX
Setting 70
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4504G	111.94	Inf	-Inf	31.33	3	Vertical	185	1.89	-	80.61
AV	2.4522G	101.89	Inf	-Inf	31.33	3	Vertical	185	1.89	-	70.56
PK	2.4842G	68.76	74.00	-5.24	31.39	3	Vertical	185	1.89	-	37.37
AV	2.4835G	51.37	54.00	-2.63	31.39	3	Vertical	185	1.89	-	19.98

802.11g_Nss1,(6Mbps)_1TX

05/10/2019

2457MHz_TX




EUT X_1TX
Setting 70
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4504G	113.61	Inf	-Inf	31.33	3	Horizontal	183	1.36	-	82.28
AV	2.4506G	103.33	Inf	-Inf	31.33	3	Horizontal	183	1.36	-	72.00
PK	2.4838G	71.70	74.00	-2.30	31.39	3	Horizontal	183	1.36	-	40.31
AV	2.4835G	53.43	54.00	-0.57	31.39	3	Horizontal	183	1.36	-	22.04

802.11g_Nss1,(6Mbps)_1TX

05/10/2019

2462MHz_TX




EUT X_1TX
Setting 63
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.4554G	110.03	Inf	-Inf	31.34	3	Vertical	185	1.95	-	78.69			
AV	2.4544G	100.05	Inf	-Inf	31.34	3	Vertical	185	1.95	-	68.71			
AV	2.4835G	51.54	54.00	-2.46	31.39	3	Vertical	185	1.95	-	20.15			
PK	2.4835G	72.75	74.00	-1.25	31.39	3	Vertical	185	1.95	-	41.36			

802.11g_Nss1,(6Mbps)_1TX

05/10/2019

2462MHz_TX




EUT X_1TX
Setting 63
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4646G	112.01	Inf	-Inf	31.36	3	Horizontal	186	1.25	-	80.65
AV	2.4636G	101.84	Inf	-Inf	31.36	3	Horizontal	186	1.25	-	70.48
PK	2.4838G	73.49	74.00	-0.51	31.39	3	Horizontal	186	1.25	-	42.10
AV	2.4835G	52.20	54.00	-1.80	31.39	3	Horizontal	186	1.25	-	20.81

802.11g_Nss1,(6Mbps)_1TX

05/10/2019

2462MHz_TX




EUT X_1TX
Setting 63
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.92212G	45.51	74.00	-28.49	7.39	3	Vertical	337	1.78	-	38.12			
AV	4.92435G	31.72	54.00	-22.28	7.40	3	Vertical	337	1.78	-	24.32			

802.11g_Nss1,(6Mbps)_1TX

05/10/2019

2462MHz_TX




EUT X_1TX
Setting 63
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.92643G	45.08	74.00	-28.92	7.42	3	Horizontal	169	1.99	-	37.66			
AV	4.92635G	31.66	54.00	-22.34	7.42	3	Horizontal	169	1.99	-	24.24			

802.11ax HEW20_Nss1,(MCS0)_1TX

15/10/2019

2412MHz_TX




EUT X_1TX
Setting 57
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3898G	72.34	74.00	-1.66	31.20	3	Vertical	240	1.79	-	41.14			
AV	2.39G	51.24	54.00	-2.76	31.20	3	Vertical	240	1.79	-	20.04			
PK	2.4052G	112.93	Inf	-Inf	31.24	3	Vertical	240	1.79	-	81.69			
AV	2.4048G	98.89	Inf	-Inf	31.24	3	Vertical	240	1.79	-	67.65			

802.11ax HEW20_Nss1,(MCS0)_1TX

15/10/2019

2412MHz_TX




EUT X_1TX
Setting 57
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3892G	72.90	74.00	-1.10	31.20	3	Horizontal	253	1.19	-	41.70
AV	2.39G	50.93	54.00	-3.07	31.20	3	Horizontal	253	1.19	-	19.73
PK	2.4094G	112.81	Inf	-Inf	31.25	3	Horizontal	253	1.19	-	81.56
AV	2.4152G	98.65	Inf	-Inf	31.26	3	Horizontal	253	1.19	-	67.39

802.11ax HEW20_Nss1,(MCS0)_1TX

15/10/2019

2412MHz_TX




EUT X_1TX
Setting 57
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82328G	45.08	74.00	-28.92	7.16	3	Vertical	197	1.45	-	37.92			
AV	4.82418G	31.03	54.00	-22.97	7.17	3	Vertical	197	1.45	-	23.86			

802.11ax HEW20_Nss1,(MCS0)_1TX

15/10/2019

2412MHz_TX




EUT X_1TX
Setting 57
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82322G	44.87	74.00	-29.13	7.16	3	Horizontal	17	2.55	-	37.71			
AV	4.82418G	30.94	54.00	-23.06	7.17	3	Horizontal	17	2.55	-	23.77			

802.11ax HEW20_Nss1,(MCS0)_1TX

06/10/2019

2417MHz_TX




EUT X_1TX
Setting 72
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	73.41	74.00	-0.59	31.20	3	Vertical	231	1.84	-	42.21
AV	2.39G	53.34	54.00	-0.66	31.20	3	Vertical	231	1.84	-	22.14
PK	2.414G	116.01	Inf	-Inf	31.26	3	Vertical	231	1.84	-	84.75
AV	2.4114G	102.06	Inf	-Inf	31.25	3	Vertical	231	1.84	-	70.81

802.11ax HEW20_Nss1,(MCS0)_1TX

06/10/2019

2417MHz_TX




EUT X_1TX
Setting 72
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3898G	71.26	74.00	-2.74	31.20	3	Horizontal	235	1.33	-	40.06			
AV	2.39G	51.43	54.00	-2.57	31.20	3	Horizontal	235	1.33	-	20.23			
PK	2.4138G	116.01	Inf	-Inf	31.26	3	Horizontal	235	1.33	-	84.75			
AV	2.4154G	101.90	Inf	-Inf	31.26	3	Horizontal	235	1.33	-	70.64			

802.11ax HEW20_Nss1,(MCS0)_1TX

06/10/2019

2437MHz_TX




EUT X_1TX
Setting 84
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.389G	69.11	74.00	-4.89	31.20	3	Vertical	243	1.80	-	37.91
AV	2.3898G	53.46	54.00	-0.54	31.20	3	Vertical	243	1.80	-	22.26
PK	2.445G	117.42	Inf	-Inf	31.32	3	Vertical	243	1.80	-	86.10
AV	2.4418G	103.34	Inf	-Inf	31.32	3	Vertical	243	1.80	-	72.02
PK	2.487G	71.87	74.00	-2.13	31.40	3	Vertical	243	1.80	-	40.47
AV	2.4835G	51.06	54.00	-2.94	31.39	3	Vertical	243	1.80	-	19.67

802.11ax HEW20_Nss1,(MCS0)_1TX

06/10/2019

2437MHz_TX




EUT X_1TX
Setting 84
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3846G	70.44	74.00	-3.56	31.19	3	Horizontal	232	1.25	-	39.25
AV	2.3882G	51.99	54.00	-2.01	31.20	3	Horizontal	232	1.25	-	20.79
PK	2.4338G	119.63	Inf	-Inf	31.29	3	Horizontal	232	1.25	-	88.34
AV	2.4322G	105.16	Inf	-Inf	31.29	3	Horizontal	232	1.25	-	73.87
PK	2.4842G	72.20	74.00	-1.80	31.39	3	Horizontal	232	1.25	-	40.81
AV	2.4835G	52.81	54.00	-1.19	31.39	3	Horizontal	232	1.25	-	21.42

802.11ax HEW20_Nss1,(MCS0)_1TX

06/10/2019

2437MHz_TX




EUT X_1TX
Setting 84
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87475G	44.49	74.00	-29.51	7.28	3	Vertical	269	1.53	-	37.21			
AV	4.87492G	30.33	54.00	-23.67	7.28	3	Vertical	269	1.53	-	23.05			

802.11ax HEW20_Nss1,(MCS0)_1TX

06/10/2019

2437MHz_TX




EUT X_1TX
Setting 84
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87369G	45.43	74.00	-28.57	7.28	3	Horizontal	128	1.50	-	38.15			
AV	4.87492G	30.37	54.00	-23.63	7.28	3	Horizontal	128	1.50	-	23.09			

802.11ax HEW20_Nss1,(MCS0)_1TX

06/10/2019

2457MHz_TX




EUT X_1TX
Setting 68
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4538G	114.06	Inf	-Inf	31.34	3	Vertical	233	1.79	-	82.72
AV	2.4516G	99.63	Inf	-Inf	31.33	3	Vertical	233	1.79	-	68.30
PK	2.4888G	69.93	74.00	-4.07	31.41	3	Vertical	233	1.79	-	38.52
AV	2.4835G	51.31	54.00	-2.69	31.39	3	Vertical	233	1.79	-	19.92

802.11ax HEW20_Nss1,(MCS0)_1TX

06/10/2019

2457MHz_TX




EUT X_1TX
Setting 68
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4502G	115.35	Inf	-Inf	31.33	3	Horizontal	229	1.31	-	84.02
AV	2.4498G	100.92	Inf	-Inf	31.33	3	Horizontal	229	1.31	-	69.59
PK	2.4835G	71.81	74.00	-2.19	31.39	3	Horizontal	229	1.31	-	40.42
AV	2.4835G	53.17	54.00	-0.83	31.39	3	Horizontal	229	1.31	-	21.78

802.11ax HEW20_Nss1,(MCS0)_1TX

06/10/2019

2462MHz_TX




EUT X_1TX
Setting 52
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.455G	110.03	Inf	-Inf	31.34	3	Vertical	236	1.82	-	78.69
AV	2.456G	96.00	Inf	-Inf	31.34	3	Vertical	236	1.82	-	64.66
PK	2.4836G	71.17	74.00	-2.83	31.39	3	Vertical	236	1.82	-	39.78
AV	2.484G	48.51	54.00	-5.49	31.39	3	Vertical	236	1.82	-	17.12

802.11ax HEW20_Nss1,(MCS0)_1TX

06/10/2019

2462MHz_TX




EUT X_1TX
Setting 52
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.4576G	111.24	Inf	-Inf	31.34	3	Horizontal	239	1.23	-	79.90			
AV	2.4636G	97.34	Inf	-Inf	31.36	3	Horizontal	239	1.23	-	65.98			
PK	2.4835G	73.23	74.00	-0.77	31.39	3	Horizontal	239	1.23	-	41.84			
AV	2.4836G	49.30	54.00	-4.70	31.39	3	Horizontal	239	1.23	-	17.91			

802.11ax HEW20_Nss1,(MCS0)_1TX

06/10/2019

2462MHz_TX




EUT X_1TX
Setting 52
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87322G	45.01	74.00	-28.99	7.28	3	Vertical	137	2.29	-	37.73			
AV	4.875G	30.44	54.00	-23.56	7.29	3	Vertical	137	2.29	-	23.15			

802.11ax HEW20_Nss1,(MCS0)_1TX

06/10/2019

2462MHz_TX




EUT X_1TX
Setting 52
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87372G	44.70	74.00	-29.30	7.28	3	Horizontal	1	2.47	-	37.42			
AV	4.87484G	30.42	54.00	-23.58	7.28	3	Horizontal	1	2.47	-	23.14			

802.11ax HEW40_Nss1,(MCS0)_1TX

06/10/2019

2422MHz_TX




EUT X_1TX
Setting 53
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3876G	69.75	74.00	-4.25	31.20	3	Vertical	231	1.74	-	38.55
AV	2.3884G	53.48	54.00	-0.52	31.20	3	Vertical	231	1.74	-	22.28
PK	2.4068G	108.82	Inf	-Inf	31.24	3	Vertical	231	1.74	-	77.58
AV	2.4044G	96.54	Inf	-Inf	31.24	3	Vertical	231	1.74	-	65.30
PK	2.4916G	60.29	74.00	-13.71	31.42	3	Vertical	231	1.74	-	28.87
AV	2.4996G	48.32	54.00	-5.68	31.43	3	Vertical	231	1.74	-	16.89

802.11ax HEW40_Nss1,(MCS0)_1TX

06/10/2019

2422MHz_TX




EUT X_1TX
Setting 53
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3872G	68.65	74.00	-5.35	31.20	3	Horizontal	225	1.26	-	37.45
AV	2.386G	52.46	54.00	-1.54	31.19	3	Horizontal	225	1.26	-	21.27
PK	2.4324G	108.81	Inf	-Inf	31.29	3	Horizontal	225	1.26	-	77.52
AV	2.4312G	97.11	Inf	-Inf	31.29	3	Horizontal	225	1.26	-	65.82
PK	2.4916G	61.18	74.00	-12.82	31.42	3	Horizontal	225	1.26	-	29.76
AV	2.484G	48.70	54.00	-5.30	31.39	3	Horizontal	225	1.26	-	17.31

802.11ax HEW40_Nss1,(MCS0)_1TX

06/10/2019

2422MHz_TX




EUT X_1TX
Setting 53
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.84451G	44.89	74.00	-29.11	7.21	3	Vertical	210	2.45	-	37.68			
AV	4.84308G	32.60	54.00	-21.40	7.21	3	Vertical	210	2.45	-	25.39			

802.11ax HEW40_Nss1,(MCS0)_1TX

06/10/2019

2422MHz_TX




EUT X_1TX
Setting 53
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.84364G	45.36	74.00	-28.64	7.21	3	Horizontal	285	2.44	-	38.15			
AV	4.84317G	32.41	54.00	-21.59	7.21	3	Horizontal	285	2.44	-	25.20			

802.11ax HEW40_Nss1,(MCS0)_1TX

06/10/2019

2437MHz_TX




EUT X_1TX
Setting 62
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	67.73	74.00	-6.27	31.20	3	Vertical	231	2.11	-	36.53
AV	2.3898G	53.31	54.00	-0.69	31.20	3	Vertical	231	2.11	-	22.11
PK	2.429G	109.55	Inf	-Inf	31.29	3	Vertical	231	2.11	-	78.26
AV	2.4414G	98.49	Inf	-Inf	31.32	3	Vertical	231	2.11	-	67.17
PK	2.4842G	65.67	74.00	-8.33	31.39	3	Vertical	231	2.11	-	34.28
AV	2.4918G	50.81	54.00	-3.19	31.42	3	Vertical	231	2.11	-	19.39

802.11ax HEW40_Nss1,(MCS0)_1TX

06/10/2019

2437MHz_TX




EUT X_1TX
Setting 62
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3858G	65.32	74.00	-8.68	31.19	3	Horizontal	221	1.29	-	34.13
AV	2.3898G	51.72	54.00	-2.28	31.20	3	Horizontal	221	1.29	-	20.52
PK	2.4314G	112.27	Inf	-Inf	31.29	3	Horizontal	221	1.29	-	80.98
AV	2.4322G	99.75	Inf	-Inf	31.29	3	Horizontal	221	1.29	-	68.46
PK	2.485G	69.31	74.00	-4.69	31.40	3	Horizontal	221	1.29	-	37.91
AV	2.4835G	52.12	54.00	-1.88	31.39	3	Horizontal	221	1.29	-	20.73

802.11ax HEW40_Nss1,(MCS0)_1TX

06/10/2019

2437MHz_TX




EUT X_1TX
Setting 62
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87489G	44.47	74.00	-29.53	7.28	3	Vertical	283	1.08	-	37.19			
AV	4.87488G	31.86	54.00	-22.14	7.28	3	Vertical	283	1.08	-	24.58			

802.11ax HEW40_Nss1,(MCS0)_1TX

06/10/2019

2437MHz_TX




EUT X_1TX
Setting 62
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.8748G	44.76	74.00	-29.24	7.28	3	Horizontal	199	2.75	-	37.48			
AV	4.87441G	32.08	54.00	-21.92	7.28	3	Horizontal	199	2.75	-	24.80			

802.11ax HEW40_Nss1,(MCS0)_1TX

15/10/2019

2452MHz_TX




EUT X_1TX
Setting 60
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3884G	61.80	74.00	-12.20	31.20	3	Vertical	228	2.29	-	30.60			
AV	2.39G	49.56	54.00	-4.44	31.20	3	Vertical	228	2.29	-	18.36			
PK	2.444G	110.51	Inf	-Inf	31.32	3	Vertical	228	2.29	-	79.19			
AV	2.4444G	97.84	Inf	-Inf	31.32	3	Vertical	228	2.29	-	66.52			
PK	2.4848G	69.38	74.00	-4.62	31.40	3	Vertical	228	2.29	-	37.98			
AV	2.484G	51.15	54.00	-2.85	31.39	3	Vertical	228	2.29	-	19.76			

802.11ax HEW40_Nss1,(MCS0)_1TX

15/10/2019

2452MHz_TX




EUT X_1TX
Setting 60
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3844G	61.59	74.00	-12.41	31.19	3	Horizontal	218	1.26	-	30.40			
AV	2.3888G	49.21	54.00	-4.79	31.20	3	Horizontal	218	1.26	-	18.01			
PK	2.4368G	110.30	Inf	-Inf	31.30	3	Horizontal	218	1.26	-	79.00			
AV	2.434G	98.17	Inf	-Inf	31.29	3	Horizontal	218	1.26	-	66.88			
PK	2.4835G	71.93	74.00	-2.07	31.39	3	Horizontal	218	1.26	-	40.54			
AV	2.484G	52.94	54.00	-1.06	31.39	3	Horizontal	218	1.26	-	21.55			

802.11ax HEW40_Nss1,(MCS0)_1TX

15/10/2019

2452MHz_TX




EUT X_1TX
Setting 60
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.90415G	45.26	74.00	-28.74	7.36	3	Vertical	170	1.68	-	37.90			
AV	4.90413G	32.45	54.00	-21.55	7.36	3	Vertical	170	1.68	-	25.09			

802.11ax HEW40_Nss1,(MCS0)_1TX

15/10/2019

2452MHz_TX



EUT X_1TX
Setting 60
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.90402G	44.90	74.00	-29.10	7.36	3	Horizontal	159	2.06	-	37.54			
AV	4.90378G	32.28	54.00	-21.72	7.36	3	Horizontal	159	2.06	-	24.92			


**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	2.3886G	53.46	54.00	-0.54	31.20	3	Vertical	326	1.85	-

802.11b_Nss1,(1Mbps)_2TX

06/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 77
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.389G	65.10	74.00	-8.90	31.20	3	Vertical	249	2.36	-	33.90			
AV	2.3882G	53.03	54.00	-0.97	31.20	3	Vertical	249	2.36	-	21.83			
PK	2.411G	118.62	Inf	-Inf	31.25	3	Vertical	249	2.36	-	87.37			
AV	2.4112G	114.76	Inf	-Inf	31.25	3	Vertical	249	2.36	-	83.51			

802.11b_Nss1,(1Mbps)_2TX

06/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 77
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.389G	64.95	74.00	-9.05	31.20	3	Horizontal	238	1.21	-	33.75			
AV	2.3892G	53.41	54.00	-0.59	31.20	3	Horizontal	238	1.21	-	22.21			
PK	2.413G	119.69	Inf	-Inf	31.26	3	Horizontal	238	1.21	-	88.43			
AV	2.4112G	115.78	Inf	-Inf	31.25	3	Horizontal	238	1.21	-	84.53			

802.11b_Nss1,(1Mbps)_2TX

06/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 77
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82396G	49.40	74.00	-24.60	7.17	3	Vertical	180	2.61	-	42.23			
AV	4.82392G	41.50	54.00	-12.50	7.17	3	Vertical	180	2.61	-	34.33			

802.11b_Nss1,(1Mbps)_2TX

06/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 77
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82418G	48.32	74.00	-25.68	7.17	3	Horizontal	207	2.24	-	41.15			
AV	4.824G	39.03	54.00	-14.97	7.17	3	Horizontal	207	2.24	-	31.86			

802.11b_Nss1,(1Mbps)_2TX

06/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 82
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3878G	62.22	74.00	-11.78	31.20	3	Vertical	231	1.68	-	31.02
AV	2.389G	50.42	54.00	-3.58	31.20	3	Vertical	231	1.68	-	19.22
PK	2.4378G	119.82	Inf	-Inf	31.31	3	Vertical	231	1.68	-	88.51
AV	2.4362G	115.89	Inf	-Inf	31.30	3	Vertical	231	1.68	-	84.59
PK	2.4835G	63.30	74.00	-10.70	31.39	3	Vertical	231	1.68	-	31.91
AV	2.4835G	52.06	54.00	-1.94	31.39	3	Vertical	231	1.68	-	20.67

802.11b_Nss1,(1Mbps)_2TX

06/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 82
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	62.99	74.00	-11.01	31.20	3	Horizontal	215	1.09	-	31.79
AV	2.3894G	51.22	54.00	-2.78	31.20	3	Horizontal	215	1.09	-	20.02
PK	2.4378G	122.12	Inf	-Inf	31.31	3	Horizontal	215	1.09	-	90.81
AV	2.4362G	118.37	Inf	-Inf	31.30	3	Horizontal	215	1.09	-	87.07
PK	2.4842G	64.56	74.00	-9.44	31.39	3	Horizontal	215	1.09	-	33.17
AV	2.4835G	53.27	54.00	-0.73	31.39	3	Horizontal	215	1.09	-	21.88

802.11b_Nss1,(1Mbps)_2TX

06/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 82
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87374G	49.17	74.00	-24.83	7.28	3	Vertical	135	1.97	-	41.89			
AV	4.87396G	43.55	54.00	-10.45	7.28	3	Vertical	135	1.97	-	36.27			
PK	7.31006G	52.63	74.00	-21.37	10.54	3	Vertical	205	2.09	-	42.09			
AV	7.30972G	43.37	54.00	-10.63	10.54	3	Vertical	205	2.09	-	32.83			

802.11b_Nss1,(1Mbps)_2TX

06/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 82
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87392G	45.94	74.00	-28.06	7.28	3	Horizontal	175	1.50	-	38.66			
AV	4.87398G	34.87	54.00	-19.13	7.28	3	Horizontal	175	1.50	-	27.59			
PK	7.30998G	56.61	74.00	-17.39	10.54	3	Horizontal	320	2.15	-	46.07			
AV	7.30968G	49.74	54.00	-4.26	10.54	3	Horizontal	320	2.15	-	39.20			

802.11b_Nss1,(1Mbps)_2TX

06/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 77
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.461G	117.53	Inf	-Inf	31.35	3	Vertical	212	2.26	-	86.18			
AV	2.461G	113.68	Inf	-Inf	31.35	3	Vertical	212	2.26	-	82.33			
PK	2.4836G	62.45	74.00	-11.55	31.39	3	Vertical	212	2.26	-	31.06			
AV	2.4835G	50.58	54.00	-3.42	31.39	3	Vertical	212	2.26	-	19.19			

802.11b_Nss1,(1Mbps)_2TX

06/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 77
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.461G	119.72	Inf	-Inf	31.35	3	Horizontal	212	1.33	-	88.37			
AV	2.4612G	115.87	Inf	-Inf	31.35	3	Horizontal	212	1.33	-	84.52			
PK	2.4835G	65.98	74.00	-8.02	31.39	3	Horizontal	212	1.33	-	34.59			
AV	2.4835G	53.27	54.00	-0.73	31.39	3	Horizontal	212	1.33	-	21.88			

802.11b_Nss1,(1Mbps)_2TX

06/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 77
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.92402G	49.12	74.00	-24.88	7.40	3	Vertical	88	2.22	-	41.72			
AV	4.92396G	42.22	54.00	-11.78	7.40	3	Vertical	88	2.22	-	34.82			
PK	7.38662G	51.17	74.00	-22.83	10.76	3	Vertical	127	2.82	-	40.41			
AV	7.38676G	40.09	54.00	-13.91	10.76	3	Vertical	127	2.82	-	29.33			

802.11b_Nss1,(1Mbps)_2TX

06/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 77
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.924G	45.10	74.00	-28.90	7.40	3	Horizontal	217	2.09	-	37.70			
AV	4.92396G	32.26	54.00	-21.74	7.40	3	Horizontal	217	2.09	-	24.86			
PK	7.38508G	52.15	74.00	-21.85	10.76	3	Horizontal	10	1.50	-	41.39			
AV	7.3847G	40.69	54.00	-13.31	10.76	3	Horizontal	10	1.50	-	29.93			

802.11g_Nss1,(6Mbps)_2TX

06/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 56
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3894G	73.19	74.00	-0.81	31.20	3	Vertical	197	2.21	-	41.99			
AV	2.39G	52.98	54.00	-1.02	31.20	3	Vertical	197	2.21	-	21.78			
PK	2.4044G	115.07	Inf	-Inf	31.24	3	Vertical	197	2.21	-	83.83			
AV	2.4044G	105.66	Inf	-Inf	31.24	3	Vertical	197	2.21	-	74.42			

802.11g_Nss1,(6Mbps)_2TX

06/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 56
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.39G	70.28	74.00	-3.72	31.20	3	Horizontal	204	1.70	-	39.08			
AV	2.39G	51.27	54.00	-2.73	31.20	3	Horizontal	204	1.70	-	20.07			
PK	2.4058G	114.17	Inf	-Inf	31.24	3	Horizontal	204	1.70	-	82.93			
AV	2.416G	105.07	Inf	-Inf	31.27	3	Horizontal	204	1.70	-	73.80			

802.11g_Nss1,(6Mbps)_2TX

06/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 56
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82326G	46.00	74.00	-28.00	7.16	3	Vertical	132	2.57	-	38.84			
AV	4.82397G	32.17	54.00	-21.83	7.17	3	Vertical	132	2.57	-	25.00			

802.11g_Nss1,(6Mbps)_2TX

06/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 56
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82435G	45.75	74.00	-28.25	7.17	3	Horizontal	44	2.04	-	38.58			
AV	4.82447G	32.20	54.00	-21.80	7.17	3	Horizontal	44	2.04	-	25.03			

802.11g_Nss1,(6Mbps)_2TX

06/10/2019

2417MHz_TX




EUT_Z_2TX
Setting 62
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	73.25	74.00	-0.75	31.20	3	Vertical	174	2.30	-	42.05
AV	2.39G	51.83	54.00	-2.17	31.20	3	Vertical	174	2.30	-	20.63
PK	2.4094G	116.21	Inf	-Inf	31.25	3	Vertical	174	2.30	-	84.96
AV	2.4098G	106.75	Inf	-Inf	31.25	3	Vertical	174	2.30	-	75.50

802.11g_Nss1,(6Mbps)_2TX

06/10/2019

2417MHz_TX




EUT_Z_2TX
Setting 62
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.39G	71.17	74.00	-2.83	31.20	3	Horizontal	182	1.28	-	39.97			
AV	2.3838G	50.78	54.00	-3.22	31.19	3	Horizontal	182	1.28	-	19.59			
PK	2.4208G	116.37	Inf	-Inf	31.27	3	Horizontal	182	1.28	-	85.10			
AV	2.4212G	107.34	Inf	-Inf	31.27	3	Horizontal	182	1.28	-	76.07			

802.11g_Nss1,(6Mbps)_2TX

06/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 72
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.389G	70.42	74.00	-3.58	31.20	3	Vertical	196	2.25	-	39.22
AV	2.3898G	52.42	54.00	-1.58	31.20	3	Vertical	196	2.25	-	21.22
PK	2.4438G	118.30	Inf	-Inf	31.32	3	Vertical	196	2.25	-	86.98
AV	2.4434G	108.94	Inf	-Inf	31.32	3	Vertical	196	2.25	-	77.62
PK	2.4835G	71.20	74.00	-2.80	31.39	3	Vertical	196	2.25	-	39.81
AV	2.4846G	51.24	54.00	-2.76	31.40	3	Vertical	196	2.25	-	19.84

802.11g_Nss1,(6Mbps)_2TX

06/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 72
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	68.16	74.00	-5.84	31.20	3	Horizontal	196	1.49	-	36.96
AV	2.3898G	51.61	54.00	-2.39	31.20	3	Horizontal	196	1.49	-	20.41
PK	2.4346G	119.35	Inf	-Inf	31.30	3	Horizontal	196	1.49	-	88.05
AV	2.4346G	109.92	Inf	-Inf	31.30	3	Horizontal	196	1.49	-	78.62
PK	2.4838G	73.08	74.00	-0.92	31.39	3	Horizontal	196	1.49	-	41.69
AV	2.4835G	52.62	54.00	-1.38	31.39	3	Horizontal	196	1.49	-	21.23

802.11g_Nss1,(6Mbps)_2TX

06/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 72
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87324G	46.54	74.00	-27.46	7.28	3	Vertical	119	1.14	-	39.26			
AV	4.87463G	31.85	54.00	-22.15	7.28	3	Vertical	119	1.14	-	24.57			

802.11g_Nss1,(6Mbps)_2TX

06/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 72
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87438G	46.03	74.00	-27.97	7.28	3	Horizontal	115	1.50	-	38.75			
AV	4.87465G	31.91	54.00	-22.09	7.28	3	Horizontal	115	1.50	-	24.63			

802.11g_Nss1,(6Mbps)_2TX

06/10/2019

2457MHz_TX




EUT_Z_2TX
Setting 60
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4508G	115.90	Inf	-Inf	31.33	3	Vertical	185	1.85	-	84.57
AV	2.4508G	106.38	Inf	-Inf	31.33	3	Vertical	185	1.85	-	75.05
PK	2.4835G	71.01	74.00	-2.99	31.39	3	Vertical	185	1.85	-	39.62
AV	2.4856G	50.99	54.00	-3.01	31.40	3	Vertical	185	1.85	-	19.59

802.11g_Nss1,(6Mbps)_2TX

06/10/2019

2457MHz_TX




EUT_Z_2TX
Setting 60
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.4538G	115.83	Inf	-Inf	31.34	3	Horizontal	188	1.11	-	84.49			
AV	2.4536G	106.33	Inf	-Inf	31.34	3	Horizontal	188	1.11	-	74.99			
PK	2.4838G	72.70	74.00	-1.30	31.39	3	Horizontal	188	1.11	-	41.31			
AV	2.4838G	53.33	54.00	-0.67	31.39	3	Horizontal	188	1.11	-	21.94			

802.11g_Nss1,(6Mbps)_2TX

06/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 55
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.459G	114.38	Inf	-Inf	31.34	3	Vertical	184	2.10	-	83.04			
AV	2.4544G	104.85	Inf	-Inf	31.34	3	Vertical	184	2.10	-	73.51			
PK	2.4842G	71.33	74.00	-2.67	31.39	3	Vertical	184	2.10	-	39.94			
AV	2.4838G	51.47	54.00	-2.53	31.39	3	Vertical	184	2.10	-	20.08			

802.11g_Nss1,(6Mbps)_2TX

06/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 55
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4636G	114.71	Inf	-Inf	31.36	3	Horizontal	198	1.18	-	83.35
AV	2.4636G	105.03	Inf	-Inf	31.36	3	Horizontal	198	1.18	-	73.67
PK	2.4836G	72.14	74.00	-1.86	31.39	3	Horizontal	198	1.18	-	40.75
AV	2.4835G	53.22	54.00	-0.78	31.39	3	Horizontal	198	1.18	-	21.83

802.11g_Nss1,(6Mbps)_2TX

06/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 55
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.92384G	44.81	74.00	-29.19	7.40	3	Vertical	15	1.33	-	37.41			
AV	4.92419G	31.39	54.00	-22.61	7.40	3	Vertical	15	1.33	-	23.99			

802.11g_Nss1,(6Mbps)_2TX

06/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 55
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.92353G	45.23	74.00	-28.77	7.39	3	Horizontal	302	1.81	-	37.84			
AV	4.92388G	31.50	54.00	-22.50	7.40	3	Horizontal	302	1.81	-	24.10			

802.11ax HEW20_Nss2,(MCS0)_2TX

06/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 53
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3888G	68.35	74.00	-5.65	31.20	3	Vertical	330	2.36	-	37.15			
AV	2.39G	53.30	54.00	-0.70	31.20	3	Vertical	330	2.36	-	22.10			
PK	2.407G	114.71	Inf	-Inf	31.24	3	Vertical	330	2.36	-	83.47			
AV	2.4072G	103.34	Inf	-Inf	31.24	3	Vertical	330	2.36	-	72.10			

802.11ax HEW20_Nss2,(MCS0)_2TX

06/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 53
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3874G	69.30	74.00	-4.70	31.20	3	Horizontal	329	1.50	-	38.10			
AV	2.39G	52.48	54.00	-1.52	31.20	3	Horizontal	329	1.50	-	21.28			
PK	2.413G	113.68	Inf	-Inf	31.26	3	Horizontal	329	1.50	-	82.42			
AV	2.4196G	102.45	Inf	-Inf	31.27	3	Horizontal	329	1.50	-	71.18			

802.11ax HEW20_Nss2,(MCS0)_2TX

06/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 53
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82438G	45.84	74.00	-28.16	7.17	3	Vertical	62	1.61	-	38.67			
AV	4.82332G	32.97	54.00	-21.03	7.16	3	Vertical	62	1.61	-	25.81			

802.11ax HEW20_Nss2,(MCS0)_2TX

15/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 53
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82332G	46.10	74.00	-27.90	7.16	3	Horizontal	125	2.03	-	38.94			
AV	4.82472G	32.95	54.00	-21.05	7.17	3	Horizontal	125	2.03	-	25.78			

802.11ax HEW20_Nss2,(MCS0)_2TX

06/10/2019

2417MHz_TX




EUT_Z_2TX
Setting 65
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3888G	69.84	74.00	-4.16	31.20	3	Vertical	326	2.38	-	38.64			
AV	2.3888G	53.14	54.00	-0.86	31.20	3	Vertical	326	2.38	-	21.94			
PK	2.4094G	117.53	Inf	-Inf	31.25	3	Vertical	326	2.38	-	86.28			
AV	2.4106G	107.54	Inf	-Inf	31.25	3	Vertical	326	2.38	-	76.29			

802.11ax HEW20_Nss2,(MCS0)_2TX

06/10/2019

2417MHz_TX




EUT_Z_2TX
Setting 65
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3894G	69.13	74.00	-4.87	31.20	3	Horizontal	329	1.34	-	37.93			
AV	2.3842G	52.25	54.00	-1.75	31.19	3	Horizontal	329	1.34	-	21.06			
PK	2.4216G	116.63	Inf	-Inf	31.27	3	Horizontal	329	1.34	-	85.36			
AV	2.4238G	107.45	Inf	-Inf	31.28	3	Horizontal	329	1.34	-	76.17			

802.11ax HEW20_Nss2,(MCS0)_2TX

06/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 70
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	69.48	74.00	-4.52	31.20	3	Vertical	326	1.85	-	38.28
AV	2.3886G	53.46	54.00	-0.54	31.20	3	Vertical	326	1.85	-	22.26
PK	2.4422G	119.79	Inf	-Inf	31.32	3	Vertical	326	1.85	-	88.47
AV	2.4422G	106.63	Inf	-Inf	31.32	3	Vertical	326	1.85	-	75.31
PK	2.4878G	71.49	74.00	-2.51	31.41	3	Vertical	326	1.85	-	40.08
AV	2.4842G	52.63	54.00	-1.37	31.39	3	Vertical	326	1.85	-	21.24

802.11ax HEW20_Nss2,(MCS0)_2TX

06/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 70
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	65.91	74.00	-8.09	31.20	3	Horizontal	310	1.19	-	34.71
AV	2.3898G	52.21	54.00	-1.79	31.20	3	Horizontal	310	1.19	-	21.01
PK	2.4326G	118.60	Inf	-Inf	31.29	3	Horizontal	310	1.19	-	87.31
AV	2.4342G	107.27	Inf	-Inf	31.29	3	Horizontal	310	1.19	-	75.98
PK	2.4846G	68.75	74.00	-5.25	31.40	3	Horizontal	310	1.19	-	37.35
AV	2.4838G	53.23	54.00	-0.77	31.39	3	Horizontal	310	1.19	-	21.84

802.11ax HEW20_Nss2,(MCS0)_2TX

06/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 70
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87417G	45.67	74.00	-28.33	7.28	3	Vertical	56	2.06	-	38.39			
AV	4.87464G	32.45	54.00	-21.55	7.28	3	Vertical	56	2.06	-	25.17			

802.11ax HEW20_Nss2,(MCS0)_2TX

06/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 70
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87436G	44.97	74.00	-29.03	7.28	3	Horizontal	252	2.56	-	37.69			
AV	4.87456G	32.87	54.00	-21.13	7.28	3	Horizontal	252	2.56	-	25.59			

802.11ax HEW20_Nss2,(MCS0)_2TX

06/10/2019

2457MHz_TX




EUT_Z_2TX
Setting 59
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4532G	116.08	Inf	-Inf	31.34	3	Vertical	298	1.85	-	84.74
AV	2.4514G	104.07	Inf	-Inf	31.33	3	Vertical	298	1.85	-	72.74
PK	2.4864G	70.25	74.00	-3.75	31.40	3	Vertical	298	1.85	-	38.85
AV	2.4836G	52.70	54.00	-1.30	31.39	3	Vertical	298	1.85	-	21.31

802.11ax HEW20_Nss2,(MCS0)_2TX

06/10/2019

2457MHz_TX




EUT_Z_2TX
Setting 59
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.452G	115.78	Inf	-Inf	31.33	3	Horizontal	293	1.20	-	84.45
AV	2.452G	104.56	Inf	-Inf	31.33	3	Horizontal	293	1.20	-	73.23
PK	2.4854G	71.56	74.00	-2.44	31.40	3	Horizontal	293	1.20	-	40.16
AV	2.4835G	53.42	54.00	-0.58	31.39	3	Horizontal	293	1.20	-	22.03

802.11ax HEW20_Nss2,(MCS0)_2TX

06/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 50
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.4572G	114.03	Inf	-Inf	31.34	3	Vertical	299	1.82	-	82.69			
AV	2.457G	102.60	Inf	-Inf	31.34	3	Vertical	299	1.82	-	71.26			
PK	2.4846G	69.31	74.00	-4.69	31.40	3	Vertical	299	1.82	-	37.91			
AV	2.4835G	52.46	54.00	-1.54	31.39	3	Vertical	299	1.82	-	21.07			

802.11ax HEW20_Nss2,(MCS0)_2TX

06/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 50
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4666G	113.24	Inf	-Inf	31.37	3	Horizontal	269	1.33	-	81.87
AV	2.464G	101.80	Inf	-Inf	31.36	3	Horizontal	269	1.33	-	70.44
PK	2.4842G	70.06	74.00	-3.94	31.39	3	Horizontal	269	1.33	-	38.67
AV	2.484G	53.18	54.00	-0.82	31.39	3	Horizontal	269	1.33	-	21.79

802.11ax HEW20_Nss2,(MCS0)_2TX

06/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 50
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.92426G	44.83	74.00	-29.17	7.40	3	Vertical	99	2.92	-	37.43			
AV	4.9247G	32.20	54.00	-21.80	7.40	3	Vertical	99	2.92	-	24.80			

802.11ax HEW20_Nss2,(MCS0)_2TX

06/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 50
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.92426G	45.47	74.00	-28.53	7.40	3	Horizontal	323	1.08	-	38.07			
AV	4.9249G	32.35	54.00	-21.65	7.40	3	Horizontal	323	1.08	-	24.95			

802.11ax HEW40_Nss2,(MCS0)_2TX

06/10/2019

2422MHz_TX




EUT_Z_2TX
Setting 47
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3884G	70.44	74.00	-3.56	31.20	3	Vertical	329	2.41	-	39.24
AV	2.39G	53.37	54.00	-0.63	31.20	3	Vertical	329	2.41	-	22.17
PK	2.4128G	109.29	Inf	-Inf	31.26	3	Vertical	329	2.41	-	78.03
AV	2.4096G	97.88	Inf	-Inf	31.25	3	Vertical	329	2.41	-	66.63
PK	2.4844G	60.82	74.00	-13.18	31.40	3	Vertical	329	2.41	-	29.42
AV	2.4884G	48.67	54.00	-5.33	31.41	3	Vertical	329	2.41	-	17.26

802.11ax HEW40_Nss2,(MCS0)_2TX

06/10/2019

2422MHz_TX




EUT_Z_2TX
Setting 47
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3844G	71.15	74.00	-2.85	31.19	3	Horizontal	317	1.34	-	39.96
AV	2.3856G	52.38	54.00	-1.62	31.19	3	Horizontal	317	1.34	-	21.19
PK	2.4256G	111.46	Inf	-Inf	31.28	3	Horizontal	317	1.34	-	80.18
AV	2.4328G	98.85	Inf	-Inf	31.29	3	Horizontal	317	1.34	-	67.56
PK	2.484G	62.58	74.00	-11.42	31.39	3	Horizontal	317	1.34	-	31.19
AV	2.4835G	49.23	54.00	-4.77	31.39	3	Horizontal	317	1.34	-	17.84

802.11ax HEW40_Nss2,(MCS0)_2TX

06/10/2019

2422MHz_TX




EUT_Z_2TX
Setting 47
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.84444G	45.27	74.00	-28.73	7.21	3	Vertical	265	2.86	-	38.06			
AV	4.84355G	32.61	54.00	-21.39	7.21	3	Vertical	265	2.86	-	25.40			

802.11ax HEW40_Nss2,(MCS0)_2TX

06/10/2019

2422MHz_TX




EUT_Z_2TX
Setting 47
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.84366G	45.68	74.00	-28.32	7.21	3	Horizontal	156	1.66	-	38.47			
AV	4.84401G	32.91	54.00	-21.09	7.21	3	Horizontal	156	1.66	-	25.70			

802.11ax HEW40_Nss2,(MCS0)_2TX

06/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 51
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3878G	65.91	74.00	-8.09	31.20	3	Vertical	295	2.34	-	34.71
AV	2.3898G	53.35	54.00	-0.65	31.20	3	Vertical	295	2.34	-	22.15
PK	2.447G	111.48	Inf	-Inf	31.33	3	Vertical	295	2.34	-	80.15
AV	2.441G	99.75	Inf	-Inf	31.32	3	Vertical	295	2.34	-	68.43
PK	2.4882G	67.75	74.00	-6.25	31.41	3	Vertical	295	2.34	-	36.34
AV	2.4835G	52.28	54.00	-1.72	31.39	3	Vertical	295	2.34	-	20.89

802.11ax HEW40_Nss2,(MCS0)_2TX

06/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 51
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3882G	67.70	74.00	-6.30	31.20	3	Horizontal	287	1.31	-	36.50
AV	2.389G	51.80	54.00	-2.20	31.20	3	Horizontal	287	1.31	-	20.60
PK	2.4334G	112.62	Inf	-Inf	31.29	3	Horizontal	287	1.31	-	81.33
AV	2.433G	100.46	Inf	-Inf	31.29	3	Horizontal	287	1.31	-	69.17
PK	2.4902G	67.57	74.00	-6.43	31.41	3	Horizontal	287	1.31	-	36.16
AV	2.4835G	53.25	54.00	-0.75	31.39	3	Horizontal	287	1.31	-	21.86

802.11ax HEW40_Nss2,(MCS0)_2TX

06/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 51
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87399G	45.17	74.00	-28.83	7.28	3	Vertical	152	1.84	-	37.89			
AV	4.8741G	32.23	54.00	-21.77	7.28	3	Vertical	152	1.84	-	24.95			

802.11ax HEW40_Nss2,(MCS0)_2TX

06/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 51
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87457G	46.77	74.00	-27.23	7.28	3	Horizontal	233	2.14	-	39.49			
AV	4.87442G	32.17	54.00	-21.83	7.28	3	Horizontal	233	2.14	-	24.89			

802.11ax HEW40_Nss2,(MCS0)_2TX

15/10/2019

2452MHz_TX




EUT_Z_2TX
Setting 47
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.39G	61.05	74.00	-12.95	31.20	3	Vertical	359	2.25	-	29.85			
AV	2.39G	49.38	54.00	-4.62	31.20	3	Vertical	359	2.25	-	18.18			
PK	2.4456G	110.91	Inf	-Inf	31.32	3	Vertical	359	2.25	-	79.59			
AV	2.4416G	98.56	Inf	-Inf	31.32	3	Vertical	359	2.25	-	67.24			
PK	2.4852G	66.26	74.00	-7.74	31.40	3	Vertical	359	2.25	-	34.86			
AV	2.4835G	52.76	54.00	-1.24	31.39	3	Vertical	359	2.25	-	21.37			

802.11ax HEW40_Nss2,(MCS0)_2TX

06/10/2019

2452MHz_TX




EUT_Z_2TX
Setting 47
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	61.82	74.00	-12.18	31.20	3	Horizontal	277	1.20	-	30.62
AV	2.3896G	48.67	54.00	-5.33	31.20	3	Horizontal	277	1.20	-	17.47
PK	2.4432G	110.71	Inf	-Inf	31.32	3	Horizontal	277	1.20	-	79.39
AV	2.438G	98.44	Inf	-Inf	31.31	3	Horizontal	277	1.20	-	67.13
PK	2.4852G	68.59	74.00	-5.41	31.40	3	Horizontal	277	1.20	-	37.19
AV	2.4844G	53.28	54.00	-0.72	31.40	3	Horizontal	277	1.20	-	21.88

802.11ax HEW40_Nss2,(MCS0)_2TX

06/10/2019

2452MHz_TX




EUT_Z_2TX
Setting 47
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.90492G	44.95	74.00	-29.05	7.36	3	Vertical	150	2.08	-	37.59			
AV	4.90304G	32.59	54.00	-21.41	7.36	3	Vertical	150	2.08	-	25.23			

802.11ax HEW40_Nss2,(MCS0)_2TX

06/10/2019

2452MHz_TX



EUT_Z_2TX
Setting 47
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.90422G	45.00	74.00	-29.00	7.36	3	Horizontal	264	2.84	-	37.64			
AV	4.9049G	32.26	54.00	-21.74	7.36	3	Horizontal	264	2.84	-	24.90			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	PK	2.4838G	73.47	74.00	-0.53	30.05	3	Vertical	0	1.68	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 50
04-C-5
FSP
Panel-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3854G	73.16	74.00	-0.84	29.84	3	Vertical	4	1.74	-	43.32			
AV	2.39G	53.25	54.00	-0.75	29.84	3	Vertical	4	1.74	-	23.41			
PK	2.404G	115.39	Inf	-Inf	29.85	3	Vertical	4	1.74	-	85.54			
AV	2.404G	103.51	Inf	-Inf	29.85	3	Vertical	4	1.74	-	73.66			

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 50
04-C-5
FSP
Panel-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.39G	59.85	74.00	-14.15	29.84	3	Horizontal	341	2.46	-	30.01			
AV	2.3898G	46.28	54.00	-7.72	29.84	3	Horizontal	341	2.46	-	16.44			
PK	2.4144G	107.76	Inf	-Inf	29.88	3	Horizontal	341	2.46	-	77.88			
AV	2.4174G	95.55	Inf	-Inf	29.88	3	Horizontal	341	2.46	-	65.67			

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 50
04-L-3
FSP
Panel-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.81978G	49.53	74.00	-24.47	2.95	3	Vertical	159	1.02	-	46.58			
AV	4.8214G	35.02	54.00	-18.98	2.95	3	Vertical	159	1.02	-	32.07			

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 50
04-L-3
FSP
Panel-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.82826G	45.56	74.00	-28.44	2.97	3	Horizontal	202	1.69	-	42.59			
AV	4.82768G	32.32	54.00	-21.68	2.97	3	Horizontal	202	1.69	-	29.35			

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2417MHz_TX




EUT_Z_2TX
Setting 60
04-C-5
FSP
Panel-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3872G	73.35	74.00	-0.65	29.84	3	Vertical	3	2.01	-	43.51			
AV	2.39G	52.29	54.00	-1.71	29.84	3	Vertical	3	2.01	-	22.45			
PK	2.4194G	118.01	Inf	-Inf	29.89	3	Vertical	3	2.01	-	88.12			
AV	2.4154G	105.29	Inf	-Inf	29.88	3	Vertical	3	2.01	-	75.41			

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2417MHz_TX




EUT_Z_2TX
Setting 60
04-C-5
FSP
Panel-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.387G	66.95	74.00	-7.05	29.84	3	Horizontal	7	1.10	-	37.11			
AV	2.3852G	50.83	54.00	-3.17	29.84	3	Horizontal	7	1.10	-	20.99			
PK	2.4096G	114.65	Inf	-Inf	29.86	3	Horizontal	7	1.10	-	84.79			
AV	2.413G	100.58	Inf	-Inf	29.88	3	Horizontal	7	1.10	-	70.70			

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 74
04-C-5
FSP
Panel-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	71.76	74.00	-2.24	29.84	3	Vertical	360	1.70	-	41.92
AV	2.3898G	53.30	54.00	-0.70	29.84	3	Vertical	360	1.70	-	23.46
PK	2.4454G	121.48	Inf	-Inf	29.95	3	Vertical	360	1.70	-	91.53
AV	2.4382G	108.74	Inf	-Inf	29.94	3	Vertical	360	1.70	-	78.80
PK	2.4838G	71.93	74.00	-2.07	30.05	3	Vertical	360	1.70	-	41.88
AV	2.4835G	49.12	54.00	-4.88	30.05	3	Vertical	360	1.70	-	19.07

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 74
04-C-5
FSP
Panel-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3834G	66.09	74.00	-7.91	29.85	3	Horizontal	342	1.00	-	36.24
AV	2.3894G	49.73	54.00	-4.27	29.84	3	Horizontal	342	1.00	-	19.89
PK	2.4322G	117.57	Inf	-Inf	29.92	3	Horizontal	342	1.00	-	87.65
AV	2.4406G	103.15	Inf	-Inf	29.94	3	Horizontal	342	1.00	-	73.21
PK	2.4866G	70.30	74.00	-3.70	30.05	3	Horizontal	342	1.00	-	40.25
AV	2.4835G	50.44	54.00	-3.56	30.05	3	Horizontal	342	1.00	-	20.39

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 74
04-L-3
FSP
Panel-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.86972G	54.07	74.00	-19.93	3.11	3	Vertical	157	1.08	-	50.96			
AV	4.87222G	38.95	54.00	-15.05	3.12	3	Vertical	157	1.08	-	35.83			

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 74
04-L-3
FSP
Panel-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.86974G	49.92	74.00	-24.08	3.11	3	Horizontal	200	1.50	-	46.81			
AV	4.87394G	34.44	54.00	-19.56	3.12	3	Horizontal	200	1.50	-	31.32			

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2457MHz_TX




EUT_Z_2TX
Setting 61
04-C-5
FSP
Panel-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4534G	118.01	Inf	-Inf	29.98	3	Vertical	0	1.68	-	88.03
AV	2.4508G	105.92	Inf	-Inf	29.97	3	Vertical	0	1.68	-	75.95
PK	2.4838G	73.47	74.00	-0.53	30.05	3	Vertical	0	1.68	-	43.42
AV	2.4906G	51.37	54.00	-2.63	30.07	3	Vertical	0	1.68	-	21.30

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2457MHz_TX




EUT_Z_2TX
Setting 61
04-C-5
FSP
Panel-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4506G	115.95	Inf	-Inf	29.97	3	Horizontal	4	1.04	-	85.98
AV	2.4636G	102.19	Inf	-Inf	30.00	3	Horizontal	4	1.04	-	72.19
PK	2.4892G	68.36	74.00	-5.64	30.06	3	Horizontal	4	1.04	-	38.30
AV	2.4835G	49.99	54.00	-4.01	30.05	3	Horizontal	4	1.04	-	19.94

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 54
04-C-5
FSP
Panel-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.4558G	116.68	Inf	-Inf	29.98	3	Vertical	0	1.58	-	86.70			
AV	2.4554G	103.58	Inf	-Inf	29.98	3	Vertical	0	1.58	-	73.60			
PK	2.4836G	73.46	74.00	-0.54	30.05	3	Vertical	0	1.58	-	43.41			
AV	2.4835G	51.30	54.00	-2.70	30.05	3	Vertical	0	1.58	-	21.25			

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 54
04-C-5
FSP
Panel-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4558G	112.74	Inf	-Inf	29.98	3	Horizontal	360	1.01	-	82.76
AV	2.456G	99.71	Inf	-Inf	29.98	3	Horizontal	360	1.01	-	69.73
PK	2.4838G	70.25	74.00	-3.75	30.05	3	Horizontal	360	1.01	-	40.20
AV	2.4835G	51.46	54.00	-2.54	30.05	3	Horizontal	360	1.01	-	21.41

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 54
04-L-3
FSP
Panel-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.91994G	49.58	74.00	-24.42	3.24	3	Vertical	159	1.22	-	46.34			
AV	4.92412G	35.89	54.00	-18.11	3.25	3	Vertical	159	1.22	-	32.64			

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 54
04-L-3
FSP
Panel-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.86972G	54.07	74.00	-19.93	3.11	3	Horizontal	157	1.08	-	50.96			
AV	4.87222G	38.95	54.00	-15.05	3.12	3	Horizontal	157	1.08	-	35.83			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2422MHz_TX




EUT_Z_2TX
Setting 43
04-C-5
FSP
Panel-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3888G	69.48	74.00	-4.52	29.84	3	Vertical	0	2.01	-	39.64
AV	2.3896G	53.21	54.00	-0.79	29.84	3	Vertical	0	2.01	-	23.37
PK	2.418G	111.67	Inf	-Inf	29.89	3	Vertical	0	2.01	-	81.78
AV	2.416G	98.44	Inf	-Inf	29.88	3	Vertical	0	2.01	-	68.56
PK	2.4835G	58.10	74.00	-15.90	30.05	3	Vertical	0	2.01	-	28.05
AV	2.4835G	44.01	54.00	-9.99	30.05	3	Vertical	0	2.01	-	13.96

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2422MHz_TX




EUT_Z_2TX
Setting 43
04-C-5
FSP
Panel-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3824G	65.95	74.00	-8.05	29.85	3	Horizontal	349	1.01	-	36.10
AV	2.3844G	47.38	54.00	-6.62	29.85	3	Horizontal	349	1.01	-	17.53
PK	2.4308G	109.93	Inf	-Inf	29.92	3	Horizontal	349	1.01	-	80.01
AV	2.4164G	95.96	Inf	-Inf	29.88	3	Horizontal	349	1.01	-	66.08
PK	2.4856G	58.63	74.00	-15.37	30.05	3	Horizontal	349	1.01	-	28.58
AV	2.484G	44.54	54.00	-9.46	30.05	3	Horizontal	349	1.01	-	14.49

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2422MHz_TX




EUT_Z_2TX
Setting 43
04-L-3
FSP
Panel-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.84424G	48.34	74.00	-25.66	3.03	3	Vertical	162	2.71	-	45.31			
AV	4.84402G	33.12	54.00	-20.88	3.03	3	Vertical	162	2.71	-	30.09			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2422MHz_TX




EUT_Z_2TX
Setting 43
04-L-3
FSP
Panel-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.83988G	45.51	74.00	-28.49	3.02	3	Horizontal	206	1.50	-	42.49			
AV	4.84392G	31.91	54.00	-22.09	3.03	3	Horizontal	206	1.50	-	28.88			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 49
04-C-5
FSP
Panel-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	70.08	74.00	-3.92	29.84	3	Vertical	360	1.48	-	40.24
AV	2.3898G	53.11	54.00	-0.89	29.84	3	Vertical	360	1.48	-	23.27
PK	2.4386G	112.97	Inf	-Inf	29.94	3	Vertical	360	1.48	-	83.03
AV	2.4426G	100.20	Inf	-Inf	29.95	3	Vertical	360	1.48	-	70.25
PK	2.4858G	67.18	74.00	-6.82	30.05	3	Vertical	360	1.48	-	37.13
AV	2.4835G	50.23	54.00	-3.77	30.05	3	Vertical	360	1.48	-	20.18

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 49
04-C-5
FSP
Panel-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3862G	62.73	74.00	-11.27	29.84	3	Horizontal	0	1.33	-	32.89
AV	2.3894G	46.34	54.00	-7.66	29.84	3	Horizontal	0	1.33	-	16.50
PK	2.4262G	111.68	Inf	-Inf	29.90	3	Horizontal	0	1.33	-	81.78
AV	2.423G	96.59	Inf	-Inf	29.90	3	Horizontal	0	1.33	-	66.69
PK	2.4854G	62.49	74.00	-11.51	30.05	3	Horizontal	0	1.33	-	32.44
AV	2.4835G	47.83	54.00	-6.17	30.05	3	Horizontal	0	1.33	-	17.78

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 49
04-L-3
FSP
Panel-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87414G	49.91	74.00	-24.09	3.12	3	Vertical	158	1.26	-	46.79			
AV	4.87384G	34.00	54.00	-20.00	3.12	3	Vertical	158	1.26	-	30.88			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 49
04-L-3
FSP
Panel-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.87428G	47.30	74.00	-26.70	3.12	3	Horizontal	203	1.47	-	44.18			
AV	4.87384G	32.15	54.00	-21.85	3.12	3	Horizontal	203	1.47	-	29.03			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2452MHz_TX




EUT_Z_2TX
Setting 47
04-C-5
FSP
Panel-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	2.3832G	60.12	74.00	-13.88	29.85	3	Vertical	0	1.47	-	30.27			
AV	2.39G	48.05	54.00	-5.95	29.84	3	Vertical	0	1.47	-	18.21			
PK	2.4476G	112.76	Inf	-Inf	29.96	3	Vertical	0	1.47	-	82.80			
AV	2.4436G	99.78	Inf	-Inf	29.95	3	Vertical	0	1.47	-	69.83			
PK	2.488G	68.11	74.00	-5.89	30.06	3	Vertical	0	1.47	-	38.05			
AV	2.4908G	53.17	54.00	-0.83	30.07	3	Vertical	0	1.47	-	23.10			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2452MHz_TX




EUT_Z_2TX
Setting 47
04-C-5
FSP
Panel-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3768G	58.48	74.00	-15.52	29.85	3	Horizontal	1	1.37	-	28.63
AV	2.3888G	45.14	54.00	-8.86	29.84	3	Horizontal	1	1.37	-	15.30
PK	2.4448G	111.09	Inf	-Inf	29.95	3	Horizontal	1	1.37	-	81.14
AV	2.4356G	99.02	Inf	-Inf	29.93	3	Horizontal	1	1.37	-	69.09
PK	2.4892G	62.58	74.00	-11.42	30.06	3	Horizontal	1	1.37	-	32.52
AV	2.4835G	47.60	54.00	-6.40	30.05	3	Horizontal	1	1.37	-	17.55

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2452MHz_TX




EUT_Z_2TX
Setting 47
04-L-3
FSP
Panel-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.90398G	49.57	74.00	-24.43	3.21	3	Vertical	163	2.51	-	46.36			
AV	4.90386G	34.22	54.00	-19.78	3.21	3	Vertical	163	2.51	-	31.01			

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2452MHz_TX



EUT_Z_2TX
Setting 47
04-L-3
FSP
Panel-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)			
PK	4.9087G	45.25	74.00	-28.75	3.22	3	Horizontal	221	1.50	-	42.03			
AV	4.90712G	31.74	54.00	-22.26	3.21	3	Horizontal	221	1.50	-	28.53			




RSE Co-location Result

Appendix G


Test Mode	Mode 1	Frequency Range	1,000 MHz to 40,000 MHz
-----------	--------	-----------------	-------------------------

Vertical 1,000 MHz to 40,000 MHz



	Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg	
1	3618.01	49.38	74.00	-24.62	48.71	4.06	29.12	32.51	100	207 Peak	VERTICAL
2	3618.03	44.95	54.00	-9.05	44.28	4.06	29.12	32.51	100	207 Average	VERTICAL

Horizontal 1,000 MHz to 40,000 MHz



	Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos		
	MHz	dBuV/m	Line	Limit	Level	Loss	Factor	Factor	cm	deg	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg	
1	3617.90	53.56	74.00	-20.44	52.89	4.06	29.12	32.51	114	180	Peak
2	3617.98	50.92	54.00	-3.08	50.25	4.06	29.12	32.51	114	180	Average