


Appendix 2: Radiated spurious emission


Radio 1:

Profile: 1992128R	Page No.: 25
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2412MHz by 802.11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	40.665	35.973	-33.335	74.000	4.692	PK
2	*	7236.000	44.752	35.175	-29.248	74.000	9.576	PK
3		9648.000	44.107	34.284	-29.893	74.000	9.823	PK

Profile: 1992128R	Page No.: 26
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2412MHz by 802.11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	39.132	34.440	-34.868	74.000	4.692	PK
2	*	7236.000	44.975	35.398	-29.025	74.000	9.576	PK
3		9648.000	42.495	32.672	-31.505	74.000	9.823	PK

Profile: 1992128R	Page No.: 27
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2437MHz by 802.11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	39.963	35.211	-34.037	74.000	4.752	PK
2	*	7311.000	44.431	34.719	-29.569	74.000	9.712	PK
3		9748.000	43.420	33.393	-30.580	74.000	10.026	PK

Profile: 1992128R	Page No.: 28
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2437MHz by 802.11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	39.817	35.065	-34.183	74.000	4.752	PK
2	*	7311.000	44.069	34.357	-29.931	74.000	9.712	PK
3		9748.000	42.577	32.550	-31.423	74.000	10.026	PK

Profile: 1992128R	Page No.: 29
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2462MHz by 802.11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	39.209	34.490	-34.791	74.000	4.719	PK
2		7386.000	43.037	33.912	-30.963	74.000	9.125	PK
3	*	9848.000	44.164	33.239	-29.836	74.000	10.925	PK

Profile: 1992128R	Page No.: 30
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2462MHz by 802.11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	39.571	34.852	-34.429	74.000	4.719	PK
2		7386.000	43.284	34.159	-30.716	74.000	9.125	PK
3	*	9848.000	43.984	33.059	-30.016	74.000	10.925	PK

Profile: 1992128R	Page No.: 31
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2412MHz by 802.11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	38.840	34.148	-35.160	74.000	4.692	PK
2	*	7236.000	43.735	34.158	-30.265	74.000	9.576	PK
3		9648.000	43.376	33.553	-30.624	74.000	9.823	PK

Profile: 1992128R	Page No.: 32
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2412MHz by 802.11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	40.195	35.503	-33.805	74.000	4.692	PK
2	*	7236.000	42.905	33.328	-31.095	74.000	9.576	PK
3		9648.000	42.734	32.911	-31.266	74.000	9.823	PK

Profile: 1992128R	Page No.: 33
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 2437MHz by 802.11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	39.282	34.530	-34.718	74.000	4.752	PK
2	*	7311.000	44.157	34.445	-29.843	74.000	9.712	PK
3		9748.000	42.592	32.565	-31.408	74.000	10.026	PK

Profile: 1992128R	Page No.: 34
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2437MHz by 802.11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	40.215	35.463	-33.785	74.000	4.752	PK
2		7311.000	44.068	34.356	-29.932	74.000	9.712	PK
3	*	9748.000	45.177	35.150	-28.823	74.000	10.026	PK

Profile: 1992128R	Page No.: 35
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2462MHz by 802.11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	39.163	34.444	-34.837	74.000	4.719	PK
2	*	7386.000	43.987	34.862	-30.013	74.000	9.125	PK
3		9848.000	43.711	32.786	-30.289	74.000	10.925	PK

Profile: 1992128R	Page No.: 36
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2462MHz by 802.11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	39.732	35.013	-34.268	74.000	4.719	PK
2		7386.000	42.796	33.671	-31.204	74.000	9.125	PK
3	*	9848.000	44.129	33.204	-29.871	74.000	10.925	PK

Profile: 1992128R	Page No.: 37
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2412MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	39.742	35.050	-34.258	74.000	4.692	PK
2	*	7236.000	43.855	34.278	-30.145	74.000	9.576	PK
3		9648.000	42.652	32.829	-31.348	74.000	9.823	PK

Profile: 1992128R	Page No.: 38
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2412MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	40.092	35.400	-33.908	74.000	4.692	PK
2	*	7236.000	43.889	34.312	-30.111	74.000	9.576	PK
3		9648.000	43.060	33.237	-30.940	74.000	9.823	PK

Profile: 1992128R	Page No.: 39
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2437MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	38.446	33.694	-35.554	74.000	4.752	PK
2		7311.000	43.379	33.667	-30.621	74.000	9.712	PK
3	*	9748.000	43.963	33.936	-30.037	74.000	10.026	PK

Profile: 1992128R	Page No.: 40
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2437MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	39.346	34.594	-34.654	74.000	4.752	PK
2		7311.000	43.574	33.862	-30.426	74.000	9.712	PK
3	*	9748.000	43.851	33.824	-30.149	74.000	10.026	PK

Profile: 1992128R	Page No.: 41
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2462MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	39.033	34.314	-34.967	74.000	4.719	PK
2		7386.000	43.052	33.927	-30.948	74.000	9.125	PK
3	*	9848.000	44.164	33.239	-29.836	74.000	10.925	PK

Profile: 1992128R	Page No.: 42
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2462MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	40.373	35.654	-33.627	74.000	4.719	PK
2		7386.000	43.499	34.374	-30.501	74.000	9.125	PK
3	*	9848.000	44.984	34.059	-29.016	74.000	10.925	PK

Profile: 1992128R	Page No.: 43
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2412MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	39.735	35.043	-34.265	74.000	4.692	PK
2	*	7236.000	43.538	33.961	-30.462	74.000	9.576	PK
3		9648.000	43.007	33.184	-30.993	74.000	9.823	PK

Profile: 1992128R	Page No.: 44
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2412MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	41.175	36.483	-32.825	74.000	4.692	PK
2	*	7236.000	43.949	34.372	-30.051	74.000	9.576	PK
3		9648.000	42.779	32.956	-31.221	74.000	9.823	PK

Profile: 1992128R	Page No.: 45
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2437MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	40.035	35.283	-33.965	74.000	4.752	PK
2	*	7311.000	44.249	34.537	-29.751	74.000	9.712	PK
3		9748.000	43.864	33.837	-30.136	74.000	10.026	PK

Profile: 1992128R	Page No.: 46
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2437MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	39.523	34.771	-34.477	74.000	4.752	PK
2	*	7311.000	43.677	33.965	-30.323	74.000	9.712	PK
3		9748.000	42.899	32.872	-31.101	74.000	10.026	PK

Profile: 1992128R	Page No.: 47
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2462MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	39.119	34.400	-34.881	74.000	4.719	PK
2		7386.000	43.029	33.904	-30.971	74.000	9.125	PK
3	*	9848.000	44.061	33.136	-29.939	74.000	10.925	PK


Profile: 1992128R	Page No.: 48
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2462MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	39.633	34.914	-34.367	74.000	4.719	PK
2		7386.000	43.249	34.124	-30.751	74.000	9.125	PK
3	*	9848.000	44.096	33.171	-29.904	74.000	10.925	PK


Radio 2:

Profile: 1992128R	Page No.: 25
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2412MHz by 802.11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	39.543	34.851	-34.457	74.000	4.692	PK
2	*	7236.000	44.273	34.696	-29.727	74.000	9.576	PK
3		9648.000	43.866	34.043	-30.134	74.000	9.823	PK

Profile: 1992128R	Page No.: 26
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2412MHz by 802.11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	40.428	35.736	-33.572	74.000	4.692	PK
2		7236.000	43.483	33.906	-30.517	74.000	9.576	PK
3	*	9648.000	43.559	33.736	-30.441	74.000	9.823	PK

Profile: 1992128R	Page No.: 27
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2437MHz by 802.11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	40.033	35.281	-33.967	74.000	4.752	PK
2	*	7311.000	44.569	34.857	-29.431	74.000	9.712	PK
3		9748.000	43.639	33.612	-30.361	74.000	10.026	PK

Profile: 1992128R	Page No.: 28
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2437MHz by 802.11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	39.035	34.283	-34.965	74.000	4.752	PK
2	*	7311.000	44.040	34.328	-29.960	74.000	9.712	PK
3		9748.000	43.370	33.343	-30.630	74.000	10.026	PK

Profile: 1992128R	Page No.: 29
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2462MHz by 802.11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	39.323	34.604	-34.677	74.000	4.719	PK
2	*	7386.000	44.170	35.045	-29.830	74.000	9.125	PK
3		9848.000	43.634	32.709	-30.366	74.000	10.925	PK

Profile: 1992128R	Page No.: 30
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 2462MHz by 802.11b	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	39.339	34.620	-34.661	74.000	4.719	PK
2		7386.000	43.416	34.291	-30.584	74.000	9.125	PK
3	*	9848.000	44.373	33.448	-29.627	74.000	10.925	PK

Profile: 1992128R	Page No.: 31
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2412MHz by 802.11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	40.774	36.082	-33.226	74.000	4.692	PK
2	*	7236.000	43.688	34.111	-30.312	74.000	9.576	PK
3		9648.000	42.764	32.941	-31.236	74.000	9.823	PK

Profile: 1992128R	Page No.: 32
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2412MHz by 802.11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	40.322	35.630	-33.678	74.000	4.692	PK
2	*	7236.000	44.200	34.623	-29.800	74.000	9.576	PK
3		9648.000	43.800	33.977	-30.200	74.000	9.823	PK

Profile: 1992128R	Page No.: 33
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2437MHz by 802.11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	40.142	35.390	-33.858	74.000	4.752	PK
2	*	7311.000	44.410	34.698	-29.590	74.000	9.712	PK
3		9748.000	43.155	33.128	-30.845	74.000	10.026	PK

Profile: 1992128R	Page No.: 34
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 2437MHz by 802.11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	38.890	34.138	-35.110	74.000	4.752	PK
2	*	7311.000	44.222	34.510	-29.778	74.000	9.712	PK
3		9748.000	43.457	33.430	-30.543	74.000	10.026	PK

Profile: 1992128R	Page No.: 35
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 2462MHz by 802.11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	38.838	34.119	-35.162	74.000	4.719	PK
2		7386.000	43.335	34.210	-30.665	74.000	9.125	PK
3	*	9848.000	43.405	32.480	-30.595	74.000	10.925	PK

Profile: 1992128R	Page No.: 36
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 2: Transmit at 2462MHz by 802.11g	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	38.867	34.148	-35.133	74.000	4.719	PK
2		7386.000	43.377	34.252	-30.623	74.000	9.125	PK
3	*	9848.000	44.120	33.195	-29.880	74.000	10.925	PK

Profile: 1992128R	Page No.: 37
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2412MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	39.619	34.927	-34.381	74.000	4.692	PK
2	*	7236.000	44.010	34.433	-29.990	74.000	9.576	PK
3		9648.000	43.133	33.310	-30.867	74.000	9.823	PK

Profile: 1992128R	Page No.: 38
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2412MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	40.438	35.746	-33.562	74.000	4.692	PK
2	*	7236.000	43.915	34.338	-30.085	74.000	9.576	PK
3		9648.000	42.932	33.109	-31.068	74.000	9.823	PK

Profile: 1992128R	Page No.: 39
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2437MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	38.596	33.844	-35.404	74.000	4.752	PK
2		7311.000	43.388	33.676	-30.612	74.000	9.712	PK
3	*	9748.000	43.740	33.713	-30.260	74.000	10.026	PK

Profile: 1992128R	Page No.: 40
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2437MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	39.053	34.301	-34.947	74.000	4.752	PK
2		7311.000	43.118	33.406	-30.882	74.000	9.712	PK
3	*	9748.000	44.076	34.049	-29.924	74.000	10.026	PK

Profile: 1992128R	Page No.: 41
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2462MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	39.176	34.457	-34.824	74.000	4.719	PK
2		7386.000	43.584	34.459	-30.416	74.000	9.125	PK
3	*	9848.000	44.731	33.806	-29.269	74.000	10.925	PK

Profile: 1992128R	Page No.: 42
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 2462MHz by 802.11n(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	38.921	34.202	-35.079	74.000	4.719	PK
2		7386.000	44.337	35.212	-29.663	74.000	9.125	PK
3	*	9848.000	45.108	34.183	-28.892	74.000	10.925	PK

Profile: 1992128R	Page No.: 43
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2412MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	38.901	34.209	-35.099	74.000	4.692	PK
2	*	7236.000	43.560	33.983	-30.440	74.000	9.576	PK
3		9648.000	42.969	33.146	-31.031	74.000	9.823	PK

Profile: 1992128R	Page No.: 44
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2412MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4824.000	39.802	35.110	-34.198	74.000	4.692	PK
2	*	7236.000	44.504	34.927	-29.496	74.000	9.576	PK
3		9648.000	43.099	33.276	-30.901	74.000	9.823	PK

Profile: 1992128R	Page No.: 45
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2437MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	39.058	34.306	-34.942	74.000	4.752	PK
2		7311.000	43.560	33.848	-30.440	74.000	9.712	PK
3	*	9748.000	44.125	34.098	-29.875	74.000	10.026	PK

Profile: 1992128R	Page No.: 46
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2437MHz by 802.11ax(20MHz)	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4874.000	40.351	35.599	-33.649	74.000	4.752	PK
2	*	7311.000	43.650	33.938	-30.350	74.000	9.712	PK
3		9748.000	43.077	33.050	-30.923	74.000	10.026	PK

Profile: 1992128R	Page No.: 47
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2462MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	39.721	35.002	-34.279	74.000	4.719	PK
2		7386.000	43.241	34.116	-30.759	74.000	9.125	PK
3	*	9848.000	44.220	33.295	-29.780	74.000	10.925	PK

Profile: 1992128R	Page No.: 48
Engineer: YULIU	
Site: AC5	Time: 2019/11/14 - 02:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: AP410C	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 2462MHz by 802.11ax(20MHz)	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		4924.000	39.497	34.778	-34.503	74.000	4.719	PK
2		7386.000	42.837	33.712	-31.163	74.000	9.125	PK
3	*	9848.000	43.790	32.865	-30.210	74.000	10.925	PK