


5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 37
03-S-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.916G	59.46	88.20	-28.74	52.41	3	Horizontal	157	2.61	-	34.53	7.62	35.10			
RMS	5.914G	46.27	68.20	-21.93	39.22	3	Horizontal	157	2.61	-	34.53	7.62	35.10			
PK	5.9588G	97.57	Inf	-Inf	90.43	3	Horizontal	157	2.61	-	34.60	7.66	35.12			
RMS	5.9588G	82.52	Inf	-Inf	75.38	3	Horizontal	157	2.61	-	34.60	7.66	35.12			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 37
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93076G	54.54	74.00	-19.46	47.09	3	Vertical	210	1.35	-	39.20	11.48	43.23			
AV	11.93271G	40.96	54.00	-13.04	33.51	3	Vertical	210	1.35	-	39.20	11.48	43.23			
PK	17.88596G	61.46	74.00	-12.54	44.15	3	Vertical	82	1.70	-	44.83	13.85	41.37			
AV	17.89976G	49.23	54.00	-4.77	31.92	3	Vertical	82	1.70	-	44.80	13.86	41.35			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 37
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93373G	54.56	74.00	-19.44	47.11	3	Horizontal	211	2.67	-	39.20	11.48	43.23			
AV	11.92663G	41.11	54.00	-12.89	33.66	3	Horizontal	211	2.67	-	39.20	11.48	43.23			
PK	17.89596G	61.70	74.00	-12.30	44.38	3	Horizontal	168	2.78	-	44.81	13.86	41.35			
AV	17.8949G	49.09	54.00	-4.91	31.77	3	Horizontal	168	2.78	-	44.81	13.86	41.35			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 37
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.89423G	43.16	83.54	-40.38	39.86	1	Vertical	358	1.52	-	37.38	15.23	49.31			
AV	17.89144G	30.35	63.54	-33.19	27.05	1	Vertical	358	1.52	-	37.37	15.23	49.30			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 37
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.89129G	44.42	83.54	-39.12	41.12	1	Horizontal	205	1.57	-	37.37	15.23	49.30			
AV	17.89863G	30.24	63.54	-33.30	26.94	1	Horizontal	205	1.57	-	37.39	15.23	49.32			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
Setting 31
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40648G	54.19	74.00	-19.81	47.09	3	Vertical	77	1.79	-	38.60	11.66	43.16			
AV	12.40784G	41.09	54.00	-12.91	33.99	3	Vertical	77	1.79	-	38.60	11.66	43.16			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
Setting 31
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.41017G	54.28	74.00	-19.72	47.18	3	Horizontal	45	2.49	-	38.60	11.66	43.16			
AV	12.40722G	41.05	54.00	-12.95	33.95	3	Horizontal	45	2.49	-	38.60	11.66	43.16			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
Setting 31
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61772G	42.88	83.54	-40.66	40.41	1	Vertical	132	1.53	-	37.74	15.27	50.54			
AV	18.61887G	30.14	63.54	-33.40	27.67	1	Vertical	132	1.53	-	37.74	15.27	50.54			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Z_4TX
Setting 31
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61978G	42.71	83.54	-40.83	40.24	1	Horizontal	139	1.54	-	37.74	15.27	50.54			
AV	18.61505G	30.18	63.54	-33.36	27.72	1	Horizontal	139	1.54	-	37.73	15.27	50.54			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 36
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80772G	54.69	88.20	-33.51	46.71	3	Vertical	360	1.12	-	39.03	11.79	42.84			
RMS	12.81455G	41.43	68.20	-26.77	33.41	3	Vertical	360	1.12	-	39.06	11.80	42.84			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 36
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81327G	54.78	88.20	-33.42	46.77	3	Horizontal	55	1.32	-	39.05	11.80	42.84			
RMS	12.80626G	41.44	68.20	-26.76	33.46	3	Horizontal	55	1.32	-	39.03	11.79	42.84			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 36
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21551G	44.24	83.54	-39.30	42.29	1	Vertical	48	1.57	-	37.97	15.24	51.26			
AV	19.21723G	30.58	63.54	-32.96	28.63	1	Vertical	48	1.57	-	37.97	15.24	51.26			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Z_4TX
Setting 36
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21823G	43.07	83.54	-40.47	41.13	1	Horizontal	109	1.53	-	37.96	15.24	51.26			
AV	19.21267G	30.65	63.54	-32.89	28.70	1	Horizontal	109	1.53	-	37.97	15.24	51.26			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Z_4TX
Setting 36
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.88673G	55.03	88.20	-33.17	46.77	3	Vertical	114	2.26	-	39.20	11.82	42.76			
RMS	12.89415G	41.66	68.20	-26.54	33.40	3	Vertical	114	2.26	-	39.20	11.82	42.76			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Z_4TX
Setting 36
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.89118G	54.49	88.20	-33.71	46.23	3	Horizontal	293	1.16	-	39.20	11.82	42.76			
RMS	12.88928G	41.63	68.20	-26.57	33.37	3	Horizontal	293	1.16	-	39.20	11.82	42.76			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Z_4TX
Setting 36
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.3358G	43.34	83.54	-40.20	41.65	1	Vertical	271	1.50	-	37.86	15.23	51.40			
AV	19.33496G	30.26	63.54	-33.28	28.57	1	Vertical	271	1.50	-	37.86	15.23	51.40			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6445MHz_TX




EUT_Z_4TX
Setting 36
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.33751G	43.78	83.54	-39.76	42.11	1	Horizontal	299	1.58	-	37.85	15.23	51.41			
AV	19.3375G	30.24	63.54	-33.30	28.57	1	Horizontal	299	1.58	-	37.85	15.23	51.41			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Z_4TX
Setting 33
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.96653G	55.78	88.20	-32.42	47.31	3	Vertical	212	1.82	-	39.30	11.85	42.68			
RMS	12.96514G	42.01	68.20	-26.19	33.54	3	Vertical	212	1.82	-	39.30	11.85	42.68			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Z_4TX
Setting 33
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.96519G	55.61	88.20	-32.59	47.14	3	Horizontal	303	1.47	-	39.30	11.85	42.68			
RMS	12.96882G	42.06	68.20	-26.14	33.59	3	Horizontal	303	1.47	-	39.30	11.85	42.68			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX


6485MHz_TX

EUT_Z_4TX
Setting 33
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45245G	43.58	83.54	-39.96	42.08	1	Vertical	322	1.51	-	37.81	15.23	51.54			
AV	19.45786G	30.31	63.54	-33.23	28.80	1	Vertical	322	1.51	-	37.83	15.23	51.55			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6485MHz_TX




EUT_Z_4TX
Setting 33
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.45724G	42.35	83.54	-41.19	40.84	1	Horizontal	198	1.55	-	37.83	15.23	51.55			
AV	19.45733G	30.08	63.54	-33.46	28.57	1	Horizontal	198	1.55	-	37.83	15.23	51.55			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 33
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.04881G	55.66	88.20	-32.54	47.04	3	Vertical	28	2.94	-	39.40	11.88	42.66			
RMS	13.0477G	42.44	68.20	-25.76	33.82	3	Vertical	28	2.94	-	39.40	11.88	42.66			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 33
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.04837G	55.71	88.20	-32.49	47.09	3	Horizontal	249	2.79	-	39.40	11.88	42.66			
RMS	13.04682G	42.40	68.20	-25.80	33.79	3	Horizontal	249	2.79	-	39.39	11.88	42.66			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 33
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.57405G	42.33	83.54	-41.21	40.81	1	Vertical	356	1.50	-	37.96	15.22	51.66			
AV	19.57747G	29.75	63.54	-33.79	28.25	1	Vertical	356	1.50	-	37.94	15.22	51.66			

6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 33
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.57041G	43.02	83.54	-40.52	41.48	1	Horizontal	186	1.53	-	37.98	15.22	51.66			
AV	19.57565G	29.78	63.54	-33.76	28.27	1	Horizontal	186	1.53	-	37.95	15.22	51.66			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 33
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.12817G	56.23	88.20	-31.97	47.41	3	Vertical	5	2.82	-	39.60	11.90	42.68			
RMS	13.12693G	42.75	68.20	-25.45	33.93	3	Vertical	5	2.82	-	39.60	11.90	42.68			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 33
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.12842G	56.10	88.20	-32.10	47.28	3	Horizontal	267	1.50	-	39.60	11.90	42.68			
RMS	13.12966G	42.67	68.20	-25.53	33.85	3	Horizontal	267	1.50	-	39.60	11.90	42.68			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 33
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.69245G	42.82	83.54	-40.72	41.50	1	Vertical	173	1.58	-	37.85	15.22	51.75			
AV	19.6974G	29.89	63.54	-33.65	28.61	1	Vertical	173	1.58	-	37.82	15.22	51.76			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Z_4TX
Setting 33
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.69967G	42.72	83.54	-40.82	41.46	1	Horizontal	358	1.51	-	37.80	15.22	51.76			
AV	19.69878G	29.97	63.54	-33.57	28.70	1	Horizontal	358	1.51	-	37.81	15.22	51.76			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 35
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37129G	56.32	74.00	-17.68	47.02	3	Vertical	112	1.05	-	40.04	11.99	42.73			
AV	13.36997G	43.00	54.00	-11.00	33.70	3	Vertical	112	1.05	-	40.04	11.99	42.73			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 35
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3721G	56.34	74.00	-17.66	47.04	3	Horizontal	196	2.29	-	40.04	11.99	42.73			
AV	13.37081G	43.06	54.00	-10.94	33.76	3	Horizontal	196	2.29	-	40.04	11.99	42.73			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 35
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0521G	42.56	83.54	-40.98	41.61	1	Vertical	210	1.52	-	37.71	15.24	52.00			
AV	20.05916G	29.80	63.54	-33.74	28.81	1	Vertical	210	1.52	-	37.74	15.25	52.00			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_Z_4TX
Setting 35
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05561G	42.87	83.54	-40.67	41.91	1	Horizontal	34	1.51	-	37.72	15.24	52.00			
AV	20.05805G	29.87	63.54	-33.67	28.89	1	Horizontal	34	1.51	-	37.73	15.25	52.00			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 39
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.77268G	56.27	88.20	-31.93	46.10	3	Vertical	293	2.52	-	40.65	12.12	42.60			
RMS	13.7694G	43.51	68.20	-24.69	33.35	3	Vertical	293	2.52	-	40.64	12.12	42.60			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 39
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.76717G	55.96	88.20	-32.24	45.81	3	Horizontal	123	1.99	-	40.63	12.12	42.60			
RMS	13.76667G	43.51	68.20	-24.69	33.36	3	Horizontal	123	1.99	-	40.63	12.12	42.60			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 39
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.6531G	43.04	83.54	-40.50	41.48	1	Vertical	147	1.53	-	37.90	15.72	52.06			
AV	20.65751G	30.51	63.54	-33.03	28.94	1	Vertical	147	1.53	-	37.90	15.73	52.06			

6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 39
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.65515G	44.17	83.54	-39.37	42.61	1	Horizontal	176	1.52	-	37.90	15.72	52.06			
AV	20.65935G	30.54	63.54	-33.00	28.97	1	Horizontal	176	1.52	-	37.90	15.73	52.06			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
Setting 28
05-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.85114G	56.52	88.20	-31.68	46.12	3	Vertical	319	1.96	-	40.80	12.15	42.55			
RMS	13.85427G	43.68	68.20	-24.52	33.27	3	Vertical	319	1.96	-	40.81	12.15	42.55			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
Setting 34
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.85161G	56.56	88.20	-31.64	46.16	3	Horizontal	266	2.65	-	40.80	12.15	42.55			
RMS	13.85314G	43.74	68.20	-24.46	33.33	3	Horizontal	266	2.65	-	40.81	12.15	42.55			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
Setting 34
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77043G	43.55	83.54	-39.99	41.88	1	Vertical	216	1.54	-	37.96	15.82	52.11			
AV	20.77485G	30.69	63.54	-32.85	28.98	1	Vertical	216	1.54	-	38.00	15.82	52.11			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

6925MHz_TX




EUT_Z_4TX
Setting 34
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.77278G	42.91	83.54	-40.63	41.22	1	Horizontal	36	1.50	-	37.98	15.82	52.11			
AV	20.78G	30.66	63.54	-32.88	28.91	1	Horizontal	36	1.50	-	38.04	15.82	52.11			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
Setting 34
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.00788G	56.61	88.20	-31.59	45.67	3	Vertical	15	1.72	-	41.20	12.20	42.46			
RMS	14.01027G	44.24	68.20	-23.96	33.30	3	Vertical	15	1.72	-	41.20	12.20	42.46			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
Setting 34
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.00994G	58.02	88.20	-30.18	47.08	3	Horizontal	328	1.37	-	41.20	12.20	42.46			
RMS	14.01074G	44.15	68.20	-24.05	33.21	3	Horizontal	328	1.37	-	41.20	12.20	42.46			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
Setting 34
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	21.0157G	44.29	83.54	-39.25	42.42	1	Vertical	167	1.56	-	38.06	16.01	52.20			
AV	21.0185G	30.95	63.54	-32.59	29.06	1	Vertical	167	1.56	-	38.08	16.01	52.20			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7005MHz_TX




EUT_Z_4TX
Setting 34
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.0179G	44.12	83.54	-39.42	42.23	1	Horizontal	191	1.52	-	38.08	16.01	52.20			
AV	21.01966G	31.01	63.54	-32.53	29.09	1	Horizontal	191	1.52	-	38.10	16.02	52.20			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 31
03-S-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0678G	109.80	Inf	-Inf	101.26	3	Vertical	98	2.28	-	35.64	8.42	35.52			
RMS	7.0692G	95.70	Inf	-Inf	87.16	3	Vertical	98	2.28	-	35.64	8.42	35.52			
PK	7.1256G	62.46	88.20	-25.74	53.72	3	Vertical	98	2.28	-	35.80	8.43	35.49			
RMS	7.1272G	49.90	68.20	-18.30	41.15	3	Vertical	98	2.28	-	35.81	8.43	35.49			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 31
03-S-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	7.0774G	95.83	Inf	-Inf	87.28	3	Horizontal	39	2.08	-	35.65	8.42	35.52			
RMS	7.076G	83.43	Inf	-Inf	74.88	3	Horizontal	39	2.08	-	35.65	8.42	35.52			
PK	7.1542G	61.87	88.20	-26.33	52.97	3	Horizontal	39	2.08	-	35.93	8.44	35.47			
RMS	7.1782G	48.89	68.20	-19.31	39.84	3	Horizontal	39	2.08	-	36.07	8.44	35.46			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 31
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.16925G	57.97	88.20	-30.23	46.56	3	Vertical	272	1.79	-	41.58	12.25	42.42			
RMS	14.16994G	44.58	68.20	-23.62	33.17	3	Vertical	272	1.79	-	41.58	12.25	42.42			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 31
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.16514G	58.08	88.20	-30.12	46.69	3	Horizontal	28	2.36	-	41.56	12.25	42.42			
RMS	14.16981G	44.53	68.20	-23.67	33.12	3	Horizontal	28	2.36	-	41.58	12.25	42.42			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 31
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.25712G	44.57	83.54	-38.97	42.50	1	Vertical	331	1.57	-	38.06	16.21	52.20			
AV	21.25432G	30.89	63.54	-32.65	28.86	1	Vertical	331	1.57	-	38.03	16.20	52.20			

6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

7085MHz_TX




EUT_Z_4TX
Setting 31
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.25039G	43.45	83.54	-40.09	41.45	1	Horizontal	184	1.53	-	38.00	16.20	52.20			
AV	21.25946G	31.01	63.54	-32.53	28.92	1	Horizontal	184	1.53	-	38.08	16.21	52.20			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 51
03-S-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9238G	62.10	88.20	-26.10	55.02	3	Vertical	250	2.40	-	34.55	7.63	35.10			
RMS	5.9226G	47.97	68.20	-20.23	40.89	3	Vertical	250	2.40	-	34.55	7.63	35.10			
PK	6.0066G	109.51	Inf	-Inf	102.35	3	Vertical	250	2.40	-	34.60	7.70	35.14			
RMS	5.9954G	96.19	Inf	-Inf	89.04	3	Vertical	250	2.40	-	34.60	7.69	35.14			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 51
03-S-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8322G	59.40	88.20	-28.80	52.64	3	Horizontal	157	2.68	-	34.26	7.56	35.06			
RMS	5.9082G	46.60	68.20	-21.60	39.56	3	Horizontal	157	2.68	-	34.52	7.62	35.10			
PK	5.9518G	95.73	Inf	-Inf	88.60	3	Horizontal	157	2.68	-	34.60	7.65	35.12			
RMS	5.9582G	84.01	Inf	-Inf	76.87	3	Horizontal	157	2.68	-	34.60	7.66	35.12			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 51
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97407G	53.96	74.00	-20.04	46.52	3	Vertical	246	2.08	-	39.15	11.51	43.22			
AV	11.9671G	41.04	54.00	-12.96	33.60	3	Vertical	246	2.08	-	39.17	11.50	43.23			
PK	17.94984G	61.51	74.00	-12.49	44.20	3	Vertical	16	1.10	-	44.70	13.88	41.27			
AV	17.96192G	48.69	54.00	-5.31	31.29	3	Vertical	16	1.10	-	44.77	13.88	41.25			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 51
03-S-5-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96571G	53.91	74.00	-20.09	46.47	3	Horizontal	350	2.13	-	39.17	11.50	43.23			
AV	11.97472G	41.05	54.00	-12.95	33.61	3	Horizontal	350	2.13	-	39.15	11.51	43.22			
PK	17.96094G	61.72	74.00	-12.28	44.32	3	Horizontal	126	1.85	-	44.77	13.88	41.25			
AV	17.95732G	48.66	54.00	-5.34	31.30	3	Horizontal	126	1.85	-	44.74	13.88	41.26			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 51
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.95846G	43.22	83.54	-40.32	39.93	1	Vertical	42	1.53	-	37.51	15.27	49.49			
AV	17.95707G	30.68	63.54	-32.86	27.38	1	Vertical	42	1.53	-	37.51	15.27	49.48			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 51
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.95324G	42.81	83.54	-40.73	39.51	1	Horizontal	25	1.55	-	37.50	15.27	49.47			
AV	17.95845G	30.75	63.54	-32.79	27.46	1	Horizontal	25	1.55	-	37.51	15.27	49.49			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 45
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4515G	55.43	74.00	-18.57	48.32	3	Vertical	127	1.94	-	38.60	11.67	43.16			
AV	12.4465G	41.12	54.00	-12.88	34.01	3	Vertical	127	1.94	-	38.60	11.67	43.16			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 45
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4496G	54.58	74.00	-19.42	47.47	3	Horizontal	16	1.28	-	38.60	11.67	43.16			
AV	12.44572G	41.20	54.00	-12.80	34.09	3	Horizontal	16	1.28	-	38.60	11.67	43.16			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 45
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67072G	43.06	83.54	-40.48	40.67	1	Vertical	331	1.55	-	37.72	15.27	50.60			
AV	18.67894G	30.39	63.54	-33.15	28.05	1	Vertical	331	1.55	-	37.68	15.27	50.61			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Z_4TX
Setting 45
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67034G	43.14	83.54	-40.40	40.75	1	Horizontal	38	1.56	-	37.72	15.27	50.60			
AV	18.67809G	30.44	63.54	-33.10	28.09	1	Horizontal	38	1.56	-	37.69	15.27	50.61			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 44
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77117G	54.13	88.20	-34.07	46.35	3	Vertical	61	1.74	-	38.88	11.78	42.88			
RMS	12.76539G	40.99	68.20	-27.21	33.23	3	Vertical	61	1.74	-	38.86	11.78	42.88			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 44
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77058G	54.92	88.20	-33.28	47.14	3	Horizontal	257	2.55	-	38.88	11.78	42.88			
RMS	12.76766G	41.01	68.20	-27.19	33.24	3	Horizontal	257	2.55	-	38.87	11.78	42.88			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Z_4TX
Setting 44
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15111G	42.71	83.54	-40.83	40.94	1	Vertical	66	1.56	-	37.71	15.24	51.18			
AV	19.15857G	30.35	63.54	-33.19	28.55	1	Vertical	66	1.56	-	37.75	15.24	51.19			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6385MHz_TX

EUT_Z_4TX
Setting 44
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15126G	43.40	83.54	-40.14	41.63	1	Horizontal	273	1.54	-	37.71	15.24	51.18			
AV	19.15818G	30.29	63.54	-33.25	28.49	1	Horizontal	273	1.54	-	37.75	15.24	51.19			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
Setting 43
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.93363G	55.06	88.20	-33.14	46.67	3	Vertical	358	1.82	-	39.27	11.84	42.72			
RMS	12.93388G	41.75	68.20	-26.45	33.36	3	Vertical	358	1.82	-	39.27	11.84	42.72			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
Setting 43
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.93467G	54.93	88.20	-33.27	46.54	3	Horizontal	171	2.02	-	39.27	11.84	42.72			
RMS	12.93267G	41.84	68.20	-26.36	33.45	3	Horizontal	171	2.02	-	39.27	11.84	42.72			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
Setting 43
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39865G	42.71	83.54	-40.83	40.97	1	Vertical	334	1.58	-	37.99	15.23	51.48			
AV	19.39865G	30.27	63.54	-33.27	28.53	1	Vertical	334	1.58	-	37.99	15.23	51.48			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Z_4TX
Setting 43
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.39658G	43.16	83.54	-40.38	41.42	1	Horizontal	297	1.53	-	37.99	15.23	51.48			
AV	19.39653G	30.29	63.54	-33.25	28.55	1	Horizontal	297	1.53	-	37.99	15.23	51.48			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 44
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0903G	55.53	88.20	-32.67	46.75	3	Vertical	336	1.98	-	39.56	11.89	42.67			
RMS	13.08787G	42.55	68.20	-25.65	33.78	3	Vertical	336	1.98	-	39.55	11.89	42.67			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 44
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.08991G	56.08	88.20	-32.12	47.30	3	Horizontal	109	2.09	-	39.56	11.89	42.67			
RMS	13.0855G	42.72	68.20	-25.48	33.96	3	Horizontal	109	2.09	-	39.54	11.89	42.67			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 44
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63632G	43.88	83.54	-39.66	42.35	1	Vertical	337	1.51	-	38.02	15.22	51.71			
AV	19.63336G	29.79	63.54	-33.75	28.28	1	Vertical	337	1.51	-	38.00	15.22	51.71			

6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 44
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.63565G	43.19	83.54	-40.35	41.67	1	Horizontal	357	1.50	-	38.01	15.22	51.71			
AV	19.63916G	29.81	63.54	-33.73	28.27	1	Horizontal	357	1.50	-	38.03	15.22	51.71			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 43
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24592G	56.27	88.20	-31.93	47.15	3	Vertical	4	2.37	-	39.88	11.94	42.70			
RMS	13.2481G	42.71	68.20	-25.49	33.58	3	Vertical	4	2.37	-	39.89	11.94	42.70			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 43
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24289G	56.59	88.20	-31.61	47.48	3	Horizontal	136	2.84	-	39.87	11.94	42.70			
RMS	13.24646G	42.74	68.20	-25.46	33.61	3	Horizontal	136	2.84	-	39.89	11.94	42.70			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 43
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87276G	42.85	83.54	-40.69	41.80	1	Vertical	51	1.50	-	37.74	15.21	51.90			
AV	19.87965G	29.84	63.54	-33.70	28.75	1	Vertical	51	1.50	-	37.78	15.21	51.90			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Z_4TX
Setting 43
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87068G	42.58	83.54	-40.96	41.55	1	Horizontal	150	1.50	-	37.72	15.21	51.90			
AV	19.87361G	29.65	63.54	-33.89	28.60	1	Horizontal	150	1.50	-	37.74	15.21	51.90			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 47
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40823G	55.88	88.20	-32.32	46.50	3	Vertical	38	2.58	-	40.12	12.00	42.74			
RMS	13.40636G	42.67	68.20	-25.53	33.30	3	Vertical	38	2.58	-	40.11	12.00	42.74			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 47
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40968G	56.50	88.20	-31.70	47.12	3	Horizontal	329	2.05	-	40.12	12.00	42.74			
RMS	13.40964G	42.70	68.20	-25.50	33.32	3	Horizontal	329	2.05	-	40.12	12.00	42.74			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 47
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11136G	42.73	83.54	-40.81	41.61	1	Vertical	259	1.53	-	37.83	15.29	52.00			
AV	20.11687G	29.62	63.54	-33.92	28.53	1	Vertical	259	1.53	-	37.80	15.29	52.00			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Z_4TX
Setting 47
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11086G	42.84	83.54	-40.70	41.72	1	Horizontal	260	1.56	-	37.83	15.29	52.00			
AV	20.11722G	29.63	63.54	-33.91	28.54	1	Horizontal	260	1.56	-	37.80	15.29	52.00			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 43
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57374G	56.72	88.20	-31.48	46.98	3	Vertical	330	1.68	-	40.40	12.06	42.72			
RMS	13.57052G	43.16	68.20	-25.04	33.43	3	Vertical	330	1.68	-	40.40	12.05	42.72			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 43
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56533G	56.60	88.20	-31.60	46.87	3	Horizontal	180	1.71	-	40.40	12.05	42.72			
RMS	13.56573G	43.21	68.20	-24.99	33.48	3	Horizontal	180	1.71	-	40.40	12.05	42.72			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 43
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35862G	43.10	83.54	-40.44	41.53	1	Vertical	267	1.50	-	38.08	15.49	52.00			
AV	20.35644G	30.44	63.54	-33.10	28.86	1	Vertical	267	1.50	-	38.09	15.49	52.00			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Z_4TX
Setting 43
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35904G	43.28	83.54	-40.26	41.71	1	Horizontal	221	1.58	-	38.08	15.49	52.00			
AV	20.35551G	30.51	63.54	-33.03	28.94	1	Horizontal	221	1.58	-	38.09	15.48	52.00			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 46
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.72698G	56.07	88.20	-32.13	46.07	3	Vertical	38	1.67	-	40.51	12.11	42.62			
RMS	13.72893G	43.35	68.20	-24.85	33.34	3	Vertical	38	1.67	-	40.52	12.11	42.62			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 46
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7325G	56.44	88.20	-31.76	46.42	3	Horizontal	320	2.83	-	40.53	12.11	42.62			
RMS	13.72791G	43.43	68.20	-24.77	33.43	3	Horizontal	320	2.83	-	40.51	12.11	42.62			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 46
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.59614G	43.93	83.54	-39.61	42.30	1	Vertical	157	1.51	-	37.99	15.68	52.04			
AV	20.59793G	30.43	63.54	-33.11	28.79	1	Vertical	157	1.51	-	38.00	15.68	52.04			

6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX


EUT_Z_4TX
Setting 46
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.59686G	43.44	83.54	-40.10	41.81	1	Horizontal	58	1.58	-	37.99	15.68	52.04			
AV	20.59605G	30.49	63.54	-33.05	28.86	1	Horizontal	58	1.58	-	37.99	15.68	52.04			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
Setting 43
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.88586G	56.81	88.20	-31.39	46.31	3	Vertical	48	2.40	-	40.87	12.16	42.53			
RMS	13.89084G	43.97	68.20	-24.23	33.46	3	Vertical	48	2.40	-	40.88	12.16	42.53			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
Setting 43
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.89259G	56.22	88.20	-31.98	45.69	3	Horizontal	157	2.54	-	40.89	12.16	42.52			
RMS	13.89091G	43.94	68.20	-24.26	33.43	3	Horizontal	157	2.54	-	40.88	12.16	42.53			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
Setting 43
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.83634G	43.42	83.54	-40.12	41.48	1	Vertical	70	1.54	-	38.20	15.87	52.13			
AV	20.83635G	30.73	63.54	-32.81	28.79	1	Vertical	70	1.54	-	38.20	15.87	52.13			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Z_4TX
Setting 43
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.83644G	42.86	83.54	-40.68	40.92	1	Horizontal	93	1.54	-	38.20	15.87	52.13			
AV	20.83582G	30.65	63.54	-32.89	28.71	1	Horizontal	93	1.54	-	38.20	15.87	52.13			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 42
03-S-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.9882G	111.51	Inf	-Inf	103.06	3	Vertical	261	2.50	-	35.60	8.40	35.55			
RMS	6.9874G	96.32	Inf	-Inf	87.87	3	Vertical	261	2.50	-	35.60	8.39	35.54			
PK	7.2098G	62.62	88.20	-25.58	53.35	3	Vertical	261	2.50	-	36.26	8.45	35.44			
RMS	7.2242G	49.37	68.20	-18.83	39.99	3	Vertical	261	2.50	-	36.35	8.46	35.43			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 42
03-S-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.993G	99.21	Inf	-Inf	90.76	3	Horizontal	13	2.67	-	35.60	8.40	35.55			
AV	6.9934G	82.03	Inf	-Inf	73.58	3	Horizontal	13	2.67	-	35.60	8.40	35.55			
PK	7.219G	61.85	88.20	-26.35	52.52	3	Horizontal	13	2.67	-	36.31	8.45	35.43			
AV	7.2246G	49.20	68.20	-19.00	39.82	3	Horizontal	13	2.67	-	36.35	8.46	35.43			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 42
03-S-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	14.05217G	56.55	88.20	-31.65	45.58	3	Vertical	73	1.69	-	41.20	12.22	42.45			
RMS	14.04922G	44.00	68.20	-24.20	33.03	3	Vertical	73	1.69	-	41.20	12.22	42.45			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 42
03-S-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	14.05352G	57.25	88.20	-30.95	46.27	3	Horizontal	115	1.98	-	41.21	12.22	42.45			
RMS	14.05175G	43.93	68.20	-24.27	32.96	3	Horizontal	115	1.98	-	41.20	12.22	42.45			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX


7025MHz_TX

EUT_Z_4TX
Setting 42
03-S-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	21.07801G	43.95	83.54	-39.59	41.86	1	Vertical	45	1.58	-	38.23	16.06	52.20			
AV	21.07659G	31.11	63.54	-32.43	29.01	1	Vertical	45	1.58	-	38.24	16.06	52.20			

6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Z_4TX
Setting 42
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	21.07635G	43.47	83.54	-40.07	41.37	1	Horizontal	76	1.53	-	38.24	16.06	52.20				
AV	21.0759G	31.09	63.54	-32.45	28.99	1	Horizontal	76	1.53	-	38.24	16.06	52.20				

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 68
03-S-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	76.66	88.20	-11.54	69.59	3	Vertical	248	2.26	-	34.54	7.63	35.10			
RMS	5.9242G	62.83	68.20	-5.37	55.75	3	Vertical	248	2.26	-	34.55	7.63	35.10			
PK	5.9786G	110.35	Inf	-Inf	103.21	3	Vertical	248	2.26	-	34.60	7.67	35.13			
RMS	6.089G	99.62	Inf	-Inf	92.11	3	Vertical	248	2.26	-	34.83	7.79	35.11			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 68
03-S-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9154G	62.47	88.20	-25.73	55.42	3	Horizontal	157	2.64	-	34.53	7.62	35.10			
RMS	5.921G	50.71	68.20	-17.49	43.64	3	Horizontal	157	2.64	-	34.54	7.63	35.10			
PK	5.9594G	104.17	Inf	-Inf	97.03	3	Horizontal	157	2.64	-	34.60	7.66	35.12			
RMS	6.081G	88.26	Inf	-Inf	80.80	3	Horizontal	157	2.64	-	34.79	7.78	35.11			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 68
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04976G	54.49	74.00	-19.51	47.16	3	Vertical	81	2.75	-	39.00	11.54	43.21			
AV	12.04969G	40.88	54.00	-13.12	33.55	3	Vertical	81	2.75	-	39.00	11.54	43.21			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 68
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04818G	54.08	74.00	-19.92	46.75	3	Horizontal	83	2.20	-	39.00	11.54	43.21			
AV	12.05155G	40.85	54.00	-13.15	33.52	3	Horizontal	83	2.20	-	39.00	11.54	43.21			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 68
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0799G	44.44	83.54	-39.10	41.35	1	Vertical	126	1.51	-	37.52	15.30	49.73			
AV	18.07771G	30.57	63.54	-32.97	27.48	1	Vertical	126	1.51	-	37.51	15.30	49.72			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6025MHz_TX

EUT_Z_4TX
Setting 68
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07348G	43.06	83.54	-40.48	39.99	1	Horizontal	173	1.56	-	37.49	15.30	49.72			
AV	18.0799G	30.59	63.54	-32.95	27.50	1	Horizontal	173	1.56	-	37.52	15.30	49.73			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 61
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.36956G	54.40	74.00	-19.60	47.26	3	Vertical	154	2.29	-	38.66	11.65	43.17			
AV	12.36907G	40.93	54.00	-13.07	33.79	3	Vertical	154	2.29	-	38.66	11.65	43.17			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 61
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37156G	53.67	74.00	-20.33	46.53	3	Horizontal	42	1.25	-	38.66	11.65	43.17			
AV	12.36968G	40.89	54.00	-13.11	33.75	3	Horizontal	42	1.25	-	38.66	11.65	43.17			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 61
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55018G	43.76	83.54	-39.78	41.25	1	Vertical	349	1.57	-	37.70	15.27	50.46			
AV	18.55842G	30.34	63.54	-33.20	27.84	1	Vertical	349	1.57	-	37.70	15.27	50.47			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Z_4TX
Setting 61
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55405G	44.08	83.54	-39.46	41.57	1	Horizontal	290	1.54	-	37.70	15.27	50.46			
AV	18.55654G	30.37	63.54	-33.17	27.87	1	Horizontal	290	1.54	-	37.70	15.27	50.47			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 56
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.68969G	54.33	74.00	-19.67	46.66	3	Vertical	299	1.11	-	38.88	11.75	42.96			
AV	12.68816G	41.14	54.00	-12.86	33.47	3	Vertical	299	1.11	-	38.88	11.75	42.96			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 56
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.68632G	53.95	74.00	-20.05	46.29	3	Horizontal	358	1.80	-	38.87	11.75	42.96			
AV	12.69061G	41.23	54.00	-12.77	33.56	3	Horizontal	358	1.80	-	38.88	11.75	42.96			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 56
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03413G	43.39	83.54	-40.15	41.28	1	Vertical	181	1.51	-	37.90	15.25	51.04			
AV	19.03013G	30.50	63.54	-33.04	28.39	1	Vertical	181	1.51	-	37.90	15.25	51.04			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Z_4TX
Setting 56
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03956G	43.29	83.54	-40.25	41.19	1	Horizontal	74	1.55	-	37.90	15.25	51.05			
AV	19.03129G	30.59	63.54	-32.95	28.48	1	Horizontal	74	1.55	-	37.90	15.25	51.04			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 63
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.00563G	55.63	88.20	-32.57	47.11	3	Vertical	110	1.09	-	39.31	11.86	42.65			
RMS	13.01221G	42.28	68.20	-25.92	33.75	3	Vertical	110	1.09	-	39.32	11.86	42.65			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 63
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.00692G	55.12	88.20	-33.08	46.60	3	Horizontal	98	2.96	-	39.31	11.86	42.65			
RMS	13.0115G	42.17	68.20	-26.03	33.64	3	Horizontal	98	2.96	-	39.32	11.86	42.65			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 63
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51373G	42.29	83.54	-41.25	40.65	1	Vertical	312	1.53	-	38.03	15.22	51.61			
AV	19.51294G	29.71	63.54	-33.83	28.07	1	Vertical	312	1.53	-	38.03	15.22	51.61			

6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 63
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.51399G	42.97	83.54	-40.57	41.33	1	Horizontal	328	1.56	-	38.03	15.22	51.61			
AV	19.51502G	29.74	63.54	-33.80	28.10	1	Horizontal	328	1.56	-	38.03	15.22	51.61			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 63
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.33464G	56.03	74.00	-17.97	46.78	3	Vertical	203	2.47	-	40.00	11.97	42.72			
AV	13.32623G	43.00	54.00	-11.00	33.75	3	Vertical	203	2.47	-	40.00	11.97	42.72			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 63
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.32764G	55.69	74.00	-18.31	46.44	3	Horizontal	125	2.56	-	40.00	11.97	42.72			
AV	13.32966G	42.97	54.00	-11.03	33.72	3	Horizontal	125	2.56	-	40.00	11.97	42.72			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 63
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.99206G	43.02	83.54	-40.52	42.01	1	Vertical	5	1.50	-	37.80	15.20	51.99			
AV	19.99976G	29.94	63.54	-33.60	28.94	1	Vertical	5	1.50	-	37.80	15.20	52.00			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Z_4TX
Setting 63
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.99746G	43.50	83.54	-40.04	42.50	1	Horizontal	231	1.51	-	37.80	15.20	52.00				
AV	19.99687G	29.92	63.54	-33.62	28.92	1	Horizontal	231	1.51	-	37.80	15.20	52.00				

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 57
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.64514G	56.37	88.20	-31.83	46.56	3	Vertical	253	1.50	-	40.40	12.08	42.67			
RMS	13.64721G	43.30	68.20	-24.90	33.49	3	Vertical	253	1.50	-	40.40	12.08	42.67			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 57
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6514G	56.26	88.20	-31.94	46.45	3	Horizontal	7	2.36	-	40.40	12.08	42.67			
RMS	13.64699G	43.19	68.20	-25.01	33.38	3	Horizontal	7	2.36	-	40.40	12.08	42.67			

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 57
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.47504G	43.39	83.54	-40.15	42.01	1	Vertical	82	1.54	-	37.80	15.58	52.00				
AV	20.47365G	30.31	63.54	-33.23	28.92	1	Vertical	82	1.54	-	37.81	15.58	52.00				

6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 57
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.47999G	43.03	83.54	-40.51	41.69	1	Horizontal	283	1.58	-	37.76	15.58	52.00			
AV	20.47402G	30.28	63.54	-33.26	28.89	1	Horizontal	283	1.58	-	37.81	15.58	52.00			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 56
03-S-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.908G	115.74	Inf	-Inf	107.23	3	Vertical	261	2.64	-	35.60	8.36	35.45			
RMS	6.909G	99.12	Inf	-Inf	90.61	3	Vertical	261	2.64	-	35.60	8.36	35.45			
PK	7.128G	66.57	88.20	-21.63	57.82	3	Vertical	261	2.64	-	35.81	8.43	35.49			
RMS	7.1255G	54.51	68.20	-13.69	45.77	3	Vertical	261	2.64	-	35.80	8.43	35.49			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX


6985MHz_TX

EUT_Z_4TX
Setting 56
03-S-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.918G	105.04	Inf	-Inf	96.53	3	Horizontal	54	2.13	-	35.60	8.37	35.46			
AV	6.922G	87.75	Inf	-Inf	79.24	3	Horizontal	54	2.13	-	35.60	8.37	35.46			
PK	7.2105G	62.33	88.20	-25.87	53.06	3	Horizontal	54	2.13	-	36.26	8.45	35.44			
AV	7.2345G	49.35	68.20	-18.85	39.90	3	Horizontal	54	2.13	-	36.41	8.46	35.42			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 56
03-S-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.97274G	56.36	88.20	-31.84	45.56	3	Vertical	292	1.18	-	41.09	12.19	42.48			
RMS	13.97035G	43.79	68.20	-24.41	33.00	3	Vertical	292	1.18	-	41.08	12.19	42.48			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 56
03-S-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.968G	56.70	88.20	-31.50	45.92	3	Horizontal	186	2.92	-	41.07	12.19	42.48			
RMS	13.97186G	43.81	68.20	-24.39	33.01	3	Horizontal	186	2.92	-	41.09	12.19	42.48			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 56
03-S-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95647G	43.61	83.54	-39.93	41.75	1	Vertical	72	1.52	-	38.07	15.97	52.18			
AV	20.95872G	30.41	63.54	-33.13	28.55	1	Vertical	72	1.52	-	38.07	15.97	52.18			

6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Z_4TX
Setting 56
03-S-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.95532G	43.48	83.54	-40.06	41.62	1	Horizontal	199	1.51	-	38.08	15.96	52.18			
AV	20.9543G	30.52	63.54	-33.02	28.66	1	Horizontal	199	1.51	-	38.08	15.96	52.18			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 65
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	75.85	88.20	-12.35	68.77	3	Vertical	97.2	2.27	-	34.55	7.63	35.10			
RMS	5.9214G	63.69	68.20	-4.51	56.62	3	Vertical	97.2	2.27	-	34.54	7.63	35.10			
PK	5.9622G	114.00	Inf	-Inf	106.86	3	Vertical	97.2	2.27	-	34.60	7.66	35.12			
RMS	6.2046G	99.51	Inf	-Inf	91.66	3	Vertical	97.2	2.27	-	34.99	7.92	35.06			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 65
03-S-5-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.889G	61.99	88.20	-26.21	55.02	3	Horizontal	0	2.76	-	34.46	7.60	35.09			
RMS	5.9094G	50.16	68.20	-18.04	43.12	3	Horizontal	0	2.76	-	34.52	7.62	35.10			
PK	6.1518G	96.36	Inf	-Inf	88.68	3	Horizontal	0	2.76	-	34.90	7.86	35.08			
RMS	6.2022G	86.11	Inf	-Inf	78.25	3	Horizontal	0	2.76	-	35.00	7.92	35.06			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 65
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.21051G	54.53	74.00	-19.47	47.41	3	Vertical	189	1.46	-	38.72	11.59	43.19			
AV	12.20837G	40.87	54.00	-13.13	33.75	3	Vertical	189	1.46	-	38.72	11.59	43.19			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 65
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.20624G	54.00	74.00	-20.00	46.89	3	Horizontal	289	2.20	-	38.71	11.59	43.19			
AV	12.20787G	40.88	54.00	-13.12	33.76	3	Horizontal	289	2.20	-	38.72	11.59	43.19			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 65
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31689G	43.71	83.54	-39.83	41.04	1	Vertical	86	1.54	-	37.50	15.28	50.11			
AV	18.31751G	30.73	63.54	-32.81	28.06	1	Vertical	86	1.54	-	37.50	15.28	50.11			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 65
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31591G	43.86	83.54	-39.68	41.19	1	Horizontal	12	1.54	-	37.50	15.28	50.11			
AV	18.31414G	30.64	63.54	-32.90	27.96	1	Horizontal	12	1.54	-	37.50	15.28	50.10			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_Z_4TX
Setting 65
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52996G	54.30	74.00	-19.70	47.02	3	Vertical	61	1.09	-	38.70	11.70	43.12			
AV	12.53139G	41.10	54.00	-12.90	33.82	3	Vertical	61	1.09	-	38.70	11.70	43.12			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_Z_4TX
Setting 65
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52799G	53.78	74.00	-20.22	46.50	3	Horizontal	63	1.05	-	38.70	11.70	43.12			
AV	12.52976G	41.21	54.00	-12.79	33.93	3	Horizontal	63	1.05	-	38.70	11.70	43.12			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_Z_4TX
Setting 65
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79936G	42.99	83.54	-40.55	40.69	1	Vertical	52	1.56	-	37.80	15.26	50.76			
AV	18.79775G	30.25	63.54	-33.29	27.95	1	Vertical	52	1.56	-	37.80	15.26	50.76			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6265MHz_TX




EUT_Z_4TX
Setting 65
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79814G	43.06	83.54	-40.48	40.76	1	Horizontal	238	1.52	-	37.80	15.26	50.76			
AV	18.79428G	30.37	63.54	-33.17	28.06	1	Horizontal	238	1.52	-	37.80	15.26	50.75			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Z_4TX
Setting 64
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84616G	54.92	88.20	-33.28	46.73	3	Vertical	308	2.26	-	39.18	11.81	42.80			
RMS	12.85115G	41.46	68.20	-26.74	33.25	3	Vertical	308	2.26	-	39.20	11.81	42.80			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Z_4TX
Setting 64
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.85445G	54.72	88.20	-33.48	46.51	3	Horizontal	334	1.55	-	39.20	11.81	42.80			
RMS	12.85313G	41.30	68.20	-26.90	33.09	3	Horizontal	334	1.55	-	39.20	11.81	42.80			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Z_4TX
Setting 64
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2708G	43.38	83.54	-40.16	41.52	1	Vertical	245	1.51	-	37.94	15.24	51.32			
AV	19.27345G	30.24	63.54	-33.30	28.38	1	Vertical	245	1.51	-	37.95	15.24	51.33			

5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6425MHz Straddle 5.925-6.425GHz_TX




EUT_Z_4TX
Setting 64
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.27878G	44.00	83.54	-39.54	42.13	1	Horizontal	61	1.55	-	37.96	15.24	51.33			
AV	19.27849G	30.31	63.54	-33.23	28.44	1	Horizontal	61	1.55	-	37.96	15.24	51.33			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 67
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.16815G	56.14	88.20	-32.06	47.27	3	Vertical	58	2.30	-	39.64	11.92	42.69			
RMS	13.16622G	42.71	68.20	-25.49	33.85	3	Vertical	58	2.30	-	39.63	11.92	42.69			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 67
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.16822G	57.23	88.20	-30.97	48.36	3	Horizontal	299	2.05	-	39.64	11.92	42.69			
RMS	13.16538G	42.74	68.20	-25.46	33.88	3	Horizontal	299	2.05	-	39.63	11.92	42.69			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 67
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.75905G	44.06	83.54	-39.48	42.72	1	Vertical	25	1.57	-	37.94	15.21	51.81			
AV	19.7584G	30.00	63.54	-33.54	28.67	1	Vertical	25	1.57	-	37.93	15.21	51.81			

6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6585MHz Straddle 6.425-6.525GHz_TX




EUT_Z_4TX
Setting 67
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.756G	43.83	83.54	-39.71	42.50	1	Horizontal	141	1.52	-	37.92	15.21	51.80			
AV	19.75864G	30.06	63.54	-33.48	28.73	1	Horizontal	141	1.52	-	37.93	15.21	51.81			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 65
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.495G	57.08	88.20	-31.12	47.52	3	Vertical	328	2.56	-	40.29	12.03	42.76			
RMS	13.48743G	42.88	68.20	-25.32	33.34	3	Vertical	328	2.56	-	40.27	12.03	42.76			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 65
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.49315G	56.79	88.20	-31.41	47.23	3	Horizontal	30	1.02	-	40.29	12.03	42.76			
RMS	13.48626G	42.87	68.20	-25.33	33.33	3	Horizontal	30	1.02	-	40.27	12.03	42.76			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 65
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.23552G	43.68	83.54	-39.86	42.32	1	Vertical	324	1.50	-	37.97	15.39	52.00			
AV	20.23994G	29.93	63.54	-33.61	28.56	1	Vertical	324	1.50	-	37.98	15.39	52.00			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6745MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 65
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.2333G	43.43	83.54	-40.11	42.07	1	Horizontal	338	1.53	-	37.97	15.39	52.00			
AV	20.23519G	29.89	63.54	-33.65	28.53	1	Horizontal	338	1.53	-	37.97	15.39	52.00			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 67
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.7664G	108.37	Inf	-Inf	99.88	3	Vertical	110	3.00	-	35.47	8.30	35.28			
RMS	6.7496G	98.30	Inf	-Inf	89.86	3	Vertical	110	3.00	-	35.40	8.29	35.25			
PK	7.1332G	72.12	88.20	-16.08	63.34	3	Vertical	110	3.00	-	35.83	8.43	35.48			
RMS	7.1514G	57.46	68.20	-10.74	48.58	3	Vertical	110	3.00	-	35.91	8.44	35.47			
PK	7.2634G	65.96	74.00	-8.04	56.35	3	Vertical	110	3.00	-	36.55	8.47	35.41			
AV	7.25G	53.72	54.00	-0.28	44.17	3	Vertical	110	3.00	-	36.50	8.46	35.41			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 67
03-S-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	6.8742G	96.91	Inf	-Inf	88.37	3	Horizontal	200	2.02	-	35.60	8.35	35.41			
RMS	6.8812G	84.37	Inf	-Inf	75.84	3	Horizontal	200	2.02	-	35.60	8.35	35.42			
PK	7.4398G	60.92	74.00	-13.08	50.87	3	Horizontal	200	2.02	-	36.82	8.53	35.30			
AV	7.3488G	48.23	54.00	-5.77	38.20	3	Horizontal	200	2.02	-	36.90	8.49	35.36			
PK	7.1892G	60.86	88.20	-27.34	51.72	3	Horizontal	200	2.02	-	36.14	8.45	35.45			
RMS	7.1836G	47.96	68.20	-20.24	38.86	3	Horizontal	200	2.02	-	36.10	8.45	35.45			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 67
03-S-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.80589G	56.08	88.20	-32.12	45.82	3	Vertical	239	1.51	-	40.71	12.13	42.58			
RMS	13.80957G	43.36	68.20	-24.84	33.07	3	Vertical	239	1.51	-	40.72	12.14	42.57			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 67
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.80763G	56.57	88.20	-31.63	46.30	3	Horizontal	177	2.90	-	40.72	12.13	42.58			
RMS	13.80883G	43.37	68.20	-24.83	33.08	3	Horizontal	177	2.90	-	40.72	12.14	42.57			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX




EUT_Z_4TX
Setting 67
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71141G	43.61	83.54	-39.93	42.04	1	Vertical	54	1.57	-	37.88	15.77	52.08			
AV	20.71908G	30.57	63.54	-32.97	29.02	1	Vertical	54	1.57	-	37.86	15.78	52.09			

6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_4TX

6905MHz Straddle 6.525-6.875GHz_TX



EUT_Z_4TX
Setting 67
03-S-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.71044G	43.17	83.54	-40.37	41.60	1	Horizontal	53	1.54	-	37.88	15.77	52.08			
AV	20.71852G	30.52	63.54	-33.02	28.98	1	Horizontal	53	1.54	-	37.86	15.77	52.09			


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

27/03/2024

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.961673G	-6.50	5.91005G	-50.97	-46.50	-4.47	1
5.962448G	-5.71	5.992175G	-50.91	-45.71	-5.20	2


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

27/03/2024

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.190701G	-4.99	6.2307G	-51.04	-44.99	-6.05	1
6.192951G	-4.77	6.148175G	-51.04	-44.77	-6.27	2

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

27/03/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.424123G	-5.45	6.4503G	-50.69	-45.45	-5.24	1
6.417849G	-5.31	6.46195G	-50.91	-45.31	-5.60	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

27/03/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.968849G	-4.74	6.0416G	-48.73	-44.74	-3.99	1
5.978897G	-4.71	6.0406G	-48.67	-44.71	-3.96	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

27/03/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.191453G	-3.04	6.10555G	-49.17	-43.04	-6.13	1
6.201001G	-3.40	6.13495G	-49.07	-43.40	-5.67	2

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

27/03/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.409949G	-5.65	6.4728G	-49.04	-45.65	-3.39	1
6.398702G	-5.84	6.4794G	-49.20	-45.84	-3.36	2

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS15)_2TX

MASK

5985MHz_TX

27/03/2024




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS15)_2TX

MASK

6225MHz_TX

27/03/2024



5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS15)_2TX

MASK

6385MHz_TX

27/03/2024

CF (Hz)
6.385G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.34751G	0.29	6.5681G	-44.17	-39.71	-4.46	1
6.3707G	0.40	6.5744G	-44.12	-39.60	-4.52	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS15)_2TX

MASK

6025MHz_TX

27/03/2024

CF (Hz)
6.025G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05039G	2.74	6.2652G	-39.63	-37.25	-2.38	1
6.04839G	2.44	6.1058G	-16.51	-16.36	-0.15	2

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS15)_2TX

MASK

6185MHz_TX

27/03/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16001G	3.37	6.4282G	-38.65	-36.63	-2.02	1
6.12322G	3.81	6.4346G	-38.18	-35.92	-2.26	2

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

5955MHz_TX

06/02/2024




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6195MHz_TX

06/02/2024




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6415MHz_TX

06/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.411226G	-4.17	6.384425G	-55.96	-43.93	-12.03	1
6.416225G	-3.43	6.3843G	-55.62	-42.60	-13.02	2

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

5965MHz_TX

06/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.982246G	-3.36	6.02605G	-52.92	-43.36	-9.56	1
5.978697G	-3.08	6.0255G	-50.79	-43.08	-7.71	2

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6205MHz_TX

06/02/2024




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6405MHz_TX

06/02/2024




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

5985MHz_TX

06/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.01379G	1.20	6.1059G	-45.31	-38.80	-6.51	1
6.01409G	1.37	6.1066G	-44.79	-38.63	-6.16	2

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6225MHz_TX

06/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.19701G	1.37	6.3476G	-45.96	-38.63	-7.33	1
6.2138G	1.71	6.3453G	-44.44	-38.29	-6.15	2

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6385MHz_TX

06/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3767G	1.14	6.2688G	-46.93	-37.40	-9.53	1
6.35601G	1.68	6.2688G	-44.84	-37.05	-7.79	2

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6025MHz_TX

06/02/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05819G	5.01	6.3292G	-37.62	-34.83	-2.79	1
6.04799G	5.76	6.2018G	-22.41	-17.79	-4.62	2


5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6185MHz_TX

06/02/2024

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15761G	6.98	6.032G	-20.96	-13.23	-7.73	1
6.20919G	6.96	6.0166G	-19.98	-13.51	-6.47	2


5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6345MHz_TX

06/02/2024

CF (Hz)
6.345G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3298G	4.50	6.0496G	-40.52	-35.50	-5.02	1
6.328G	4.90	6.0946G	-36.55	-35.10	-1.45	2

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

05/02/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

05/02/2024




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

05/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.411551G	-6.53	6.4497G	-55.98	-46.53	-9.45	1
6.412551G	-5.84	6.450225G	-51.88	-45.84	-6.04	2

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

05/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43555G	-5.50	6.4692G	-56.13	-45.50	-10.63	1
6.434575G	-4.81	6.465525G	-55.40	-44.62	-10.78	2

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

05/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.476175G	-5.80	6.505525G	-55.49	-45.41	-10.08	1
6.471901G	-4.78	6.442575G	-56.28	-44.78	-11.50	2

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

05/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.515375G	-6.00	6.47125G	-55.91	-46.00	-9.91	1
6.518199G	-4.52	6.47595G	-56.03	-44.52	-11.51	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

05/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.538199G	-6.38	6.50355G	-56.16	-46.38	-9.78	1
6.530951G	-5.62	6.49465G	-56.38	-45.62	-10.76	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

05/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.697324G	-7.16	6.73365G	-55.97	-47.16	-8.81	1
6.701173G	-6.36	6.7259G	-56.00	-46.36	-9.64	2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

05/02/2024




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

05/02/2024



6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

05/02/2024

CF (Hz)
6.995G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.993825G	-4.52	6.96305G	-55.02	-44.52	-10.50	1
6.990276G	-3.54	6.962575G	-55.07	-43.54	-11.53	2

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

05/02/2024

CF (Hz)
7.095G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.090501G	-6.60	7.125625G	-59.42	-45.04	-14.38	1
7.092501G	-5.58	7.0644G	-58.67	-44.08	-14.59	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

05/02/2024




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

05/02/2024



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

05/02/2024

CF (Hz)
6.405G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.407699G	-3.77	6.4677G	-53.85	-43.77	-10.08	1
6.402251G	-3.27	6.34375G	-53.32	-43.27	-10.05	2

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

05/02/2024

CF (Hz)
6.445G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.450999G	-3.92	6.5051G	-53.93	-43.92	-10.01	1
6.437502G	-3.09	6.3837G	-53.30	-43.09	-10.21	2

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

05/02/2024




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

05/02/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

05/02/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

05/02/2024




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

05/02/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

05/02/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

05/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.001301G	-4.22	6.94365G	-53.15	-44.22	-8.93	1
6.997352G	-3.63	6.9432G	-52.65	-43.63	-9.02	2

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

05/02/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.081401G	-5.26	7.02385G	-57.58	-45.26	-12.32	1
7.080201G	-4.87	7.02375G	-57.25	-44.87	-12.38	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS15)_2TX

MASK

5985MHz_TX

05/02/2024

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9967G	0.48	6.108G	-46.80	-39.52	-7.28	1
5.9975G	1.01	6.1047G	-45.06	-38.47	-6.59	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS15)_2TX

MASK

6225MHz_TX

05/02/2024

CF (Hz)
6.225G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2388G	0.23	6.3476G	-47.86	-39.77	-8.09	1
6.2357G	0.59	6.3486G	-46.78	-39.41	-7.37	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS15)_2TX

MASK

6385MHz_TX

05/02/2024

CF (Hz)
6.385G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3742G	1.43	6.5074G	-46.12	-38.57	-7.55	1
6.3704G	2.13	6.506G	-43.48	-37.87	-5.61	2

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS15)_2TX

MASK

6465MHz_TX

05/02/2024

CF (Hz)
6.465G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4577G	1.12	6.5872G	-47.43	-38.88	-8.55	1
6.4525G	2.04	6.5872G	-45.87	-37.96	-7.91	2

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS15)_2TX

MASK

6545MHz_TX

05/02/2024

CF (Hz)
6.545G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53G	1.46	6.6664G	-47.17	-38.54	-8.63	1
6.5538G	2.16	6.4207G	-45.19	-37.84	-7.35	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS15)_2TX

MASK

6625MHz_TX

05/02/2024

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6129G	0.11	6.7465G	-47.35	-39.89	-7.46	1
6.6124G	0.92	6.7457G	-46.31	-39.06	-7.25	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS15)_2TX

MASK

6705MHz_TX

05/02/2024

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6945G	0.16	6.8269G	-47.22	-39.84	-7.38	1
6.73059G	0.85	6.828G	-46.60	-39.15	-7.45	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS15)_2TX

MASK

6785MHz_TX

05/02/2024

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7941G	1.95	6.908G	-45.22	-38.05	-7.17	1
6.7987G	2.64	6.9061G	-43.68	-37.36	-6.32	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS15)_2TX

MASK

6865MHz_TX

05/02/2024




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS15)_2TX

MASK

6945MHz_TX

05/02/2024




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS15)_2TX

MASK

7025MHz_TX

05/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0139G	-0.53	6.9033G	-47.87	-40.53	-7.34	1
7.0102G	-0.02	6.9028G	-47.63	-40.02	-7.61	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS15)_2TX

MASK

6025MHz_TX

05/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.00081G	2.67	6.2666G	-38.48	-37.14	-1.34	1
6.00101G	3.21	6.2676G	-37.61	-36.79	-0.82	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS15)_2TX

MASK

6185MHz_TX

05/02/2024




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS15)_2TX

MASK

6345MHz_TX

05/02/2024




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS15)_2TX

MASK

6505MHz_TX

05/02/2024

CF (Hz)
6.505G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53239G	4.34	6.7504G	-37.16	-35.66	-1.50	1
6.47861G	4.93	6.7576G	-36.65	-35.04	-1.61	2


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS15)_2TX

MASK

6665MHz_TX

05/02/2024

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69299G	2.01	6.422G	-42.01	-37.99	-4.02	1
6.61041G	2.77	6.4208G	-40.14	-37.23	-2.91	2

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS15)_2TX

MASK

6825MHz_TX

05/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79781G	4.13	6.4844G	-43.05	-35.87	-7.18	1
6.79881G	4.87	6.5202G	-39.34	-34.65	-4.69	2

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS15)_2TX

MASK

6985MHz_TX

05/02/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95761G	2.66	6.7932G	-33.04	-29.24	-3.80	1
6.92182G	3.16	6.799G	-29.49	-26.92	-2.57	2


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

03/02/2024

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.961048G	-8.64	5.908475G	-55.79	-48.64	-7.15	1
5.959574G	-8.50	5.913G	-51.52	-48.50	-3.02	2


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6195MHz_TX

03/02/2024

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
200k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.192926G	-7.50	6.158075G	-56.59	-47.50	-9.09	1
6.197524G	-7.85	6.1496G	-52.16	-47.85	-4.31	2

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

03/02/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

03/02/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

03/02/2024




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

03/02/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

03/02/2024




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

03/02/2024



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6875MHz Straddle 6.525-6.875GHz_TX

03/02/2024

CF (Hz)
6.875G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.879974G	-8.15	6.915675G	-56.04	-48.15	-7.89	1
6.87375G	-7.70	6.83485G	-51.25	-47.70	-3.55	2

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

03/02/2024

CF (Hz)
6.895G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.896225G	-8.64	6.92915G	-55.96	-48.64	-7.32	1
6.899874G	-7.72	6.927675G	-55.93	-47.72	-8.21	2

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.992026G	-8.05	6.9645G	-55.42	-48.05	-7.37	1
6.990701G	-7.24	6.95225G	-55.40	-47.24	-8.16	2

6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

03/02/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.088902G	-9.14	7.12715G	-61.92	-49.14	-12.78	1
7.088727G	-8.13	7.05905G	-61.57	-48.13	-13.44	2


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

03/02/2024

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.979096G	-6.22	6.04115G	-53.83	-46.22	-7.61	1
5.979996G	-5.94	6.0366G	-54.12	-45.94	-8.18	2


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6205MHz_TX

03/02/2024

CF (Hz)
6.205G
Span (Hz)
200M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.20625G	-5.40	6.30375G	-54.46	-45.40	-9.06	1
6.208149G	-5.73	6.1221G	-54.13	-45.73	-8.40	2

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.392503G	-5.49	6.47095G	-54.23	-45.49	-8.74	1
6.412598G	-5.25	6.4662G	-54.41	-45.25	-9.16	2

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4442G	-5.42	6.50635G	-54.09	-45.42	-8.67	1
6.451898G	-5.53	6.506G	-54.26	-45.53	-8.73	2

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.480051G	-5.66	6.42385G	-54.19	-45.66	-8.53	1
6.482551G	-4.88	6.42325G	-54.06	-44.88	-9.18	2

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6525MHz Straddle 6.425-6.525GHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.517702G	-5.62	6.46405G	-54.21	-45.62	-8.59	1
6.510054G	-5.06	6.4638G	-54.26	-45.06	-9.20	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.567899G	-6.03	6.6632G	-54.36	-46.03	-8.33	1
6.569449G	-5.47	6.49535G	-54.44	-45.47	-8.97	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.680051G	-5.65	6.76845G	-53.91	-45.65	-8.26	1
6.690099G	-5.02	6.7466G	-54.09	-45.02	-9.07	2

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6885MHz Straddle 6.525-6.875GHz_TX

03/02/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

03/02/2024




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.998552G	-5.22	6.9405G	-53.39	-45.22	-8.17	1
7.007999G	-3.94	6.94535G	-53.11	-43.94	-9.17	2

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

03/02/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.079001G	-6.01	7.0236G	-58.23	-46.01	-12.22	1
7.078902G	-5.23	7.0228G	-57.57	-45.23	-12.34	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

03/02/2024

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9714G	-0.38	6.1054G	-48.03	-40.38	-7.65	1
6.0002G	-0.52	6.1083G	-48.01	-40.52	-7.49	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6225MHz_TX

03/02/2024

CF (Hz)
6.225G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2162G	-0.25	6.1024G	-48.70	-40.25	-8.45	1
6.2373G	-0.00	6.3465G	-48.40	-40.00	-8.40	2

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

03/02/2024

CF (Hz)
6.385G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3788G	-1.04	6.5125G	-48.80	-41.04	-7.76	1
6.3785G	-0.80	6.2627G	-49.00	-40.80	-8.20	2

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

03/02/2024

CF (Hz)
6.465G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4525G	-0.66	6.3348G	-48.88	-40.66	-8.22	1
6.4744G	-0.40	6.5873G	-48.80	-40.40	-8.40	2

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6545MHz Straddle 6.425-6.525GHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5324G	-0.48	6.4226G	-48.58	-40.48	-8.10	1
6.5388G	0.34	6.6666G	-48.52	-39.66	-8.86	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

03/02/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6139G	-0.93	6.7464G	-48.39	-40.93	-7.46	1
6.6087G	-0.73	6.7475G	-48.11	-40.73	-7.38	2

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

03/02/2024

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6954G	-1.05	6.5819G	-48.45	-41.05	-7.40	1
6.6923G	-0.70	6.8267G	-48.12	-40.70	-7.42	2

Port 1 

Port 2 

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

03/02/2024

CF (Hz)
6.785G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.771G	-0.94	6.945G	-48.14	-40.94	-7.20	1
6.7961G	-0.55	6.9707G	-48.43	-40.55	-7.88	2

Port 1 


Port 2 

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6865MHz Straddle 6.525-6.875GHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8574G	-0.91	6.9867G	-47.66	-40.91	-6.75	1
6.8519G	-0.25	6.9868G	-47.27	-40.25	-7.02	2

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.936G	-0.40	6.7853G	-47.49	-40.40	-7.09	1
6.9304G	0.09	6.8218G	-47.57	-39.91	-7.66	2

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0112G	-0.54	6.8651G	-47.75	-40.54	-7.21	1
7.0129G	-0.15	6.9037G	-47.52	-40.15	-7.37	2

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

03/02/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05299G	3.65	6.267G	-37.98	-35.93	-2.05	1
6.04899G	3.47	6.2894G	-39.07	-36.23	-2.84	2


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

03/02/2024

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.21079G	4.35	6.428G	-38.08	-35.65	-2.43	1
6.20779G	3.96	6.4694G	-40.42	-35.95	-4.47	2


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

03/02/2024

CF (Hz)
6.345G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.36979G	3.26	6.5886G	-40.84	-36.74	-4.10	1
6.36799G	3.41	6.5896G	-40.45	-36.59	-3.86	2

6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6505MHz Straddle 6.425-6.525GHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47621G	2.81	6.7476G	-41.25	-37.13	-4.12	1
6.53239G	3.11	6.7476G	-40.11	-36.83	-3.28	2

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60122G	2.76	6.4228G	-41.25	-37.14	-4.11	1
6.63821G	2.74	6.4226G	-41.25	-37.09	-4.16	2

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6825MHz Straddle 6.525-6.875GHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79581G	2.43	6.5826G	-41.30	-37.43	-3.87	1
6.74902G	2.92	6.5836G	-40.32	-36.84	-3.48	2

6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

03/02/2024



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95661G	2.01	6.7432G	-41.25	-37.83	-3.42	1
6.96061G	2.43	6.7162G	-42.38	-37.57	-4.81	2


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6105MHz_TX

03/02/2024

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
20M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13779G	-1.33	6.899G	-42.70	-41.33	-1.37	1
6.07261G	-0.93	6.9026G	-42.84	-40.93	-1.91	2


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6265MHz_TX

03/02/2024

CF (Hz)
6.265G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
20M
Sweep Time (s)
6.4m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.23221G	4.36	6.587G	-25.56	-15.93	-9.63	1
6.22901G	4.15	6.569G	-23.26	-16.22	-7.04	2

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6425MHz Straddle 5.925-6.425GHz_TX

03/02/2024




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6585MHz Straddle 6.425-6.525GHz_TX

03/02/2024




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6745MHz Straddle 6.525-6.875GHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.70021G	2.25	6.4518G	-24.66	-17.78	-6.88	1
6.78019G	2.15	6.4378G	-25.56	-18.13	-7.43	2

6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

MASK

6905MHz Straddle 6.525-6.875GHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79823G	-8.23	6.603G	-35.24	-28.34	-6.90	1
6.87381G	-7.71	6.5946G	-35.46	-28.24	-7.22	2

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

5955MHz_TX

03/02/2024




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6195MHz_TX

03/02/2024




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6415MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.418649G	-4.94	6.453075G	-56.20	-44.94	-11.26	1
6.408027G	-4.84	6.3818G	-55.86	-44.84	-11.02	2

6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6435MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.432976G	-5.40	6.472525G	-56.18	-45.40	-10.78	1
6.438699G	-5.39	6.4702G	-56.25	-45.39	-10.86	2

6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6475MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.476325G	-5.13	6.514175G	-56.25	-45.13	-11.12	1
6.478774G	-5.07	6.437025G	-56.27	-45.07	-11.20	2

6.425-6.525GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6515MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.518799G	-5.09	6.46725G	-55.99	-45.09	-10.90	1
6.519774G	-4.84	6.4809G	-56.47	-44.84	-11.63	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6535MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.529976G	-5.05	6.48815G	-56.05	-45.05	-11.00	1
6.53375G	-5.27	6.487G	-56.69	-45.27	-11.42	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.698474G	-6.32	6.728525G	-56.11	-46.32	-9.79	1
6.702548G	-5.54	6.74205G	-55.93	-45.54	-10.39	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6875MHz Straddle 6.525-6.875GHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.878749G	-5.96	6.91495G	-55.47	-45.96	-9.51	1
6.87615G	-4.79	6.84445G	-54.98	-44.63	-10.35	2

6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6895MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.900049G	-6.21	6.93925G	-55.58	-46.21	-9.37	1
6.899974G	-5.14	6.934825G	-55.77	-45.14	-10.63	2

6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6995MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.000499G	-4.99	6.949775G	-55.33	-44.99	-10.34	1
6.992526G	-4.59	6.957075G	-54.88	-44.59	-10.29	2

6.875-7.125GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

7095MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.097499G	-6.39	7.0645G	-58.60	-44.77	-13.83	1
7.087502G	-5.43	7.06435G	-59.09	-44.54	-14.55	2

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

5965MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.971098G	-2.86	6.02455G	-52.39	-42.86	-9.53	1
5.982646G	-2.88	6.02615G	-51.92	-42.88	-9.04	2

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6205MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.218847G	-2.66	6.2673G	-53.12	-42.66	-10.46	1
6.213748G	-2.92	6.14345G	-53.37	-42.92	-10.45	2

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6405MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.411298G	-3.87	6.46765G	-53.59	-43.87	-9.72	1
6.387504G	-3.89	6.46615G	-53.58	-43.89	-9.69	2

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6445MHz_TX

03/02/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.440201G	-3.75	6.38315G	-53.67	-43.75	-9.92	1
6.458847G	-3.64	6.50635G	-53.78	-43.64	-10.14	2

6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6485MHz_TX

03/02/2024



6.425-6.525GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6525MHz Straddle 6.425-6.525GHz_TX

03/02/2024

