

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5180MHz

28/03/2024

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.06	11.06	7.98	8.27

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5200MHz

27/01/2024

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.82	10.82	7.83	7.99

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5240MHz

27/01/2024




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.47	9.47	6.41	6.59

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5745MHz

27/01/2024



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.73	11.73	8.86	8.74

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5785MHz

27/01/2024

CF (Hz)
5.785G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
11.63	11.63	8.56	8.75

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5825MHz

27/01/2024

CF (Hz)
5.825G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
12.52	12.52	9.59	9.63

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5190MHz

28/03/2024

CF (Hz)
5.19G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.10	7.10	4.02	4.25

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5230MHz

27/01/2024

CF (Hz)
5.23G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.78	7.78	4.76	4.87

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5755MHz

27/01/2024

CF (Hz)
5.755G


Span (Hz)
60M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.98	7.98	5.02	5.02

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5795MHz

27/01/2024

CF (Hz)
5.795G


Span (Hz)
60M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.58	8.58	5.59	5.73

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5210MHz

28/03/2024

CF (Hz)
5.21G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.83	3.83	0.69	0.97

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5775MHz

27/01/2024

CF (Hz)
5.775G


Span (Hz)
120M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.96	0.96	-2.17	-1.75

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_4TX	14.49
802.11be EHT20_Nss1,(MCS0)_4TX	14.49
802.11be EHT20_Nss4,(MCS0)_4TX	15.86
802.11be EHT40_Nss1,(MCS0)_4TX	9.96
802.11be EHT40_Nss4,(MCS0)_4TX	9.15
802.11be EHT80_Nss1,(MCS0)_4TX	5.80
802.11be EHT80_Nss4,(MCS0)_4TX	5.85
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_4TX	14.92
802.11be EHT20_Nss1,(MCS0)_4TX	14.52
802.11be EHT20_Nss4,(MCS0)_4TX	14.88
802.11be EHT40_Nss1,(MCS0)_4TX	11.71
802.11be EHT40_Nss4,(MCS0)_4TX	11.95
802.11be EHT80_Nss1,(MCS0)_4TX	5.76
802.11be EHT80_Nss4,(MCS0)_4TX	6.31

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	8.49	5.30	5.58	6.23	6.54	11.82	14.51
5200MHz	Pass	8.49	8.19	8.33	8.72	9.11	14.46	14.51
5240MHz	Pass	8.49	8.59	8.53	8.89	8.36	14.49	14.51
5745MHz	Pass	7.52	8.92	8.97	9.21	9.14	14.92	28.48
5785MHz	Pass	7.52	8.68	9.02	9.11	9.01	14.79	28.48
5825MHz	Pass	7.52	9.14	8.85	8.03	9.41	14.75	28.48
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	8.49	7.10	7.47	8.07	7.90	13.53	14.51
5200MHz	Pass	8.49	7.21	7.42	7.75	8.29	13.62	14.51
5240MHz	Pass	8.49	8.26	8.36	8.63	8.84	14.49	14.51
5745MHz	Pass	7.52	8.44	8.59	8.69	8.72	14.52	28.48
5785MHz	Pass	7.52	8.42	8.65	8.52	8.59	14.42	28.48
5825MHz	Pass	7.52	8.43	8.57	7.76	8.66	14.30	28.48
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5190MHz	Pass	8.49	2.00	2.23	2.69	2.56	8.30	14.51
5230MHz	Pass	8.49	3.57	3.96	4.25	4.39	9.96	14.51
5755MHz	Pass	7.52	4.95	5.12	5.29	5.11	11.00	28.48
5795MHz	Pass	7.52	5.43	5.72	5.85	5.95	11.71	28.48
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	8.49	-0.30	-0.19	0.24	0.02	5.80	14.51
5775MHz	Pass	7.52	-0.54	-0.27	0.04	-0.09	5.76	28.48
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	4.88	7.30	7.70	8.09	8.12	13.65	17.00
5200MHz	Pass	4.88	7.33	7.56	8.03	8.49	13.74	17.00
5240MHz	Pass	4.88	9.81	9.65	10.13	10.13	15.86	17.00
5745MHz	Pass	5.29	9.13	8.96	9.04	9.02	14.88	30.00
5785MHz	Pass	5.29	8.63	8.68	8.82	8.78	14.62	30.00
5825MHz	Pass	5.29	9.00	8.93	8.22	9.07	14.69	30.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5190MHz	Pass	4.88	2.61	3.22	3.55	3.42	9.15	17.00
5230MHz	Pass	4.88	2.88	3.01	3.15	3.40	9.00	17.00
5755MHz	Pass	5.29	5.28	5.25	5.50	5.41	11.24	30.00
5795MHz	Pass	5.29	5.67	6.04	6.14	6.32	11.95	30.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	4.88	-0.54	-0.22	0.39	0.17	5.85	17.00
5775MHz	Pass	5.29	0.31	0.56	0.50	0.34	6.31	30.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5180MHz

27/01/2024




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5200MHz

27/01/2024



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5240MHz

29/03/2024

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20.999

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.49	14.49	8.59	8.53	8.89	8.36

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5745MHz

27/01/2024

CF (Hz)
5.745G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.92	14.92	8.92	8.97	9.21	9.14

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5785MHz

27/01/2024




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5825MHz

27/01/2024




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5180MHz

29/03/2024




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5200MHz

27/01/2024




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5240MHz

27/01/2024




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5745MHz

27/01/2024




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5785MHz

27/01/2024




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5825MHz

27/01/2024




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5190MHz

29/03/2024




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5230MHz

27/01/2024



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5755MHz

27/01/2024

CF (Hz)
5.755G


Span (Hz)
60M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
11.00	11.00	4.95	5.12	5.29	5.11

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5795MHz

27/01/2024

CF (Hz)
5.795G


Span (Hz)
60M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
11.71	11.71	5.43	5.72	5.85	5.95

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

5210MHz

29/03/2024




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

5775MHz

20/02/2024




5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5180MHz

29/03/2024




5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5200MHz

27/01/2024




5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5240MHz

27/01/2024




5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5745MHz

27/01/2024




5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5785MHz

27/01/2024




5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5825MHz

27/01/2024




5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5190MHz

29/03/2024




5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5230MHz

27/01/2024




5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5755MHz

27/01/2024




5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5795MHz

27/01/2024




5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

5210MHz

29/03/2024

CF (Hz)
5.21G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.098
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.85	5.85	-0.54	-0.22	0.39	0.17


5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

5775MHz

20/02/2024

CF (Hz)
5.775G
Span (Hz)
120M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.31	6.31	0.31	0.56	0.50	0.34




Radiated Emissions below 1GHz

Appendix E.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	PK	60.07M	36.71	40.00	-3.29	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)		
QP	35.82M	34.63	40.00	-5.37	-10.07	3	Vertical	262	1.00	-	44.70	21.13	1.21	32.41		
QP	46.49M	34.28	40.00	-5.72	-15.02	3	Vertical	162	1.00	-	49.30	16.02	1.31	32.35		
PK	60.07M	36.71	40.00	-3.29	-18.33	3	Vertical	0	1.25	"Worst"	55.04	12.53	1.41	32.27		
PK	68.8M	34.98	40.00	-5.02	-18.45	3	Vertical	265	2.00	-	53.43	12.37	1.47	32.29		
PK	479.11M	32.80	46.00	-13.20	-5.69	3	Vertical	66	2.00	-	38.49	23.17	3.19	32.05		
PK	896.21M	35.94	46.00	-10.06	-0.83	3	Vertical	255	1.25	-	36.77	26.44	4.31	31.58		

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)		
PK	31.94M	28.75	40.00	-11.25	-8.14	3	Horizontal	0	1.50	-	36.89	23.10	1.16	32.40		
PK	60.07M	29.00	40.00	-11.00	-18.33	3	Horizontal	87	2.00	-	47.33	12.53	1.41	32.27		
PK	101.78M	29.85	43.50	-13.65	-13.57	3	Horizontal	291	3.00	-	43.42	17.10	1.68	32.35		
PK	479.11M	39.32	46.00	-6.68	-5.69	3	Horizontal	360	2.00	"Worst"	45.01	23.17	3.19	32.05		
PK	897.18M	38.33	46.00	-7.67	-0.80	3	Horizontal	96	1.50	-	39.13	26.46	4.31	31.57		
PK	903.97M	38.34	46.00	-7.66	-0.70	3	Horizontal	360	1.25	-	39.04	26.42	4.33	31.45		




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1.(MCS0)_2TX	Pass	AV	5.351G	53.96	54.00	-0.04	3	Vertical	125	2.24	87

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
SET 78
80\76\78\79\78
-0.91\1.42\0.57\ -0.32\0.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.148G	70.04	74.00	-3.96	61.81	3	Vertical	121	2.66	78	33.60	5.31	30.68			
AV	5.148G	53.43	54.00	-0.57	45.20	3	Vertical	121	2.66	78	33.60	5.31	30.68			
PK	5.1825G	117.97	Inf	-Inf	109.60	3	Vertical	121	2.66	78	33.73	5.35	30.71			
AV	5.187G	109.27	Inf	-Inf	100.87	3	Vertical	121	2.66	78	33.75	5.36	30.71			
PK	5.3565G	60.62	74.00	-13.38	52.07	3	Vertical	121	2.66	78	34.00	5.40	30.85			
AV	5.3655G	49.39	54.00	-4.61	40.84	3	Vertical	121	2.66	78	34.00	5.40	30.85			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
SET 78
78
3.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1475G	64.83	74.00	-9.17	56.61	3	Horizontal	114	1.11	78	33.59	5.31	30.68			
AV	5.148G	50.37	54.00	-3.63	42.14	3	Horizontal	114	1.11	78	33.60	5.31	30.68			
PK	5.188G	109.09	Inf	-Inf	100.69	3	Horizontal	114	1.11	78	33.75	5.36	30.71			
AV	5.1825G	101.11	Inf	-Inf	92.74	3	Horizontal	114	1.11	78	33.73	5.35	30.71			
PK	5.364G	62.36	74.00	-11.64	53.81	3	Horizontal	114	1.11	78	34.00	5.40	30.85			
AV	5.43G	49.15	54.00	-4.85	40.56	3	Horizontal	114	1.11	78	34.06	5.43	30.90			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT Z_2TX
SET 78

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.36002G	52.37	68.20	-15.83	71.92	3	Vertical	187	1.00	-	38.48	8.18	66.21			
PK	15.53962G	51.92	74.00	-22.08	68.44	3	Vertical	24	2.49	-	37.84	10.14	64.50			
AV	15.5436G	39.95	54.00	-14.05	56.48	3	Vertical	24	2.49	-	37.83	10.14	64.50			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3588G	53.03	68.20	-15.17	72.58	3	Horizontal	357	2.02	-	38.48	8.18	66.21			
PK	15.54368G	51.69	74.00	-22.31	68.22	3	Horizontal	345	2.51	-	37.83	10.14	64.50			
AV	15.54092G	39.97	54.00	-14.03	56.49	3	Horizontal	345	2.51	-	37.84	10.14	64.50			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
SET 93
80\93
3.45\0.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.147G	71.46	74.00	-2.54	63.24	3	Vertical	124	2.41	93	33.59	5.31	30.68			
AV	5.147G	53.95	54.00	-0.05	45.73	3	Vertical	124	2.41	93	33.59	5.31	30.68			
PK	5.202G	120.88	Inf	-Inf	112.43	3	Vertical	124	2.41	93	33.80	5.37	30.72			
AV	5.197G	112.49	Inf	-Inf	104.05	3	Vertical	124	2.41	93	33.79	5.37	30.72			
PK	5.36G	61.10	74.00	-12.90	52.55	3	Vertical	124	2.41	93	34.00	5.40	30.85			
AV	5.355G	50.76	54.00	-3.24	42.20	3	Vertical	124	2.41	93	34.00	5.40	30.84			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
SET93
93
4.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1485G	61.19	74.00	-12.81	52.96	3	Horizontal	114	1.12	93	33.60	5.31	30.68			
AV	5.148G	49.98	54.00	-4.02	41.75	3	Horizontal	114	1.12	93	33.60	5.31	30.68			
PK	5.1935G	111.63	Inf	-Inf	103.21	3	Horizontal	114	1.12	93	33.77	5.36	30.71			
AV	5.193G	104.15	Inf	-Inf	95.73	3	Horizontal	114	1.12	93	33.77	5.36	30.71			
PK	5.4145G	60.18	74.00	-13.82	51.62	3	Horizontal	114	1.12	93	34.03	5.42	30.89			
AV	5.3655G	49.39	54.00	-4.61	40.84	3	Horizontal	114	1.12	93	34.00	5.40	30.85			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
SET93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39982G	52.68	68.20	-15.52	72.26	3	Vertical	40	1.34	-	38.40	8.20	66.18			
PK	15.60078G	51.39	74.00	-22.61	68.03	3	Vertical	6	2.01	-	37.70	10.16	64.50			
AV	15.60086G	39.51	54.00	-14.49	56.15	3	Vertical	6	2.01	-	37.70	10.16	64.50			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
SET93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40492G	52.74	68.20	-15.46	72.32	3	Horizontal	25	1.03	-	38.40	8.20	66.18			
PK	15.59566G	51.58	74.00	-22.42	68.21	3	Horizontal	275	2.30	-	37.71	10.16	64.50			
AV	15.60368G	39.42	54.00	-14.58	56.06	3	Horizontal	275	2.30	-	37.70	10.16	64.50			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
SET 105
80\97\105
4.42\3.82\0.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.148G	73.90	74.00	-0.10	65.67	3	Vertical	127	2.19	105	33.60	5.31	30.68			
AV	5.1485G	51.29	54.00	-2.71	43.06	3	Vertical	127	2.19	105	33.60	5.31	30.68			
PK	5.242G	122.98	Inf	-Inf	114.55	3	Vertical	127	2.19	105	33.80	5.38	30.75			
AV	5.237G	114.69	Inf	-Inf	106.26	3	Vertical	127	2.19	105	33.80	5.38	30.75			
PK	5.3505G	65.33	74.00	-8.67	56.77	3	Vertical	127	2.19	105	34.00	5.40	30.84			
AV	5.353G	50.57	54.00	-3.43	42.01	3	Vertical	127	2.19	105	34.00	5.40	30.84			
PK	5.4655G	60.33	68.20	-7.87	51.70	3	Vertical	127	2.19	105	34.10	5.46	30.93			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
SET 105
105
4.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1445G	67.51	74.00	-6.49	59.29	3	Horizontal	115	1.06	105	33.59	5.31	30.68			
AV	5.15G	49.15	54.00	-4.85	40.91	3	Horizontal	115	1.06	105	33.60	5.32	30.68			
PK	5.2385G	115.25	Inf	-Inf	106.82	3	Horizontal	115	1.06	105	33.80	5.38	30.75			
AV	5.238G	106.69	Inf	-Inf	98.26	3	Horizontal	115	1.06	105	33.80	5.38	30.75			
PK	5.4255G	60.92	74.00	-13.08	52.34	3	Horizontal	115	1.06	105	34.05	5.43	30.90			
PK	5.466G	60.60	68.20	-7.60	51.97	3	Horizontal	115	1.06	105	34.10	5.46	30.93			
AV	5.45G	49.37	54.00	-4.63	40.74	3	Horizontal	115	1.06	105	34.10	5.45	30.92			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
SET 105

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4818G	51.65	68.20	-16.55	71.14	3	Vertical	339	1.55	-	38.40	8.22	66.11			
PK	15.71536G	51.81	74.00	-22.19	68.38	3	Vertical	193	2.78	-	37.74	10.19	64.50			
AV	15.72466G	39.93	54.00	-14.07	56.53	3	Vertical	193	2.78	-	37.70	10.20	64.50			

RSE TX above 1GHz_Mode 1

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
SET 71
80\56\68\74\71
-5.79\3.82\1.88\ -1.05\0.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.144G	69.96	74.00	-4.04	61.74	3	Vertical	122	2.66	71	33.59	5.31	30.68			
AV	5.1485G	53.70	54.00	-0.30	45.47	3	Vertical	122	2.66	71	33.60	5.31	30.68			
PK	5.186G	117.58	Inf	-Inf	109.20	3	Vertical	122	2.66	71	33.74	5.35	30.71			
AV	5.1885G	106.82	Inf	-Inf	98.42	3	Vertical	122	2.66	71	33.75	5.36	30.71			
PK	5.3895G	60.67	74.00	-13.33	52.13	3	Vertical	122	2.66	71	34.00	5.41	30.87			
AV	5.3695G	49.61	54.00	-4.39	41.07	3	Vertical	122	2.66	71	34.00	5.40	30.86			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
SET 71
71
3.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1495G	61.47	74.00	-12.53	53.24	3	Horizontal	115	1.12	71	33.60	5.31	30.68			
AV	5.1495G	50.57	54.00	-3.43	42.34	3	Horizontal	115	1.12	71	33.60	5.31	30.68			
PK	5.177G	109.06	Inf	-Inf	100.71	3	Horizontal	115	1.12	71	33.71	5.34	30.70			
AV	5.1865G	98.73	Inf	-Inf	90.33	3	Horizontal	115	1.12	71	33.75	5.36	30.71			
PK	5.421G	60.93	74.00	-13.07	52.36	3	Horizontal	115	1.12	71	34.04	5.43	30.90			
AV	5.422G	49.51	54.00	-4.49	40.94	3	Horizontal	115	1.12	71	34.04	5.43	30.90			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
SET 71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35582G	52.43	68.20	-15.77	71.98	3	Horizontal	271	1.39	-	38.49	8.18	66.22			
PK	15.5389G	51.88	74.00	-22.12	68.40	3	Horizontal	202	2.14	-	37.84	10.14	64.50			
AV	15.54096G	40.83	54.00	-13.17	57.35	3	Horizontal	202	2.14	-	37.84	10.14	64.50			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 87
80\90\85\87
2.54\1.90\0.70\0.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1485G	67.46	74.00	-6.54	59.23	3	Vertical	122	2.41	87	33.60	5.31	30.68			
AV	5.146G	53.94	54.00	-0.06	45.72	3	Vertical	122	2.41	87	33.59	5.31	30.68			
PK	5.2015G	119.66	Inf	-Inf	111.21	3	Vertical	122	2.41	87	33.80	5.37	30.72			
AV	5.1935G	110.46	Inf	-Inf	102.04	3	Vertical	122	2.41	87	33.77	5.36	30.71			
PK	5.36G	60.70	74.00	-13.30	52.15	3	Vertical	122	2.41	87	34.00	5.40	30.85			
AV	5.3625G	50.40	54.00	-3.60	41.85	3	Vertical	122	2.41	87	34.00	5.40	30.85			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 87
87
3.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1465G	60.36	74.00	-13.64	52.14	3	Horizontal	129	1.10	87	33.59	5.31	30.68			
AV	5.149G	50.38	54.00	-3.62	42.15	3	Horizontal	129	1.10	87	33.60	5.31	30.68			
PK	5.199G	111.78	Inf	-Inf	103.33	3	Horizontal	129	1.10	87	33.80	5.37	30.72			
AV	5.1965G	102.29	Inf	-Inf	93.85	3	Horizontal	129	1.10	87	33.79	5.37	30.72			
PK	5.376G	60.93	74.00	-13.07	52.38	3	Horizontal	129	1.10	87	34.00	5.41	30.86			
AV	5.4455G	49.77	54.00	-4.23	41.15	3	Horizontal	129	1.10	87	34.09	5.45	30.92			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39564G	52.52	68.20	-15.68	72.10	3	Vertical	236	1.88	-	38.41	8.19	66.18			
PK	15.604G	50.80	74.00	-23.20	67.44	3	Vertical	232	2.73	-	37.70	10.16	64.50			
AV	15.59966G	40.42	54.00	-13.58	57.06	3	Vertical	232	2.73	-	37.70	10.16	64.50			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40122G	51.70	68.20	-16.50	71.28	3	Horizontal	53	1.39	-	38.40	8.20	66.18			
PK	15.60162G	52.83	74.00	-21.17	69.47	3	Horizontal	349	2.51	-	37.70	10.16	64.50			
AV	15.60414G	40.26	54.00	-13.74	56.90	3	Horizontal	349	2.51	-	37.70	10.16	64.50			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 103
80\95\102\105\104\103
3.92\3.23\2.20\1.25\0.12\1.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.145G	72.11	74.00	-1.89	63.89	3	Vertical	124	2.20	103	33.59	5.31	30.68			
AV	5.1495G	52.88	54.00	-1.12	44.65	3	Vertical	124	2.20	103	33.60	5.31	30.68			
PK	5.2365G	123.15	Inf	-Inf	114.72	3	Vertical	124	2.20	103	33.80	5.38	30.75			
AV	5.2385G	113.16	Inf	-Inf	104.73	3	Vertical	124	2.20	103	33.80	5.38	30.75			
PK	5.358G	65.68	74.00	-8.32	57.13	3	Vertical	124	2.20	103	34.00	5.40	30.85			
AV	5.35G	51.28	54.00	-2.72	42.72	3	Vertical	124	2.20	103	34.00	5.40	30.84			
PK	5.49G	60.98	68.20	-7.22	52.35	3	Vertical	124	2.20	103	34.10	5.48	30.95			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 103
103
4.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1445G	68.06	74.00	-5.94	59.84	3	Horizontal	116	1.05	103	33.59	5.31	30.68			
AV	5.1495G	49.78	54.00	-4.22	41.55	3	Horizontal	116	1.05	103	33.60	5.31	30.68			
PK	5.247G	114.65	Inf	-Inf	106.23	3	Horizontal	116	1.05	103	33.80	5.38	30.76			
AV	5.239G	104.94	Inf	-Inf	96.51	3	Horizontal	116	1.05	103	33.80	5.38	30.75			
PK	5.3575G	62.58	74.00	-11.42	54.03	3	Horizontal	116	1.05	103	34.00	5.40	30.85			
PK	5.4745G	60.18	68.20	-8.02	51.55	3	Horizontal	116	1.05	103	34.10	5.47	30.94			
AV	5.451G	49.83	54.00	-4.17	41.20	3	Horizontal	116	1.05	103	34.10	5.45	30.92			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 103

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.481G	52.42	68.20	-15.78	71.92	3	Vertical	101	2.76	-	38.40	8.22	66.12			
PK	15.7205G	51.88	74.00	-22.12	68.47	3	Vertical	34	1.06	-	37.72	10.19	64.50			
AV	15.7188G	40.80	54.00	-13.20	57.39	3	Vertical	34	1.06	-	37.72	10.19	64.50			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 103

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47612G	51.94	68.20	-16.26	71.44	3	Horizontal	14	1.62	-	38.40	8.22	66.12			
PK	15.72048G	51.89	74.00	-22.11	68.48	3	Horizontal	155	1.22	-	37.72	10.19	64.50			
AV	15.72364G	40.68	54.00	-13.32	57.27	3	Horizontal	155	1.22	-	37.71	10.20	64.50			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 71
01-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	64.95	74.00	-9.05	58.52	3	Vertical	124	2.56	-	32.09	7.24	32.90			
AV	5.15G	53.73	54.00	-0.27	47.29	3	Vertical	124	2.56	-	32.10	7.24	32.90			
PK	5.2012G	113.63	Inf	-Inf	107.45	3	Vertical	124	2.56	-	31.79	7.28	32.89			
AV	5.186G	102.68	Inf	-Inf	96.42	3	Vertical	124	2.56	-	31.88	7.27	32.89			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 71
01-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0974G	59.24	74.00	-14.76	53.08	3	Horizontal	285	1.07	-	31.88	7.19	32.91			
AV	5.149G	48.78	54.00	-5.22	42.34	3	Horizontal	285	1.07	-	32.10	7.24	32.90			
PK	5.185G	102.66	Inf	-Inf	96.39	3	Horizontal	285	1.07	-	31.89	7.27	32.89			
AV	5.1922G	90.67	Inf	-Inf	84.44	3	Horizontal	285	1.07	-	31.85	7.27	32.89			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 71
01-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37822G	51.22	68.20	-16.98	34.42	3	Horizontal	171	2.80	-	39.26	10.23	32.69			
PK	15.56746G	51.57	74.00	-22.43	33.11	3	Horizontal	358	1.06	-	37.96	12.60	32.10			
AV	15.56616G	44.15	54.00	-9.85	25.68	3	Horizontal	358	1.06	-	37.97	12.60	32.10			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 71
01-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38574G	50.32	68.20	-17.88	33.50	3	Horizontal	171	2.80	-	39.27	10.23	32.68			
PK	15.56573G	50.54	74.00	-23.46	32.07	3	Horizontal	358	1.06	-	37.97	12.60	32.10			
AV	15.59561G	40.88	54.00	-13.12	22.65	3	Horizontal	358	1.06	-	37.74	12.61	32.12			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 82
80\83\82
0.83\0.23\0.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	68.43	74.00	-5.57	60.21	3	Vertical	126	2.40	82	33.59	5.31	30.68			
AV	5.15G	53.85	54.00	-0.15	45.61	3	Vertical	126	2.40	82	33.60	5.32	30.68			
PK	5.231G	116.35	Inf	-Inf	107.91	3	Vertical	126	2.40	82	33.80	5.38	30.74			
AV	5.226G	106.18	Inf	-Inf	97.74	3	Vertical	126	2.40	82	33.80	5.38	30.74			
PK	5.3515G	62.03	74.00	-11.97	53.47	3	Vertical	126	2.40	82	34.00	5.40	30.84			
AV	5.3535G	51.63	54.00	-2.37	43.07	3	Vertical	126	2.40	82	34.00	5.40	30.84			
PK	5.4755G	60.38	68.20	-7.82	51.75	3	Vertical	126	2.40	82	34.10	5.47	30.94			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 82
82
2.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1485G	60.80	74.00	-13.20	52.57	3	Horizontal	115	1.06	82	33.60	5.31	30.68			
AV	5.1485G	51.11	54.00	-2.89	42.88	3	Horizontal	115	1.06	82	33.60	5.31	30.68			
PK	5.234G	108.49	Inf	-Inf	100.06	3	Horizontal	115	1.06	82	33.80	5.38	30.75			
AV	5.2385G	98.40	Inf	-Inf	89.97	3	Horizontal	115	1.06	82	33.80	5.38	30.75			
PK	5.3775G	60.82	74.00	-13.18	52.27	3	Horizontal	115	1.06	82	34.00	5.41	30.86			
AV	5.3655G	50.79	54.00	-3.21	42.24	3	Horizontal	115	1.06	82	34.00	5.40	30.85			
PK	5.462G	59.02	68.20	-9.18	50.39	3	Horizontal	115	1.06	82	34.10	5.46	30.93			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46334G	52.12	68.20	-16.08	71.63	3	Vertical	121	2.64	-	38.40	8.22	66.13			
PK	15.69106G	51.85	74.00	-22.15	68.38	3	Vertical	122	1.15	-	37.78	10.19	64.50			
AV	15.69404G	41.07	54.00	-12.93	57.59	3	Vertical	122	1.15	-	37.79	10.19	64.50			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45994G	52.46	68.20	-15.74	71.97	3	Horizontal	91	2.45	-	38.40	8.22	66.13			
PK	15.69334G	51.98	74.00	-22.02	68.50	3	Horizontal	259	1.51	-	37.79	10.19	64.50			
AV	15.68978G	41.27	54.00	-12.73	57.80	3	Horizontal	259	1.51	-	37.78	10.19	64.50			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 72
01-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1455G	64.92	74.00	-9.08	58.51	3	Vertical	127	2.38	-	32.08	7.23	32.90			
AV	5.1405G	53.95	54.00	-0.05	47.56	3	Vertical	127	2.38	-	32.06	7.23	32.90			
PK	5.209G	109.82	Inf	-Inf	103.70	3	Vertical	127	2.38	-	31.73	7.28	32.89			
AV	5.221G	99.84	Inf	-Inf	93.81	3	Vertical	127	2.38	-	31.63	7.29	32.89			
PK	5.357G	58.48	74.00	-15.52	52.58	3	Vertical	127	2.38	-	31.41	7.35	32.86			
AV	5.358G	47.94	54.00	-6.06	42.03	3	Vertical	127	2.38	-	31.42	7.35	32.86			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 72
01-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.133G	59.35	74.00	-14.65	53.00	3	Horizontal	280	1.04	-	32.03	7.22	32.90			
AV	5.149G	48.78	54.00	-5.22	42.34	3	Horizontal	280	1.04	-	32.10	7.24	32.90			
PK	5.197G	99.58	Inf	-Inf	93.37	3	Horizontal	280	1.04	-	31.82	7.28	32.89			
AV	5.197G	89.21	Inf	-Inf	83.00	3	Horizontal	280	1.04	-	31.82	7.28	32.89			
PK	5.4545G	59.05	74.00	-14.95	52.76	3	Horizontal	280	1.04	-	31.72	7.41	32.84			
AV	5.46G	47.61	54.00	-6.39	41.29	3	Horizontal	280	1.04	-	31.74	7.42	32.84			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 72
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42645G	52.52	68.20	-15.68	35.55	3	Vertical	213	2.16	-	39.35	10.25	32.63			
PK	15.65178G	51.53	74.00	-22.47	33.63	3	Vertical	96	2.97	-	37.42	12.64	32.16			
AV	15.63272G	41.20	54.00	-12.80	23.21	3	Vertical	96	2.97	-	37.50	12.63	32.14			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 72
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42547G	52.32	68.20	-15.88	35.35	3	Horizontal	75	1.12	-	39.35	10.25	32.63			
PK	15.62956G	51.82	74.00	-22.18	33.81	3	Horizontal	106	2.91	-	37.52	12.63	32.14			
AV	15.65354G	41.32	54.00	-12.68	23.40	3	Horizontal	106	2.91	-	37.44	12.64	32.16			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
SET 70
80\54\67\73\70
-6.31\3.24\1.72\0.93\0.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1475G	66.98	74.00	-7.02	58.76	3	Vertical	122	2.30	70	33.59	5.31	30.68			
AV	5.15G	53.85	54.00	-0.15	45.61	3	Vertical	122	2.30	70	33.60	5.32	30.68			
PK	5.1715G	115.00	Inf	-Inf	106.67	3	Vertical	122	2.30	70	33.69	5.34	30.70			
AV	5.1835G	104.97	Inf	-Inf	96.60	3	Vertical	122	2.30	70	33.73	5.35	30.71			
PK	5.364G	61.49	74.00	-12.51	52.94	3	Vertical	122	2.30	70	34.00	5.40	30.85			
AV	5.368G	50.42	54.00	-3.58	41.87	3	Vertical	122	2.30	70	34.00	5.40	30.85			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
SET 70
70
3.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.096G	60.25	74.00	-13.75	52.13	3	Horizontal	325	2.66	70	33.50	5.26	30.64			
AV	5.1485G	50.38	54.00	-3.62	42.15	3	Horizontal	325	2.66	70	33.60	5.31	30.68			
PK	5.179G	105.25	Inf	-Inf	96.88	3	Horizontal	325	2.66	70	33.72	5.35	30.70			
AV	5.1855G	95.99	Inf	-Inf	87.61	3	Horizontal	325	2.66	70	33.74	5.35	30.71			
PK	5.351G	60.79	74.00	-13.21	52.23	3	Horizontal	325	2.66	70	34.00	5.40	30.84			
AV	5.413G	50.27	54.00	-3.73	41.71	3	Horizontal	325	2.66	70	34.03	5.42	30.89			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3582G	52.51	68.20	-15.69	72.06	3	Vertical	62	1.00	-	38.48	8.18	66.21			
PK	15.53932G	52.34	74.00	-21.66	68.86	3	Vertical	86	1.80	-	37.84	10.14	64.50			
AV	15.54436G	41.38	54.00	-12.62	57.92	3	Vertical	86	1.80	-	37.82	10.14	64.50			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35748G	52.13	68.20	-16.07	71.67	3	Horizontal	130	1.32	-	38.49	8.18	66.21			
PK	15.53564G	52.29	74.00	-21.71	68.79	3	Horizontal	324	2.52	-	37.86	10.14	64.50			
AV	15.54496G	41.73	54.00	-12.27	58.27	3	Horizontal	324	2.52	-	37.82	10.14	64.50			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 84
80\88\84\86\85\84
2.04\ -0.46\0.97\ -0.23\ -0.35\1.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.148G	62.76	74.00	-11.24	54.53	3	Vertical	124	2.41	84	33.60	5.31	30.68			
AV	5.15G	52.89	54.00	-1.11	44.65	3	Vertical	124	2.41	84	33.60	5.32	30.68			
PK	5.205G	119.10	Inf	-Inf	110.65	3	Vertical	124	2.41	84	33.80	5.37	30.72			
AV	5.196G	108.58	Inf	-Inf	100.15	3	Vertical	124	2.41	84	33.78	5.37	30.72			
PK	5.3845G	61.23	74.00	-12.77	52.69	3	Vertical	124	2.41	84	34.00	5.41	30.87			
AV	5.36G	51.31	54.00	-2.69	42.76	3	Vertical	124	2.41	84	34.00	5.40	30.85			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 84
84
3.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.021G	59.87	74.00	-14.13	51.84	3	Horizontal	154	2.32	84	33.44	5.17	30.58			
AV	5.15G	50.19	54.00	-3.81	41.95	3	Horizontal	154	2.32	84	33.60	5.32	30.68			
PK	5.208G	107.83	Inf	-Inf	99.39	3	Horizontal	154	2.32	84	33.80	5.37	30.73			
AV	5.2075G	99.07	Inf	-Inf	90.63	3	Horizontal	154	2.32	84	33.80	5.37	30.73			
PK	5.3705G	60.66	74.00	-13.34	52.12	3	Horizontal	154	2.32	84	34.00	5.40	30.86			
AV	5.429G	50.44	54.00	-3.56	41.85	3	Horizontal	154	2.32	84	34.06	5.43	30.90			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39716G	52.33	68.20	-15.87	71.90	3	Vertical	258	1.58	-	38.41	8.20	66.18			
PK	15.59746G	51.48	74.00	-22.52	68.11	3	Vertical	86	1.99	-	37.71	10.16	64.50			
AV	15.59604G	40.99	54.00	-13.01	57.62	3	Vertical	86	1.99	-	37.71	10.16	64.50			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40492G	52.89	68.20	-15.31	72.47	3	Horizontal	117	2.99	-	38.40	8.20	66.18			
PK	15.59944G	51.71	74.00	-22.29	68.35	3	Horizontal	303	1.63	-	37.70	10.16	64.50			
AV	15.59544G	41.01	54.00	-12.99	57.64	3	Horizontal	303	1.63	-	37.71	10.16	64.50			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 103
80\92\98\101\102\103\104\103
3.23\2.84\2.37\2.06\1.59\1.14\0.91\0.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	71.79	74.00	-2.21	63.56	3	Vertical	126	2.18	103	33.60	5.31	30.68			
AV	5.149G	53.30	54.00	-0.70	45.07	3	Vertical	126	2.18	103	33.60	5.31	30.68			
PK	5.2355G	124.50	Inf	-Inf	116.07	3	Vertical	126	2.18	103	33.80	5.38	30.75			
AV	5.238G	112.52	Inf	-Inf	104.09	3	Vertical	126	2.18	103	33.80	5.38	30.75			
PK	5.3635G	64.94	74.00	-9.06	56.39	3	Vertical	126	2.18	103	34.00	5.40	30.85			
AV	5.354G	51.80	54.00	-2.20	43.24	3	Vertical	126	2.18	103	34.00	5.40	30.84			
PK	5.476G	60.12	68.20	-8.08	51.49	3	Vertical	126	2.18	103	34.10	5.47	30.94			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 103
103
3.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1495G	63.17	74.00	-10.83	54.94	3	Horizontal	116	1.06	103	33.60	5.31	30.68			
AV	5.147G	50.55	54.00	-3.45	42.33	3	Horizontal	116	1.06	103	33.59	5.31	30.68			
PK	5.238G	112.97	Inf	-Inf	104.54	3	Horizontal	116	1.06	103	33.80	5.38	30.75			
AV	5.2365G	103.94	Inf	-Inf	95.51	3	Horizontal	116	1.06	103	33.80	5.38	30.75			
PK	5.453G	60.65	74.00	-13.35	52.02	3	Horizontal	116	1.06	103	34.10	5.45	30.92			
AV	5.355G	50.38	54.00	-3.62	41.82	3	Horizontal	116	1.06	103	34.00	5.40	30.84			
PK	5.465G	61.51	68.20	-6.69	52.88	3	Horizontal	116	1.06	103	34.10	5.46	30.93			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 103

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47952G	52.00	68.20	-16.20	71.50	3	Vertical	4	2.99	-	38.40	8.22	66.12			
PK	15.72106G	52.01	74.00	-21.99	68.60	3	Vertical	200	1.26	-	37.72	10.19	64.50			
AV	15.71596G	41.35	54.00	-12.65	57.92	3	Vertical	200	1.26	-	37.74	10.19	64.50			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 103

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4777G	51.83	68.20	-16.37	71.33	3	Horizontal	321	1.63	-	38.40	8.22	66.12			
PK	15.7166G	52.33	74.00	-21.67	68.91	3	Horizontal	82	1.74	-	37.73	10.19	64.50			
AV	15.71976G	41.48	54.00	-12.52	58.07	3	Horizontal	82	1.74	-	37.72	10.19	64.50			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 72
01-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1466G	66.78	74.00	-7.22	60.36	3	Vertical	120	2.32	-	32.09	7.23	32.90			
AV	5.1494G	53.62	54.00	-0.38	47.18	3	Vertical	120	2.32	-	32.10	7.24	32.90			
PK	5.1858G	111.07	Inf	-Inf	104.80	3	Vertical	120	2.32	-	31.89	7.27	32.89			
AV	5.196G	100.57	Inf	-Inf	94.36	3	Vertical	120	2.32	-	31.82	7.28	32.89			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 72
01-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1492G	61.28	74.00	-12.72	54.84	3	Horizontal	133	1.00	-	32.10	7.24	32.90			
AV	5.1498G	49.15	54.00	-4.85	42.71	3	Horizontal	133	1.00	-	32.10	7.24	32.90			
PK	5.204G	103.69	Inf	-Inf	97.53	3	Horizontal	133	1.00	-	31.77	7.28	32.89			
AV	5.1962G	92.87	Inf	-Inf	86.66	3	Horizontal	133	1.00	-	31.82	7.28	32.89			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT Z_2TX
Setting 72
01-R-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.38848G	52.24	68.20	-15.96	35.41	3	Vertical	123	1.11	-	39.28	10.23	32.68			
PK	15.57651G	51.18	74.00	-22.82	32.79	3	Vertical	111	1.71	-	37.89	12.61	32.11			
AV	15.56395G	41.17	54.00	-12.83	22.68	3	Vertical	111	1.71	-	37.99	12.60	32.10			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 72
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38568G	52.64	68.20	-15.56	35.82	3	Horizontal	62	2.39	-	39.27	10.23	32.68			
PK	15.56848G	51.54	74.00	-22.46	33.09	3	Horizontal	286	1.03	-	37.95	12.60	32.10			
AV	15.566452G	40.65	54.00	-13.35	22.18	3	Horizontal	286	1.03	-	37.97	12.60	32.10			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 83
80\84\82\83
1.11\0.23\0.83\0.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	66.01	74.00	-7.99	57.79	3	Vertical	126	2.18	83	33.59	5.31	30.68			
AV	5.15G	53.58	54.00	-0.42	45.34	3	Vertical	126	2.18	83	33.60	5.32	30.68			
PK	5.2355G	115.35	Inf	-Inf	106.92	3	Vertical	126	2.18	83	33.80	5.38	30.75			
AV	5.238G	105.62	Inf	-Inf	97.19	3	Vertical	126	2.18	83	33.80	5.38	30.75			
PK	5.3525G	63.29	74.00	-10.71	54.73	3	Vertical	126	2.18	83	34.00	5.40	30.84			
AV	5.3525G	51.63	54.00	-2.37	43.07	3	Vertical	126	2.18	83	34.00	5.40	30.84			
PK	5.4795G	60.54	68.20	-7.66	51.91	3	Vertical	126	2.18	83	34.10	5.47	30.94			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 83
83
3.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1415G	61.80	74.00	-12.20	53.58	3	Horizontal	115	1.06	83	33.58	5.31	30.67				
AV	5.147G	50.92	54.00	-3.08	42.70	3	Horizontal	115	1.06	83	33.59	5.31	30.68				
PK	5.2425G	106.23	Inf	-Inf	97.80	3	Horizontal	115	1.06	83	33.80	5.38	30.75				
AV	5.2385G	97.00	Inf	-Inf	88.57	3	Horizontal	115	1.06	83	33.80	5.38	30.75				
PK	5.3825G	60.71	74.00	-13.29	52.17	3	Horizontal	115	1.06	83	34.00	5.41	30.87				
PK	5.4635G	60.58	68.20	-7.62	51.95	3	Horizontal	115	1.06	83	34.10	5.46	30.93				
AV	5.455G	50.70	54.00	-3.30	42.07	3	Horizontal	115	1.06	83	34.10	5.45	30.92				

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4648G	52.31	68.20	-15.89	71.82	3	Vertical	3	2.66	-	38.40	8.22	66.13			
PK	15.68816G	52.30	74.00	-21.70	68.84	3	Vertical	92	2.89	-	37.78	10.18	64.50			
AV	15.68964G	41.11	54.00	-12.89	57.64	3	Vertical	92	2.89	-	37.78	10.19	64.50			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46394G	52.97	68.20	-15.23	72.48	3	Horizontal	239	1.50	-	38.40	8.22	66.13			
PK	15.69162G	52.57	74.00	-21.43	69.10	3	Horizontal	192	1.00	-	37.78	10.19	64.50			
AV	15.69238G	41.04	54.00	-12.96	57.57	3	Horizontal	192	1.00	-	37.78	10.19	64.50			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 73
01-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.135G	64.45	74.00	-9.55	58.09	3	Vertical	129	2.47	-	32.04	7.22	32.90			
AV	5.1475G	53.81	54.00	-0.19	47.38	3	Vertical	129	2.47	-	32.09	7.24	32.90			
PK	5.225G	109.47	Inf	-Inf	103.46	3	Vertical	129	2.47	-	31.60	7.29	32.88			
AV	5.2205G	98.19	Inf	-Inf	92.15	3	Vertical	129	2.47	-	31.64	7.29	32.89			
PK	5.3755G	59.92	74.00	-14.08	53.96	3	Vertical	129	2.47	-	31.45	7.36	32.85			
AV	5.3705G	48.01	54.00	-5.99	42.07	3	Vertical	129	2.47	-	31.44	7.36	32.86			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 73
01-R-A-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1295G	59.54	74.00	-14.46	53.20	3	Horizontal	275	1.02	-	32.02	7.22	32.90			
AV	5.1475G	48.39	54.00	-5.61	41.96	3	Horizontal	275	1.02	-	32.09	7.24	32.90			
PK	5.228G	97.28	Inf	-Inf	91.29	3	Horizontal	275	1.02	-	31.58	7.29	32.88			
AV	5.222G	86.48	Inf	-Inf	80.46	3	Horizontal	275	1.02	-	31.62	7.29	32.89			
PK	5.4375G	58.83	74.00	-15.17	52.62	3	Horizontal	275	1.02	-	31.65	7.40	32.84			
AV	5.46G	47.61	54.00	-6.39	41.29	3	Horizontal	275	1.02	-	31.74	7.42	32.84			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT Z_2TX
Setting 73
01-R-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.41854G	52.56	68.20	-15.64	35.61	3	Vertical	247	1.77	-	39.34	10.25	32.64			
PK	15.63654G	52.43	74.00	-21.57	34.47	3	Vertical	46	2.96	-	37.48	12.63	32.15			
AV	15.63254G	42.78	54.00	-11.22	24.79	3	Vertical	46	2.96	-	37.50	12.63	32.14			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX



EUT_Z_2TX
Setting 73
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41354G	52.25	68.20	-15.95	35.32	3	Horizontal	154	1.84	-	39.33	10.25	32.65			
PK	15.63753G	51.65	74.00	-22.35	33.70	3	Horizontal	209	1.09	-	37.47	12.63	32.15			
AV	15.63951G	42.74	54.00	-11.26	24.80	3	Horizontal	209	1.09	-	37.46	12.63	32.15			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.98	54.00	-0.02	3	Vertical	350	2.51	85

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
SET 72
80\61\70\74\72\73\72
-4.67\5.38\2.34\0.25\0.99\0.18\1.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	70.79	74.00	-3.21	66.27	3	Vertical	352	2.48	72	32.70	6.67	34.85			
AV	5.1495G	52.93	54.00	-1.07	48.41	3	Vertical	352	2.48	72	32.70	6.67	34.85			
PK	5.181G	116.30	Inf	-Inf	111.65	3	Vertical	352	2.48	72	32.76	6.75	34.86			
AV	5.1855G	108.71	Inf	-Inf	104.04	3	Vertical	352	2.48	72	32.77	6.76	34.86			
PK	5.425G	59.76	74.00	-14.24	55.15	3	Vertical	352	2.48	72	32.65	6.85	34.89			
AV	5.4145G	48.60	54.00	-5.40	43.97	3	Vertical	352	2.48	72	32.67	6.85	34.89			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
SET 72
72
4.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	65.64	74.00	-8.36	61.12	3	Horizontal	305	2.73	72	32.70	6.67	34.85			
AV	5.15G	49.72	54.00	-4.28	45.20	3	Horizontal	305	2.73	72	32.70	6.67	34.85			
PK	5.185G	112.05	Inf	-Inf	107.38	3	Horizontal	305	2.73	72	32.77	6.76	34.86			
AV	5.185G	104.10	Inf	-Inf	99.43	3	Horizontal	305	2.73	72	32.77	6.76	34.86			
PK	5.4005G	58.09	74.00	-15.91	53.44	3	Horizontal	305	2.73	72	32.70	6.84	34.89			
AV	5.399G	47.47	54.00	-6.53	42.82	3	Horizontal	305	2.73	72	32.70	6.84	34.89			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.34062G	53.62	68.20	-14.58	71.04	3	Vertical	16	1.80	72	38.44	9.97	65.83			
PK	15.55403G	58.07	74.00	-15.93	68.76	3	Vertical	308	1.80	72	37.89	13.50	62.08			
AV	15.52282G	46.10	54.00	-7.90	56.73	3	Vertical	308	1.80	72	37.95	13.48	62.06			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX

EUT Z_2TX
SET 72

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA		
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)		
PK	10.34058G	53.59	68.20	-14.61	71.01	3	Horizontal	353	1.89	72	38.44	9.97	65.83		
PK	15.55658G	57.99	74.00	-16.01	68.68	3	Horizontal	237	2.92	72	37.89	13.50	62.08		
AV	15.52058G	46.22	54.00	-7.78	56.84	3	Horizontal	237	2.92	72	37.96	13.48	62.06		

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
SET 86
80\84\86
1.23\0.51\0.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.147G	64.07	74.00	-9.93	59.55	3	Vertical	354	2.44	86	32.71	6.66	34.85			
AV	5.15G	52.28	54.00	-1.72	47.76	3	Vertical	354	2.44	86	32.70	6.67	34.85			
PK	5.1955G	119.50	Inf	-Inf	114.78	3	Vertical	354	2.44	86	32.79	6.79	34.86			
AV	5.2055G	111.89	Inf	-Inf	107.15	3	Vertical	354	2.44	86	32.80	6.80	34.86			
PK	5.3605G	62.96	74.00	-11.04	58.39	3	Vertical	354	2.44	86	32.62	6.83	34.88			
AV	5.365G	53.71	54.00	-0.29	49.13	3	Vertical	354	2.44	86	32.63	6.83	34.88			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
SET 86
86
4.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1455G	59.34	74.00	-14.66	54.82	3	Horizontal	301	2.83	86	32.71	6.66	34.85				
AV	5.1495G	49.37	54.00	-4.63	44.85	3	Horizontal	301	2.83	86	32.70	6.67	34.85				
PK	5.206G	115.65	Inf	-Inf	110.91	3	Horizontal	301	2.83	86	32.80	6.80	34.86				
AV	5.1955G	107.84	Inf	-Inf	103.12	3	Horizontal	301	2.83	86	32.79	6.79	34.86				
PK	5.359G	60.80	74.00	-13.20	56.23	3	Horizontal	301	2.83	86	32.62	6.83	34.88				
AV	5.3595G	49.81	54.00	-4.19	45.24	3	Horizontal	301	2.83	86	32.62	6.83	34.88				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40236G	54.38	68.20	-13.82	71.54	3	Horizontal	1	1.08	86	38.50	10.00	65.66			
PK	15.60292G	57.88	74.00	-16.12	68.66	3	Horizontal	106	1.80	86	37.80	13.53	62.11			
AV	15.60855G	45.56	54.00	-8.44	56.35	3	Horizontal	106	1.80	86	37.79	13.53	62.11			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0776G	61.12	74.00	-12.88	53.00	3	Vertical	356	2.62	-	33.50	5.24	30.62			
AV	5.0864G	50.34	54.00	-3.66	42.22	3	Vertical	356	2.62	-	33.50	5.25	30.63			
PK	5.2352G	118.92	Inf	-Inf	110.49	3	Vertical	356	2.62	-	33.80	5.38	30.75			
AV	5.2352G	111.05	Inf	-Inf	102.62	3	Vertical	356	2.62	-	33.80	5.38	30.75			
PK	5.3952G	64.13	74.00	-9.87	55.60	3	Vertical	356	2.62	-	34.00	5.41	30.88			
AV	5.404G	53.91	54.00	-0.09	45.37	3	Vertical	356	2.62	-	34.01	5.41	30.88			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14G	60.18	74.00	-13.82	51.97	3	Horizontal	306	2.50	-	33.58	5.30	30.67			
AV	5.0848G	48.95	54.00	-5.05	40.84	3	Horizontal	306	2.50	-	33.50	5.24	30.63			
PK	5.2352G	115.71	Inf	-Inf	107.28	3	Horizontal	306	2.50	-	33.80	5.38	30.75			
AV	5.2352G	107.30	Inf	-Inf	98.87	3	Horizontal	306	2.50	-	33.80	5.38	30.75			
PK	5.4024G	62.21	74.00	-11.79	53.68	3	Horizontal	306	2.50	-	34.00	5.41	30.88			
AV	5.4048G	51.11	54.00	-2.89	42.57	3	Horizontal	306	2.50	-	34.01	5.41	30.88			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49667G	54.19	68.20	-14.01	72.96	3	Vertical	294	1.85	78	38.40	8.23	65.40			
PK	15.7558G	58.52	74.00	-15.48	72.92	3	Vertical	321	1.80	78	37.58	10.21	62.19			
AV	15.72564G	46.19	54.00	-7.81	60.46	3	Vertical	321	1.80	78	37.70	10.20	62.17			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.498666G	54.52	68.20	-13.68	73.28	3	Horizontal	6	1.85	78	38.40	8.23	65.39			
PK	15.73685G	58.95	74.00	-15.05	73.28	3	Horizontal	352	2.76	78	37.65	10.20	62.18			
AV	15.72755G	46.25	54.00	-7.75	60.53	3	Horizontal	352	2.76	78	37.69	10.20	62.17			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Z_2TX
SET 95
80\100\90\95\97\96\95
5.12\ -3.36\3.16\1.23\ -2.07\ -1.68\2.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5905G	65.57	68.20	-2.63	61.00	3	Vertical	348	2.37	95	32.60	6.91	34.94			
PK	5.7495G	119.24	Inf	-Inf	113.93	3	Vertical	348	2.37	95	33.40	6.93	35.02			
AV	5.749G	112.04	Inf	-Inf	106.74	3	Vertical	348	2.37	95	33.39	6.93	35.02			
PK	5.9815G	60.29	68.20	-7.91	54.50	3	Vertical	348	2.37	95	33.94	6.98	35.13			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Z_2TX
SET 95
95
7.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.5795G	60.69	68.20	-7.51	56.13	3	Horizontal	306	2.33	95	32.60	6.90	34.94				
PK	5.739G	115.23	Inf	-Inf	110.00	3	Horizontal	306	2.33	95	33.31	6.93	35.01				
AV	5.7485G	107.48	Inf	-Inf	102.18	3	Horizontal	306	2.33	95	33.39	6.93	35.02				
PK	5.991G	59.42	68.20	-8.78	53.66	3	Horizontal	306	2.33	95	33.92	6.98	35.14				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Z_2TX
SET95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49412G	55.31	74.00	-18.69	71.00	3	Vertical	155	1.80	95	38.81	10.47	64.97			
AV	11.49432G	43.34	54.00	-10.66	59.03	3	Vertical	155	1.80	95	38.81	10.47	64.97			
PK	17.22593G	58.29	68.20	-9.91	67.24	3	Vertical	358	1.80	95	38.83	14.53	62.31			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Z_2TX
SET95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50962G	54.85	74.00	-19.15	70.56	3	Horizontal	242	2.63	95	38.77	10.48	64.96			
AV	11.50435G	43.44	54.00	-10.56	59.14	3	Horizontal	242	2.63	95	38.79	10.47	64.96			
PK	17.23049G	58.55	68.20	-9.65	67.50	3	Horizontal	192	1.79	95	38.83	14.54	62.32			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Z_2TX
SET 99
80\100\90\95\97\98\99
5.00\1.60\3.59\2.60\1.65\1.67\2.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6255G	65.78	68.20	-2.42	61.23	3	Vertical	348	2.41	99	32.60	6.91	34.96			
PK	5.7885G	119.33	Inf	-Inf	113.95	3	Vertical	348	2.41	99	33.48	6.94	35.04			
AV	5.7785G	111.29	Inf	-Inf	105.92	3	Vertical	348	2.41	99	33.46	6.94	35.03			
PK	5.949G	60.51	68.20	-7.69	54.66	3	Vertical	348	2.41	99	34.00	6.97	35.12			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Z_2TX
SET 99
99
8.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6295G	59.54	68.20	-8.66	54.99	3	Horizontal	336	2.45	99	32.60	6.91	34.96			
PK	5.788G	113.60	Inf	-Inf	108.22	3	Horizontal	336	2.45	99	33.48	6.94	35.04			
AV	5.7785G	105.84	Inf	-Inf	100.47	3	Horizontal	336	2.45	99	33.46	6.94	35.03			
PK	6.015G	60.19	68.20	-8.01	54.40	3	Horizontal	336	2.45	99	33.93	6.99	35.13			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Z_2TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55889G	54.83	74.00	-19.17	70.70	3	Vertical	211	2.26	99	38.62	10.50	64.99			
AV	11.55006G	42.93	54.00	-11.07	58.77	3	Vertical	211	2.26	99	38.65	10.49	64.98			
PK	17.3576G	59.13	68.20	-9.07	67.64	3	Vertical	216	1.87	99	39.25	14.61	62.37			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Z_2TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56568G	54.93	74.00	-19.07	70.82	3	Horizontal	159	2.53	99	38.60	10.50	64.99			
AV	11.5543G	43.00	54.00	-11.00	58.84	3	Horizontal	159	2.53	99	38.64	10.50	64.98			
PK	17.3365G	58.99	68.20	-9.21	67.63	3	Horizontal	110	1.37	99	39.12	14.60	62.36			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Z_2TX
SET 100
80\108\94\101\98\99\100
7.77\1.23\6.56\0.35\2.45\2.12\1.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6315G	66.69	68.20	-1.51	62.14	3	Vertical	267	2.28	100	32.60	6.91	34.96			
PK	5.8275G	118.05	Inf	-Inf	112.55	3	Vertical	267	2.28	100	33.61	6.95	35.06			
AV	5.8275G	109.99	Inf	-Inf	104.49	3	Vertical	267	2.28	100	33.61	6.95	35.06			
PK	5.959G	60.52	68.20	-7.68	54.69	3	Vertical	267	2.28	100	33.98	6.97	35.12			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Z_2TX
SET 100
100
7.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5905G	60.26	68.20	-7.94	55.69	3	Horizontal	307	2.33	100	32.60	6.91	34.94			
PK	5.823G	114.62	Inf	-Inf	109.15	3	Horizontal	307	2.33	100	33.59	6.94	35.06			
AV	5.823G	106.18	Inf	-Inf	100.71	3	Horizontal	307	2.33	100	33.59	6.94	35.06			
PK	6.0205G	60.73	68.20	-7.47	54.92	3	Horizontal	307	2.33	100	33.94	7.00	35.13			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Z_2TX
SET 100

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.66443G	54.44	74.00	-19.56	70.44	3	Vertical	354	1.05	100	38.50	10.54	65.04			
AV	11.66934G	42.14	54.00	-11.86	58.13	3	Vertical	354	1.05	100	38.50	10.55	65.04			
PK	17.48971G	61.27	68.20	-6.93	69.41	3	Vertical	190	1.80	100	39.59	14.70	62.43			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Z_2TX
SET 100

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6685G	54.21	74.00	-19.79	70.20	3	Horizontal	164	1.06	100	38.50	10.55	65.04			
AV	11.66794G	42.25	54.00	-11.75	58.24	3	Horizontal	164	1.06	100	38.50	10.55	65.04			
PK	17.49047G	61.58	68.20	-6.62	69.72	3	Horizontal	359	2.93	100	39.59	14.70	62.43			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	64.11	74.00	-9.89	55.88	3	Vertical	245	2.52	-	33.60	5.31	30.68			
AV	5.1484G	53.89	54.00	-0.11	45.66	3	Vertical	245	2.52	-	33.60	5.31	30.68			
PK	5.1784G	118.48	Inf	-Inf	110.12	3	Vertical	245	2.52	-	33.71	5.35	30.70			
AV	5.1884G	107.46	Inf	-Inf	99.06	3	Vertical	245	2.52	-	33.75	5.36	30.71			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	62.92	74.00	-11.08	54.69	3	Horizontal	311	2.98	-	33.60	5.31	30.68			
AV	5.15G	51.36	54.00	-2.64	43.12	3	Horizontal	311	2.98	-	33.60	5.32	30.68			
PK	5.1876G	116.08	Inf	-Inf	107.68	3	Horizontal	311	2.98	-	33.75	5.36	30.71			
AV	5.1876G	104.74	Inf	-Inf	96.34	3	Horizontal	311	2.98	-	33.75	5.36	30.71			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.34118G	53.48	68.20	-14.72	72.61	3	Vertical	98	1.86	70	38.52	8.18	65.83			
PK	15.54735G	57.69	74.00	-16.31	71.82	3	Vertical	160	1.80	70	37.81	10.14	62.08			
AV	15.53229G	46.55	54.00	-7.45	60.61	3	Vertical	160	1.80	70	37.87	10.14	62.07			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37772G	53.75	68.20	-14.45	72.85	3	Horizontal	200	1.82	70	38.44	8.19	65.73			
PK	15.55111G	58.04	74.00	-15.96	72.18	3	Horizontal	311	1.80	70	37.80	10.14	62.08			
AV	15.52422G	46.15	54.00	-7.85	60.18	3	Horizontal	311	1.80	70	37.90	10.13	62.06			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 85
80\85
1.31\0.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1485G	68.09	74.00	-5.91	63.58	3	Vertical	350	2.51	85	32.70	6.66	34.85			
AV	5.15G	53.98	54.00	-0.02	49.46	3	Vertical	350	2.51	85	32.70	6.67	34.85			
PK	5.203G	119.57	Inf	-Inf	114.83	3	Vertical	350	2.51	85	32.80	6.80	34.86			
AV	5.1975G	110.80	Inf	-Inf	106.08	3	Vertical	350	2.51	85	32.79	6.79	34.86			
PK	5.354G	63.65	74.00	-10.35	59.09	3	Vertical	350	2.51	85	32.61	6.83	34.88			
AV	5.3625G	53.69	54.00	-0.31	49.12	3	Vertical	350	2.51	85	32.62	6.83	34.88			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 85
85
3.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	64.58	74.00	-9.42	60.06	3	Horizontal	307	2.86	85	32.70	6.67	34.85			
AV	5.15G	51.00	54.00	-3.00	46.48	3	Horizontal	307	2.86	85	32.70	6.67	34.85			
PK	5.198G	117.17	Inf	-Inf	112.44	3	Horizontal	307	2.86	85	32.80	6.79	34.86			
AV	5.2025G	107.02	Inf	-Inf	102.28	3	Horizontal	307	2.86	85	32.80	6.80	34.86			
PK	5.359G	59.95	74.00	-14.05	55.38	3	Horizontal	307	2.86	85	32.62	6.83	34.88			
AV	5.362G	49.94	54.00	-4.06	45.37	3	Horizontal	307	2.86	85	32.62	6.83	34.88			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 85

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.40128G	54.16	68.20	-14.04	71.33	3	Vertical	154	2.58	85	38.50	9.99	65.66				
PK	15.61622G	57.59	74.00	-16.41	68.38	3	Vertical	10	1.80	85	37.78	13.54	62.11				
AV	15.61594G	45.69	54.00	-8.31	56.48	3	Vertical	10	1.80	85	37.78	13.54	62.11				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38625G	53.91	68.20	-14.29	71.13	3	Horizontal	280	2.58	85	38.49	9.99	65.70			
PK	15.59932G	57.26	74.00	-16.74	68.03	3	Horizontal	195	1.05	85	37.80	13.53	62.10			
AV	15.58346G	45.51	54.00	-8.49	56.26	3	Horizontal	195	1.05	85	37.83	13.52	62.10			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 80
80
0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.075G	58.71	74.00	-15.29	54.18	3	Vertical	351	2.54	80	32.90	6.47	34.84			
AV	5.083G	49.06	54.00	-4.94	44.54	3	Vertical	351	2.54	80	32.87	6.49	34.84			
PK	5.248G	120.94	Inf	-Inf	116.19	3	Vertical	351	2.54	80	32.80	6.81	34.86			
AV	5.2375G	110.16	Inf	-Inf	105.41	3	Vertical	351	2.54	80	32.80	6.81	34.86			
PK	5.3975G	63.97	74.00	-10.03	59.32	3	Vertical	351	2.54	80	32.70	6.84	34.89			
AV	5.3975G	53.80	54.00	-0.20	49.15	3	Vertical	351	2.54	80	32.70	6.84	34.89			
PK	5.471G	60.21	68.20	-7.99	55.65	3	Vertical	351	2.54	80	32.60	6.86	34.90			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 80
80
4.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.101G	58.34	74.00	-15.66	53.84	3	Horizontal	301	2.75	80	32.80	6.54	34.84			
AV	5.0755G	47.67	54.00	-6.33	43.14	3	Horizontal	301	2.75	80	32.90	6.47	34.84			
PK	5.243G	115.68	Inf	-Inf	110.93	3	Horizontal	301	2.75	80	32.80	6.81	34.86			
AV	5.2375G	106.25	Inf	-Inf	101.50	3	Horizontal	301	2.75	80	32.80	6.81	34.86			
PK	5.406G	59.27	74.00	-14.73	54.63	3	Horizontal	301	2.75	80	32.69	6.84	34.89			
AV	5.408G	49.64	54.00	-4.36	45.01	3	Horizontal	301	2.75	80	32.68	6.84	34.89			
PK	5.478G	57.77	68.20	-10.43	53.20	3	Horizontal	301	2.75	80	32.60	6.87	34.90			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49826G	54.70	68.20	-13.50	71.55	3	Vertical	347	1.80	80	38.50	10.04	65.39			
PK	15.72871G	58.23	74.00	-15.77	69.03	3	Vertical	185	2.71	80	37.76	13.61	62.17			
AV	15.73622G	46.22	54.00	-7.78	57.02	3	Vertical	185	2.71	80	37.77	13.61	62.18			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46673G	54.58	68.20	-13.62	71.54	3	Horizontal	359	1.11	80	38.50	10.02	65.48			
PK	15.70058G	58.81	74.00	-15.19	69.68	3	Horizontal	68	1.36	80	37.70	13.59	62.16			
AV	15.7385G	46.26	54.00	-7.74	57.05	3	Horizontal	68	1.36	80	37.78	13.61	62.18			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
SET 95
80\98\89\93\95\96\95
4.70\ -2.64\3.66\2.85\2.30\ -1.34\1.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.58G	66.57	68.20	-1.63	62.01	3	Vertical	347	2.51	95	32.60	6.90	34.94			
PK	5.7475G	120.81	Inf	-Inf	115.52	3	Vertical	347	2.51	95	33.38	6.93	35.02			
AV	5.7495G	110.96	Inf	-Inf	105.65	3	Vertical	347	2.51	95	33.40	6.93	35.02			
PK	5.9655G	59.76	68.20	-8.44	53.94	3	Vertical	347	2.51	95	33.97	6.97	35.12			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
SET 95
95
8.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.591G	60.15	68.20	-8.05	55.58	3	Horizontal	274	2.74	95	32.60	6.91	34.94			
PK	5.754G	116.42	Inf	-Inf	111.10	3	Horizontal	274	2.74	95	33.41	6.93	35.02			
AV	5.749G	106.03	Inf	-Inf	100.73	3	Horizontal	274	2.74	95	33.39	6.93	35.02			
PK	5.9885G	59.41	68.20	-8.79	53.64	3	Horizontal	274	2.74	95	33.92	6.98	35.13			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
SET95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50658G	55.09	74.00	-18.91	70.79	3	Vertical	359	2.08	95	38.78	10.48	64.96			
AV	11.50099G	43.51	54.00	-10.49	59.20	3	Vertical	359	2.08	95	38.80	10.47	64.96			
PK	17.22337G	59.22	68.20	-8.98	68.18	3	Vertical	164	1.80	95	38.82	14.53	62.31			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
SET95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4878G	55.22	74.00	-18.78	70.92	3	Horizontal	1	1.78	95	38.81	10.47	64.98			
AV	11.50443G	43.52	54.00	-10.48	59.22	3	Horizontal	1	1.78	95	38.79	10.47	64.96			
PK	17.22217G	58.46	68.20	-9.74	67.42	3	Horizontal	9	1.80	95	38.82	14.53	62.31			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
SET 100
80\98\107\103\101\100
4.73\1.86\ -8.38\ -4.94\ -1.76\1.65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.631G	66.55	68.20	-1.65	62.00	3	Vertical	348	2.37	100	32.60	6.91	34.96			
PK	5.7775G	120.28	Inf	-Inf	114.92	3	Vertical	348	2.37	100	33.45	6.94	35.03			
AV	5.7765G	110.85	Inf	-Inf	105.49	3	Vertical	348	2.37	100	33.45	6.94	35.03			
PK	6.0315G	59.56	68.20	-8.64	53.72	3	Vertical	348	2.37	100	33.96	7.01	35.13			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
SET 100
100
7.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.601G	58.79	68.20	-9.41	54.23	3	Horizontal	335	2.33	100	32.60	6.91	34.95			
PK	5.7875G	115.02	Inf	-Inf	109.64	3	Horizontal	335	2.33	100	33.48	6.94	35.04			
AV	5.7765G	105.49	Inf	-Inf	100.13	3	Horizontal	335	2.33	100	33.45	6.94	35.03			
PK	6.0055G	61.12	68.20	-7.08	55.37	3	Horizontal	335	2.33	100	33.91	6.98	35.14			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
SET 100

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.558333G	54.50	74.00	-19.50	70.36	3	Vertical	155	1.80	100	38.63	10.50	64.99			
AV	11.56513G	42.90	54.00	-11.10	58.79	3	Vertical	155	1.80	100	38.60	10.50	64.99			
PK	17.36063G	59.66	68.20	-8.54	68.15	3	Vertical	29	2.38	100	39.26	14.62	62.37			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
SET 100

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55138G	54.90	74.00	-19.10	70.74	3	Horizontal	183	1.80	100	38.65	10.49	64.98			
AV	11.55378G	43.03	54.00	-10.97	58.87	3	Horizontal	183	1.80	100	38.64	10.50	64.98			
PK	17.37098G	59.38	68.20	-8.82	67.81	3	Horizontal	162	1.80	100	39.33	14.62	62.38			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
SET 98
80\108\94\101\98\99\98
7.77\1.75\7.83\2.83\1.75\0.00\1.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.579G	66.81	68.20	-1.39	62.25	3	Vertical	268	2.33	98	32.60	6.90	34.94			
PK	5.8295G	117.82	Inf	-Inf	112.31	3	Vertical	268	2.33	98	33.62	6.95	35.06			
AV	5.8235G	108.70	Inf	-Inf	103.23	3	Vertical	268	2.33	98	33.59	6.94	35.06			
PK	5.928G	60.34	68.20	-7.86	54.48	3	Vertical	268	2.33	98	34.00	6.97	35.11			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
SET 98
98
6.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6235G	61.96	68.20	-6.24	57.41	3	Horizontal	308	2.26	98	32.60	6.91	34.96			
PK	5.8165G	115.29	Inf	-Inf	109.83	3	Horizontal	308	2.26	98	33.57	6.94	35.05			
AV	5.8215G	104.99	Inf	-Inf	99.51	3	Horizontal	308	2.26	98	33.59	6.94	35.05			
PK	6.007G	60.62	68.20	-7.58	54.86	3	Horizontal	308	2.26	98	33.91	6.99	35.14			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5825MHz_TX

EUT_Z_2TX
SET98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65907G	54.28	74.00	-19.72	70.27	3	Vertical	273	1.80	98	38.50	10.54	65.03			
AV	11.66834G	42.18	54.00	-11.82	58.17	3	Vertical	273	1.80	98	38.50	10.55	65.04			
PK	17.48847G	61.48	68.20	-6.72	69.62	3	Vertical	359	1.47	98	39.59	14.70	62.43			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5825MHz_TX

EUT_Z_2TX
SET98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.66702G	54.49	74.00	-19.51	70.48	3	Horizontal	171	1.80	98	38.50	10.55	65.04			
AV	11.66746G	42.24	54.00	-11.76	58.23	3	Horizontal	171	1.80	98	38.50	10.55	65.04			
PK	17.49426G	61.45	68.20	-6.75	69.59	3	Horizontal	1	1.80	98	39.59	14.70	62.43			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	64.20	74.00	-9.80	56.99	3	Vertical	246	2.39	-	33.59	4.30	30.68			
AV	5.148G	53.82	54.00	-0.18	46.60	3	Vertical	246	2.39	-	33.60	4.30	30.68			
PK	5.193G	113.32	Inf	-Inf	105.93	3	Vertical	246	2.39	-	33.77	4.33	30.71			
AV	5.191G	102.37	Inf	-Inf	94.99	3	Vertical	246	2.39	-	33.76	4.33	30.71			
PK	5.365G	61.34	74.00	-12.66	53.81	3	Vertical	246	2.39	-	34.00	4.38	30.85			
AV	5.354G	49.50	54.00	-4.50	41.96	3	Vertical	246	2.39	-	34.00	4.38	30.84			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	62.83	74.00	-11.17	55.61	3	Horizontal	303	2.79	-	33.60	4.30	30.68			
AV	5.15G	52.00	54.00	-2.00	44.78	3	Horizontal	303	2.79	-	33.60	4.30	30.68			
PK	5.178G	110.09	Inf	-Inf	102.76	3	Horizontal	303	2.79	-	33.71	4.32	30.70			
AV	5.208G	100.18	Inf	-Inf	92.77	3	Horizontal	303	2.79	-	33.80	4.34	30.73			
PK	5.38G	59.89	74.00	-14.11	52.37	3	Horizontal	303	2.79	-	34.00	4.38	30.86			
AV	5.434G	49.19	54.00	-4.81	41.60	3	Horizontal	303	2.79	-	34.07	4.43	30.91			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.381G	53.48	68.20	-14.72	72.57	3	Vertical	340	1.80	62	38.44	8.19	65.72			
PK	15.55579G	57.99	74.00	-16.01	72.14	3	Vertical	88	1.80	62	37.79	10.14	62.08			
AV	15.53653G	46.75	54.00	-7.25	60.83	3	Vertical	88	1.80	62	37.85	10.14	62.07			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39385G	54.07	68.20	-14.13	73.15	3	Horizontal	88	2.85	62	38.41	8.19	65.68			
PK	15.53997G	57.53	74.00	-16.47	71.62	3	Horizontal	345	1.80	62	37.84	10.14	62.07			
AV	15.55288G	46.84	54.00	-7.16	60.99	3	Horizontal	345	1.80	62	37.79	10.14	62.08			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 81
80\83\82\81
0.99\1.69\0.78\0.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1475G	64.74	74.00	-9.26	60.22	3	Vertical	354	2.54	81	32.71	6.66	34.85			
AV	5.15G	53.32	54.00	-0.68	48.80	3	Vertical	354	2.54	81	32.70	6.67	34.85			
PK	5.2375G	118.42	Inf	-Inf	113.67	3	Vertical	354	2.54	81	32.80	6.81	34.86			
AV	5.2375G	107.55	Inf	-Inf	102.80	3	Vertical	354	2.54	81	32.80	6.81	34.86			
PK	5.405G	62.38	74.00	-11.62	57.74	3	Vertical	354	2.54	81	32.69	6.84	34.89			
AV	5.3975G	52.68	54.00	-1.32	48.03	3	Vertical	354	2.54	81	32.70	6.84	34.89			
PK	5.465G	60.55	68.20	-7.65	55.99	3	Vertical	354	2.54	81	32.60	6.86	34.90			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 81
81
3.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	63.00	74.00	-11.00	58.48	3	Horizontal	303	2.81	81	32.70	6.67	34.85			
AV	5.15G	51.00	54.00	-3.00	46.48	3	Horizontal	303	2.81	81	32.70	6.67	34.85			
PK	5.218G	113.35	Inf	-Inf	108.61	3	Horizontal	303	2.81	81	32.80	6.80	34.86			
AV	5.215G	103.23	Inf	-Inf	98.49	3	Horizontal	303	2.81	81	32.80	6.80	34.86			
PK	5.4045G	60.18	74.00	-13.82	55.54	3	Horizontal	303	2.81	81	32.69	6.84	34.89			
AV	5.393G	49.88	54.00	-4.12	45.24	3	Horizontal	303	2.81	81	32.69	6.84	34.89			
PK	5.4785G	58.05	68.20	-10.15	53.48	3	Horizontal	303	2.81	81	32.60	6.87	34.90			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42627G	54.57	68.20	-13.63	71.65	3	Vertical	296	1.80	81	38.50	10.01	65.59			
PK	15.72141G	58.33	74.00	-15.67	69.16	3	Vertical	43	1.80	81	37.74	13.60	62.17			
AV	15.69104G	47.05	54.00	-6.95	57.91	3	Vertical	43	1.80	81	37.71	13.58	62.15			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.43259G	54.61	68.20	-13.59	71.67	3	Horizontal	256	2.35	81	38.50	10.01	65.57			
PK	15.69176G	58.34	74.00	-15.66	69.20	3	Horizontal	62	2.21	81	37.71	13.58	62.15			
AV	15.69559G	46.92	54.00	-7.08	57.79	3	Horizontal	62	2.21	81	37.70	13.59	62.16			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
SET 90
80\98\89\93\91\90
4.53\ -6.76\3.40\ -0.32\ -1.03\1.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65G	66.42	68.20	-1.78	61.87	3	Vertical	348	2.34	90	32.60	6.92	34.97			
PK	5.75G	117.12	Inf	-Inf	111.81	3	Vertical	348	2.34	90	33.40	6.93	35.02			
AV	5.7495G	108.08	Inf	-Inf	102.77	3	Vertical	348	2.34	90	33.40	6.93	35.02			
PK	5.9375G	59.59	68.20	-8.61	53.73	3	Vertical	348	2.34	90	34.00	6.97	35.11			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
SET 90
90
7.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.649G	61.18	68.20	-7.02	56.63	3	Horizontal	304	2.34	90	32.60	6.92	34.97			
PK	5.745G	113.89	Inf	-Inf	108.62	3	Horizontal	304	2.34	90	33.36	6.93	35.02			
AV	5.752G	103.32	Inf	-Inf	98.01	3	Horizontal	304	2.34	90	33.40	6.93	35.02			
PK	5.9805G	60.03	68.20	-8.17	54.24	3	Horizontal	304	2.34	90	33.94	6.98	35.13			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5755MHz_TX

EUT_Z_2TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49561G	55.04	74.00	-18.96	70.74	3	Vertical	275	1.80	90	38.80	10.47	64.97			
AV	11.50624G	44.05	54.00	-9.95	59.75	3	Vertical	275	1.80	90	38.78	10.48	64.96			
PK	17.30168G	59.93	68.20	-8.27	68.79	3	Vertical	263	1.68	90	38.91	14.58	62.35			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48954G	55.25	74.00	-18.75	70.95	3	Horizontal	1	2.95	90	38.81	10.47	64.98			
AV	11.49186G	44.32	54.00	-9.68	60.02	3	Horizontal	1	2.95	90	38.81	10.47	64.98			
PK	17.29593G	59.18	68.20	-9.02	68.04	3	Horizontal	29	1.80	90	38.90	14.58	62.34			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
SET 96
80\101\91\96\98\97\96
5.29\ -4.83\3.72\2.30\ -3.13\ -0.95\2.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65G	65.85	68.20	-2.35	61.30	3	Vertical	348	2.37	96	32.60	6.92	34.97			
PK	5.8045G	117.19	Inf	-Inf	111.78	3	Vertical	348	2.37	96	33.52	6.94	35.05			
AV	5.784G	107.54	Inf	-Inf	102.17	3	Vertical	348	2.37	96	33.47	6.94	35.04			
PK	6.043G	60.24	68.20	-7.96	54.35	3	Vertical	348	2.37	96	33.99	7.02	35.12			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
SET 96
96
7.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65G	59.87	68.20	-8.33	55.32	3	Horizontal	334	2.44	96	32.60	6.92	34.97			
PK	5.785G	112.16	Inf	-Inf	106.79	3	Horizontal	334	2.44	96	33.47	6.94	35.04			
AV	5.784G	102.76	Inf	-Inf	97.39	3	Horizontal	334	2.44	96	33.47	6.94	35.04			
PK	5.946G	60.77	68.20	-7.43	54.91	3	Horizontal	334	2.44	96	34.00	6.97	35.11			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX


5795MHz_TX

EUT_Z_2TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55715G	54.64	74.00	-19.36	70.50	3	Vertical	14	2.10	96	38.63	10.50	64.99			
AV	11.55468G	43.69	54.00	-10.31	59.54	3	Vertical	14	2.10	96	38.64	10.50	64.99			
PK	17.3659G	60.64	68.20	-7.56	69.09	3	Vertical	109	1.80	96	39.30	14.62	62.37			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57002G	55.32	74.00	-18.68	71.22	3	Horizontal	28	1.80	96	38.59	10.50	64.99			
AV	11.56491G	43.51	54.00	-10.49	59.39	3	Horizontal	28	1.80	96	38.61	10.50	64.99			
PK	17.4069G	61.44	68.20	-6.76	69.67	3	Horizontal	90	1.94	96	39.51	14.65	62.39			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.135G	63.66	74.00	-10.34	55.46	3	Vertical	353	2.60	-	33.57	5.30	30.67			
AV	5.148G	53.93	54.00	-0.07	45.70	3	Vertical	353	2.60	-	33.60	5.31	30.68			
PK	5.208G	110.85	Inf	-Inf	102.41	3	Vertical	353	2.60	-	33.80	5.37	30.73			
AV	5.22G	100.74	Inf	-Inf	92.31	3	Vertical	353	2.60	-	33.80	5.37	30.74			
PK	5.37G	62.52	74.00	-11.48	53.98	3	Vertical	353	2.60	-	34.00	5.40	30.86			
AV	5.37G	51.12	54.00	-2.88	42.58	3	Vertical	353	2.60	-	34.00	5.40	30.86			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5210MHz_TX

EUT_Z_2TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	62.11	74.00	-11.89	53.87	3	Horizontal	306	2.80	-	33.60	5.32	30.68			
AV	5.142G	51.32	54.00	-2.68	43.10	3	Horizontal	306	2.80	-	33.58	5.31	30.67			
PK	5.225G	109.15	Inf	-Inf	100.72	3	Horizontal	306	2.80	-	33.80	5.37	30.74			
AV	5.225G	97.50	Inf	-Inf	89.07	3	Horizontal	306	2.80	-	33.80	5.37	30.74			
PK	5.419G	61.40	74.00	-12.60	52.83	3	Horizontal	306	2.80	-	34.04	5.43	30.90			
AV	5.394G	50.26	54.00	-3.74	41.73	3	Horizontal	306	2.80	-	34.00	5.41	30.88			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42444G	54.41	68.20	-13.79	73.41	3	Vertical	129	1.90	60	38.40	8.20	65.60			
PK	15.55455G	57.97	74.00	-16.03	72.12	3	Vertical	322	1.80	60	37.79	10.14	62.08			
AV	15.6963G	46.69	54.00	-7.31	60.87	3	Vertical	322	1.80	60	37.79	10.19	62.16			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.43744G	55.52	68.20	-12.68	74.47	3	Horizontal	245	1.80	60	38.40	8.21	65.56			
PK	15.59016G	57.66	74.00	-16.34	71.89	3	Horizontal	360	1.80	60	37.72	10.15	62.10			
AV	15.55556G	46.88	54.00	-7.12	61.03	3	Horizontal	360	1.80	60	37.79	10.14	62.08			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
SET 79
80\77\78\79
-0.52\1.68\0.94\0.63

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6505G	67.94	68.57	-0.63	63.39	3	Vertical	346	2.36	79	32.60	6.92	34.97			
PK	5.76G	111.87	Inf	-Inf	106.54	3	Vertical	346	2.36	79	33.42	6.93	35.02			
AV	5.7595G	102.19	Inf	-Inf	96.86	3	Vertical	346	2.36	79	33.42	6.93	35.02			
PK	5.9585G	60.17	68.20	-8.03	54.34	3	Vertical	346	2.36	79	33.98	6.97	35.12			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
SET 79
79
6.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.647G	61.81	68.20	-6.39	57.26	3	Horizontal	331	2.39	79	32.60	6.92	34.97			
PK	5.787G	106.10	Inf	-Inf	100.73	3	Horizontal	331	2.39	79	33.47	6.94	35.04			
AV	5.762G	96.81	Inf	-Inf	91.49	3	Horizontal	331	2.39	79	33.42	6.93	35.03			
PK	5.947G	60.28	68.20	-7.92	54.42	3	Horizontal	331	2.39	79	34.00	6.97	35.11			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50365G	55.43	74.00	-18.57	71.13	3	Vertical	1	2.95	79	38.79	10.47	64.96			
AV	11.50301G	44.20	54.00	-9.80	59.90	3	Vertical	1	2.95	79	38.79	10.47	64.96			
PK	17.32132G	59.36	68.20	-8.84	68.09	3	Vertical	28	1.80	79	39.03	14.59	62.35			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5775MHz_TX

EUT_Z_2TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54584G	54.74	74.00	-19.26	70.57	3	Horizontal	195	2.92	79	38.66	10.49	64.98			
AV	11.50812G	43.99	54.00	-10.01	59.69	3	Horizontal	195	2.92	79	38.78	10.48	64.96			
PK	17.32276G	59.52	68.20	-8.68	68.25	3	Horizontal	359	2.95	79	39.04	14.59	62.36			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	62.79	74.00	-11.21	54.56	3	Vertical	307	2.69	-	33.60	5.31	30.68			
AV	5.15G	53.86	54.00	-0.14	45.62	3	Vertical	307	2.69	-	33.60	5.32	30.68			
PK	5.173G	113.93	Inf	-Inf	105.60	3	Vertical	307	2.69	-	33.69	5.34	30.70			
AV	5.187G	104.48	Inf	-Inf	96.08	3	Vertical	307	2.69	-	33.75	5.36	30.71			
PK	5.413G	60.88	74.00	-13.12	52.32	3	Vertical	307	2.69	-	34.03	5.42	30.89			
AV	5.35G	50.50	54.00	-3.50	41.94	3	Vertical	307	2.69	-	34.00	5.40	30.84			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	64.36	74.00	-9.64	56.14	3	Horizontal	312	3.00	-	33.59	5.31	30.68			
AV	5.15G	53.30	54.00	-0.70	45.06	3	Horizontal	312	3.00	-	33.60	5.32	30.68			
PK	5.175G	113.23	Inf	-Inf	104.89	3	Horizontal	312	3.00	-	33.70	5.34	30.70			
AV	5.187G	103.67	Inf	-Inf	95.27	3	Horizontal	312	3.00	-	33.75	5.36	30.71			
PK	5.356G	60.83	74.00	-13.17	52.27	3	Horizontal	312	3.00	-	34.00	5.40	30.84			
AV	5.426G	50.12	54.00	-3.88	41.54	3	Horizontal	312	3.00	-	34.05	5.43	30.90			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.34044G	54.39	68.20	-13.81	73.52	3	Vertical	211	1.80	69	38.52	8.18	65.83			
PK	15.52542G	57.78	74.00	-16.22	71.80	3	Vertical	272	2.93	69	37.90	10.14	62.06			
AV	15.52046G	46.98	54.00	-7.02	60.99	3	Vertical	272	2.93	69	37.92	10.13	62.06			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.34797G	54.68	68.20	-13.52	73.81	3	Horizontal	125	1.80	69	38.50	8.18	65.81			
PK	15.53363G	57.94	74.00	-16.06	72.00	3	Horizontal	62	1.80	69	37.87	10.14	62.07			
AV	15.52356G	47.09	54.00	-6.91	61.11	3	Horizontal	62	1.80	69	37.91	10.13	62.06			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 84
80\83\84
0.99\0.54\0.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	65.66	74.00	-8.34	61.14	3	Vertical	355	2.43	84	32.70	6.67	34.85			
AV	5.1495G	53.09	54.00	-0.91	48.57	3	Vertical	355	2.43	84	32.70	6.67	34.85			
PK	5.203G	119.25	Inf	-Inf	114.51	3	Vertical	355	2.43	84	32.80	6.80	34.86			
AV	5.201G	109.20	Inf	-Inf	104.46	3	Vertical	355	2.43	84	32.80	6.80	34.86			
PK	5.351G	63.71	74.00	-10.29	59.16	3	Vertical	355	2.43	84	32.60	6.83	34.88			
AV	5.365G	53.63	54.00	-0.37	49.05	3	Vertical	355	2.43	84	32.63	6.83	34.88			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 84
84
3.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1465G	60.00	74.00	-14.00	55.48	3	Horizontal	309	2.82	84	32.71	6.66	34.85			
AV	5.15G	51.00	54.00	-3.00	46.48	3	Horizontal	309	2.82	84	32.70	6.67	34.85			
PK	5.1955G	114.12	Inf	-Inf	109.40	3	Horizontal	309	2.82	84	32.79	6.79	34.86			
AV	5.2045G	105.05	Inf	-Inf	100.31	3	Horizontal	309	2.82	84	32.80	6.80	34.86			
PK	5.36G	59.88	74.00	-14.12	55.31	3	Horizontal	309	2.82	84	32.62	6.83	34.88			
AV	5.3645G	49.96	54.00	-4.04	45.38	3	Horizontal	309	2.82	84	32.63	6.83	34.88			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38438G	53.99	68.20	-14.21	71.23	3	Vertical	5	1.80	84	38.48	9.99	65.71			
PK	15.60412G	57.48	74.00	-16.52	68.26	3	Vertical	344	1.80	84	37.80	13.53	62.11			
AV	15.5827G	46.32	54.00	-7.68	57.06	3	Vertical	344	1.80	84	37.83	13.52	62.09			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41842G	54.17	68.20	-14.03	71.28	3	Horizontal	1	2.23	84	38.50	10.00	65.61			
PK	15.61918G	57.41	74.00	-16.59	68.20	3	Horizontal	107	1.10	84	37.78	13.54	62.11			
AV	15.59872G	46.17	54.00	-7.83	56.94	3	Horizontal	107	1.10	84	37.80	13.53	62.10			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 77
80\79\78\77
-0.17\ -0.38\ -0.23\ 0.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0815G	59.03	74.00	-14.97	54.51	3	Vertical	352	2.49	77	32.87	6.49	34.84			
AV	5.0835G	49.44	54.00	-4.56	44.92	3	Vertical	352	2.49	77	32.87	6.49	34.84			
PK	5.2345G	118.39	Inf	-Inf	113.64	3	Vertical	352	2.49	77	32.80	6.81	34.86			
AV	5.245G	108.12	Inf	-Inf	103.37	3	Vertical	352	2.49	77	32.80	6.81	34.86			
PK	5.407G	63.49	74.00	-10.51	58.85	3	Vertical	352	2.49	77	32.69	6.84	34.89			
AV	5.4045G	53.79	54.00	-0.21	49.15	3	Vertical	352	2.49	77	32.69	6.84	34.89			
PK	5.477G	59.19	68.20	-9.01	54.62	3	Vertical	352	2.49	77	32.60	6.87	34.90			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 77
77
4.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.129G	58.11	74.00	-15.89	53.61	3	Horizontal	302	2.76	77	32.74	6.61	34.85			
AV	5.0835G	48.24	54.00	-5.76	43.72	3	Horizontal	302	2.76	77	32.87	6.49	34.84			
PK	5.2455G	113.31	Inf	-Inf	108.56	3	Horizontal	302	2.76	77	32.80	6.81	34.86			
AV	5.234G	103.85	Inf	-Inf	99.10	3	Horizontal	302	2.76	77	32.80	6.81	34.86			
PK	5.406G	59.31	74.00	-14.69	54.67	3	Horizontal	302	2.76	77	32.69	6.84	34.89			
AV	5.407G	50.00	54.00	-4.00	45.36	3	Horizontal	302	2.76	77	32.69	6.84	34.89			
PK	5.4625G	57.76	68.20	-10.44	53.19	3	Horizontal	302	2.76	77	32.60	6.86	34.89			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46645G	54.31	68.20	-13.89	71.27	3	Vertical	72	2.95	77	38.50	10.02	65.48			
PK	15.73095G	58.50	74.00	-15.50	69.30	3	Vertical	254	1.06	77	37.76	13.61	62.17			
AV	15.73758G	46.99	54.00	-7.01	57.78	3	Vertical	254	1.06	77	37.78	13.61	62.18			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49578G	54.70	68.20	-13.50	71.56	3	Horizontal	234	1.80	77	38.50	10.04	65.40			
PK	15.72376G	58.07	74.00	-15.93	68.89	3	Horizontal	184	1.80	77	37.75	13.60	62.17			
AV	15.73335G	46.88	54.00	-7.12	57.68	3	Horizontal	184	1.80	77	37.77	13.61	62.18			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
SET 97
80\98\89\93\95\96\97
4.52\1.19\3.35\2.60\2.83\1.42\2.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.58G	66.05	68.20	-2.15	61.49	3	Vertical	348	2.28	97	32.60	6.90	34.94			
PK	5.7485G	119.95	Inf	-Inf	114.65	3	Vertical	348	2.28	97	33.39	6.93	35.02			
AV	5.7515G	110.40	Inf	-Inf	105.09	3	Vertical	348	2.28	97	33.40	6.93	35.02			
PK	5.965G	59.81	68.20	-8.39	53.99	3	Vertical	348	2.28	97	33.97	6.97	35.12			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
SET 97
97
7.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5895G	61.11	68.20	-7.09	56.54	3	Horizontal	274	2.69	97	32.60	6.91	34.94			
PK	5.739G	115.23	Inf	-Inf	110.00	3	Horizontal	274	2.69	97	33.31	6.93	35.01			
AV	5.7385G	105.12	Inf	-Inf	99.89	3	Horizontal	274	2.69	97	33.31	6.93	35.01			
PK	5.985G	59.72	68.20	-8.48	53.94	3	Horizontal	274	2.69	97	33.93	6.98	35.13			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
SET 97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50127G	55.28	74.00	-18.72	70.97	3	Vertical	1	1.80	97	38.80	10.47	64.96			
AV	11.50139G	44.45	54.00	-9.55	60.14	3	Vertical	1	1.80	97	38.80	10.47	64.96			
PK	17.22813G	58.48	68.20	-9.72	67.43	3	Vertical	202	2.70	97	38.83	14.54	62.32			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
SET 97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49444G	55.04	74.00	-18.96	70.73	3	Horizontal	312	1.80	97	38.81	10.47	64.97			
AV	11.50151G	44.22	54.00	-9.78	59.91	3	Horizontal	312	1.80	97	38.80	10.47	64.96			
PK	17.2179G	58.46	68.20	-9.74	67.42	3	Horizontal	291	1.80	97	38.82	14.53	62.31			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
SET 99
80\99\108\104\102\101\100\99
4.87\2.31\~7.21\~5.17\~1.96\~2.64\~0.28\2.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6225G	65.22	68.20	-2.98	60.67	3	Vertical	346	2.37	99	32.60	6.91	34.96			
PK	5.7845G	118.94	Inf	-Inf	113.57	3	Vertical	346	2.37	99	33.47	6.94	35.04			
AV	5.7785G	109.38	Inf	-Inf	104.01	3	Vertical	346	2.37	99	33.46	6.94	35.03			
PK	5.925G	59.42	68.20	-8.78	53.55	3	Vertical	346	2.37	99	34.00	6.97	35.10			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
SET 99
99
7.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6215G	59.02	68.20	-9.18	54.47	3	Horizontal	335	2.50	99	32.60	6.91	34.96			
PK	5.7945G	113.61	Inf	-Inf	108.22	3	Horizontal	335	2.50	99	33.49	6.94	35.04			
AV	5.7785G	104.20	Inf	-Inf	98.83	3	Horizontal	335	2.50	99	33.46	6.94	35.03			
PK	5.941G	60.45	68.20	-7.75	54.59	3	Horizontal	335	2.50	99	34.00	6.97	35.11			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
SET99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57575G	54.89	74.00	-19.11	70.80	3	Vertical	318	1.27	99	38.57	10.51	64.99			
AV	11.55538G	43.72	54.00	-10.28	59.58	3	Vertical	318	1.27	99	38.63	10.50	64.99			
PK	17.36731G	59.35	68.20	-8.85	67.80	3	Vertical	127	1.42	99	39.30	14.62	62.37			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
SET99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55801G	54.65	74.00	-19.35	70.51	3	Horizontal	209	1.80	99	38.63	10.50	64.99			
AV	11.55266G	43.84	54.00	-10.16	59.68	3	Horizontal	209	1.80	99	38.64	10.50	64.98			
PK	17.35364G	59.02	68.20	-9.18	67.56	3	Horizontal	296	1.80	99	39.22	14.61	62.37			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
SET 108
80\108
7.93\1.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.601G	66.72	68.20	-1.48	62.16	3	Vertical	253	2.33	108	32.60	6.91	34.95			
PK	5.8275G	117.84	Inf	-Inf	112.34	3	Vertical	253	2.33	108	33.61	6.95	35.06			
AV	5.82G	107.76	Inf	-Inf	102.29	3	Vertical	253	2.33	108	33.58	6.94	35.05			
PK	6.051G	59.89	68.20	-8.31	53.98	3	Vertical	253	2.33	108	34.00	7.03	35.12			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
SET 108
108
3.64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6495G	64.56	68.20	-3.64	60.01	3	Horizontal	308	2.31	108	32.60	6.92	34.97			
PK	5.8275G	113.24	Inf	-Inf	107.74	3	Horizontal	308	2.31	108	33.61	6.95	35.06			
AV	5.821G	103.91	Inf	-Inf	98.44	3	Horizontal	308	2.31	108	33.58	6.94	35.05			
PK	5.9405G	60.36	68.20	-7.84	54.50	3	Horizontal	308	2.31	108	34.00	6.97	35.11			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.66766G	54.13	74.00	-19.87	70.12	3	Vertical	26	1.80	108	38.50	10.55	65.04			
AV	11.66626G	42.98	54.00	-11.02	58.98	3	Vertical	26	1.80	108	38.50	10.54	65.04			
PK	17.49326G	61.54	68.20	-6.66	69.68	3	Vertical	194	1.80	108	39.59	14.70	62.43			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5825MHz_TX

EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65184G	54.42	74.00	-19.58	70.41	3	Horizontal	335	1.80	108	38.50	10.54	65.03			
AV	11.66982G	43.12	54.00	-10.88	59.11	3	Horizontal	335	1.80	108	38.50	10.55	65.04			
PK	17.48871G	62.21	68.20	-5.99	70.35	3	Horizontal	356	1.80	108	39.59	14.70	62.43			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1486G	64.60	74.00	-9.40	56.37	3	Vertical	245	2.62	-	33.60	5.31	30.68			
AV	5.1492G	53.89	54.00	-0.11	45.66	3	Vertical	245	2.62	-	33.60	5.31	30.68			
PK	5.208G	112.68	Inf	-Inf	104.24	3	Vertical	245	2.62	-	33.80	5.37	30.73			
AV	5.1954G	101.81	Inf	-Inf	93.39	3	Vertical	245	2.62	-	33.78	5.36	30.72			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1498G	65.16	74.00	-8.84	56.93	3	Horizontal	311	3.00	-	33.60	5.31	30.68			
AV	5.1498G	52.45	54.00	-1.55	44.22	3	Horizontal	311	3.00	-	33.60	5.31	30.68			
PK	5.175G	109.39	Inf	-Inf	101.05	3	Horizontal	311	3.00	-	33.70	5.34	30.70			
AV	5.1942G	99.22	Inf	-Inf	90.80	3	Horizontal	311	3.00	-	33.78	5.36	30.72			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39898G	54.88	68.20	-13.32	73.95	3	Vertical	55	1.80	64	38.40	8.20	65.67			
PK	15.59567G	57.89	74.00	-16.11	72.12	3	Vertical	336	1.80	64	37.71	10.16	62.10			
AV	15.54601G	46.80	54.00	-7.20	60.91	3	Vertical	336	1.80	64	37.82	10.14	62.07			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38911G	54.22	68.20	-13.98	73.30	3	Horizontal	36	2.05	64	38.42	8.19	65.69			
PK	15.59618G	57.96	74.00	-16.04	72.19	3	Horizontal	212	1.80	64	37.71	10.16	62.10			
AV	15.53796G	47.70	54.00	-6.30	61.78	3	Horizontal	212	1.80	64	37.85	10.14	62.07			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 82
80\83\82
0.83\0.45\0.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	65.04	74.00	-8.96	60.52	3	Vertical	352	2.49	82	32.70	6.67	34.85			
AV	5.15G	53.91	54.00	-0.09	49.39	3	Vertical	352	2.49	82	32.70	6.67	34.85			
PK	5.2155G	115.98	Inf	-Inf	111.24	3	Vertical	352	2.49	82	32.80	6.80	34.86			
AV	5.225G	106.35	Inf	-Inf	101.61	3	Vertical	352	2.49	82	32.80	6.80	34.86			
PK	5.385G	62.57	74.00	-11.43	57.94	3	Vertical	352	2.49	82	32.67	6.84	34.88			
AV	5.3905G	53.08	54.00	-0.92	48.44	3	Vertical	352	2.49	82	32.68	6.84	34.88			
PK	5.4795G	60.46	68.20	-7.74	55.89	3	Vertical	352	2.49	82	32.60	6.87	34.90			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 82
82
3.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1455G	61.37	74.00	-12.63	56.85	3	Horizontal	299	2.76	82	32.71	6.66	34.85			
AV	5.15G	50.70	54.00	-3.30	46.18	3	Horizontal	299	2.76	82	32.70	6.67	34.85			
PK	5.248G	111.29	Inf	-Inf	106.54	3	Horizontal	299	2.76	82	32.80	6.81	34.86			
AV	5.2325G	101.73	Inf	-Inf	96.98	3	Horizontal	299	2.76	82	32.80	6.81	34.86			
PK	5.3615G	59.29	74.00	-14.71	54.72	3	Horizontal	299	2.76	82	32.62	6.83	34.88			
AV	5.3755G	49.32	54.00	-4.68	44.71	3	Horizontal	299	2.76	82	32.65	6.84	34.88			
PK	5.468G	57.69	68.20	-10.51	53.13	3	Horizontal	299	2.76	82	32.60	6.86	34.90			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4425G	55.29	68.20	-12.91	72.33	3	Vertical	355	2.38	82	38.50	10.01	65.55			
PK	15.68313G	57.69	74.00	-16.31	68.54	3	Vertical	1	1.05	82	37.72	13.58	62.15			
AV	15.72061G	46.77	54.00	-7.23	57.60	3	Vertical	1	1.05	82	37.74	13.60	62.17			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.43187G	54.86	68.20	-13.34	71.93	3	Horizontal	254	1.60	82	38.50	10.01	65.58			
PK	15.72604G	58.06	74.00	-15.94	68.87	3	Horizontal	79	1.80	82	37.75	13.61	62.17			
AV	15.70087G	47.17	54.00	-6.83	58.04	3	Horizontal	79	1.80	82	37.70	13.59	62.16			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
SET 91
80\103\92\87\89\90\91
5.90\11.62\0.49\5.38\2.20\1.23\1.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6435G	66.52	68.20	-1.68	61.97	3	Vertical	348	2.28	91	32.60	6.92	34.97			
PK	5.7375G	116.43	Inf	-Inf	111.21	3	Vertical	348	2.28	91	33.30	6.93	35.01			
AV	5.747G	106.57	Inf	-Inf	101.28	3	Vertical	348	2.28	91	33.38	6.93	35.02			
PK	5.9775G	60.14	68.20	-8.06	54.34	3	Vertical	348	2.28	91	33.95	6.98	35.13			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
SET 91
91
7.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6495G	61.11	68.20	-7.09	56.56	3	Horizontal	306	2.33	91	32.60	6.92	34.97			
PK	5.7475G	112.53	Inf	-Inf	107.24	3	Horizontal	306	2.33	91	33.38	6.93	35.02			
AV	5.75G	101.95	Inf	-Inf	96.64	3	Horizontal	306	2.33	91	33.40	6.93	35.02			
PK	5.996G	59.87	68.20	-8.33	54.12	3	Horizontal	306	2.33	91	33.91	6.98	35.14			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4921G	54.74	74.00	-19.26	70.44	3	Vertical	20	1.80	91	38.81	10.47	64.98			
AV	11.50425G	44.13	54.00	-9.87	59.83	3	Vertical	20	1.80	91	38.79	10.47	64.96			
PK	17.29489G	58.70	68.20	-9.50	67.57	3	Vertical	289	1.99	91	38.89	14.58	62.34			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48754G	55.41	74.00	-18.59	71.11	3	Horizontal	3	1.15	91	38.81	10.47	64.98			
AV	11.50521G	44.15	54.00	-9.85	59.86	3	Horizontal	3	1.15	91	38.78	10.47	64.96			
PK	17.22992G	58.57	68.20	-9.63	67.52	3	Horizontal	1	2.95	91	38.83	14.54	62.32			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX



EUT_Z_2TX

SET 97


80\99\90\94\96\97\108\103\101\100\97

4.93\ -1.21\4.20\3.62\3.06\3.03\ -6.67\ -5.90\ -4.97\ -5.30\2.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.617G	66.02	68.20	-2.18	61.47	3	Vertical	347	2.35	97	32.60	6.91	34.96				
PK	5.7885G	115.51	Inf	-Inf	110.13	3	Vertical	347	2.35	97	33.48	6.94	35.04				
AV	5.7865G	106.62	Inf	-Inf	101.25	3	Vertical	347	2.35	97	33.47	6.94	35.04				
PK	6.042G	59.94	68.20	-8.26	54.06	3	Vertical	347	2.35	97	33.98	7.02	35.12				

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5795MHz_TX

EUT_Z_2TX
SET 97
97
8.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6315G	60.18	68.20	-8.02	55.63	3	Horizontal	333	2.47	97	32.60	6.91	34.96			
PK	5.7825G	111.05	Inf	-Inf	105.68	3	Horizontal	333	2.47	97	33.47	6.94	35.04			
AV	5.7855G	101.35	Inf	-Inf	95.98	3	Horizontal	333	2.47	97	33.47	6.94	35.04			
PK	6.0345G	60.17	68.20	-8.03	54.32	3	Horizontal	333	2.47	97	33.97	7.01	35.13			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5795MHz_TX

EUT_Z_2TX
SET 97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5502G	54.80	74.00	-19.20	70.64	3	Vertical	7	2.57	97	38.65	10.49	64.98			
AV	11.55444G	43.70	54.00	-10.30	59.55	3	Vertical	7	2.57	97	38.64	10.50	64.99			
PK	17.41193G	60.19	68.20	-8.01	68.42	3	Vertical	256	1.50	97	39.51	14.65	62.39			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
SET 97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55204G	54.75	74.00	-19.25	70.59	3	Horizontal	337	2.85	97	38.64	10.50	64.98			
AV	11.55052G	43.63	54.00	-10.37	59.47	3	Horizontal	337	2.85	97	38.65	10.49	64.98			
PK	17.40546G	60.65	68.20	-7.55	68.89	3	Horizontal	208	1.80	97	39.51	14.64	62.39			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.123G	62.28	74.00	-11.72	54.10	3	Vertical	306.5	2.80	-	33.55	5.29	30.66			
AV	5.147G	53.87	54.00	-0.13	45.65	3	Vertical	306.5	2.80	-	33.59	5.31	30.68			
PK	5.226G	106.74	Inf	-Inf	98.30	3	Vertical	306.5	2.80	-	33.80	5.38	30.74			
AV	5.225G	99.67	Inf	-Inf	91.24	3	Vertical	306.5	2.80	-	33.80	5.37	30.74			
PK	5.38G	61.92	74.00	-12.08	53.37	3	Vertical	306.5	2.80	-	34.00	5.41	30.86			
AV	5.411G	52.04	54.00	-1.96	43.49	3	Vertical	306.5	2.80	-	34.02	5.42	30.89			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.144G	62.59	74.00	-11.41	54.37	3	Horizontal	311	2.97	-	33.59	5.31	30.68			
AV	5.148G	53.42	54.00	-0.58	45.19	3	Horizontal	311	2.97	-	33.60	5.31	30.68			
PK	5.222G	107.37	Inf	-Inf	98.94	3	Horizontal	311	2.97	-	33.80	5.37	30.74			
AV	5.225G	98.81	Inf	-Inf	90.38	3	Horizontal	311	2.97	-	33.80	5.37	30.74			
PK	5.407G	61.67	74.00	-12.33	53.13	3	Horizontal	311	2.97	-	34.01	5.42	30.89			
AV	5.35G	51.92	54.00	-2.08	43.36	3	Horizontal	311	2.97	-	34.00	5.40	30.84			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41333G	55.25	68.20	-12.95	74.28	3	Vertical	188	1.80	58	38.40	8.20	65.63			
PK	15.6123G	57.66	74.00	-16.34	71.91	3	Vertical	244	1.78	58	37.70	10.16	62.11			
AV	15.70059G	48.48	54.00	-5.52	62.65	3	Vertical	244	1.78	58	37.80	10.19	62.16			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.43852G	54.65	68.20	-13.55	73.60	3	Horizontal	105	1.80	58	38.40	8.21	65.56			
PK	15.59555G	58.02	74.00	-15.98	72.25	3	Horizontal	282	1.80	58	37.71	10.16	62.10			
AV	15.69052G	48.21	54.00	-5.79	62.39	3	Horizontal	282	1.80	58	37.78	10.19	62.15			

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
SET 81
80\87\84\83\82\81
1.85\ -2.71\ -0.22\ -0.80\ -0.70\ 0.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6485G	67.76	68.20	-0.44	63.21	3	Vertical	348	2.26	81	32.60	6.92	34.97			
PK	5.7695G	111.58	Inf	-Inf	106.23	3	Vertical	348	2.26	81	33.44	6.94	35.03			
AV	5.7585G	103.01	Inf	-Inf	97.68	3	Vertical	348	2.26	81	33.42	6.93	35.02			
PK	6.015G	60.29	68.20	-7.91	54.50	3	Vertical	348	2.26	81	33.93	6.99	35.13			

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
SET 81
81
7.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6375G	60.09	68.20	-8.11	55.54	3	Horizontal	348	1.80	81	32.60	6.92	34.97			
PK	5.7565G	97.82	Inf	-Inf	92.50	3	Horizontal	348	1.80	81	33.41	6.93	35.02			
AV	5.7855G	88.25	Inf	-Inf	82.88	3	Horizontal	348	1.80	81	33.47	6.94	35.04			
PK	6.0065G	60.57	68.20	-7.63	54.81	3	Horizontal	348	1.80	81	33.91	6.99	35.14			

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5775MHz_TX

EUT_Z_2TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51547G	55.20	74.00	-18.80	70.94	3	Vertical	341	2.90	72	38.75	10.48	64.97			
AV	11.49677G	45.53	54.00	-8.47	61.23	3	Vertical	341	2.90	72	38.80	10.47	64.97			
PK	17.39405G	60.80	68.20	-7.40	69.09	3	Vertical	103	1.80	72	39.46	14.64	62.39			

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX



EUT_Z_2TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51212G	55.17	74.00	-18.83	70.90	3	Horizontal	69	1.80	72	38.76	10.48	64.97			
AV	11.50221G	45.76	54.00	-8.24	61.46	3	Horizontal	69	1.80	72	38.79	10.47	64.96			
PK	17.40316G	60.48	68.20	-7.72	68.73	3	Horizontal	130	1.20	72	39.50	14.64	62.39			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss1,(MCS0)_4TX	Pass	AV	5.458G	53.99	54.00	-0.01	3	Horizontal	71	1.82	78

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
SET 76
60\85\73\79\76
6.26\ -6.79\2.72\ -1.77\0.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.147G	68.78	74.00	-5.22	64.26	3	Vertical	305	2.24	76	32.71	6.66	34.85			
AV	5.1475G	53.78	54.00	-0.22	49.26	3	Vertical	305	2.24	76	32.71	6.66	34.85			
PK	5.186G	116.57	Inf	-Inf	111.90	3	Vertical	305	2.24	76	32.77	6.76	34.86			
AV	5.186G	109.11	Inf	-Inf	104.44	3	Vertical	305	2.24	76	32.77	6.76	34.86			
PK	5.416G	58.78	74.00	-15.22	54.15	3	Vertical	305	2.24	76	32.67	6.85	34.89			
AV	5.4035G	47.88	54.00	-6.12	43.24	3	Vertical	305	2.24	76	32.69	6.84	34.89			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
SET 73
76\70\73
-1.26\2.60\0.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	66.42	74.00	-7.58	61.90	3	Horizontal	284	1.53	73	32.70	6.67	34.85			
AV	5.15G	53.50	54.00	-0.50	48.98	3	Horizontal	284	1.53	73	32.70	6.67	34.85			
PK	5.1775G	119.11	Inf	-Inf	114.46	3	Horizontal	284	1.53	73	32.76	6.74	34.85			
AV	5.1765G	111.70	Inf	-Inf	107.06	3	Horizontal	284	1.53	73	32.75	6.74	34.85			
PK	5.373G	58.49	74.00	-15.51	53.89	3	Horizontal	284	1.53	73	32.65	6.83	34.88			
AV	5.3875G	48.01	54.00	-5.99	43.37	3	Horizontal	284	1.53	73	32.68	6.84	34.88			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.34569G	53.14	68.20	-15.06	72.26	3	Vertical	314	1.60	73	38.51	8.18	65.81			
PK	15.54955G	54.37	74.00	-19.63	68.51	3	Vertical	196	1.80	73	37.80	10.14	62.08			
AV	15.53465G	42.20	54.00	-11.80	56.27	3	Vertical	196	1.80	73	37.86	10.14	62.07			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.34585G	52.44	68.20	-15.76	71.56	3	Horizontal	360	1.80	73	38.51	8.18	65.81			
PK	15.53572G	55.01	74.00	-18.99	69.08	3	Horizontal	285	2.92	73	37.86	10.14	62.07			
AV	15.53477G	42.24	54.00	-11.76	56.31	3	Horizontal	285	2.92	73	37.86	10.14	62.07			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
SET 91
80\94\87\90\91
3.71\ -1.95\2.44\1.14\0.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	68.56	74.00	-5.44	64.04	3	Vertical	302	2.23	91	32.71	6.66	34.85			
AV	5.146G	53.55	54.00	-0.45	49.03	3	Vertical	302	2.23	91	32.71	6.66	34.85			
PK	5.2075G	119.49	Inf	-Inf	114.75	3	Vertical	302	2.23	91	32.80	6.80	34.86			
AV	5.2065G	112.22	Inf	-Inf	107.48	3	Vertical	302	2.23	91	32.80	6.80	34.86			
PK	5.3645G	62.44	74.00	-11.56	57.86	3	Vertical	302	2.23	91	32.63	6.83	34.88			
AV	5.363G	51.72	54.00	-2.28	47.14	3	Vertical	302	2.23	91	32.63	6.83	34.88			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
SET 90
91\87\89\90
-0.95\1.36\0.72\0.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1475G	63.78	74.00	-10.22	59.26	3	Horizontal	277	1.49	90	32.71	6.66	34.85			
AV	5.15G	53.28	54.00	-0.72	48.76	3	Horizontal	277	1.49	90	32.70	6.67	34.85			
PK	5.197G	123.37	Inf	-Inf	118.65	3	Horizontal	277	1.49	90	32.79	6.79	34.86			
AV	5.197G	115.60	Inf	-Inf	110.88	3	Horizontal	277	1.49	90	32.79	6.79	34.86			
PK	5.355G	61.07	74.00	-12.93	56.51	3	Horizontal	277	1.49	90	32.61	6.83	34.88			
AV	5.3545G	51.85	54.00	-2.15	47.29	3	Horizontal	277	1.49	90	32.61	6.83	34.88			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
SET90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41678G	52.99	68.20	-15.21	72.01	3	Vertical	5	2.92	90	38.40	8.20	65.62			
PK	15.59009G	53.95	74.00	-20.05	68.18	3	Vertical	83	1.80	90	37.72	10.15	62.10			
AV	15.60244G	41.33	54.00	-12.67	55.58	3	Vertical	83	1.80	90	37.70	10.16	62.11			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
SET90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38717G	52.04	68.20	-16.16	71.12	3	Horizontal	53	1.10	90	38.43	8.19	65.70			
PK	15.59644G	53.68	74.00	-20.32	67.91	3	Horizontal	221	1.80	90	37.71	10.16	62.10			
AV	15.58198G	41.40	54.00	-12.60	55.60	3	Horizontal	221	1.80	90	37.74	10.15	62.09			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
SET91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1336G	61.64	74.00	-12.36	53.44	3	Vertical	54	2.91	-	33.57	5.30	30.67				
AV	5.0864G	49.78	54.00	-4.22	41.66	3	Vertical	54	2.91	-	33.50	5.25	30.63				
PK	5.2424G	119.78	Inf	-Inf	111.35	3	Vertical	54	2.91	-	33.80	5.38	30.75				
AV	5.2432G	111.23	Inf	-Inf	102.80	3	Vertical	54	2.91	-	33.80	5.38	30.75				
PK	5.3992G	62.03	74.00	-11.97	53.50	3	Vertical	54	2.91	-	34.00	5.41	30.88				
AV	5.4008G	51.25	54.00	-2.75	42.72	3	Vertical	54	2.91	-	34.00	5.41	30.88				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
SET91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1064G	61.36	74.00	-12.64	53.23	3	Horizontal	318	2.33	-	33.51	5.27	30.65			
AV	5.0848G	49.76	54.00	-4.24	41.65	3	Horizontal	318	2.33	-	33.50	5.24	30.63			
PK	5.2352G	122.12	Inf	-Inf	113.69	3	Horizontal	318	2.33	-	33.80	5.38	30.75			
AV	5.2352G	114.10	Inf	-Inf	105.67	3	Horizontal	318	2.33	-	33.80	5.38	30.75			
PK	5.3984G	65.77	74.00	-8.23	57.24	3	Horizontal	318	2.33	-	34.00	5.41	30.88			
AV	5.3992G	53.87	54.00	-0.13	45.34	3	Horizontal	318	2.33	-	34.00	5.41	30.88			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
SET91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4741G	52.44	68.20	-15.76	71.28	3	Vertical	38	1.74	87	38.40	8.22	65.46			
PK	15.71781G	55.22	74.00	-18.78	69.47	3	Vertical	301	1.75	87	37.73	10.19	62.17			
AV	15.72747G	42.11	54.00	-11.89	56.39	3	Vertical	301	1.75	87	37.69	10.20	62.17			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
SET91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46772G	52.10	68.20	-16.10	70.96	3	Horizontal	131	1.82	87	38.40	8.22	65.48			
PK	15.71574G	55.24	74.00	-18.76	69.48	3	Horizontal	55	1.86	87	37.74	10.19	62.17			
AV	15.71455G	42.15	54.00	-11.85	56.39	3	Horizontal	55	1.86	87	37.74	10.19	62.17			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
SET 103
80\108\94\101\104\103
7.38\5.78\7.54\1.83\0.54\1.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.568G	66.38	68.20	-1.82	61.81	3	Vertical	51	1.76	103	32.60	6.90	34.93			
PK	5.738G	120.85	Inf	-Inf	115.63	3	Vertical	51	1.76	103	33.30	6.93	35.01			
AV	5.7375G	112.73	Inf	-Inf	107.51	3	Vertical	51	1.76	103	33.30	6.93	35.01			
PK	5.942G	59.40	68.20	-8.80	53.54	3	Vertical	51	1.76	103	34.00	6.97	35.11			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
SET 98
103\90\96\99\100\99\98
-3.11\5.90\4.05\2.63\3.86\2.42\2.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.613G	65.96	68.20	-2.24	61.40	3	Horizontal	311	1.83	98	32.60	6.91	34.95			
PK	5.7425G	121.60	Inf	-Inf	116.35	3	Horizontal	311	1.83	98	33.34	6.93	35.02			
AV	5.7425G	114.31	Inf	-Inf	109.06	3	Horizontal	311	1.83	98	33.34	6.93	35.02			
PK	5.9775G	59.61	68.20	-8.59	53.81	3	Horizontal	311	1.83	98	33.95	6.98	35.13			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
SET98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4707G	53.31	74.00	-20.69	70.93	3	Vertical	1	1.16	98	38.84	8.56	65.02			
AV	11.47018G	41.03	54.00	-12.97	58.65	3	Vertical	1	1.16	98	38.84	8.56	65.02			
PK	17.23064G	59.43	68.20	-8.77	68.65	3	Vertical	159	1.77	98	41.96	11.14	62.32			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
SET98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49G	53.17	74.00	-20.83	70.70	3	Horizontal	118	2.36	98	38.88	8.57	64.98			
AV	11.47054G	40.94	54.00	-13.06	58.56	3	Horizontal	118	2.36	98	38.84	8.56	65.02			
PK	17.25418G	59.60	68.20	-8.60	68.75	3	Horizontal	27	2.73	98	42.03	11.15	62.33			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
SET 108
80\108
8.52\0.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.652G	69.17	69.68	-0.51	64.60	3	Vertical	52	1.80	108	32.62	6.92	34.97			
PK	5.7785G	121.22	Inf	-Inf	115.85	3	Vertical	52	1.80	108	33.46	6.94	35.03			
AV	5.7775G	111.76	Inf	-Inf	106.40	3	Vertical	52	1.80	108	33.45	6.94	35.03			
PK	6.0025G	59.76	68.20	-8.44	54.01	3	Vertical	52	1.80	108	33.91	6.98	35.14			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
SET 99
108\85\96\101\99\100\99
-5.59\6.68\3.74\ -0.78\4.78\ -0.63\5.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6265G	62.86	68.20	-5.34	58.31	3	Horizontal	310	1.85	99	32.60	6.91	34.96			
PK	5.7835G	120.81	Inf	-Inf	115.44	3	Horizontal	310	1.85	99	33.47	6.94	35.04			
AV	5.7825G	113.21	Inf	-Inf	107.84	3	Horizontal	310	1.85	99	33.47	6.94	35.04			
PK	5.96G	59.92	68.20	-8.28	54.09	3	Horizontal	310	1.85	99	33.98	6.97	35.12			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX

EUT_Y_4TX
SET99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55138G	53.39	74.00	-20.61	70.67	3	Vertical	110	1.90	99	39.11	8.59	64.98			
AV	11.55194G	41.14	54.00	-12.86	58.42	3	Vertical	110	1.90	99	39.11	8.59	64.98			
PK	17.36028G	60.87	68.20	-7.33	69.15	3	Vertical	211	1.42	99	42.86	11.23	62.37			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
SET99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.56001G	53.87	74.00	-20.13	71.13	3	Horizontal	207	1.66	99	39.14	8.59	64.99				
AV	11.55194G	41.12	54.00	-12.88	58.40	3	Horizontal	207	1.66	99	39.11	8.59	64.98				
PK	17.36263G	60.76	68.20	-7.44	69.02	3	Horizontal	3	1.80	99	42.88	11.23	62.37				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
SET 108
80\108
7.59\2.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6355G	65.61	68.20	-2.59	61.06	3	Vertical	51	1.84	108	32.60	6.92	34.97			
PK	5.819G	117.21	Inf	-Inf	111.74	3	Vertical	51	1.84	108	33.58	6.94	35.05			
AV	5.818G	109.88	Inf	-Inf	104.42	3	Vertical	51	1.84	108	33.57	6.94	35.05			
PK	6.052G	60.72	68.20	-7.48	54.81	3	Vertical	51	1.84	108	34.00	7.03	35.12			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
SET 99
108\92\100\104\102\101\100\99
-4.00\7.52\0.81\1.51\2.66\2.63\2.58\3.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6225G	64.34	68.20	-3.86	59.79	3	Horizontal	301	2.09	99	32.60	6.91	34.96			
PK	5.8245G	120.20	Inf	-Inf	114.72	3	Horizontal	301	2.09	99	33.60	6.94	35.06			
AV	5.8175G	112.68	Inf	-Inf	107.22	3	Horizontal	301	2.09	99	33.57	6.94	35.05			
PK	5.9495G	60.22	68.20	-7.98	54.37	3	Horizontal	301	2.09	99	34.00	6.97	35.12			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
SET99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64333G	53.89	74.00	-20.11	71.00	3	Vertical	263	1.80	99	39.30	8.62	65.03			
AV	11.6697G	40.87	54.00	-13.13	57.94	3	Vertical	263	1.80	99	39.34	8.63	65.04			
PK	17.4933G	62.11	68.20	-6.09	69.37	3	Vertical	153	2.95	99	43.85	11.32	62.43			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
SET99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.66467G	53.24	74.00	-20.76	70.32	3	Horizontal	359	2.16	99	39.33	8.63	65.04			
AV	11.66966G	40.85	54.00	-13.15	57.92	3	Horizontal	359	2.16	99	39.34	8.63	65.04			
PK	17.45634G	61.69	68.20	-6.51	69.26	3	Horizontal	321	2.48	99	43.55	11.29	62.41			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
SET83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1408G	64.70	74.00	-9.30	56.49	3	Vertical	22	1.90	-	33.58	5.30	30.67			
AV	5.15G	53.03	54.00	-0.97	44.79	3	Vertical	22	1.90	-	33.60	5.32	30.68			
PK	5.1752G	116.53	Inf	-Inf	108.19	3	Vertical	22	1.90	-	33.70	5.34	30.70			
AV	5.1856G	106.21	Inf	-Inf	97.83	3	Vertical	22	1.90	-	33.74	5.35	30.71			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
SET83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1424G	66.74	74.00	-7.26	58.52	3	Horizontal	319	1.79	-	33.58	5.31	30.67			
AV	5.1476G	53.98	54.00	-0.02	45.75	3	Horizontal	319	1.79	-	33.60	5.31	30.68			
PK	5.188G	120.47	Inf	-Inf	112.07	3	Horizontal	319	1.79	-	33.75	5.36	30.71			
AV	5.1876G	110.38	Inf	-Inf	101.98	3	Horizontal	319	1.79	-	33.75	5.36	30.71			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
SET83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3437G	53.42	68.20	-14.78	72.55	3	Vertical	177	1.73	66	38.51	8.18	65.82			
PK	15.53952G	54.81	74.00	-19.19	68.90	3	Vertical	181	1.82	66	37.84	10.14	62.07			
AV	15.53037G	42.78	54.00	-11.22	56.83	3	Vertical	181	1.82	66	37.88	10.14	62.07			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
SET83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3422G	52.41	68.20	-15.79	71.53	3	Horizontal	201	1.88	66	38.52	8.18	65.82			
PK	15.53441G	54.85	74.00	-19.15	68.92	3	Horizontal	312	1.55	66	37.86	10.14	62.07			
AV	15.53413G	43.02	54.00	-10.98	57.09	3	Horizontal	312	1.55	66	37.86	10.14	62.07			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
SET 86
80\94\87\84\85\86
3.51\5.89\0.82\1.53\0.65\0.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	64.50	74.00	-9.50	59.98	3	Vertical	30	3.00	86	32.70	6.67	34.85			
AV	5.15G	53.94	54.00	-0.06	49.42	3	Vertical	30	3.00	86	32.70	6.67	34.85			
PK	5.2G	118.99	Inf	-Inf	114.25	3	Vertical	30	3.00	86	32.80	6.80	34.86			
AV	5.195G	109.83	Inf	-Inf	105.11	3	Vertical	30	3.00	86	32.79	6.79	34.86			
PK	5.3675G	60.96	74.00	-13.04	56.38	3	Vertical	30	3.00	86	32.63	6.83	34.88			
AV	5.353G	50.22	54.00	-3.78	45.66	3	Vertical	30	3.00	86	32.61	6.83	34.88			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
SET 81
86\76\81\83\82\81
-2.44\3.11\0.59\0.74\0.34\0.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	67.02	74.00	-6.98	62.51	3	Horizontal	281	1.78	81	32.70	6.66	34.85			
AV	5.149G	53.64	54.00	-0.36	49.13	3	Horizontal	281	1.78	81	32.70	6.66	34.85			
PK	5.2095G	122.05	Inf	-Inf	117.31	3	Horizontal	281	1.78	81	32.80	6.80	34.86			
AV	5.199G	113.08	Inf	-Inf	108.34	3	Horizontal	281	1.78	81	32.80	6.80	34.86			
PK	5.3585G	61.01	74.00	-12.99	56.44	3	Horizontal	281	1.78	81	32.62	6.83	34.88			
AV	5.3635G	51.44	54.00	-2.56	46.86	3	Horizontal	281	1.78	81	32.63	6.83	34.88			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41746G	52.53	68.20	-15.67	71.55	3	Vertical	201	1.76	81	38.40	8.20	65.62			
PK	15.61431G	53.52	74.00	-20.48	67.77	3	Vertical	4	1.80	81	37.70	10.16	62.11			
AV	15.59273G	41.94	54.00	-12.06	56.17	3	Vertical	4	1.80	81	37.71	10.16	62.10			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX



EUT_Y_4TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41531G	52.81	68.20	-15.39	71.83	3	Horizontal	97	2.02	81	38.40	8.20	65.62			
PK	15.59289G	54.07	74.00	-19.93	68.30	3	Horizontal	102	1.80	81	37.71	10.16	62.10			
AV	15.58198G	42.29	54.00	-11.71	56.49	3	Horizontal	102	1.80	81	37.74	10.15	62.09			