


5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5745MHz_TX

EUT_Z_2TX
SET94
03-H--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49063G	56.02	74.00	-17.98	40.56	3	Horizontal	188	2.16	-	38.86	11.24	34.64			
AV	11.48891G	42.86	54.00	-11.14	27.40	3	Horizontal	188	2.16	-	38.86	11.24	34.64			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
SET 95
80\108\94\101\98\97\96\95
8.90\1.58\0.91\0.39\2.69\0.85\0.87\0.76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.644G	67.44	68.20	-0.76	60.74	3	Vertical	127	2.22	95	34.21	7.46	34.97			
PK	5.7934G	119.97	Inf	-Inf	113.28	3	Vertical	127	2.22	95	34.20	7.53	35.04			
AV	5.7796G	104.87	Inf	-Inf	98.18	3	Vertical	127	2.22	95	34.20	7.52	35.03			
PK	5.935G	59.63	68.20	-8.57	52.53	3	Vertical	127	2.22	95	34.57	7.64	35.11			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5785MHz_TX




EUT_Z_2TX
SET 95
95
6.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6497G	61.36	68.20	-6.84	54.67	3	Horizontal	121	1.06	95	34.20	7.46	34.97			
PK	5.7865G	113.18	Inf	-Inf	106.50	3	Horizontal	121	1.06	95	34.20	7.52	35.04			
AV	5.7802G	97.83	Inf	-Inf	91.14	3	Horizontal	121	1.06	95	34.20	7.52	35.03			
PK	5.925G	60.06	68.20	-8.14	52.98	3	Horizontal	121	1.06	95	34.55	7.63	35.10			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5785MHz_TX

EUT_Z_2TX
SET95
03-H--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56919G	56.67	74.00	-17.33	40.85	3	Vertical	114	1.30	-	39.14	11.28	34.60			
AV	11.56852G	43.17	54.00	-10.83	27.35	3	Vertical	114	1.30	-	39.14	11.28	34.60			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5785MHz_TX

EUT_Z_2TX
SET95
03-H--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5701G	56.15	74.00	-17.85	40.33	3	Horizontal	348	1.23	-	39.14	11.28	34.60			
AV	11.56897G	43.21	54.00	-10.79	27.39	3	Horizontal	348	1.23	-	39.14	11.28	34.60			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
SET 108
80\108
8.35\0.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.64602G	68.16	68.20	-0.04	61.46	3	Vertical	130	2.21	108	34.21	7.46	34.97			
PK	5.82348G	120.25	Inf	-Inf	113.51	3	Vertical	130	2.21	108	34.25	7.55	35.06			
AV	5.8193G	105.14	Inf	-Inf	98.40	3	Vertical	130	2.21	108	34.24	7.55	35.05			
PK	5.98916G	60.23	68.20	-7.97	53.08	3	Vertical	130	2.21	108	34.60	7.68	35.13			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
SET 108
108
6.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.64374G	61.95	68.20	-6.25	55.25	3	Horizontal	121	1.06	108	34.21	7.46	34.97			
PK	5.8231G	112.30	Inf	-Inf	105.56	3	Horizontal	121	1.06	108	34.25	7.55	35.06			
AV	5.82994G	97.85	Inf	-Inf	91.10	3	Horizontal	121	1.06	108	34.26	7.55	35.06			
PK	5.96446G	59.63	68.20	-8.57	52.49	3	Horizontal	121	1.06	108	34.60	7.66	35.12			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5825MHz_TX

EUT_Z_2TX
SET 108
03-H--

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.65106G	56.20	74.00	-17.80	40.22	3	Vertical	181	2.65	-	39.20	11.33	34.55			
AV	11.64719G	42.93	54.00	-11.07	26.96	3	Vertical	181	2.65	-	39.20	11.32	34.55			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5825MHz_TX

EUT_Z_2TX
SET 108
03-H--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65158G	57.02	74.00	-16.98	41.03	3	Horizontal	157	2.46	-	39.21	11.33	34.55			
AV	11.64632G	42.96	54.00	-11.04	27.00	3	Horizontal	157	2.46	-	39.20	11.32	34.56			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
SET 69
80\48\64\72\68\70\69
-12.50\8.13\3.97\3.08\2.06\1.73\0.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45984G	64.56	74.00	-9.44	57.68	3	Vertical	126	2.28	69	34.52	7.25	34.89			
AV	5.45984G	48.83	54.00	-5.17	41.95	3	Vertical	126	2.28	69	34.52	7.25	34.89			
PK	5.46776G	67.38	68.20	-0.82	60.48	3	Vertical	126	2.28	69	34.54	7.26	34.90			
PK	5.519G	112.75	Inf	-Inf	105.81	3	Vertical	126	2.28	69	34.52	7.33	34.91			
AV	5.5046G	96.04	Inf	-Inf	89.05	3	Vertical	126	2.28	69	34.58	7.31	34.90			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_Z_2TX
SET 69
69
7.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45276G	59.75	74.00	-14.25	52.89	3	Horizontal	119	1.05	69	34.51	7.24	34.89			
AV	5.45972G	46.00	54.00	-8.00	39.12	3	Horizontal	119	1.05	69	34.52	7.25	34.89			
PK	5.46728G	60.79	68.20	-7.41	53.90	3	Horizontal	119	1.05	69	34.53	7.26	34.90			
PK	5.49296G	106.64	Inf	-Inf	99.65	3	Horizontal	119	1.05	69	34.59	7.30	34.90			
AV	5.50148G	90.07	Inf	-Inf	83.07	3	Horizontal	119	1.05	69	34.59	7.31	34.90			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5510MHz_TX

EUT_Z_2TX
SET 69
03-H--

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.02009G	54.87	74.00	-19.13	40.13	3	Vertical	269	2.19	-	38.34	10.98	34.58			
AV	11.01797G	41.69	54.00	-12.31	26.96	3	Vertical	269	2.19	-	38.34	10.97	34.58			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5510MHz_TX

EUT_Z_2TX
SET 69
03-H--

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.01877G	55.32	74.00	-18.68	40.58	3	Horizontal	124	2.16	-	38.34	10.98	34.58			
AV	11.02048G	41.72	54.00	-12.28	26.98	3	Horizontal	124	2.16	-	38.34	10.98	34.58			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
SET 78
80\76\78\79\78
-0.84\1.58\1.26\ -0.39\1.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.35G	58.03	74.00	-15.97	51.41	3	Vertical	131	2.27	78	34.40	7.10	34.88			
AV	5.35G	45.62	54.00	-8.38	39.00	3	Vertical	131	2.27	78	34.40	7.10	34.88			
PK	5.4516G	64.89	74.00	-9.11	58.04	3	Vertical	131	2.27	78	34.50	7.24	34.89			
PK	5.4656G	66.91	68.20	-1.29	60.02	3	Vertical	131	2.27	78	34.53	7.26	34.90			
AV	5.46G	48.79	54.00	-5.21	41.91	3	Vertical	131	2.27	78	34.52	7.25	34.89			
PK	5.5444G	115.86	Inf	-Inf	109.00	3	Vertical	131	2.27	78	34.42	7.36	34.92			
AV	5.5448G	98.41	Inf	-Inf	91.54	3	Vertical	131	2.27	78	34.42	7.37	34.92			
PK	5.7304G	59.15	68.20	-9.05	52.50	3	Vertical	131	2.27	78	34.16	7.50	35.01			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
SET 78
78
6.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.35G	56.12	74.00	-17.88	49.50	3	Horizontal	120	1.06	78	34.40	7.10	34.88			
AV	5.35G	45.05	54.00	-8.95	38.43	3	Horizontal	120	1.06	78	34.40	7.10	34.88			
PK	5.4528G	60.34	74.00	-13.66	53.48	3	Horizontal	120	1.06	78	34.51	7.24	34.89			
AV	5.46G	46.18	54.00	-7.82	39.30	3	Horizontal	120	1.06	78	34.52	7.25	34.89			
PK	5.47G	61.61	68.20	-6.59	54.71	3	Horizontal	120	1.06	78	34.54	7.26	34.90			
PK	5.542G	108.32	Inf	-Inf	101.45	3	Horizontal	120	1.06	78	34.43	7.36	34.92			
AV	5.5372G	91.32	Inf	-Inf	84.43	3	Horizontal	120	1.06	78	34.45	7.36	34.92			
PK	5.7268G	58.44	68.20	-9.76	51.80	3	Horizontal	120	1.06	78	34.15	7.50	35.01			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5550MHz_TX

EUT_Z_2TX
SET 78
03-H--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09571G	55.17	74.00	-18.83	40.34	3	Vertical	12	1.14	-	38.40	11.02	34.59			
AV	11.10276G	41.65	54.00	-12.35	26.83	3	Vertical	12	1.14	-	38.39	11.02	34.59			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5550MHz_TX

EUT_Z_2TX
SET 78
03-H--

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.10116G	54.73	74.00	-19.27	39.90	3	Horizontal	144	1.47	-	38.40	11.02	34.59			
AV	11.10147G	41.70	54.00	-12.30	26.87	3	Horizontal	144	1.47	-	38.40	11.02	34.59			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
SET 68
80\62\71\67\69\68
-4.50\5.35\ -1.81\1.23\ -0.17\0.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.68472G	110.76	Inf	-Inf	104.14	3	Vertical	118	2.45	68	34.13	7.48	34.99			
AV	5.68088G	93.70	Inf	-Inf	87.07	3	Vertical	118	2.45	68	34.14	7.48	34.99			
PK	5.72616G	67.28	68.20	-0.92	60.64	3	Vertical	118	2.45	68	34.15	7.50	35.01			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT_Z_2TX
SET 68
68
8.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.66536G	103.15	Inf	-Inf	96.49	3	Horizontal	122	2.29	68	34.17	7.47	34.98			
AV	5.67368G	86.78	Inf	-Inf	80.14	3	Horizontal	122	2.29	68	34.15	7.47	34.98			
PK	5.72504G	60.06	68.20	-8.14	53.42	3	Horizontal	122	2.29	68	34.15	7.50	35.01			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5670MHz_TX

EUT_Z_2TX
SET 68
03-H--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34014G	55.47	74.00	-18.53	40.36	3	Vertical	230	1.62	-	38.58	11.15	34.62			
AV	11.34118G	42.22	54.00	-11.78	27.11	3	Vertical	230	1.62	-	38.58	11.15	34.62			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5670MHz_TX

EUT_Z_2TX
SET 68
03-H--

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.34339G	55.56	74.00	-18.44	40.43	3	Horizontal	194	1.26	-	38.59	11.16	34.62			
AV	11.33805G	42.22	54.00	-11.78	27.11	3	Horizontal	194	1.26	-	38.58	11.15	34.62			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 108
80\108
7.18\1.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45884G	60.24	74.00	-13.76	53.36	3	Vertical	122	2.22	108	34.52	7.25	34.89			
AV	5.45468G	46.13	54.00	-7.87	39.27	3	Vertical	122	2.22	108	34.51	7.24	34.89			
PK	5.46612G	60.61	68.20	-7.59	53.72	3	Vertical	122	2.22	108	34.53	7.26	34.90			
PK	5.70636G	119.04	Inf	-Inf	112.44	3	Vertical	122	2.22	108	34.11	7.49	35.00			
AV	5.71624G	100.16	Inf	-Inf	93.54	3	Vertical	122	2.22	108	34.13	7.49	35.00			
PK	5.85G	66.71	68.20	-1.49	59.91	3	Vertical	122	2.22	108	34.30	7.57	35.07			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 108
108
7.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4578G	58.64	74.00	-15.36	51.76	3	Horizontal	122	2.42	108	34.52	7.25	34.89			
AV	5.45624G	45.41	54.00	-8.59	38.54	3	Horizontal	122	2.42	108	34.51	7.25	34.89			
PK	5.46716G	58.54	68.20	-9.66	51.65	3	Horizontal	122	2.42	108	34.53	7.26	34.90			
PK	5.70376G	108.46	Inf	-Inf	101.86	3	Horizontal	122	2.42	108	34.11	7.49	35.00			
AV	5.71364G	92.35	Inf	-Inf	85.73	3	Horizontal	122	2.42	108	34.13	7.49	35.00			
PK	5.85G	60.35	68.20	-7.85	53.55	3	Horizontal	122	2.42	108	34.30	7.57	35.07			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
SET 108
03-H--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41657G	55.55	74.00	-18.45	40.28	3	Vertical	314	2.12	-	38.70	11.20	34.63			
AV	11.41545G	42.13	54.00	-11.87	26.86	3	Vertical	314	2.12	-	38.70	11.20	34.63			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
SET 108
03-H--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41647G	55.40	74.00	-18.60	40.13	3	Horizontal	209	1.39	-	38.70	11.20	34.63			
AV	11.42222G	42.16	54.00	-11.84	26.89	3	Horizontal	209	1.39	-	38.70	11.20	34.63			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
SET 89
80\108\94\87\90\89
7.81\ -8.25\ -8.07\ 4.72\ -2.49\ 1.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6524G	68.58	69.98	-1.40	61.89	3	Vertical	123	2.27	89	34.20	7.46	34.97			
PK	5.76976G	117.34	Inf	-Inf	110.65	3	Vertical	123	2.27	89	34.20	7.52	35.03			
AV	5.75968G	99.70	Inf	-Inf	93.01	3	Vertical	123	2.27	89	34.20	7.51	35.02			
PK	5.92672G	59.07	68.20	-9.13	51.99	3	Vertical	123	2.27	89	34.55	7.63	35.10			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
SET 89
89
3.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6488G	64.95	68.20	-3.25	58.26	3	Horizontal	121	1.05	89	34.20	7.46	34.97			
PK	5.7604G	109.79	Inf	-Inf	103.10	3	Horizontal	121	1.05	89	34.20	7.51	35.02			
AV	5.76112G	93.45	Inf	-Inf	86.77	3	Horizontal	121	1.05	89	34.20	7.51	35.03			
PK	5.92744G	59.15	68.20	-9.05	52.08	3	Horizontal	121	1.05	89	34.55	7.63	35.11			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5755MHz_TX

EUT_Z_2TX
SET 89
03-H--

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.50589G	55.73	74.00	-18.27	40.20	3	Vertical	281	1.53	-	38.92	11.25	34.64			
AV	11.50828G	43.07	54.00	-10.93	27.53	3	Vertical	281	1.53	-	38.93	11.25	34.64			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5755MHz_TX

EUT_Z_2TX
SET 89
03-H--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51398G	56.94	74.00	-17.06	41.36	3	Horizontal	34	2.32	-	38.96	11.25	34.63			
AV	11.5068G	43.01	54.00	-10.99	27.47	3	Horizontal	34	2.32	-	38.93	11.25	34.64			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
SET 91
80\108\94\87\90\91\103\97\91
8.67\ -1.16\ -0.60\ 7.80\ 5.30\ 6.89\ -2.27\ -1.67\ 6.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65036G	62.06	68.47	-6.41	55.37	3	Vertical	127	2.15	91	34.20	7.46	34.97			
PK	5.79724G	117.64	Inf	-Inf	110.95	3	Vertical	127	2.15	91	34.20	7.53	35.04			
AV	5.77996G	99.97	Inf	-Inf	93.28	3	Vertical	127	2.15	91	34.20	7.52	35.03			
PK	5.94444G	59.42	68.20	-8.78	52.29	3	Vertical	127	2.15	91	34.59	7.65	35.11			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
SET 91
91
8.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.64588G	58.98	68.20	-9.22	52.28	3	Horizontal	122	1.06	91	34.21	7.46	34.97			
PK	5.7854G	109.11	Inf	-Inf	102.43	3	Horizontal	122	1.06	91	34.20	7.52	35.04			
AV	5.77996G	93.06	Inf	-Inf	86.37	3	Horizontal	122	1.06	91	34.20	7.52	35.03			
PK	5.93836G	59.92	68.20	-8.28	52.81	3	Horizontal	122	1.06	91	34.58	7.64	35.11			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5795MHz_TX

EUT_Z_2TX
SET91
03-H--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58985G	57.30	74.00	-16.70	41.42	3	Vertical	242	2.97	-	39.18	11.29	34.59			
AV	11.58562G	43.13	54.00	-10.87	27.26	3	Vertical	242	2.97	-	39.17	11.29	34.59			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5795MHz_TX

EUT_Z_2TX
SET91
03-H--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59438G	56.39	74.00	-17.61	40.50	3	Horizontal	100	1.65	-	39.19	11.29	34.59			
AV	11.58919G	43.13	54.00	-10.87	27.25	3	Horizontal	100	1.65	-	39.18	11.29	34.59			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
SET 70
80\48\64\72\68\70
-8.88\8.16\4.68\ -0.43\2.47\0.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45928G	67.01	74.00	-6.99	60.13	3	Vertical	130	2.28	70	34.52	7.25	34.89			
AV	5.45512G	51.72	54.00	-2.28	44.86	3	Vertical	130	2.28	70	34.51	7.24	34.89			
PK	5.4692G	68.02	68.20	-0.18	61.12	3	Vertical	130	2.28	70	34.54	7.26	34.90			
PK	5.51272G	110.70	Inf	-Inf	103.74	3	Vertical	130	2.28	70	34.55	7.32	34.91			
AV	5.51512G	91.34	Inf	-Inf	84.38	3	Vertical	130	2.28	70	34.54	7.33	34.91			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
SET 70
70
7.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.458G	59.47	74.00	-14.53	52.59	3	Horizontal	119	1.06	70	34.52	7.25	34.89			
AV	5.4588G	46.29	54.00	-7.71	39.41	3	Horizontal	119	1.06	70	34.52	7.25	34.89			
PK	5.46312G	60.16	68.20	-8.04	53.26	3	Horizontal	119	1.06	70	34.53	7.26	34.89			
PK	5.50168G	103.27	Inf	-Inf	96.27	3	Horizontal	119	1.06	70	34.59	7.31	34.90			
AV	5.5012G	85.24	Inf	-Inf	78.23	3	Horizontal	119	1.06	70	34.60	7.31	34.90			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5530MHz_TX

EUT_Z_2TX
SET 70
03-H--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05627G	55.80	74.00	-18.20	40.99	3	Vertical	306	1.44	-	38.40	11.00	34.59			
AV	11.05878G	41.82	54.00	-12.18	27.01	3	Vertical	306	1.44	-	38.40	11.00	34.59			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5530MHz_TX

EUT_Z_2TX
SET 70
03-H--

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.05743G	55.28	74.00	-18.72	40.47	3	Horizontal	77	1.51	-	38.40	11.00	34.59			
AV	11.05779G	41.75	54.00	-12.25	26.94	3	Horizontal	77	1.51	-	38.40	11.00	34.59			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
SET 77
80\77
-0.59\0.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4548G	64.45	74.00	-9.55	57.59	3	Vertical	132	2.40	77	34.51	7.24	34.89			
AV	5.45G	48.94	54.00	-5.06	42.09	3	Vertical	132	2.40	77	34.50	7.24	34.89			
PK	5.46472G	66.88	68.20	-1.32	59.99	3	Vertical	132	2.40	77	34.53	7.26	34.90			
PK	5.58408G	110.63	Inf	-Inf	103.82	3	Vertical	132	2.40	77	34.33	7.42	34.94			
AV	5.59496G	92.29	Inf	-Inf	85.50	3	Vertical	132	2.40	77	34.31	7.43	34.95			
PK	5.72968G	67.82	68.20	-0.38	61.17	3	Vertical	132	2.40	77	34.16	7.50	35.01			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
SET 77
77
6.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4596G	59.81	74.00	-14.19	52.93	3	Horizontal	120	2.82	77	34.52	7.25	34.89			
AV	5.45G	46.33	54.00	-7.67	39.48	3	Horizontal	120	2.82	77	34.50	7.24	34.89			
PK	5.46568G	60.16	68.20	-8.04	53.27	3	Horizontal	120	2.82	77	34.53	7.26	34.90			
PK	5.60456G	103.37	Inf	-Inf	96.59	3	Horizontal	120	2.82	77	34.29	7.44	34.95			
AV	5.59848G	85.33	Inf	-Inf	78.54	3	Horizontal	120	2.82	77	34.30	7.44	34.95			
PK	5.72904G	62.16	68.20	-6.04	55.51	3	Horizontal	120	2.82	77	34.16	7.50	35.01			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5610MHz_TX

EUT_Z_2TX
SET 77
03-H--

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.2184G	55.16	74.00	-18.84	40.24	3	Vertical	76	2.28	-	38.44	11.09	34.61			
AV	11.21581G	42.16	54.00	-11.84	27.26	3	Vertical	76	2.28	-	38.43	11.08	34.61			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5610MHz_TX

EUT_Z_2TX
SET 77
03-H--

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.21713G	55.36	74.00	-18.64	40.45	3	Horizontal	169	2.14	-	38.43	11.09	34.61			
AV	11.21989G	42.13	54.00	-11.87	27.21	3	Horizontal	169	2.14	-	38.44	11.09	34.61			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 90
82\94\88\91\90
3.13\ -2.91\1.34\ -0.23\0.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45576G	62.03	74.00	-11.97	55.16	3	Vertical	120	2.30	90	34.51	7.25	34.89			
AV	5.45576G	47.27	54.00	-6.73	40.40	3	Vertical	120	2.30	90	34.51	7.25	34.89			
PK	5.46536G	63.37	68.20	-4.83	56.48	3	Vertical	120	2.30	90	34.53	7.26	34.90			
PK	5.67848G	112.09	Inf	-Inf	105.46	3	Vertical	120	2.30	90	34.14	7.48	34.99			
AV	5.70104G	93.39	Inf	-Inf	86.80	3	Vertical	120	2.30	90	34.10	7.49	35.00			
PK	5.85128G	68.10	68.20	-0.10	61.29	3	Vertical	120	2.30	90	34.31	7.57	35.07			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET 90
90
5.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45288G	59.49	74.00	-14.51	52.63	3	Horizontal	120	1.06	90	34.51	7.24	34.89			
AV	5.45624G	46.13	54.00	-7.87	39.26	3	Horizontal	120	1.06	90	34.51	7.25	34.89			
PK	5.46248G	61.33	68.20	-6.87	54.45	3	Horizontal	120	1.06	90	34.52	7.25	34.89			
PK	5.6948G	105.34	Inf	-Inf	98.74	3	Horizontal	120	1.06	90	34.11	7.48	34.99			
AV	5.67752G	87.24	Inf	-Inf	80.62	3	Horizontal	120	1.06	90	34.14	7.47	34.99			
PK	5.85128G	62.33	68.20	-5.87	55.52	3	Horizontal	120	1.06	90	34.31	7.57	35.07			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET90
03-H--

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.37853G	55.03	74.00	-18.97	39.82	3	Vertical	228	1.41	-	38.66	11.18	34.63			
AV	11.38359G	42.09	54.00	-11.91	26.87	3	Vertical	228	1.41	-	38.67	11.18	34.63			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
SET90
03-H--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38113G	55.46	74.00	-18.54	40.25	3	Horizontal	202	1.13	-	38.66	11.18	34.63			
AV	11.37944G	42.11	54.00	-11.89	26.90	3	Horizontal	202	1.13	-	38.66	11.18	34.63			

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
SET 86
80\106\93\87\84\85\86
6.55\12.82\6.38\0.81\2.59\2.47\1.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.62588G	66.52	68.20	-1.68	59.78	3	Vertical	126	2.35	86	34.25	7.45	34.96			
PK	5.76348G	112.66	Inf	-Inf	105.98	3	Vertical	126	2.35	86	34.20	7.51	35.03			
AV	5.7702G	93.98	Inf	-Inf	87.29	3	Vertical	126	2.35	86	34.20	7.52	35.03			
PK	5.93148G	59.28	68.20	-8.92	52.19	3	Vertical	126	2.35	86	34.56	7.64	35.11			

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
SET 86
86
5.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6486G	62.30	68.20	-5.90	55.61	3	Horizontal	122	1.05	86	34.20	7.46	34.97			
PK	5.76124G	105.30	Inf	-Inf	98.62	3	Horizontal	122	1.05	86	34.20	7.51	35.03			
AV	5.76572G	87.44	Inf	-Inf	80.76	3	Horizontal	122	1.05	86	34.20	7.51	35.03			
PK	5.92924G	58.87	68.20	-9.33	51.79	3	Horizontal	122	1.05	86	34.56	7.63	35.11			

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5775MHz_TX

EUT_Z_2TX
SET 86
03-H--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55081G	56.90	74.00	-17.10	41.14	3	Vertical	67	1.53	-	39.10	11.27	34.61			
AV	11.55007G	43.15	54.00	-10.85	27.39	3	Vertical	67	1.53	-	39.10	11.27	34.61			

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX

EUT_Z_2TX
SET 86
03-H--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55021G	56.45	74.00	-17.55	40.69	3	Horizontal	62	1.93	-	39.10	11.27	34.61			
AV	11.54974G	43.22	54.00	-10.78	27.46	3	Horizontal	62	1.93	-	39.10	11.27	34.61			