



EIRP;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6185MHz;TX



EIRP;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6345MHz;TX



Summary


Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
802.11be EHT20_Nss1,(MCS15)_2TX	27.27	0.53333
802.11be EHT40_Nss1,(MCS15)_2TX	27.47	0.55847
802.11be EHT80_Nss1,(MCS15)_2TX	27.77	0.59841
802.11be EHT160_Nss1,(MCS15)_2TX	26.07	0.40458
6.525-6.875GHz	-	-
802.11be EHT20_Nss1,(MCS15)_2TX	27.58	0.57280
802.11be EHT40_Nss1,(MCS15)_2TX	27.99	0.62951
802.11be EHT80_Nss1,(MCS15)_2TX	27.60	0.57544
802.11be EHT160_Nss1,(MCS15)_2TX	26.22	0.41879

Result


Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20_Nss1,(MCS15)_2TX	-	-	-
5955MHz	Pass	25.54	36.00
6195MHz	Pass	27.27	36.00
6415MHz	Pass	26.09	36.00
6535MHz	Pass	26.05	36.00
6695MHz	Pass	26.80	36.00
6855MHz	Pass	27.58	36.00
802.11be EHT40_Nss1,(MCS15)_2TX	-	-	-
5965MHz	Pass	23.21	36.00
6205MHz	Pass	27.47	36.00
6405MHz	Pass	25.47	36.00
6565MHz	Pass	27.99	36.00
6685MHz	Pass	26.75	36.00
6845MHz	Pass	25.42	36.00
802.11be EHT80_Nss1,(MCS15)_2TX	-	-	-
5985MHz	Pass	22.64	36.00
6225MHz	Pass	27.77	36.00
6385MHz	Pass	25.76	36.00
6625MHz	Pass	27.60	36.00
6705MHz	Pass	26.75	36.00
6785MHz	Pass	26.81	36.00
802.11be EHT160_Nss1,(MCS15)_2TX	-	-	-
6025MHz	Pass	23.06	36.00
6185MHz	Pass	26.07	36.00
6345MHz	Pass	25.92	36.00
6665MHz	Pass	26.22	36.00

DG = Directional Gain; Port X = Port X output power
 Inf = There's no restriction for the limit.


EIRP;Band:6.2G;be20;BWch:20MHz;Nss:1,(M15);Nant:2;Ch:5955MHz;TX




EIRP;Band:6.2G;be20;BWch:20MHz;Nss:1,(M15);Nant:2;Ch:6195MHz;TX




EIRP;Band:6.2G;be20;BWch:20MHz;Nss:1,(M15);Nant:2;Ch:6415MHz;TX




EIRP;Band:6.7G;be20;BWch:20MHz;Nss:1,(M15);Nant:2;Ch:6535MHz;TX




EIRP;Band:6.7G;be20;BWch:20MHz;Nss:1,(M15);Nant:2;Ch:6695MHz;TX




EIRP;Band:6.7G;be20;BWch:20MHz;Nss:1,(M15);Nant:2;Ch:6855MHz;TX




EIRP;Band:6.2G;be40;BWch:40MHz;Nss:1,(M15);Nant:2;Ch:5965MHz;TX




EIRP;Band:6.2G;be40;BWch:40MHz;Nss:1,(M15);Nant:2;Ch:6205MHz;TX




EIRP;Band:6.2G;be40;BWch:40MHz;Nss:1,(M15);Nant:2;Ch:6405MHz;TX




EIRP;Band:6.7G;be40;BWch:40MHz;Nss:1,(M15);Nant:2;Ch:6565MHz;TX




EIRP;Band:6.7G;be40;BWch:40MHz;Nss:1,(M15);Nant:2;Ch:6685MHz;TX




EIRP;Band:6.7G;be40;BWch:40MHz;Nss:1,(M15);Nant:2;Ch:6845MHz;TX




EIRP;Band:6.2G;be80;BWch:80MHz;Nss:1,(M15);Nant:2;Ch:5985MHz;TX




EIRP;Band:6.2G;be80;BWch:80MHz;Nss:1,(M15);Nant:2;Ch:6225MHz;TX




EIRP;Band:6.2G;be80;BWch:80MHz;Nss:1,(M15);Nant:2;Ch:6385MHz;TX




EIRP;Band:6.7G;be80;BWch:80MHz;Nss:1,(M15);Nant:2;Ch:6625MHz;TX




EIRP;Band:6.7G;be80;BWch:80MHz;Nss:1,(M15);Nant:2;Ch:6705MHz;TX




EIRP;Band:6.7G;be80;BWch:80MHz;Nss:1,(M15);Nant:2;Ch:6785MHz;TX




EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M15);Nant:2;Ch:6025MHz;TX




EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M15);Nant:2;Ch:6185MHz;TX



EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M15);Nant:2;Ch:6345MHz;TX



EIRP;Band:6.7G;be160;BWch:160MHz;Nss:1,(M15);Nant:2;Ch:6665MHz;TX



Summary

Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	30.89	1.22744
802.11be EHT20_Nss2,(MCS0)_2TX	31.45	1.39637
802.11be EHT20-BF_Nss1,(MCS0)_2TX	32.29	1.69434
802.11be EHT40_Nss1,(MCS0)_2TX	31.55	1.42889
802.11be EHT40_Nss2,(MCS0)_2TX	31.59	1.44212
802.11be EHT40-BF_Nss1,(MCS0)_2TX	32.82	1.91426
802.11be EHT80_Nss1,(MCS0)_2TX	31.78	1.50661
802.11be EHT80_Nss2,(MCS0)_2TX	31.81	1.51705
802.11be EHT80-BF_Nss1,(MCS0)_2TX	31.88	1.54170
802.11be EHT160_Nss1,(MCS0)_2TX	26.49	0.44566
802.11be EHT160_Nss2,(MCS0)_2TX	25.95	0.39355
802.11be EHT160-BF_Nss1,(MCS0)_2TX	30.57	1.14025
802.11be EHT320_Nss1,(MCS0)_2TX	26.08	0.40551
802.11be EHT320_Nss2,(MCS0)_2TX	25.57	0.36058
802.11be EHT320-BF_Nss1,(MCS0)_2TX	26.44	0.44055
6.525-6.875GHz	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	30.25	1.05925
802.11be EHT20_Nss2,(MCS0)_2TX	30.54	1.13240
802.11be EHT20-BF_Nss1,(MCS0)_2TX	31.67	1.46893
802.11be EHT40_Nss1,(MCS0)_2TX	31.36	1.36773
802.11be EHT40_Nss2,(MCS0)_2TX	30.23	1.05439
802.11be EHT40-BF_Nss1,(MCS0)_2TX	31.87	1.53815
802.11be EHT80_Nss1,(MCS0)_2TX	30.28	1.06660
802.11be EHT80_Nss2,(MCS0)_2TX	30.19	1.04472
802.11be EHT80-BF_Nss1,(MCS0)_2TX	31.31	1.35207
802.11be EHT160_Nss1,(MCS0)_2TX	24.95	0.31261
802.11be EHT160_Nss2,(MCS0)_2TX	30.20	1.04713
802.11be EHT160-BF_Nss1,(MCS0)_2TX	29.34	0.85901


Result

Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	27.02	36.00
6195MHz	Pass	30.89	36.00
6415MHz	Pass	26.69	36.00
6535MHz	Pass	27.74	36.00
6695MHz	Pass	29.72	36.00
6855MHz	Pass	30.25	36.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	24.89	36.00
6205MHz	Pass	31.55	36.00
6405MHz	Pass	27.53	36.00
6565MHz	Pass	31.36	36.00
6685MHz	Pass	29.57	36.00
6845MHz	Pass	28.06	36.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	24.64	36.00
6225MHz	Pass	31.78	36.00
6385MHz	Pass	27.99	36.00
6625MHz	Pass	29.64	36.00
6705MHz	Pass	29.64	36.00
6785MHz	Pass	30.28	36.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	22.39	36.00
6185MHz	Pass	25.96	36.00
6345MHz	Pass	26.49	36.00
6665MHz	Pass	24.95	36.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	22.96	36.00
6265MHz	Pass	26.08	36.00
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-
5955MHz	Pass	27.28	36.00
6195MHz	Pass	31.45	36.00
6415MHz	Pass	27.10	36.00
6535MHz	Pass	30.54	36.00
6695MHz	Pass	30.32	36.00
6855MHz	Pass	29.50	36.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-
5965MHz	Pass	25.22	36.00
6205MHz	Pass	31.59	36.00
6405MHz	Pass	27.65	36.00
6565MHz	Pass	30.23	36.00
6685MHz	Pass	30.18	36.00
6845MHz	Pass	29.21	36.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-
5985MHz	Pass	23.59	36.00
6225MHz	Pass	31.81	36.00
6385MHz	Pass	27.29	36.00
6625MHz	Pass	30.19	36.00
6705MHz	Pass	29.53	36.00
6785MHz	Pass	30.09	36.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-
6025MHz	Pass	23.12	36.00
6185MHz	Pass	25.95	36.00
6345MHz	Pass	25.94	36.00
6665MHz	Pass	30.20	36.00


Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-
6105MHz	Pass	24.32	36.00
6265MHz	Pass	25.57	36.00
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	29.41	36.00
6195MHz	Pass	32.29	36.00
6415MHz	Pass	30.90	36.00
6535MHz	Pass	31.58	36.00
6695MHz	Pass	31.06	36.00
6855MHz	Pass	31.67	36.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	27.66	36.00
6205MHz	Pass	32.82	36.00
6405MHz	Pass	30.86	36.00
6565MHz	Pass	31.87	36.00
6685MHz	Pass	31.49	36.00
6845MHz	Pass	31.13	36.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	27.17	36.00
6225MHz	Pass	31.88	36.00
6385MHz	Pass	31.21	36.00
6625MHz	Pass	31.31	36.00
6705MHz	Pass	30.64	36.00
6785MHz	Pass	30.77	36.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	26.88	36.00
6185MHz	Pass	29.41	36.00
6345MHz	Pass	30.57	36.00
6665MHz	Pass	29.34	36.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	26.44	36.00
6265MHz	Pass	26.19	36.00

DG = Directional Gain; Port X = Port X output power
 Inf = There's no restriction for the limit.


EIRP;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX




EIRP;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX




EIRP:Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX




EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX




EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX




EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6855MHz;TX




EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX




EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX




EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX




EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX




EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX




EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6845MHz;TX




EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX




EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX




EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX




EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX




EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX




EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX




EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX




EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX




EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX




EIRP;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX




EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6105MHz;TX




EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6265MHz;TX




EIRP:Band:6.2G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:5955MHz;TX




EIRP:Band:6.2G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6195MHz;TX




EIRP:Band:6.2G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6415MHz;TX




EIRP:Band:6.7G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6535MHz;TX




EIRP:Band:6.7G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6695MHz;TX




EIRP:Band:6.7G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6855MHz;TX




EIRP:Band:6.2G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:5965MHz;TX




EIRP:Band:6.2G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6205MHz;TX




EIRP:Band:6.2G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6405MHz;TX




EIRP:Band:6.7G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6565MHz;TX




EIRP:Band:6.7G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6685MHz;TX




EIRP:Band:6.7G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6845MHz;TX




EIRP:Band:6.2G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:5985MHz;TX




EIRP:Band:6.2G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6225MHz;TX




EIRP:Band:6.2G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6385MHz;TX




EIRP:Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6625MHz;TX




EIRP:Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6705MHz;TX




EIRP:Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6785MHz;TX




EIRP;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6025MHz;TX




EIRP;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6185MHz;TX




EIRP;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6345MHz;TX




EIRP;Band:6.7G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6665MHz;TX




EIRP;Band:6.2G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6105MHz;TX




EIRP;Band:6.2G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6265MHz;TX




EIRP:Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX




EIRP:Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX




EIRP:Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX




EIRP:Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX




EIRP:Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX




EIRP:Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6855MHz;TX




EIRP:Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX




EIRP:Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX




EIRP:Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX




EIRP:Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX




EIRP:Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX




EIRP:Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6845MHz;TX




EIRP:Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX




EIRP:Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX




EIRP:Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX




EIRP:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX




EIRP:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX




EIRP:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX




EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX




EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX




EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX




EIRP;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX



EIRP;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6105MHz;TX



EIRP;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6265MHz;TX



Summary

Mode	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	32.68	1.85353
802.11be EHT20_Nss4,(MCS0)_4TX	32.53	1.79061
802.11be EHT20-BF_Nss1,(MCS0)_4TX	35.68	3.69828
802.11be EHT40_Nss1,(MCS0)_4TX	32.82	1.91426
802.11be EHT40_Nss4,(MCS0)_4TX	32.93	1.96336
802.11be EHT40-BF_Nss1,(MCS0)_4TX	35.71	3.72392
802.11be EHT80_Nss1,(MCS0)_4TX	32.17	1.64816
802.11be EHT80_Nss4,(MCS0)_4TX	32.80	1.90546
802.11be EHT80-BF_Nss1,(MCS0)_4TX	35.72	3.73250
802.11be EHT160_Nss1,(MCS0)_4TX	27.98	0.62806
802.11be EHT160_Nss4,(MCS0)_4TX	27.17	0.52119
802.11be EHT160-BF_Nss1,(MCS0)_4TX	34.65	2.91743
802.11be EHT320_Nss1,(MCS0)_4TX	27.16	0.52000
802.11be EHT320_Nss4,(MCS0)_4TX	28.30	0.67608
802.11be EHT320-BF_Nss1,(MCS0)_4TX	33.17	2.07491
6.525-6.875GHz	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	31.28	1.34276
802.11be EHT20_Nss4,(MCS0)_4TX	30.87	1.22180
802.11be EHT20-BF_Nss1,(MCS0)_4TX	35.86	3.85478
802.11be EHT40_Nss1,(MCS0)_4TX	30.80	1.20226
802.11be EHT40_Nss4,(MCS0)_4TX	31.62	1.45211
802.11be EHT40-BF_Nss1,(MCS0)_4TX	35.89	3.88150
802.11be EHT80_Nss1,(MCS0)_4TX	31.73	1.48936
802.11be EHT80_Nss4,(MCS0)_4TX	31.90	1.54882
802.11be EHT80-BF_Nss1,(MCS0)_4TX	35.77	3.77572
802.11be EHT160_Nss1,(MCS0)_4TX	27.77	0.59841
802.11be EHT160_Nss4,(MCS0)_4TX	27.48	0.55976
802.11be EHT160-BF_Nss1,(MCS0)_4TX	33.66	2.32274


Result

Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	28.16	36.00
6195MHz	Pass	32.68	36.00
6415MHz	Pass	30.60	36.00
6535MHz	Pass	31.28	36.00
6695MHz	Pass	30.59	36.00
6855MHz	Pass	30.78	36.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	25.82	36.00
6205MHz	Pass	32.82	36.00
6405MHz	Pass	29.39	36.00
6565MHz	Pass	30.21	36.00
6685MHz	Pass	30.80	36.00
6845MHz	Pass	30.58	36.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	25.98	36.00
6225MHz	Pass	32.17	36.00
6385MHz	Pass	28.68	36.00
6625MHz	Pass	31.62	36.00
6705MHz	Pass	31.26	36.00
6785MHz	Pass	31.73	36.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	24.66	36.00
6185MHz	Pass	27.71	36.00
6345MHz	Pass	27.98	36.00
6665MHz	Pass	27.77	36.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	24.48	36.00
6265MHz	Pass	27.16	36.00
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-
5955MHz	Pass	28.71	36.00
6195MHz	Pass	32.53	36.00
6415MHz	Pass	28.54	36.00
6535MHz	Pass	28.72	36.00
6695MHz	Pass	30.32	36.00
6855MHz	Pass	30.87	36.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-
5965MHz	Pass	26.66	36.00
6205MHz	Pass	32.93	36.00
6405MHz	Pass	30.44	36.00
6565MHz	Pass	31.62	36.00
6685MHz	Pass	30.13	36.00
6845MHz	Pass	30.57	36.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-
5985MHz	Pass	25.94	36.00
6225MHz	Pass	32.80	36.00
6385MHz	Pass	30.29	36.00
6625MHz	Pass	31.90	36.00
6705MHz	Pass	31.26	36.00
6785MHz	Pass	31.52	36.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-
6025MHz	Pass	26.91	36.00
6185MHz	Pass	26.84	36.00
6345MHz	Pass	27.17	36.00
6665MHz	Pass	27.48	36.00


Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT320_Nss4,(MCS0)_4TX	-	-	-
6105MHz	Pass	26.11	36.00
6265MHz	Pass	28.30	36.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	31.62	36.00
6195MHz	Pass	35.68	36.00
6415MHz	Pass	35.35	36.00
6535MHz	Pass	35.86	36.00
6695MHz	Pass	35.86	36.00
6855MHz	Pass	35.43	36.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	29.84	36.00
6205MHz	Pass	35.52	36.00
6405MHz	Pass	35.71	36.00
6565MHz	Pass	35.89	36.00
6685MHz	Pass	35.83	36.00
6845MHz	Pass	35.25	36.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	30.24	36.00
6225MHz	Pass	35.72	36.00
6385MHz	Pass	35.42	36.00
6625MHz	Pass	35.77	36.00
6705MHz	Pass	34.94	36.00
6785MHz	Pass	35.13	36.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	30.71	36.00
6185MHz	Pass	33.10	36.00
6345MHz	Pass	34.65	36.00
6665MHz	Pass	33.66	36.00
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	29.18	36.00
6265MHz	Pass	33.17	36.00

DG = Directional Gain; Port X = Port X output power


EIRP;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX




EIRP;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX




EIRP:Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX




EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX




EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX




EIRP:Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6855MHz;TX




EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX




EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX




EIRP:Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX




EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX




EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX




EIRP:Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6845MHz;TX




EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX




EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX




EIRP:Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX




EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




EIRP:Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX




EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX




EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




EIRP;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX




EIRP;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX




EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX




EIRP;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX




EIRP:Band:6.2G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:5955MHz;TX




EIRP:Band:6.2G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6195MHz;TX




EIRP:Band:6.2G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6415MHz;TX




EIRP:Band:6.7G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6535MHz;TX




EIRP:Band:6.7G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6695MHz;TX




EIRP:Band:6.7G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6855MHz;TX




EIRP:Band:6.2G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:5965MHz;TX




EIRP:Band:6.2G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6205MHz;TX




EIRP:Band:6.2G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6405MHz;TX




EIRP:Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6565MHz;TX




EIRP:Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6685MHz;TX




EIRP:Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6845MHz;TX




EIRP:Band:6.2G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:5985MHz;TX




EIRP:Band:6.2G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6225MHz;TX




EIRP:Band:6.2G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6385MHz;TX




EIRP:Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6625MHz;TX




EIRP:Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6705MHz;TX




EIRP:Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6785MHz;TX




EIRP;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6025MHz;TX




EIRP;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6185MHz;TX




EIRP;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6345MHz;TX




EIRP;Band:6.7G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6665MHz;TX




EIRP;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6105MHz;TX




EIRP;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6265MHz;TX




EIRP:Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX




EIRP:Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX




EIRP:Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX




EIRP:Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX




EIRP:Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX




EIRP:Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6855MHz;TX




EIRP:Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX




EIRP:Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX




EIRP:Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX




EIRP:Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX




EIRP:Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX




EIRP:Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6845MHz;TX




EIRP:Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX




EIRP:Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX




EIRP:Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX




EIRP:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




EIRP:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




EIRP:Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX




EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX




EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




EIRP;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX




EIRP;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX



EIRP;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX



EIRP;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX





Radiated PSD_Mode 1

Appendix C.1

Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	16.51
802.11be EHT40-BF_Nss1,(MCS0)_2TX	13.65
802.11be EHT80-BF_Nss1,(MCS0)_2TX	10.39
802.11be EHT160-BF_Nss1,(MCS0)_2TX	7.13


RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result


Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	14.59	23.00
6195MHz	Pass	16.51	23.00
6415MHz	Pass	15.26	23.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	9.86	23.00
6205MHz	Pass	13.65	23.00
6405MHz	Pass	12.55	23.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	8.08	23.00
6225MHz	Pass	10.39	23.00
6385MHz	Pass	9.89	23.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	5.94	23.00
6185MHz	Pass	7.13	23.00
6345MHz	Pass	6.86	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.


EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX




EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX




EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX




EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX




EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX




EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX




EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX




EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX




EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX




EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX



EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX



EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX





Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20_Nss2,(MCS0)_2TX	13.58
802.11be EHT40_Nss2,(MCS0)_2TX	10.56
802.11be EHT80_Nss2,(MCS0)_2TX	8.78
802.11be EHT160_Nss2,(MCS0)_2TX	6.17


RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result


Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-
5955MHz	Pass	11.83	23.00
6195MHz	Pass	13.58	23.00
6415MHz	Pass	11.93	23.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-
5965MHz	Pass	8.15	23.00
6205MHz	Pass	10.56	23.00
6405MHz	Pass	9.10	23.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-
5985MHz	Pass	6.08	23.00
6225MHz	Pass	8.78	23.00
6385MHz	Pass	7.96	23.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-
6025MHz	Pass	5.11	23.00
6185MHz	Pass	4.89	23.00
6345MHz	Pass	6.17	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;


EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:5955MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6195MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6415MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:5965MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6205MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6405MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:5985MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6225MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6385MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6025MHz;TX



EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6185MHz;TX



EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6345MHz;TX



Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20_Nss1,(MCS15)_2TX	15.05
802.11be EHT40_Nss1,(MCS15)_2TX	13.28
802.11be EHT80_Nss1,(MCS15)_2TX	10.73
802.11be EHT160_Nss1,(MCS15)_2TX	6.81
6.525-6.875GHz	-
802.11be EHT20_Nss1,(MCS15)_2TX	16.04
802.11be EHT40_Nss1,(MCS15)_2TX	13.70
802.11be EHT80_Nss1,(MCS15)_2TX	10.75
802.11be EHT160_Nss1,(MCS15)_2TX	6.55

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result


Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS15)_2TX	-	-	-
5955MHz	Pass	14.56	23.00
6195MHz	Pass	15.05	23.00
6415MHz	Pass	13.84	23.00
6535MHz	Pass	14.15	23.00
6695MHz	Pass	15.30	23.00
6855MHz	Pass	16.04	23.00
802.11be EHT40_Nss1,(MCS15)_2TX	-	-	-
5965MHz	Pass	9.07	23.00
6205MHz	Pass	13.28	23.00
6405MHz	Pass	10.53	23.00
6565MHz	Pass	13.70	23.00
6685MHz	Pass	11.67	23.00
6845MHz	Pass	10.28	23.00
802.11be EHT80_Nss1,(MCS15)_2TX	-	-	-
5985MHz	Pass	5.71	23.00
6225MHz	Pass	10.73	23.00
6385MHz	Pass	7.75	23.00
6625MHz	Pass	10.75	23.00
6705MHz	Pass	9.37	23.00
6785MHz	Pass	9.95	23.00
802.11be EHT160_Nss1,(MCS15)_2TX	-	-	-
6025MHz	Pass	3.51	23.00
6185MHz	Pass	6.13	23.00
6345MHz	Pass	6.81	23.00
6665MHz	Pass	6.55	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

Inf = There's no restriction for the limit.


EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M15);Nant:2;Ch:5955MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M15);Nant:2;Ch:6195MHz;TX




EIRP PSD:Band:6.2G;be20;BWch:20MHz;Nss:1,(M15);Nant:2;Ch:6415MHz;TX




EIRP PSD:Band:6.7G;be20;BWch:20MHz;Nss:1,(M15);Nant:2;Ch:6535MHz;TX




EIRP PSD:Band:6.7G;be20;BWch:20MHz;Nss:1,(M15);Nant:2;Ch:6695MHz;TX




EIRP PSD:Band:6.7G;be20;BWch:20MHz;Nss:1,(M15);Nant:2;Ch:6855MHz;TX




EIRP PSD:Band:6.2G;be40;BWch:40MHz;Nss:1,(M15);Nant:2;Ch:5965MHz;TX




EIRP PSD:Band:6.2G;be40;BWch:40MHz;Nss:1,(M15);Nant:2;Ch:6205MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M15);Nant:2;Ch:6405MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M15);Nant:2;Ch:6565MHz;TX




EIRP PSD:Band:6.7G;be40;BWch:40MHz;Nss:1,(M15);Nant:2;Ch:6685MHz;TX




EIRP PSD:Band:6.7G;be40;BWch:40MHz;Nss:1,(M15);Nant:2;Ch:6845MHz;TX




EIRP PSD:Band:6.2G;be80;BWch:80MHz;Nss:1,(M15);Nant:2;Ch:5985MHz;TX




EIRP PSD:Band:6.2G;be80;BWch:80MHz;Nss:1,(M15);Nant:2;Ch:6225MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M15);Nant:2;Ch:6385MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M15);Nant:2;Ch:6625MHz;TX




EIRP PSD:Band:6.7G;be80;BWch:80MHz;Nss:1,(M15);Nant:2;Ch:6705MHz;TX




EIRP PSD:Band:6.7G;be80;BWch:80MHz;Nss:1,(M15);Nant:2;Ch:6785MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M15);Nant:2;Ch:6025MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M15);Nant:2;Ch:6185MHz;TX



EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M15);Nant:2;Ch:6345MHz;TX



EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M15);Nant:2;Ch:6665MHz;TX



Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20_Nss1,(MCS0)_2TX	18.69
802.11be EHT20_Nss2,(MCS0)_2TX	18.22
802.11be EHT20-BF_Nss1,(MCS0)_2TX	18.56
802.11be EHT40_Nss1,(MCS0)_2TX	17.40
802.11be EHT40_Nss2,(MCS0)_2TX	15.03
802.11be EHT40-BF_Nss1,(MCS0)_2TX	16.21
802.11be EHT80_Nss1,(MCS0)_2TX	14.91
802.11be EHT80_Nss2,(MCS0)_2TX	13.66
802.11be EHT80-BF_Nss1,(MCS0)_2TX	12.35
802.11be EHT160_Nss1,(MCS0)_2TX	7.04
802.11be EHT160_Nss2,(MCS0)_2TX	6.44
802.11be EHT160-BF_Nss1,(MCS0)_2TX	8.81
802.11be EHT320_Nss1,(MCS0)_2TX	4.32
802.11be EHT320_Nss2,(MCS0)_2TX	3.15
802.11be EHT320-BF_Nss1,(MCS0)_2TX	2.47
6.525-6.875GHz	-
802.11be EHT20_Nss1,(MCS0)_2TX	18.84
802.11be EHT20_Nss2,(MCS0)_2TX	19.45
802.11be EHT20-BF_Nss1,(MCS0)_2TX	17.94
802.11be EHT40_Nss1,(MCS0)_2TX	16.77
802.11be EHT40_Nss2,(MCS0)_2TX	15.68
802.11be EHT40-BF_Nss1,(MCS0)_2TX	15.49
802.11be EHT80_Nss1,(MCS0)_2TX	13.36
802.11be EHT80_Nss2,(MCS0)_2TX	13.44
802.11be EHT80-BF_Nss1,(MCS0)_2TX	11.47
802.11be EHT160_Nss1,(MCS0)_2TX	5.95
802.11be EHT160_Nss2,(MCS0)_2TX	10.22
802.11be EHT160-BF_Nss1,(MCS0)_2TX	7.64

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;


Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	15.36	23.00
6195MHz	Pass	18.69	23.00
6415MHz	Pass	15.05	23.00
6535MHz	Pass	16.20	23.00
6695MHz	Pass	18.42	23.00
6855MHz	Pass	18.84	23.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	10.80	23.00
6205MHz	Pass	17.40	23.00
6405MHz	Pass	13.45	23.00
6565MHz	Pass	16.77	23.00
6685MHz	Pass	15.50	23.00
6845MHz	Pass	14.09	23.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	7.72	23.00
6225MHz	Pass	14.91	23.00
6385MHz	Pass	10.74	23.00
6625MHz	Pass	13.36	23.00
6705MHz	Pass	12.48	23.00
6785MHz	Pass	12.76	23.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	4.89	23.00
6185MHz	Pass	6.66	23.00
6345MHz	Pass	7.04	23.00
6665MHz	Pass	5.95	23.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	0.75	23.00
6265MHz	Pass	4.32	23.00
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-
5955MHz	Pass	13.97	23.00
6195MHz	Pass	18.22	23.00
6415MHz	Pass	14.01	23.00
6535MHz	Pass	19.45	23.00
6695MHz	Pass	17.61	23.00
6855MHz	Pass	17.53	23.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-
5965MHz	Pass	9.78	23.00
6205MHz	Pass	15.03	23.00
6405MHz	Pass	11.16	23.00
6565MHz	Pass	15.68	23.00
6685MHz	Pass	13.70	23.00
6845MHz	Pass	14.32	23.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-
5985MHz	Pass	4.04	23.00
6225MHz	Pass	13.66	23.00
6385MHz	Pass	8.89	23.00
6625MHz	Pass	13.44	23.00
6705MHz	Pass	12.47	23.00
6785MHz	Pass	10.69	23.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-
6025MHz	Pass	2.87	23.00
6185MHz	Pass	6.44	23.00
6345MHz	Pass	5.68	23.00
6665MHz	Pass	10.22	23.00


Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-
6105MHz	Pass	-0.48	23.00
6265MHz	Pass	3.15	23.00
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	15.94	23.00
6195MHz	Pass	18.56	23.00
6415MHz	Pass	17.24	23.00
6535MHz	Pass	17.79	23.00
6695MHz	Pass	17.57	23.00
6855MHz	Pass	17.94	23.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	9.31	23.00
6205MHz	Pass	16.21	23.00
6405MHz	Pass	13.19	23.00
6565MHz	Pass	15.49	23.00
6685MHz	Pass	14.56	23.00
6845MHz	Pass	14.15	23.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	6.41	23.00
6225MHz	Pass	12.07	23.00
6385MHz	Pass	12.35	23.00
6625MHz	Pass	11.47	23.00
6705MHz	Pass	10.80	23.00
6785MHz	Pass	10.86	23.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	4.68	23.00
6185MHz	Pass	7.90	23.00
6345MHz	Pass	8.81	23.00
6665MHz	Pass	7.64	23.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-
6105MHz	Pass	1.97	23.00
6265MHz	Pass	2.47	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.


EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6855MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6845MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX




EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX




EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6105MHz;TX




EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6265MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:5955MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6195MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6415MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6535MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6695MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:2,(M0);Nant:2;Ch:6855MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:5965MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6205MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6405MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6565MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6685MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:2,(M0);Nant:2;Ch:6845MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:5985MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6225MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6385MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6625MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6705MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:2,(M0);Nant:2;Ch:6785MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6025MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6185MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6345MHz;TX




EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:2,(M0);Nant:2;Ch:6665MHz;TX




EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6105MHz;TX




EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:2,(M0);Nant:2;Ch:6265MHz;TX




EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:5955MHz;TX




EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6195MHz;TX




EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6415MHz;TX




EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6535MHz;TX




EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6695MHz;TX




EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:2;Ch:6855MHz;TX




EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:5965MHz;TX




EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6205MHz;TX




EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6405MHz;TX




EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6565MHz;TX




EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6685MHz;TX




EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:2;Ch:6845MHz;TX




EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:5985MHz;TX




EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6225MHz;TX




EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6385MHz;TX




EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6625MHz;TX




EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6705MHz;TX




EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:2;Ch:6785MHz;TX




EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6025MHz;TX




EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6185MHz;TX




EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6345MHz;TX




EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:2;Ch:6665MHz;TX



EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6105MHz;TX



EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:2;Ch:6265MHz;TX



Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11be EHT20_Nss1,(MCS0)_4TX	22.94
802.11be EHT20_Nss4,(MCS0)_4TX	20.43
802.11be EHT20-BF_Nss1,(MCS0)_4TX	22.03
802.11be EHT40_Nss1,(MCS0)_4TX	20.10
802.11be EHT40_Nss4,(MCS0)_4TX	18.67
802.11be EHT40-BF_Nss1,(MCS0)_4TX	19.61
802.11be EHT80_Nss1,(MCS0)_4TX	17.31
802.11be EHT80_Nss4,(MCS0)_4TX	15.44
802.11be EHT80-BF_Nss1,(MCS0)_4TX	15.94
802.11be EHT160_Nss1,(MCS0)_4TX	10.31
802.11be EHT160_Nss4,(MCS0)_4TX	8.30
802.11be EHT160-BF_Nss1,(MCS0)_4TX	9.63
802.11be EHT320_Nss1,(MCS0)_4TX	6.66
802.11be EHT320_Nss4,(MCS0)_4TX	5.70
802.11be EHT320-BF_Nss1,(MCS0)_4TX	9.09
6.525-6.875GHz	-
802.11be EHT20_Nss1,(MCS0)_4TX	22.36
802.11be EHT20_Nss4,(MCS0)_4TX	18.84
802.11be EHT20-BF_Nss1,(MCS0)_4TX	22.27
802.11be EHT40_Nss1,(MCS0)_4TX	18.36
802.11be EHT40_Nss4,(MCS0)_4TX	16.43
802.11be EHT40-BF_Nss1,(MCS0)_4TX	19.55
802.11be EHT80_Nss1,(MCS0)_4TX	16.18
802.11be EHT80_Nss4,(MCS0)_4TX	15.23
802.11be EHT80-BF_Nss1,(MCS0)_4TX	15.52
802.11be EHT160_Nss1,(MCS0)_4TX	10.85
802.11be EHT160_Nss4,(MCS0)_4TX	6.64
802.11be EHT160-BF_Nss1,(MCS0)_4TX	7.99

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	17.79	23.00
6195MHz	Pass	22.94	23.00
6415MHz	Pass	21.19	23.00
6535MHz	Pass	22.36	23.00
6695MHz	Pass	21.17	23.00
6855MHz	Pass	20.88	23.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	12.81	23.00
6205MHz	Pass	20.10	23.00
6405MHz	Pass	15.41	23.00
6565MHz	Pass	17.14	23.00
6685MHz	Pass	18.36	23.00
6845MHz	Pass	17.93	23.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	11.08	23.00
6225MHz	Pass	17.31	23.00
6385MHz	Pass	12.59	23.00
6625MHz	Pass	15.46	23.00
6705MHz	Pass	14.89	23.00
6785MHz	Pass	16.18	23.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	8.52	23.00
6185MHz	Pass	9.57	23.00
6345MHz	Pass	10.31	23.00
6665MHz	Pass	10.85	23.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	4.80	23.00
6265MHz	Pass	6.66	23.00
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-
5955MHz	Pass	15.35	23.00
6195MHz	Pass	20.43	23.00
6415MHz	Pass	15.08	23.00
6535MHz	Pass	16.24	23.00
6695MHz	Pass	17.66	23.00
6855MHz	Pass	18.84	23.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-
5965MHz	Pass	12.10	23.00
6205MHz	Pass	18.67	23.00
6405MHz	Pass	16.44	23.00
6565MHz	Pass	16.43	23.00
6685MHz	Pass	15.01	23.00
6845MHz	Pass	15.76	23.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-
5985MHz	Pass	8.97	23.00
6225MHz	Pass	15.44	23.00
6385MHz	Pass	12.49	23.00
6625MHz	Pass	15.05	23.00
6705MHz	Pass	14.26	23.00
6785MHz	Pass	15.23	23.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-
6025MHz	Pass	5.52	23.00
6185MHz	Pass	7.45	23.00
6345MHz	Pass	8.30	23.00
6665MHz	Pass	6.64	23.00




Radiated PSD_Mode 5

Appendix C.5


Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT320_Nss4,(MCS0)_4TX	-	-	-
6105MHz	Pass	4.89	23.00
6265MHz	Pass	5.70	23.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	17.99	23.00
6195MHz	Pass	22.03	23.00
6415MHz	Pass	22.01	23.00
6535MHz	Pass	22.27	23.00
6695MHz	Pass	22.23	23.00
6855MHz	Pass	22.01	23.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	13.20	23.00
6205MHz	Pass	19.61	23.00
6405MHz	Pass	18.83	23.00
6565MHz	Pass	19.55	23.00
6685MHz	Pass	19.03	23.00
6845MHz	Pass	18.80	23.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	9.54	23.00
6225MHz	Pass	13.28	23.00
6385MHz	Pass	15.94	23.00
6625MHz	Pass	15.52	23.00
6705MHz	Pass	14.56	23.00
6785MHz	Pass	13.34	23.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	6.71	23.00
6185MHz	Pass	8.76	23.00
6345MHz	Pass	9.63	23.00
6665MHz	Pass	7.99	23.00
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-
6105MHz	Pass	5.87	23.00
6265MHz	Pass	9.09	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;


EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6855MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6845MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX




EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX




EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX




EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:5955MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6195MHz;TX




EIRP PSD;Band:6.2G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6415MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6535MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6695MHz;TX




EIRP PSD;Band:6.7G;be20;BWch:20MHz;Nss:4,(M0);Nant:4;Ch:6855MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:5965MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6205MHz;TX




EIRP PSD;Band:6.2G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6405MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6565MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6685MHz;TX




EIRP PSD;Band:6.7G;be40;BWch:40MHz;Nss:4,(M0);Nant:4;Ch:6845MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:5985MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6225MHz;TX




EIRP PSD;Band:6.2G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6385MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6625MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6705MHz;TX




EIRP PSD;Band:6.7G;be80;BWch:80MHz;Nss:4,(M0);Nant:4;Ch:6785MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6025MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6185MHz;TX




EIRP PSD;Band:6.2G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6345MHz;TX




EIRP PSD;Band:6.7G;be160;BWch:160MHz;Nss:4,(M0);Nant:4;Ch:6665MHz;TX




EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6105MHz;TX




EIRP PSD;Band:6.2G;be320;BWch:320MHz;Nss:4,(M0);Nant:4;Ch:6265MHz;TX




EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5955MHz;TX




EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6195MHz;TX




EIRP PSD;Band:6.2G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6415MHz;TX




EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6535MHz;TX




EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6695MHz;TX




EIRP PSD;Band:6.7G;be20,BF;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:6855MHz;TX




EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5965MHz;TX




EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6205MHz;TX




EIRP PSD;Band:6.2G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6405MHz;TX




EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6565MHz;TX




EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6685MHz;TX




EIRP PSD;Band:6.7G;be40,BF;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:6845MHz;TX




EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5985MHz;TX




EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6225MHz;TX




EIRP PSD;Band:6.2G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6385MHz;TX




EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6625MHz;TX




EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6705MHz;TX




EIRP PSD;Band:6.7G;be80,BF;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:6785MHz;TX




EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6025MHz;TX




EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6185MHz;TX




EIRP PSD;Band:6.2G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6345MHz;TX




EIRP PSD;Band:6.7G;be160,BF;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:6665MHz;TX



EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6105MHz;TX



EIRP PSD;Band:6.2G;be320,BF;BWch:320MHz;Nss:1,(M0);Nant:4;Ch:6265MHz;TX






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT40-BF_Nss1.(MCS0)_2TX	Pass	RMS	5.925G	68.13	68.20	-0.07	3	Vertical	113	2.19	-

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 89
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	83.64	88.20	-4.56	76.56	3	Vertical	113	2.21	-	34.55	7.63	35.10			
RMS	5.925G	67.87	68.20	-0.33	60.79	3	Vertical	113	2.21	-	34.55	7.63	35.10			
PK	5.9524G	119.80	Inf	-Inf	112.67	3	Vertical	113	2.21	-	34.60	7.65	35.12			
RMS	5.956G	109.53	Inf	-Inf	102.40	3	Vertical	113	2.21	-	34.60	7.65	35.12			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 89
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9238G	77.62	88.20	-10.58	70.54	3	Horizontal	115	1.02	-	34.55	7.63	35.10			
RMS	5.925G	62.53	68.20	-5.67	55.45	3	Horizontal	115	1.02	-	34.55	7.63	35.10			
PK	5.962G	113.84	Inf	-Inf	106.70	3	Horizontal	115	1.02	-	34.60	7.66	35.12			
RMS	5.9624G	104.06	Inf	-Inf	96.92	3	Horizontal	115	1.02	-	34.60	7.66	35.12			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 89
03-S-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.91678G	57.62	74.00	-16.38	41.35	3	Vertical	325	2.19	-	39.20	11.47	34.40			
AV	11.91933G	44.80	54.00	-9.20	28.52	3	Vertical	325	2.19	-	39.20	11.48	34.40			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 89
03-S-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.92005G	57.47	74.00	-16.53	41.19	3	Horizontal	151	1.74	-	39.20	11.48	34.40			
AV	11.91165G	44.82	54.00	-9.18	28.55	3	Horizontal	151	1.74	-	39.20	11.47	34.40			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 89
05-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81981G	56.53	83.54	-27.01	47.38	1	Vertical	315	1.58	-	38.98	17.35	47.18			
AV	23.82431G	44.28	63.54	-19.26	35.16	1	Vertical	315	1.58	-	38.95	17.35	47.18			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 89
05-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81578G	54.90	83.54	-28.64	45.73	1	Horizontal	7	1.88	-	39.01	17.34	47.18			
AV	23.82149G	43.22	63.54	-20.32	34.08	1	Horizontal	7	1.88	-	38.97	17.35	47.18			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_TX
Setting 96
03-S-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38955G	58.43	74.00	-15.57	42.22	3	Vertical	346	2.24	-	38.62	11.65	34.06			
AV	12.38811G	45.84	54.00	-8.16	29.63	3	Vertical	346	2.24	-	38.62	11.65	34.06			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
Setting 96
03-S-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38136G	57.43	74.00	-16.57	41.21	3	Horizontal	24	1.79	-	38.64	11.65	34.07			
AV	12.39546G	44.54	54.00	-9.46	28.34	3	Horizontal	24	1.79	-	38.61	11.65	34.06			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
Setting 96
05-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58406G	65.34	83.54	-18.20	61.99	1	Vertical	32	1.53	-	37.70	15.27	49.62			
AV	18.58443G	53.89	63.54	-9.65	50.54	1	Vertical	32	1.53	-	37.70	15.27	49.62			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
Setting 96
05-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58648G	62.43	83.54	-21.11	59.08	1	Horizontal	181	1.66	-	37.70	15.27	49.62			
AV	18.58152G	50.80	63.54	-12.74	47.45	1	Horizontal	181	1.66	-	37.70	15.27	49.62			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 96
03-S-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82928G	57.79	88.20	-30.41	40.40	3	Vertical	103	2.03	-	39.12	11.80	33.53			
RMS	12.83282G	45.00	68.20	-23.20	27.60	3	Vertical	103	2.03	-	39.13	11.80	33.53			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 96
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.81887G	58.70	88.20	-29.50	41.37	3	Horizontal	350	2.08	-	39.08	11.80	33.55			
RMS	12.83831G	45.19	68.20	-23.01	27.75	3	Horizontal	350	2.08	-	39.15	11.81	33.52			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 96
05-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24802G	60.05	83.54	-23.49	56.42	1	Vertical	252	1.85	-	37.90	15.24	49.51			
AV	19.24081G	47.90	63.54	-15.64	44.24	1	Vertical	252	1.85	-	37.92	15.24	49.50			

5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 96
05-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24293G	59.16	83.54	-24.38	55.52	1	Horizontal	64	1.37	-	37.91	15.24	49.51			
AV	19.24189G	47.03	63.54	-16.51	43.37	1	Horizontal	64	1.37	-	37.92	15.24	49.50			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 77
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	82.16	88.20	-6.04	75.08	3	Vertical	113	2.19	-	34.55	7.63	35.10			
RMS	5.925G	68.13	68.20	-0.07	61.05	3	Vertical	113	2.19	-	34.55	7.63	35.10			
PK	5.9754G	115.32	Inf	-Inf	108.18	3	Vertical	113	2.19	-	34.60	7.67	35.13			
RMS	5.9718G	105.02	Inf	-Inf	97.88	3	Vertical	113	2.19	-	34.60	7.67	35.13			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 77
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	72.70	88.20	-15.50	65.62	3	Horizontal	149	2.11	-	34.55	7.63	35.10			
RMS	5.925G	58.07	68.20	-10.13	50.99	3	Horizontal	149	2.11	-	34.55	7.63	35.10			
PK	5.953G	105.72	Inf	-Inf	98.59	3	Horizontal	149	2.11	-	34.60	7.65	35.12			
RMS	5.9774G	94.40	Inf	-Inf	87.26	3	Horizontal	149	2.11	-	34.60	7.67	35.13			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 77
03-S-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.92295G	57.75	74.00	-16.25	41.46	3	Vertical	123	1.08	-	39.20	11.48	34.39			
AV	11.94173G	44.77	54.00	-9.23	28.46	3	Vertical	123	1.08	-	39.20	11.49	34.38			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 77
03-S-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.93174G	57.27	74.00	-16.73	40.98	3	Horizontal	336	1.83	-	39.20	11.48	34.39			
AV	11.93528G	44.77	54.00	-9.23	28.48	3	Horizontal	336	1.83	-	39.20	11.48	34.39			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 77
05-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86253G	53.84	83.54	-29.70	44.84	1	Vertical	338	1.78	-	38.80	17.36	47.16			
AV	23.8575G	41.84	63.54	-21.70	32.84	1	Vertical	338	1.78	-	38.80	17.36	47.16			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 77
05-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86178G	52.56	83.54	-30.98	43.56	1	Horizontal	328	1.46	-	38.80	17.36	47.16			
AV	23.85677G	40.85	63.54	-22.69	31.85	1	Horizontal	328	1.46	-	38.80	17.36	47.16			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 96
03-S-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41198G	58.08	74.00	-15.92	41.87	3	Vertical	259	2.75	-	38.60	11.66	34.05			
AV	12.41387G	44.68	54.00	-9.32	28.46	3	Vertical	259	2.75	-	38.60	11.66	34.04			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 96
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.41891G	58.09	74.00	-15.91	41.87	3	Horizontal	265	1.13	-	38.60	11.66	34.04			
AV	12.41708G	44.58	54.00	-9.42	28.36	3	Horizontal	265	1.13	-	38.60	11.66	34.04			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 96
05-P-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.61001G	60.36	83.54	-23.18	56.98	1	Vertical	315	1.50	-	37.72	15.27	49.61			
AV	18.61156G	47.32	63.54	-16.22	43.93	1	Vertical	315	1.50	-	37.72	15.27	49.60			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 96
05-P-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.61043G	57.31	83.54	-26.23	53.92	1	Horizontal	244	1.90	-	37.72	15.27	49.60			
AV	18.6115G	44.32	63.54	-19.22	40.93	1	Horizontal	244	1.90	-	37.72	15.27	49.60			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 96
03-S-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80424G	59.48	88.20	-28.72	42.24	3	Vertical	340	1.80	-	39.02	11.79	33.57			
RMS	12.80643G	45.05	68.20	-23.15	27.79	3	Vertical	340	1.80	-	39.03	11.79	33.56			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 96
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.80391G	58.24	88.20	-29.96	41.00	3	Horizontal	161	1.80	-	39.02	11.79	33.57			
RMS	12.82431G	44.85	68.20	-23.35	27.49	3	Horizontal	161	1.80	-	39.10	11.80	33.54			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 96
05-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21357G	57.85	83.54	-25.69	54.13	1	Vertical	244	1.36	-	37.97	15.24	49.49			
AV	19.21208G	45.00	63.54	-18.54	41.26	1	Vertical	244	1.36	-	37.98	15.24	49.48			

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 96
05-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21814G	56.27	83.54	-27.27	52.56	1	Horizontal	311	1.93	-	37.96	15.24	49.49			
AV	19.21538G	44.03	63.54	-19.51	40.31	1	Horizontal	311	1.93	-	37.97	15.24	49.49			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 77
03-S-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9225G	79.61	88.20	-8.59	72.53	3	Vertical	111	2.21	-	34.55	7.63	35.10			
RMS	5.925G	68.09	68.20	-0.11	61.01	3	Vertical	111	2.21	-	34.55	7.63	35.10			
PK	5.9955G	113.76	Inf	-Inf	106.61	3	Vertical	111	2.21	-	34.60	7.69	35.14			
RMS	6.0155G	103.15	Inf	-Inf	95.97	3	Vertical	111	2.21	-	34.60	7.71	35.13			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 77
03-S-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9225G	66.01	88.20	-22.19	58.93	3	Horizontal	166	1.16	-	34.55	7.63	35.10			
RMS	5.925G	53.39	68.20	-14.81	46.31	3	Horizontal	166	1.16	-	34.55	7.63	35.10			
PK	6.023G	105.90	Inf	-Inf	98.71	3	Horizontal	166	1.16	-	34.60	7.72	35.13			
RMS	6.023G	96.26	Inf	-Inf	89.07	3	Horizontal	166	1.16	-	34.60	7.72	35.13			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 77
03-S-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.98026G	58.97	74.00	-15.03	42.68	3	Vertical	325	1.00	-	39.14	11.51	34.36			
AV	11.97564G	45.00	54.00	-9.00	28.70	3	Vertical	325	1.00	-	39.15	11.51	34.36			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 77
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96094G	59.52	74.00	-14.48	43.21	3	Horizontal	107	1.80	-	39.18	11.50	34.37			
AV	11.95575G	44.97	54.00	-9.03	28.66	3	Horizontal	107	1.80	-	39.19	11.50	34.38			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 77
05-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93942G	57.53	83.54	-26.01	48.39	1	Vertical	243	1.78	-	38.88	17.38	47.12			
AV	23.9401G	45.16	63.54	-18.38	36.02	1	Vertical	243	1.78	-	38.88	17.38	47.12			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 77
05-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93611G	57.90	83.54	-25.64	48.77	1	Horizontal	276	1.52	-	38.87	17.38	47.12			
AV	23.94226G	45.06	63.54	-18.48	35.92	1	Horizontal	276	1.52	-	38.88	17.38	47.12			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
Setting 96
03-S-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45531G	58.43	74.00	-15.57	42.16	3	Vertical	26	2.17	-	38.61	11.67	34.01			
AV	12.45234G	45.30	54.00	-8.70	29.05	3	Vertical	26	2.17	-	38.60	11.67	34.02			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
Setting 96
03-S-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45099G	57.25	74.00	-16.75	41.00	3	Horizontal	247	1.81	-	38.60	11.67	34.02			
AV	12.44955G	44.72	54.00	-9.28	28.47	3	Horizontal	247	1.81	-	38.60	11.67	34.02			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
Setting 96
05-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67418G	61.00	83.54	-22.54	57.59	1	Vertical	350	1.60	-	37.70	15.27	49.56			
AV	18.67462G	47.84	63.54	-15.70	44.43	1	Vertical	350	1.60	-	37.70	15.27	49.56			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
Setting 96
05-P-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.67449G	56.77	83.54	-26.77	53.36	1	Horizontal	51	1.92	-	37.70	15.27	49.56			
AV	18.67506G	44.77	63.54	-18.77	41.36	1	Horizontal	51	1.92	-	37.70	15.27	49.56			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 96
03-S-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.75692G	58.23	88.20	-29.97	41.25	3	Vertical	124	1.08	-	38.83	11.78	33.63			
RMS	12.75575G	44.87	68.20	-23.33	27.90	3	Vertical	124	1.08	-	38.82	11.78	33.63			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_TX
Setting 96
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.75944G	58.24	88.20	-29.96	41.25	3	Horizontal	-0	2.23	-	38.84	11.78	33.63			
RMS	12.75899G	44.66	68.20	-23.54	27.67	3	Horizontal	-0	2.23	-	38.84	11.78	33.63			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 96
05-P-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15674G	60.02	83.54	-23.52	56.49	1	Vertical	177	1.86	-	37.74	15.24	49.45			
AV	19.15032G	48.48	63.54	-15.06	44.98	1	Vertical	177	1.86	-	37.70	15.24	49.44			

5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 96
05-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15541G	60.43	83.54	-23.11	56.91	1	Horizontal	282	1.60	-	37.73	15.24	49.45			
AV	19.15412G	47.55	63.54	-15.99	44.03	1	Horizontal	282	1.60	-	37.72	15.24	49.44			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 78
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9218G	78.11	88.20	-10.09	71.04	3	Vertical	111	2.27	-	34.54	7.63	35.10			
RMS	5.925G	67.76	68.20	-0.44	60.68	3	Vertical	111	2.27	-	34.55	7.63	35.10			
PK	5.957G	114.02	Inf	-Inf	106.88	3	Vertical	111	2.27	-	34.60	7.66	35.12			
RMS	6.0474G	101.09	Inf	-Inf	93.87	3	Vertical	111	2.27	-	34.60	7.74	35.12			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX



EUT_Z_2TX
Setting 78
03-S-5-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	69.94	88.20	-18.26	62.86	3	Horizontal	311	2.61	-	34.55	7.63	35.10			
RMS	5.925G	59.90	68.20	-8.30	52.82	3	Horizontal	311	2.61	-	34.55	7.63	35.10			
PK	6.0482G	103.96	Inf	-Inf	96.73	3	Horizontal	311	2.61	-	34.60	7.75	35.12			
RMS	6.0482G	93.36	Inf	-Inf	86.13	3	Horizontal	311	2.61	-	34.60	7.75	35.12			