


5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 78
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.0584G	57.99	74.00	-16.01	41.78	3	Vertical	207	2.07	-	38.98	11.54	34.31			
AV	12.03626G	44.78	54.00	-9.22	28.54	3	Vertical	207	2.07	-	39.03	11.53	34.32			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 78
03-S-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04451G	57.45	74.00	-16.55	41.22	3	Horizontal	1	1.18	-	39.01	11.54	34.32			
AV	12.05369G	44.77	54.00	-9.23	28.55	3	Horizontal	1	1.18	-	38.99	11.54	34.31			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 78
05-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07055G	56.63	83.54	-26.91	53.32	1	Vertical	299	1.86	-	37.48	15.30	49.47			
AV	18.07894G	44.67	63.54	-18.87	41.33	1	Vertical	299	1.86	-	37.52	15.30	49.48			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 78
05-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07737G	56.41	83.54	-27.13	53.08	1	Horizontal	239	1.74	-	37.51	15.30	49.48			
AV	18.07158G	44.61	63.54	-18.93	41.29	1	Horizontal	239	1.74	-	37.49	15.30	49.47			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
Setting 96
03-S-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37798G	58.16	74.00	-15.84	41.94	3	Vertical	112	2.41	-	38.64	11.65	34.07			
AV	12.35992G	44.38	54.00	-9.62	28.14	3	Vertical	112	2.41	-	38.68	11.64	34.08			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
Setting 96
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.36913G	58.01	74.00	-15.99	41.78	3	Horizontal	43	2.65	-	38.66	11.65	34.08			
AV	12.37342G	44.39	54.00	-9.61	28.16	3	Horizontal	43	2.65	-	38.65	11.65	34.07			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
Setting 96
05-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55888G	66.17	83.54	-17.37	62.84	1	Vertical	49	1.82	-	37.70	15.27	49.64			
AV	18.55977G	49.77	63.54	-13.77	46.44	1	Vertical	49	1.82	-	37.70	15.27	49.64			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
Setting 96
05-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55861G	63.98	83.54	-19.56	60.65	1	Horizontal	338	1.77	-	37.70	15.27	49.64			
AV	18.55998G	48.72	63.54	-14.82	45.39	1	Horizontal	338	1.77	-	37.70	15.27	49.64			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
Setting 96
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.68062G	58.78	74.00	-15.22	41.90	3	Vertical	0	1.80	-	38.86	11.75	33.73			
AV	12.68823G	44.72	54.00	-9.28	27.81	3	Vertical	0	1.80	-	38.88	11.75	33.72			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
Setting 96
03-S-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.6902G	59.05	74.00	-14.95	42.14	3	Horizontal	223	1.80	-	38.88	11.75	33.72			
AV	12.69627G	44.60	54.00	-9.40	27.66	3	Horizontal	223	1.80	-	38.89	11.76	33.71			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
Setting 96
05-P-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.03561G	59.61	83.54	-23.93	55.82	1	Vertical	37	1.40	-	37.90	15.25	49.36			
AV	19.0365G	47.31	63.54	-16.23	43.52	1	Vertical	37	1.40	-	37.90	15.25	49.36			

5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX



EUT_Z_2TX
Setting 96
05-P-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03772G	59.81	83.54	-23.73	56.03	1	Horizontal	203	1.63	-	37.90	15.25	49.37			
AV	19.03018G	47.26	63.54	-16.28	43.47	1	Horizontal	203	1.63	-	37.90	15.25	49.36			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	RMS	5.925G	67.95	68.20	-0.25	3	Vertical	118	2.06	80

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
SET 90
108\78\93\86\89\90\91\92\91\90
-7.42\10.39\ -3.35\5.61\3.38\1.73\0.55\ -1.35\ -0.09\2.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9248G	84.22	88.20	-3.98	75.36	3	Vertical	133	2.27	90	34.25	5.77	31.16			
RMS	5.925G	66.01	68.20	-2.19	57.15	3	Vertical	133	2.27	90	34.25	5.77	31.16			
PK	5.9592G	117.17	Inf	-Inf	108.23	3	Vertical	133	2.27	90	34.30	5.81	31.17			
RMS	5.9602G	107.02	Inf	-Inf	98.08	3	Vertical	133	2.27	90	34.30	5.81	31.17			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
SET 90
91
8.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	71.17	88.20	-17.03	62.31	3	Horizontal	127	2.65	90	34.25	5.77	31.16			
RMS	5.925G	58.34	68.20	-9.86	49.48	3	Horizontal	127	2.65	90	34.25	5.77	31.16			
PK	5.9638G	110.68	Inf	-Inf	101.74	3	Horizontal	127	2.65	90	34.30	5.81	31.17			
RMS	5.9586G	99.69	Inf	-Inf	90.76	3	Horizontal	127	2.65	90	34.30	5.80	31.17			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
SET 90

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.90888G	55.01	74.00	-18.99	72.65	3	Vertical	277	2.18	90	39.30	8.71	65.65			
AV	11.90409G	44.27	54.00	-9.73	61.92	3	Vertical	277	2.18	90	39.30	8.71	65.66			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.89985G	53.71	74.00	-20.29	70.84	3	Horizontal	269	2.56	90	39.30	8.71	65.14			
AV	11.89717G	42.15	54.00	-11.85	59.27	3	Horizontal	269	2.56	90	39.31	8.71	65.14			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
SET 90

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.80578G	46.27	83.54	-37.27	40.30	1	Vertical	116	1.73	-	39.07	17.34	50.44			
AV	23.80512G	32.18	63.54	-31.36	26.21	1	Vertical	116	1.73	-	39.07	17.34	50.44			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
SET 90

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81256G	46.71	83.54	-36.83	40.79	1	Horizontal	87	1.76	-	39.02	17.34	50.44			
AV	23.80638G	32.24	63.54	-31.30	26.28	1	Horizontal	87	1.76	-	39.06	17.34	50.44			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38856G	55.02	74.00	-18.98	73.00	3	Vertical	23	2.95	108	38.62	8.92	65.52			
AV	12.3856G	43.50	54.00	-10.50	61.47	3	Vertical	23	2.95	108	38.63	8.92	65.52			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38285G	52.34	74.00	-21.66	69.51	3	Horizontal	200	2.63	108	38.63	8.92	64.72			
AV	12.37745G	41.28	54.00	-12.72	58.43	3	Horizontal	200	2.63	108	38.65	8.92	64.72			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	18.59424G	46.34	83.54	-37.20	43.88	1	Vertical	67	1.65	-	37.70	15.27	50.51				
AV	18.57861G	32.36	63.54	-31.18	29.88	1	Vertical	67	1.65	-	37.70	15.27	50.49				

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58887G	46.79	83.54	-36.75	44.33	1	Horizontal	187	1.55	-	37.70	15.27	50.51			
AV	18.58137G	32.44	63.54	-31.10	29.97	1	Horizontal	187	1.55	-	37.70	15.27	50.50			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8276G	57.01	88.20	-31.19	74.36	3	Vertical	331	2.14	108	38.96	9.12	65.43			
RMS	12.83044G	45.76	68.20	-22.44	63.10	3	Vertical	331	2.14	108	38.96	9.13	65.43			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.82588G	51.87	88.20	-36.33	68.29	3	Horizontal	208	2.45	108	38.95	9.12	64.49			
RMS	12.82592G	41.05	68.20	-27.15	57.47	3	Horizontal	208	2.45	108	38.95	9.12	64.49			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24917G	46.44	83.54	-37.10	44.60	1	Vertical	211	1.77	-	37.90	15.24	51.30			
AV	19.24014G	32.48	63.54	-31.06	30.61	1	Vertical	211	1.77	-	37.92	15.24	51.29			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.25001G	46.59	83.54	-36.95	44.75	1	Horizontal	204	1.64	-	37.90	15.24	51.30			
AV	19.23099G	32.13	63.54	-31.41	30.23	1	Horizontal	204	1.64	-	37.94	15.24	51.28			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 81
108\76\92\84\80\82\81
-11.69\5.61\11.35\2.93\1.49\0.88\0.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9248G	81.08	88.20	-7.12	72.22	3	Vertical	122	2.24	81	34.25	5.77	31.16			
RMS	5.925G	67.71	68.20	-0.49	58.85	3	Vertical	122	2.24	81	34.25	5.77	31.16			
PK	5.9718G	113.36	Inf	-Inf	104.42	3	Vertical	122	2.24	81	34.30	5.82	31.18			
RMS	5.9712G	102.54	Inf	-Inf	93.60	3	Vertical	122	2.24	81	34.30	5.82	31.18			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 81
81
9.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	71.58	88.20	-16.62	62.72	3	Horizontal	149	2.35	81	34.25	5.77	31.16			
RMS	5.925G	59.68	68.20	-8.52	50.82	3	Horizontal	149	2.35	81	34.25	5.77	31.16			
PK	5.9702G	105.64	Inf	-Inf	96.70	3	Horizontal	149	2.35	81	34.30	5.82	31.18			
RMS	5.9738G	95.45	Inf	-Inf	86.51	3	Horizontal	149	2.35	81	34.30	5.82	31.18			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 81

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.90259G	53.33	74.00	-20.67	70.98	3	Vertical	159	1.80	81	39.30	8.71	65.66				
AV	11.96517G	42.22	54.00	-11.78	59.81	3	Vertical	159	1.80	81	39.30	8.73	65.62				

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 81

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.96317G	53.41	74.00	-20.59	70.55	3	Horizontal	333	1.80	81	39.30	8.73	65.17			
AV	11.96724G	42.53	54.00	-11.47	59.67	3	Horizontal	333	1.80	81	39.30	8.73	65.17			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 81

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86027G	46.01	83.54	-37.53	40.28	1	Vertical	75	1.80	-	38.80	17.36	50.43			
AV	23.84827G	32.26	63.54	-31.28	26.53	1	Vertical	75	1.80	-	38.81	17.35	50.43			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 81

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86423G	46.03	83.54	-37.51	40.30	1	Horizontal	216	1.66	-	38.80	17.36	50.43			
AV	23.84599G	32.54	63.54	-31.00	26.80	1	Horizontal	216	1.66	-	38.82	17.35	50.43			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4072G	53.21	74.00	-20.79	71.20	3	Vertical	333	2.64	108	38.60	8.93	65.52			
AV	12.41424G	42.23	54.00	-11.77	60.22	3	Vertical	333	2.64	108	38.60	8.93	65.52			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	12.37548G	52.36	74.00	-21.64	69.52	3	Horizontal	131	1.06	108	38.65	8.91	64.72				
AV	12.37675G	41.32	54.00	-12.68	58.47	3	Horizontal	131	1.06	108	38.65	8.92	64.72				

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.62721G	46.01	83.54	-37.53	43.54	1	Vertical	113	1.50	-	37.75	15.27	50.55			
AV	18.6279G	32.48	63.54	-31.06	30.00	1	Vertical	113	1.50	-	37.76	15.27	50.55			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61419G	46.05	83.54	-37.49	43.59	1	Horizontal	338	1.58	-	37.73	15.27	50.54			
AV	18.61848G	32.73	63.54	-30.81	30.26	1	Horizontal	338	1.58	-	37.74	15.27	50.54			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80465G	54.73	88.20	-33.47	72.15	3	Vertical	334	2.20	108	38.91	9.11	65.44			
RMS	12.8084G	43.20	68.20	-25.00	60.60	3	Vertical	334	2.20	108	38.92	9.12	65.44			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.77883G	51.74	88.20	-36.46	68.32	3	Horizontal	17	1.80	108	38.82	9.10	64.50			
RMS	12.81719G	40.82	68.20	-27.38	57.26	3	Horizontal	17	1.80	108	38.93	9.12	64.49			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21836G	46.71	83.54	-36.83	44.77	1	Vertical	114	1.76	-	37.96	15.24	51.26			
AV	19.20663G	32.41	63.54	-31.13	30.43	1	Vertical	114	1.76	-	37.99	15.24	51.25			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.22331G	46.08	83.54	-37.46	44.16	1	Horizontal	339	1.63	-	37.95	15.24	51.27			
AV	19.21146G	32.31	63.54	-31.23	30.34	1	Horizontal	339	1.63	-	37.98	15.24	51.25			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
SET 80
108\76\92\84\80
-12.84\3.61\ -10.69\ -3.43\0.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	77.04	88.20	-11.16	68.18	3	Vertical	118	2.06	80	34.25	5.76	31.15			
RMS	5.925G	67.95	68.20	-0.25	59.09	3	Vertical	118	2.06	80	34.25	5.77	31.16			
PK	6.011G	110.97	Inf	-Inf	101.97	3	Vertical	118	2.06	80	34.34	5.85	31.19			
RMS	6.0122G	102.34	Inf	-Inf	93.33	3	Vertical	118	2.06	80	34.35	5.85	31.19			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
SET 80
80
8.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	69.66	88.20	-18.54	60.80	3	Horizontal	149	2.35	80	34.25	5.77	31.16			
RMS	5.9242G	60.93	68.20	-7.27	52.07	3	Horizontal	149	2.35	80	34.25	5.77	31.16			
PK	6.023G	103.43	Inf	-Inf	94.38	3	Horizontal	149	2.35	80	34.39	5.86	31.20			
RMS	6.0138G	95.14	Inf	-Inf	86.12	3	Horizontal	149	2.35	80	34.36	5.85	31.19			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
SET 80

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.94954G	53.64	74.00	-20.36	71.25	3	Vertical	8	1.80	80	39.30	8.72	65.63			
AV	11.97943G	44.21	54.00	-9.79	61.79	3	Vertical	8	1.80	80	39.30	8.73	65.61			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
SET 80

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.96233G	53.40	74.00	-20.60	70.54	3	Horizontal	301	1.80	80	39.30	8.73	65.17				
AV	11.97336G	43.92	54.00	-10.08	61.07	3	Horizontal	301	1.80	80	39.30	8.73	65.18				

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
SET 80

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93271G	46.08	83.54	-37.46	40.24	1	Vertical	110	1.55	-	38.87	17.38	50.41			
AV	23.95143G	32.70	63.54	-30.84	26.81	1	Vertical	110	1.55	-	38.91	17.39	50.41			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.94864G	46.97	83.54	-36.57	41.10	1	Horizontal	221	1.60	-	38.90	17.38	50.41			
AV	23.9535G	32.18	63.54	-31.36	26.29	1	Horizontal	221	1.60	-	38.91	17.39	50.41			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.52097G	51.66	74.00	-22.34	69.58	3	Vertical	2	1.83	80	38.60	8.98	65.50			
AV	12.45304G	42.08	54.00	-11.92	60.04	3	Vertical	2	1.83	80	38.60	8.95	65.51			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40732G	52.12	74.00	-21.88	69.27	3	Horizontal	111	1.80	80	38.60	8.93	64.68			
AV	12.4345G	42.77	54.00	-11.23	59.88	3	Horizontal	111	1.80	80	38.60	8.94	64.65			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.68502G	46.43	83.54	-37.11	44.12	1	Vertical	192	1.42	-	37.66	15.27	50.62			
AV	18.67239G	32.63	63.54	-30.91	30.26	1	Vertical	192	1.42	-	37.71	15.27	50.61			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.68829G	46.43	83.54	-37.11	44.14	1	Horizontal	343	1.79	-	37.65	15.27	50.63			
AV	18.68592G	32.48	63.54	-31.06	30.17	1	Horizontal	343	1.79	-	37.66	15.27	50.62			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.78295G	53.72	88.20	-34.48	71.23	3	Vertical	3	2.09	108	38.83	9.10	65.44			
RMS	12.78359G	44.75	68.20	-23.45	62.26	3	Vertical	3	2.09	108	38.83	9.10	65.44			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8285G	52.68	88.20	-35.52	69.08	3	Horizontal	268	1.80	108	38.96	9.13	64.49			
RMS	12.70031G	42.15	68.20	-26.05	59.00	3	Horizontal	268	1.80	108	38.60	9.07	64.52			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.1433G	46.99	83.54	-36.55	45.19	1	Vertical	327	1.47	-	37.73	15.24	51.17			
AV	19.17G	32.49	63.54	-31.05	30.63	1	Vertical	327	1.47	-	37.82	15.24	51.20			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15803G	46.23	83.54	-37.31	44.43	1	Horizontal	301	1.62	-	37.75	15.24	51.19			
AV	19.15656G	32.44	63.54	-31.10	30.65	1	Horizontal	301	1.62	-	37.74	15.24	51.19			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
SET 81
108\76\92\84\82\81
-13.18\3.46\ -12.22\ -3.76\ -0.06\1.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9245G	74.26	88.20	-13.94	65.40	3	Vertical	123	2.21	81	34.25	5.77	31.16			
RMS	5.9245G	66.79	68.20	-1.41	57.93	3	Vertical	123	2.21	81	34.25	5.77	31.16			
PK	6.047G	108.59	Inf	-Inf	99.45	3	Vertical	123	2.21	81	34.49	5.86	31.21			
RMS	6.051G	100.22	Inf	-Inf	91.07	3	Vertical	123	2.21	81	34.50	5.86	31.21			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
SET 81
81
9.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9225G	66.15	88.20	-22.05	57.30	3	Horizontal	149	2.33	81	34.24	5.76	31.15			
RMS	5.9235G	58.67	68.20	-9.53	49.80	3	Horizontal	149	2.33	81	34.25	5.77	31.15			
PK	6.0485G	102.11	Inf	-Inf	92.97	3	Horizontal	149	2.33	81	34.49	5.86	31.21			
RMS	6.0485G	93.58	Inf	-Inf	84.44	3	Horizontal	149	2.33	81	34.49	5.86	31.21			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
SET 81

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.97935G	52.00	74.00	-22.00	69.58	3	Vertical	67	1.80	81	39.30	8.73	65.61			
AV	11.97232G	42.59	54.00	-11.41	60.18	3	Vertical	67	1.80	81	39.30	8.73	65.62			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
SET 81

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.99086G	52.24	74.00	-21.76	69.39	3	Horizontal	295	1.80	81	39.30	8.74	65.19				
AV	11.96656G	42.91	54.00	-11.09	60.05	3	Horizontal	295	1.80	81	39.30	8.73	65.17				

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
SET 81

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08379G	46.37	83.54	-37.17	43.26	1	Vertical	337	1.74	-	37.54	15.30	49.73			
AV	18.08547G	32.46	63.54	-31.08	29.36	1	Vertical	337	1.74	-	37.54	15.30	49.74			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
SET 81

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.08763G	46.10	83.54	-37.44	42.99	1	Horizontal	42	1.70	-	37.55	15.30	49.74			
AV	18.08388G	32.61	63.54	-30.93	29.50	1	Horizontal	42	1.70	-	37.54	15.30	49.73			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
SET 82
01-I-Y-1-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38177G	55.14	74.00	-18.86	48.20	3	Vertical	199	1.80	80	38.84	11.27	43.17			
AV	12.36265G	46.07	54.00	-7.93	39.11	3	Vertical	199	1.80	80	38.87	11.26	43.17			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
SET 82
01-I-Y-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.40307G	54.67	74.00	-19.33	47.78	3	Horizontal	299	1.80	80	38.78	11.27	43.16			
AV	12.38982G	45.51	54.00	-8.49	38.59	3	Horizontal	299	1.80	80	38.82	11.27	43.17			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
SET 82
01-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.5563G	60.18	83.54	-23.36	57.68	1	Vertical	84	1.86	-	37.70	15.27	50.47			
AV	18.55622G	49.69	63.54	-13.85	47.19	1	Vertical	84	1.86	-	37.70	15.27	50.47			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
SET 82
01-I-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.55524G	60.46	83.54	-23.08	57.96	1	Horizontal	293	1.79	-	37.70	15.27	50.47			
AV	18.55497G	49.36	63.54	-14.18	46.86	1	Horizontal	293	1.79	-	37.70	15.27	50.47			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.67338G	52.33	74.00	-21.67	70.15	3	Vertical	1	1.75	108	38.60	9.05	65.47			
AV	12.67242G	44.42	54.00	-9.58	62.24	3	Vertical	1	1.75	108	38.60	9.05	65.47			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	12.53016G	51.96	74.00	-22.04	68.93	3	Horizontal	279	1.80	108	38.60	8.99	64.56				
AV	12.54199G	42.41	54.00	-11.59	59.38	3	Horizontal	279	1.80	108	38.60	8.99	64.56				

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.04193G	46.35	83.54	-37.19	44.25	1	Vertical	337	1.57	-	37.90	15.25	51.05			
AV	19.02351G	32.65	63.54	-30.89	30.53	1	Vertical	337	1.57	-	37.90	15.25	51.03			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6345MHz_TX



EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	19.03236G	46.33	83.54	-37.21	44.22	1	Horizontal	100	1.56	-	37.90	15.25	51.04				
AV	19.0317G	32.78	63.54	-30.76	30.67	1	Horizontal	100	1.56	-	37.90	15.25	51.04				




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1.(MCS15)_2TX	Pass	RMS	5.925G	68.04	68.20	-0.16	3	Vertical	130	2.34	85

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS15)_2TX

5955MHz_TX




EUT_Z_2TX
SET 85
108\76\92\84\88\86\85
-13.80\5.49\5.94\0.68\1.44\0.39\0.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	82.98	88.20	-5.22	74.12	3	Vertical	130	2.34	85	34.25	5.77	31.16			
RMS	5.925G	68.04	68.20	-0.16	59.18	3	Vertical	130	2.34	85	34.25	5.77	31.16			
PK	5.9502G	120.52	Inf	-Inf	111.59	3	Vertical	130	2.34	85	34.30	5.80	31.17			
RMS	5.95G	108.83	Inf	-Inf	99.91	3	Vertical	130	2.34	85	34.30	5.79	31.17			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS15)_2TX

5955MHz_TX




EUT_Z_2TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9246G	76.82	88.20	-11.38	67.96	3	Horizontal	125	2.65	85	34.25	5.77	31.16			
RMS	5.9242G	60.49	68.20	-7.71	51.63	3	Horizontal	125	2.65	85	34.25	5.77	31.16			
PK	5.952G	112.91	Inf	-Inf	103.98	3	Horizontal	125	2.65	85	34.30	5.80	31.17			
RMS	5.954G	102.07	Inf	-Inf	93.14	3	Horizontal	125	2.65	85	34.30	5.80	31.17			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS15)_2TX

5955MHz_TX




EUT_Z_2TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.90497G	58.36	74.00	-15.64	75.50	3	Vertical	46	1.82	108	39.30	8.71	65.15				
AV	11.91004G	44.96	54.00	-9.04	62.10	3	Vertical	46	1.82	108	39.30	8.71	65.15				
PK	17.86188G	60.36	74.00	-13.64	65.28	3	Vertical	195	1.11	108	46.35	11.57	62.84				
AV	17.86648G	47.76	54.00	-6.24	52.65	3	Vertical	195	1.11	108	46.37	11.58	62.84				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS15)_2TX

5955MHz_TX




EUT_Z_2TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.89785G	54.91	74.00	-19.09	72.04	3	Horizontal	183	1.80	108	39.30	8.71	65.14				
AV	11.90756G	42.88	54.00	-11.12	60.02	3	Horizontal	183	1.80	108	39.30	8.71	65.15				
PK	17.86536G	58.17	74.00	-15.83	63.07	3	Horizontal	221	2.69	108	46.36	11.58	62.84				
AV	17.86513G	45.62	54.00	-8.38	50.52	3	Horizontal	221	2.69	108	46.36	11.58	62.84				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS15)_2TX

5955MHz_TX




EUT_Z_2TX
SET 85
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.82001G	60.10	83.54	-23.44	54.21	1	Vertical	118	1.50	-	38.98	17.35	50.44			
AV	23.81988G	46.15	63.54	-17.39	40.26	1	Vertical	118	1.50	-	38.98	17.35	50.44			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS15)_2TX

5955MHz_TX




EUT_Z_2TX
SET 85
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.82359G	59.33	83.54	-24.21	53.46	1	Horizontal	190	1.50	-	38.96	17.35	50.44			
AV	23.81974G	45.20	63.54	-18.34	39.31	1	Horizontal	190	1.50	-	38.98	17.35	50.44			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS15)_2TX

6195MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38804G	53.65	74.00	-20.35	70.82	3	Vertical	319	1.80	108	38.62	8.92	64.71			
AV	12.38513G	40.94	54.00	-13.06	58.10	3	Vertical	319	1.80	108	38.63	8.92	64.71			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS15)_2TX

6195MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39092G	52.33	74.00	-21.67	69.50	3	Horizontal	341	1.12	108	38.62	8.92	64.71			
AV	12.38744G	40.14	54.00	-13.86	57.30	3	Horizontal	341	1.12	108	38.63	8.92	64.71			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS15)_2TX

6195MHz_TX




EUT_Z_2TX
SET 108
03-H-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5859G	58.91	83.54	-24.63	56.44	1	Vertical	107	2.10	-	37.70	15.27	50.50			
AV	18.5823G	47.26	63.54	-16.28	44.79	1	Vertical	107	2.10	-	37.70	15.27	50.50			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS15)_2TX

6195MHz_TX




EUT_Z_2TX
SET 108
03-H-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5753G	57.86	83.54	-25.68	55.38	1	Horizontal	181	1.60	-	37.70	15.27	50.49			
AV	18.5852G	45.77	63.54	-17.77	43.30	1	Horizontal	181	1.60	-	37.70	15.27	50.50			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS15)_2TX

6415MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.84495G	61.41	88.20	-26.79	77.78	3	Vertical	112	1.79	108	38.99	9.13	64.49			
RMS	12.83967G	48.84	68.20	-19.36	65.22	3	Vertical	112	1.79	108	38.98	9.13	64.49			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS15)_2TX

6415MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.81985G	61.31	88.20	-26.89	77.74	3	Horizontal	358	1.80	108	38.94	9.12	64.49			
RMS	12.83611G	48.87	68.20	-19.33	65.26	3	Horizontal	358	1.80	108	38.97	9.13	64.49			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS15)_2TX

6415MHz_TX




EUT_Z_2TX
SET 108
03-H-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2476G	65.84	83.54	-17.70	64.00	1	Vertical	169	1.37	-	37.90	15.24	51.30			
AV	19.2452G	56.33	63.54	-7.21	54.47	1	Vertical	169	1.37	-	37.91	15.24	51.29			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS15)_2TX

6415MHz_TX




EUT_Z_2TX
SET 108
03-H-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2498G	64.60	83.54	-18.94	62.76	1	Horizontal	174	1.38	-	37.90	15.24	51.30			
AV	19.245G	52.19	63.54	-11.35	50.33	1	Horizontal	174	1.38	-	37.91	15.24	51.29			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS15)_2TX

6535MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0859G	63.95	88.20	-24.25	79.34	3	Vertical	349	1.40	108	39.72	9.24	64.35			
RMS	13.0516G	50.87	68.20	-17.33	66.52	3	Vertical	349	1.40	108	39.51	9.23	64.39			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS15)_2TX

6535MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.0676G	63.89	88.20	-24.31	79.41	3	Horizontal	343	1.80	108	39.61	9.24	64.37				
RMS	13.08427G	51.06	68.20	-17.14	66.46	3	Horizontal	343	1.80	108	39.71	9.24	64.35				

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS15)_2TX

6535MHz_TX




EUT_Z_2TX
SET 108
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.6053G	69.52	83.54	-14.02	68.15	1	Vertical	26	1.44	-	37.83	15.22	51.68			
AV	19.6052G	57.71	63.54	-5.83	56.34	1	Vertical	26	1.44	-	37.83	15.22	51.68			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS15)_2TX

6535MHz_TX




EUT_Z_2TX
SET 108
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.6102G	69.78	83.54	-13.76	68.39	1	Horizontal	181	1.73	-	37.86	15.22	51.69			
AV	19.6052G	57.24	63.54	-6.30	55.87	1	Horizontal	181	1.73	-	37.83	15.22	51.68			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS15)_2TX

6695MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37522G	53.73	74.00	-20.27	67.89	3	Vertical	78	1.80	108	40.45	9.38	63.99			
AV	13.38369G	41.24	54.00	-12.76	55.37	3	Vertical	78	1.80	108	40.47	9.38	63.98			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS15)_2TX

6695MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38319G	53.50	74.00	-20.50	67.63	3	Horizontal	192	1.01	-	40.47	9.38	63.98			
AV	13.38049G	41.21	54.00	-12.79	55.36	3	Horizontal	192	1.01	-	40.46	9.38	63.99			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS15)_2TX

6695MHz_TX




EUT_Z_2TX
SET 108
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0768G	65.56	83.54	-17.98	64.49	1	Vertical	96	1.44	-	37.81	15.26	52.00			
AV	20.0842G	53.93	63.54	-9.61	52.82	1	Vertical	96	1.44	-	37.84	15.27	52.00			
PK	26.7682G	65.56	97.74	-32.18	56.67	1	Vertical	257	1.50	-	39.93	18.16	49.20			
RMS	26.7832G	51.64	77.74	-26.10	42.80	1	Vertical	257	1.50	-	39.87	18.17	49.20			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS15)_2TX

6695MHz_TX




EUT_Z_TX
SET 108
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0896G	65.27	83.54	-18.27	64.14	1	Horizontal	174	1.66	-	37.86	15.27	52.00			
AV	20.0846G	53.24	63.54	-10.30	52.13	1	Horizontal	174	1.66	-	37.84	15.27	52.00			
PK	26.7807G	60.31	97.74	-37.43	51.46	1	Horizontal	194	1.52	-	39.88	18.17	49.20			
RMS	26.7757G	48.31	77.74	-29.43	39.44	1	Horizontal	194	1.52	-	39.90	18.17	49.20			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS15)_2TX

6855MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69106G	64.66	88.20	-23.54	78.02	3	Vertical	124	1.77	108	40.86	9.53	63.75			
RMS	13.69218G	51.54	68.20	-16.66	64.89	3	Vertical	124	1.77	108	40.87	9.53	63.75			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS15)_2TX

6855MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6915G	63.87	88.20	-24.33	77.22	3	Horizontal	123	1.80	108	40.87	9.53	63.75			
RMS	13.69238G	51.59	68.20	-16.61	64.94	3	Horizontal	123	1.80	108	40.87	9.53	63.75			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS15)_2TX

6855MHz_TX




EUT_Z_2TX
SET 108
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5569G	59.83	83.54	-23.71	58.29	1	Vertical	163	1.91	-	37.91	15.65	52.02			
AV	20.5615G	48.45	63.54	-15.09	46.90	1	Vertical	163	1.91	-	37.92	15.65	52.02			
PK	27.4181G	67.82	97.74	-29.92	58.53	1	Vertical	75	1.50	-	39.86	18.55	49.12			
RMS	27.4156G	55.34	77.74	-22.40	46.04	1	Vertical	75	1.50	-	39.87	18.55	49.12			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS15)_2TX


6855MHz_TX

EUT_Z_2TX
SET 108
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5645G	59.73	83.54	-23.81	58.18	1	Horizontal	296	1.55	-	37.93	15.65	52.03			
AV	20.5618G	47.83	63.54	-15.71	46.28	1	Horizontal	296	1.55	-	37.92	15.65	52.02			
PK	27.4237G	66.76	97.74	-30.98	57.48	1	Horizontal	185	2.08	-	39.85	18.55	49.12			
RMS	27.4185G	54.44	77.74	-23.30	45.15	1	Horizontal	185	2.08	-	39.86	18.55	49.12			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS15)_2TX

5965MHz_TX




EUT_Z_2TX
SET 75
108\76\60\68\72\74\75
-16.38\ -0.70\15.18\8.90\4.12\2.38\0.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9208G	82.48	88.20	-5.72	73.63	3	Vertical	114	2.42	75	34.24	5.76	31.15			
RMS	5.9234G	67.35	68.20	-0.85	58.48	3	Vertical	114	2.42	75	34.25	5.77	31.15			
PK	5.961G	114.24	Inf	-Inf	105.30	3	Vertical	114	2.42	75	34.30	5.81	31.17			
RMS	5.9784G	103.28	Inf	-Inf	94.33	3	Vertical	114	2.42	75	34.30	5.83	31.18			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS15)_2TX

5965MHz_TX




EUT_Z_2TX
SET 75

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	78.90	88.20	-9.30	70.04	3	Horizontal	147	2.26	75	34.25	5.77	31.16			
RMS	5.9242G	60.49	68.20	-7.71	51.63	3	Horizontal	147	2.26	75	34.25	5.77	31.16			
PK	5.972G	106.21	Inf	-Inf	97.27	3	Horizontal	147	2.26	75	34.30	5.82	31.18			
RMS	5.9768G	95.44	Inf	-Inf	86.50	3	Horizontal	147	2.26	75	34.30	5.82	31.18			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS15)_2TX

5965MHz_TX




EUT_Z_2TX
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.93999G	54.93	74.00	-19.07	72.07	3	Vertical	225	1.80	108	39.30	8.72	65.16				
AV	11.91506G	42.98	54.00	-11.02	60.12	3	Vertical	225	1.80	108	39.30	8.71	65.15				
PK	17.89794G	58.97	74.00	-15.03	63.76	3	Vertical	112	2.33	108	46.49	11.60	62.88				
AV	17.89997G	44.43	54.00	-9.57	49.21	3	Vertical	112	2.33	108	46.50	11.60	62.88				

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS15)_2TX

5965MHz_TX




EUT_Z_2TX
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9105G	53.58	74.00	-20.42	70.72	3	Horizontal	74	1.80	108	39.30	8.71	65.15			
AV	11.96732G	41.61	54.00	-12.39	58.75	3	Horizontal	74	1.80	108	39.30	8.73	65.17			
PK	17.89281G	57.70	74.00	-16.30	62.50	3	Horizontal	52	1.04	-	46.47	11.60	62.87			
AV	17.89626G	43.28	54.00	-10.72	48.06	3	Horizontal	52	1.04	-	46.49	11.60	62.87			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS15)_2TX

5965MHz_TX




EUT_Z_2TX
SET 75
06-D-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.86133G	47.89	74.00	-26.11	42.16	1	Vertical	234	1.90	-	38.80	17.36	50.43			
AV	23.86139G	34.91	54.00	-19.09	29.18	1	Vertical	234	1.90	-	38.80	17.36	50.43			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS15)_2TX

5965MHz_TX




EUT_Z_2TX
SET 75
06-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86143G	48.46	74.00	-25.54	42.73	1	Horizontal	269	1.70	-	38.80	17.36	50.43			
AV	23.85884G	35.05	54.00	-18.95	29.32	1	Horizontal	269	1.70	-	38.80	17.36	50.43			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS15)_2TX

6205MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40568G	53.10	74.00	-20.90	70.26	3	Vertical	321	1.83	108	38.60	8.93	64.69			
AV	12.4104G	41.14	54.00	-12.86	58.29	3	Vertical	321	1.83	108	38.60	8.93	64.68			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS15)_2TX

6205MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38027G	52.57	74.00	-21.43	69.73	3	Horizontal	311	1.80	108	38.64	8.92	64.72			
AV	12.38467G	40.75	54.00	-13.25	57.91	3	Horizontal	311	1.80	108	38.63	8.92	64.71			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS15)_2TX

6205MHz_TX




EUT_Z_2TX
SET 108
03-H-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6251G	59.29	83.54	-24.25	56.82	1	Vertical	111	1.76	-	37.75	15.27	50.55			
AV	18.6122G	46.90	63.54	-16.64	44.44	1	Vertical	111	1.76	-	37.72	15.27	50.53			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS15)_2TX

6205MHz_TX




EUT_Z_2TX
SET 108
03-H-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6197G	51.61	83.54	-31.93	49.14	1	Horizontal	131	1.38	-	37.74	15.27	50.54			
AV	18.6176G	40.41	63.54	-23.13	37.94	1	Horizontal	131	1.38	-	37.74	15.27	50.54			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS15)_2TX

6405MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.77611G	60.94	88.20	-27.26	77.54	3	Vertical	1	1.80	108	38.80	9.10	64.50			
RMS	12.77899G	49.61	68.20	-18.59	66.19	3	Vertical	1	1.80	108	38.82	9.10	64.50			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS15)_2TX

6405MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.77723G	60.98	88.20	-27.22	77.57	3	Horizontal	325	1.46	108	38.81	9.10	64.50			
RMS	12.77667G	49.48	68.20	-18.72	66.07	3	Horizontal	325	1.46	108	38.81	9.10	64.50			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS15)_2TX

6405MHz_TX




EUT_Z_2TX
SET 108
03-H-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2125G	66.12	83.54	-17.42	64.16	1	Vertical	174	2.04	-	37.98	15.24	51.26			
AV	19.2249G	53.32	63.54	-10.22	51.40	1	Vertical	174	2.04	-	37.95	15.24	51.27			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS15)_2TX

6405MHz_TX




EUT_Z_2TX
SET 108
03-H-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2222G	60.78	83.54	-22.76	58.85	1	Horizontal	179	1.61	-	37.96	15.24	51.27			
AV	19.225G	49.96	63.54	-13.58	48.04	1	Horizontal	179	1.61	-	37.95	15.24	51.27			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS15)_2TX

6565MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.14447G	64.01	88.20	-24.19	79.12	3	Vertical	285	1.80	108	39.89	9.27	64.27			
RMS	13.14087G	52.39	68.20	-15.81	67.52	3	Vertical	285	1.80	108	39.88	9.27	64.28			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS15)_2TX

6565MHz_TX



EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.15661G	64.10	88.20	-24.10	79.17	3	Horizontal	66	1.89	108	39.91	9.28	64.26			
RMS	13.10531G	52.35	68.20	-15.85	67.61	3	Horizontal	66	1.89	108	39.81	9.25	64.32			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS15)_2TX

6565MHz_TX




EUT_Z_2TX
SET 108
03-H-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6978G	74.05	83.54	-9.49	72.78	1	Vertical	121	1.40	-	37.81	15.22	51.76			
AV	19.7028G	62.14	63.54	-1.40	60.88	1	Vertical	121	1.40	-	37.81	15.21	51.76			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS15)_2TX

6565MHz_TX




EUT_Z_2TX
SET 108
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.6977G	67.28	83.54	-16.26	66.01	1	Horizontal	182	1.75	-	37.81	15.22	51.76			
AV	19.7003G	55.97	63.54	-7.57	54.72	1	Horizontal	182	1.75	-	37.80	15.21	51.76			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS15)_2TX

6685MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38103G	53.79	74.00	-20.21	67.94	3	Vertical	236	1.80	108	40.46	9.38	63.99			
AV	13.33148G	42.07	54.00	-11.93	56.36	3	Vertical	236	1.80	108	40.40	9.36	64.05			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS15)_2TX

6685MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36832G	53.23	74.00	-20.77	67.41	3	Horizontal	190	1.80	108	40.44	9.38	64.00			
AV	13.33148G	42.05	54.00	-11.95	56.34	3	Horizontal	190	1.80	108	40.40	9.36	64.05			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS15)_2TX

6685MHz_TX




EUT_Z_2TX
SET 108
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0643G	63.82	83.54	-19.72	62.81	1	Vertical	96.5	1.42	-	37.76	15.25	52.00			
AV	20.0592G	52.45	63.54	-11.09	51.46	1	Vertical	96.5	1.42	-	37.74	15.25	52.00			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS15)_2TX

6685MHz_TX




EUT_Z_2TX
SET 108
03-H-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0698G	63.17	83.54	-20.37	62.13	1	Horizontal	174	1.66	-	37.78	15.26	52.00			
AV	20.0546G	51.76	63.54	-11.78	50.80	1	Horizontal	174	1.66	-	37.72	15.24	52.00			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS15)_2TX

6845MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.65755G	64.35	88.20	-23.85	77.88	3	Vertical	74	1.73	108	40.73	9.51	63.77			
RMS	13.655G	52.74	68.20	-15.46	66.28	3	Vertical	74	1.73	108	40.72	9.51	63.77			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS15)_2TX

6845MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.67426G	64.34	88.20	-23.86	77.78	3	Horizontal	217	1.92	108	40.80	9.52	63.76			
RMS	13.6677G	52.69	68.20	-15.51	66.16	3	Horizontal	217	1.92	108	40.77	9.52	63.76			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS15)_2TX

6845MHz_TX




EUT_Z_2TX
SET 108
03-H-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5442G	60.99	83.54	-22.55	59.50	1	Vertical	187	1.86	-	37.87	15.64	52.02			
AV	20.5266G	49.58	63.54	-13.96	48.21	1	Vertical	187	1.86	-	37.76	15.62	52.01			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS15)_2TX

6845MHz_TX




EUT_Z_2TX
SET 108
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5294G	57.16	83.54	-26.38	55.77	1	Horizontal	175	1.71	-	37.78	15.62	52.01			
AV	20.5269G	45.43	63.54	-18.11	44.06	1	Horizontal	175	1.71	-	37.76	15.62	52.01			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS15)_2TX

5985MHz_TX




EUT_Z_2TX
SET 72
108\76\60\68\72\74\73\72
-19.14\ -4.34\12.74\5.01\0.59\ -2.07\ -0.84\0.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9218G	78.79	88.20	-9.41	69.94	3	Vertical	114	2.31	72	34.24	5.76	31.15			
RMS	5.9234G	67.74	68.20	-0.46	58.87	3	Vertical	114	2.31	72	34.25	5.77	31.15			
PK	6.0214G	110.86	Inf	-Inf	101.81	3	Vertical	114	2.31	72	34.39	5.86	31.20			
RMS	5.9958G	100.21	Inf	-Inf	91.25	3	Vertical	114	2.31	72	34.30	5.85	31.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS15)_2TX

5985MHz_TX




EUT_Z_2TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	71.91	88.20	-16.29	63.05	3	Horizontal	147	2.34	72	34.25	5.77	31.16			
RMS	5.9242G	59.54	68.20	-8.66	50.68	3	Horizontal	147	2.34	72	34.25	5.77	31.16			
PK	5.9822G	102.63	Inf	-Inf	93.68	3	Horizontal	147	2.34	72	34.30	5.83	31.18			
RMS	5.9966G	92.37	Inf	-Inf	83.41	3	Horizontal	147	2.34	72	34.30	5.85	31.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS15)_2TX

5985MHz_TX




EUT_Z_2TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.00245G	55.58	74.00	-18.42	72.74	3	Vertical	315	2.73	108	39.29	8.74	65.19			
AV	12.00021G	44.92	54.00	-9.08	62.07	3	Vertical	315	2.73	108	39.30	8.74	65.19			
PK	17.95872G	59.41	74.00	-14.59	64.11	3	Vertical	31	2.59	108	46.60	11.64	62.94			
AV	17.95873G	46.06	54.00	-7.94	50.76	3	Vertical	31	2.59	108	46.60	11.64	62.94			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS15)_2TX

5985MHz_TX




EUT_Z_2TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.98039G	53.33	74.00	-20.67	70.48	3	Horizontal	176	1.68	108	39.30	8.73	65.18			
AV	11.98327G	42.49	54.00	-11.51	59.64	3	Horizontal	176	1.68	108	39.30	8.73	65.18			
PK	17.95881G	59.82	74.00	-14.18	64.52	3	Horizontal	286	1.33	108	46.60	11.64	62.94			
AV	17.95804G	45.39	54.00	-8.61	50.09	3	Horizontal	286	1.33	108	46.60	11.64	62.94			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS15)_2TX

5985MHz_TX




EUT_Z_2TX
SET 72
06-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94102G	57.87	83.54	-25.67	52.02	1	Vertical	184	1.77	-	38.88	17.38	50.41			
AV	23.9434G	45.41	63.54	-18.13	39.55	1	Vertical	184	1.77	-	38.89	17.38	50.41			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS15)_2TX

5985MHz_TX




EUT_Z_2TX
SET 72
06-D-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93879G	57.83	83.54	-25.71	51.98	1	Horizontal	76	1.52	-	38.88	17.38	50.41			
AV	23.94162G	45.55	63.54	-17.99	39.70	1	Horizontal	76	1.52	-	38.88	17.38	50.41			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6225MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39134G	51.70	74.00	-22.30	68.86	3	Vertical	336	1.28	108	38.62	8.92	64.70			
AV	12.38862G	41.27	54.00	-12.73	58.44	3	Vertical	336	1.28	108	38.62	8.92	64.71			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6225MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.3907G	52.26	74.00	-21.74	69.43	3	Horizontal	359	1.77	108	38.62	8.92	64.71			
AV	12.38974G	41.29	54.00	-12.71	58.46	3	Horizontal	359	1.77	108	38.62	8.92	64.71			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6225MHz_TX




EUT_Z_2TX
SET 108
03-H-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6822G	55.09	83.54	-28.45	52.77	1	Vertical	185	1.60	-	37.67	15.27	50.62			
AV	18.6672G	44.18	63.54	-19.36	41.78	1	Vertical	185	1.60	-	37.73	15.27	50.60			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6225MHz_TX




EUT_Z_2TX
SET 108
03-H-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6475G	51.28	83.54	-32.26	48.80	1	Horizontal	179	1.67	-	37.79	15.27	50.58			
AV	18.6628G	40.33	63.54	-23.21	37.91	1	Horizontal	179	1.67	-	37.75	15.27	50.60			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6385MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.7887G	61.43	88.20	-26.77	77.97	3	Vertical	133	1.77	108	38.85	9.11	64.50			
RMS	12.76137G	50.34	68.20	-17.86	67.01	3	Vertical	133	1.77	108	38.75	9.09	64.51			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6385MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.75673G	61.18	88.20	-27.02	77.87	3	Horizontal	288	1.80	108	38.73	9.09	64.51			
RMS	12.73168G	50.14	68.20	-18.06	66.91	3	Horizontal	288	1.80	108	38.66	9.08	64.51			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6385MHz_TX




EUT_Z_2TX
SET 108
03-H-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.1273G	62.45	83.54	-21.09	60.57	1	Vertical	192	1.44	-	37.79	15.24	51.15			
AV	19.1169G	50.19	63.54	-13.35	48.26	1	Vertical	192	1.44	-	37.83	15.24	51.14			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6385MHz_TX




EUT_Z_2TX
SET 108
03-H-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.1722G	59.95	83.54	-23.59	58.09	1	Horizontal	175	1.37	-	37.83	15.24	51.21			
AV	19.1549G	49.71	63.54	-13.83	47.93	1	Horizontal	175	1.37	-	37.73	15.24	51.19			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6625MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.18431G	64.14	88.20	-24.06	79.11	3	Vertical	295	1.80	108	39.97	9.29	64.23			
RMS	13.18047G	53.02	68.20	-15.18	68.00	3	Vertical	295	1.80	108	39.96	9.29	64.23			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6625MHz_TX



EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.1736G	63.62	88.20	-24.58	78.62	3	Horizontal	248	1.80	108	39.95	9.29	64.24				
RMS	13.17711G	52.96	68.20	-15.24	67.95	3	Horizontal	248	1.80	108	39.95	9.29	64.23				

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6625MHz_TX




EUT_Z_2TX
SET 108
03-H-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.9161G	60.49	83.54	-23.05	59.35	1	Vertical	357	1.97	-	37.87	15.20	51.93			
AV	19.8576G	49.67	63.54	-13.87	48.70	1	Vertical	357	1.97	-	37.65	15.21	51.89			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6625MHz_TX




EUT_Z_2TX
SET 108
03-H-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8448G	63.96	83.54	-19.58	62.98	1	Horizontal	176	1.67	-	37.65	15.21	51.88			
AV	19.8324G	52.65	63.54	-10.89	51.53	1	Horizontal	176	1.67	-	37.78	15.21	51.87			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6705MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.43136G	63.74	88.20	-24.46	77.75	3	Vertical	339	1.80	108	40.50	9.41	63.92			
RMS	13.43232G	52.79	68.20	-15.41	66.80	3	Vertical	339	1.80	108	40.50	9.41	63.92			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6705MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.4138G	62.12	88.20	-26.08	76.17	3	Horizontal	190	2.24	-	40.50	9.40	63.95			
RMS	13.410916G	51.56	68.20	-16.64	65.61	3	Horizontal	190	2.24	-	40.50	9.40	63.95			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6705MHz_TX




EUT_Z_2TX
SET 108
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.1676G	63.06	83.54	-20.48	62.02	1	Vertical	89	1.94	-	37.71	15.33	52.00			
AV	20.1466G	51.94	63.54	-11.60	51.00	1	Vertical	89	1.94	-	37.62	15.32	52.00			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6705MHz_TX




EUT_Z_2TX
SET 108
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.1676G	64.68	83.54	-18.86	63.64	1	Horizontal	174	1.65	-	37.71	15.33	52.00			
AV	20.1686G	53.76	63.54	-9.78	52.72	1	Horizontal	174	1.65	-	37.71	15.33	52.00			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6785MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.59286G	62.17	88.20	-26.03	75.79	3	Vertical	345	1.11	108	40.70	9.48	63.80			
RMS	13.53659G	51.80	68.20	-16.40	65.50	3	Vertical	345	1.11	108	40.67	9.45	63.82			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6785MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.53068G	62.15	88.20	-26.05	75.87	3	Horizontal	82	1.80	108	40.66	9.45	63.83			
RMS	13.53436G	51.67	68.20	-16.53	65.37	3	Horizontal	82	1.80	108	40.67	9.45	63.82			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6785MHz_TX




EUT_Z_2TX
SET 108
03-H-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.319G	64.79	83.54	-18.75	63.17	1	Vertical	64	2.02	-	38.16	15.46	52.00			
AV	20.3268G	54.69	63.54	-8.85	53.08	1	Vertical	64	2.02	-	38.15	15.46	52.00			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS15)_2TX

6785MHz_TX




EUT_Z_2TX
SET 108
03-H-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.3038G	65.60	83.54	-17.94	63.97	1	Horizontal	173	1.66	-	38.19	15.44	52.00			
AV	20.3166G	54.82	63.54	-8.72	53.20	1	Horizontal	173	1.66	-	38.17	15.45	52.00			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6025MHz_TX




EUT_Z_2TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9185G	79.71	88.20	-8.49	72.64	3	Vertical	121.3	2.46	-	32.40	7.64	32.97			
RMS	5.916G	67.54	68.20	-0.66	60.47	3	Vertical	121.3	2.46	-	32.40	7.64	32.97			
PK	6.006G	107.15	Inf	-Inf	99.96	3	Vertical	121.3	2.46	-	32.51	7.68	33.00			
RMS	5.996G	97.46	Inf	-Inf	90.29	3	Vertical	121.3	2.46	-	32.49	7.68	33.00			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS15)_2TX


6025MHz_TX

EUT_Z_2TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9115G	70.77	88.20	-17.43	63.70	3	Horizontal	253	2.60	70	32.40	7.64	32.97			
RMS	5.925G	58.17	68.20	-10.03	51.10	3	Horizontal	253	2.60	70	32.40	7.64	32.97			
PK	6.0575G	99.56	Inf	-Inf	92.29	3	Horizontal	253	2.60	70	32.59	7.69	33.01			
RMS	6.048G	89.15	Inf	-Inf	81.86	3	Horizontal	253	2.60	70	32.60	7.69	33.00			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6025MHz_TX




EUT_Z_2TX
SET 72
03-H-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04977G	48.39	74.00	-25.61	41.86	3	Vertical	32	2.94	-	39.00	10.74	43.21			
AV	12.04954G	37.95	54.00	-16.05	31.42	3	Vertical	32	2.94	-	39.00	10.74	43.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6025MHz_TX




EUT_Z_2TX
SET 72
03-H-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04975G	48.97	74.00	-25.03	42.44	3	Horizontal	324	1.76	-	39.00	10.74	43.21			
AV	12.04983G	38.09	54.00	-15.91	31.56	3	Horizontal	324	1.76	-	39.00	10.74	43.21			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6025MHz_TX




EUT_Z_2TX
SET 72
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07454G	60.40	83.54	-23.14	57.32	1	Vertical	296	2.80	-	37.50	15.30	49.72			
AV	18.0749G	48.64	63.54	-14.90	45.56	1	Vertical	296	2.80	-	37.50	15.30	49.72			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6025MHz_TX




EUT_Z_2TX
SET 72
03-H-S-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07489G	61.68	83.54	-21.86	58.60	1	Horizontal	199	1.89	-	37.50	15.30	49.72			
AV	18.0754G	49.52	63.54	-14.02	46.44	1	Horizontal	199	1.89	-	37.50	15.30	49.72			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6185MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.35082G	52.28	74.00	-21.72	69.43	3	Vertical	117	2.77	108	38.70	8.90	64.75			
AV	12.33068G	41.47	54.00	-12.53	58.66	3	Vertical	117	2.77	108	38.70	8.89	64.78			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6185MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.35466G	51.95	74.00	-22.05	69.11	3	Horizontal	62	1.80	108	38.69	8.90	64.75			
AV	12.32844G	41.30	54.00	-12.70	58.49	3	Horizontal	62	1.80	108	38.70	8.89	64.78			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6185MHz_TX




EUT_Z_2TX
SET 108
03-H-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55124G	63.05	83.54	-20.49	60.54	1	Vertical	258	1.60	-	37.70	15.27	50.46			
AV	18.55084G	52.90	63.54	-10.64	50.39	1	Vertical	258	1.60	-	37.70	15.27	50.46			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6185MHz_TX




EUT_Z_2TX
SET 108
03-H-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.57545G	55.80	83.54	-27.74	53.32	1	Horizontal	171	1.56	-	37.70	15.27	50.49			
AV	18.56245G	45.73	63.54	-17.81	43.23	1	Horizontal	171	1.56	-	37.70	15.27	50.47			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6345MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.53016G	51.10	74.00	-22.90	68.07	3	Vertical	186	1.80	108	38.60	8.99	64.56			
AV	12.53591G	41.20	54.00	-12.80	58.17	3	Vertical	186	1.80	108	38.60	8.99	64.56			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6345MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	12.53176G	51.54	74.00	-22.46	68.51	3	Horizontal	105	1.80	108	38.60	8.99	64.56				
AV	12.5324G	40.79	54.00	-13.21	57.76	3	Horizontal	105	1.80	108	38.60	8.99	64.56				

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6345MHz_TX




EUT_Z_2TX
SET 108
03-H-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0945G	56.84	83.54	-26.70	54.80	1	Vertical	191	1.41	-	37.90	15.25	51.11			
AV	19.034G	46.15	63.54	-17.39	44.04	1	Vertical	191	1.41	-	37.90	15.25	51.04			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6345MHz_TX




EUT_Z_2TX
SET 108
03-H-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.0445G	52.37	83.54	-31.17	50.27	1	Horizontal	182	1.78	-	37.90	15.25	51.05			
AV	19.0245G	42.18	63.54	-21.36	40.06	1	Horizontal	182	1.78	-	37.90	15.25	51.03			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6665MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.17432G	63.38	88.20	-24.82	78.38	3	Vertical	157	1.79	108	39.95	9.29	64.24				
RMS	13.18359G	52.91	68.20	-15.29	67.88	3	Vertical	157	1.79	108	39.97	9.29	64.23				

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6665MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.18327G	63.88	88.20	-24.32	78.85	3	Horizontal	232	1.80	108	39.97	9.29	64.23			
RMS	13.18391G	53.15	68.20	-15.05	68.12	3	Horizontal	232	1.80	108	39.97	9.29	64.23			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6665MHz_TX




EUT_Z_2TX
SET 108
03-H-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0145G	58.82	83.54	-24.72	57.84	1	Vertical	96	1.54	-	37.77	15.21	52.00			
AV	20.019G	48.60	63.54	-14.94	47.62	1	Vertical	96	1.54	-	37.76	15.22	52.00			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS15)_2TX

6665MHz_TX



EUT_Z_2TX
SET 108
03-H-S-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.005G	58.40	83.54	-25.14	57.41	1	Horizontal	174	1.65	-	37.79	15.20	52.00			
AV	20.179G	48.03	63.54	-15.51	46.92	1	Horizontal	174	1.65	-	37.77	15.34	52.00			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	RMS	5.9245G	68.05	68.20	-0.15	3	Vertical	299	1.80	76

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
SET 88
108\76\92\84\88
-10.89\7.17\2.83\2.05\0.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9246G	81.11	88.20	-7.09	72.25	3	Vertical	49	2.32	88	34.25	5.77	31.16			
RMS	5.9244G	68.02	68.20	-0.18	59.16	3	Vertical	49	2.32	88	34.25	5.77	31.16			
PK	5.9524G	120.59	Inf	-Inf	111.66	3	Vertical	49	2.32	88	34.30	5.80	31.17			
RMS	5.9568G	109.86	Inf	-Inf	100.93	3	Vertical	49	2.32	88	34.30	5.80	31.17			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
SET 88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	72.19	88.20	-16.01	63.34	3	Horizontal	187	2.51	88	34.24	5.76	31.15			
RMS	5.9238G	58.49	68.20	-9.71	49.62	3	Horizontal	187	2.51	88	34.25	5.77	31.15			
PK	5.9538G	109.07	Inf	-Inf	100.14	3	Horizontal	187	2.51	88	34.30	5.80	31.17			
RMS	5.9586G	98.11	Inf	-Inf	89.18	3	Horizontal	187	2.51	88	34.30	5.80	31.17			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.89875G	57.79	74.00	-16.21	41.24	3	Vertical	4	2.25	108	39.30	8.71	31.46				
AV	11.91765G	44.43	54.00	-9.57	27.84	3	Vertical	4	2.25	108	39.30	8.71	31.42				
PK	17.87652G	58.27	74.00	-15.73	32.67	3	Vertical	223	2.08	108	46.41	11.58	32.39				
AV	17.85294G	43.79	54.00	-10.21	18.31	3	Vertical	223	2.08	108	46.31	11.57	32.40				

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX


5955MHz_TX

EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.89597G	57.40	74.00	-16.60	40.85	3	Horizontal	152	1.80	108	39.31	8.70	31.46			
AV	11.9104G	45.15	54.00	-8.85	28.58	3	Horizontal	152	1.80	108	39.30	8.71	31.44			
PK	17.85213G	57.92	74.00	-16.08	32.44	3	Horizontal	272	2.02	108	46.31	11.57	32.40			
AV	17.8584G	44.79	54.00	-9.21	19.29	3	Horizontal	272	2.02	108	46.33	11.57	32.40			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82222G	70.72	83.54	-12.82	64.84	1	Vertical	68.9	2.05	-	38.97	17.35	50.44			
AV	23.81994G	59.25	63.54	-4.29	53.36	1	Vertical	68.9	2.05	-	38.98	17.35	50.44			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81691G	64.79	83.54	-18.75	58.88	1	Horizontal	171	1.63	-	39.00	17.35	50.44			
AV	23.81745G	52.97	63.54	-10.57	47.06	1	Horizontal	171	1.63	-	39.00	17.35	50.44			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.39691G	55.86	74.00	-18.14	39.63	3	Vertical	47	2.92	108	38.61	8.92	31.30			
AV	12.39695G	44.51	54.00	-9.49	28.28	3	Vertical	47	2.92	108	38.61	8.92	31.30			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38501G	56.10	74.00	-17.90	39.85	3	Horizontal	317	1.80	108	38.63	8.92	31.30			
AV	12.37849G	44.38	54.00	-9.62	28.12	3	Horizontal	317	1.80	108	38.64	8.92	31.30			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.57915G	55.49	83.54	-28.05	53.01	1	Vertical	353	1.95	-	37.70	15.27	50.49			
AV	18.58446G	43.78	63.54	-19.76	41.31	1	Vertical	353	1.95	-	37.70	15.27	50.50			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58128G	52.90	83.54	-30.64	50.43	1	Horizontal	134	1.38	-	37.70	15.27	50.50			
AV	18.58104G	41.39	63.54	-22.15	38.92	1	Horizontal	134	1.38	-	37.70	15.27	50.50			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82365G	56.19	88.20	-32.01	39.69	3	Vertical	239	1.80	108	38.95	9.12	31.57			
RMS	12.84175G	43.80	68.20	-24.40	27.28	3	Vertical	239	1.80	108	38.98	9.13	31.59			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.84307G	56.02	88.20	-32.18	39.49	3	Horizontal	356	1.80	108	38.99	9.13	31.59			
RMS	12.83819G	43.86	68.20	-24.34	27.33	3	Horizontal	356	1.80	108	38.98	9.13	31.58			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24449G	58.52	83.54	-25.02	56.66	1	Vertical	184.6	1.63	-	37.91	15.24	51.29			
AV	19.24728G	46.79	63.54	-16.75	44.94	1	Vertical	184.6	1.63	-	37.91	15.24	51.30			

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.23654G	62.67	83.54	-20.87	60.78	1	Horizontal	217	1.71	-	37.93	15.24	51.28			
AV	19.24677G	50.13	63.54	-13.41	48.28	1	Horizontal	217	1.71	-	37.91	15.24	51.30			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.06209G	56.36	88.20	-31.84	39.35	3	Vertical	201	2.92	108	39.57	9.23	31.79			
RMS	13.07064G	44.76	68.20	-23.44	27.69	3	Vertical	201	2.92	108	39.62	9.24	31.79			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	13.06556G	57.34	88.20	-30.86	40.30	3	Horizontal	130	1.80	108	39.59	9.24	31.79				
RMS	13.07428G	44.64	68.20	-23.56	27.55	3	Horizontal	130	1.80	108	39.65	9.24	31.80				

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.61088G	68.14	83.54	-15.40	66.74	1	Vertical	91	1.42	-	37.87	15.22	51.69			
AV	19.60566G	56.42	63.54	-7.12	55.05	1	Vertical	91	1.42	-	37.83	15.22	51.68			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.61082G	67.49	83.54	-16.05	66.10	1	Horizontal	177	1.56	-	37.86	15.22	51.69			
AV	19.60617G	55.57	63.54	-7.97	54.19	1	Horizontal	177	1.56	-	37.84	15.22	51.68			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38992G	57.86	74.00	-16.14	40.12	3	Vertical	321	2.28	108	40.48	9.39	32.13			
AV	13.3872G	45.84	54.00	-8.16	28.11	3	Vertical	321	2.28	108	40.47	9.39	32.13			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38441G	56.77	74.00	-17.23	39.05	3	Horizontal	196	2.18	108	40.47	9.38	32.13			
AV	13.38628G	45.09	54.00	-8.91	27.37	3	Horizontal	196	2.18	108	40.47	9.38	32.13			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08896G	70.24	83.54	-13.30	69.11	1	Vertical	92.5	1.50	-	37.86	15.27	52.00			
AV	20.08677G	58.18	63.54	-5.36	57.06	1	Vertical	92.5	1.50	-	37.85	15.27	52.00			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0904G	69.55	83.54	-13.99	68.42	1	Horizontal	169.9	1.66	-	37.86	15.27	52.00			
AV	20.08518G	58.65	63.54	-4.89	57.54	1	Horizontal	169.9	1.66	-	37.84	15.27	52.00			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71775G	60.46	88.20	-27.74	42.26	3	Vertical	111	1.80	108	40.94	9.54	32.28			
RMS	13.71028G	49.06	68.20	-19.14	30.88	3	Vertical	111	1.80	108	40.92	9.54	32.28			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.71064G	60.37	88.20	-27.83	42.19	3	Horizontal	181	1.05	108	40.92	9.54	32.28			
RMS	13.7102G	49.68	68.20	-18.52	31.50	3	Horizontal	181	1.05	108	40.92	9.54	32.28			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56158G	60.25	83.54	-23.29	58.70	1	Vertical	166	1.71	-	37.92	15.65	52.02			
AV	20.56125G	48.55	63.54	-14.99	47.00	1	Vertical	166	1.71	-	37.92	15.65	52.02			

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6855MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.55816G	59.09	83.54	-24.45	57.54	1	Horizontal	237.7	2.08	-	37.92	15.65	52.02			
AV	20.56494G	47.50	63.54	-16.04	45.95	1	Horizontal	237.7	2.08	-	37.93	15.65	52.03			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 75
108\76\60\68\72\74\75
-18.99\ -0.84\11.38\6.54\3.92\1.63\0.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9248G	82.82	88.20	-5.38	73.96	3	Vertical	49	2.42	75	34.25	5.77	31.16			
RMS	5.9244G	67.99	68.20	-0.21	59.13	3	Vertical	49	2.42	75	34.25	5.77	31.16			
PK	5.9668G	115.71	Inf	-Inf	106.77	3	Vertical	49	2.42	75	34.30	5.81	31.17			
RMS	5.9794G	105.35	Inf	-Inf	96.40	3	Vertical	49	2.42	75	34.30	5.83	31.18			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9212G	71.51	88.20	-16.69	62.66	3	Horizontal	186	2.29	75	34.24	5.76	31.15			
RMS	5.9236G	57.38	68.20	-10.82	48.51	3	Horizontal	186	2.29	75	34.25	5.77	31.15			
PK	5.979G	104.24	Inf	-Inf	95.29	3	Horizontal	186	2.29	75	34.30	5.83	31.18			
RMS	5.9786G	94.03	Inf	-Inf	85.08	3	Horizontal	186	2.29	75	34.30	5.83	31.18			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.91937G	57.36	74.00	-16.64	40.77	3	Vertical	286	1.80	108	39.30	8.71	31.42				
AV	11.96628G	46.18	54.00	-7.82	29.49	3	Vertical	286	1.80	108	39.30	8.73	31.34				
PK	17.89101G	58.43	74.00	-15.57	32.77	3	Vertical	98	2.07	108	46.46	11.59	32.39				
AV	17.88423G	45.70	54.00	-8.30	20.06	3	Vertical	98	2.07	108	46.44	11.59	32.39				

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.94255G	57.35	74.00	-16.65	40.71	3	Horizontal	262	1.80	108	39.30	8.72	31.38				
AV	11.95222G	46.11	54.00	-7.89	29.45	3	Horizontal	262	1.80	108	39.30	8.72	31.36				
PK	17.8998G	59.19	74.00	-14.81	33.48	3	Horizontal	98	2.50	108	46.50	11.60	32.39				
AV	17.89404G	45.77	54.00	-8.23	20.08	3	Horizontal	98	2.50	108	46.48	11.60	32.39				

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86576G	60.32	83.54	-23.22	54.59	1	Vertical	118	1.45	-	38.80	17.36	50.43			
AV	23.84797G	49.33	63.54	-14.21	43.60	1	Vertical	118	1.45	-	38.81	17.35	50.43			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.84845G	61.13	83.54	-22.41	55.40	1	Horizontal	118	1.43	-	38.81	17.35	50.43			
AV	23.85481G	50.09	63.54	-13.45	44.36	1	Horizontal	118	1.43	-	38.80	17.36	50.43			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4299G	56.48	74.00	-17.52	40.24	3	Vertical	18	2.71	108	38.60	8.94	31.30			
AV	12.41376G	45.19	54.00	-8.81	28.96	3	Vertical	18	2.71	108	38.60	8.93	31.30			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.44676G	56.37	74.00	-17.63	40.12	3	Horizontal	343	2.55	108	38.60	8.95	31.30			
AV	12.37444G	45.13	54.00	-8.87	28.86	3	Horizontal	343	2.55	108	38.65	8.91	31.29			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.62406G	50.89	83.54	-32.65	48.42	1	Vertical	159.3	1.87	-	37.75	15.27	50.55			
AV	18.61371G	39.29	63.54	-24.25	36.83	1	Vertical	159.3	1.87	-	37.73	15.27	50.54			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.61632G	50.74	83.54	-32.80	48.28	1	Horizontal	134	1.38	-	37.73	15.27	50.54			
AV	18.61383G	39.06	63.54	-24.48	36.60	1	Horizontal	134	1.38	-	37.73	15.27	50.54			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.77332G	55.45	88.20	-32.75	39.09	3	Vertical	298	1.79	108	38.79	9.10	31.53			
RMS	12.77084G	44.51	68.20	-23.69	28.16	3	Vertical	298	1.79	108	38.78	9.10	31.53			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.82023G	56.27	88.20	-31.93	39.78	3	Horizontal	207	1.05	108	38.94	9.12	31.57			
RMS	12.84149G	44.62	68.20	-23.58	28.10	3	Horizontal	207	1.05	108	38.98	9.13	31.59			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.20318G	57.28	83.54	-26.26	55.29	1	Vertical	198	1.87	-	37.99	15.24	51.24			
AV	19.21512G	46.56	63.54	-16.98	44.61	1	Vertical	198	1.87	-	37.97	15.24	51.26			

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.22418G	56.89	83.54	-26.65	54.97	1	Horizontal	218	1.70	-	37.95	15.24	51.27			
AV	19.22166G	45.60	63.54	-17.94	43.67	1	Horizontal	218	1.70	-	37.96	15.24	51.27			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.128G	57.12	88.20	-31.08	39.86	3	Vertical	98	1.32	108	39.86	9.26	31.86			
RMS	13.10483G	45.57	68.20	-22.63	28.34	3	Vertical	98	1.32	108	39.81	9.25	31.83			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.1101G	56.79	88.20	-31.41	39.55	3	Horizontal	265	1.80	108	39.82	9.26	31.84			
RMS	13.14543G	45.51	68.20	-22.69	28.22	3	Horizontal	265	1.80	108	39.89	9.27	31.87			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.68576G	66.22	83.54	-17.32	64.86	1	Vertical	90	1.41	-	37.89	15.22	51.75			
AV	19.69569G	54.99	63.54	-8.55	53.70	1	Vertical	90	1.41	-	37.83	15.22	51.76			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.68861G	62.82	83.54	-20.72	61.48	1	Horizontal	180	1.56	-	37.87	15.22	51.75			
AV	19.70127G	51.70	63.54	-11.84	50.45	1	Horizontal	180	1.56	-	37.80	15.21	51.76			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3684G	56.32	74.00	-17.68	38.61	3	Vertical	267	2.93	108	40.44	9.38	32.11			
AV	13.36393G	45.39	54.00	-8.61	27.70	3	Vertical	267	2.93	108	40.43	9.37	32.11			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33867G	56.57	74.00	-17.43	38.89	3	Horizontal	195	1.79	108	40.40	9.36	32.08			
AV	13.3342G	45.85	54.00	-8.15	28.16	3	Horizontal	195	1.79	108	40.40	9.36	32.07			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05845G	69.62	83.54	-13.92	68.64	1	Vertical	177	1.69	-	37.73	15.25	52.00			
AV	20.05854G	58.90	63.54	-4.64	57.92	1	Vertical	177	1.69	-	37.73	15.25	52.00			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.06049G	64.50	83.54	-19.04	63.51	1	Horizontal	170	1.72	-	37.74	15.25	52.00			
AV	20.05062G	53.46	63.54	-10.08	52.52	1	Horizontal	170	1.72	-	37.70	15.24	52.00			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.69184G	58.47	88.20	-29.73	40.35	3	Vertical	110	1.80	108	40.87	9.53	32.28			
RMS	13.69999G	47.97	68.20	-20.23	29.82	3	Vertical	110	1.80	108	40.90	9.53	32.28			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.67881G	58.52	88.20	-29.68	40.46	3	Horizontal	257	2.76	108	40.82	9.52	32.28			
RMS	13.68736G	47.21	68.20	-20.99	29.12	3	Horizontal	257	2.76	108	40.85	9.52	32.28			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.52864G	57.73	83.54	-25.81	56.35	1	Vertical	160	1.98	-	37.77	15.62	52.01			
AV	20.52606G	46.84	63.54	-16.70	45.47	1	Vertical	160	1.98	-	37.76	15.62	52.01			

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6845MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.53056G	54.23	83.54	-29.31	52.84	1	Horizontal	232.8	1.50	-	37.78	15.62	52.01				
AV	20.52054G	43.45	63.54	-20.09	42.12	1	Horizontal	232.8	1.50	-	37.72	15.62	52.01				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
SET 74
108\76\60\68\72\74
-19.84\ -1.61\12.63\6.36\2.21\0.32

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.9242G	81.95	88.20	-6.25	73.09	3	Vertical	50	2.42	74	34.25	5.77	31.16			
RMS	5.9238G	67.88	68.20	-0.32	59.01	3	Vertical	50	2.42	74	34.25	5.77	31.15			
PK	6.0198G	111.81	Inf	-Inf	102.78	3	Vertical	50	2.42	74	34.38	5.85	31.20			
RMS	5.977G	102.28	Inf	-Inf	93.34	3	Vertical	50	2.42	74	34.30	5.82	31.18			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


5985MHz_TX

EUT_Z_2TX
SET 74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9218G	70.47	88.20	-17.73	61.62	3	Horizontal	187	2.30	74	34.24	5.76	31.15			
RMS	5.9238G	57.90	68.20	-10.30	49.03	3	Horizontal	187	2.30	74	34.25	5.77	31.15			
PK	5.9786G	101.06	Inf	-Inf	92.11	3	Horizontal	187	2.30	74	34.30	5.83	31.18			
RMS	5.9786G	90.86	Inf	-Inf	81.91	3	Horizontal	187	2.30	74	34.30	5.83	31.18			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.97129G	56.49	74.00	-17.51	39.79	3	Vertical	16	1.80	108	39.30	8.73	31.33				
AV	11.96361G	46.00	54.00	-8.00	29.31	3	Vertical	16	1.80	108	39.30	8.73	31.34				
PK	17.95842G	59.15	74.00	-14.85	33.29	3	Vertical	311	2.61	108	46.60	11.64	32.38				
AV	17.96907G	46.80	54.00	-7.20	20.93	3	Vertical	311	2.61	108	46.60	11.65	32.38				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97208G	57.53	74.00	-16.47	40.83	3	Horizontal	91	1.80	108	39.30	8.73	31.33			
AV	11.96409G	45.92	54.00	-8.08	29.23	3	Horizontal	91	1.80	108	39.30	8.73	31.34			
PK	17.95143G	58.81	74.00	-15.19	32.95	3	Horizontal	338	2.83	108	46.60	11.64	32.38			
AV	17.96961G	46.53	54.00	-7.47	20.66	3	Horizontal	338	2.83	108	46.60	11.65	32.38			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93481G	60.11	83.54	-23.43	54.27	1	Vertical	218.1	1.66	-	38.87	17.38	50.41			
AV	23.94018G	49.23	63.54	-14.31	43.38	1	Vertical	218.1	1.66	-	38.88	17.38	50.41			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.95188G	59.38	83.54	-24.16	53.49	1	Horizontal	171.2	1.64	-	38.91	17.39	50.41			
AV	23.94243G	47.76	63.54	-15.78	41.91	1	Horizontal	171.2	1.64	-	38.88	17.38	50.41			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.51537G	57.00	74.00	-17.00	40.73	3	Vertical	136	2.95	108	38.60	8.98	31.31			
AV	12.49763G	45.34	54.00	-8.66	29.07	3	Vertical	136	2.95	108	38.60	8.97	31.30			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	12.47957G	56.76	74.00	-17.24	40.50	3	Horizontal	360	2.93	108	38.60	8.96	31.30				
AV	12.51474G	45.25	54.00	-8.75	28.98	3	Horizontal	360	2.93	108	38.60	8.98	31.31				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.68913G	50.22	83.54	-33.32	47.94	1	Vertical	183	1.54	-	37.64	15.27	50.63			
AV	18.68754G	39.48	63.54	-24.06	37.19	1	Vertical	183	1.54	-	37.65	15.27	50.63			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX


6225MHz_TX

EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67521G	48.16	83.54	-35.38	45.80	1	Horizontal	126	1.54	-	37.70	15.27	50.61			
AV	18.67605G	37.23	63.54	-26.31	34.87	1	Horizontal	126	1.54	-	37.70	15.27	50.61			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.76489G	56.57	88.20	-31.63	40.23	3	Vertical	208	2.76	108	38.76	9.10	31.52			
RMS	12.7912G	44.43	68.20	-23.77	28.00	3	Vertical	208	2.76	108	38.86	9.11	31.54			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.73547G	55.36	88.20	-32.84	39.11	3	Horizontal	288	1.34	108	38.67	9.08	31.50			
RMS	12.79088G	44.27	68.20	-23.93	27.84	3	Horizontal	288	1.34	108	38.86	9.11	31.54			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.15248G	55.04	83.54	-28.50	53.27	1	Vertical	62	1.55	-	37.71	15.24	51.18			
AV	19.15737G	43.47	63.54	-20.07	41.68	1	Vertical	62	1.55	-	37.74	15.24	51.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.16967G	56.14	83.54	-27.40	54.28	1	Horizontal	179	1.60	-	37.82	15.24	51.20			
AV	19.16472G	45.06	63.54	-18.48	43.23	1	Horizontal	179	1.60	-	37.79	15.24	51.20			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.18095G	56.30	88.20	-31.90	38.96	3	Vertical	80	1.80	108	39.96	9.29	31.91			
RMS	13.1859G	45.27	68.20	-22.93	27.93	3	Vertical	80	1.80	108	39.97	9.29	31.92			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.20828G	55.77	88.20	-32.43	38.36	3	Horizontal	108	2.32	108	40.05	9.30	31.94			
RMS	13.18638G	45.27	68.20	-22.93	27.93	3	Horizontal	108	2.32	108	39.97	9.29	31.92			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.88082G	64.49	83.54	-19.05	63.40	1	Vertical	56	1.54	-	37.78	15.21	51.90			
AV	19.8759G	53.41	63.54	-10.13	52.34	1	Vertical	56	1.54	-	37.76	15.21	51.90			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.88103G	64.66	83.54	-18.88	63.56	1	Horizontal	176	1.54	-	37.79	15.21	51.90			
AV	19.86354G	53.75	63.54	-9.79	52.75	1	Horizontal	176	1.54	-	37.68	15.21	51.89			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41224G	56.85	88.20	-31.35	39.11	3	Vertical	281	1.80	108	40.50	9.40	32.16			
RMS	13.48928G	46.48	68.20	-21.72	28.71	3	Vertical	281	1.80	108	40.58	9.43	32.24			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.48864G	57.40	88.20	-30.80	39.63	3	Horizontal	322	1.80	108	40.58	9.43	32.24			
RMS	13.48864G	46.10	68.20	-22.10	28.33	3	Horizontal	322	1.80	108	40.58	9.43	32.24			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	20.10657G	63.99	83.54	-19.55	62.84	1	Vertical	92.8	1.50	-	37.86	15.29	52.00				
AV	20.11653G	52.78	63.54	-10.76	51.69	1	Vertical	92.8	1.50	-	37.80	15.29	52.00				

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11446G	65.60	83.54	-17.94	64.50	1	Horizontal	177	1.65	-	37.81	15.29	52.00			
AV	20.12691G	54.51	63.54	-9.03	53.47	1	Horizontal	177	1.65	-	37.74	15.30	52.00			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 108
05-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.56538G	63.91	88.20	-24.29	54.48	3	Vertical	187	1.45	-	40.54	11.61	42.72			
RMS	13.56901G	53.76	68.20	-14.44	44.35	3	Vertical	187	1.45	-	40.52	11.61	42.72			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 108
05-H-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5625G	64.02	88.20	-24.18	54.58	3	Horizontal	8	1.83	-	40.55	11.61	42.72			
RMS	13.56105G	54.57	68.20	-13.63	45.12	3	Horizontal	8	1.83	-	40.56	11.61	42.72			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 108
05-H-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.34603G	75.70	83.54	-7.84	74.08	1	Vertical	42	1.57	-	38.11	15.48	51.97			
AV	20.36238G	63.28	63.54	-0.26	61.68	1	Vertical	42	1.57	-	38.08	15.49	51.97			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 108
05-H-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35203G	74.09	83.54	-9.45	72.48	1	Horizontal	199	1.49	-	38.10	15.48	51.97			
AV	20.35839G	61.43	63.54	-2.11	59.83	1	Horizontal	199	1.49	-	38.08	15.49	51.97			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
SET 76
84\52\68\76
-8.39\15.16\7.55\0.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9245G	75.85	88.20	-12.35	68.78	3	Vertical	299	1.80	76	32.40	7.64	32.97			
RMS	5.9245G	68.05	68.20	-0.15	60.98	3	Vertical	299	1.80	76	32.40	7.64	32.97			
PK	6.055G	107.66	Inf	-Inf	100.39	3	Vertical	299	1.80	76	32.59	7.69	33.01			
RMS	6.05G	98.59	Inf	-Inf	91.31	3	Vertical	299	1.80	76	32.60	7.69	33.01			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	66.93	88.20	-21.27	59.86	3	Horizontal	202	2.53	76	32.40	7.64	32.97			
RMS	5.9225G	58.78	68.20	-9.42	51.71	3	Horizontal	202	2.53	76	32.40	7.64	32.97			
PK	6.0805G	96.41	Inf	-Inf	89.18	3	Horizontal	202	2.53	76	32.54	7.70	33.01			
RMS	6.1005G	88.51	Inf	-Inf	81.32	3	Horizontal	202	2.53	76	32.50	7.70	33.01			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
SET 76

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04878G	49.28	74.00	-24.72	31.24	3	Vertical	351	1.53	-	39.30	11.14	32.40			
AV	12.05474G	37.92	54.00	-16.08	19.88	3	Vertical	351	1.53	-	39.30	11.14	32.40			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
SET 76

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.05424G	50.32	74.00	-23.68	32.28	3	Horizontal	20	1.60	-	39.30	11.14	32.40			
AV	12.0582G	38.10	54.00	-15.90	20.05	3	Horizontal	20	1.60	-	39.30	11.14	32.39			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
SET 76

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07426G	68.04	83.54	-15.50	64.96	1	Vertical	65	1.80	-	37.50	15.30	49.72			
AV	18.07046G	57.50	63.54	-6.04	54.43	1	Vertical	65	1.80	-	37.48	15.30	49.71			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07082G	68.78	83.54	-14.76	65.71	1	Horizontal	39	1.57	-	37.48	15.30	49.71			
AV	18.0791G	57.59	63.54	-5.95	54.50	1	Horizontal	39	1.57	-	37.52	15.30	49.73			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.37671G	46.10	74.00	-27.90	29.83	3	Vertical	296	2.42	108	38.65	8.92	31.30			
AV	12.36085G	36.46	54.00	-17.54	20.16	3	Vertical	296	2.42	108	38.68	8.91	31.29			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3547G	48.23	74.00	-25.77	31.93	3	Horizontal	60	1.98	-	38.69	8.90	31.29			
AV	12.32032G	36.81	54.00	-17.19	20.51	3	Horizontal	60	1.98	-	38.70	8.89	31.29			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.55443G	49.94	83.54	-33.60	47.44	1	Vertical	218	1.59	-	37.70	15.27	50.47			
AV	18.55476G	40.51	63.54	-23.03	38.01	1	Vertical	218	1.59	-	37.70	15.27	50.47			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX


6185MHz_TX

EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.54906G	47.47	83.54	-36.07	44.96	1	Horizontal	176	1.61	-	37.70	15.27	50.46			
AV	18.55479G	39.55	63.54	-23.99	37.05	1	Horizontal	176	1.61	-	37.70	15.27	50.47			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.92023G	47.75	74.00	-26.25	31.16	3	Vertical	216	2.41	-	39.30	8.71	31.42			
AV	11.91471G	36.90	54.00	-17.10	20.32	3	Vertical	216	2.41	-	39.30	8.71	31.43			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.90319G	47.72	74.00	-26.28	31.16	3	Horizontal	213	2.00	-	39.30	8.71	31.45			
AV	11.90739G	36.84	54.00	-17.16	20.27	3	Horizontal	213	2.00	-	39.30	8.71	31.44			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03191G	50.40	83.54	-33.14	48.29	1	Vertical	183	1.72	-	37.90	15.25	51.04			
AV	19.02159G	41.86	63.54	-21.68	39.74	1	Vertical	183	1.72	-	37.90	15.25	51.03			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.02759G	51.23	83.54	-32.31	49.11	1	Horizontal	174	1.38	-	37.90	15.25	51.03			
AV	19.04469G	42.47	63.54	-21.07	40.37	1	Horizontal	174	1.38	-	37.90	15.25	51.05			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38888G	56.30	74.00	-17.70	38.56	3	Vertical	187	1.80	108	40.48	9.39	32.13			
AV	13.38359G	46.67	54.00	-7.33	28.95	3	Vertical	187	1.80	108	40.47	9.38	32.13			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36682G	56.26	74.00	-17.74	38.56	3	Horizontal	5	1.40	108	40.43	9.38	32.11			
AV	13.37783G	46.69	54.00	-7.31	28.97	3	Horizontal	5	1.40	108	40.46	9.38	32.12			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.98621G	64.55	83.54	-18.99	63.54	1	Vertical	178	1.71	-	37.80	15.20	51.99			
AV	19.99365G	55.26	63.54	-8.28	54.25	1	Vertical	178	1.71	-	37.80	15.20	51.99			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.99371G	62.55	83.54	-20.99	61.54	1	Horizontal	175.9	1.58	-	37.80	15.20	51.99			
AV	19.98135G	53.09	63.54	-10.45	52.08	1	Horizontal	175.9	1.58	-	37.80	15.20	51.99			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
SET 64
03-S-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	80.35	88.20	-7.85	73.27	3	Vertical	293	2.39	-	34.55	7.63	35.10			
RMS	5.925G	68.04	68.20	-0.16	60.96	3	Vertical	293	2.39	-	34.55	7.63	35.10			
PK	6.1474G	106.04	Inf	-Inf	98.36	3	Vertical	293	2.39	-	34.90	7.86	35.08			
RMS	6.1346G	95.66	Inf	-Inf	88.01	3	Vertical	293	2.39	-	34.90	7.84	35.09			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
SET 64
03-S-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9242G	67.54	88.20	-20.66	60.46	3	Horizontal	114	3.00	-	34.55	7.63	35.10			
RMS	5.9242G	57.00	68.20	-11.20	49.92	3	Horizontal	114	3.00	-	34.55	7.63	35.10			
PK	6.1418G	96.06	Inf	-Inf	88.40	3	Horizontal	114	3.00	-	34.90	7.85	35.09			
RMS	6.149G	84.50	Inf	-Inf	76.82	3	Horizontal	114	3.00	-	34.90	7.86	35.08			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
SET 64
03-S-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.21186G	58.72	74.00	-15.28	42.60	3	Vertical	317	1.97	-	38.72	11.59	34.19			
AV	12.20988G	45.61	54.00	-8.39	29.49	3	Vertical	317	1.97	-	38.72	11.59	34.19			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
SET 64
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.19791G	58.41	74.00	-15.59	42.32	3	Horizontal	270	1.98	-	38.70	11.59	34.20			
AV	12.21522G	44.66	54.00	-9.34	28.53	3	Horizontal	270	1.98	-	38.73	11.59	34.19			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
SET 64
03-S-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.31882G	59.47	83.54	-24.07	56.80	1	Vertical	279	1.50	-	37.50	15.28	50.11			
AV	18.3188G	48.67	63.54	-14.87	46.00	1	Vertical	279	1.50	-	37.50	15.28	50.11			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




EUT_Z_TX
SET 64
03-S-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.30632G	59.48	83.54	-24.06	56.79	1	Horizontal	22	1.63	-	37.50	15.28	50.09			
AV	18.32462G	48.84	63.54	-14.70	46.18	1	Horizontal	22	1.63	-	37.50	15.28	50.12			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Z_2TX
SET 73
01-I-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.5237G	54.77	74.00	-19.23	36.88	3	Vertical	118	2.01	-	38.50	11.32	31.93			
AV	12.52184G	45.92	54.00	-8.08	28.03	3	Vertical	118	2.01	-	38.50	11.32	31.93			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Z_2TX
SET 73
01-I-A-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.5273G	55.22	74.00	-18.78	37.32	3	Horizontal	251	1.27	-	38.50	11.32	31.92			
AV	12.51725G	45.90	54.00	-8.10	28.02	3	Horizontal	251	1.27	-	38.50	11.32	31.94			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Z_2TX
SET 73

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.79102G	68.59	83.54	-14.95	66.28	1	Vertical	254	1.62	-	37.80	15.26	50.75			
AV	18.80392G	56.46	63.54	-7.08	54.14	1	Vertical	254	1.62	-	37.82	15.26	50.76			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6265MHz_TX




EUT_Z_2TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.8048G	68.74	83.54	-14.80	66.43	1	Horizontal	88	1.56	-	37.82	15.26	50.77			
AV	18.79074G	56.59	63.54	-6.95	54.28	1	Horizontal	88	1.56	-	37.80	15.26	50.75			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
SET 88
108\76\92\84\88\90\89\88
-11.13\6.83\2.10\2.42\0.57\0.87\0.13\0.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	80.16	88.20	-8.04	71.30	3	Vertical	49	2.33	88	34.25	5.77	31.16			
RMS	5.925G	67.66	68.20	-0.54	58.80	3	Vertical	49	2.33	88	34.25	5.77	31.16			
PK	5.9526G	119.78	Inf	-Inf	110.85	3	Vertical	49	2.33	88	34.30	5.80	31.17			
RMS	5.9568G	108.98	Inf	-Inf	100.05	3	Vertical	49	2.33	88	34.30	5.80	31.17			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
SET 88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9238G	69.30	88.20	-18.90	60.43	3	Horizontal	186	2.20	88	34.25	5.77	31.15			
RMS	5.9246G	56.91	68.20	-11.29	48.05	3	Horizontal	186	2.20	88	34.25	5.77	31.16			
PK	5.9522G	107.82	Inf	-Inf	98.89	3	Horizontal	186	2.20	88	34.30	5.80	31.17			
RMS	5.956G	97.26	Inf	-Inf	88.33	3	Horizontal	186	2.20	88	34.30	5.80	31.17			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.92143G	56.88	74.00	-17.12	40.29	3	Vertical	151	2.94	108	39.30	8.71	31.42				
AV	11.92998G	45.88	54.00	-8.12	29.26	3	Vertical	151	2.94	108	39.30	8.72	31.40				
PK	17.87628G	57.75	74.00	-16.25	32.15	3	Vertical	146	1.75	108	46.41	11.58	32.39				
AV	17.86281G	45.66	54.00	-8.34	20.14	3	Vertical	146	1.75	108	46.35	11.57	32.40				

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.92922G	56.76	74.00	-17.24	40.14	3	Horizontal	34	1.78	108	39.30	8.72	31.40				
AV	11.9255G	45.82	54.00	-8.18	29.22	3	Horizontal	34	1.78	108	39.30	8.71	31.41				
PK	17.86359G	57.82	74.00	-16.18	32.29	3	Horizontal	216	1.18	108	46.35	11.58	32.40				
AV	17.85075G	45.49	54.00	-8.51	20.02	3	Horizontal	216	1.18	108	46.30	11.57	32.40				

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.81109G	62.55	83.54	-20.99	56.62	1	Vertical	75.1	1.50	-	39.03	17.34	50.44			
AV	23.81802G	51.20	63.54	-12.34	45.30	1	Vertical	75.1	1.50	-	38.99	17.35	50.44			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.80755G	62.14	83.54	-21.40	56.19	1	Horizontal	163	1.63	-	39.05	17.34	50.44			
AV	23.81577G	51.18	63.54	-12.36	45.27	1	Horizontal	163	1.63	-	39.01	17.34	50.44			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37366G	57.14	74.00	-16.86	40.87	3	Vertical	159	1.80	108	38.65	8.91	31.29			
AV	12.37398G	45.20	54.00	-8.80	28.93	3	Vertical	159	1.80	108	38.65	8.91	31.29			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38616G	55.84	74.00	-18.16	39.59	3	Horizontal	171	1.80	108	38.63	8.92	31.30			
AV	12.37514G	45.19	54.00	-8.81	28.93	3	Horizontal	171	1.80	108	38.65	8.91	31.30			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5802G	56.98	83.54	-26.56	54.51	1	Vertical	110	1.57	-	37.70	15.27	50.50			
AV	18.58404G	44.46	63.54	-19.08	41.99	1	Vertical	110	1.57	-	37.70	15.27	50.50			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.58455G	52.61	83.54	-30.93	50.14	1	Horizontal	135	1.40	-	37.70	15.27	50.50			
AV	18.58626G	40.71	63.54	-22.83	38.24	1	Horizontal	135	1.40	-	37.70	15.27	50.50			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83703G	56.01	88.20	-32.19	39.49	3	Vertical	96	1.80	108	38.97	9.13	31.58			
RMS	12.82932G	44.48	68.20	-23.72	27.97	3	Vertical	96	1.80	108	38.96	9.13	31.58			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81857G	55.65	88.20	-32.55	39.16	3	Horizontal	322	1.80	108	38.94	9.12	31.57			
RMS	12.82664G	44.52	68.20	-23.68	28.02	3	Horizontal	322	1.80	108	38.95	9.12	31.57			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.25049G	60.03	83.54	-23.51	58.19	1	Vertical	201	1.86	-	37.90	15.24	51.30			
AV	19.2465G	49.48	63.54	-14.06	47.63	1	Vertical	201	1.86	-	37.91	15.24	51.30			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.25202G	61.28	83.54	-22.26	59.44	1	Horizontal	217.1	1.71	-	37.90	15.24	51.30			
AV	19.24644G	49.67	63.54	-13.87	47.82	1	Horizontal	217.1	1.71	-	37.91	15.24	51.30			

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06552G	60.58	88.20	-27.62	42.53	3	Vertical	193	2.52	-	39.40	11.29	32.64			
RMS	13.06848G	48.39	68.20	-19.81	30.33	3	Vertical	193	2.52	-	39.40	11.30	32.64			

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07032G	60.08	88.20	-28.12	42.02	3	Horizontal	275	1.17	-	39.40	11.30	32.64			
RMS	13.06698G	48.38	68.20	-19.82	30.32	3	Horizontal	275	1.17	-	39.40	11.30	32.64			

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60194G	66.02	83.54	-17.52	62.59	1	Vertical	331	1.69	-	37.81	15.22	49.60			
AV	19.60396G	55.04	63.54	-8.50	51.59	1	Vertical	331	1.69	-	37.82	15.22	49.59			

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60702G	65.52	83.54	-18.02	62.05	1	Horizontal	114	2.52	-	37.84	15.22	49.59			
AV	19.60558G	54.15	63.54	-9.39	50.69	1	Horizontal	114	2.52	-	37.83	15.22	49.59			

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38562G	55.39	74.00	-18.61	36.67	3	Vertical	205	2.22	-	40.24	11.44	32.96			
AV	13.39026G	43.38	54.00	-10.62	24.64	3	Vertical	205	2.22	-	40.26	11.44	32.96			

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39364G	55.86	74.00	-18.14	37.11	3	Horizontal	75	1.10	-	40.27	11.44	32.96			
AV	13.39338G	43.47	54.00	-10.53	24.72	3	Horizontal	75	1.10	-	40.27	11.44	32.96			

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08102G	64.15	83.54	-19.39	60.32	1	Vertical	156	1.06	-	37.82	15.26	49.25			
AV	20.08498G	52.91	63.54	-10.63	49.05	1	Vertical	156	1.06	-	37.84	15.27	49.25			

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08016G	63.00	83.54	-20.54	59.17	1	Horizontal	106	2.33	-	37.82	15.26	49.25			
AV	20.08524G	51.85	63.54	-11.69	47.99	1	Horizontal	106	2.33	-	37.84	15.27	49.25			

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6855MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70862G	63.16	88.20	-25.04	43.88	3	Vertical	114	2.91	-	40.45	11.59	32.76			
RMS	13.7109G	51.16	68.20	-17.04	31.86	3	Vertical	114	2.91	-	40.47	11.59	32.76			

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6855MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.71152G	63.36	88.20	-24.84	44.06	3	Horizontal	30	1.19	-	40.47	11.59	32.76			
RMS	13.71406G	51.61	68.20	-16.59	32.29	3	Horizontal	30	1.19	-	40.48	11.59	32.75			

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6855MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5661G	64.23	83.54	-19.31	59.76	1	Vertical	19	2.62	-	37.93	15.65	49.11			
AV	20.56912G	52.09	63.54	-11.45	47.59	1	Vertical	19	2.62	-	37.94	15.66	49.10			

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6855MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56202G	63.36	83.54	-20.18	58.90	1	Horizontal	209	2.97	-	37.92	15.65	49.11			
AV	20.56552G	51.90	63.54	-11.64	47.43	1	Horizontal	209	2.97	-	37.93	15.65	49.11			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 77
108\76\92\84\80\78\77
-16.54\1.82\13.70\6.58\2.74\0.61\0.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9222G	81.55	88.20	-6.65	72.70	3	Vertical	306	2.41	77	34.24	5.76	31.15			
RMS	5.9246G	67.53	68.20	-0.67	58.67	3	Vertical	306	2.41	77	34.25	5.77	31.16			
PK	5.9792G	114.95	Inf	-Inf	106.00	3	Vertical	306	2.41	77	34.30	5.83	31.18			
RMS	5.9712G	104.19	Inf	-Inf	95.25	3	Vertical	306	2.41	77	34.30	5.82	31.18			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9228G	72.78	88.20	-15.42	63.91	3	Horizontal	184	2.49	77	34.25	5.77	31.15			
RMS	5.9238G	57.80	68.20	-10.40	48.93	3	Horizontal	184	2.49	77	34.25	5.77	31.15			
PK	5.9584G	103.66	Inf	-Inf	94.73	3	Horizontal	184	2.49	77	34.30	5.80	31.17			
RMS	5.9772G	92.73	Inf	-Inf	83.79	3	Horizontal	184	2.49	77	34.30	5.82	31.18			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.93743G	57.57	74.00	-16.43	40.94	3	Vertical	2	1.80	77	39.30	8.72	31.39				
AV	11.95813G	46.02	54.00	-7.98	29.34	3	Vertical	2	1.80	77	39.30	8.73	31.35				
PK	17.88726G	57.51	74.00	-16.49	31.86	3	Vertical	65	1.84	77	46.45	11.59	32.39				
AV	17.90694G	45.64	54.00	-8.36	19.91	3	Vertical	65	1.84	77	46.51	11.61	32.39				

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 77

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.90754G	56.84	74.00	-17.16	40.27	3	Horizontal	171	1.12	77	39.30	8.71	31.44				
AV	11.91018G	45.92	54.00	-8.08	29.35	3	Horizontal	171	1.12	77	39.30	8.71	31.44				
PK	17.89546G	58.32	74.00	-15.68	32.63	3	Horizontal	200	1.60	77	46.48	11.60	32.39				
AV	17.89022G	45.59	54.00	-8.41	19.93	3	Horizontal	200	1.60	77	46.46	11.59	32.39				

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86381G	61.41	83.54	-22.13	55.68	1	Vertical	75	1.61	-	38.80	17.36	50.43			
AV	23.8588G	49.81	63.54	-13.73	44.08	1	Vertical	75	1.61	-	38.80	17.36	50.43			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85862G	55.82	83.54	-27.72	50.09	1	Horizontal	129	1.50	-	38.80	17.36	50.43			
AV	23.85475G	44.53	63.54	-19.01	38.80	1	Horizontal	129	1.50	-	38.80	17.36	50.43			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37723G	56.37	74.00	-17.63	40.10	3	Vertical	357	1.79	108	38.65	8.92	31.30			
AV	12.41807G	45.13	54.00	-8.87	28.90	3	Vertical	357	1.79	108	38.60	8.93	31.30			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37092G	56.09	74.00	-17.91	39.81	3	Horizontal	146	2.93	108	38.66	8.91	31.29			
AV	12.38363G	45.11	54.00	-8.89	28.86	3	Horizontal	146	2.93	108	38.63	8.92	31.30			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.62418G	56.76	83.54	-26.78	54.29	1	Vertical	251	1.58	-	37.75	15.27	50.55			
AV	18.60852G	44.80	63.54	-18.74	42.34	1	Vertical	251	1.58	-	37.72	15.27	50.53			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.62415G	50.06	83.54	-33.48	47.59	1	Horizontal	135	1.38	-	37.75	15.27	50.55			
AV	18.60843G	38.58	63.54	-24.96	36.12	1	Horizontal	135	1.38	-	37.72	15.27	50.53			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.84964G	55.75	88.20	-32.45	39.20	3	Vertical	360	2.95	108	39.00	9.14	31.59			
RMS	12.84301G	44.57	68.20	-23.63	28.04	3	Vertical	360	2.95	108	38.99	9.13	31.59			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8462G	55.65	88.20	-32.55	39.12	3	Horizontal	102	2.95	108	38.99	9.13	31.59			
RMS	12.8315G	44.66	68.20	-23.54	28.15	3	Horizontal	102	2.95	108	38.96	9.13	31.58			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21656G	54.37	83.54	-29.17	52.42	1	Vertical	185	1.50	-	37.97	15.24	51.26			
AV	19.22454G	42.96	63.54	-20.58	41.04	1	Vertical	185	1.50	-	37.95	15.24	51.27			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21224G	58.50	83.54	-25.04	56.53	1	Horizontal	221.1	2.10	-	37.98	15.24	51.25			
AV	19.22451G	46.85	63.54	-16.69	44.93	1	Horizontal	221.1	2.10	-	37.95	15.24	51.27			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.1301G	60.16	88.20	-28.04	41.96	3	Vertical	205	1.71	-	39.58	11.32	32.70			
RMS	13.13266G	48.13	68.20	-20.07	29.90	3	Vertical	205	1.71	-	39.60	11.33	32.70			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.13048G	60.32	88.20	-27.88	42.12	3	Horizontal	115	1.77	-	39.58	11.32	32.70			
RMS	13.13074G	47.92	68.20	-20.28	29.72	3	Horizontal	115	1.77	-	39.58	11.32	32.70			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.696G	60.94	83.54	-22.60	57.42	1	Vertical	326	2.68	-	37.82	15.22	49.52			
AV	19.69574G	50.09	63.54	-13.45	46.56	1	Vertical	326	2.68	-	37.83	15.22	49.52			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.69106G	60.85	83.54	-22.69	57.30	1	Horizontal	272	2.85	-	37.85	15.22	49.52			
AV	19.6904G	51.54	63.54	-12.00	47.98	1	Horizontal	272	2.85	-	37.86	15.22	49.52			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.37284G	59.77	74.00	-14.23	41.09	3	Vertical	300	2.11	-	40.19	11.43	32.94			
AV	13.37118G	43.31	54.00	-10.69	24.64	3	Vertical	300	2.11	-	40.18	11.43	32.94			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36844G	59.45	74.00	-14.55	40.79	3	Horizontal	251	2.79	-	40.17	11.43	32.94			
AV	13.37406G	43.44	54.00	-10.56	24.74	3	Horizontal	251	2.79	-	40.20	11.44	32.94			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05862G	60.63	83.54	-22.91	56.90	1	Vertical	183	1.76	-	37.73	15.25	49.25			
AV	20.055G	49.18	63.54	-14.36	45.48	1	Vertical	183	1.76	-	37.72	15.24	49.26			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05694G	61.71	83.54	-21.83	57.99	1	Horizontal	183	2.58	-	37.73	15.25	49.26			
AV	20.053G	50.24	63.54	-13.30	46.55	1	Horizontal	183	2.58	-	37.71	15.24	49.26			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.68914G	63.98	88.20	-24.22	44.79	3	Vertical	30	2.57	-	40.40	11.58	32.79			
RMS	13.69056G	51.31	68.20	-16.89	32.12	3	Vertical	30	2.57	-	40.40	11.58	32.79			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.69294G	63.39	88.20	-24.81	44.19	3	Horizontal	149	2.33	-	40.40	11.58	32.78			
RMS	13.69438G	51.42	68.20	-16.78	32.22	3	Horizontal	149	2.33	-	40.40	11.58	32.78			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53002G	56.16	83.54	-27.38	51.88	1	Vertical	299	1.78	-	37.78	15.62	49.12			
AV	20.53312G	45.20	63.54	-18.34	40.89	1	Vertical	299	1.78	-	37.80	15.63	49.12			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5379G	57.76	83.54	-25.78	53.42	1	Horizontal	303	1.44	-	37.83	15.63	49.12			
AV	20.53038G	47.19	63.54	-16.35	42.91	1	Horizontal	303	1.44	-	37.78	15.62	49.12			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
SET 76
82\68\75\78\77\76
-3.50\6.00\1.22\0.82\0.12\0.64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	79.45	88.20	-8.75	72.38	3	Vertical	299	1.80	76	32.40	7.64	32.97			
RMS	5.9198G	67.56	68.20	-0.64	60.49	3	Vertical	299	1.80	76	32.40	7.64	32.97			
PK	5.9966G	108.36	Inf	-Inf	101.19	3	Vertical	299	1.80	76	32.49	7.68	33.00			
RMS	5.9998G	100.23	Inf	-Inf	93.05	3	Vertical	299	1.80	76	32.50	7.68	33.00			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9198G	65.94	88.20	-22.26	58.87	3	Horizontal	176	2.61	76	32.40	7.64	32.97			
RMS	5.925G	57.49	68.20	-10.71	50.42	3	Horizontal	176	2.61	76	32.40	7.64	32.97			
PK	6.0006G	98.28	Inf	-Inf	91.10	3	Horizontal	176	2.61	76	32.50	7.68	33.00			
RMS	5.9738G	89.24	Inf	-Inf	82.11	3	Horizontal	176	2.61	76	32.45	7.67	32.99			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97974G	48.25	74.00	-25.75	30.53	3	Vertical	95	1.81	-	39.06	11.11	32.45			
AV	11.97752G	36.84	54.00	-17.16	19.12	3	Vertical	95	1.81	-	39.06	11.11	32.45			
PK	17.96362G	63.50	74.00	-10.50	31.70	3	Vertical	260	1.69	-	48.44	13.44	30.08			
AV	17.95518G	50.23	54.00	-3.77	18.72	3	Vertical	260	1.69	-	48.17	13.44	30.10			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	11.96576G	48.61	74.00	-25.39	30.93	3	Horizontal	161	1.63	-	39.03	11.10	32.45				
AV	11.96542G	37.62	54.00	-16.38	19.94	3	Horizontal	161	1.63	-	39.03	11.10	32.45				
PK	17.96434G	63.15	74.00	-10.85	31.33	3	Horizontal	109	1.84	-	48.46	13.44	30.08				
AV	17.96304G	50.04	54.00	-3.96	18.26	3	Horizontal	109	1.84	-	48.42	13.44	30.08				

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
SET 76

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94102G	69.91	83.54	-13.63	64.06	1	Vertical	120	1.65	-	38.88	17.38	50.41			
AV	23.94702G	56.80	63.54	-6.74	50.94	1	Vertical	120	1.65	-	38.89	17.38	50.41			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
SET 76

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94048G	66.23	83.54	-17.31	60.38	1	Horizontal	251	1.50	-	38.88	17.38	50.41			
AV	23.94946G	55.88	63.54	-7.66	50.01	1	Horizontal	251	1.50	-	38.90	17.38	50.41			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4452G	55.97	74.00	-18.03	39.72	3	Vertical	354	2.95	108	38.60	8.95	31.30			
AV	12.5053G	46.40	54.00	-7.60	30.13	3	Vertical	354	2.95	108	38.60	8.97	31.30			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.52768G	56.67	74.00	-17.33	40.40	3	Horizontal	274	1.58	108	38.60	8.99	31.32			
AV	12.49875G	46.54	54.00	-7.46	30.27	3	Horizontal	274	1.58	108	38.60	8.97	31.30			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67458G	53.24	83.54	-30.30	50.88	1	Vertical	180	1.37	-	37.70	15.27	50.61			
AV	18.68877G	43.47	63.54	-20.07	41.19	1	Vertical	180	1.37	-	37.64	15.27	50.63			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6225MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.6675G	48.25	83.54	-35.29	45.85	1	Horizontal	126	1.54	-	37.73	15.27	50.60			
AV	18.66234G	39.18	63.54	-24.36	36.75	1	Horizontal	126	1.54	-	37.75	15.27	50.59			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.69296G	54.91	74.00	-19.09	38.71	3	Vertical	1	1.80	108	38.60	9.06	31.46			
AV	12.69488G	46.10	54.00	-7.90	29.90	3	Vertical	1	1.80	108	38.60	9.06	31.46			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
SET 108

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.67619G	47.56	74.00	-26.44	31.36	3	Horizontal	283	2.77	-	38.60	9.05	31.45			
AV	12.69866G	37.04	54.00	-16.96	20.85	3	Horizontal	283	2.77	-	38.60	9.06	31.47			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.1487G	52.73	83.54	-30.81	50.96	1	Vertical	76	2.04	-	37.71	15.24	51.18			
AV	19.15329G	43.62	63.54	-19.92	41.84	1	Vertical	76	2.04	-	37.72	15.24	51.18			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
SET 108
03-H-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15887G	56.58	83.54	-26.96	54.78	1	Horizontal	179	1.60	-	37.75	15.24	51.19			
AV	19.15695G	47.55	63.54	-15.99	45.76	1	Horizontal	179	1.60	-	37.74	15.24	51.19			

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.2452G	59.72	88.20	-28.48	41.37	3	Vertical	186	2.89	-	39.79	11.38	32.82			
RMS	13.24226G	49.69	68.20	-18.51	31.34	3	Vertical	186	2.89	-	39.78	11.38	32.81			

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.24014G	59.96	88.20	-28.24	41.62	3	Horizontal	294	1.61	-	39.78	11.37	32.81			
RMS	13.24146G	48.94	68.20	-19.26	30.60	3	Horizontal	294	1.61	-	39.78	11.37	32.81			

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87636G	60.30	83.54	-23.24	56.70	1	Vertical	136	2.25	-	37.76	15.21	49.37			
AV	19.87722G	51.41	63.54	-12.13	47.81	1	Vertical	136	2.25	-	37.76	15.21	49.37			

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.87234G	60.91	83.54	-22.63	57.34	1	Horizontal	284	2.52	-	37.73	15.21	49.37			
AV	19.87866G	51.60	63.54	-11.94	47.99	1	Horizontal	284	2.52	-	37.77	15.21	49.37			

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4139G	60.78	88.20	-27.42	42.01	3	Vertical	307	2.27	-	40.30	11.45	32.98			
RMS	13.4071G	50.40	68.20	-17.80	31.63	3	Vertical	307	2.27	-	40.30	11.45	32.98			

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40932G	60.89	88.20	-27.31	42.12	3	Horizontal	205	2.46	-	40.30	11.45	32.98			
RMS	13.41018G	50.35	68.20	-17.85	31.58	3	Horizontal	205	2.46	-	40.30	11.45	32.98			

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11072G	63.15	83.54	-20.39	59.26	1	Vertical	241	2.76	-	37.84	15.29	49.24			
AV	20.11682G	52.77	63.54	-10.77	48.92	1	Vertical	241	2.76	-	37.80	15.29	49.24			

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.11078G	61.30	83.54	-22.24	57.41	1	Horizontal	94	1.90	-	37.84	15.29	49.24			
AV	20.1192G	51.92	63.54	-11.62	48.08	1	Horizontal	94	1.90	-	37.78	15.30	49.24			

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57314G	61.57	88.20	-26.63	42.45	3	Vertical	335	1.45	-	40.55	11.53	32.96			
RMS	13.57352G	50.78	68.20	-17.42	31.66	3	Vertical	335	1.45	-	40.55	11.53	32.96			

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.56718G	61.43	88.20	-26.77	42.31	3	Horizontal	207	1.92	-	40.57	11.52	32.97			
RMS	13.56952G	50.54	68.20	-17.66	31.43	3	Horizontal	207	1.92	-	40.56	11.52	32.97			

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35386G	61.97	83.54	-21.57	57.58	1	Vertical	52	1.89	-	38.09	15.48	49.18			
AV	20.3525G	52.83	63.54	-10.71	48.44	1	Vertical	52	1.89	-	38.09	15.48	49.18			

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 108
06-D-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35732G	60.63	83.54	-22.91	56.23	1	Horizontal	210	2.84	-	38.09	15.49	49.18			
AV	20.35622G	50.50	63.54	-13.04	46.11	1	Horizontal	210	2.84	-	38.09	15.48	49.18			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX



EUT_Z_2TX
SET 77
90\58\74\82\78\76\77
-11.28\14.70\3.42\ -3.67\ -0.99\2.24\0.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9215G	77.08	88.20	-11.12	70.01	3	Vertical	300	1.80	77	32.40	7.64	32.97			
RMS	5.9235G	67.70	68.20	-0.50	60.63	3	Vertical	300	1.80	77	32.40	7.64	32.97			
PK	6.0835G	105.44	Inf	-Inf	98.22	3	Vertical	300	1.80	77	32.53	7.70	33.01			
RMS	6.1G	98.09	Inf	-Inf	90.90	3	Vertical	300	1.80	77	32.50	7.70	33.01			