


5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

6265MHz\_TX




EUT\_Z\_4TX  
SET 82  
06-H-R-7

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 12.6144G  | 58.31    | 74.00    | -15.69 | 42.08  | 3    | Vertical  | 104     | 1.80   | 108     | 38.60 | 9.03 | 31.40 |  |  |  |
| AV   | 12.61248G | 48.83    | 54.00    | -5.17  | 32.60  | 3    | Vertical  | 104     | 1.80   | 108     | 38.60 | 9.02 | 31.39 |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

6265MHz\_TX




EUT\_Z\_4TX  
SET 82  
06-H-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.60992G    | 58.06             | 74.00             | -15.94         | 41.83         | 3           | Horizontal | 220            | 1.80          | 108     | 38.60      | 9.02       | 31.39      |  |  |  |
| AV   | 12.61248G    | 48.12             | 54.00             | -5.88          | 31.89         | 3           | Horizontal | 220            | 1.80          | 108     | 38.60      | 9.02       | 31.39      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

6265MHz\_TX




EUT\_Z\_4TX  
SET 82  
06-H-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.80496G    | 56.31             | 83.54             | -27.23         | 54.00         | 1           | Vertical  | 65             | 1.56          | -       | 37.82      | 15.26      | 50.77      |  |  |  |
| AV   | 18.79974G    | 46.72             | 63.54             | -16.82         | 44.42         | 1           | Vertical  | 65             | 1.56          | -       | 37.80      | 15.26      | 50.76      |  |  |  |

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

6265MHz\_TX




EUT\_Z\_4TX  
SET 82  
06-H-R-7

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.80496G    | 54.55             | 83.54             | -28.99         | 52.24         | 1           | Horizontal | 160            | 2.04          | -       | 37.82      | 15.26      | 50.77      |  |  |  |
| AV   | 18.79614G    | 45.31             | 63.54             | -18.23         | 43.01         | 1           | Horizontal | 160            | 2.04          | -       | 37.80      | 15.26      | 50.76      |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_Z\_4TX  
setting 79  
03-S-S-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9242G      | 81.61             | 88.20             | -6.59          | 74.53         | 3           | Vertical  | 233            | 2.62          | -       | 34.55      | 7.63       | 35.10      |  |  |  |
| RMS  | 5.925G       | 67.69             | 68.20             | -0.51          | 60.61         | 3           | Vertical  | 233            | 2.62          | -       | 34.55      | 7.63       | 35.10      |  |  |  |
| PK   | 5.9582G      | 124.74            | Inf               | -Inf           | 117.60        | 3           | Vertical  | 233            | 2.62          | -       | 34.60      | 7.66       | 35.12      |  |  |  |
| RMS  | 5.9622G      | 113.17            | Inf               | -Inf           | 106.03        | 3           | Vertical  | 233            | 2.62          | -       | 34.60      | 7.66       | 35.12      |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_Z\_4TX  
setting 79  
03-S-5-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9246G      | 68.73             | 88.20             | -19.47         | 61.65         | 3           | Horizontal | 198            | 2.54          | -       | 34.55      | 7.63       | 35.10      |  |  |  |
| RMS  | 5.925G       | 54.98             | 68.20             | -13.22         | 47.90         | 3           | Horizontal | 198            | 2.54          | -       | 34.55      | 7.63       | 35.10      |  |  |  |
| PK   | 5.959G       | 110.05            | Inf               | -Inf           | 102.91        | 3           | Horizontal | 198            | 2.54          | -       | 34.60      | 7.66       | 35.12      |  |  |  |
| RMS  | 5.9484G      | 99.16             | Inf               | -Inf           | 92.03         | 3           | Horizontal | 198            | 2.54          | -       | 34.60      | 7.65       | 35.12      |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_Z\_4TX  
setting 79  
03-S-5-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.90236G    | 55.26             | 74.00             | -18.74         | 47.83         | 3           | Vertical  | 316            | 2.00          | -       | 39.20      | 11.47      | 43.24      |  |  |  |
| AV   | 11.90708G    | 43.34             | 54.00             | -10.66         | 35.90         | 3           | Vertical  | 316            | 2.00          | -       | 39.20      | 11.47      | 43.23      |  |  |  |
| PK   | 17.86564G    | 63.37             | 74.00             | -10.63         | 46.05         | 3           | Vertical  | 254            | 1.04          | -       | 44.87      | 13.85      | 41.40      |  |  |  |
| AV   | 17.86202G    | 50.25             | 54.00             | -3.75          | 32.94         | 3           | Vertical  | 254            | 1.04          | -       | 44.88      | 13.84      | 41.41      |  |  |  |

## 5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

## 5955MHz\_TX




EUT\_Z\_4TX  
setting 79  
03-S-5-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.9048G     | 55.81             | 74.00             | -18.19         | 48.38         | 3           | Horizontal | 322            | 2.64          | -       | 39.20      | 11.47      | 43.24      |  |  |  |
| AV   | 11.90092G    | 43.00             | 54.00             | -11.00         | 35.57         | 3           | Horizontal | 322            | 2.64          | -       | 39.20      | 11.47      | 43.24      |  |  |  |
| PK   | 17.86482G    | 63.07             | 74.00             | -10.93         | 45.75         | 3           | Horizontal | 225            | 1.80          | -       | 44.87      | 13.85      | 41.40      |  |  |  |
| AV   | 17.8691G     | 50.18             | 54.00             | -3.82          | 32.86         | 3           | Horizontal | 225            | 1.80          | -       | 44.86      | 13.85      | 41.39      |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_Z\_4TX  
setting 79  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 23.82192G    | 63.55             | 83.54             | -19.99         | 57.67         | 1           | Vertical  | 237.2          | 1.78          | -       | 38.97      | 17.35      | 50.44      |  |  |  |
| PK   | 29.78403G    | 55.06             | 97.74             | -42.68         | 44.12         | 1           | Vertical  | 209            | 2.55          | -       | 40.33      | 19.70      | 49.09      |  |  |  |
| RMS  | 29.77602G    | 41.48             | 77.74             | -36.26         | 30.52         | 1           | Vertical  | 209            | 2.55          | -       | 40.35      | 19.70      | 49.09      |  |  |  |
| AV   | 23.81832G    | 49.22             | 63.54             | -14.32         | 43.32         | 1           | Vertical  | 237.2          | 1.78          | -       | 38.99      | 17.35      | 50.44      |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

5955MHz\_TX




EUT\_Z\_4TX  
setting 79  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 23.82204G    | 57.21             | 83.54             | -26.33         | 51.33         | 1           | Horizontal | 154            | 1.80          | -       | 38.97      | 17.35      | 50.44      |  |  |  |
| AV   | 23.81982G    | 40.84             | 63.54             | -22.70         | 34.95         | 1           | Horizontal | 154            | 1.80          | -       | 38.98      | 17.35      | 50.44      |  |  |  |
| PK   | 29.76762G    | 55.94             | 97.74             | -41.80         | 44.97         | 1           | Horizontal | 197            | 1.57          | -       | 40.36      | 19.70      | 49.09      |  |  |  |
| RMS  | 29.77005G    | 41.56             | 77.74             | -36.18         | 30.59         | 1           | Horizontal | 197            | 1.57          | -       | 40.36      | 19.70      | 49.09      |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6195MHz\_TX




EUT\_Z\_4TX  
setting 96  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.3946G  | 60.85    | 74.00    | -13.15 | 53.75  | 3    | Vertical  | 163     | 2.17   | -       | 38.61 | 11.65 | 43.16 |  |  |  |
| AV   | 12.39206G | 47.43    | 54.00    | -6.57  | 40.33  | 3    | Vertical  | 163     | 2.17   | -       | 38.62 | 11.65 | 43.17 |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6195MHz\_TX




EUT\_Z\_4TX  
setting 96  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.393G   | 56.95    | 74.00    | -17.05 | 49.85  | 3    | Horizontal | 85      | 1.99   | -       | 38.61 | 11.65 | 43.16 |  |  |  |
| AV   | 12.39204G | 44.96    | 54.00    | -9.04  | 37.86  | 3    | Horizontal | 85      | 1.99   | -       | 38.62 | 11.65 | 43.17 |  |  |  |

## 5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

### 6195MHz\_TX




EUT\_Z\_4TX  
setting 96  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.5762G     | 61.91             | 83.54             | -21.63         | 58.57         | 1           | Vertical  | 165.5          | 1.82          | -       | 37.70      | 15.27      | 49.63      |  |  |  |
| AV   | 18.58712G    | 46.89             | 63.54             | -16.65         | 43.54         | 1           | Vertical  | 165.5          | 1.82          | -       | 37.70      | 15.27      | 49.62      |  |  |  |
| PK   | 24.78462G    | 79.46             | 97.74             | -18.28         | 69.29         | 1           | Vertical  | 237.7          | 1.80          | -       | 39.30      | 17.52      | 46.65      |  |  |  |
| RMS  | 24.78096G    | 65.67             | 77.74             | -12.07         | 55.50         | 1           | Vertical  | 237.7          | 1.80          | -       | 39.30      | 17.52      | 46.65      |  |  |  |
| PK   | 30.97188G    | 65.58             | 97.74             | -32.16         | 50.45         | 1           | Vertical  | 210.1          | 1.80          | -       | 40.49      | 19.99      | 45.35      |  |  |  |
| RMS  | 30.97224G    | 49.57             | 77.74             | -28.17         | 34.44         | 1           | Vertical  | 210.1          | 1.80          | -       | 40.49      | 19.99      | 45.35      |  |  |  |
| PK   | 37.16856G    | 60.96             | 97.74             | -36.78         | 43.34         | 1           | Vertical  | 222            | 1.56          | -       | 42.45      | 21.23      | 46.06      |  |  |  |
| RMS  | 37.1676G     | 47.41             | 77.74             | -30.33         | 29.80         | 1           | Vertical  | 222            | 1.56          | -       | 42.44      | 21.23      | 46.06      |  |  |  |

## 5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

### 6195MHz\_TX




EUT\_Z\_4TX  
setting 96  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.58152G    | 56.27             | 83.54             | -27.27         | 52.92         | 1           | Horizontal | 193            | 1.80          | -       | 37.70      | 15.27      | 49.62      |  |  |  |
| PK   | 24.7842G     | 79.24             | 97.74             | -18.50         | 69.07         | 1           | Horizontal | 190            | 1.97          | -       | 39.30      | 17.52      | 46.65      |  |  |  |
| RMS  | 24.77724G    | 64.94             | 97.74             | -32.80         | 54.77         | 1           | Horizontal | 190            | 1.97          | -       | 39.30      | 17.52      | 46.65      |  |  |  |
| PK   | 30.96918G    | 58.38             | 97.74             | -39.36         | 43.26         | 1           | Horizontal | 268            | 1.80          | -       | 40.48      | 19.99      | 45.35      |  |  |  |
| PK   | 37.1766G     | 60.55             | 97.74             | -37.19         | 42.87         | 1           | Horizontal | 185            | 1.60          | -       | 42.51      | 21.24      | 46.07      |  |  |  |
| RMS  | 30.97218G    | 45.03             | 77.74             | -32.71         | 29.90         | 1           | Horizontal | 268            | 1.80          | -       | 40.49      | 19.99      | 45.35      |  |  |  |
| RMS  | 37.14G       | 40.76             | 77.74             | -36.98         | 23.26         | 1           | Horizontal | 186            | 1.60          | -       | 42.32      | 21.23      | 46.05      |  |  |  |
| AV   | 18.615G      | 36.92             | 63.54             | -26.62         | 33.52         | 1           | Horizontal | 193            | 1.80          | -       | 37.73      | 15.27      | 49.60      |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT\_Z\_4TX  
setting 88  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.83354G    | 56.62             | 88.20             | -31.58         | 48.51         | 3           | Vertical  | 210            | 2.25          | -       | 39.13      | 11.80      | 42.82      |  |  |  |
| RMS  | 12.82688G    | 43.45             | 68.20             | -24.75         | 35.36         | 3           | Vertical  | 210            | 2.25          | -       | 39.11      | 11.80      | 42.82      |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6415MHz\_TX




EUT\_Z\_4TX  
setting 88  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.82668G | 56.70    | 88.20    | -31.50 | 48.61  | 3    | Horizontal | 208     | 1.17   | -       | 39.11 | 11.80 | 42.82 |  |  |  |
| RMS  | 12.83276G | 43.42    | 68.20    | -24.78 | 35.31  | 3    | Horizontal | 208     | 1.17   | -       | 39.13 | 11.80 | 42.82 |  |  |  |

## 5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

### 6415MHz\_TX




EUT\_Z\_4TX  
setting 88  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.2384G     | 64.02             | 74.00             | -9.98          | 60.36         | 1           | Vertical  | 201.5          | 1.76          | -       | 37.92      | 15.24      | 49.50      |  |  |  |
| AV   | 19.24974G    | 49.35             | 63.54             | -14.19         | 45.72         | 1           | Vertical  | 201.5          | 1.76          | -       | 37.90      | 15.24      | 49.51      |  |  |  |
| PK   | 25.65508G    | 72.43             | 97.74             | -25.31         | 61.68         | 1           | Vertical  | 44.5           | 1.85          | -       | 39.28      | 17.65      | 46.18      |  |  |  |
| RMS  | 25.6525G     | 58.50             | 77.74             | -19.24         | 47.74         | 1           | Vertical  | 44.5           | 1.85          | -       | 39.29      | 17.65      | 46.18      |  |  |  |
| PK   | 32.07956G    | 55.16             | 97.74             | -42.58         | 39.42         | 1           | Vertical  | 235            | 1.73          | -       | 40.82      | 20.21      | 45.29      |  |  |  |
| RMS  | 32.07242G    | 39.98             | 77.74             | -37.76         | 24.19         | 1           | Vertical  | 235            | 1.73          | -       | 40.87      | 20.21      | 45.29      |  |  |  |
| PK   | 38.49108G    | 61.02             | 97.74             | -36.72         | 42.68         | 1           | Vertical  | 56             | 2.07          | -       | 43.91      | 21.13      | 46.70      |  |  |  |
| RMS  | 38.48928G    | 46.33             | 77.74             | -31.41         | 27.97         | 1           | Vertical  | 56             | 2.07          | -       | 43.93      | 21.13      | 46.70      |  |  |  |

## 5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

## 6415MHz\_TX




EUT\_Z\_4TX  
setting 88  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.25286G    | 65.76             | 83.54             | -17.78         | 62.12         | 1           | Horizontal | 248            | 1.75          | -       | 37.91      | 15.24      | 49.51      |  |  |  |
| AV   | 19.25208G    | 50.56             | 63.54             | -12.98         | 46.93         | 1           | Horizontal | 248            | 1.75          | -       | 37.90      | 15.24      | 49.51      |  |  |  |
| PK   | 25.66726G    | 69.98             | 97.74             | -27.76         | 59.28         | 1           | Horizontal | 113            | 2.33          | -       | 39.23      | 17.65      | 46.18      |  |  |  |
| RMS  | 25.6579G     | 55.85             | 77.74             | -21.89         | 45.11         | 1           | Horizontal | 113            | 2.33          | -       | 39.27      | 17.65      | 46.18      |  |  |  |
| PK   | 32.0636G     | 51.21             | 97.74             | -46.53         | 35.37         | 1           | Horizontal | 342            | 2.05          | -       | 40.92      | 20.21      | 45.29      |  |  |  |
| RMS  | 32.08172G    | 38.24             | 77.74             | -39.50         | 22.51         | 1           | Horizontal | 342            | 2.05          | -       | 40.81      | 20.21      | 45.29      |  |  |  |
| PK   | 38.48598G    | 60.59             | 88.20             | -27.61         | 42.19         | 1           | Horizontal | 227            | 1.84          | -       | 43.97      | 21.13      | 46.70      |  |  |  |
| RMS  | 38.49282G    | 45.07             | 77.74             | -32.67         | 26.75         | 1           | Horizontal | 227            | 1.84          | -       | 43.89      | 21.13      | 46.70      |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT\_Z\_4TX  
setting 89  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.06704G | 57.46    | 88.20    | -30.74 | 48.77  | 3    | Vertical  | 323     | 1.50   | -       | 39.47 | 11.88 | 42.66 |  |  |  |
| RMS  | 13.07108G | 44.16    | 68.20    | -24.04 | 35.47  | 3    | Vertical  | 323     | 1.50   | -       | 39.48 | 11.88 | 42.67 |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT\_Z\_4TX  
setting 89  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.06732G | 57.28    | 88.20    | -30.92 | 48.59  | 3    | Horizontal | 263     | 2.92   | -       | 39.47 | 11.88 | 42.66 |  |  |  |
| RMS  | 13.06942G | 44.10    | 68.20    | -24.10 | 35.41  | 3    | Horizontal | 263     | 2.92   | -       | 39.48 | 11.88 | 42.67 |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT\_Z\_4TX  
setting 95  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.60053G    | 75.08             | 83.54             | -8.46          | 73.74         | 1           | Vertical  | 273.2          | 1.81          | -       | 37.80      | 15.22      | 51.68      |  |  |  |
| AV   | 19.60695G    | 59.15             | 63.54             | -4.39          | 57.78         | 1           | Vertical  | 273.2          | 1.81          | -       | 37.84      | 15.22      | 51.69      |  |  |  |
| PK   | 26.13547G    | 68.88             | 97.74             | -28.86         | 61.07         | 1           | Vertical  | 342            | 1.87          | -       | 39.30      | 17.78      | 49.27      |  |  |  |
| RMS  | 26.13334G    | 54.22             | 77.74             | -23.52         | 46.41         | 1           | Vertical  | 342            | 1.87          | -       | 39.30      | 17.78      | 49.27      |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6535MHz\_TX




EUT\_Z\_4TX  
setting 95  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.60284G    | 74.59             | 83.54             | -8.95          | 73.23         | 1           | Horizontal | 179            | 1.67          | -       | 37.82      | 15.22      | 51.68      |  |  |  |
| AV   | 19.60476G    | 59.60             | 63.54             | -3.94          | 58.23         | 1           | Horizontal | 179            | 1.67          | -       | 37.83      | 15.22      | 51.68      |  |  |  |
| PK   | 26.14195G    | 66.22             | 97.74             | -31.52         | 58.40         | 1           | Horizontal | 232            | 1.60          | -       | 39.30      | 17.79      | 49.27      |  |  |  |
| RMS  | 26.13346G    | 51.63             | 77.74             | -26.11         | 43.82         | 1           | Horizontal | 232            | 1.60          | -       | 39.30      | 17.78      | 49.27      |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT\_Z\_4TX  
setting 96  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.3868G  | 57.14    | 74.00    | -16.86 | 47.82  | 3    | Vertical  | 235     | 1.20   | -       | 40.07 | 11.99 | 42.74 |  |  |  |
| AV   | 13.38631G | 44.40    | 54.00    | -9.60  | 35.07  | 3    | Vertical  | 235     | 1.20   | -       | 40.07 | 11.99 | 42.73 |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT\_Z\_4TX  
setting 96  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.38985G    | 57.63             | 74.00             | -16.37         | 48.30         | 3           | Horizontal | 22             | 1.38          | -       | 40.08      | 11.99      | 42.74      |  |  |  |
| AV   | 13.38515G    | 44.37             | 54.00             | -9.63          | 35.04         | 3           | Horizontal | 22             | 1.38          | -       | 40.07      | 11.99      | 42.73      |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


6695MHz\_TX

EUT\_Z\_4TX  
setting 96  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.08854G    | 71.11             | 83.54             | -12.43         | 67.24         | 1           | Vertical  | 323            | 1.80          | -       | 37.85      | 15.27      | 49.25      |  |  |  |
| AV   | 20.08404G    | 58.77             | 63.54             | -4.77          | 54.91         | 1           | Vertical  | 323            | 1.80          | -       | 37.84      | 15.27      | 49.25      |  |  |  |
| PK   | 26.78204G    | 70.31             | 97.74             | -27.43         | 58.24         | 1           | Vertical  | 201            | 1.80          | -       | 39.87      | 18.17      | 45.97      |  |  |  |
| RMS  | 26.78282G    | 56.97             | 77.74             | -20.77         | 44.90         | 1           | Vertical  | 201            | 1.80          | -       | 39.87      | 18.17      | 45.97      |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


6695MHz\_TX

EUT\_Z\_4TX  
setting 96  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.08422G    | 73.03             | 83.54             | -10.51         | 69.17         | 1           | Horizontal | 168            | 1.54          | -       | 37.84      | 15.27      | 49.25      |  |  |  |
| AV   | 20.08434G    | 60.05             | 63.54             | -3.49          | 56.19         | 1           | Horizontal | 168            | 1.54          | -       | 37.84      | 15.27      | 49.25      |  |  |  |
| PK   | 26.77142G    | 73.10             | 97.74             | -24.64         | 61.00         | 1           | Horizontal | 224.2          | 1.59          | -       | 39.91      | 18.16      | 45.97      |  |  |  |
| RMS  | 26.7809G     | 59.68             | 77.74             | -18.06         | 47.60         | 1           | Horizontal | 224.2          | 1.59          | -       | 39.88      | 18.17      | 45.97      |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6855MHz\_TX




EUT\_Z\_4TX  
setting 96  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.70989G    | 58.17             | 88.20             | -30.03         | 48.26         | 3           | Vertical  | 94             | 1.42          | -       | 40.44      | 12.10      | 42.63      |  |  |  |
| RMS  | 13.7062G     | 44.85             | 68.20             | -23.35         | 34.97         | 3           | Vertical  | 94             | 1.42          | -       | 40.42      | 12.10      | 42.64      |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

6855MHz\_TX




EUT\_Z\_4TX  
setting 96  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.70619G    | 57.97             | 88.20             | -30.23         | 48.09         | 3           | Horizontal | 1              | 1.59          | -       | 40.42      | 12.10      | 42.64      |  |  |  |
| RMS  | 13.71083G    | 45.03             | 68.20             | -23.17         | 35.12         | 3           | Horizontal | 1              | 1.59          | -       | 40.44      | 12.10      | 42.63      |  |  |  |

## 6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

### 6855MHz\_TX




EUT\_Z\_4TX  
setting 96  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.56596G    | 70.66             | 83.54             | -12.88         | 66.19         | 1           | Vertical  | 220            | 1.69          | -       | 37.93      | 15.65      | 49.11      |  |  |  |
| AV   | 20.5653G     | 57.70             | 63.54             | -5.84          | 53.23         | 1           | Vertical  | 220            | 1.69          | -       | 37.93      | 15.65      | 49.11      |  |  |  |
| PK   | 27.42438G    | 71.18             | 97.74             | -26.56         | 58.45         | 1           | Vertical  | 219            | 1.80          | -       | 39.85      | 18.55      | 45.67      |  |  |  |
| RMS  | 27.4203G     | 58.04             | 77.74             | -19.70         | 45.30         | 1           | Vertical  | 219            | 1.80          | -       | 39.86      | 18.55      | 45.67      |  |  |  |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX


6855MHz\_TX

EUT\_Z\_4TX  
setting 96  
03-S-5-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.56218G    | 65.56             | 83.54             | -17.98         | 61.10         | 1           | Horizontal | 228            | 1.80          | -       | 37.92      | 15.65      | 49.11      |  |  |  |
| AV   | 20.56242G    | 52.60             | 63.54             | -10.94         | 48.14         | 1           | Horizontal | 228            | 1.80          | -       | 37.92      | 15.65      | 49.11      |  |  |  |
| PK   | 27.41262G    | 72.78             | 97.74             | -24.96         | 60.04         | 1           | Horizontal | 216            | 1.55          | -       | 39.87      | 18.55      | 45.68      |  |  |  |
| RMS  | 27.41304G    | 59.98             | 77.74             | -17.76         | 47.23         | 1           | Horizontal | 216            | 1.55          | -       | 39.87      | 18.55      | 45.67      |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_Z\_4TX  
setting 71  
03-S-S-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.921G       | 86.47             | 88.20             | -1.73          | 79.40         | 3           | Vertical  | 235            | 2.56          | -       | 34.54      | 7.63       | 35.10      |  |  |  |
| RMS  | 5.925G       | 68.14             | 68.20             | -0.06          | 61.06         | 3           | Vertical  | 235            | 2.56          | -       | 34.55      | 7.63       | 35.10      |  |  |  |
| PK   | 5.971G       | 120.07            | Inf               | -Inf           | 112.93        | 3           | Vertical  | 235            | 2.56          | -       | 34.60      | 7.67       | 35.13      |  |  |  |
| RMS  | 5.9726G      | 108.58            | Inf               | -Inf           | 101.44        | 3           | Vertical  | 235            | 2.56          | -       | 34.60      | 7.67       | 35.13      |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_Z\_4TX  
setting 71  
03-S-5-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9222G      | 71.19             | 88.20             | -17.01         | 64.12         | 3           | Horizontal | 199            | 2.63          | -       | 34.54      | 7.63       | 35.10      |  |  |  |
| RMS  | 5.9246G      | 54.94             | 68.20             | -13.26         | 47.86         | 3           | Horizontal | 199            | 2.63          | -       | 34.55      | 7.63       | 35.10      |  |  |  |
| PK   | 5.963G       | 105.61            | Inf               | -Inf           | 98.47         | 3           | Horizontal | 199            | 2.63          | -       | 34.60      | 7.66       | 35.12      |  |  |  |
| RMS  | 5.9742G      | 94.07             | Inf               | -Inf           | 86.93         | 3           | Horizontal | 199            | 2.63          | -       | 34.60      | 7.67       | 35.13      |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_Z\_4TX  
setting 71  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.93258G | 55.20    | 74.00    | -18.80 | 47.75  | 3    | Vertical  | 267     | 1.99   | -       | 39.20 | 11.48 | 43.23 |  |  |  |
| AV   | 11.93327G | 42.29    | 54.00    | -11.71 | 34.84  | 3    | Vertical  | 267     | 1.99   | -       | 39.20 | 11.48 | 43.23 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_Z\_4TX  
setting 71  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.92823G | 55.38    | 74.00    | -18.62 | 47.93  | 3    | Horizontal | 269     | 1.75   | -       | 39.20 | 11.48 | 43.23 |  |  |  |
| AV   | 11.93061G | 42.31    | 54.00    | -11.69 | 34.86  | 3    | Horizontal | 269     | 1.75   | -       | 39.20 | 11.48 | 43.23 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX


5965MHz\_TX

EUT\_Z\_4TX  
setting 71  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.85976G | 48.61    | 83.54    | -34.93 | 39.61  | 1    | Vertical  | 201     | 1.40   | -       | 38.80 | 17.36 | 47.16 |  |  |  |
| AV   | 23.85988G | 41.78    | 63.54    | -21.76 | 32.78  | 1    | Vertical  | 201     | 1.40   | -       | 38.80 | 17.36 | 47.16 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

5965MHz\_TX




EUT\_Z\_4TX  
setting 71  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.85964G | 48.49    | 83.54    | -35.05 | 39.49  | 1    | Horizontal | 200     | 1.67   | -       | 38.80 | 17.36 | 47.16 |  |  |  |
| AV   | 23.85982G | 41.14    | 63.54    | -22.40 | 32.14  | 1    | Horizontal | 200     | 1.67   | -       | 38.80 | 17.36 | 47.16 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT\_Z\_4TX  
setting 96  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.40584G | 56.98    | 74.00    | -17.02 | 49.88  | 3    | Vertical  | 46      | 2.94   | -       | 38.60 | 11.66 | 43.16 |  |  |  |
| AV   | 12.40528G | 42.72    | 54.00    | -11.28 | 35.62  | 3    | Vertical  | 46      | 2.94   | -       | 38.60 | 11.66 | 43.16 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT\_Z\_4TX  
setting 96  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.40903G | 56.51    | 74.00    | -17.49 | 49.41  | 3    | Horizontal | 256     | 1.54   | -       | 38.60 | 11.66 | 43.16 |  |  |  |
| AV   | 12.40534G | 42.88    | 54.00    | -11.12 | 35.78  | 3    | Horizontal | 256     | 1.54   | -       | 38.60 | 11.66 | 43.16 |  |  |  |

## 5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

## 6205MHz\_TX




EUT\_Z\_4TX  
setting 96  
03-S-5-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.60012G    | 54.69             | 83.54             | -28.85         | 51.33         | 1           | Vertical  | 163            | 2.03          | -       | 37.70      | 15.27      | 49.61      |  |  |  |
| AV   | 18.60798G    | 41.14             | 63.54             | -22.40         | 37.76         | 1           | Vertical  | 163            | 2.03          | -       | 37.72      | 15.27      | 49.61      |  |  |  |
| PK   | 24.81976G    | 78.09             | 97.74             | -19.65         | 67.90         | 1           | Vertical  | 236            | 1.80          | -       | 39.30      | 17.52      | 46.63      |  |  |  |
| RMS  | 24.79954G    | 59.02             | 77.74             | -18.72         | 48.84         | 1           | Vertical  | 236            | 1.80          | -       | 39.30      | 17.52      | 46.64      |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6205MHz\_TX




EUT\_Z\_4TX  
setting 96  
03-S-5-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.61575G    | 54.80             | 83.54             | -28.74         | 51.40         | 1           | Horizontal | 266            | 1.89          | -       | 37.73      | 15.27      | 49.60      |  |  |  |
| AV   | 18.60985G    | 40.15             | 63.54             | -23.39         | 36.77         | 1           | Horizontal | 266            | 1.89          | -       | 37.72      | 15.27      | 49.61      |  |  |  |
| PK   | 24.81994G    | 78.69             | 97.74             | -19.05         | 68.50         | 1           | Horizontal | 191.3          | 1.86          | -       | 39.30      | 17.52      | 46.63      |  |  |  |
| RMS  | 24.799G      | 60.40             | 77.74             | -17.34         | 50.22         | 1           | Horizontal | 191.3          | 1.86          | -       | 39.30      | 17.52      | 46.64      |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_Z\_4TX  
setting 87  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.81304G | 56.37    | 88.20    | -31.83 | 48.36  | 3    | Vertical  | 266     | 1.28   | -       | 39.05 | 11.80 | 42.84 |  |  |  |
| RMS  | 12.81077G | 42.56    | 68.20    | -25.64 | 34.56  | 3    | Vertical  | 266     | 1.28   | -       | 39.04 | 11.80 | 42.84 |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_Z\_4TX  
setting 87  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.8064G     | 56.51             | 88.20             | -31.69         | 48.53         | 3           | Horizontal | 55             | 1.87          | -       | 39.03      | 11.79      | 42.84      |  |  |  |
| RMS  | 12.81228G    | 42.57             | 68.20             | -25.63         | 34.56         | 3           | Horizontal | 55             | 1.87          | -       | 39.05      | 11.80      | 42.84      |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_Z\_4TX  
setting 87  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 19.19595G | 45.62    | 83.54    | -37.92 | 41.87  | 1    | Vertical  | 296     | 1.88   | -       | 37.98 | 15.24 | 49.47 |  |  |  |  |
| AV   | 19.2152G  | 31.76    | 63.54    | -31.78 | 28.04  | 1    | Vertical  | 296     | 1.88   | -       | 37.97 | 15.24 | 49.49 |  |  |  |  |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6405MHz\_TX




EUT\_Z\_4TX  
setting 87  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.19715G | 44.78    | 83.54    | -38.76 | 41.03  | 1    | Horizontal | 242     | 2.57   | -       | 37.98 | 15.24 | 49.47 |  |  |  |
| AV   | 19.21705G | 31.71    | 63.54    | -31.83 | 27.99  | 1    | Horizontal | 242     | 2.57   | -       | 37.97 | 15.24 | 49.49 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_Z\_4TX  
Setting 89  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.12874G | 57.85    | 88.20    | -30.35 | 49.03  | 3    | Vertical  | 224     | 1.90   | -       | 39.60 | 11.90 | 42.68 |  |  |  |
| RMS  | 13.12922G | 43.80    | 68.20    | -24.40 | 34.98  | 3    | Vertical  | 224     | 1.90   | -       | 39.60 | 11.90 | 42.68 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_Z\_4TX  
Setting 89  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.13356G    | 57.59             | 88.20             | -30.61         | 48.76         | 3           | Horizontal | 14             | 1.25          | -       | 39.60      | 11.91      | 42.68      |  |  |  |
| RMS  | 13.12731G    | 43.93             | 68.20             | -24.27         | 35.11         | 3           | Horizontal | 14             | 1.25          | -       | 39.60      | 11.90      | 42.68      |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_Z\_4TX  
Setting 89  
03-S-S-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.6969G | 44.43    | 83.54    | -39.11 | 40.91  | 1    | Vertical  | 274     | 2.94   | -       | 37.82 | 15.22 | 49.52 |  |  |  |
| AV   | 19.7192G | 31.10    | 63.54    | -32.44 | 27.55  | 1    | Vertical  | 274     | 2.94   | -       | 37.84 | 15.21 | 49.50 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TX




EUT\_Z\_4TX  
Setting 89  
03-S-S-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.7143G | 44.09    | 83.54    | -39.45 | 40.55  | 1    | Horizontal | 256     | 1.22   | -       | 37.83 | 15.21 | 49.50 |  |  |  |
| AV   | 19.6977G | 31.02    | 63.54    | -32.52 | 27.51  | 1    | Horizontal | 256     | 1.22   | -       | 37.81 | 15.22 | 49.52 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_Z\_4TX  
Setting 93  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.37127G    | 57.76             | 74.00             | -16.24         | 48.46         | 3           | Vertical  | 258            | 2.97          | -       | 40.04      | 11.99      | 42.73      |  |  |  |
| AV   | 13.36558G    | 44.06             | 54.00             | -9.94          | 34.78         | 3           | Vertical  | 258            | 2.97          | -       | 40.03      | 11.98      | 42.73      |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_Z\_4TX  
Setting 93  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.36575G | 58.12    | 74.00    | -15.88 | 48.84  | 3    | Horizontal | 319     | 1.25   | -       | 40.03 | 11.98 | 42.73 |  |  |  |
| AV   | 13.37027G | 44.10    | 54.00    | -9.90  | 34.80  | 3    | Horizontal | 319     | 1.25   | -       | 40.04 | 11.99 | 42.73 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6685MHz\_TX




EUT\_Z\_4TX  
Setting 93  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.02908G    | 70.89             | 83.54             | -12.65         | 67.19         | 1           | Vertical  | 317.2          | 1.80          | -       | 37.74      | 15.22      | 49.26      |  |  |  |
| AV   | 20.05104G    | 56.34             | 63.54             | -7.20          | 52.66         | 1           | Vertical  | 317.2          | 1.80          | -       | 37.70      | 15.24      | 49.26      |  |  |  |
| PK   | 26.73676G    | 72.64             | 97.74             | -25.10         | 60.41         | 1           | Vertical  | 200            | 1.80          | -       | 40.05      | 18.14      | 45.96      |  |  |  |
| RMS  | 26.74654G    | 58.10             | 77.74             | -19.64         | 45.90         | 1           | Vertical  | 200            | 1.80          | -       | 40.01      | 18.15      | 45.96      |  |  |  |

## 6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

### 6685MHz\_TX




EUT\_Z\_4TX  
Setting 93  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.04192G    | 75.49             | 83.54             | -8.05          | 71.80         | 1           | Horizontal | 194            | 1.67          | -       | 37.72      | 15.23      | 49.26      |  |  |  |
| AV   | 20.05374G    | 61.17             | 63.54             | -2.37          | 57.48         | 1           | Horizontal | 194            | 1.67          | -       | 37.71      | 15.24      | 49.26      |  |  |  |
| PK   | 26.7535G     | 73.27             | 97.74             | -24.47         | 61.09         | 1           | Horizontal | 224            | 1.59          | -       | 39.99      | 18.15      | 45.96      |  |  |  |
| RMS  | 26.73442G    | 59.17             | 77.74             | -18.57         | 46.93         | 1           | Horizontal | 224            | 1.59          | -       | 40.06      | 18.14      | 45.96      |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6845MHz\_TX




EUT\_Z\_4TX  
Setting 96  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.68523G | 58.74    | 88.20    | -29.46 | 48.90  | 3    | Vertical  | 175     | 1.98   | -       | 40.40 | 12.09 | 42.65 |  |  |  |
| RMS  | 13.68538G | 44.33    | 68.20    | -23.87 | 34.49  | 3    | Vertical  | 175     | 1.98   | -       | 40.40 | 12.09 | 42.65 |  |  |  |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

6845MHz\_TX




EUT\_Z\_4TX  
Setting 96  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.69365G | 58.08    | 88.20    | -30.12 | 48.22  | 3    | Horizontal | 142     | 1.90   | -       | 40.40 | 12.10 | 42.64 |  |  |  |
| RMS  | 13.68722G | 44.36    | 68.20    | -23.84 | 34.52  | 3    | Horizontal | 142     | 1.90   | -       | 40.40 | 12.09 | 42.65 |  |  |  |

## 6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

### 6845MHz\_TX




EUT\_Z\_4TX  
Setting 96  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.5443G     | 69.05             | 83.54             | -14.49         | 64.66         | 1           | Vertical  | 352            | 1.80          | -       | 37.87      | 15.64      | 49.12      |  |  |  |
| AV   | 20.5344G     | 53.99             | 63.54             | -9.55          | 49.67         | 1           | Vertical  | 352            | 1.80          | -       | 37.81      | 15.63      | 49.12      |  |  |  |
| PK   | 27.37292G    | 70.51             | 97.74             | -27.23         | 57.85         | 1           | Vertical  | 219            | 1.80          | -       | 39.85      | 18.52      | 45.71      |  |  |  |
| RMS  | 27.38264G    | 56.50             | 77.74             | -21.24         | 43.80         | 1           | Vertical  | 219            | 1.80          | -       | 39.87      | 18.53      | 45.70      |  |  |  |

## 6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

### 6845MHz\_TX




EUT\_Z\_4TX  
Setting 96  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.5554G     | 67.50             | 83.54             | -16.04         | 63.06         | 1           | Horizontal | 225.9          | 1.86          | -       | 37.91      | 15.64      | 49.11      |  |  |  |
| AV   | 20.54004G    | 54.06             | 63.54             | -9.48          | 49.71         | 1           | Horizontal | 225.9          | 1.86          | -       | 37.84      | 15.63      | 49.12      |  |  |  |
| PK   | 27.38504G    | 73.02             | 97.74             | -24.72         | 60.32         | 1           | Horizontal | 249            | 1.59          | -       | 39.87      | 18.53      | 45.70      |  |  |  |
| RMS  | 27.38204G    | 58.45             | 77.74             | -19.29         | 45.76         | 1           | Horizontal | 249            | 1.59          | -       | 39.86      | 18.53      | 45.70      |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_Z\_4TX  
Setting 71  
03-S-5-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9234G      | 83.26             | 88.20             | -4.94          | 76.18         | 3           | Vertical  | 73.8           | 2.55          | -       | 34.55      | 7.63       | 35.10      |  |  |  |
| RMS  | 5.9241G      | 68.16             | 68.20             | -0.04          | 61.08         | 3           | Vertical  | 73.8           | 2.55          | -       | 34.55      | 7.63       | 35.10      |  |  |  |
| PK   | 6.0151G      | 116.23            | Inf               | -Inf           | 109.05        | 3           | Vertical  | 73.8           | 2.55          | -       | 34.60      | 7.71       | 35.13      |  |  |  |
| RMS  | 5.9724G      | 104.64            | Inf               | -Inf           | 97.50         | 3           | Vertical  | 73.8           | 2.55          | -       | 34.60      | 7.67       | 35.13      |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_Z\_4TX  
Setting 71  
03-S-5-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9157G      | 69.82             | 88.20             | -18.38         | 62.77         | 3           | Horizontal | 197.6          | 2.13          | -       | 34.53      | 7.62       | 35.10      |  |  |  |
| RMS  | 5.9248G      | 54.00             | 68.20             | -14.20         | 46.92         | 3           | Horizontal | 197.6          | 2.13          | -       | 34.55      | 7.63       | 35.10      |  |  |  |
| PK   | 5.9892G      | 101.86            | Inf               | -Inf           | 94.71         | 3           | Horizontal | 197.6          | 2.13          | -       | 34.60      | 7.68       | 35.13      |  |  |  |
| RMS  | 5.9948G      | 90.58             | Inf               | -Inf           | 83.43         | 3           | Horizontal | 197.6          | 2.13          | -       | 34.60      | 7.69       | 35.14      |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_Z\_4TX  
Setting 71  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.96732G    | 56.10             | 74.00             | -17.90         | 48.66         | 3           | Vertical  | 250            | 1.80          | -       | 39.17      | 11.50      | 43.23      |  |  |  |
| AV   | 11.96759G    | 42.50             | 54.00             | -11.50         | 35.07         | 3           | Vertical  | 250            | 1.80          | -       | 39.16      | 11.50      | 43.23      |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_Z\_4TX  
Setting 71  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.96825G | 55.75    | 74.00    | -18.25 | 48.32  | 3    | Horizontal | 117     | 2.39   | -       | 39.16 | 11.50 | 43.23 |  |  |  |
| AV   | 11.97475G | 42.46    | 54.00    | -11.54 | 35.02  | 3    | Horizontal | 117     | 2.39   | -       | 39.15 | 11.51 | 43.22 |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_Z\_4TX  
Setting 71  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 23.9299G  | 45.89    | 83.54    | -37.65 | 36.78  | 1    | Vertical  | 256     | 2.23   | -       | 38.86 | 17.38 | 47.13 |  |  |  |
| AV   | 23.95685G | 32.89    | 63.54    | -30.65 | 23.68  | 1    | Vertical  | 256     | 2.23   | -       | 38.93 | 17.39 | 47.11 |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

5985MHz\_TX




EUT\_Z\_4TX  
Setting 71  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 23.96455G    | 45.64             | 83.54             | -37.90         | 36.40         | 1           | Horizontal | 324            | 1.67          | -       | 38.96      | 17.39      | 47.11      |  |  |  |
| AV   | 23.96025G    | 32.90             | 63.54             | -30.64         | 23.68         | 1           | Horizontal | 324            | 1.67          | -       | 38.94      | 17.39      | 47.11      |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6225MHz\_TX




EUT\_Z\_4TX  
Setting 96  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.44744G | 55.90    | 74.00    | -18.10 | 48.79  | 3    | Vertical  | 106     | 1.97   | -       | 38.60 | 11.67 | 43.16 |  |  |  |
| AV   | 12.44503G | 42.35    | 54.00    | -11.65 | 35.24  | 3    | Vertical  | 106     | 1.97   | -       | 38.60 | 11.67 | 43.16 |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6225MHz\_TX




EUT\_Z\_4TX  
Setting 96  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.44586G | 55.85    | 74.00    | -18.15 | 48.74  | 3    | Horizontal | 292     | 1.00   | -       | 38.60 | 11.67 | 43.16 |  |  |  |
| AV   | 12.44768G | 42.32    | 54.00    | -11.68 | 35.21  | 3    | Horizontal | 292     | 1.00   | -       | 38.60 | 11.67 | 43.16 |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6225MHz\_TX




EUT\_Z\_4TX  
Setting 96  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.6852G     | 53.94             | 83.54             | -29.60         | 50.56         | 1           | Vertical  | 184.1          | 1.80          | -       | 37.66      | 15.27      | 49.55      |  |  |  |
| AV   | 18.68736G    | 40.00             | 63.54             | -23.54         | 36.63         | 1           | Vertical  | 184.1          | 1.80          | -       | 37.65      | 15.27      | 49.55      |  |  |  |
| PK   | 24.92958G    | 71.28             | 97.74             | -26.46         | 61.11         | 1           | Vertical  | 206            | 1.92          | -       | 39.20      | 17.54      | 46.57      |  |  |  |
| RMS  | 24.922226G   | 57.69             | 77.74             | -20.05         | 47.52         | 1           | Vertical  | 206            | 1.92          | -       | 39.20      | 17.54      | 46.57      |  |  |  |

## 5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

## 6225MHz\_TX




EUT\_Z\_4TX  
Setting 96  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.65742G    | 51.90             | 83.54             | -31.64         | 48.43         | 1           | Horizontal | 190            | 1.78          | -       | 37.77      | 15.27      | 49.57      |  |  |  |
| AV   | 18.6708G     | 37.71             | 63.54             | -25.83         | 34.28         | 1           | Horizontal | 190            | 1.78          | -       | 37.72      | 15.27      | 49.56      |  |  |  |
| PK   | 24.90006G    | 70.63             | 97.74             | -27.11         | 60.48         | 1           | Horizontal | 190            | 1.86          | -       | 39.20      | 17.54      | 46.59      |  |  |  |
| RMS  | 24.89562G    | 56.69             | 77.74             | -21.05         | 46.54         | 1           | Horizontal | 190            | 1.86          | -       | 39.21      | 17.53      | 46.59      |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT\_Z\_4TX  
Setting 89  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.76635G | 55.45    | 88.20    | -32.75 | 47.68  | 3    | Vertical  | 152     | 2.02   | -       | 38.87 | 11.78 | 42.88 |  |  |  |
| RMS  | 12.76716G | 42.42    | 68.20    | -25.78 | 34.65  | 3    | Vertical  | 152     | 2.02   | -       | 38.87 | 11.78 | 42.88 |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT\_Z\_4TX  
Setting 89  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.7711G  | 55.42    | 88.20    | -32.78 | 47.64  | 3    | Horizontal | 252     | 2.76   | -       | 38.88 | 11.78 | 42.88 |  |  |  |
| RMS  | 12.76777G | 42.40    | 68.20    | -25.80 | 34.63  | 3    | Horizontal | 252     | 2.76   | -       | 38.87 | 11.78 | 42.88 |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT\_Z\_4TX  
Setting 89  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.1682G  | 44.06    | 83.54    | -39.48 | 40.46  | 1    | Vertical  | 176     | 1.64   | -       | 37.81 | 15.24 | 49.45 |  |  |  |
| AV   | 19.14045G | 31.45    | 63.54    | -32.09 | 27.91  | 1    | Vertical  | 176     | 1.64   | -       | 37.74 | 15.24 | 49.44 |  |  |  |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6385MHz\_TX




EUT\_Z\_4TX  
Setting 89  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.14755G | 43.87    | 83.54    | -39.67 | 40.36  | 1    | Horizontal | 109     | 2.07   | -       | 37.71 | 15.24 | 49.44 |  |  |  |
| AV   | 19.13115G | 31.44    | 63.54    | -32.10 | 27.85  | 1    | Horizontal | 109     | 2.07   | -       | 37.78 | 15.24 | 49.43 |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT\_Z\_4TX  
Setting 93  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.2569G  | 57.44    | 74.00    | -16.56 | 48.29  | 3    | Vertical  | 109     | 2.85   | -       | 39.91 | 11.95 | 42.71 |  |  |  |
| AV   | 13.25943G | 43.86    | 54.00    | -10.14 | 34.70  | 3    | Vertical  | 109     | 2.85   | -       | 39.92 | 11.95 | 42.71 |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT\_Z\_4TX  
Setting 93  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.25035G    | 57.87             | 74.00             | -16.13         | 48.73         | 3           | Horizontal | 28             | 2.63          | -       | 39.90      | 11.95      | 42.71      |  |  |  |
| AV   | 13.25099G    | 43.88             | 54.00             | -10.12         | 34.74         | 3           | Horizontal | 28             | 2.63          | -       | 39.90      | 11.95      | 42.71      |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6625MHz\_TX




EUT\_Z\_4TX  
Setting 93  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.85736G    | 72.30             | 83.54             | -11.24         | 68.84         | 1           | Vertical  | 123.4          | 1.80          | -       | 37.64      | 15.21      | 49.39      |  |  |  |
| AV   | 19.87788G    | 57.55             | 63.54             | -5.99          | 53.94         | 1           | Vertical  | 123.4          | 1.80          | -       | 37.77      | 15.21      | 49.37      |  |  |  |
| PK   | 26.52448G    | 66.45             | 97.74             | -31.29         | 54.59         | 1           | Vertical  | 105            | 1.78          | -       | 39.75      | 18.01      | 45.90      |  |  |  |
| RMS  | 26.51776G    | 52.50             | 77.74             | -25.24         | 40.64         | 1           | Vertical  | 105            | 1.78          | -       | 39.74      | 18.01      | 45.89      |  |  |  |

## 6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

### 6625MHz\_TX




EUT\_Z\_4TX  
Setting 93  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.8894G     | 70.12             | 83.54             | -13.42         | 66.43         | 1           | Horizontal | 192            | 1.90          | -       | 37.84      | 15.21      | 49.36      |  |  |  |
| AV   | 19.87728G    | 56.59             | 63.54             | -6.95          | 52.99         | 1           | Horizontal | 192            | 1.90          | -       | 37.76      | 15.21      | 49.37      |  |  |  |
| PK   | 26.50108G    | 66.36             | 97.74             | -31.38         | 54.55         | 1           | Horizontal | 242            | 1.82          | -       | 39.70      | 18.00      | 45.89      |  |  |  |
| RMS  | 26.4931G     | 52.03             | 77.74             | -25.71         | 40.22         | 1           | Horizontal | 242            | 1.82          | -       | 39.70      | 18.00      | 45.89      |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT\_Z\_4TX  
Setting 96  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.40612G | 57.57    | 88.20    | -30.63 | 48.20  | 3    | Vertical  | 125     | 1.20   | -       | 40.11 | 12.00 | 42.74 |  |  |  |
| RMS  | 13.41184G | 43.94    | 68.20    | -24.26 | 34.56  | 3    | Vertical  | 125     | 1.20   | -       | 40.12 | 12.00 | 42.74 |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6705MHz\_TX




EUT\_Z\_4TX  
Setting 96  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.40952G    | 58.41             | 88.20             | -29.79         | 49.03         | 3           | Horizontal | 170            | 2.84          | -       | 40.12      | 12.00      | 42.74      |  |  |  |
| RMS  | 13.41272G    | 43.93             | 68.20             | -24.27         | 34.54         | 3           | Horizontal | 170            | 2.84          | -       | 40.13      | 12.00      | 42.74      |  |  |  |

## 6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

### 6705MHz\_TX




EUT\_Z\_4TX  
Setting 96  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.11045G    | 67.05             | 83.54             | -16.49         | 63.16         | 1           | Vertical  | 208            | 1.56          | -       | 37.84      | 15.29      | 49.24      |  |  |  |
| AV   | 20.0958G     | 53.82             | 63.54             | -9.72          | 49.91         | 1           | Vertical  | 208            | 1.56          | -       | 37.88      | 15.28      | 49.25      |  |  |  |
| PK   | 26.84005G    | 66.57             | 97.74             | -31.17         | 54.56         | 1           | Vertical  | 199            | 1.59          | -       | 39.80      | 18.20      | 45.99      |  |  |  |
| RMS  | 26.84465G    | 52.26             | 77.74             | -25.48         | 40.24         | 1           | Vertical  | 199            | 1.59          | -       | 39.80      | 18.21      | 45.99      |  |  |  |

## 6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

## 6705MHz\_TX




EUT\_Z\_4TX  
Setting 96  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.1372G     | 68.14             | 83.54             | -15.40         | 64.38         | 1           | Horizontal | 176            | 1.66          | -       | 37.68      | 15.31      | 49.23      |  |  |  |
| AV   | 20.1242G     | 54.95             | 63.54             | -8.59          | 51.14         | 1           | Horizontal | 176            | 1.66          | -       | 37.75      | 15.30      | 49.24      |  |  |  |
| PK   | 26.81465G    | 65.98             | 97.74             | -31.76         | 53.97         | 1           | Horizontal | 241            | 1.72          | -       | 39.80      | 18.19      | 45.98      |  |  |  |
| RMS  | 26.811G      | 51.57             | 77.74             | -26.17         | 39.56         | 1           | Horizontal | 241            | 1.72          | -       | 39.80      | 18.19      | 45.98      |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT\_Z\_4TX  
Setting 96  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.57006G | 57.62    | 88.20    | -30.58 | 47.89  | 3    | Vertical  | 288     | 1.35   | -       | 40.40 | 12.05 | 42.72 |  |  |  |
| RMS  | 13.56961G | 44.10    | 68.20    | -24.10 | 34.37  | 3    | Vertical  | 288     | 1.35   | -       | 40.40 | 12.05 | 42.72 |  |  |  |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

6785MHz\_TX




EUT\_Z\_4TX  
Setting 96  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.56883G | 57.63    | 88.20    | -30.57 | 47.90  | 3    | Horizontal | 104     | 1.76   | -       | 40.40 | 12.05 | 42.72 |  |  |  |
| RMS  | 13.57089G | 44.03    | 68.20    | -24.17 | 34.30  | 3    | Horizontal | 104     | 1.76   | -       | 40.40 | 12.05 | 42.72 |  |  |  |

## 6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

### 6785MHz\_TX




EUT\_Z\_4TX  
Setting 96  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.357G      | 66.28             | 83.54             | -17.26         | 61.88         | 1           | Vertical  | 353            | 1.80          | -       | 38.09      | 15.49      | 49.18      |  |  |  |
| AV   | 20.36205G    | 52.89             | 63.54             | -10.65         | 48.50         | 1           | Vertical  | 353            | 1.80          | -       | 38.08      | 15.49      | 49.18      |  |  |  |
| PK   | 27.1407G     | 67.92             | 97.74             | -29.82         | 55.53         | 1           | Vertical  | 196            | 2.07          | -       | 39.92      | 18.38      | 45.91      |  |  |  |
| RMS  | 27.12805G    | 55.08             | 77.74             | -22.66         | 42.68         | 1           | Vertical  | 196            | 2.07          | -       | 39.94      | 18.38      | 45.92      |  |  |  |

## 6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

### 6785MHz\_TX




EUT\_Z\_4TX  
Setting 96  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.36315G    | 65.97             | 83.54             | -17.57         | 61.59         | 1           | Horizontal | 200            | 1.55          | -       | 38.07      | 15.49      | 49.18      |  |  |  |
| AV   | 20.3798G     | 53.41             | 63.54             | -10.13         | 49.04         | 1           | Horizontal | 200            | 1.55          | -       | 38.04      | 15.50      | 49.17      |  |  |  |
| PK   | 27.13085G    | 65.30             | 97.74             | -32.44         | 52.90         | 1           | Horizontal | 218            | 1.63          | -       | 39.94      | 18.38      | 45.92      |  |  |  |
| RMS  | 27.14745G    | 51.80             | 77.74             | -25.94         | 39.40         | 1           | Horizontal | 218            | 1.63          | -       | 39.91      | 18.39      | 45.90      |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_Z\_4TX  
Setting 70  
03-S-5-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9144G      | 81.35             | 88.20             | -6.85          | 74.30         | 3           | Vertical  | 74             | 2.37          | -       | 34.53      | 7.62       | 35.10      |  |  |  |
| RMS  | 5.9242G      | 67.98             | 68.20             | -0.22          | 60.90         | 3           | Vertical  | 74             | 2.37          | -       | 34.55      | 7.63       | 35.10      |  |  |  |
| PK   | 6.1006G      | 111.85            | Inf               | -Inf           | 104.24        | 3           | Vertical  | 74             | 2.37          | -       | 34.90      | 7.81       | 35.10      |  |  |  |
| RMS  | 5.9585G      | 102.54            | Inf               | -Inf           | 95.40         | 3           | Vertical  | 74             | 2.37          | -       | 34.60      | 7.66       | 35.12      |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX


6025MHz\_TX

EUT\_Z\_4TX  
Setting 70  
03-S-5-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.906G       | 65.03             | 88.20             | -23.17         | 58.00         | 3           | Horizontal | 179            | 2.38          | -       | 34.51      | 7.61       | 35.09      |  |  |  |
| RMS  | 5.9235G      | 52.76             | 68.20             | -15.44         | 45.68         | 3           | Horizontal | 179            | 2.38          | -       | 34.55      | 7.63       | 35.10      |  |  |  |
| PK   | 5.948G       | 100.74            | Inf               | -Inf           | 93.61         | 3           | Horizontal | 179            | 2.38          | -       | 34.60      | 7.65       | 35.12      |  |  |  |
| RMS  | 6.053G       | 88.29             | Inf               | -Inf           | 81.04         | 3           | Horizontal | 179            | 2.38          | -       | 34.62      | 7.75       | 35.12      |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_Z\_4TX  
Setting 70  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.0493G  | 55.38    | 74.00    | -18.62 | 48.05  | 3    | Vertical  | 93      | 2.81   | -       | 39.00 | 11.54 | 43.21 |  |  |  |
| AV   | 12.04694G | 43.37    | 54.00    | -10.63 | 36.03  | 3    | Vertical  | 93      | 2.81   | -       | 39.01 | 11.54 | 43.21 |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_Z\_4TX  
Setting 70  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.05466G | 55.35    | 74.00    | -18.65 | 48.03  | 3    | Horizontal | 6       | 2.14   | -       | 38.99 | 11.54 | 43.21 |  |  |  |
| AV   | 12.04694G | 43.51    | 54.00    | -10.49 | 36.17  | 3    | Horizontal | 6       | 2.14   | -       | 39.01 | 11.54 | 43.21 |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_Z\_4TX  
Setting 70  
03-S-S-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.0764G | 45.15    | 83.54    | -38.39 | 41.82  | 1    | Vertical  | 338     | 1.21   | -       | 37.51 | 15.30 | 49.48 |  |  |  |
| AV   | 18.062G  | 32.95    | 63.54    | -30.59 | 29.67  | 1    | Vertical  | 338     | 1.21   | -       | 37.45 | 15.30 | 49.47 |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6025MHz\_TX




EUT\_Z\_4TX  
Setting 70  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.09525G | 45.47    | 83.54    | -38.07 | 42.08  | 1    | Horizontal | 51      | 2.28   | -       | 37.58 | 15.30 | 49.49 |  |  |  |
| AV   | 18.07195G | 32.93    | 63.54    | -30.61 | 29.61  | 1    | Horizontal | 51      | 2.28   | -       | 37.49 | 15.30 | 49.47 |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT\_Z\_4TX  
Setting 83  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.36835G    | 55.25             | 74.00             | -18.75         | 48.11         | 3           | Vertical  | 348            | 2.88          | -       | 38.66      | 11.65      | 43.17      |  |  |  |
| AV   | 12.37032G    | 43.70             | 54.00             | -10.30         | 36.56         | 3           | Vertical  | 348            | 2.88          | -       | 38.66      | 11.65      | 43.17      |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT\_Z\_4TX  
Setting 83  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.36577G | 55.58    | 74.00    | -18.42 | 48.44  | 3    | Horizontal | 154     | 1.04   | -       | 38.67 | 11.64 | 43.17 |  |  |  |
| AV   | 12.372G   | 43.68    | 54.00    | -10.32 | 36.54  | 3    | Horizontal | 154     | 1.04   | -       | 38.66 | 11.65 | 43.17 |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT\_Z\_4TX  
Setting 83  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.54155G | 45.08    | 83.54    | -38.46 | 41.73  | 1    | Vertical  | 221     | 2.54   | -       | 37.73 | 15.27 | 49.65 |  |  |  |
| AV   | 18.55955G | 32.80    | 63.54    | -30.74 | 29.47  | 1    | Vertical  | 221     | 2.54   | -       | 37.70 | 15.27 | 49.64 |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6185MHz\_TX




EUT\_Z\_4TX  
Setting 83  
03-S-S-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.5686G | 44.29    | 83.54    | -39.25 | 40.95  | 1    | Horizontal | 106     | 2.13   | -       | 37.70 | 15.27 | 49.63 |  |  |  |
| AV   | 18.5324G | 32.91    | 63.54    | -30.63 | 29.53  | 1    | Horizontal | 106     | 2.13   | -       | 37.77 | 15.27 | 49.66 |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT\_Z\_4TX  
Setting 85  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.68569G    | 55.46             | 74.00             | -18.54         | 47.80         | 3           | Vertical  | 348            | 1.96          | -       | 38.87      | 11.75      | 42.96      |  |  |  |
| AV   | 12.69087G    | 43.63             | 54.00             | -10.37         | 35.96         | 3           | Vertical  | 348            | 1.96          | -       | 38.88      | 11.75      | 42.96      |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT\_Z\_4TX  
Setting 85  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.68851G    | 56.07             | 74.00             | -17.93         | 48.40         | 3           | Horizontal | 36             | 2.80          | -       | 38.88      | 11.75      | 42.96      |  |  |  |
| AV   | 12.68946G    | 43.84             | 54.00             | -10.16         | 36.17         | 3           | Horizontal | 36             | 2.80          | -       | 38.88      | 11.75      | 42.96      |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT\_Z\_4TX  
Setting 85  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.04365G | 44.62    | 83.54    | -38.92 | 40.84  | 1    | Vertical  | 169     | 1.23   | -       | 37.90 | 15.25 | 49.37 |  |  |  |
| AV   | 19.02415G | 33.12    | 63.54    | -30.42 | 29.33  | 1    | Vertical  | 169     | 1.23   | -       | 37.90 | 15.25 | 49.36 |  |  |  |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6345MHz\_TX




EUT\_Z\_4TX  
Setting 85  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.04615G | 45.75    | 83.54    | -37.79 | 41.97  | 1    | Horizontal | 6       | 2.08   | -       | 37.90 | 15.25 | 49.37 |  |  |  |
| AV   | 19.03435G | 33.16    | 63.54    | -30.38 | 29.37  | 1    | Horizontal | 6       | 2.08   | -       | 37.90 | 15.25 | 49.36 |  |  |  |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT\_Z\_4TX  
Setting 85  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.33337G | 57.42    | 74.00    | -16.58 | 48.17  | 3    | Vertical  | 328     | 1.60   | -       | 40.00 | 11.97 | 42.72 |  |  |  |
| AV   | 13.32676G | 45.29    | 54.00    | -8.71  | 36.04  | 3    | Vertical  | 328     | 1.60   | -       | 40.00 | 11.97 | 42.72 |  |  |  |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT\_Z\_4TX  
Setting 85  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.32547G | 57.90    | 74.00    | -16.10 | 48.65  | 3    | Horizontal | 291     | 2.46   | -       | 40.00 | 11.97 | 42.72 |  |  |  |
| AV   | 13.32715G | 45.80    | 54.00    | -8.20  | 36.55  | 3    | Horizontal | 291     | 2.46   | -       | 40.00 | 11.97 | 42.72 |  |  |  |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT\_Z\_4TX  
Setting 85  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.98335G | 44.51    | 83.54    | -39.03 | 40.79  | 1    | Vertical  | 227     | 2.35   | -       | 37.80 | 15.20 | 49.28 |  |  |  |
| AV   | 20.0001G  | 32.38    | 63.54    | -31.16 | 28.65  | 1    | Vertical  | 227     | 2.35   | -       | 37.80 | 15.20 | 49.27 |  |  |  |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

6665MHz\_TX




EUT\_Z\_4TX  
Setting 85  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.99255G    | 44.57             | 83.54             | -38.97         | 40.85         | 1           | Horizontal | 148            | 2.86          | -       | 37.80      | 15.20      | 49.28      |  |  |  |
| AV   | 20.0191G     | 32.27             | 63.54             | -31.27         | 28.56         | 1           | Horizontal | 148            | 2.86          | -       | 37.76      | 15.22      | 49.27      |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT\_Z\_4TX  
setting 71  
03-S-5-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9242G      | 81.64             | 88.20             | -6.56          | 74.56         | 3           | Vertical  | 237            | 2.50          | -       | 34.55      | 7.63       | 35.10      |  |  |  |
| RMS  | 5.925G       | 67.78             | 68.20             | -0.42          | 60.70         | 3           | Vertical  | 237            | 2.50          | -       | 34.55      | 7.63       | 35.10      |  |  |  |
| PK   | 6.0658G      | 112.39            | Inf               | -Inf           | 105.04        | 3           | Vertical  | 237            | 2.50          | -       | 34.69      | 7.77       | 35.11      |  |  |  |
| RMS  | 6.1426G      | 101.25            | Inf               | -Inf           | 93.59         | 3           | Vertical  | 237            | 2.50          | -       | 34.90      | 7.85       | 35.09      |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT\_Z\_4TX  
setting 71  
03-S-5-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.9242G      | 64.42             | 88.20             | -23.78         | 57.34         | 3           | Horizontal | 283            | 2.57          | -       | 34.55      | 7.63       | 35.10      |  |  |  |
| RMS  | 5.9098G      | 52.06             | 68.20             | -16.14         | 45.02         | 3           | Horizontal | 283            | 2.57          | -       | 34.52      | 7.62       | 35.10      |  |  |  |
| PK   | 5.949G       | 101.75            | Inf               | -Inf           | 94.62         | 3           | Horizontal | 283            | 2.57          | -       | 34.60      | 7.65       | 35.12      |  |  |  |
| RMS  | 6.1826G      | 87.91             | Inf               | -Inf           | 80.11         | 3           | Horizontal | 283            | 2.57          | -       | 34.97      | 7.90       | 35.07      |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT\_Z\_4TX  
setting 71  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.209G   | 56.01    | 74.00    | -17.99 | 48.89  | 3    | Vertical  | 327     | 1.46   | -       | 38.72 | 11.59 | 43.19 |  |  |  |
| AV   | 12.21455G | 42.20    | 54.00    | -11.80 | 35.07  | 3    | Vertical  | 327     | 1.46   | -       | 38.73 | 11.59 | 43.19 |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT\_Z\_4TX  
setting 71  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 12.21209G    | 56.05             | 74.00             | -17.95         | 48.93         | 3           | Horizontal | 285            | 1.47          | -       | 38.72      | 11.59      | 43.19      |  |  |  |
| AV   | 12.21235G    | 42.14             | 54.00             | -11.86         | 35.02         | 3           | Horizontal | 285            | 1.47          | -       | 38.72      | 11.59      | 43.19      |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT\_Z\_4TX  
setting 71  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.3224G  | 44.34    | 83.54    | -39.20 | 41.15  | 1    | Vertical  | 95      | 2.55   | -       | 37.50 | 15.28 | 49.59 |  |  |  |
| AV   | 18.31975G | 31.67    | 63.54    | -31.87 | 28.48  | 1    | Vertical  | 95      | 2.55   | -       | 37.50 | 15.28 | 49.59 |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6105MHz\_TX




EUT\_Z\_4TX  
setting 71  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.29395G | 44.42    | 83.54    | -39.12 | 41.19  | 1    | Horizontal | 44      | 1.62   | -       | 37.52 | 15.29 | 49.58 |  |  |  |
| AV   | 18.3199G  | 31.62    | 63.54    | -31.92 | 28.43  | 1    | Horizontal | 44      | 1.62   | -       | 37.50 | 15.28 | 49.59 |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT\_Z\_4TX  
setting 84  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.53477G | 56.39    | 74.00    | -17.61 | 49.11  | 3    | Vertical  | 235     | 2.29   | -       | 38.70 | 11.70 | 43.12 |  |  |  |
| AV   | 12.52712G | 42.39    | 54.00    | -11.61 | 35.11  | 3    | Vertical  | 235     | 2.29   | -       | 38.70 | 11.70 | 43.12 |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT\_Z\_4TX  
setting 84  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 12.52763G | 56.29    | 74.00    | -17.71 | 49.01  | 3    | Horizontal | 31      | 1.65   | -       | 38.70 | 11.70 | 43.12 |  |  |  |
| AV   | 12.5255G  | 42.44    | 54.00    | -11.56 | 35.16  | 3    | Horizontal | 31      | 1.65   | -       | 38.70 | 11.70 | 43.12 |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6265MHz\_TX




EUT\_Z\_4TX  
setting 84  
03-S-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 18.8182G  | 45.19    | 83.54    | -38.35 | 41.52  | 1    | Vertical  | 320     | 1.24   | -       | 37.87 | 15.26 | 49.46 |  |  |  |
| AV   | 18.80405G | 31.72    | 63.54    | -31.82 | 28.11  | 1    | Vertical  | 320     | 1.24   | -       | 37.82 | 15.26 | 49.47 |  |  |  |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

6265MHz\_TX



EUT\_Z\_4TX  
setting 84  
03-S-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 18.77255G    | 44.70             | 83.54             | -38.84         | 41.13         | 1           | Horizontal | 43             | 2.97          | -       | 37.80      | 15.26      | 49.49      |  |  |  |
| AV   | 18.80425G    | 31.68             | 63.54             | -31.86         | 28.07         | 1           | Horizontal | 43             | 2.97          | -       | 37.82      | 15.26      | 49.47      |  |  |  |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

MASK

5955MHz\_TX

17/04/2024

CF (Hz)  
5.955G


Span (Hz)  
100M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
20m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 5.952526G | 7.16     | 5.981275G | -24.71     | -12.89     | -11.82     | 1    |
| 5.953825G | 7.14     | 5.981525G | -25.42     | -13.03     | -12.39     | 2    |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

MASK

6195MHz\_TX

17/04/2024

CF (Hz)  
6.195G


Span (Hz)  
100M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
20m

Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.193225G | 8.84     | 6.2253G   | -24.99     | -11.68     | -13.31     | 1    |
| 6.200074G | 9.48     | 6.223025G | -22.25     | -10.80     | -11.45     | 2    |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

MASK

6415MHz\_TX

17/04/2024




| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.413475G | 7.43     | 6.43925G  | -26.43     | -12.27     | -14.16     | 1    |
| 6.417199G | 7.64     | 6.440225G | -26.29     | -12.39     | -13.90     | 2    |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

MASK

5965MHz\_TX

17/04/2024




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 5.961451G | 1.99     | 6.00025G | -26.63     | -18.65     | -7.98      | 1    |
| 5.96355G  | 1.98     | 5.99925G | -25.04     | -18.27     | -6.77      | 2    |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

MASK

6205MHz\_TX

17/04/2024




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.208599G | 9.51     | 6.2578G  | -19.87     | -10.55     | -9.32      | 1    |
| 6.211898G | 9.38     | 6.2586G  | -21.35     | -10.62     | -10.73     | 2    |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

MASK

6405MHz\_TX

17/04/2024




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.411398G | 7.72     | 6.3611G  | -22.16     | -12.28     | -9.88      | 1    |
| 6.401751G | 7.58     | 6.44935G | -21.39     | -12.43     | -8.96      | 2    |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

5985MHz\_TX

17/04/2024




5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

6225MHz\_TX

17/04/2024




5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

6385MHz\_TX

17/04/2024




5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

MASK

6025MHz\_TX

17/04/2024




5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

MASK

6185MHz\_TX

18/04/2024




5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

MASK

6345MHz\_TX

18/04/2024




5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

MASK

5955MHz\_TX

19/02/2024




5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

MASK

6195MHz\_TX

19/02/2024



5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

MASK

6415MHz\_TX

19/02/2024

CF (Hz)  
6.415G


Span (Hz)  
100M

RBW (Hz)  
300k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.418674G | 5.26     | 6.435575G | -22.87     | -15.48     | -7.39      | 1    |
| 6.417449G | 6.11     | 6.435875G | -22.08     | -13.99     | -8.09      | 2    |

5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

MASK

5965MHz\_TX

19/02/2024

CF (Hz)  
5.965G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 5.981596G | 1.61     | 5.9932G  | -22.38     | -18.47     | -3.91      | 1    |
| 5.969599G | 2.13     | 6.0031G  | -24.84     | -20.68     | -4.16      | 2    |

5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

MASK

6205MHz\_TX

19/02/2024




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.208349G | 9.09     | 6.1515G  | -16.77     | -10.95     | -5.82      | 1    |
| 6.201001G | 9.39     | 6.1527G  | -16.26     | -10.68     | -5.58      | 2    |

5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

MASK

6405MHz\_TX

20/02/2024




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.393553G | 7.00     | 6.36375G | -20.63     | -13.05     | -7.58      | 1    |
| 6.414048G | 7.80     | 6.362G   | -19.12     | -13.04     | -6.08      | 2    |

5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

MASK

5985MHz\_TX

20/02/2024




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 5.9988G  | 2.53     | 6.1358G  | -42.55     | -37.39     | -5.16      | 1    |
| 6.01229G | 2.59     | 6.0585G  | -25.59     | -20.69     | -4.90      | 2    |

5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

MASK

6225MHz\_TX

20/02/2024



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.19341G | 9.24     | 6.1206G  | -16.19     | -10.82     | -5.37      | 1    |
| 6.2173G  | 9.36     | 6.3292G  | -16.71     | -10.64     | -6.07      | 2    |

5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

MASK

6385MHz\_TX

20/02/2024

CF (Hz)  
6.385G


Span (Hz)  
400M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.35381G | 8.31     | 6.3017G  | -17.32     | -11.97     | -5.35      | 1    |
| 6.3699G  | 8.69     | 6.2965G  | -16.34     | -11.70     | -4.64      | 2    |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

MASK

6025MHz\_TX

20/02/2024

CF (Hz)  
6.025G


Span (Hz)  
800M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.04819G | 2.93     | 6.2196G  | -30.87     | -28.57     | -2.30      | 1    |
| 6.0412G  | 3.31     | 6.3246G  | -39.53     | -36.61     | -2.92      | 2    |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

MASK

6185MHz\_TX

20/02/2024




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.15741G | 5.17     | 6.0494G  | -21.73     | -14.84     | -6.89      | 1    |
| 6.12861G | 5.75     | 6.0206G  | -22.15     | -14.71     | -7.44      | 2    |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

MASK

6345MHz\_TX

20/02/2024




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.3286G  | 8.24     | 6.1754G  | -17.73     | -12.44     | -5.29      | 1    |
| 6.32061G | 8.93     | 6.167G   | -15.82     | -12.13     | -3.69      | 2    |

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS15)\_2TX

MASK

5955MHz\_TX

19/02/2024




5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS15)\_2TX

MASK

6195MHz\_TX

19/02/2024



5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS15)\_2TX

MASK

6415MHz\_TX

19/02/2024

CF (Hz)  
6.415G


Span (Hz)  
100M

RBW (Hz)  
300k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.412051G | 5.73     | 6.435925G | -23.26     | -14.42     | -8.84      | 1    |
| 6.409126G | 6.00     | 6.3958G   | -20.29     | -14.09     | -6.20      | 2    |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS15)\_2TX

MASK

6535MHz\_TX

19/02/2024

CF (Hz)  
6.535G


Span (Hz)  
100M

RBW (Hz)  
300k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.530401G | 5.91     | 6.551875G | -20.52     | -14.61     | -5.91      | 1    |
| 6.531376G | 6.29     | 6.515275G | -20.05     | -13.71     | -6.34      | 2    |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS15)\_2TX

MASK

6695MHz\_TX

19/02/2024

CF (Hz)  
6.695G


Span (Hz)  
100M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.689601G | 10.29    | 6.7322G  | -14.73     | -9.72      | -5.01      | 1    |
| 6.701698G | 10.49    | 6.66085G | -16.86     | -9.65      | -7.21      | 2    |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS15)\_2TX

MASK

6855MHz\_TX

19/02/2024

CF (Hz)  
6.855G

Span (Hz)  
10


RBW (Hz)  
100M

VBW (Hz)  
500k

Sweep Time (s)  
2M

Detector Type  
4.01m

RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.847302G | 9.92     | 6.892925G | -17.19     | -10.27     | -6.92      | 1    |
| 6.851051G | 9.53     | 6.88815G  | -17.12     | -10.61     | -6.51      | 2    |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS15)\_2TX

MASK

5965MHz\_TX

19/02/2024




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 5.978947G | 1.37     | 6.0062G  | -32.02     | -23.25     | -8.77      | 1    |
| 5.978947G | 1.78     | 5.9941G  | -27.52     | -18.66     | -8.86      | 2    |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS15)\_2TX

MASK

6205MHz\_TX

19/02/2024



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.214498G | 10.30    | 6.2543G  | -14.05     | -9.72      | -4.33      | 1    |
| 6.219646G | 10.23    | 6.25545G | -14.73     | -9.83      | -4.90      | 2    |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS15)\_2TX

MASK

6405MHz\_TX

19/02/2024

CF (Hz)  
6.405G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.4065G   | 5.15     | 6.3653G  | -23.25     | -14.87     | -8.38      | 1    |
| 6.411598G | 6.05     | 6.4432G  | -20.10     | -13.95     | -6.15      | 2    |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS15)\_2TX

MASK

6565MHz\_TX

19/02/2024

CF (Hz)  
6.565G


Span (Hz)  
200M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.568049G | 10.50    | 6.50675G | -15.81     | -9.54      | -6.27      | 1    |
| 6.568649G | 10.28    | 6.5151G  | -14.87     | -9.79      | -5.08      | 2    |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS15)\_2TX

MASK

6685MHz\_TX

19/02/2024




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.671703G | 10.28    | 6.6253G  | -15.90     | -9.81      | -6.09      | 1    |
| 6.691848G | 10.11    | 6.6312G  | -17.16     | -9.90      | -7.26      | 2    |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS15)\_2TX

MASK

6845MHz\_TX

19/02/2024



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.842401G | 8.21     | 6.80195G | -18.16     | -12.02     | -6.14      | 1    |
| 6.842851G | 9.05     | 6.79825G | -16.38     | -11.08     | -5.30      | 2    |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS15)\_2TX

MASK

5985MHz\_TX

19/02/2024

CF (Hz)  
5.985G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 5.9973G | 0.80     | 6.1067G  | -43.13     | -38.89     | -4.24      | 1    |
| 5.9975G | 0.61     | 6.0833G  | -35.53     | -32.69     | -2.84      | 2    |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS15)\_2TX

MASK

6225MHz\_TX

19/02/2024

CF (Hz)  
6.225G


Span (Hz)  
400M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.2371G | 10.32    | 6.3248G  | -15.36     | -9.72      | -5.64      | 1    |
| 6.2327G | 10.22    | 6.3295G  | -17.55     | -9.81      | -7.74      | 2    |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS15)\_2TX

MASK

6385MHz\_TX

19/02/2024

CF (Hz)  
6.385G


Span (Hz)  
400M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.3961G | 7.55     | 6.3064G  | -20.27     | -12.62     | -7.65      | 1    |
| 6.4004G | 7.94     | 6.3021G  | -19.10     | -12.13     | -6.97      | 2    |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS15)\_2TX

MASK

6625MHz\_TX

19/02/2024

CF (Hz)  
6.625G


Span (Hz)  
400M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.59681G | 10.35    | 6.7275G  | -13.48     | -9.67      | -3.81      | 1    |
| 6.6368G  | 10.04    | 6.5274G  | -13.86     | -9.98      | -3.88      | 2    |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS15)\_2TX

MASK

6705MHz\_TX

19/02/2024

CF (Hz)  
6.705G


Span (Hz)  
400M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.6922G | 10.22    | 6.8104G  | -14.74     | -9.82      | -4.92      | 1    |
| 6.695G  | 9.85     | 6.6051G  | -15.55     | -10.16     | -5.39      | 2    |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS15)\_2TX

MASK

6785MHz\_TX

19/02/2024

CF (Hz)  
6.785G


Span (Hz)  
400M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS




| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.7762G | 10.18    | 6.6747G  | -16.47     | -9.88      | -6.59      | 1    |
| 6.772G  | 9.73     | 6.6821G  | -16.69     | -10.29     | -6.40      | 2    |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS15)\_2TX

MASK

6025MHz\_TX

19/02/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS15)\_2TX

MASK

6185MHz\_TX

19/02/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS15)\_2TX

MASK

6345MHz\_TX

19/02/2024




6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS15)\_2TX

MASK

6665MHz\_TX

19/02/2024




5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

5955MHz\_TX

20/02/2024




5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

6195MHz\_TX

20/02/2024



5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

6415MHz\_TX

20/02/2024

CF (Hz)  
6.415G


Span (Hz)  
100M

RBW (Hz)  
300k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.415375G | 6.25     | 6.43425G | -21.05     | -13.95     | -7.10      | 1    |
| 6.41305G  | 6.30     | 6.3944G  | -20.92     | -13.76     | -7.16      | 2    |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

6535MHz\_TX

20/02/2024

CF (Hz)  
6.535G


Span (Hz)  
100M

RBW (Hz)  
300k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.537449G | 6.83     | 6.555225G | -20.53     | -13.23     | -7.30      | 1    |
| 6.537499G | 6.64     | 6.5551G   | -19.90     | -13.87     | -6.03      | 2    |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

6695MHz\_TX

20/02/2024

CF (Hz)  
6.695G


Span (Hz)  
100M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.693775G | 10.73    | 6.66775G | -16.11     | -9.30      | -6.81      | 1    |
| 6.698824G | 10.40    | 6.72555G | -13.57     | -9.64      | -3.93      | 2    |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_2TX

MASK

6855MHz\_TX

20/02/2024

CF (Hz)  
6.855G


Span (Hz)  
100M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.851076G | 10.13    | 6.826725G | -17.71     | -9.89      | -7.82      | 1    |
| 6.858274G | 9.98     | 6.890175G | -18.20     | -10.40     | -7.80      | 2    |


5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

5965MHz\_TX

20/02/2024

CF (Hz)  
5.965G  
Span (Hz)  
200M  
RBW (Hz)  
300k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2

| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 5.968749G | -0.00    | 6.02385G | -43.65     | -39.57     | -4.08      | 1    |
| 5.962751G | 0.07     | 6.023G   | -42.77     | -39.48     | -3.29      | 2    |


5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

6205MHz\_TX

20/02/2024

CF (Hz)  
6.205G  
Span (Hz)  
200M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2

| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.210499G | 10.95    | 6.1529G  | -15.63     | -9.09      | -6.54      | 1    |
| 6.190404G | 10.80    | 6.15225G | -16.43     | -9.30      | -7.13      | 2    |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

6405MHz\_TX

18/04/2024

CF (Hz)  
6.405G


Span (Hz)  
200M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.400251G | 5.30     | 6.3704G  | -19.93     | -14.78     | -5.15      | 1    |
| 6.407449G | 5.58     | 6.36185G | -20.42     | -14.96     | -5.46      | 2    |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

6565MHz\_TX

20/02/2024

CF (Hz)  
6.565G


Span (Hz)  
200M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.560201G | 10.98    | 6.51745G | -12.97     | -9.04      | -3.93      | 1    |
| 6.572498G | 10.96    | 6.5034G  | -18.32     | -9.26      | -9.06      | 2    |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

6685MHz\_TX

20/02/2024




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_2TX

MASK

6845MHz\_TX

20/02/2024



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

5985MHz\_TX

20/02/2024

CF (Hz)  
5.985G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 5.9946G | 2.08     | 6.1142G  | -43.08     | -37.92     | -5.16      | 1    |
| 5.9975G | 2.38     | 6.1369G  | -45.59     | -37.62     | -7.97      | 2    |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

6225MHz\_TX

20/02/2024

CF (Hz)  
6.225G


Span (Hz)  
400M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.2135G | 11.36    | 6.1207G  | -16.17     | -8.68      | -7.49      | 1    |
| 6.2121G | 10.86    | 6.1309G  | -12.67     | -9.15      | -3.52      | 2    |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

6385MHz\_TX

20/02/2024

CF (Hz)  
6.385G


Span (Hz)  
400M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.3959G | 8.74     | 6.3065G  | -16.82     | -11.28     | -5.54      | 1    |
| 6.3716G | 8.75     | 6.2968G  | -18.44     | -11.44     | -7.00      | 2    |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

6625MHz\_TX

20/02/2024

CF (Hz)  
6.625G


Span (Hz)  
400M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 


| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.6112G | 10.68    | 6.5242G  | -14.98     | -9.33      | -5.65      | 1    |
| 6.6104G | 10.85    | 6.5265G  | -13.20     | -9.17      | -4.03      | 2    |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

6705MHz\_TX

20/02/2024




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_2TX

MASK

6785MHz\_TX

20/02/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

MASK

6025MHz\_TX

20/02/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

MASK

6185MHz\_TX

20/02/2024



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

MASK

6345MHz\_TX

20/02/2024

CF (Hz)  
6.345G


Span (Hz)  
800M

RBW (Hz)  
3M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.31181G | 7.25     | 6.1704G  | -20.31     | -13.52     | -6.79      | 1    |
| 6.32181G | 6.86     | 6.1988G  | -18.12     | -13.38     | -4.74      | 2    |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_2TX

MASK

6665MHz\_TX

20/02/2024

CF (Hz)  
6.665G


Span (Hz)  
800M

RBW (Hz)  
3M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.60322G | 6.80     | 6.488G   | -21.69     | -14.84     | -6.85      | 1    |
| 6.68839G | 6.86     | 6.5138G  | -18.49     | -13.53     | -4.96      | 2    |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

MASK

6105MHz\_TX

14/06/2024




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_2TX

MASK

6265MHz\_TX

20/02/2024



5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

MASK

5955MHz\_TX

20/02/2024

CF (Hz)  
5.955G


Span (Hz)  
100M

RBW (Hz)  
300k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 5.959324G | 5.21     | 5.97535G | -21.71     | -15.45     | -6.26      | 1    |
| 5.963698G | 5.11     | 5.9747G  | -20.83     | -15.56     | -5.27      | 2    |

5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

MASK

6195MHz\_TX

20/02/2024

CF (Hz)  
6.195G


Span (Hz)  
100M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.196725G | 10.87    | 6.2261G  | -17.29     | -9.56      | -7.73      | 1    |
| 6.190776G | 10.74    | 6.2213G  | -13.92     | -9.45      | -4.47      | 2    |


5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

MASK

6415MHz\_TX

20/02/2024

CF (Hz)  
6.415G  
Span (Hz)  
100M  
RBW (Hz)  
300k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.407677G | 6.38     | 6.434525G | -20.94     | -14.01     | -6.93      | 1    |
| 6.411176G | 6.69     | 6.436425G | -21.74     | -13.70     | -8.04      | 2    |


6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

MASK

6535MHz\_TX

13/06/2024

CF (Hz)  
6.535G  
Span (Hz)  
100M  
RBW (Hz)  
300k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.531401G | 6.38     | 6.5171G  | -21.07     | -14.04     | -7.03      | 1    |
| 6.528677G | 6.37     | 6.51465G | -20.43     | -13.66     | -6.77      | 2    |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

MASK

6695MHz\_TX

13/06/2024

CF (Hz)  
6.695G


Span (Hz)  
100M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.698674G | 11.01    | 6.71985G  | -15.09     | -9.01      | -6.08      | 1    |
| 6.689926G | 10.26    | 6.725675G | -15.39     | -10.32     | -5.07      | 2    |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

MASK

6855MHz\_TX

13/06/2024

CF (Hz)  
6.855G


Span (Hz)  
100M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.852476G | 9.94     | 6.87815G  | -14.16     | -10.25     | -3.91      | 1    |
| 6.850051G | 9.97     | 6.827625G | -16.54     | -10.03     | -6.51      | 2    |

5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

MASK

5965MHz\_TX

20/02/2024




5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

MASK

6205MHz\_TX

20/02/2024




5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

MASK

6405MHz\_TX

20/02/2024

CF (Hz)  
6.405G  
Span (Hz)  
200M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.409899G | 8.82     | 6.4439G  | -17.10     | -11.24     | -5.86      | 1    |
| 6.4063G   | 8.35     | 6.36435G | -17.99     | -11.86     | -6.13      | 2    |


6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

MASK

6565MHz\_TX

13/06/2024

CF (Hz)  
6.565G  
Span (Hz)  
200M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.561101G | 10.74    | 6.5123G  | -19.19     | -9.34      | -9.85      | 1    |
| 6.570299G | 10.31    | 6.50885G | -20.86     | -9.74      | -11.12     | 2    |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

MASK

6685MHz\_TX

13/06/2024




6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

MASK

6845MHz\_TX

13/06/2024




5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

MASK

5985MHz\_TX

20/02/2024




5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

MASK

6225MHz\_TX

20/02/2024



5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

MASK

6385MHz\_TX

20/02/2024

CF (Hz)  
6.385G


Span (Hz)  
400M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.3719G | 8.66     | 6.297G   | -18.26     | -11.98     | -6.28      | 1    |
| 6.3953G | 8.52     | 6.2962G  | -18.33     | -12.38     | -5.95      | 2    |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

MASK

6625MHz\_TX

13/06/2024

CF (Hz)  
6.625G


Span (Hz)  
400M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.6407G | 11.09    | 6.5281G  | -14.11     | -8.99      | -5.12      | 1    |
| 6.6204G | 10.66    | 6.5321G  | -12.68     | -9.34      | -3.34      | 2    |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

MASK

6705MHz\_TX

13/06/2024

CF (Hz)  
6.705G


Span (Hz)  
400M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.693G  | 10.78    | 6.6125G  | -12.92     | -9.26      | -3.66      | 1    |
| 6.6946G | 10.52    | 6.607G   | -13.86     | -9.50      | -4.36      | 2    |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

MASK

6785MHz\_TX

13/06/2024

CF (Hz)  
6.785G


Span (Hz)  
400M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS




| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.7968G | 10.43    | 6.6937G  | -12.90     | -9.58      | -3.32      | 1    |
| 6.772G  | 10.24    | 6.6884G  | -13.30     | -9.87      | -3.43      | 2    |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

MASK

6025MHz\_TX

20/02/2024




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.05019G | 2.42     | 6.2684G  | -40.92     | -37.58     | -3.34      | 1    |
| 6.05479G | 2.66     | 6.2682G  | -40.65     | -37.34     | -3.31      | 2    |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

MASK

6185MHz\_TX

20/02/2024



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.20959G | 7.05     | 6.0066G  | -20.84     | -15.29     | -5.55      | 1    |
| 6.20779G | 6.92     | 6.3522G  | -20.29     | -13.77     | -6.52      | 2    |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

MASK

6345MHz\_TX

20/02/2024

CF (Hz)  
6.345G


Span (Hz)  
800M

RBW (Hz)  
3M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.32141G | 7.17     | 6.2088G  | -18.86     | -13.21     | -5.65      | 1    |
| 6.32061G | 7.01     | 6.1904G  | -20.51     | -13.85     | -6.66      | 2    |

6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

MASK

6665MHz\_TX

13/06/2024

CF (Hz)  
6.665G


Span (Hz)  
800M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 


| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.59042G | 4.78     | 6.5192G  | -24.85     | -16.82     | -8.03      | 1    |
| 6.63981G | 4.99     | 6.4986G  | -23.06     | -15.63     | -7.43      | 2    |

5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

MASK

6105MHz\_TX

20/02/2024




5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

MASK

6265MHz\_TX

20/02/2024



5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

MASK

5955MHz\_TX

18/04/2024

CF (Hz)  
5.955G


Span (Hz)  
100M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 5.956175G | 7.19     | 5.97675G | -20.46     | -12.94     | -7.52      | 1    |
| 5.959924G | 7.83     | 5.9762G  | -16.81     | -12.24     | -4.57      | 2    |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

MASK

6195MHz\_TX

18/04/2024

CF (Hz)  
6.195G


Span (Hz)  
100M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.201623G | 9.70     | 6.218225G | -16.83     | -10.33     | -6.50      | 1    |
| 6.193225G | 10.07    | 6.22525G  | -20.11     | -10.69     | -9.42      | 2    |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

MASK

6415MHz\_TX

18/04/2024




| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.417549G | 5.74     | 6.396625G | -20.29     | -14.45     | -5.84      | 1    |
| 6.417424G | 6.09     | 6.435125G | -18.95     | -14.28     | -4.67      | 2    |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

MASK

6535MHz\_TX

18/04/2024




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.536425G | 4.82     | 6.5182G  | -22.06     | -15.19     | -6.87      | 1    |
| 6.542373G | 5.42     | 6.5546G  | -21.57     | -14.83     | -6.74      | 2    |

6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

MASK

6695MHz\_TX

18/04/2024




6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_2TX

MASK

6855MHz\_TX

18/04/2024




5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

MASK

5965MHz\_TX

18/04/2024




5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

MASK

6205MHz\_TX

18/04/2024




5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

MASK

6405MHz\_TX

18/04/2024

CF (Hz)  
6.405G  
Span (Hz)  
200M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.412698G | 4.78     | 6.36875G | -21.41     | -16.06     | -5.35      | 1    |
| 6.410199G | 5.23     | 6.368G   | -19.57     | -14.88     | -4.69      | 2    |


6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

MASK

6565MHz\_TX

18/04/2024

CF (Hz)  
6.565G  
Span (Hz)  
200M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.561851G | 9.08     | 6.61055G | -17.36     | -11.02     | -6.34      | 1    |
| 6.572348G | 9.59     | 6.5114G  | -19.43     | -10.42     | -9.01      | 2    |

6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

MASK

6685MHz\_TX

18/04/2024




6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_2TX

MASK

6845MHz\_TX

18/04/2024



5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

5985MHz\_TX

18/04/2024

CF (Hz)  
5.985G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 5.9958G | 2.19     | 6.1105G  | -41.18     | -37.81     | -3.37      | 1    |
| 5.9967G | 2.66     | 6.069G   | -26.76     | -18.52     | -8.24      | 2    |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

6225MHz\_TX

18/04/2024

CF (Hz)  
6.225G


Span (Hz)  
400M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.2167G | 9.76     | 6.13G    | -15.70     | -10.36     | -5.34      | 1    |
| 6.2188G | 9.82     | 6.3245G  | -17.01     | -10.20     | -6.81      | 2    |

5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

6385MHz\_TX

18/04/2024

CF (Hz)  
6.385G


Span (Hz)  
400M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.3778G | 7.72     | 6.3009G  | -20.92     | -12.32     | -8.60      | 1    |
| 6.3978G | 8.03     | 6.2927G  | -19.97     | -12.00     | -7.97      | 2    |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

6625MHz\_TX

18/04/2024

CF (Hz)  
6.625G


Span (Hz)  
400M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS




| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.613G  | 9.26     | 6.5288G  | -15.48     | -10.76     | -4.72      | 1    |
| 6.6099G | 9.30     | 6.5274G  | -15.40     | -10.72     | -4.68      | 2    |

6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

6705MHz\_TX

18/04/2024




6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_2TX

MASK

6785MHz\_TX

18/04/2024




5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

MASK

6025MHz\_TX

18/04/2024




5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

MASK

6185MHz\_TX

18/04/2024



5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

MASK

6345MHz\_TX

18/04/2024

CF (Hz)  
6.345G


Span (Hz)  
800M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.28242G | 3.67     | 6.6536G  | -42.04     | -36.30     | -5.74      | 1    |
| 6.3288G  | 4.38     | 6.2206G  | -19.76     | -15.72     | -4.04      | 2    |

6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_2TX

MASK

6665MHz\_TX

20/02/2024

CF (Hz)  
6.665G


Span (Hz)  
800M

RBW (Hz)  
3M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.60322G | 6.80     | 6.488G   | -21.69     | -14.84     | -6.85      | 1    |
| 6.68839G | 6.86     | 6.5138G  | -18.49     | -13.53     | -4.96      | 2    |


5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

MASK

6105MHz\_TX

18/04/2024

CF (Hz)  
6.105G  
Span (Hz)  
1.6G  
RBW (Hz)  
3M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.12979G | 0.08     | 6.5822G  | -39.93     | -39.29     | -0.64      | 1    |
| 6.15019G | 1.18     | 6.7138G  | -42.18     | -38.82     | -3.36      | 2    |


5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_2TX

MASK

6265MHz\_TX

18/04/2024

CF (Hz)  
6.265G  
Span (Hz)  
1.6G  
RBW (Hz)  
3M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.29979G | 0.52     | 6.7402G  | -42.71     | -38.70     | -4.01      | 1    |
| 6.23181G | 1.55     | 6.7618G  | -40.80     | -38.45     | -2.35      | 2    |


5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

5955MHz\_TX

20/02/2024

CF (Hz)  
5.955G  
Span (Hz)  
100M  
RBW (Hz)  
300k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 5.957574G | 4.05     | 5.970525G | -22.29     | -16.38     | -5.91      | 1    |
| 5.958674G | 4.08     | 5.9735G   | -23.95     | -16.29     | -7.66      | 2    |
| 5.963723G | 4.22     | 5.9719G   | -22.06     | -16.65     | -5.41      | 3    |
| 5.959874G | 4.17     | 5.97205G  | -23.25     | -16.39     | -6.86      | 4    |


5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6195MHz\_TX

20/02/2024

CF (Hz)  
6.195G  
Span (Hz)  
100M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.19365G  | 9.76     | 6.171175G | -17.23     | -10.30     | -6.93      | 1    |
| 6.192501G | 10.05    | 6.170425G | -17.06     | -9.95      | -7.11      | 2    |
| 6.193875G | 10.00    | 6.219425G | -16.16     | -10.05     | -6.11      | 3    |
| 6.203873G | 9.54     | 6.171525G | -18.25     | -10.47     | -7.78      | 4    |

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6415MHz\_TX

20/02/2024




6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6535MHz\_TX

20/02/2024



6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6695MHz\_TX

19/04/2024

CF (Hz)  
6.695G


Span (Hz)  
100M

RBW (Hz)  
300k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.688727G | 7.23     | 6.67245G  | -21.45     | -12.99     | -8.46      | 1    |
| 6.691326G | 7.17     | 6.66945G  | -22.27     | -12.98     | -9.29      | 2    |
| 6.695875G | 6.09     | 6.6758G   | -20.11     | -13.99     | -6.12      | 3    |
| 6.69545G  | 7.24     | 6.674375G | -17.96     | -12.79     | -5.17      | 4    |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

MASK

6855MHz\_TX

19/04/2024

CF (Hz)  
6.855G


Span (Hz)  
100M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.859274G | 8.27     | 6.835825G | -17.74     | -11.82     | -5.92      | 1    |
| 6.8565G   | 8.15     | 6.83525G  | -15.68     | -11.89     | -3.79      | 2    |
| 6.851401G | 7.00     | 6.836275G | -19.37     | -13.57     | -5.80      | 3    |
| 6.850726G | 8.42     | 6.833225G | -19.14     | -12.06     | -7.08      | 4    |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

5965MHz\_TX

19/04/2024

CF (Hz)  
5.965G


Span (Hz)  
200M

RBW (Hz)  
300k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 

| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 5.970149G | -0.36    | 6.0239G  | -44.90     | -40.36     | -4.54      | 1    |
| 5.973698G | -0.52    | 6.02375G | -42.60     | -40.43     | -2.17      | 2    |
| 5.981646G | -0.28    | 6.02455G | -45.66     | -40.17     | -5.49      | 3    |
| 5.971148G | -0.13    | 6.02305G | -43.29     | -40.01     | -3.28      | 4    |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6205MHz\_TX

20/02/2024

CF (Hz)  
6.205G


Span (Hz)  
200M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1 

Port 2 

Port 3 

Port 4 


| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.20315G  | 10.56    | 6.1551G  | -15.72     | -9.47      | -6.25      | 1    |
| 6.20305G  | 10.58    | 6.25315G | -15.18     | -9.52      | -5.66      | 2    |
| 6.200101G | 10.47    | 6.15385G | -16.01     | -9.66      | -6.35      | 3    |
| 6.2068G   | 10.60    | 6.15655G | -14.64     | -9.41      | -5.23      | 4    |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6405MHz\_TX

19/04/2024




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.402301G | 5.36     | 6.3711G  | -20.52     | -14.93     | -5.59      | 1    |
| 6.401051G | 4.65     | 6.36895G | -19.47     | -15.35     | -4.12      | 2    |
| 6.400501G | 4.97     | 6.37275G | -21.19     | -15.18     | -6.01      | 3    |
| 6.387954G | 5.48     | 6.36875G | -19.40     | -15.42     | -3.98      | 4    |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6565MHz\_TX

20/02/2024



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.578747G | 4.20     | 6.5279G  | -25.41     | -21.35     | -4.06      | 1    |
| 6.570599G | 4.39     | 6.59895G | -23.06     | -16.78     | -6.28      | 2    |
| 6.560901G | 4.75     | 6.5302G  | -21.63     | -17.51     | -4.12      | 3    |
| 6.568049G | 4.33     | 6.53225G | -23.39     | -17.42     | -5.97      | 4    |


6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6685MHz\_TX

19/04/2024

CF (Hz)  
6.685G  
Span (Hz)  
200M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.693598G | 9.16     | 6.64505G | -16.97     | -10.85     | -6.12      | 1    |
| 6.682251G | 9.42     | 6.641G   | -16.10     | -10.64     | -5.46      | 2    |
| 6.689749G | 8.00     | 6.64865G | -17.63     | -12.02     | -5.61      | 3    |
| 6.678352G | 9.52     | 6.6473G  | -13.45     | -10.60     | -2.85      | 4    |


6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

MASK

6845MHz\_TX

19/04/2024

CF (Hz)  
6.845G  
Span (Hz)  
200M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.833603G | 9.43     | 6.7998G  | -17.73     | -10.59     | -7.14      | 1    |
| 6.842701G | 8.90     | 6.8007G  | -15.15     | -11.13     | -4.02      | 2    |
| 6.833453G | 9.21     | 6.80145G | -14.23     | -10.85     | -3.38      | 3    |
| 6.850399G | 9.35     | 6.80045G | -16.71     | -10.67     | -6.04      | 4    |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

5985MHz\_TX

20/02/2024

CF (Hz)  
5.985G


Span (Hz)  
400M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 5.9977G | 1.08     | 6.106G   | -45.07     | -38.89     | -6.18      | 1    |
| 6.0003G | 1.11     | 6.1088G  | -44.42     | -38.89     | -5.53      | 2    |
| 5.9989G | 1.07     | 6.0826G  | -36.33     | -31.78     | -4.55      | 3    |
| 5.9977G | 1.08     | 6.1031G  | -43.42     | -38.41     | -5.01      | 4    |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6225MHz\_TX

20/02/2024

CF (Hz)  
6.225G


Span (Hz)  
400M

RBW (Hz)  
2M

VBW (Hz)  
10M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.2173G | 10.30    | 6.1334G  | -14.06     | -9.74      | -4.32      | 1    |
| 6.222G  | 9.90     | 6.1255G  | -16.84     | -10.19     | -6.65      | 2    |
| 6.2131G | 10.17    | 6.126G   | -16.57     | -9.84      | -6.73      | 3    |
| 6.2195G | 10.57    | 6.3177G  | -14.21     | -9.44      | -4.77      | 4    |


5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6385MHz\_TX

19/04/2024

CF (Hz)  
6.385G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.3776G | 5.36     | 6.3115G  | -21.12     | -15.59     | -5.53      | 1    |
| 6.3729G | 4.93     | 6.3095G  | -19.27     | -15.56     | -3.71      | 2    |
| 6.3699G | 5.35     | 6.3264G  | -19.44     | -14.66     | -4.78      | 3    |
| 6.3772G | 5.31     | 6.3007G  | -22.01     | -14.79     | -7.22      | 4    |


6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6625MHz\_TX

20/02/2024

CF (Hz)  
6.625G  
Span (Hz)  
400M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.6116G | 9.82     | 6.5204G  | -19.33     | -10.27     | -9.06      | 1    |
| 6.6197G | 9.87     | 6.5273G  | -15.48     | -10.18     | -5.30      | 2    |
| 6.612G  | 9.78     | 6.5321G  | -14.53     | -10.31     | -4.22      | 3    |
| 6.6131G | 9.96     | 6.5264G  | -15.49     | -10.05     | -5.44      | 4    |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6705MHz\_TX

20/02/2024




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

MASK

6785MHz\_TX

20/02/2024




5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

6025MHz\_TX

20/02/2024




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.08738G | 0.97     | 6.2718G  | -43.99     | -39.03     | -4.96      | 1    |
| 6.04919G | 1.33     | 6.318G   | -47.46     | -38.67     | -8.79      | 2    |
| 6.05099G | 0.93     | 6.2718G  | -43.12     | -39.07     | -4.05      | 3    |
| 6.04919G | 0.99     | 6.2924G  | -45.97     | -39.01     | -6.96      | 4    |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

6185MHz\_TX

20/02/2024



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.21059G | 6.39     | 6.0364G  | -20.69     | -14.27     | -6.42      | 1    |
| 6.20979G | 5.98     | 6.028G   | -21.57     | -15.15     | -6.42      | 2    |
| 6.21159G | 6.51     | 6.0438G  | -19.27     | -13.74     | -5.53      | 3    |
| 6.20979G | 5.95     | 6.0176G  | -23.07     | -15.98     | -7.09      | 4    |


5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

6345MHz\_TX

20/02/2024

CF (Hz)  
6.345G  
Span (Hz)  
800M  
RBW (Hz)  
3M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.31921G | 6.42     | 6.2068G  | -20.07     | -13.91     | -6.16      | 1    |
| 6.37139G | 6.27     | 6.214G   | -19.77     | -13.74     | -6.03      | 2    |
| 6.37199G | 6.55     | 6.5022G  | -21.10     | -13.46     | -7.64      | 3    |
| 6.32041G | 6.50     | 6.2082G  | -19.00     | -13.50     | -5.50      | 4    |


6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

MASK

6665MHz\_TX

20/02/2024

CF (Hz)  
6.665G  
Span (Hz)  
800M  
RBW (Hz)  
3M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.58982G | 6.04     | 6.522G   | -21.05     | -14.07     | -6.98      | 1    |
| 6.6804G  | 6.23     | 6.5202G  | -20.46     | -14.70     | -5.76      | 2    |
| 6.60202G | 6.55     | 6.491G   | -21.31     | -14.16     | -7.15      | 3    |
| 6.64061G | 6.48     | 6.5228G  | -20.39     | -13.56     | -6.83      | 4    |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

6105MHz\_TX

20/02/2024




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

MASK

6265MHz\_TX

19/04/2024



5.925-6.425GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

MASK

5955MHz\_TX

20/02/2024

CF (Hz)  
5.955G


Span (Hz)  
100M

RBW (Hz)  
300k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 5.957474G | 5.03     | 5.9719G   | -20.11     | -15.23     | -4.88      | 1    |
| 5.961973G | 5.26     | 5.974325G | -20.70     | -14.95     | -5.75      | 2    |
| 5.961298G | 5.45     | 5.974575G | -21.11     | -14.60     | -6.51      | 3    |
| 5.95685G  | 5.13     | 5.9752G   | -22.07     | -14.87     | -7.20      | 4    |

5.925-6.425GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

MASK

6195MHz\_TX

20/02/2024

CF (Hz)  
6.195G


Span (Hz)  
100M

RBW (Hz)  
500k

VBW (Hz)  
2M

Sweep Time (s)  
4.01m

Detector Type  
RMS



Port 1

Port 2

Port 3

Port 4

| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.191151G | 10.44    | 6.222275G | -17.76     | -9.59      | -8.17      | 1    |
| 6.198474G | 10.66    | 6.169075G | -16.37     | -9.34      | -7.03      | 2    |
| 6.198774G | 10.81    | 6.220625G | -14.71     | -9.19      | -5.52      | 3    |
| 6.191301G | 10.61    | 6.1681G   | -16.55     | -9.50      | -7.05      | 4    |

5.925-6.425GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

MASK

6415MHz\_TX

20/02/2024

CF (Hz)  
6.415G


Span (Hz)  
100M

RBW (Hz)  
300k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.411126G | 5.72     | 6.397225G | -22.17     | -14.60     | -7.57      | 1    |
| 6.412476G | 5.79     | 6.433925G | -21.56     | -14.50     | -7.06      | 2    |
| 6.412301G | 5.93     | 6.3963G   | -20.46     | -14.39     | -6.07      | 3    |
| 6.422498G | 5.81     | 6.39695G  | -20.79     | -14.46     | -6.33      | 4    |

6.525-6.875GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

MASK

6535MHz\_TX

20/02/2024

CF (Hz)  
6.535G


Span (Hz)  
100M

RBW (Hz)  
300k

VBW (Hz)  
1M

Sweep Time (s)  
4.01m

Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.537574G | 6.14     | 6.51585G  | -21.11     | -13.87     | -7.24      | 1    |
| 6.537474G | 6.54     | 6.55545G  | -21.11     | -13.94     | -7.17      | 2    |
| 6.541248G | 6.35     | 6.514725G | -20.47     | -13.82     | -6.65      | 3    |
| 6.53625G  | 6.37     | 6.5554G   | -21.94     | -13.88     | -8.06      | 4    |


6.525-6.875GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

MASK

6695MHz\_TX

20/02/2024

CF (Hz)  
6.695G  
Span (Hz)  
100M  
RBW (Hz)  
300k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.698699G | 5.77     | 6.674475G | -21.88     | -14.71     | -7.17      | 1    |
| 6.691151G | 5.81     | 6.7162G   | -21.40     | -14.49     | -6.91      | 2    |
| 6.687402G | 5.98     | 6.674675G | -21.50     | -14.15     | -7.35      | 3    |
| 6.697599G | 5.53     | 6.675375G | -21.56     | -14.79     | -6.77      | 4    |


6.525-6.875GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

MASK

6855MHz\_TX

20/02/2024

CF (Hz)  
6.855G  
Span (Hz)  
100M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.857424G | 8.48     | 6.87725G  | -18.18     | -11.53     | -6.65      | 1    |
| 6.858649G | 9.04     | 6.830575G | -18.05     | -11.05     | -7.00      | 2    |
| 6.859899G | 9.38     | 6.88105G  | -20.51     | -10.69     | -9.82      | 3    |
| 6.858899G | 8.88     | 6.879525G | -19.50     | -11.13     | -8.37      | 4    |

5.925-6.425GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

MASK

5965MHz\_TX

19/04/2024




5.925-6.425GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

MASK

6205MHz\_TX

20/02/2024




5.925-6.425GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

MASK

6405MHz\_TX

19/04/2024




6.525-6.875GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

MASK

6565MHz\_TX

19/04/2024




6.525-6.875GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

MASK

6685MHz\_TX

20/02/2024




6.525-6.875GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

MASK

6845MHz\_TX

20/02/2024




5.925-6.425GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

MASK

5985MHz\_TX

20/02/2024




| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 5.994G  | 1.53     | 6.0904G  | -39.82     | -33.80     | -6.02      | 1    |
| 6.0022G | 1.42     | 6.0763G  | -35.08     | -29.43     | -5.65      | 2    |
| 5.9715G | 1.59     | 6.0863G  | -36.79     | -32.36     | -4.43      | 3    |
| 5.9987G | 1.24     | 6.0906G  | -39.76     | -34.24     | -5.52      | 4    |

5.925-6.425GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

MASK

6225MHz\_TX

20/02/2024



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.2131G | 10.32    | 6.1326G  | -12.90     | -9.48      | -3.42      | 1    |
| 6.2179G | 10.22    | 6.1248G  | -17.02     | -9.79      | -7.23      | 2    |
| 6.2188G | 10.43    | 6.3244G  | -16.10     | -9.58      | -6.52      | 3    |
| 6.2402G | 10.40    | 6.3262G  | -16.86     | -9.64      | -7.22      | 4    |


5.925-6.425GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

MASK

6385MHz\_TX

19/04/2024

CF (Hz)  
6.385G  
Span (Hz)  
400M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.3687G | 5.39     | 6.3077G  | -22.82     | -16.96     | -5.86      | 1    |
| 6.3801G | 4.78     | 6.3033G  | -21.36     | -16.21     | -5.15      | 2    |
| 6.3717G | 5.11     | 6.5271G  | -39.06     | -34.86     | -4.20      | 3    |
| 6.3734G | 5.14     | 6.3082G  | -21.93     | -16.99     | -4.94      | 4    |


6.525-6.875GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

MASK

6625MHz\_TX

20/02/2024

CF (Hz)  
6.625G  
Span (Hz)  
400M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.6129G  | 9.61     | 6.5309G  | -17.97     | -10.39     | -7.58      | 1    |
| 6.6385G  | 9.18     | 6.5431G  | -15.77     | -10.93     | -4.84      | 2    |
| 6.59651G | 9.39     | 6.5343G  | -14.46     | -10.62     | -3.84      | 3    |
| 6.6123G  | 9.08     | 6.5375G  | -16.46     | -11.10     | -5.36      | 4    |


6.525-6.875GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

MASK

6705MHz\_TX

20/02/2024

CF (Hz)  
6.705G  
Span (Hz)  
400M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.6927G | 9.66     | 6.6076G  | -15.37     | -10.35     | -5.02      | 1    |
| 6.6921G | 9.78     | 6.5984G  | -19.03     | -10.24     | -8.79      | 2    |
| 6.6966G | 9.74     | 6.6065G  | -16.44     | -10.26     | -6.18      | 3    |
| 6.6966G | 10.11    | 6.601G   | -16.87     | -9.99      | -6.88      | 4    |


6.525-6.875GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

MASK

6785MHz\_TX

20/02/2024

CF (Hz)  
6.785G  
Span (Hz)  
400M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.7711G | 9.34     | 6.6857G  | -17.40     | -10.68     | -6.72      | 1    |
| 6.7736G | 9.88     | 6.6843G  | -16.83     | -10.14     | -6.69      | 2    |
| 6.7971G | 9.60     | 6.6876G  | -15.62     | -10.41     | -5.21      | 3    |
| 6.7802G | 9.59     | 6.6759G  | -19.08     | -10.51     | -8.57      | 4    |


5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

MASK

6025MHz\_TX

19/04/2024

CF (Hz)  
6.025G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.04999G | 2.75     | 6.2114G  | -33.17     | -28.88     | -4.29      | 1    |
| 6.04999G | 2.04     | 6.3074G  | -40.68     | -37.96     | -2.72      | 2    |
| 6.05119G | 2.29     | 6.3228G  | -44.19     | -37.65     | -6.54      | 3    |
| 6.05079G | 2.31     | 6.19G    | -29.22     | -21.42     | -7.80      | 4    |


5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

MASK

6185MHz\_TX

19/04/2024

CF (Hz)  
6.185G  
Span (Hz)  
800M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4


| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.21119G | 3.50     | 5.9954G  | -30.52     | -28.53     | -1.99      | 1    |
| 6.20799G | 3.39     | 6.4688G  | -38.89     | -36.61     | -2.28      | 2    |
| 6.20899G | 3.29     | 6.4282G  | -38.68     | -36.71     | -1.97      | 3    |
| 6.20759G | 3.76     | 6.0058G  | -27.51     | -20.57     | -6.94      | 4    |

5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

MASK

6345MHz\_TX

19/04/2024




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.32141G | 3.07     | 6.5862G  | -40.46     | -36.49     | -3.97      | 1    |
| 6.31881G | 2.89     | 6.6542G  | -41.92     | -37.11     | -4.81      | 2    |
| 6.36999G | 3.26     | 6.5876G  | -40.99     | -36.70     | -4.29      | 3    |
| 6.37079G | 3.08     | 6.6218G  | -42.26     | -36.92     | -5.34      | 4    |

6.525-6.875GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

MASK

6665MHz\_TX

19/04/2024




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.60202G | 4.41     | 6.4862G  | -26.92     | -22.12     | -4.80      | 1    |
| 6.64181G | 4.79     | 6.486G   | -22.84     | -20.95     | -1.89      | 2    |
| 6.64141G | 3.57     | 6.4862G  | -27.29     | -23.06     | -4.23      | 3    |
| 6.63661G | 5.33     | 6.4844G  | -22.92     | -20.27     | -2.65      | 4    |

5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

MASK

6105MHz\_TX

20/02/2024




5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

MASK

6265MHz\_TX

19/04/2024




5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

5955MHz\_TX

18/04/2024

CF (Hz)  
5.955G  
Span (Hz)  
100M  
RBW (Hz)  
300k  
VBW (Hz)  
1M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 5.962698G | 3.25     | 5.974425G | -27.34     | -17.56     | -9.78      | 1    |
| 5.953675G | 3.67     | 5.97555G  | -25.39     | -16.41     | -8.98      | 2    |
| 5.95405G  | 3.23     | 5.9701G   | -24.83     | -17.26     | -7.57      | 3    |
| 5.951101G | 3.20     | 5.9737G   | -24.38     | -17.50     | -6.88      | 4    |


5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6195MHz\_TX

19/04/2024

CF (Hz)  
6.195G  
Span (Hz)  
100M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.201223G | 10.54    | 6.17055G  | -16.40     | -9.55      | -6.85      | 1    |
| 6.193875G | 9.43     | 6.167875G | -19.42     | -10.99     | -8.43      | 2    |
| 6.198074G | 10.55    | 6.2175G   | -15.31     | -9.47      | -5.84      | 3    |
| 6.198699G | 10.14    | 6.220725G | -17.05     | -9.93      | -7.12      | 4    |

5.925-6.425GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6415MHz\_TX

18/04/2024




6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6535MHz\_TX

18/04/2024




6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6695MHz\_TX

18/04/2024

CF (Hz)  
6.695G  
Span (Hz)  
100M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.690776G | 8.95     | 6.668575G | -21.85     | -11.09     | -10.76     | 1    |
| 6.696325G | 8.49     | 6.7225G   | -21.56     | -11.59     | -9.97      | 2    |
| 6.698649G | 9.29     | 6.72075G  | -20.65     | -10.82     | -9.83      | 3    |
| 6.69325G  | 8.50     | 6.6706G   | -19.22     | -11.51     | -7.71      | 4    |


6.525-6.875GHz\_802.11be EHT20-BF\_Nss1,(MCS0)\_4TX

MASK

6855MHz\_TX

18/04/2024

CF (Hz)  
6.855G  
Span (Hz)  
100M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



Port 1  
Port 2  
Port 3  
Port 4

| Ref(Hz)   | Ref(dBm) | Freq(Hz)  | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|-----------|------------|------------|------------|------|
| 6.857399G | 8.45     | 6.8286G   | -23.54     | -11.60     | -11.94     | 1    |
| 6.85645G  | 8.96     | 6.8278G   | -22.61     | -11.06     | -11.55     | 2    |
| 6.852476G | 9.78     | 6.880575G | -18.78     | -10.24     | -8.54      | 3    |
| 6.852051G | 8.91     | 6.8808G   | -22.63     | -10.99     | -11.64     | 4    |


5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

5965MHz\_TX

18/04/2024

CF (Hz)  
5.965G  
Span (Hz)  
200M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS



| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 5.972248G | 0.75     | 6.02625G | -44.46     | -39.17     | -5.29      | 1    |
| 5.978547G | 0.96     | 6.02615G | -40.83     | -39.04     | -1.79      | 2    |
| 5.96395G  | 0.90     | 6.02605G | -44.15     | -39.10     | -5.05      | 3    |
| 5.971148G | 0.66     | 6.03435G | -45.29     | -39.34     | -5.95      | 4    |


5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6205MHz\_TX

18/04/2024

CF (Hz)  
6.205G  
Span (Hz)  
200M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
4.01m  
Detector Type  
RMS




| Ref(Hz)   | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|-----------|----------|----------|------------|------------|------------|------|
| 6.210499G | 9.20     | 6.15495G | -21.15     | -10.81     | -10.34     | 1    |
| 6.201751G | 8.09     | 6.15325G | -23.27     | -12.08     | -11.19     | 2    |
| 6.2062G   | 9.49     | 6.2554G  | -19.81     | -10.64     | -9.17      | 3    |
| 6.211048G | 8.13     | 6.25495G | -20.87     | -11.87     | -9.00      | 4    |

5.925-6.425GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6405MHz\_TX

18/04/2024




6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6565MHz\_TX

18/04/2024




6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6685MHz\_TX

18/04/2024




6.525-6.875GHz\_802.11be EHT40-BF\_Nss1,(MCS0)\_4TX

MASK

6845MHz\_TX

18/04/2024




5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

5985MHz\_TX

18/04/2024




5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6225MHz\_TX

18/04/2024




5.925-6.425GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6385MHz\_TX

18/04/2024




6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6625MHz\_TX

18/04/2024




6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6705MHz\_TX

18/04/2024




6.525-6.875GHz\_802.11be EHT80-BF\_Nss1,(MCS0)\_4TX

MASK

6785MHz\_TX

18/04/2024




5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6025MHz\_TX

18/04/2024




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.04819G | 1.86     | 6.2688G  | -41.50     | -38.08     | -3.42      | 1    |
| 6.05219G | 1.83     | 6.1878G  | -28.70     | -21.19     | -7.51      | 2    |
| 6.05279G | 1.89     | 6.2882G  | -42.39     | -38.00     | -4.39      | 3    |
| 6.05119G | 1.56     | 6.3174G  | -43.53     | -38.44     | -5.09      | 4    |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6185MHz\_TX

18/04/2024




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.15921G | 5.61     | 6.0536G  | -21.75     | -14.60     | -7.15      | 1    |
| 6.21259G | 5.34     | 6.335G   | -20.17     | -14.93     | -5.24      | 2    |
| 6.24818G | 5.80     | 6.0354G  | -23.29     | -15.27     | -8.02      | 3    |
| 6.20819G | 5.42     | 6.3438G  | -21.96     | -14.63     | -7.33      | 4    |

5.925-6.425GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6345MHz\_TX

18/04/2024




6.525-6.875GHz\_802.11be EHT160-BF\_Nss1,(MCS0)\_4TX

MASK

6665MHz\_TX

19/04/2024




5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

MASK

6105MHz\_TX

19/04/2024




| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.06941G | 0.91     | 6.5826G  | -41.35     | -38.49     | -2.86      | 1    |
| 6.07061G | 0.77     | 6.6406G  | -40.88     | -39.23     | -1.65      | 2    |
| 6.05221G | 0.68     | 6.5978G  | -42.15     | -39.32     | -2.83      | 3    |
| 6.20937G | 1.03     | 6.6362G  | -41.85     | -38.83     | -3.02      | 4    |

5.925-6.425GHz\_802.11be EHT320-BF\_Nss1,(MCS0)\_4TX

MASK

6265MHz\_TX

19/04/2024



| Ref(Hz)  | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.23261G | 4.15     | 6.8158G  | -37.18     | -35.11     | -2.07      | 1    |
| 6.22021G | 3.66     | 5.9574G  | -21.37     | -16.60     | -4.77      | 2    |
| 6.22021G | 3.79     | 5.9762G  | -23.31     | -17.70     | -5.61      | 3    |
| 6.23021G | 4.20     | 6.0022G  | -20.07     | -15.80     | -4.27      | 4    |