


802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUTY_2TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36556G	56.03	68.20	-12.17	40.83	3	Horizontal	275	1.05	85	38.40	8.59	31.79
PK	15.54072G	65.20	74.00	-8.80	47.52	3	Horizontal	33	1.80	85	38.04	10.36	30.72
AV	15.54088G	51.89	54.00	-2.11	34.21	3	Horizontal	33	1.80	85	38.04	10.36	30.72

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT Y_2TX
SET 91
80\98\89\94\91\93\92\91
6.69\ -9.38\2.74\ -2.31\0.55\ -1.42\ -0.42\0.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14904G	68.22	74.00	-5.78	61.94	3	Vertical	346	1.68	91	32.70	6.37	32.79
AV	5.1489G	53.51	54.00	-0.49	47.23	3	Vertical	346	1.68	91	32.70	6.37	32.79
PK	5.1986G	117.62	Inf	-Inf	111.29	3	Vertical	346	1.68	91	32.70	6.40	32.77
AV	5.20322G	107.29	Inf	-Inf	100.94	3	Vertical	346	1.68	91	32.71	6.40	32.76

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT Y_2TX
SET 91
91
2.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14708G	65.56	74.00	-8.44	59.27	3	Horizontal	316	1.79	91	32.71	6.37	32.79
AV	5.15G	51.63	54.00	-2.37	45.35	3	Horizontal	316	1.79	91	32.70	6.37	32.79
PK	5.2049G	115.30	Inf	-Inf	108.95	3	Horizontal	316	1.79	91	32.71	6.40	32.76
AV	5.20546G	104.86	Inf	-Inf	98.51	3	Horizontal	316	1.79	91	32.71	6.40	32.76

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT Y_2TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40992G	57.27	68.20	-10.93	42.00	3	Vertical	320	1.80	91	38.41	8.60	31.74
PK	15.5944G	67.07	74.00	-6.93	49.57	3	Vertical	13	1.80	86	37.82	10.38	30.70
AV	15.59936G	53.47	54.00	-0.53	35.99	3	Vertical	13	1.80	86	37.80	10.38	30.70

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUTY_2TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3984G	55.74	68.20	-12.46	40.49	3	Horizontal	290	1.80	86	38.40	8.60	31.75
PK	15.6G	68.24	74.00	-5.76	50.76	3	Horizontal	35	1.80	85	37.80	10.38	30.70
AV	15.60012G	53.89	54.00	-0.11	36.41	3	Horizontal	35	1.80	85	37.80	10.38	30.70

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT V_2TX
SET 108
80\98\107\108
6.46\5.91\1.27\1.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14796G	68.95	74.00	-5.05	62.67	3	Vertical	346	1.63	108	32.70	6.37	32.79
AV	5.14822G	52.72	54.00	-1.28	46.44	3	Vertical	346	1.63	108	32.70	6.37	32.79
PK	5.24364G	120.51	Inf	-Inf	114.07	3	Vertical	346	1.63	108	32.79	6.40	32.75
AV	5.24338G	109.91	Inf	-Inf	103.47	3	Vertical	346	1.63	108	32.79	6.40	32.75
PK	5.3544G	64.87	74.00	-9.13	58.15	3	Vertical	346	1.63	108	33.02	6.40	32.70
AV	5.3531G	51.85	54.00	-2.15	45.14	3	Vertical	346	1.63	108	33.01	6.40	32.70

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_V_2TX
SET 108
108
2.80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14978G	66.57	74.00	-7.43	60.29	3	Horizontal	315	1.80	108	32.70	6.37	32.79
AV	5.15G	50.50	54.00	-3.50	44.22	3	Horizontal	315	1.80	108	32.70	6.37	32.79
PK	5.2452G	117.93	Inf	-Inf	111.49	3	Horizontal	315	1.80	108	32.79	6.40	32.75
AV	5.24546G	107.67	Inf	-Inf	101.23	3	Horizontal	315	1.80	108	32.79	6.40	32.75
PK	5.35102G	64.38	74.00	-9.62	57.68	3	Horizontal	315	1.80	108	33.00	6.40	32.70
AV	5.35128G	51.20	54.00	-2.80	44.49	3	Horizontal	315	1.80	108	33.01	6.40	32.70

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUTY_2TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48252G	58.55	68.20	-9.65	43.11	3	Vertical	12	1.86	91	38.48	8.62	31.66
PK	15.71908G	64.20	74.00	-9.80	46.63	3	Vertical	14	1.80	91	37.81	10.42	30.66
AV	15.71444G	50.74	54.00	-3.26	33.21	3	Vertical	14	1.80	91	37.79	10.41	30.67

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUTY_2TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47348G	56.44	68.20	-11.76	41.02	3	Horizontal	315	1.80	91	38.47	8.62	31.67
PK	15.72G	64.47	74.00	-9.53	46.89	3	Horizontal	35	1.78	91	37.82	10.42	30.66
AV	15.71932G	53.49	54.00	-0.51	35.91	3	Horizontal	35	1.78	91	37.82	10.42	30.66

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT Y_2TX
SET 101
80\98\107\102\99\101
7.10\3.26\4.40\5.00\4.49\3.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63518G	65.05	68.20	-3.15	57.13	3	Vertical	319	1.80	101	34.01	6.60	32.69
PK	5.73892G	117.02	Inf	-Inf	108.85	3	Vertical	319	1.80	101	34.31	6.60	32.74
AV	5.74386G	106.02	Inf	-Inf	97.81	3	Vertical	319	1.80	101	34.35	6.60	32.74
PK	5.92702G	59.71	68.20	-8.49	50.91	3	Vertical	319	1.80	101	35.01	6.60	32.81

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT Y_2TX
SET 101
101
4.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	63.30	68.20	-4.90	55.30	3	Horizontal	29	1.66	101	34.10	6.60	32.70
PK	5.7412G	117.99	Inf	-Inf	109.80	3	Horizontal	29	1.66	101	34.33	6.60	32.74
AV	5.74158G	107.26	Inf	-Inf	99.07	3	Horizontal	29	1.66	101	34.33	6.60	32.74
PK	5.9293G	59.70	68.20	-8.50	50.89	3	Horizontal	29	1.66	101	35.02	6.60	32.81

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUTY_2TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49356G	56.81	74.00	-17.19	41.28	3	Vertical	74	1.80	91	38.40	8.87	31.74
AV	11.4884G	43.11	54.00	-10.89	27.59	3	Vertical	74	1.80	91	38.40	8.87	31.75
PK	17.22748G	68.10	68.20	-0.10	45.65	3	Vertical	349	1.80	80	41.74	10.87	30.16

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUTY_2TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50352G	56.95	74.00	-17.05	41.40	3	Horizontal	236	1.80	80	38.41	8.88	31.74
AV	11.47196G	43.25	54.00	-10.75	27.74	3	Horizontal	236	1.80	80	38.40	8.87	31.76
PK	17.24172G	68.10	68.20	-0.10	45.61	3	Horizontal	96	1.80	80	41.81	10.87	30.19

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT V_2TX
SET 108
80\98\107\108
7.56\7.57\7.26\7.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6431G	60.95	68.20	-7.25	52.99	3	Vertical	319	1.80	108	34.06	6.60	32.70
PK	5.779G	118.73	Inf	-Inf	110.48	3	Vertical	319	1.80	108	34.40	6.60	32.75
AV	5.7886G	107.86	Inf	-Inf	99.62	3	Vertical	319	1.80	108	34.40	6.60	32.76
PK	5.9317G	59.71	68.20	-8.49	50.89	3	Vertical	319	1.80	108	35.03	6.60	32.81

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT V_2TX
SET 108
108
5.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6482G	62.41	68.20	-5.79	54.42	3	Horizontal	25	1.62	108	34.09	6.60	32.70
PK	5.7811G	120.01	Inf	-Inf	111.76	3	Horizontal	25	1.62	108	34.40	6.60	32.75
AV	5.7859G	109.36	Inf	-Inf	101.11	3	Horizontal	25	1.62	108	34.40	6.60	32.75
PK	5.926G	60.22	68.20	-7.98	51.43	3	Horizontal	25	1.62	108	35.00	6.60	32.81

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUTY_2TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58788G	56.80	74.00	-17.20	41.02	3	Vertical	6	1.80	91	38.58	8.90	31.70
AV	11.57752G	43.54	54.00	-10.46	27.80	3	Vertical	6	1.80	91	38.56	8.89	31.71
PK	17.35452G	67.25	68.20	-0.95	44.55	3	Vertical	334	1.80	91	42.15	10.91	30.36

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT Y_2TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55964G	56.45	74.00	-17.55	40.76	3	Horizontal	221	1.80	91	38.52	8.89	31.72
AV	11.55236G	43.19	54.00	-10.81	27.52	3	Horizontal	221	1.80	91	38.50	8.89	31.72
PK	17.33576G	66.48	68.20	-1.72	43.77	3	Horizontal	170	1.80	91	42.14	10.90	30.33

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT Y_2TX
SET 108
80\98\107\108
7.23\7.17\6.92\6.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63728G	60.81	68.20	-7.39	52.88	3	Vertical	319	1.80	108	34.02	6.60	32.69
PK	5.81854G	116.41	Inf	-Inf	108.03	3	Vertical	319	1.80	108	34.55	6.60	32.77
AV	5.81892G	106.32	Inf	-Inf	97.94	3	Vertical	319	1.80	108	34.55	6.60	32.77
PK	5.9979G	61.25	68.20	-6.95	52.20	3	Vertical	319	1.80	108	35.29	6.60	32.84

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT Y_2TX
SET 108
108
7.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64602G	60.75	68.20	-7.45	52.77	3	Horizontal	23	1.61	108	34.08	6.60	32.70
PK	5.8212G	119.17	Inf	-Inf	110.77	3	Horizontal	23	1.61	108	34.57	6.60	32.77
AV	5.82082G	107.78	Inf	-Inf	99.38	3	Horizontal	23	1.61	108	34.57	6.60	32.77
PK	5.98498G	61.10	68.20	-7.10	52.09	3	Horizontal	23	1.61	108	35.24	6.60	32.83

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT Y_2TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6532G	57.13	74.00	-16.87	41.30	3	Vertical	21	1.80	91	38.60	8.91	31.68
AV	11.65796G	43.42	54.00	-10.58	27.59	3	Vertical	21	1.80	91	38.60	8.91	31.68
PK	17.48804G	66.17	68.20	-2.03	43.50	3	Vertical	343	1.80	91	42.29	10.95	30.57

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT Y_2TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65644G	56.93	74.00	-17.07	41.10	3	Horizontal	274	1.80	91	38.60	8.91	31.68
AV	11.65912G	43.58	54.00	-10.42	27.75	3	Horizontal	274	1.80	91	38.60	8.91	31.68
PK	17.4678G	66.97	68.20	-1.23	44.30	3	Horizontal	177	1.80	91	42.27	10.94	30.54

802.11ax HEW20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT Y_2TX
SET 84
80\98\89\84\87\85\84
4.86\ -25.51\ -7.65\ 1.34\ -3.60\ -0.04\ 1.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1475G	64.76	74.00	-9.24	58.47	3	Vertical	350	1.80	84	32.71	6.37	32.79
AV	5.1497G	52.83	54.00	-1.17	46.55	3	Vertical	350	1.80	84	32.70	6.37	32.79
PK	5.1771G	113.01	Inf	-Inf	106.70	3	Vertical	350	1.80	84	32.70	6.39	32.78
AV	5.1764G	101.67	Inf	-Inf	95.36	3	Vertical	350	1.80	84	32.70	6.39	32.78

802.11ax HEW20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT Y_2TX
SET 84
84
3.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1496G	62.80	74.00	-11.20	56.52	3	Horizontal	317	1.73	84	32.70	6.37	32.79	
AV	5.1495G	50.92	54.00	-3.08	44.64	3	Horizontal	317	1.73	84	32.70	6.37	32.79	
PK	5.1771G	111.52	Inf	-Inf	105.21	3	Horizontal	317	1.73	84	32.70	6.39	32.78	
AV	5.1789G	99.57	Inf	-Inf	93.25	3	Horizontal	317	1.73	84	32.70	6.39	32.77	

802.11ax HEW20_Nss2,(MCS0)_2TX

5180MHz_TX




EUTY_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35924G	55.46	68.20	-12.74	40.26	3	Vertical	120	1.80	84	38.40	8.59	31.79
PK	15.54364G	64.05	74.00	-9.95	46.38	3	Vertical	14	2.79	84	38.03	10.36	30.72
AV	15.54264G	50.42	54.00	-3.58	32.75	3	Vertical	14	2.79	84	38.03	10.36	30.72

802.11ax HEW20_Nss2,(MCS0)_2TX

5180MHz_TX




EUTY_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34624G	56.07	68.20	-12.13	40.89	3	Horizontal	190	2.55	84	38.40	8.59	31.81
PK	15.54724G	64.41	74.00	-9.59	46.76	3	Horizontal	34	1.79	84	38.01	10.36	30.72
AV	15.5362G	50.33	54.00	-3.67	32.63	3	Horizontal	34	1.79	84	38.06	10.36	30.72

802.11ax HEW20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT Y_2TX
SET 88
80\98\89\84\87\88
5.45\14.32\0.48\3.90\1.16\0.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14568G	66.56	74.00	-7.44	60.27	3	Vertical	348	1.80	88	32.71	6.37	32.79
AV	5.14946G	53.38	54.00	-0.62	47.10	3	Vertical	348	1.80	88	32.70	6.37	32.79
PK	5.20112G	114.66	Inf	-Inf	108.33	3	Vertical	348	1.80	88	32.70	6.40	32.77
AV	5.20294G	103.83	Inf	-Inf	97.48	3	Vertical	348	1.80	88	32.71	6.40	32.76

802.11ax HEW20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT Y_2TX
SET 88
88
3.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14624G	63.31	74.00	-10.69	57.02	3	Horizontal	314	1.80	88	32.71	6.37	32.79
AV	5.1496G	50.95	54.00	-3.05	44.67	3	Horizontal	314	1.80	88	32.70	6.37	32.79
PK	5.2007G	113.07	Inf	-Inf	106.74	3	Horizontal	314	1.80	88	32.70	6.40	32.77
AV	5.20658G	101.51	Inf	-Inf	95.16	3	Horizontal	314	1.80	88	32.71	6.40	32.76

802.11ax HEW20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT Y_2TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41G	55.88	68.20	-12.32	40.61	3	Vertical	249	1.40	88	38.41	8.60	31.74
PK	15.60664G	67.75	74.00	-6.25	50.28	3	Vertical	15	1.80	87	37.79	10.38	30.70
AV	15.59692G	53.63	54.00	-0.37	36.14	3	Vertical	15	1.80	87	37.81	10.38	30.70

802.11ax HEW20_Nss2,(MCS0)_2TX

5200MHz_TX




EUTY_2TX
SET 87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38252G	56.06	68.20	-12.14	40.83	3	Horizontal	275	2.16	87	38.40	8.60	31.77
PK	15.60488G	67.16	74.00	-6.84	49.68	3	Horizontal	35	1.80	87	37.80	10.38	30.70
AV	15.59756G	53.83	54.00	-0.17	36.34	3	Horizontal	35	1.80	87	37.81	10.38	30.70

802.11ax HEW20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_V_2TX
SET 103
80\98\107\102\105\103
5.76\4.60\1.46\0.54\1.49\0.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14744G	69.19	74.00	-4.81	62.90	3	Vertical	345	1.71	103	32.71	6.37	32.79
AV	5.14978G	53.54	54.00	-0.46	47.26	3	Vertical	345	1.71	103	32.70	6.37	32.79
PK	5.24702G	119.10	Inf	-Inf	112.66	3	Vertical	345	1.71	103	32.79	6.40	32.75
AV	5.24416G	107.49	Inf	-Inf	101.05	3	Vertical	345	1.71	103	32.79	6.40	32.75
PK	5.3583G	65.40	74.00	-8.60	58.67	3	Vertical	345	1.71	103	33.03	6.40	32.70
AV	5.35G	52.27	54.00	-1.73	45.57	3	Vertical	345	1.71	103	33.00	6.40	32.70

802.11ax HEW20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_V_2TX
SET 103
103
1.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14276G	67.29	74.00	-6.71	61.00	3	Horizontal	316	1.65	103	32.71	6.37	32.79
AV	5.149G	52.21	54.00	-1.79	45.93	3	Horizontal	316	1.65	103	32.70	6.37	32.79
PK	5.2478G	116.89	Inf	-Inf	110.44	3	Horizontal	316	1.65	103	32.80	6.40	32.75
AV	5.24494G	105.39	Inf	-Inf	98.95	3	Horizontal	316	1.65	103	32.79	6.40	32.75
PK	5.36246G	66.99	74.00	-7.01	60.24	3	Horizontal	316	1.65	103	33.05	6.40	32.70
AV	5.36064G	52.09	54.00	-1.91	45.35	3	Horizontal	316	1.65	103	33.04	6.40	32.70

802.11ax HEW20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT Y_2TX
SET 103

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48348G	57.77	68.20	-10.43	42.33	3	Vertical	14	1.80	103	38.48	8.62	31.66
PK	15.71984G	66.77	74.00	-7.23	49.19	3	Vertical	15	1.79	103	37.82	10.42	30.66
AV	15.71508G	52.18	54.00	-1.82	34.65	3	Vertical	15	1.79	103	37.79	10.41	30.67

802.11ax HEW20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT Y_2TX
SET 103

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46604G	56.70	68.20	-11.50	41.29	3	Horizontal	290	1.80	103	38.47	8.62	31.68
PK	15.72276G	65.46	74.00	-8.54	47.86	3	Horizontal	34	1.78	103	37.84	10.42	30.66
AV	15.715G	52.10	54.00	-1.90	34.57	3	Horizontal	34	1.78	103	37.79	10.41	30.67

802.11ax HEW20_Nss2,(MCS0)_2TX

5745MHz_TX




EUT Y_2TX
SET 97
80\98\89\94\97\99\97
7.19\6.44\6.03\7.09\6.14\6.13\5.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64354G	63.10	68.20	-5.10	55.14	3	Vertical	318	1.80	97	34.06	6.60	32.70
PK	5.74196G	114.48	Inf	-Inf	106.28	3	Vertical	318	1.80	97	34.34	6.60	32.74
AV	5.74804G	103.40	Inf	-Inf	95.16	3	Vertical	318	1.80	97	34.38	6.60	32.74
PK	5.9255G	59.92	68.20	-8.28	51.13	3	Vertical	318	1.80	97	35.00	6.60	32.81

802.11ax HEW20_Nss2,(MCS0)_2TX

5745MHz_TX




EUT Y_2TX
SET 97
97
6.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6481G	61.50	68.20	-6.70	53.51	3	Horizontal	29	1.51	97	34.09	6.60	32.70
PK	5.73968G	116.27	Inf	-Inf	108.09	3	Horizontal	29	1.51	97	34.32	6.60	32.74
AV	5.7431G	104.09	Inf	-Inf	95.89	3	Horizontal	29	1.51	97	34.34	6.60	32.74
PK	5.92892G	60.43	68.20	-7.77	51.62	3	Horizontal	29	1.51	97	35.02	6.60	32.81

802.11ax HEW20_Nss2,(MCS0)_2TX

5745MHz_TX




EUTY_2TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50644G	56.92	74.00	-17.08	41.37	3	Vertical	342	1.80	97	38.41	8.88	31.74
AV	11.5048G	43.43	54.00	-10.57	27.88	3	Vertical	342	1.80	97	38.41	8.88	31.74
PK	17.21696G	68.04	68.20	-0.16	45.64	3	Vertical	351	1.80	85	41.68	10.87	30.15

802.11ax HEW20_Nss2,(MCS0)_2TX

5745MHz_TX




EUTY_2TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49332G	57.29	74.00	-16.71	41.76	3	Horizontal	318	1.80	85	38.40	8.87	31.74
AV	11.48484G	43.40	54.00	-10.60	27.88	3	Horizontal	318	1.80	85	38.40	8.87	31.75
PK	17.2376G	67.85	68.20	-0.35	45.37	3	Horizontal	1	1.36	85	41.79	10.87	30.18

802.11ax HEW20_Nss2,(MCS0)_2TX

5785MHz_TX




EUT Y_2TX
SET 108
80\98\107\108
7.88\8.00\6.66\6.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6494G	61.78	68.20	-6.42	53.78	3	Vertical	318	1.80	108	34.10	6.60	32.70
PK	5.7886G	116.66	Inf	-Inf	108.42	3	Vertical	318	1.80	108	34.40	6.60	32.76
AV	5.782G	105.44	Inf	-Inf	97.19	3	Vertical	318	1.80	108	34.40	6.60	32.75
PK	5.9257G	61.15	68.20	-7.05	52.36	3	Vertical	318	1.80	108	35.00	6.60	32.81

802.11ax HEW20_Nss2,(MCS0)_2TX

5785MHz_TX




EUT Y_2TX
SET 108
108
6.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6371G	61.89	68.20	-6.31	53.96	3	Horizontal	27	1.62	108	34.02	6.60	32.69
PK	5.7793G	118.15	Inf	-Inf	109.90	3	Horizontal	27	1.62	108	34.40	6.60	32.75
AV	5.7832G	106.93	Inf	-Inf	98.68	3	Horizontal	27	1.62	108	34.40	6.60	32.75
PK	5.9305G	60.05	68.20	-8.15	51.24	3	Horizontal	27	1.62	108	35.02	6.60	32.81

802.11ax HEW20_Nss2,(MCS0)_2TX

5785MHz_TX




EUT Y_2TX
SET 102

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57404G	57.06	74.00	-16.94	41.33	3	Vertical	342	1.80	108	38.55	8.89	31.71
AV	11.56932G	44.42	54.00	-9.58	28.70	3	Vertical	342	1.80	108	38.54	8.89	31.71
PK	17.35984G	67.89	68.20	-0.31	45.19	3	Vertical	354	1.32	102	42.16	10.91	30.37

802.11ax HEW20_Nss2,(MCS0)_2TX

5785MHz_TX




EUTY_2TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5688G	57.47	74.00	-16.53	41.75	3	Horizontal	360	1.80	102	38.54	8.89	31.71
AV	11.56644G	43.55	54.00	-10.45	27.84	3	Horizontal	360	1.80	102	38.53	8.89	31.71
PK	17.36392G	68.00	68.20	-0.20	45.31	3	Horizontal	359	1.81	96	42.16	10.91	30.38

802.11ax HEW20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT V_2TX
SET 108
80\98\107\108
6.63\7.19\6.94\6.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64526G	60.54	68.20	-7.66	52.57	3	Vertical	319	1.80	108	34.07	6.60	32.70
PK	5.8212G	114.42	Inf	-Inf	106.02	3	Vertical	319	1.80	108	34.57	6.60	32.77
AV	5.81664G	104.00	Inf	-Inf	95.64	3	Vertical	319	1.80	108	34.53	6.60	32.77
PK	5.99258G	61.31	68.20	-6.89	52.28	3	Vertical	319	1.80	108	35.27	6.60	32.84

802.11ax HEW20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
SET 108
108
7.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63956G	61.00	68.20	-7.20	53.06	3	Horizontal	24	1.59	108	34.04	6.60	32.70
PK	5.82082G	116.19	Inf	-Inf	107.79	3	Horizontal	24	1.59	108	34.57	6.60	32.77
AV	5.81816G	105.41	Inf	-Inf	97.03	3	Horizontal	24	1.59	108	34.55	6.60	32.77
PK	5.996G	60.88	68.20	-7.32	51.84	3	Horizontal	24	1.59	108	35.28	6.60	32.84

802.11ax HEW20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65568G	56.80	74.00	-17.20	40.97	3	Vertical	9	1.75	108	38.60	8.91	31.68
AV	11.65384G	43.73	54.00	-10.27	27.90	3	Vertical	9	1.75	108	38.60	8.91	31.68
PK	17.45756G	66.78	68.20	-1.42	44.10	3	Vertical	340	1.79	108	42.26	10.94	30.52

802.11ax HEW20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65576G	57.22	74.00	-16.78	41.39	3	Horizontal	324	1.80	108	38.60	8.91	31.68
AV	11.6534G	43.64	54.00	-10.36	27.81	3	Horizontal	324	1.80	108	38.60	8.91	31.68
PK	17.46416G	67.04	68.20	-1.16	44.37	3	Horizontal	25	2.75	108	42.26	10.94	30.53

802.11ax HEW40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT Y_2TX
SET 76
80\62\71\76\79\77\76
-4.42\5.48\3.51\0.54\ -4.83\ -1.38\0.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14968G	66.32	74.00	-7.68	60.04	3	Vertical	348	1.80	76	32.70	6.37	32.79
AV	5.15G	53.61	54.00	-0.39	47.33	3	Vertical	348	1.80	76	32.70	6.37	32.79
PK	5.19996G	108.56	Inf	-Inf	102.23	3	Vertical	348	1.80	76	32.70	6.40	32.77
AV	5.18388G	97.05	Inf	-Inf	90.73	3	Vertical	348	1.80	76	32.70	6.39	32.77

802.11ax HEW40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT Y_2TX
SET 76
76
3.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14968G	62.87	74.00	-11.13	56.59	3	Horizontal	318	1.80	76	32.70	6.37	32.79
AV	5.14944G	50.99	54.00	-3.01	44.71	3	Horizontal	318	1.80	76	32.70	6.37	32.79
PK	5.20476G	107.36	Inf	-Inf	101.01	3	Horizontal	318	1.80	76	32.71	6.40	32.76
AV	5.20392G	94.73	Inf	-Inf	88.38	3	Horizontal	318	1.80	76	32.71	6.40	32.76

802.11ax HEW40_Nss2,(MCS0)_2TX

5190MHz_TX




EUTY_2TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41872G	55.88	68.20	-12.32	40.59	3	Vertical	163	1.80	76	38.42	8.60	31.73
PK	15.53008G	63.26	74.00	-10.74	45.54	3	Vertical	162	1.80	76	38.08	10.36	30.72
AV	15.56976G	49.77	54.00	-4.23	32.19	3	Vertical	162	1.80	76	37.92	10.37	30.71

802.11ax HEW40_Nss2,(MCS0)_2TX

5190MHz_TX




EUTY_2TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3532G	56.27	68.20	-11.93	41.08	3	Horizontal	27	1.80	76	38.40	8.59	31.80
PK	15.54288G	62.75	74.00	-11.25	45.08	3	Horizontal	148	1.80	76	38.03	10.36	30.72
AV	15.53488G	49.85	54.00	-4.15	32.15	3	Horizontal	148	1.80	76	38.06	10.36	30.72

802.11ax HEW40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_V_2TX
SET 90
80\98\89\94\91\90
5.42\ -4.78\1.14\ -2.19\ -0.32\0.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14862G	64.95	74.00	-9.05	58.67	3	Vertical	347	1.72	90	32.70	6.37	32.79
AV	5.14862G	53.81	54.00	-0.19	47.53	3	Vertical	347	1.72	90	32.70	6.37	32.79
PK	5.23936G	113.10	Inf	-Inf	106.67	3	Vertical	347	1.72	90	32.78	6.40	32.75
AV	5.2417G	101.54	Inf	-Inf	95.11	3	Vertical	347	1.72	90	32.78	6.40	32.75
PK	5.3535G	61.24	74.00	-12.76	54.53	3	Vertical	347	1.72	90	33.01	6.40	32.70
AV	5.35116G	49.65	54.00	-4.35	42.95	3	Vertical	347	1.72	90	33.00	6.40	32.70

802.11ax HEW40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_V_2TX
SET 90
90
2.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14134G	63.39	74.00	-10.61	57.09	3	Horizontal	349	1.59	90	32.72	6.37	32.79
AV	5.14992G	51.19	54.00	-2.81	44.91	3	Horizontal	349	1.59	90	32.70	6.37	32.79
PK	5.23494G	111.26	Inf	-Inf	104.84	3	Horizontal	349	1.59	90	32.77	6.40	32.75
AV	5.2313G	99.98	Inf	-Inf	93.57	3	Horizontal	349	1.59	90	32.76	6.40	32.75
PK	5.35116G	60.26	74.00	-13.74	53.56	3	Horizontal	349	1.59	90	33.00	6.40	32.70
AV	5.35G	48.57	54.00	-5.43	41.87	3	Horizontal	349	1.59	90	33.00	6.40	32.70

802.11ax HEW40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45224G	56.52	68.20	-11.68	41.15	3	Vertical	139	1.80	90	38.45	8.61	31.69
PK	15.66928G	63.05	74.00	-10.95	45.60	3	Vertical	15	1.79	90	37.73	10.40	30.68
AV	15.67856G	49.96	54.00	-4.04	32.52	3	Vertical	15	1.79	90	37.72	10.40	30.68

802.11ax HEW40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49944G	56.05	68.20	-12.15	40.57	3	Horizontal	288	1.80	90	38.50	8.62	31.64
PK	15.6784G	63.04	74.00	-10.96	45.60	3	Horizontal	33	1.78	90	37.72	10.40	30.68
AV	15.65536G	49.67	54.00	-4.33	32.21	3	Horizontal	33	1.78	90	37.74	10.40	30.68

802.11ax HEW40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT Y_2TX
SET 100
80\98\107\102\99\101\100
6.74\1.46\10.25\5.45\0.72\2.04\0.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64844G	68.13	68.20	-0.07	60.14	3	Vertical	319	1.80	100	34.09	6.60	32.70
PK	5.746G	113.44	Inf	-Inf	105.21	3	Vertical	319	1.80	100	34.37	6.60	32.74
AV	5.76688G	100.91	Inf	-Inf	92.66	3	Vertical	319	1.80	100	34.40	6.60	32.75
PK	5.92852G	60.15	68.20	-8.05	51.35	3	Vertical	319	1.80	100	35.01	6.60	32.81

802.11ax HEW40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT Y_2TX
SET 99
100\91\96\99
-0.68\6.49\3.04\1.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64592G	67.20	68.20	-1.00	59.22	3	Horizontal	27	1.64	99	34.08	6.60	32.70
PK	5.76328G	113.75	Inf	-Inf	105.50	3	Horizontal	27	1.64	99	34.40	6.60	32.75
AV	5.77084G	102.15	Inf	-Inf	93.90	3	Horizontal	27	1.64	99	34.40	6.60	32.75
PK	5.92564G	60.65	68.20	-7.55	51.86	3	Horizontal	27	1.64	99	35.00	6.60	32.81

802.11ax HEW40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT Y_2TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5184G	56.82	74.00	-17.18	41.23	3	Vertical	107	1.80	99	38.44	8.88	31.73
AV	11.52432G	43.63	54.00	-10.37	28.03	3	Vertical	107	1.80	99	38.45	8.88	31.73
PK	17.2278G	67.88	68.20	-0.32	45.44	3	Vertical	331	2.62	99	41.74	10.87	30.17

802.11ax HEW40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT Y_2TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48608G	56.67	74.00	-17.33	41.15	3	Horizontal	5	2.10	99	38.40	8.87	31.75
AV	11.52424G	43.66	54.00	-10.34	28.06	3	Horizontal	5	2.10	99	38.45	8.88	31.73
PK	17.27796G	68.03	68.20	-0.17	45.40	3	Horizontal	0	1.47	99	41.99	10.88	30.24

802.11ax HEW40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT V_2TX
SET 107
80\98\107
7.65\5.52\0.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64972G	67.93	68.20	-0.27	59.93	3	Vertical	319	1.83	107	34.10	6.60	32.70
PK	5.78988G	114.31	Inf	-Inf	106.07	3	Vertical	319	1.83	107	34.40	6.60	32.76
AV	5.7918G	102.23	Inf	-Inf	93.99	3	Vertical	319	1.83	107	34.40	6.60	32.76
PK	5.93964G	61.12	68.20	-7.08	52.28	3	Vertical	319	1.83	107	35.06	6.60	32.82

802.11ax HEW40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT Y_2TX
SET 107
107
1.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64588G	66.86	68.20	-1.34	58.88	3	Horizontal	26	1.64	107	34.08	6.60	32.70
PK	5.78924G	115.01	Inf	-Inf	106.77	3	Horizontal	26	1.64	107	34.40	6.60	32.76
AV	5.78764G	103.42	Inf	-Inf	95.18	3	Horizontal	26	1.64	107	34.40	6.60	32.76
PK	5.93644G	60.76	68.20	-7.44	51.92	3	Horizontal	26	1.64	107	35.05	6.60	32.81

802.11ax HEW40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT Y_2TX
SET 107

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.62472G	56.77	74.00	-17.23	40.95	3	Vertical	72	1.80	107	38.60	8.91	31.69	
AV	11.57144G	43.53	54.00	-10.47	27.81	3	Vertical	72	1.80	107	38.54	8.89	31.71	
PK	17.37612G	67.65	68.20	-0.55	44.96	3	Vertical	355	1.80	107	42.18	10.91	30.40	

802.11ax HEW40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT Y_2TX
SET 107

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.61752G	57.11	74.00	-16.89	41.30	3	Horizontal	1	1.80	107	38.60	8.90	31.69
AV	11.60264G	43.55	54.00	-10.45	27.75	3	Horizontal	1	1.80	107	38.60	8.90	31.70
PK	17.3646G	67.28	68.20	-0.92	44.59	3	Horizontal	360	1.80	107	42.16	10.91	30.38

802.11ax HEW80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_V_2TX
SET 76
80\62\71\76
-4.72\4.07\2.47\0.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14856G	63.18	74.00	-10.82	56.90	3	Vertical	347	1.73	76	32.70	6.37	32.79
AV	5.14984G	53.67	54.00	-0.33	47.39	3	Vertical	347	1.73	76	32.70	6.37	32.79
PK	5.22376G	105.40	Inf	-Inf	99.01	3	Vertical	347	1.73	76	32.75	6.40	32.76
AV	5.24264G	95.56	Inf	-Inf	89.12	3	Vertical	347	1.73	76	32.79	6.40	32.75
PK	5.36008G	59.82	74.00	-14.18	53.08	3	Vertical	347	1.73	76	33.04	6.40	32.70
AV	5.35272G	50.46	54.00	-3.54	43.75	3	Vertical	347	1.73	76	33.01	6.40	32.70

802.11ax HEW80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_V_2TX
SET 76
76
2.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14152G	60.37	74.00	-13.63	54.07	3	Horizontal	316	1.62	76	32.72	6.37	32.79
AV	5.14952G	51.31	54.00	-2.69	45.03	3	Horizontal	316	1.62	76	32.70	6.37	32.79
PK	5.2388G	104.47	Inf	-Inf	98.04	3	Horizontal	316	1.62	76	32.78	6.40	32.75
AV	5.23912G	93.68	Inf	-Inf	87.25	3	Horizontal	316	1.62	76	32.78	6.40	32.75
PK	5.36776G	60.30	74.00	-13.70	53.53	3	Horizontal	316	1.62	76	33.07	6.40	32.70
AV	5.36712G	50.06	54.00	-3.94	43.29	3	Horizontal	316	1.62	76	33.07	6.40	32.70

802.11ax HEW80_Nss2,(MCS0)_2TX

5210MHz_TX




EUTY_2TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.43984G	55.82	68.20	-12.38	40.47	3	Vertical	255	2.92	76	38.44	8.61	31.70
PK	15.56664G	62.69	74.00	-11.31	45.10	3	Vertical	360	1.80	76	37.93	10.37	30.71
AV	15.58088G	49.57	54.00	-4.43	32.03	3	Vertical	360	1.80	76	37.88	10.37	30.71

802.11ax HEW80_Nss2,(MCS0)_2TX

5210MHz_TX




EUTY_2TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.44432G	56.25	68.20	-11.95	40.90	3	Horizontal	291	2.94	76	38.44	8.61	31.70
PK	15.558G	62.79	74.00	-11.21	45.16	3	Horizontal	1	1.80	76	37.97	10.37	30.71
AV	15.6052G	49.58	54.00	-4.42	32.11	3	Horizontal	1	1.80	76	37.79	10.38	30.70

802.11ax HEW80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT Y_2TX
SET 91
80\98\89\94\91
5.25\ -9.61\1.30\ -2.37\0.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64956G	67.94	68.20	-0.26	59.94	3	Vertical	321	1.80	91	34.10	6.60	32.70
PK	5.7654G	107.38	Inf	-Inf	99.13	3	Vertical	321	1.80	91	34.40	6.60	32.75
AV	5.76092G	97.18	Inf	-Inf	88.92	3	Vertical	321	1.80	91	34.40	6.60	32.74
PK	5.93148G	60.76	68.20	-7.44	51.94	3	Vertical	321	1.80	91	35.03	6.60	32.81

802.11ax HEW80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT Y_2TX
SET 91
91
0.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64572G	67.41	68.20	-0.79	59.44	3	Horizontal	28	1.67	91	34.07	6.60	32.70
PK	5.76956G	109.22	Inf	-Inf	100.97	3	Horizontal	28	1.67	91	34.40	6.60	32.75
AV	5.77212G	98.66	Inf	-Inf	90.41	3	Horizontal	28	1.67	91	34.40	6.60	32.75
PK	5.925G	60.10	68.20	-8.10	51.31	3	Horizontal	28	1.67	91	35.00	6.60	32.81

802.11ax HEW80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT Y_2TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54472G	56.57	74.00	-17.43	40.91	3	Vertical	315	1.80	91	38.49	8.89	31.72
AV	11.52472G	43.61	54.00	-10.39	28.01	3	Vertical	315	1.80	91	38.45	8.88	31.73
PK	17.29412G	67.79	68.20	-0.41	45.10	3	Vertical	81	2.39	91	42.07	10.89	30.27

802.11ax HEW80_Nss2,(MCS0)_2TX

5775MHz_TX



EUTY_2TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5604G	56.49	74.00	-17.51	40.80	3	Horizontal	136	1.80	91	38.52	8.89	31.72
AV	11.5548G	43.60	54.00	-10.40	27.92	3	Horizontal	136	1.80	91	38.51	8.89	31.72
PK	17.31108G	67.36	68.20	-0.84	44.66	3	Horizontal	164	2.06	91	42.11	10.89	30.30




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1.(MCS0)_4TX	Pass	AV	5.14654G	53.99	54.00	-0.01	3	Vertical	347	1.80	86

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
SET 85
86\77\82\85
-0.49\6.06\4.03\0.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.15G	65.62	74.00	-8.38	59.34	3	Vertical	349	1.80	85	32.70	6.37	32.79	
AV	5.15G	53.56	54.00	-0.44	47.28	3	Vertical	349	1.80	85	32.70	6.37	32.79	
PK	5.1739G	118.38	Inf	-Inf	112.07	3	Vertical	349	1.80	85	32.70	6.39	32.78	
AV	5.1734G	108.49	Inf	-Inf	102.18	3	Vertical	349	1.80	85	32.70	6.39	32.78	

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
SET 86
80\98\89\84\87\85\86
5.11\ -22.78\ -4.63\ 1.74\ -1.12\ 0.71\ 0.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	68.26	74.00	-5.74	61.98	3	Horizontal	360	1.74	86	32.70	6.37	32.79
AV	5.1467G	53.96	54.00	-0.04	47.67	3	Horizontal	360	1.74	86	32.71	6.37	32.79
PK	5.1783G	117.24	Inf	-Inf	110.93	3	Horizontal	360	1.74	86	32.70	6.39	32.78
AV	5.1778G	107.62	Inf	-Inf	101.31	3	Horizontal	360	1.74	86	32.70	6.39	32.78

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT Y_4TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34664G	55.64	68.20	-12.56	40.46	3	Vertical	17	1.80	81	38.40	8.59	31.81
PK	15.54024G	64.49	74.00	-9.51	46.81	3	Vertical	356	1.80	81	38.04	10.36	30.72
AV	15.5396G	51.67	54.00	-2.33	33.99	3	Vertical	356	1.80	81	38.04	10.36	30.72

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
SET 81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36208G	55.79	68.20	-12.41	40.59	3	Horizontal	360	1.78	85	38.40	8.59	31.79
PK	15.54116G	66.09	74.00	-7.91	48.41	3	Horizontal	35	1.80	81	38.04	10.36	30.72
AV	15.54144G	53.08	54.00	-0.92	35.41	3	Horizontal	35	1.80	81	38.03	10.36	30.72

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT Y_4TX
SET 91
93\84\89\92\90\91
-0.86\5.57\2.65\ -0.42\1.48\1.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14624G	66.82	74.00	-7.18	60.53	3	Vertical	348	1.80	91	32.71	6.37	32.79
AV	5.14624G	52.50	54.00	-1.50	46.21	3	Vertical	348	1.80	91	32.71	6.37	32.79
PK	5.19356G	120.82	Inf	-Inf	114.49	3	Vertical	348	1.80	91	32.70	6.40	32.77
AV	5.19286G	110.73	Inf	-Inf	104.40	3	Vertical	348	1.80	91	32.70	6.40	32.77

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT Y_4TX
SET 93
80\98\89\94\91\93
6.49\ -10.57\3.40\ -0.98\1.71\0.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14526G	70.62	74.00	-3.38	64.33	3	Horizontal	1	1.80	93	32.71	6.37	32.79
AV	5.1461G	53.87	54.00	-0.13	47.58	3	Horizontal	1	1.80	93	32.71	6.37	32.79
PK	5.1986G	119.79	Inf	-Inf	113.46	3	Horizontal	1	1.80	93	32.70	6.40	32.77
AV	5.19888G	109.78	Inf	-Inf	103.45	3	Horizontal	1	1.80	93	32.70	6.40	32.77

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3858G	55.58	68.20	-12.62	40.34	3	Vertical	138	1.80	78	38.40	8.60	31.76
PK	15.60104G	67.47	74.00	-6.53	49.99	3	Vertical	14	1.80	78	37.80	10.38	30.70
AV	15.59968G	52.54	54.00	-1.46	35.06	3	Vertical	14	1.80	78	37.80	10.38	30.70

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT Y_4TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41088G	56.45	68.20	-11.75	41.18	3	Horizontal	207	1.80	91	38.41	8.60	31.74
AV	15.60044G	53.46	54.00	-0.54	35.98	3	Horizontal	35	1.80	78	37.80	10.38	30.70
PK	15.60028G	69.83	74.00	-4.17	52.35	3	Horizontal	35	1.80	78	37.80	10.38	30.70

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
SET 103
108\99\104\101\103
-0.50\4.76\ -0.54\2.97\0.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14978G	70.50	74.00	-3.50	64.22	3	Vertical	348	1.80	103	32.70	6.37	32.79
AV	5.15G	53.47	54.00	-0.53	47.19	3	Vertical	348	1.80	103	32.70	6.37	32.79
PK	5.23376G	122.94	Inf	-Inf	116.52	3	Vertical	348	1.80	103	32.77	6.40	32.75
AV	5.23272G	113.21	Inf	-Inf	106.79	3	Vertical	348	1.80	103	32.77	6.40	32.75
PK	5.3531G	67.09	74.00	-6.91	60.38	3	Vertical	348	1.80	103	33.01	6.40	32.70
AV	5.35154G	51.82	54.00	-2.18	45.11	3	Vertical	348	1.80	103	33.01	6.40	32.70

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
SET 108
80\98\107\108
6.24\5.03\1.21\0.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	66.77	74.00	-7.23	60.47	3	Horizontal	342	1.55	108	32.72	6.37	32.79
AV	5.14276G	51.05	54.00	-2.95	44.76	3	Horizontal	342	1.55	108	32.71	6.37	32.79
PK	5.2426G	124.06	Inf	-Inf	117.62	3	Horizontal	342	1.55	108	32.79	6.40	32.75
AV	5.24182G	113.49	Inf	-Inf	107.06	3	Horizontal	342	1.55	108	32.78	6.40	32.75
PK	5.35934G	68.59	74.00	-5.41	61.85	3	Horizontal	342	1.55	108	33.04	6.40	32.70
AV	5.35986G	53.15	54.00	-0.85	46.41	3	Horizontal	342	1.55	108	33.04	6.40	32.70

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT Y_4TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48048G	56.76	68.20	-11.44	41.32	3	Vertical	15	1.86	86	38.48	8.62	31.66
PK	15.7146G	68.45	74.00	-5.55	50.92	3	Vertical	15	1.78	85	37.79	10.41	30.67
AV	15.71392G	53.81	54.00	-0.19	36.29	3	Vertical	15	1.78	85	37.78	10.41	30.67

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT Y_4TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46336G	56.67	68.20	-11.53	41.27	3	Horizontal	64	1.80	103	38.46	8.62	31.68
PK	15.72184G	67.85	74.00	-6.15	50.26	3	Horizontal	20	1.87	86	37.83	10.42	30.66
AV	15.72088G	53.74	54.00	-0.26	36.15	3	Horizontal	20	1.87	86	37.83	10.42	30.66

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT Y_4TX
SET 97
101\89\95\98\100\99\98\97
-1.06\6.92\6.48\2.92\2.02\3.29\0.32\5.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5702G	62.73	68.20	-5.47	54.97	3	Vertical	348	2.95	97	33.86	6.57	32.67
PK	5.73816G	120.31	Inf	-Inf	112.14	3	Vertical	348	2.95	97	34.31	6.60	32.74
AV	5.73816G	110.58	Inf	-Inf	102.41	3	Vertical	348	2.95	97	34.31	6.60	32.74
PK	5.9274G	60.54	68.20	-7.66	51.74	3	Vertical	348	2.95	97	35.01	6.60	32.81

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT Y_4TX
SET 101
80\98\107\102\99\101
7.06\3.71\10.97\1.78\3.76\3.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64886G	64.70	68.20	-3.50	56.71	3	Horizontal	350	1.56	101	34.09	6.60	32.70
PK	5.74766G	123.48	Inf	-Inf	115.24	3	Horizontal	350	1.56	101	34.38	6.60	32.74
AV	5.7469G	112.85	Inf	-Inf	104.61	3	Horizontal	350	1.56	101	34.38	6.60	32.74
PK	5.92664G	60.01	68.20	-8.19	51.21	3	Horizontal	350	1.56	101	35.01	6.60	32.81

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4846G	56.41	74.00	-17.59	40.89	3	Vertical	126	2.69	80	38.40	8.87	31.75
AV	11.47548G	43.38	54.00	-10.62	27.86	3	Vertical	126	2.69	80	38.40	8.87	31.75
PK	17.22604G	67.45	68.20	-0.75	45.01	3	Vertical	1	2.65	80	41.73	10.87	30.16

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49564G	57.02	74.00	-16.98	41.49	3	Horizontal	298	1.80	97	38.40	8.87	31.74
AV	11.49364G	43.72	54.00	-10.28	28.19	3	Horizontal	298	1.80	97	38.40	8.87	31.74
PK	17.23052G	68.02	68.20	-0.18	45.57	3	Horizontal	19	1.80	80	41.75	10.87	30.17

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT Y_4TX
SET 108
108
6.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6515G	63.09	69.31	-6.22	55.09	3	Vertical	3	1.80	108	34.10	6.60	32.70
PK	5.7925G	121.37	Inf	-Inf	113.13	3	Vertical	3	1.80	108	34.40	6.60	32.76
AV	5.7925G	110.66	Inf	-Inf	102.42	3	Vertical	3	1.80	108	34.40	6.60	32.76
PK	5.9302G	59.72	68.20	-8.48	50.91	3	Vertical	3	1.80	108	35.02	6.60	32.81

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT Y_4TX
SET 108
80\98\107\108
7.57\7.09\4.75\3.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6401G	64.39	68.20	-3.81	56.45	3	Horizontal	351	1.56	108	34.04	6.60	32.70
PK	5.7871G	125.20	Inf	-Inf	116.95	3	Horizontal	351	1.56	108	34.40	6.60	32.75
AV	5.7874G	114.27	Inf	-Inf	106.02	3	Horizontal	351	1.56	108	34.40	6.60	32.75
PK	5.929G	59.44	68.20	-8.76	50.63	3	Horizontal	351	1.56	108	35.02	6.60	32.81

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT Y_4TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5628G	57.07	74.00	-16.93	41.36	3	Vertical	348	1.76	90	38.53	8.89	31.71
AV	11.57192G	44.09	54.00	-9.91	28.37	3	Vertical	348	1.76	90	38.54	8.89	31.71
PK	17.37092G	66.65	68.20	-1.55	43.96	3	Vertical	21	1.80	90	42.17	10.91	30.39

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT Y_4TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57176G	58.51	74.00	-15.49	42.79	3	Horizontal	322	1.78	108	38.54	8.89	31.71
AV	11.57208G	45.19	54.00	-8.81	29.47	3	Horizontal	322	1.78	108	38.54	8.89	31.71
PK	17.36456G	67.79	68.20	-0.41	45.10	3	Horizontal	333	1.78	90	42.16	10.91	30.38

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT Y_4TX
SET 108
108
7.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64108G	60.47	68.20	-7.73	52.52	3	Vertical	348	2.60	108	34.05	6.60	32.70
PK	5.81778G	120.78	Inf	-Inf	112.41	3	Vertical	348	2.60	108	34.54	6.60	32.77
AV	5.81778G	110.22	Inf	-Inf	101.85	3	Vertical	348	2.60	108	34.54	6.60	32.77
PK	5.98156G	60.79	68.20	-7.41	51.79	3	Vertical	348	2.60	108	35.23	6.60	32.83

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT Y_4TX
SET 108
80\98\107\108
6.61\6.75\7.33\6.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63538G	59.89	68.20	-8.31	51.97	3	Horizontal	350	1.55	108	34.01	6.60	32.69
PK	5.82766G	122.92	Inf	-Inf	114.47	3	Horizontal	350	1.55	108	34.62	6.60	32.77
AV	5.82614G	112.33	Inf	-Inf	103.89	3	Horizontal	350	1.55	108	34.61	6.60	32.77
PK	5.93634G	62.19	68.20	-6.01	53.35	3	Horizontal	350	1.55	108	35.05	6.60	32.81

802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX


EUT Y_4TX
SET 97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.64888G	57.09	74.00	-16.91	41.26	3	Vertical	360	1.80	97	38.60	8.91	31.68	
AV	11.648G	44.01	54.00	-9.99	28.18	3	Vertical	360	1.80	97	38.60	8.91	31.68	
PK	17.47168G	67.05	68.20	-1.15	44.39	3	Vertical	31	1.79	97	42.27	10.94	30.55	

802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX


EUT Y_4TX
SET 97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65384G	57.81	74.00	-16.19	41.98	3	Horizontal	61	1.64	108	38.60	8.91	31.68
AV	11.64792G	44.40	54.00	-9.60	28.57	3	Horizontal	61	1.64	108	38.60	8.91	31.68
PK	17.46724G	67.70	68.20	-0.50	45.03	3	Horizontal	26	1.85	97	42.27	10.94	30.54

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT Y_4TX
SET 83
83
0.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1465G	67.76	74.00	-6.24	61.47	3	Vertical	347	1.80	83	32.71	6.37	32.79	
AV	5.1465G	53.28	54.00	-0.72	46.99	3	Vertical	347	1.80	83	32.71	6.37	32.79	
PK	5.1868G	118.92	Inf	-Inf	112.60	3	Vertical	347	1.80	83	32.70	6.39	32.77	
AV	5.1764G	105.63	Inf	-Inf	99.32	3	Vertical	347	1.80	83	32.70	6.39	32.78	

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT Y_4TX
SET 83
85\73\79\82\84\83
-1.71\6.93\4.92\1.87\0.11\1.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1426G	67.16	74.00	-6.84	60.87	3	Horizontal	321	1.80	83	32.71	6.37	32.79
AV	5.1475G	52.88	54.00	-1.12	46.59	3	Horizontal	321	1.80	83	32.71	6.37	32.79
PK	5.1823G	117.58	Inf	-Inf	111.26	3	Horizontal	321	1.80	83	32.70	6.39	32.77
AV	5.1776G	104.91	Inf	-Inf	98.60	3	Horizontal	321	1.80	83	32.70	6.39	32.78

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TX




EUTY_4TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3572G	55.55	68.20	-12.65	40.35	3	Vertical	1	1.80	82	38.40	8.59	31.79
PK	15.54008G	64.27	74.00	-9.73	46.59	3	Vertical	356	1.79	82	38.04	10.36	30.72
AV	15.54028G	51.54	54.00	-2.46	33.86	3	Vertical	356	1.79	82	38.04	10.36	30.72

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT Y_4TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3422G	55.52	68.20	-12.68	40.34	3	Horizontal	1	1.80	83	38.40	8.59	31.81
PK	15.54072G	66.76	74.00	-7.24	49.08	3	Horizontal	34	1.80	82	38.04	10.36	30.72
AV	15.54528G	53.24	54.00	-0.76	35.58	3	Horizontal	34	1.80	82	38.02	10.36	30.72

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT Y_4TX
SET 87
88\82\85\87
-0.40\4.70\2.35\0.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14666G	68.89	74.00	-5.11	62.60	3	Vertical	348	1.79	87	32.71	6.37	32.79
AV	5.14652G	53.40	54.00	-0.60	47.11	3	Vertical	348	1.79	87	32.71	6.37	32.79
PK	5.19146G	121.45	Inf	-Inf	115.12	3	Vertical	348	1.79	87	32.70	6.40	32.77
AV	5.2014G	107.55	Inf	-Inf	101.22	3	Vertical	348	1.79	87	32.70	6.40	32.77

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT Y_4TX
SET 88
91\73\82\87\90\88
-2.57\7.49\5.25\1.34\1.69\0.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14722G	69.16	74.00	-4.84	62.87	3	Horizontal	319	1.80	88	32.71	6.37	32.79
AV	5.1475G	53.63	54.00	-0.37	47.34	3	Horizontal	319	1.80	88	32.71	6.37	32.79
PK	5.19734G	120.10	Inf	-Inf	113.77	3	Horizontal	319	1.80	88	32.70	6.40	32.77
AV	5.20238G	107.00	Inf	-Inf	100.67	3	Horizontal	319	1.80	88	32.70	6.40	32.77

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT Y_4TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.418G	55.74	68.20	-12.46	40.45	3	Vertical	85	2.92	79	38.42	8.60	31.73
PK	15.59472G	66.98	74.00	-7.02	49.48	3	Vertical	14	1.80	79	37.82	10.38	30.70
AV	15.59664G	52.92	54.00	-1.08	35.43	3	Vertical	14	1.80	79	37.81	10.38	30.70

802.11ax HEW20_Nss1,(MCS0)_4TX


5200MHz_TX


EUT Y_4TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41452G	55.68	68.20	-12.52	40.40	3	Horizontal	171	2.82	87	38.41	8.60	31.73
PK	15.605G	68.61	74.00	-5.39	51.14	3	Horizontal	34	1.80	79	37.79	10.38	30.70
AV	15.60504G	53.69	54.00	-0.31	36.22	3	Horizontal	34	1.80	79	37.79	10.38	30.70

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
SET 102
102
0.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14614G	73.31	74.00	-0.69	67.02	3	Vertical	347	1.80	102	32.71	6.37	32.79
AV	5.15G	53.56	54.00	-0.44	47.28	3	Vertical	347	1.80	102	32.70	6.37	32.79
PK	5.24676G	123.55	Inf	-Inf	117.11	3	Vertical	347	1.80	102	32.79	6.40	32.75
AV	5.24156G	110.83	Inf	-Inf	104.40	3	Vertical	347	1.80	102	32.78	6.40	32.75
PK	5.35154G	71.31	74.00	-2.69	64.60	3	Vertical	347	1.80	102	33.01	6.40	32.70
AV	5.35076G	52.41	54.00	-1.59	45.71	3	Vertical	347	1.80	102	33.00	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
SET 102
103\100\102
-0.07\2.65\2.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14744G	68.76	74.00	-5.24	62.47	3	Horizontal	356	1.80	102	32.71	6.37	32.79
AV	5.14874G	51.88	54.00	-2.12	45.60	3	Horizontal	356	1.80	102	32.70	6.37	32.79
PK	5.2426G	122.23	Inf	-Inf	115.79	3	Horizontal	356	1.80	102	32.79	6.40	32.75
AV	5.2426G	109.29	Inf	-Inf	102.85	3	Horizontal	356	1.80	102	32.79	6.40	32.75
PK	5.35804G	65.16	74.00	-8.84	58.43	3	Horizontal	356	1.80	102	33.03	6.40	32.70
AV	5.35388G	50.85	54.00	-3.15	44.13	3	Horizontal	356	1.80	102	33.02	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT Y_4TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47704G	56.25	68.20	-11.95	40.81	3	Vertical	15	1.82	89	38.48	8.62	31.66
AV	15.71664G	53.39	54.00	-0.61	35.85	3	Vertical	15	1.80	84	37.80	10.41	30.67
PK	15.7116G	68.69	74.00	-5.31	51.18	3	Vertical	15	1.80	84	37.77	10.41	30.67

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT Y_4TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49172G	57.90	68.20	-10.30	42.44	3	Horizontal	64	1.64	102	38.49	8.62	31.65
PK	15.72204G	68.25	74.00	-5.75	50.66	3	Horizontal	21	2.85	89	37.83	10.42	30.66
AV	15.72192G	53.93	54.00	-0.07	36.34	3	Horizontal	21	2.85	89	37.83	10.42	30.66

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT Y_4TX
SET 98
98
1.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64354G	67.02	68.20	-1.18	59.06	3	Vertical	340	1.64	98	34.06	6.60	32.70
PK	5.74386G	120.73	Inf	-Inf	112.52	3	Vertical	340	1.64	98	34.35	6.60	32.74
AV	5.74386G	108.17	Inf	-Inf	99.96	3	Vertical	340	1.64	98	34.35	6.60	32.74
PK	5.92664G	59.95	68.20	-8.25	51.15	3	Vertical	340	1.64	98	35.01	6.60	32.81

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT Y_4TX
SET 98
97\108\102\99\98
6.36\11.48\3.10\0.07\2.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65266G	67.76	70.17	-2.41	59.77	3	Horizontal	356	1.54	98	34.09	6.60	32.70
PK	5.74728G	121.23	Inf	-Inf	112.99	3	Horizontal	356	1.54	98	34.38	6.60	32.74
AV	5.74272G	109.09	Inf	-Inf	100.89	3	Horizontal	356	1.54	98	34.34	6.60	32.74
PK	5.925G	60.04	68.20	-8.16	51.25	3	Horizontal	356	1.54	98	35.00	6.60	32.81

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT Y_4TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4876G	57.18	74.00	-16.82	41.66	3	Vertical	284	1.80	86	38.40	8.87	31.75
AV	11.48188G	43.40	54.00	-10.60	27.88	3	Vertical	284	1.80	86	38.40	8.87	31.75
PK	17.23264G	67.55	68.20	-0.65	45.09	3	Vertical	294	1.80	86	41.76	10.87	30.17

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT Y_4TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48456G	57.04	74.00	-16.96	41.52	3	Horizontal	323	1.83	98	38.40	8.87	31.75
AV	11.49616G	43.84	54.00	-10.16	28.31	3	Horizontal	323	1.83	98	38.40	8.87	31.74
PK	17.2314G	68.02	68.20	-0.18	45.56	3	Horizontal	18	1.79	86	41.76	10.87	30.17

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT Y_4TX
SET 108
108
4.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6431G	64.17	68.20	-4.03	56.21	3	Vertical	0	2.44	108	34.06	6.60	32.70
PK	5.7835G	121.10	Inf	-Inf	112.85	3	Vertical	0	2.44	108	34.40	6.60	32.75
AV	5.7889G	109.41	Inf	-Inf	101.17	3	Vertical	0	2.44	108	34.40	6.60	32.76
PK	5.9335G	59.53	68.20	-8.67	50.71	3	Vertical	0	2.44	108	35.03	6.60	32.81

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT Y_4TX
SET 108
108
4.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6365G	63.28	68.20	-4.92	55.35	3	Horizontal	346	1.64	108	34.02	6.60	32.69
PK	5.7859G	122.52	Inf	-Inf	114.27	3	Horizontal	346	1.64	108	34.40	6.60	32.75
AV	5.7901G	110.55	Inf	-Inf	102.31	3	Horizontal	346	1.64	108	34.40	6.60	32.76
PK	5.9287G	60.36	68.20	-7.84	51.56	3	Horizontal	346	1.64	108	35.01	6.60	32.81

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT Y_4TX
SET 98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57396G	56.84	74.00	-17.16	41.11	3	Vertical	342	1.80	99	38.55	8.89	31.71
AV	11.5668G	44.47	54.00	-9.53	28.76	3	Vertical	342	1.80	99	38.53	8.89	31.71
PK	17.34672G	67.46	68.20	-0.74	44.76	3	Vertical	135	1.80	98	42.15	10.90	30.35

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT Y_4TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56992G	57.69	74.00	-16.31	41.97	3	Horizontal	327	1.80	108	38.54	8.89	31.71
AV	11.5756G	44.63	54.00	-9.37	28.90	3	Horizontal	327	1.80	108	38.55	8.89	31.71
PK	17.3556G	68.09	68.20	-0.11	45.38	3	Horizontal	333	1.76	99	42.16	10.91	30.36

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT Y_4TX
SET 108
108
7.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.64298G	60.57	68.20	-7.63	52.61	3	Vertical	4	1.80	108	34.06	6.60	32.70	
PK	5.82386G	119.14	Inf	-Inf	110.72	3	Vertical	4	1.80	108	34.59	6.60	32.77	
AV	5.81892G	107.54	Inf	-Inf	99.16	3	Vertical	4	1.80	108	34.55	6.60	32.77	
PK	5.99752G	61.07	68.20	-7.13	52.02	3	Vertical	4	1.80	108	35.29	6.60	32.84	

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT Y_4TX
SET 108
108
6.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64602G	61.76	68.20	-6.44	53.78	3	Horizontal	347	1.56	108	34.08	6.60	32.70
PK	5.82044G	120.65	Inf	-Inf	112.26	3	Horizontal	347	1.56	108	34.56	6.60	32.77
AV	5.82006G	109.46	Inf	-Inf	101.07	3	Horizontal	347	1.56	108	34.56	6.60	32.77
PK	6.0017G	61.08	68.20	-7.12	52.02	3	Horizontal	347	1.56	108	35.30	6.60	32.84

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT Y_4TX
SET 98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6638G	57.31	74.00	-16.69	41.46	3	Vertical	1	1.80	99	38.60	8.92	31.67
AV	11.659G	43.84	54.00	-10.16	28.01	3	Vertical	1	1.80	99	38.60	8.91	31.68
PK	17.47128G	66.76	68.20	-1.44	44.10	3	Vertical	30	1.78	98	42.27	10.94	30.55

802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TX


EUT Y_4TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.63644G	56.96	74.00	-17.04	41.14	3	Horizontal	37	1.80	108	38.60	8.91	31.69
AV	11.66628G	43.62	54.00	-10.38	27.77	3	Horizontal	37	1.80	108	38.60	8.92	31.67
PK	17.48776G	67.97	68.20	-0.23	45.30	3	Horizontal	25	1.80	99	42.29	10.95	30.57

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT Y_4TX
SET 73
74\65\70\73
-0.62\3.65\1.96\0.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14716G	64.70	74.00	-9.30	58.41	3	Vertical	347	1.70	73	32.71	6.37	32.79
AV	5.14668G	53.31	54.00	-0.69	47.02	3	Vertical	347	1.70	73	32.71	6.37	32.79
PK	5.19636G	113.91	Inf	-Inf	107.58	3	Vertical	347	1.70	73	32.70	6.40	32.77
AV	5.19636G	102.26	Inf	-Inf	95.93	3	Vertical	347	1.70	73	32.70	6.40	32.77

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT Y_4TX
SET 74
80\62\71\76\73\75\74
-7.68\4.48\2.35\1.34\0.99\0.42\0.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	65.35	74.00	-8.65	59.07	3	Horizontal	320	1.79	74	32.70	6.37	32.79
AV	5.1474G	53.67	54.00	-0.33	47.38	3	Horizontal	320	1.79	74	32.71	6.37	32.79
PK	5.19756G	113.70	Inf	-Inf	107.37	3	Horizontal	320	1.79	74	32.70	6.40	32.77
AV	5.20248G	101.67	Inf	-Inf	95.33	3	Horizontal	320	1.79	74	32.70	6.40	32.76

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT Y_4TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39784G	55.54	68.20	-12.66	40.29	3	Vertical	170	1.80	73	38.40	8.60	31.75
PK	15.53112G	62.60	74.00	-11.40	44.88	3	Vertical	124	1.80	73	38.08	10.36	30.72
AV	15.53328G	49.79	54.00	-4.21	32.08	3	Vertical	124	1.80	73	38.07	10.36	30.72

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TX




EUTY_4TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34264G	55.89	68.20	-12.31	40.71	3	Horizontal	184	1.80	73	38.40	8.59	31.81
PK	15.5348G	63.01	74.00	-10.99	45.31	3	Horizontal	1	1.80	73	38.06	10.36	30.72
AV	15.53184G	49.85	54.00	-4.15	32.14	3	Horizontal	1	1.80	73	38.07	10.36	30.72

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT Y_4TX
SET 86
86
0.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14576G	65.62	74.00	-8.38	59.33	3	Vertical	347	1.80	86	32.71	6.37	32.79
AV	5.14654G	53.99	54.00	-0.01	47.70	3	Vertical	347	1.80	86	32.71	6.37	32.79
PK	5.22636G	118.42	Inf	-Inf	112.02	3	Vertical	347	1.80	86	32.75	6.40	32.75
AV	5.22636G	106.58	Inf	-Inf	100.18	3	Vertical	347	1.80	86	32.75	6.40	32.75
PK	5.35142G	62.68	74.00	-11.32	55.97	3	Vertical	347	1.80	86	33.01	6.40	32.70
AV	5.35168G	50.10	54.00	-3.90	43.39	3	Vertical	347	1.80	86	33.01	6.40	32.70

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
SET 86
80\98\89\84\87\85\86
4.04\ -8.65\ -1.99\ 1.22\ -0.34\ 0.71\ 0.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14758G	67.32	74.00	-6.68	61.04	3	Horizontal	321	1.75	86	32.70	6.37	32.79
AV	5.14732G	53.56	54.00	-0.44	47.27	3	Horizontal	321	1.75	86	32.71	6.37	32.79
PK	5.21258G	116.35	Inf	-Inf	109.98	3	Horizontal	321	1.75	86	32.73	6.40	32.76
AV	5.22766G	105.39	Inf	-Inf	98.98	3	Horizontal	321	1.75	86	32.76	6.40	32.75
PK	5.3535G	61.74	74.00	-12.26	55.03	3	Horizontal	321	1.75	86	33.01	6.40	32.70
AV	5.35272G	49.41	54.00	-4.59	42.70	3	Horizontal	321	1.75	86	33.01	6.40	32.70

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT Y_4TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42944G	55.39	68.20	-12.81	40.07	3	Vertical	2	1.80	86	38.43	8.61	31.72
PK	15.69632G	65.90	74.00	-8.10	48.46	3	Vertical	14	1.80	86	37.70	10.41	30.67
AV	15.69144G	52.76	54.00	-1.24	35.31	3	Vertical	14	1.80	86	37.71	10.41	30.67

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT Y_4TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49856G	56.03	68.20	-12.17	40.55	3	Horizontal	40	1.80	86	38.50	8.62	31.64
PK	15.67184G	64.14	74.00	-9.86	46.69	3	Horizontal	7	1.76	86	37.73	10.40	30.68
AV	15.68184G	51.66	54.00	-2.34	34.22	3	Horizontal	7	1.76	86	37.72	10.40	30.68

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT Y_4TX
SET 94
94
0.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63908G	68.16	68.20	-0.04	60.23	3	Vertical	338	1.80	94	34.03	6.60	32.70
PK	5.74384G	117.50	Inf	-Inf	109.29	3	Vertical	338	1.80	94	34.35	6.60	32.74
AV	5.7388G	105.90	Inf	-Inf	97.73	3	Vertical	338	1.80	94	34.31	6.60	32.74
PK	5.9332G	60.49	68.20	-7.71	51.67	3	Vertical	338	1.80	94	35.03	6.60	32.81

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT Y_4TX
SET 94
80\98\89\94
6.62\ -1.04\5.39\0.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6452G	67.77	68.20	-0.43	59.80	3	Horizontal	347	1.55	94	34.07	6.60	32.70
PK	5.76508G	118.39	Inf	-Inf	110.14	3	Horizontal	347	1.55	94	34.40	6.60	32.75
AV	5.77048G	107.06	Inf	-Inf	98.81	3	Horizontal	347	1.55	94	34.40	6.60	32.75
PK	5.93284G	60.22	68.20	-7.98	51.40	3	Horizontal	347	1.55	94	35.03	6.60	32.81

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT Y_4TX
SET 94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47856G	56.93	74.00	-17.07	41.41	3	Vertical	192	1.80	94	38.40	8.87	31.75
AV	11.52408G	43.76	54.00	-10.24	28.16	3	Vertical	192	1.80	94	38.45	8.88	31.73
PK	17.24884G	67.10	68.20	-1.10	44.59	3	Vertical	348	1.80	94	41.84	10.87	30.20

802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX


EUT Y_4TX
SET 94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51232G	56.72	74.00	-17.28	41.16	3	Horizontal	159	1.80	94	38.42	8.88	31.74
AV	11.54264G	43.66	54.00	-10.34	28.00	3	Horizontal	159	1.80	94	38.49	8.89	31.72
PK	17.23644G	67.93	68.20	-0.27	45.46	3	Horizontal	120	1.80	94	41.78	10.87	30.18

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT Y_4TX
SET 102
102
2.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64428G	65.93	68.20	-2.27	57.96	3	Vertical	6	1.80	102	34.07	6.60	32.70
PK	5.7934G	118.07	Inf	-Inf	109.83	3	Vertical	6	1.80	102	34.40	6.60	32.76
AV	5.78892G	107.17	Inf	-Inf	98.93	3	Vertical	6	1.80	102	34.40	6.60	32.76
PK	5.9534G	60.42	68.20	-7.78	51.53	3	Vertical	6	1.80	102	35.11	6.60	32.82

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT Y_4TX
SET 102
80\98\107\102
6.79\2.94\~3.50\0.45

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63532G	67.75	68.20	-0.45	59.83	3	Horizontal	346	1.80	102	34.01	6.60	32.69
PK	5.78028G	119.30	Inf	-Inf	111.05	3	Horizontal	346	1.80	102	34.40	6.60	32.75
AV	5.80012G	108.82	Inf	-Inf	100.58	3	Horizontal	346	1.80	102	34.40	6.60	32.76
PK	5.94348G	61.07	68.20	-7.13	52.22	3	Horizontal	346	1.80	102	35.07	6.60	32.82

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT Y_4TX
SET 101

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59096G	56.80	74.00	-17.20	41.02	3	Vertical	344	1.78	101	38.58	8.90	31.70
AV	11.602G	44.03	54.00	-9.97	28.23	3	Vertical	344	1.78	101	38.60	8.90	31.70
PK	17.3674G	67.07	68.20	-1.13	44.37	3	Vertical	136	1.83	101	42.17	10.91	30.38

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT Y_4TX
SET 101

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57432G	57.37	74.00	-16.63	41.64	3	Horizontal	327	1.80	102	38.55	8.89	31.71
AV	11.5908G	44.00	54.00	-10.00	28.22	3	Horizontal	327	1.80	102	38.58	8.90	31.70
PK	17.39308G	67.58	68.20	-0.62	44.89	3	Horizontal	21	1.80	101	42.19	10.92	30.42

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
SET 73
74\68\71\73
-0.28\2.54\1.33\0.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14664G	64.29	74.00	-9.71	58.00	3	Vertical	346	1.92	73	32.71	6.37	32.79
AV	5.14632G	53.39	54.00	-0.61	47.10	3	Vertical	346	1.92	73	32.71	6.37	32.79
PK	5.23656G	111.19	Inf	-Inf	104.77	3	Vertical	346	1.92	73	32.77	6.40	32.75
AV	5.2212G	99.46	Inf	-Inf	93.08	3	Vertical	346	1.92	73	32.74	6.40	32.76
PK	5.36744G	59.71	74.00	-14.29	52.94	3	Vertical	346	1.92	73	33.07	6.40	32.70
AV	5.35208G	48.62	54.00	-5.38	41.91	3	Vertical	346	1.92	73	33.01	6.40	32.70

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
SET 74
80\62\71\76\73\75\74
-6.11\4.46\2.11\1.23\1.29\0.33\0.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	64.12	74.00	-9.88	57.84	3	Horizontal	322	1.80	74	32.70	6.37	32.79
AV	5.1476G	53.77	54.00	-0.23	47.49	3	Horizontal	322	1.80	74	32.70	6.37	32.79
PK	5.20776G	109.90	Inf	-Inf	103.54	3	Horizontal	322	1.80	74	32.72	6.40	32.76
AV	5.21768G	98.74	Inf	-Inf	92.36	3	Horizontal	322	1.80	74	32.74	6.40	32.76
PK	5.35752G	60.34	74.00	-13.66	53.61	3	Horizontal	322	1.80	74	33.03	6.40	32.70
AV	5.3636G	49.09	54.00	-4.91	42.34	3	Horizontal	322	1.80	74	33.05	6.40	32.70

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TX




EUTY_4TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36176G	55.83	68.20	-12.37	40.63	3	Vertical	119	1.80	73	38.40	8.59	31.79
PK	15.56248G	61.98	74.00	-12.02	44.37	3	Vertical	356	1.78	73	37.95	10.37	30.71
AV	15.57048G	49.68	54.00	-4.32	32.10	3	Vertical	356	1.78	73	37.92	10.37	30.71

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT Y_4TX
SET 73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42944G	55.56	68.20	-12.64	40.24	3	Horizontal	49	1.80	73	38.43	8.61	31.72
PK	15.64728G	62.41	74.00	-11.59	44.96	3	Horizontal	127	1.80	73	37.75	10.39	30.69
AV	15.58392G	49.59	54.00	-4.41	32.05	3	Horizontal	127	1.80	73	37.86	10.38	30.70

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT Y_4TX
SET 82
86\80\83\81\82
-0.35\1.65\1.51\0.96\0.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64892G	68.08	68.20	-0.12	60.09	3	Vertical	340	1.67	82	34.09	6.60	32.70
PK	5.74908G	111.16	Inf	-Inf	102.91	3	Vertical	340	1.67	82	34.39	6.60	32.74
AV	5.74396G	100.28	Inf	-Inf	92.07	3	Vertical	340	1.67	82	34.35	6.60	32.74
PK	5.92732G	60.74	68.20	-7.46	51.94	3	Vertical	340	1.67	82	35.01	6.60	32.81

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT Y_4TX
SET 86
80\92\86
2.26\~3.63\0.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63996G	68.16	68.20	-0.04	60.22	3	Horizontal	347	1.56	86	34.04	6.60	32.70
PK	5.8054G	115.08	Inf	-Inf	106.80	3	Horizontal	347	1.56	86	34.44	6.60	32.76
AV	5.80508G	102.69	Inf	-Inf	94.41	3	Horizontal	347	1.56	86	34.44	6.60	32.76
PK	5.93148G	59.87	68.20	-8.33	51.05	3	Horizontal	347	1.56	86	35.03	6.60	32.81

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT Y_4TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47576G	56.66	74.00	-17.34	41.14	3	Vertical	87	2.13	82	38.40	8.87	31.75
AV	11.53432G	43.60	54.00	-10.40	27.98	3	Vertical	87	2.13	82	38.47	8.88	31.73
PK	17.30516G	67.41	68.20	-0.79	44.70	3	Vertical	153	1.80	82	42.11	10.89	30.29

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TX



EUT Y_4TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49112G	57.09	74.00	-16.91	41.57	3	Horizontal	150	1.80	82	38.40	8.87	31.75
AV	11.53512G	43.55	54.00	-10.45	27.93	3	Horizontal	150	1.80	82	38.47	8.88	31.73
PK	17.25204G	67.27	68.20	-0.93	44.73	3	Horizontal	130	1.58	82	41.86	10.88	30.20




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	PK	17.23407G	68.18	68.20	-0.02	3	Horizontal	335	1.70	-

802.11ax HEW20_Nss4,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
SET 83
84\72\78\81\83
-1.12\6.04\4.98\2.84\0.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1495G	67.90	74.00	-6.10	61.62	3	Vertical	348	1.80	83	32.70	6.37	32.79
AV	5.1494G	53.63	54.00	-0.37	47.35	3	Vertical	348	1.80	83	32.70	6.37	32.79
PK	5.1736G	115.57	Inf	-Inf	109.26	3	Vertical	348	1.80	83	32.70	6.39	32.78
AV	5.1763G	103.92	Inf	-Inf	97.61	3	Vertical	348	1.80	83	32.70	6.39	32.78

802.11ax HEW20_Nss4,(MCS0)_4TX

5180MHz_TX




EUT Y_4TX
SET 84
80\98\89\84
4.61\ -26.79\ -10.43\ 0.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	67.08	74.00	-6.92	60.80	3	Horizontal	322	1.80	84	32.70	6.37	32.79
AV	5.1487G	53.87	54.00	-0.13	47.59	3	Horizontal	322	1.80	84	32.70	6.37	32.79
PK	5.1837G	114.61	Inf	-Inf	108.29	3	Horizontal	322	1.80	84	32.70	6.39	32.77
AV	5.173G	102.43	Inf	-Inf	96.12	3	Horizontal	322	1.80	84	32.70	6.39	32.78

802.11ax HEW20_Nss4,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36796G	56.57	68.20	-11.63	41.36	3	Vertical	15	1.80	83	38.40	8.59	31.78
PK	15.54136G	65.83	74.00	-8.17	48.16	3	Vertical	329	2.63	83	38.03	10.36	30.72
AV	15.53988G	51.84	54.00	-2.16	34.16	3	Vertical	329	2.63	83	38.04	10.36	30.72

802.11ax HEW20_Nss4,(MCS0)_4TX


5180MHz_TX


EUT Y_4TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37736G	56.28	68.20	-11.92	41.06	3	Horizontal	287	1.80	83	38.40	8.59	31.77
PK	15.543G	66.51	74.00	-7.49	48.84	3	Horizontal	34	1.80	83	38.03	10.36	30.72
AV	15.54372G	52.64	54.00	-1.36	34.97	3	Horizontal	34	1.80	83	38.03	10.36	30.72

802.11ax HEW20_Nss4,(MCS0)_4TX

5200MHz_TX




EUT Y_4TX
SET 87
88\79\84\87
-0.76\4.93\2.77\0.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1489G	66.02	74.00	-7.98	59.74	3	Vertical	348	1.76	87	32.70	6.37	32.79
AV	5.14974G	53.87	54.00	-0.13	47.59	3	Vertical	348	1.76	87	32.70	6.37	32.79
PK	5.20182G	117.95	Inf	-Inf	111.62	3	Vertical	348	1.76	87	32.70	6.40	32.77
AV	5.2021G	105.83	Inf	-Inf	99.50	3	Vertical	348	1.76	87	32.70	6.40	32.77

802.11ax HEW20_Nss4,(MCS0)_4TX

5200MHz_TX




EUT Y_4TX
SET 88
80\98\89\84\87\88
5.31\16.64\0.17\3.35\1.53\0.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14708G	66.91	74.00	-7.09	60.62	3	Horizontal	322	1.80	88	32.71	6.37	32.79
AV	5.14904G	53.88	54.00	-0.12	47.60	3	Horizontal	322	1.80	88	32.70	6.37	32.79
PK	5.20364G	116.69	Inf	-Inf	110.34	3	Horizontal	322	1.80	88	32.71	6.40	32.76
AV	5.20728G	104.68	Inf	-Inf	98.33	3	Horizontal	322	1.80	88	32.71	6.40	32.76

802.11ax HEW20_Nss4,(MCS0)_4TX

5200MHz_TX




EUTY_4TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40524G	56.41	68.20	-11.79	41.14	3	Vertical	1	1.77	87	38.41	8.60	31.74
PK	15.59268G	68.02	74.00	-5.98	50.51	3	Vertical	14	1.76	84	37.83	10.38	30.70
AV	15.60208G	53.73	54.00	-0.27	36.25	3	Vertical	14	1.76	84	37.80	10.38	30.70

802.11ax HEW20_Nss4,(MCS0)_4TX

5200MHz_TX




EUT Y_4TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3828G	55.95	68.20	-12.25	40.72	3	Horizontal	220	1.05	84	38.40	8.60	31.77
PK	15.59964G	67.80	74.00	-6.20	50.32	3	Horizontal	34	1.79	82	37.80	10.38	30.70
AV	15.60248G	53.49	54.00	-0.51	36.01	3	Horizontal	34	1.79	82	37.80	10.38	30.70

802.11ax HEW20_Nss4,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
SET 101
102\96\99\101
-0.19\4.48\3.20\0.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14848G	67.29	74.00	-6.71	61.01	3	Vertical	346	1.80	101	32.70	6.37	32.79
AV	5.14952G	53.83	54.00	-0.17	47.55	3	Vertical	346	1.80	101	32.70	6.37	32.79
PK	5.2335G	120.16	Inf	-Inf	113.74	3	Vertical	346	1.80	101	32.77	6.40	32.75
AV	5.24182G	108.83	Inf	-Inf	102.40	3	Vertical	346	1.80	101	32.78	6.40	32.75
PK	5.35284G	69.33	74.00	-4.67	62.62	3	Vertical	346	1.80	101	33.01	6.40	32.70
AV	5.35G	52.23	54.00	-1.77	45.53	3	Vertical	346	1.80	101	33.00	6.40	32.70

802.11ax HEW20_Nss4,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
SET 102
80\98\107\102\105\103\102
5.78\4.44\1.48\0.83\1.68\0.70\0.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.53	74.00	-7.47	60.25	3	Horizontal	345	1.62	102	32.70	6.37	32.79
AV	5.14978G	53.38	54.00	-0.62	47.10	3	Horizontal	345	1.62	102	32.70	6.37	32.79
PK	5.24234G	122.44	Inf	-Inf	116.01	3	Horizontal	345	1.62	102	32.78	6.40	32.75
AV	5.2387G	108.08	Inf	-Inf	101.65	3	Horizontal	345	1.62	102	32.78	6.40	32.75
PK	5.35024G	65.86	74.00	-8.14	59.16	3	Horizontal	345	1.62	102	33.00	6.40	32.70
AV	5.35024G	52.35	54.00	-1.65	45.65	3	Horizontal	345	1.62	102	33.00	6.40	32.70

802.11ax HEW20_Nss4,(MCS0)_4TX


5240MHz_TX


EUT Y_4TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48956G	57.59	68.20	-10.61	42.13	3	Vertical	15	1.80	101	38.49	8.62	31.65
PK	15.71592G	67.58	74.00	-6.42	50.04	3	Vertical	350	1.80	86	37.80	10.41	30.67
AV	15.71596G	53.77	54.00	-0.23	36.23	3	Vertical	350	1.80	86	37.80	10.41	30.67

802.11ax HEW20_Nss4,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47796G	56.55	68.20	-11.65	41.11	3	Horizontal	146	1.80	86	38.48	8.62	31.66
PK	15.72448G	67.88	74.00	-6.12	50.27	3	Horizontal	321	1.73	86	37.85	10.42	30.66
AV	15.71944G	53.27	54.00	-0.73	35.69	3	Horizontal	321	1.73	86	37.82	10.42	30.66

802.11ax HEW20_Nss4,(MCS0)_4TX

5745MHz_TX




EUT Y_4TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5911G	61.64	68.20	-6.56	53.91	3	Vertical	320	1.80	-	33.82	6.59	32.68
PK	5.74956G	116.38	Inf	-Inf	108.12	3	Vertical	320	1.80	-	34.40	6.60	32.74
AV	5.74196G	104.48	Inf	-Inf	96.28	3	Vertical	320	1.80	-	34.34	6.60	32.74
PK	5.935G	60.72	68.20	-7.48	51.89	3	Vertical	320	1.80	-	35.04	6.60	32.81

802.11ax HEW20_Nss4,(MCS0)_4TX

5745MHz_TX




EUT Y_4TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.5797G	62.50	68.20	-5.70	54.75	3	Horizontal	334	1.72	-	33.84	6.58	32.67
PK	5.74082G	118.18	Inf	-Inf	109.99	3	Horizontal	334	1.72	-	34.33	6.60	32.74
AV	5.7374G	106.43	Inf	-Inf	98.26	3	Horizontal	334	1.72	-	34.30	6.60	32.73
PK	5.93386G	60.71	68.20	-7.49	51.88	3	Horizontal	334	1.72	-	35.04	6.60	32.81

802.11ax HEW20_Nss4,(MCS0)_4TX

5745MHz_TX




EUT Y_4TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49327G	56.03	74.00	-17.97	40.50	3	Vertical	10	2.62	-	38.40	8.87	31.74
AV	11.49489G	43.52	54.00	-10.48	27.99	3	Vertical	10	2.62	-	38.40	8.87	31.74
PK	17.22897G	67.86	68.20	-0.34	45.42	3	Vertical	0	1.78	-	41.74	10.87	30.17

802.11ax HEW20_Nss4,(MCS0)_4TX

5745MHz_TX




EUT Y_4TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49564G	58.14	74.00	-15.86	42.61	3	Horizontal	323	1.80	-	38.40	8.87	31.74
AV	11.49006G	44.04	54.00	-9.96	28.52	3	Horizontal	323	1.80	-	38.40	8.87	31.75
PK	17.23407G	68.18	68.20	-0.02	45.72	3	Horizontal	335	1.70	-	41.77	10.87	30.18

802.11ax HEW20_Nss4,(MCS0)_4TX

5785MHz_TX




EUT Y_4TX
SET 108
108
3.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6389G	64.23	68.20	-3.97	56.30	3	Vertical	1	2.44	108	34.03	6.60	32.70
PK	5.7916G	119.53	Inf	-Inf	111.29	3	Vertical	1	2.44	108	34.40	6.60	32.76
AV	5.7886G	108.47	Inf	-Inf	100.23	3	Vertical	1	2.44	108	34.40	6.60	32.76
PK	5.929G	61.22	68.20	-6.98	52.41	3	Vertical	1	2.44	108	35.02	6.60	32.81

802.11ax HEW20_Nss4,(MCS0)_4TX

5785MHz_TX




EUT Y_4TX
SET 108
80\98\107\108
7.84\6.03\1.42\2.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6533G	68.51	70.64	-2.13	60.52	3	Horizontal	333	1.75	108	34.09	6.60	32.70
PK	5.7802G	120.13	Inf	-Inf	111.88	3	Horizontal	333	1.75	108	34.40	6.60	32.75
AV	5.7796G	108.77	Inf	-Inf	100.52	3	Horizontal	333	1.75	108	34.40	6.60	32.75
PK	5.9335G	60.50	68.20	-7.70	51.68	3	Horizontal	333	1.75	108	35.03	6.60	32.81

802.11ax HEW20_Nss4,(MCS0)_4TX

5785MHz_TX




EUT Y_4TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57116G	58.06	74.00	-15.94	42.34	3	Vertical	345	1.75	108	38.54	8.89	31.71
AV	11.57048G	44.57	54.00	-9.43	28.85	3	Vertical	345	1.75	108	38.54	8.89	31.71
PK	17.36464G	68.12	68.20	-0.08	45.43	3	Vertical	356	1.79	99	42.16	10.91	30.38

802.11ax HEW20_Nss4,(MCS0)_4TX


5785MHz_TX


EUT Y_4TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57708G	57.13	74.00	-16.87	41.40	3	Horizontal	326	2.37	99	38.55	8.89	31.71
AV	11.56844G	43.72	54.00	-10.28	28.00	3	Horizontal	326	2.37	99	38.54	8.89	31.71
PK	17.35608G	67.81	68.20	-0.39	45.11	3	Horizontal	45	1.80	99	42.16	10.91	30.37

802.11ax HEW20_Nss4,(MCS0)_4TX

5825MHz_TX




EUT Y_4TX
SET 108
108
6.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63918G	62.08	68.20	-6.12	54.14	3	Vertical	352	2.43	108	34.04	6.60	32.70
PK	5.81588G	118.75	Inf	-Inf	110.39	3	Vertical	352	2.43	108	34.53	6.60	32.77
AV	5.81854G	106.70	Inf	-Inf	98.32	3	Vertical	352	2.43	108	34.55	6.60	32.77
PK	5.95838G	61.43	68.20	-6.77	52.52	3	Vertical	352	2.43	108	35.13	6.60	32.82

802.11ax HEW20_Nss4,(MCS0)_4TX

5825MHz_TX




EUT Y_4TX
SET 108
80\98\107\108
5.54\6.70\6.99\6.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63804G	61.82	68.20	-6.38	53.89	3	Horizontal	353	1.56	108	34.03	6.60	32.70
PK	5.82728G	121.53	Inf	-Inf	113.08	3	Horizontal	353	1.56	108	34.62	6.60	32.77
AV	5.81588G	107.88	Inf	-Inf	99.52	3	Horizontal	353	1.56	108	34.53	6.60	32.77
PK	5.99144G	61.08	68.20	-7.12	52.05	3	Horizontal	353	1.56	108	35.27	6.60	32.84

802.11ax HEW20_Nss4,(MCS0)_4TX

5825MHz_TX




EUT Y_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64024G	56.94	74.00	-17.06	41.11	3	Vertical	8	1.80	108	38.60	8.91	31.68
AV	11.662G	43.62	54.00	-10.38	27.78	3	Vertical	8	1.80	108	38.60	8.92	31.68
PK	17.47008G	67.54	68.20	-0.66	44.87	3	Vertical	330	1.80	108	42.27	10.94	30.54

802.11ax HEW20_Nss4,(MCS0)_4TX

5825MHz_TX




EUT Y_4TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.63552G	57.34	74.00	-16.66	41.52	3	Horizontal	1	1.80	108	38.60	8.91	31.69
AV	11.64732G	43.74	54.00	-10.26	27.91	3	Horizontal	1	1.80	108	38.60	8.91	31.68
PK	17.47348G	68.00	68.20	-0.20	45.34	3	Horizontal	26	1.84	108	42.27	10.94	30.55

802.11ax HEW40_Nss4,(MCS0)_4TX

5190MHz_TX




EUT Y_4TX
SET 72
73\64\69\72
-0.59\2.34\0.85\0.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14992G	65.51	74.00	-8.49	59.23	3	Vertical	345	1.80	72	32.70	6.37	32.79
AV	5.14992G	53.88	54.00	-0.12	47.60	3	Vertical	345	1.80	72	32.70	6.37	32.79
PK	5.20236G	111.10	Inf	-Inf	104.77	3	Vertical	345	1.80	72	32.70	6.40	32.77
AV	5.19684G	99.16	Inf	-Inf	92.83	3	Vertical	345	1.80	72	32.70	6.40	32.77

802.11ax HEW40_Nss4,(MCS0)_4TX

5190MHz_TX




EUT Y_4TX
SET 73
80\62\71\76\73
-6.94\4.13\1.58\1.39\0.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14848G	64.01	74.00	-9.99	57.73	3	Horizontal	322	1.84	73	32.70	6.37	32.79
AV	5.1498G	53.83	54.00	-0.17	47.55	3	Horizontal	322	1.84	73	32.70	6.37	32.79
PK	5.20668G	108.91	Inf	-Inf	102.56	3	Horizontal	322	1.84	73	32.71	6.40	32.76
AV	5.19276G	99.23	Inf	-Inf	92.90	3	Horizontal	322	1.84	73	32.70	6.40	32.77

802.11ax HEW40_Nss4,(MCS0)_4TX

5190MHz_TX




EUTY_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37336G	55.91	68.20	-12.29	40.70	3	Vertical	77	1.80	72	38.40	8.59	31.78
PK	15.602G	62.96	74.00	-11.04	45.48	3	Vertical	330	1.80	72	37.80	10.38	30.70
AV	15.5368G	49.93	54.00	-4.07	32.24	3	Vertical	330	1.80	72	38.05	10.36	30.72

802.11ax HEW40_Nss4,(MCS0)_4TX

5190MHz_TX




EUTY_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.342G	55.94	68.20	-12.26	40.76	3	Horizontal	301	2.18	72	38.40	8.59	31.81
PK	15.56416G	62.97	74.00	-11.03	45.37	3	Horizontal	340	1.80	72	37.94	10.37	30.71
AV	15.58832G	49.73	54.00	-4.27	32.20	3	Horizontal	340	1.80	72	37.85	10.38	30.70

802.11ax HEW40_Nss4,(MCS0)_4TX

5230MHz_TX




EUT Y_4TX
SET 85
85
0.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14238G	65.04	74.00	-8.96	58.74	3	Vertical	345	1.79	85	32.72	6.37	32.79
AV	5.1468G	53.05	54.00	-0.95	46.76	3	Vertical	345	1.79	85	32.71	6.37	32.79
PK	5.24248G	115.71	Inf	-Inf	109.28	3	Vertical	345	1.79	85	32.78	6.40	32.75
AV	5.24144G	103.84	Inf	-Inf	97.41	3	Vertical	345	1.79	85	32.78	6.40	32.75
PK	5.35844G	61.23	74.00	-12.77	54.50	3	Vertical	345	1.79	85	33.03	6.40	32.70
AV	5.3561G	50.84	54.00	-3.16	44.12	3	Vertical	345	1.79	85	33.02	6.40	32.70

802.11ax HEW40_Nss4,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
SET 85
80\98\89\84\87\85\86\85
3.60\ -8.13\ -2.80\ 1.79\ -0.49\ 1.26\ -0.25\ 1.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1455G	64.02	74.00	-9.98	57.73	3	Horizontal	321	1.78	85	32.71	6.37	32.79
AV	5.1481G	52.69	54.00	-1.31	46.41	3	Horizontal	321	1.78	85	32.70	6.37	32.79
PK	5.23364G	112.99	Inf	-Inf	106.57	3	Horizontal	321	1.78	85	32.77	6.40	32.75
AV	5.2326G	103.07	Inf	-Inf	96.65	3	Horizontal	321	1.78	85	32.77	6.40	32.75
PK	5.35324G	61.75	74.00	-12.25	55.04	3	Horizontal	321	1.78	85	33.01	6.40	32.70
AV	5.35194G	50.75	54.00	-3.25	44.04	3	Horizontal	321	1.78	85	33.01	6.40	32.70

802.11ax HEW40_Nss4,(MCS0)_4TX

5230MHz_TX




EUT Y_4TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.43184G	56.02	68.20	-12.18	40.69	3	Vertical	321	1.80	85	38.43	8.61	31.71
PK	15.70504G	66.60	74.00	-7.40	49.13	3	Vertical	14	1.79	85	37.73	10.41	30.67
AV	15.68216G	51.39	54.00	-2.61	33.95	3	Vertical	14	1.79	85	37.72	10.40	30.68

802.11ax HEW40_Nss4,(MCS0)_4TX


5230MHz_TX


EUT Y_4TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.44792G	56.07	68.20	-12.13	40.71	3	Horizontal	292	1.80	85	38.45	8.61	31.70
PK	15.68464G	65.06	74.00	-8.94	47.60	3	Horizontal	7	1.80	85	37.72	10.41	30.67
AV	15.68208G	50.32	54.00	-3.68	32.88	3	Horizontal	7	1.80	85	37.72	10.40	30.68

802.11ax HEW40_Nss4,(MCS0)_4TX

5755MHz_TX




EUT Y_4TX
SET 94
94
2.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64376G	65.84	68.20	-2.36	57.88	3	Vertical	340	1.70	94	34.06	6.60	32.70
PK	5.74384G	115.54	Inf	-Inf	107.33	3	Vertical	340	1.70	94	34.35	6.60	32.74
AV	5.74384G	104.19	Inf	-Inf	95.98	3	Vertical	340	1.70	94	34.35	6.60	32.74
PK	5.92564G	61.58	68.20	-6.62	52.79	3	Vertical	340	1.70	94	35.00	6.60	32.81

802.11ax HEW40_Nss4,(MCS0)_4TX

5755MHz_TX




EUT Y_4TX
SET 94
80\98\89\94
6.00\ -2.58\3.51\0.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65024G	68.23	68.38	-0.15	60.23	3	Horizontal	336	1.60	94	34.10	6.60	32.70
PK	5.74168G	116.05	Inf	-Inf	107.86	3	Horizontal	336	1.60	94	34.33	6.60	32.74
AV	5.74204G	105.85	Inf	-Inf	97.65	3	Horizontal	336	1.60	94	34.34	6.60	32.74
PK	5.92456G	60.64	68.53	-7.89	51.85	3	Horizontal	336	1.60	94	35.00	6.60	32.81

802.11ax HEW40_Nss4,(MCS0)_4TX

5755MHz_TX




EUT Y_4TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50968G	58.47	74.00	-15.53	42.91	3	Vertical	1	1.80	94	38.42	8.88	31.74
AV	11.51896G	43.82	54.00	-10.18	28.23	3	Vertical	1	1.80	94	38.44	8.88	31.73
PK	17.2474G	67.80	68.20	-0.40	45.29	3	Vertical	204	2.38	85	41.84	10.87	30.20

802.11ax HEW40_Nss4,(MCS0)_4TX

5755MHz_TX




EUT Y_4TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47352G	56.45	74.00	-17.55	40.94	3	Horizontal	360	2.36	85	38.40	8.87	31.76
AV	11.52696G	43.51	54.00	-10.49	27.91	3	Horizontal	360	2.36	85	38.45	8.88	31.73
PK	17.23156G	67.96	68.20	-0.24	45.50	3	Horizontal	10	2.49	76	41.76	10.87	30.17

802.11ax HEW40_Nss4,(MCS0)_4TX

5795MHz_TX




EUT Y_4TX
SET 102
102
0.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	68.33	68.94	-0.61	60.33	3	Vertical	4	2.33	102	34.10	6.60	32.70
PK	5.7838G	117.46	Inf	-Inf	109.21	3	Vertical	4	2.33	102	34.40	6.60	32.75
AV	5.79852G	105.89	Inf	-Inf	97.65	3	Vertical	4	2.33	102	34.40	6.60	32.76
PK	5.92556G	61.09	68.20	-7.11	52.30	3	Vertical	4	2.33	102	35.00	6.60	32.81

802.11ax HEW40_Nss4,(MCS0)_4TX

5795MHz_TX




EUT Y_4TX
SET 102
80\98\107\102
6.54\3.58\~5.75\0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64012G	68.00	68.20	-0.20	60.06	3	Horizontal	24	1.64	102	34.04	6.60	32.70
PK	5.79884G	117.26	Inf	-Inf	109.02	3	Horizontal	24	1.64	102	34.40	6.60	32.76
AV	5.79788G	106.80	Inf	-Inf	98.56	3	Horizontal	24	1.64	102	34.40	6.60	32.76
PK	5.9486G	61.04	68.20	-7.16	52.17	3	Horizontal	24	1.64	102	35.09	6.60	32.82

802.11ax HEW40_Nss4,(MCS0)_4TX

5795MHz_TX




EUT Y_4TX
SET 102

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59888G	56.54	74.00	-17.46	40.74	3	Vertical	1	2.31	102	38.60	8.90	31.70
AV	11.58064G	43.55	54.00	-10.45	27.80	3	Vertical	1	2.31	102	38.56	8.90	31.71
PK	17.40564G	67.32	68.20	-0.88	44.63	3	Vertical	1	1.83	102	42.21	10.92	30.44

802.11ax HEW40_Nss4,(MCS0)_4TX

5795MHz_TX




EUT Y_4TX
SET 100

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59776G	57.22	74.00	-16.78	41.42	3	Horizontal	332	1.80	102	38.60	8.90	31.70
AV	11.59496G	43.74	54.00	-10.26	27.95	3	Horizontal	332	1.80	102	38.59	8.90	31.70
PK	17.38948G	67.41	68.20	-0.79	44.72	3	Horizontal	44	1.80	100	42.19	10.92	30.42

802.11ax HEW80_Nss4,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
SET 75
76\70\73\75
-0.31\1.65\0.92\0.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14984G	64.21	74.00	-9.79	57.93	3	Vertical	347	1.80	75	32.70	6.37	32.79
AV	5.14952G	53.79	54.00	-0.21	47.51	3	Vertical	347	1.80	75	32.70	6.37	32.79
PK	5.22248G	109.42	Inf	-Inf	103.04	3	Vertical	347	1.80	75	32.74	6.40	32.76
AV	5.24136G	98.19	Inf	-Inf	91.76	3	Vertical	347	1.80	75	32.78	6.40	32.75
PK	5.35464G	60.40	74.00	-13.60	53.68	3	Vertical	347	1.80	75	33.02	6.40	32.70
AV	5.35784G	50.28	54.00	-3.72	43.55	3	Vertical	347	1.80	75	33.03	6.40	32.70

802.11ax HEW80_Nss4,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
SET 76
80\62\71\76
-5.02\4.31\3.00\0.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14088G	63.70	74.00	-10.30	57.40	3	Horizontal	323	1.80	76	32.72	6.37	32.79
AV	5.14984G	53.64	54.00	-0.36	47.36	3	Horizontal	323	1.80	76	32.70	6.37	32.79
PK	5.22248G	106.35	Inf	-Inf	99.97	3	Horizontal	323	1.80	76	32.74	6.40	32.76
AV	5.21512G	96.62	Inf	-Inf	90.25	3	Horizontal	323	1.80	76	32.73	6.40	32.76
PK	5.35592G	59.98	74.00	-14.02	53.26	3	Horizontal	323	1.80	76	33.02	6.40	32.70
AV	5.36648G	51.25	54.00	-2.75	44.48	3	Horizontal	323	1.80	76	33.07	6.40	32.70

802.11ax HEW80_Nss4,(MCS0)_4TX


5210MHz_TX


EUT Y_4TX
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40592G	55.97	68.20	-12.23	40.70	3	Vertical	160	1.80	75	38.41	8.60	31.74
PK	15.61864G	62.78	74.00	-11.22	45.30	3	Vertical	317	1.80	75	37.78	10.39	30.69
AV	15.58024G	49.59	54.00	-4.41	32.05	3	Vertical	317	1.80	75	37.88	10.37	30.71

802.11ax HEW80_Nss4,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.408G	55.91	68.20	-12.29	40.64	3	Horizontal	186	1.87	75	38.41	8.60	31.74
PK	15.60408G	62.56	74.00	-11.44	45.08	3	Horizontal	307	1.80	75	37.80	10.38	30.70
AV	15.5548G	49.60	54.00	-4.40	31.96	3	Horizontal	307	1.80	75	37.98	10.37	30.71

802.11ax HEW80_Nss4,(MCS0)_4TX

5775MHz_TX




EUT Y_4TX
SET 88
88
0.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64508G	68.14	68.20	-0.06	60.17	3	Vertical	338	1.80	88	34.07	6.60	32.70
PK	5.74396G	111.69	Inf	-Inf	103.48	3	Vertical	338	1.80	88	34.35	6.60	32.74
AV	5.74364G	99.56	Inf	-Inf	91.35	3	Vertical	338	1.80	88	34.35	6.60	32.74
PK	5.93244G	62.12	68.20	-6.08	53.30	3	Vertical	338	1.80	88	35.03	6.60	32.81

802.11ax HEW80_Nss4,(MCS0)_4TX

5775MHz_TX




EUT Y_4TX
SET 88
80\98\89\84\87\88
3.74\10.91\1.04\2.87\0.62\0.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6374G	68.05	68.20	-0.15	60.12	3	Horizontal	332	1.70	88	34.02	6.60	32.69
PK	5.7398G	111.72	Inf	-Inf	103.54	3	Horizontal	332	1.70	88	34.32	6.60	32.74
AV	5.7446G	100.63	Inf	-Inf	92.41	3	Horizontal	332	1.70	88	34.36	6.60	32.74
PK	5.93276G	60.20	68.20	-8.00	51.38	3	Horizontal	332	1.70	88	35.03	6.60	32.81

802.11ax HEW80_Nss4,(MCS0)_4TX

5775MHz_TX




EUT Y_4TX
SET 88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48584G	56.61	74.00	-17.39	41.09	3	Vertical	280	1.80	88	38.40	8.87	31.75
AV	11.62952G	43.74	54.00	-10.26	27.92	3	Vertical	280	1.80	88	38.60	8.91	31.69
PK	17.30052G	67.48	68.20	-0.72	44.77	3	Vertical	105	2.79	88	42.10	10.89	30.28

802.11ax HEW80_Nss4,(MCS0)_4TX

5775MHz_TX



EUT Y_4TX
SET 88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58824G	57.34	74.00	-16.66	41.56	3	Horizontal	1	2.78	88	38.58	8.90	31.70
AV	11.55096G	43.55	54.00	-10.45	27.88	3	Horizontal	1	2.78	88	38.50	8.89	31.72
PK	17.29204G	67.47	68.20	-0.73	44.79	3	Horizontal	209	2.53	88	42.06	10.89	30.27



**RSE TX above 1GHz_Set 5 antenna with 70 degree_
Scanning R1_2T1S_2T2S**


Appendix E.10

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1.(6Mbps)_2TX	Pass	PK	17.2278G	68.19	68.20	-0.01	3	Horizontal	329	1.79	83

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT Y_2TX
SET 83
85\76\81\84\82\83
-0.67\6.22\3.00\0.17\2.52\1.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1495G	66.36	74.00	-7.64	60.08	3	Vertical	351	1.80	83	32.70	6.37	32.79	
AV	5.15G	52.59	54.00	-1.41	46.31	3	Vertical	351	1.80	83	32.70	6.37	32.79	
PK	5.1749G	112.62	Inf	-Inf	106.31	3	Vertical	351	1.80	83	32.70	6.39	32.78	
AV	5.1751G	103.06	Inf	-Inf	96.75	3	Vertical	351	1.80	83	32.70	6.39	32.78	

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
SET 85
80\98\89\84\87\85\86\85
5.24\ -21.16\ -3.98\ 2.00\ -1.29\ 0.97\ -0.03\ 1.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1499G	67.94	74.00	-6.06	61.66	3	Horizontal	357	1.80	85	32.70	6.37	32.79
AV	5.1495G	52.83	54.00	-1.17	46.55	3	Horizontal	357	1.80	85	32.70	6.37	32.79
PK	5.1823G	112.46	Inf	-Inf	106.14	3	Horizontal	357	1.80	85	32.70	6.39	32.77
AV	5.1826G	102.83	Inf	-Inf	96.51	3	Horizontal	357	1.80	85	32.70	6.39	32.77

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT Y_2TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36836G	56.35	68.20	-11.85	41.14	3	Vertical	251	1.80	83	38.40	8.59	31.78
PK	15.53212G	65.13	74.00	-8.87	47.42	3	Vertical	16	1.79	83	38.07	10.36	30.72
AV	15.53844G	51.73	54.00	-2.27	34.04	3	Vertical	16	1.79	83	38.05	10.36	30.72

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT Y_2TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34076G	57.29	68.20	-10.91	42.11	3	Horizontal	339	1.20	83	38.40	8.59	31.81
PK	15.5462G	64.01	74.00	-9.99	46.35	3	Horizontal	7	1.80	83	38.02	10.36	30.72
AV	15.54168G	50.43	54.00	-3.57	32.76	3	Horizontal	7	1.80	83	38.03	10.36	30.72

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT Y_2TX
SET 89
93\81\87\90\88\89
-1.92\5.88\3.00\0.01\1.94\0.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1447G	68.30	74.00	-5.70	62.01	3	Vertical	351	1.80	89	32.71	6.37	32.79
AV	5.15G	53.09	54.00	-0.91	46.81	3	Vertical	351	1.80	89	32.70	6.37	32.79
PK	5.20518G	114.89	Inf	-Inf	108.54	3	Vertical	351	1.80	89	32.71	6.40	32.76
AV	5.20504G	105.38	Inf	-Inf	99.03	3	Vertical	351	1.80	89	32.71	6.40	32.76

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT Y_2TX
SET 93
80\98\89\94\91\93
6.88\5.99\3.28\0.04\1.94\0.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14344G	68.45	74.00	-5.55	62.16	3	Horizontal	334	1.76	93	32.71	6.37	32.79
AV	5.1475G	53.27	54.00	-0.73	46.98	3	Horizontal	334	1.76	93	32.71	6.37	32.79
PK	5.20266G	115.99	Inf	-Inf	109.64	3	Horizontal	334	1.76	93	32.71	6.40	32.76
AV	5.20224G	106.04	Inf	-Inf	99.71	3	Horizontal	334	1.76	93	32.70	6.40	32.77

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT Y_2TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39732G	56.57	68.20	-11.63	41.32	3	Vertical	37	2.67	89	38.40	8.60	31.75
PK	15.602G	66.40	74.00	-7.60	48.92	3	Vertical	16	1.76	89	37.80	10.38	30.70
AV	15.59744G	53.13	54.00	-0.87	35.64	3	Vertical	16	1.76	89	37.81	10.38	30.70

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT Y_2TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40552G	56.11	68.20	-12.09	40.84	3	Horizontal	352	1.80	89	38.41	8.60	31.74
PK	15.59368G	66.14	74.00	-7.86	48.63	3	Horizontal	346	1.80	89	37.83	10.38	30.70
AV	15.60376G	52.90	54.00	-1.10	35.42	3	Horizontal	346	1.80	89	37.80	10.38	30.70

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_V_2TX
SET 108
108
0.96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	70.60	74.00	-3.40	64.32	3	Vertical	349	1.65	108	32.70	6.37	32.79
AV	5.14978G	53.04	54.00	-0.96	46.76	3	Vertical	349	1.65	108	32.70	6.37	32.79
PK	5.24598G	119.87	Inf	-Inf	113.43	3	Vertical	349	1.65	108	32.79	6.40	32.75
AV	5.24572G	109.13	Inf	-Inf	102.69	3	Vertical	349	1.65	108	32.79	6.40	32.75
PK	5.35G	65.71	74.00	-8.29	59.01	3	Vertical	349	1.65	108	33.00	6.40	32.70
AV	5.3505G	51.45	54.00	-2.55	44.75	3	Vertical	349	1.65	108	33.00	6.40	32.70

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_V_2TX
SET 108
80\98\107\108
6.54\5.97\2.53\2.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14198G	69.75	74.00	-4.25	63.45	3	Horizontal	334	1.66	108	32.72	6.37	32.79
AV	5.14744G	51.39	54.00	-2.61	45.10	3	Horizontal	334	1.66	108	32.71	6.37	32.79
PK	5.23792G	119.84	Inf	-Inf	113.41	3	Horizontal	334	1.66	108	32.78	6.40	32.75
AV	5.23792G	108.92	Inf	-Inf	102.49	3	Horizontal	334	1.66	108	32.78	6.40	32.75
PK	5.35804G	64.78	74.00	-9.22	58.05	3	Horizontal	334	1.66	108	33.03	6.40	32.70
AV	5.35284G	50.83	54.00	-3.17	44.12	3	Horizontal	334	1.66	108	33.01	6.40	32.70

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT Y_2TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48528G	57.34	68.20	-10.86	41.89	3	Vertical	38	2.35	90	38.49	8.62	31.66
PK	15.72096G	67.30	74.00	-6.70	49.71	3	Vertical	316	1.74	90	37.83	10.42	30.66
AV	15.72152G	53.42	54.00	-0.58	35.83	3	Vertical	316	1.74	90	37.83	10.42	30.66

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT Y_2TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48464G	57.04	68.20	-11.16	41.60	3	Horizontal	51	1.80	108	38.48	8.62	31.66
PK	15.72136G	67.75	74.00	-6.25	50.16	3	Horizontal	360	1.77	90	37.83	10.42	30.66
AV	15.72048G	53.81	54.00	-0.19	36.23	3	Horizontal	360	1.77	90	37.82	10.42	30.66

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT Y_2TX
SET 101
101
1.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6443G	66.78	68.20	-1.42	58.81	3	Vertical	1	1.80	101	34.07	6.60	32.70
PK	5.74044G	120.13	Inf	-Inf	111.95	3	Vertical	1	1.80	101	34.32	6.60	32.74
AV	5.74044G	110.34	Inf	-Inf	102.16	3	Vertical	1	1.80	101	34.32	6.60	32.74
PK	5.93082G	61.28	68.20	-6.92	52.47	3	Vertical	1	1.80	101	35.02	6.60	32.81

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT Y_2TX
SET 101
80\98\89\94\97\99\100\101\102\101
6.31\ -2.67\5.51\7.02\4.57\2.55\1.42\2.34\ -0.43\2.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6462G	65.67	68.20	-2.53	57.69	3	Horizontal	349	1.90	101	34.08	6.60	32.70
PK	5.74234G	120.00	Inf	-Inf	111.80	3	Horizontal	349	1.90	101	34.34	6.60	32.74
AV	5.7431G	109.00	Inf	-Inf	100.80	3	Horizontal	349	1.90	101	34.34	6.60	32.74
PK	5.92702G	60.84	68.20	-7.36	52.04	3	Horizontal	349	1.90	101	35.01	6.60	32.81

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX



EUT Y_2TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47256G	56.63	74.00	-17.37	41.12	3	Vertical	12	1.80	83	38.40	8.87	31.76
AV	11.47052G	43.25	54.00	-10.75	27.74	3	Vertical	12	1.80	83	38.40	8.87	31.76
PK	17.22584G	67.51	68.20	-0.69	45.07	3	Vertical	136	1.80	83	41.73	10.87	30.16

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUTY_2TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.49868G	56.54	74.00	-17.46	41.01	3	Horizontal	1	1.77	101	38.40	8.87	31.74	
AV	11.50796G	43.21	54.00	-10.79	27.65	3	Horizontal	1	1.77	101	38.42	8.88	31.74	
PK	17.2278G	68.19	68.20	-0.01	45.75	3	Horizontal	329	1.79	83	41.74	10.87	30.17	

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT Y_2TX
SET 108
108
5.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6431G	62.38	68.20	-5.82	54.42	3	Vertical	360	1.80	108	34.06	6.60	32.70
PK	5.7802G	120.34	Inf	-Inf	112.09	3	Vertical	360	1.80	108	34.40	6.60	32.75
AV	5.7904G	109.97	Inf	-Inf	101.73	3	Vertical	360	1.80	108	34.40	6.60	32.76
PK	5.925G	62.47	68.20	-5.73	53.68	3	Vertical	360	1.80	108	35.00	6.60	32.81

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT Y_2TX
SET 108
80\98\107\108
7.27\6.02\6.41\6.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6473G	61.29	68.20	-6.91	53.31	3	Horizontal	34	1.79	108	34.08	6.60	32.70
PK	5.7826G	119.52	Inf	-Inf	111.27	3	Horizontal	34	1.79	108	34.40	6.60	32.75
AV	5.7871G	108.75	Inf	-Inf	100.50	3	Horizontal	34	1.79	108	34.40	6.60	32.75
PK	5.932G	61.10	68.20	-7.10	52.28	3	Horizontal	34	1.79	108	35.03	6.60	32.81

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUTY_2TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55584G	57.66	74.00	-16.34	41.98	3	Vertical	359	1.80	86	38.51	8.89	31.72
AV	11.56932G	43.54	54.00	-10.46	27.82	3	Vertical	359	1.80	86	38.54	8.89	31.71
PK	17.35356G	67.97	68.20	-0.23	45.27	3	Vertical	357	1.80	86	42.15	10.91	30.36

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT Y_2TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55516G	56.77	74.00	-17.23	41.09	3	Horizontal	25	1.80	108	38.51	8.89	31.72
AV	11.5668G	43.63	54.00	-10.37	27.92	3	Horizontal	25	1.80	108	38.53	8.89	31.71
PK	17.35292G	68.11	68.20	-0.09	45.41	3	Horizontal	340	1.80	86	42.15	10.91	30.36

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT Y_2TX
SET 108
108
2.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64716G	60.63	68.20	-7.57	52.65	3	Vertical	360	1.80	108	34.08	6.60	32.70
PK	5.82044G	121.33	Inf	-Inf	112.94	3	Vertical	360	1.80	108	34.56	6.60	32.77
AV	5.83032G	110.35	Inf	-Inf	101.88	3	Vertical	360	1.80	108	34.64	6.60	32.77
PK	5.94546G	65.42	68.20	-2.78	56.56	3	Vertical	360	1.80	108	35.08	6.60	32.82

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT Y_2TX
SET 108
80\98\107\108
5.87\3.61\3.76\2.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64184G	60.43	68.20	-7.77	52.48	3	Horizontal	352	2.27	108	34.05	6.60	32.70
PK	5.81816G	120.41	Inf	-Inf	112.03	3	Horizontal	352	2.27	108	34.55	6.60	32.77
AV	5.81778G	109.78	Inf	-Inf	101.41	3	Horizontal	352	2.27	108	34.54	6.60	32.77
PK	5.92646G	65.71	68.20	-2.49	56.91	3	Horizontal	352	2.27	108	35.01	6.60	32.81

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT Y_2TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65264G	56.88	74.00	-17.12	41.05	3	Vertical	1	1.05	90	38.60	8.91	31.68
AV	11.65064G	43.68	54.00	-10.32	27.85	3	Vertical	1	1.05	90	38.60	8.91	31.68
PK	17.46788G	67.63	68.20	-0.57	44.96	3	Vertical	0	1.63	90	42.27	10.94	30.54

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT Y_2TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64536G	57.09	74.00	-16.91	41.26	3	Horizontal	22	1.80	108	38.60	8.91	31.68
AV	11.65148G	44.12	54.00	-9.88	28.29	3	Horizontal	22	1.80	108	38.60	8.91	31.68
PK	17.48172G	67.83	68.20	-0.37	45.17	3	Horizontal	38	2.72	90	42.28	10.94	30.56

802.11ax HEW20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT Y_2TX
SET 82
83\74\79\82
-0.55\5.44\3.93\0.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	65.34	74.00	-8.66	59.06	3	Vertical	349	1.80	82	32.70	6.37	32.79
AV	5.15G	53.14	54.00	-0.86	46.86	3	Vertical	349	1.80	82	32.70	6.37	32.79
PK	5.1831G	112.90	Inf	-Inf	106.58	3	Vertical	349	1.80	82	32.70	6.39	32.77
AV	5.1736G	100.62	Inf	-Inf	94.31	3	Vertical	349	1.80	82	32.70	6.39	32.78

802.11ax HEW20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_V_2TX
SET 83
80\98\89\84\81\83
3.47\ -24.38\ -9.39\ -1.35\ 2.87\ 0.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1483G	66.63	74.00	-7.37	60.35	3	Horizontal	359	1.80	83	32.70	6.37	32.79
AV	5.1499G	53.64	54.00	-0.36	47.36	3	Horizontal	359	1.80	83	32.70	6.37	32.79
PK	5.1861G	112.54	Inf	-Inf	106.22	3	Horizontal	359	1.80	83	32.70	6.39	32.77
AV	5.1839G	99.78	Inf	-Inf	93.46	3	Horizontal	359	1.80	83	32.70	6.39	32.77

802.11ax HEW20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT Y_2TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35416G	56.07	68.20	-12.13	40.88	3	Vertical	196	1.80	82	38.40	8.59	31.80
PK	15.53724G	65.65	74.00	-8.35	47.96	3	Vertical	17	1.80	82	38.05	10.36	30.72
AV	15.53812G	51.55	54.00	-2.45	33.86	3	Vertical	17	1.80	82	38.05	10.36	30.72

802.11ax HEW20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT Y_2TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.34028G	56.16	68.20	-12.04	40.98	3	Horizontal	77	1.05	82	38.40	8.59	31.81
PK	15.53364G	65.20	74.00	-8.80	47.49	3	Horizontal	310	1.80	82	38.07	10.36	30.72
AV	15.54712G	50.58	54.00	-3.42	32.93	3	Horizontal	310	1.80	82	38.01	10.36	30.72

802.11ax HEW20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT Y_2TX
SET 86
90\78\84\87\85\86
-1.69\5.24\2.91\0.22\2.47\1.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.08	74.00	-7.92	59.80	3	Vertical	348	1.74	86	32.70	6.37	32.79
AV	5.1496G	52.47	54.00	-1.53	46.19	3	Vertical	348	1.74	86	32.70	6.37	32.79
PK	5.20126G	114.25	Inf	-Inf	107.92	3	Vertical	348	1.74	86	32.70	6.40	32.77
AV	5.20518G	102.90	Inf	-Inf	96.55	3	Vertical	348	1.74	86	32.71	6.40	32.76

802.11ax HEW20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT Y_2TX
SET 90
80\98\89\94\91\90
5.51\11.05\0.78\3.30\0.34\0.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14862G	67.84	74.00	-6.16	61.56	3	Horizontal	357	1.80	90	32.70	6.37	32.79
AV	5.1489G	53.98	54.00	-0.02	47.70	3	Horizontal	357	1.80	90	32.70	6.37	32.79
PK	5.19748G	114.98	Inf	-Inf	108.65	3	Horizontal	357	1.80	90	32.70	6.40	32.77
AV	5.19594G	103.03	Inf	-Inf	96.70	3	Horizontal	357	1.80	90	32.70	6.40	32.77

802.11ax HEW20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT Y_2TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40936G	57.26	68.20	-10.94	41.99	3	Vertical	351	1.80	86	38.41	8.60	31.74
PK	15.59884G	64.71	74.00	-9.29	47.23	3	Vertical	338	2.02	86	37.80	10.38	30.70
AV	15.58896G	51.48	54.00	-2.52	33.96	3	Vertical	338	2.02	86	37.84	10.38	30.70

802.11ax HEW20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT Y_2TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40872G	56.13	68.20	-12.07	40.86	3	Horizontal	288	2.94	86	38.41	8.60	31.74
PK	15.59204G	65.68	74.00	-8.32	48.17	3	Horizontal	0	2.89	86	37.83	10.38	30.70
AV	15.60052G	51.70	54.00	-2.30	34.22	3	Horizontal	0	2.89	86	37.80	10.38	30.70

802.11ax HEW20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT V_2TX
SET 99
101\89\95\98\100\99
-1.77\5.35\5.00\3.69\1.11\2.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1477G	65.81	74.00	-8.19	59.53	3	Vertical	348	1.73	99	32.70	6.37	32.79
AV	5.15G	51.81	54.00	-2.19	45.53	3	Vertical	348	1.73	99	32.70	6.37	32.79
PK	5.2465G	117.69	Inf	-Inf	111.25	3	Vertical	348	1.73	99	32.79	6.40	32.75
AV	5.24312G	106.77	Inf	-Inf	100.33	3	Vertical	348	1.73	99	32.79	6.40	32.75
PK	5.35492G	63.67	74.00	-10.33	56.95	3	Vertical	348	1.73	99	33.02	6.40	32.70
AV	5.35G	50.69	54.00	-3.31	43.99	3	Vertical	348	1.73	99	33.00	6.40	32.70

802.11ax HEW20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_V_2TX
SET 101
80\98\107\102\99\101
5.59\4.73\0.64\0.64\4.01\0.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14588G	67.82	74.00	-6.18	61.53	3	Horizontal	332	1.62	101	32.71	6.37	32.79
AV	5.149G	53.16	54.00	-0.84	46.88	3	Horizontal	332	1.62	101	32.70	6.37	32.79
PK	5.24234G	118.21	Inf	-Inf	111.78	3	Horizontal	332	1.62	101	32.78	6.40	32.75
AV	5.24338G	106.63	Inf	-Inf	100.19	3	Horizontal	332	1.62	101	32.79	6.40	32.75
PK	5.35518G	65.16	74.00	-8.84	58.44	3	Horizontal	332	1.62	101	33.02	6.40	32.70
AV	5.35076G	51.45	54.00	-2.55	44.75	3	Horizontal	332	1.62	101	33.00	6.40	32.70

802.11ax HEW20_Nss2,(MCS0)_2TX

5240MHz_TX




EUTY_2TX
SET 96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49576G	57.29	68.20	-10.91	41.81	3	Vertical	40	1.80	99	38.50	8.62	31.64
PK	15.71632G	66.77	74.00	-7.23	49.23	3	Vertical	48	1.77	96	37.80	10.41	30.67
AV	15.71904G	53.63	54.00	-0.37	36.06	3	Vertical	48	1.77	96	37.81	10.42	30.66

802.11ax HEW20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT Y_2TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47808G	56.34	68.20	-11.86	40.90	3	Horizontal	187	1.80	99	38.48	8.62	31.66
PK	15.71992G	67.07	74.00	-6.93	49.49	3	Horizontal	360	1.80	99	37.82	10.42	30.66
AV	15.7228G	53.87	54.00	-0.13	36.27	3	Horizontal	360	1.80	99	37.84	10.42	30.66

802.11ax HEW20_Nss2,(MCS0)_2TX

5745MHz_TX




EUT Y_2TX
SET 96
96
6.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6443G	61.67	68.20	-6.53	53.70	3	Vertical	0	1.80	96	34.07	6.60	32.70
PK	5.74044G	118.84	Inf	-Inf	110.66	3	Vertical	0	1.80	96	34.32	6.60	32.74
AV	5.74386G	107.56	Inf	-Inf	99.35	3	Vertical	0	1.80	96	34.35	6.60	32.74
PK	5.93234G	61.10	68.20	-7.10	52.28	3	Vertical	0	1.80	96	35.03	6.60	32.81

802.11ax HEW20_Nss2,(MCS0)_2TX

5745MHz_TX




EUT Y_2TX
SET 96
80\98\89\94\97\95\96
7.25\3.27\6.70\5.76\3.40\6.31\6.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65228G	63.75	69.89	-6.14	55.75	3	Horizontal	350	2.20	96	34.10	6.60	32.70
PK	5.74006G	118.20	Inf	-Inf	110.02	3	Horizontal	350	2.20	96	34.32	6.60	32.74
AV	5.73626G	107.30	Inf	-Inf	99.14	3	Horizontal	350	2.20	96	34.29	6.60	32.73
PK	5.9255G	60.56	68.20	-7.64	51.77	3	Horizontal	350	2.20	96	35.00	6.60	32.81

802.11ax HEW20_Nss2,(MCS0)_2TX

5745MHz_TX




EUT Y_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47004G	56.37	74.00	-17.63	40.86	3	Vertical	1	1.80	84	38.40	8.87	31.76
AV	11.48748G	43.22	54.00	-10.78	27.70	3	Vertical	1	1.80	84	38.40	8.87	31.75
PK	17.21852G	67.51	68.20	-0.69	45.10	3	Vertical	152	1.80	84	41.69	10.87	30.15

802.11ax HEW20_Nss2,(MCS0)_2TX

5745MHz_TX




EUT Y_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.47552G	56.28	74.00	-17.72	40.76	3	Horizontal	0	1.80	96	38.40	8.87	31.75
AV	11.49048G	43.21	54.00	-10.79	27.69	3	Horizontal	0	1.80	96	38.40	8.87	31.75
PK	17.21664G	68.16	68.20	-0.04	45.77	3	Horizontal	39	1.79	84	41.68	10.86	30.15

802.11ax HEW20_Nss2,(MCS0)_2TX

5785MHz_TX




EUT Y_2TX
SET 108
108
5.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6491G	62.50	68.20	-5.70	54.51	3	Vertical	1	1.74	108	34.09	6.60	32.70
PK	5.7901G	118.90	Inf	-Inf	110.66	3	Vertical	1	1.74	108	34.40	6.60	32.76
AV	5.7898G	107.81	Inf	-Inf	99.57	3	Vertical	1	1.74	108	34.40	6.60	32.76
PK	5.9266G	63.06	68.20	-5.14	54.26	3	Vertical	1	1.74	108	35.01	6.60	32.81

802.11ax HEW20_Nss2,(MCS0)_2TX

5785MHz_TX




EUT Y_2TX
SET 108
80\98\107\108
8.00\5.89\6.13\5.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6458G	62.58	68.20	-5.62	54.61	3	Horizontal	31	1.71	108	34.07	6.60	32.70
PK	5.7892G	118.48	Inf	-Inf	110.24	3	Horizontal	31	1.71	108	34.40	6.60	32.76
AV	5.7829G	106.40	Inf	-Inf	98.15	3	Horizontal	31	1.71	108	34.40	6.60	32.75
PK	5.9314G	60.92	68.20	-7.28	52.10	3	Horizontal	31	1.71	108	35.03	6.60	32.81

802.11ax HEW20_Nss2,(MCS0)_2TX

5785MHz_TX




EUT Y_2TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56664G	56.68	74.00	-17.32	40.97	3	Vertical	155	1.80	90	38.53	8.89	31.71
AV	11.55392G	43.38	54.00	-10.62	27.70	3	Vertical	155	1.80	90	38.51	8.89	31.72
PK	17.35168G	67.77	68.20	-0.43	45.07	3	Vertical	356	1.80	86	42.15	10.91	30.36

802.11ax HEW20_Nss2,(MCS0)_2TX

5785MHz_TX




EUT Y_2TX
SET 90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57164G	56.48	74.00	-17.52	40.76	3	Horizontal	354	1.80	108	38.54	8.89	31.71
AV	11.5744G	43.41	54.00	-10.59	27.68	3	Horizontal	354	1.80	108	38.55	8.89	31.71
PK	17.35236G	68.17	68.20	-0.03	45.47	3	Horizontal	342	1.80	90	42.15	10.91	30.36

802.11ax HEW20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
SET 108
108
0.64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6445G	60.44	68.20	-7.76	52.47	3	Vertical	360	1.84	108	34.07	6.60	32.70
PK	5.82044G	119.40	Inf	-Inf	111.01	3	Vertical	360	1.84	108	34.56	6.60	32.77
AV	5.81664G	107.95	Inf	-Inf	99.59	3	Vertical	360	1.84	108	34.53	6.60	32.77
PK	5.92532G	67.56	68.20	-0.64	58.77	3	Vertical	360	1.84	108	35.00	6.60	32.81

802.11ax HEW20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
SET 108
80\98\107\108
6.49\3.33\1.66\2.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64602G	60.56	68.20	-7.64	52.58	3	Horizontal	348	2.55	108	34.08	6.60	32.70
PK	5.81702G	116.99	Inf	-Inf	108.62	3	Horizontal	348	2.55	108	34.54	6.60	32.77
AV	5.82842G	106.54	Inf	-Inf	98.08	3	Horizontal	348	2.55	108	34.63	6.60	32.77
PK	5.92646G	65.39	68.20	-2.81	56.59	3	Horizontal	348	2.55	108	35.01	6.60	32.81

802.11ax HEW20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.63408G	56.79	74.00	-17.21	40.97	3	Vertical	360	1.80	108	38.60	8.91	31.69
AV	11.65352G	43.81	54.00	-10.19	27.98	3	Vertical	360	1.80	108	38.60	8.91	31.68
PK	17.47592G	67.21	68.20	-0.99	44.54	3	Vertical	346	1.80	108	42.28	10.94	30.55

802.11ax HEW20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT Y_2TX
SET 108

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65072G	58.08	74.00	-15.92	42.25	3	Horizontal	24	1.80	108	38.60	8.91	31.68
AV	11.65084G	44.07	54.00	-9.93	28.24	3	Horizontal	24	1.80	108	38.60	8.91	31.68
PK	17.45824G	67.52	68.20	-0.68	44.84	3	Horizontal	316	1.80	108	42.26	10.94	30.52

802.11ax HEW40_Nss2,(MCS0)_2TX

5190MHz_TX




EUTY_2TX
SET 72
73\67\70\72
-0.36\3.58\2.26\1.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14884G	65.91	74.00	-8.09	59.63	3	Vertical	349	1.75	72	32.70	6.37	32.79
AV	5.14992G	52.88	54.00	-1.12	46.60	3	Vertical	349	1.75	72	32.70	6.37	32.79
PK	5.20032G	107.52	Inf	-Inf	101.19	3	Vertical	349	1.75	72	32.70	6.40	32.77
AV	5.19996G	96.00	Inf	-Inf	89.67	3	Vertical	349	1.75	72	32.70	6.40	32.77

802.11ax HEW40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT Y_2TX
SET 73
80\62\71\76\73\75\74\73
-8.73\5.38\2.44\3.84\1.03\1.48\0.18\0.74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14872G	65.03	74.00	-8.97	58.75	3	Horizontal	355	1.80	73	32.70	6.37	32.79
AV	5.15G	53.26	54.00	-0.74	46.98	3	Horizontal	355	1.80	73	32.70	6.37	32.79
PK	5.19912G	108.63	Inf	-Inf	102.30	3	Horizontal	355	1.80	73	32.70	6.40	32.77
AV	5.19612G	96.32	Inf	-Inf	89.99	3	Horizontal	355	1.80	73	32.70	6.40	32.77

802.11ax HEW40_Nss2,(MCS0)_2TX

5190MHz_TX




EUTY_2TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38288G	56.66	68.20	-11.54	41.43	3	Vertical	179	1.80	72	38.40	8.60	31.77
PK	15.59032G	62.87	74.00	-11.13	45.35	3	Vertical	277	1.80	72	37.84	10.38	30.70
AV	15.5736G	49.77	54.00	-4.23	32.20	3	Vertical	277	1.80	72	37.91	10.37	30.71

802.11ax HEW40_Nss2,(MCS0)_2TX

5190MHz_TX




EUTY_2TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.406G	55.67	68.20	-12.53	40.40	3	Horizontal	106	1.06	72	38.41	8.60	31.74
PK	15.58096G	62.57	74.00	-11.43	45.03	3	Horizontal	203	2.78	72	37.88	10.37	30.71
AV	15.53416G	49.82	54.00	-4.18	32.12	3	Horizontal	203	2.78	72	38.06	10.36	30.72

802.11ax HEW40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_V_2TX
SET 84
88\76\82\85\83\84
-1.84\4.35\0.86\0.49\0.64\0.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14134G	66.34	74.00	-7.66	60.04	3	Vertical	348	1.71	84	32.72	6.37	32.79
AV	5.14992G	53.96	54.00	-0.04	47.68	3	Vertical	348	1.71	84	32.70	6.37	32.79
PK	5.22012G	113.39	Inf	-Inf	107.01	3	Vertical	348	1.71	84	32.74	6.40	32.76
AV	5.24248G	101.37	Inf	-Inf	94.94	3	Vertical	348	1.71	84	32.78	6.40	32.75
PK	5.35584G	61.73	74.00	-12.27	55.01	3	Vertical	348	1.71	84	33.02	6.40	32.70
AV	5.3561G	49.60	54.00	-4.40	42.88	3	Vertical	348	1.71	84	33.02	6.40	32.70

802.11ax HEW40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_V_2TX
SET 88
80\98\89\84\87\88
3.93\ -9.03\ -0.03\ 1.98\ 0.96\ 0.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14758G	65.87	74.00	-8.13	59.59	3	Horizontal	333	1.59	88	32.70	6.37	32.79
AV	5.14992G	53.97	54.00	-0.03	47.69	3	Horizontal	333	1.59	88	32.70	6.37	32.79
PK	5.24352G	114.58	Inf	-Inf	108.14	3	Horizontal	333	1.59	88	32.79	6.40	32.75
AV	5.24352G	102.07	Inf	-Inf	95.63	3	Horizontal	333	1.59	88	32.79	6.40	32.75
PK	5.3509G	62.90	74.00	-11.10	56.20	3	Horizontal	333	1.59	88	33.00	6.40	32.70
AV	5.35038G	50.37	54.00	-3.63	43.67	3	Horizontal	333	1.59	88	33.00	6.40	32.70

802.11ax HEW40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4508G	56.42	68.20	-11.78	41.05	3	Vertical	247	1.80	84	38.45	8.61	31.69
PK	15.69664G	64.11	74.00	-9.89	46.67	3	Vertical	49	1.80	84	37.70	10.41	30.67
AV	15.69592G	49.78	54.00	-4.22	32.34	3	Vertical	49	1.80	84	37.70	10.41	30.67

802.11ax HEW40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT Y_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42512G	56.29	68.20	-11.91	40.97	3	Horizontal	42	1.80	84	38.43	8.61	31.72
PK	15.69352G	63.37	74.00	-10.63	45.92	3	Horizontal	5	1.80	84	37.71	10.41	30.67
AV	15.7028G	49.48	54.00	-4.52	32.02	3	Horizontal	5	1.80	84	37.72	10.41	30.67

802.11ax HEW40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT Y_2TX
SET 92
92
1.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65204G	68.12	69.71	-1.59	60.12	3	Vertical	0	1.80	92	34.10	6.60	32.70
PK	5.7406G	114.22	Inf	-Inf	106.04	3	Vertical	0	1.80	92	34.32	6.60	32.74
AV	5.75644G	103.44	Inf	-Inf	95.18	3	Vertical	0	1.80	92	34.40	6.60	32.74
PK	5.92816G	61.40	68.20	-6.80	52.60	3	Vertical	0	1.80	92	35.01	6.60	32.81

802.11ax HEW40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT Y_2TX
SET 92
80\98\89\94\91\93\92
5.86\ -4.72\4.74\ -1.46\1.22\ -0.63\1.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64196G	67.02	68.20	-1.18	59.07	3	Horizontal	345	2.28	92	34.05	6.60	32.70
PK	5.76904G	114.16	Inf	-Inf	105.91	3	Horizontal	345	2.28	92	34.40	6.60	32.75
AV	5.74024G	102.82	Inf	-Inf	94.64	3	Horizontal	345	2.28	92	34.32	6.60	32.74
PK	5.93356G	60.76	68.20	-7.44	51.94	3	Horizontal	345	2.28	92	35.03	6.60	32.81

802.11ax HEW40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT Y_2TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51824G	56.50	74.00	-17.50	40.91	3	Vertical	81	1.80	92	38.44	8.88	31.73
AV	11.53544G	43.73	54.00	-10.27	28.11	3	Vertical	81	1.80	92	38.47	8.88	31.73
PK	17.2774G	67.83	68.20	-0.37	45.20	3	Vertical	354	1.80	83	41.99	10.88	30.24

802.11ax HEW40_Nss2,(MCS0)_2TX

5755MHz_TX




EUTY_2TX
SET 92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.52936G	56.88	74.00	-17.12	41.27	3	Horizontal	170	2.53	92	38.46	8.88	31.73
AV	11.53536G	43.71	54.00	-10.29	28.09	3	Horizontal	170	2.53	92	38.47	8.88	31.73
PK	17.25348G	67.98	68.20	-0.22	45.44	3	Horizontal	49	1.80	92	41.87	10.88	30.21

802.11ax HEW40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT Y_2TX
SET 93
98\80\89\94\91\93
-2.53\6.09\2.89\0.89\3.31\0.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65036G	64.94	68.47	-3.53	56.94	3	Vertical	360	1.80	93	34.10	6.60	32.70
PK	5.81004G	115.35	Inf	-Inf	107.03	3	Vertical	360	1.80	93	34.48	6.60	32.76
AV	5.80364G	103.66	Inf	-Inf	95.39	3	Vertical	360	1.80	93	34.43	6.60	32.76
PK	5.93196G	67.98	68.20	-0.22	59.16	3	Vertical	360	1.80	93	35.03	6.60	32.81

802.11ax HEW40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT V_2TX
SET 98
80\98\107\102\99\97\98
7.20\1.84\3.12\3.36\0.17\0.73\0.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64204G	67.33	68.20	-0.87	59.38	3	Horizontal	31	1.80	98	34.05	6.60	32.70
PK	5.78764G	113.92	Inf	-Inf	105.68	3	Horizontal	31	1.80	98	34.40	6.60	32.76
AV	5.78892G	102.77	Inf	-Inf	94.53	3	Horizontal	31	1.80	98	34.40	6.60	32.76
PK	5.92812G	67.34	68.20	-0.86	58.54	3	Horizontal	31	1.80	98	35.01	6.60	32.81

802.11ax HEW40_Nss2,(MCS0)_2TX

5795MHz_TX



EUT Y_2TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58224G	56.66	74.00	-17.34	40.91	3	Vertical	292	1.80	92	38.56	8.90	31.71
AV	11.6108G	43.72	54.00	-10.28	27.92	3	Vertical	292	1.80	92	38.60	8.90	31.70
PK	17.38004G	68.16	68.20	-0.04	45.47	3	Vertical	354	1.80	89	42.18	10.91	30.40

802.11ax HEW40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT Y_2TX
SET 92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5564G	57.03	74.00	-16.97	41.35	3	Horizontal	8	1.80	93	38.51	8.89	31.72
AV	11.59144G	43.62	54.00	-10.38	27.84	3	Horizontal	8	1.80	93	38.58	8.90	31.70
PK	17.3606G	67.81	68.20	-0.39	45.11	3	Horizontal	341	1.80	92	42.16	10.91	30.37

802.11ax HEW80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_V_2TX
SET 70
72\69\71\70
-0.00\1.43\0.10\0.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	62.34	74.00	-11.66	56.05	3	Vertical	347	1.80	70	32.71	6.37	32.79
AV	5.14856G	53.27	54.00	-0.73	46.99	3	Vertical	347	1.80	70	32.70	6.37	32.79
PK	5.22728G	104.76	Inf	-Inf	98.36	3	Vertical	347	1.80	70	32.75	6.40	32.75
AV	5.24168G	95.00	Inf	-Inf	88.57	3	Vertical	347	1.80	70	32.78	6.40	32.75
PK	5.37G	59.46	74.00	-14.54	52.67	3	Vertical	347	1.80	70	33.08	6.40	32.69
AV	5.35336G	50.22	54.00	-3.78	43.51	3	Vertical	347	1.80	70	33.01	6.40	32.70

802.11ax HEW80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_V_2TX
SET 72
80\62\71\76\73\72
-9.27\4.21\1.74\3.57\0.27\1.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1396G	62.35	74.00	-11.65	56.05	3	Horizontal	334	1.80	72	32.72	6.37	32.79
AV	5.14888G	52.91	54.00	-1.09	46.63	3	Horizontal	334	1.80	72	32.70	6.37	32.79
PK	5.24136G	105.63	Inf	-Inf	99.20	3	Horizontal	334	1.80	72	32.78	6.40	32.75
AV	5.23912G	95.09	Inf	-Inf	88.66	3	Horizontal	334	1.80	72	32.78	6.40	32.75
PK	5.3668G	59.71	74.00	-14.29	52.94	3	Horizontal	334	1.80	72	33.07	6.40	32.70
AV	5.35784G	49.81	54.00	-4.19	43.08	3	Horizontal	334	1.80	72	33.03	6.40	32.70

802.11ax HEW80_Nss2,(MCS0)_2TX

5210MHz_TX




EUTY_2TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49728G	56.82	68.20	-11.38	41.34	3	Vertical	260	1.80	70	38.50	8.62	31.64
PK	15.56376G	62.56	74.00	-11.44	44.96	3	Vertical	102	1.07	70	37.94	10.37	30.71
AV	15.57752G	49.62	54.00	-4.38	32.07	3	Vertical	102	1.07	70	37.89	10.37	30.71

802.11ax HEW80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT Y_2TX
SET 70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47936G	56.52	68.20	-11.68	41.08	3	Horizontal	292	1.80	70	38.48	8.62	31.66
PK	15.63768G	62.73	74.00	-11.27	45.27	3	Horizontal	225	1.80	70	37.76	10.39	30.69
AV	15.58456G	49.44	54.00	-4.56	31.90	3	Horizontal	225	1.80	70	37.86	10.38	30.70

802.11ax HEW80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT Y_2TX
SET 84
86\74\80\83\85\84
-1.30\6.14\3.40\0.51\~0.73\0.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63996G	67.97	68.20	-0.23	60.03	3	Vertical	0	1.80	84	34.04	6.60	32.70
PK	5.77148G	110.15	Inf	-Inf	101.90	3	Vertical	0	1.80	84	34.40	6.60	32.75
AV	5.7862G	99.80	Inf	-Inf	91.55	3	Vertical	0	1.80	84	34.40	6.60	32.75
PK	5.92668G	65.34	68.20	-2.86	56.54	3	Vertical	0	1.80	84	35.01	6.60	32.81

802.11ax HEW80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT Y_2TX
SET 86
80\98\89\84\87\85\86
4.36\ -16.69\ -2.76\ 1.75\ -0.11\ 1.19\ 0.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64572G	68.12	68.20	-0.08	60.15	3	Horizontal	344	1.80	86	34.07	6.60	32.70
PK	5.74748G	108.65	Inf	-Inf	100.41	3	Horizontal	344	1.80	86	34.38	6.60	32.74
AV	5.76892G	99.06	Inf	-Inf	90.81	3	Horizontal	344	1.80	86	34.40	6.60	32.75
PK	5.93308G	66.34	68.20	-1.86	57.52	3	Horizontal	344	1.80	86	35.03	6.60	32.81

802.11ax HEW80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT Y_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59528G	56.80	74.00	-17.20	41.01	3	Vertical	360	1.67	84	38.59	8.90	31.70
AV	11.47576G	43.52	54.00	-10.48	28.00	3	Vertical	360	1.67	84	38.40	8.87	31.75
PK	17.26532G	68.04	68.20	-0.16	45.45	3	Vertical	51	1.80	84	41.93	10.88	30.22

802.11ax HEW80_Nss2,(MCS0)_2TX

5775MHz_TX



EUT Y_2TX
SET 84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48264G	57.34	74.00	-16.66	41.82	3	Horizontal	170	1.80	84	38.40	8.87	31.75
AV	11.52952G	43.62	54.00	-10.38	28.01	3	Horizontal	170	1.80	84	38.46	8.88	31.73
PK	17.26068G	67.94	68.20	-0.26	45.38	3	Horizontal	304	1.41	84	41.90	10.88	30.22