


802.11ax HEW20_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_Y_4TX
SET 81
86\82\80\81
-2.53\ -0.58\1.85\0.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38756G	73.76	74.00	-0.24	41.12	3	Vertical	-0	1.79	81	28.25	4.39	-
AV	2.38756G	52.76	54.00	-1.24	20.12	3	Vertical	-0	1.79	81	28.25	4.39	-
PK	2.44244G	121.77	Inf	-Inf	89.05	3	Vertical	-0	1.79	81	28.30	4.42	-
AV	2.43236G	110.37	Inf	-Inf	77.65	3	Vertical	-0	1.79	81	28.30	4.42	-
PK	2.48772G	71.71	74.00	-2.29	38.82	3	Vertical	-0	1.79	81	28.45	4.44	-
AV	2.4874G	52.43	54.00	-1.57	19.54	3	Vertical	-0	1.79	81	28.45	4.44	-

802.11ax HEW20_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_Y_4TX
SET 81
81
0.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38964G	71.76	74.00	-2.24	39.11	3	Horizontal	2	1.73	81	28.26	4.39	-
AV	2.3898G	53.19	54.00	-0.81	20.54	3	Horizontal	2	1.73	81	28.26	4.39	-
PK	2.4346G	122.69	Inf	-Inf	89.97	3	Horizontal	2	1.73	81	28.30	4.42	-
AV	2.43492G	109.87	Inf	-Inf	77.15	3	Horizontal	2	1.73	81	28.30	4.42	-
PK	2.485G	70.23	74.00	-3.77	37.35	3	Horizontal	2	1.73	81	28.44	4.44	-
AV	2.485G	51.82	54.00	-2.18	18.94	3	Horizontal	2	1.73	81	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_4TX

2437MHz_TX




EUT Y_4TX
SET 81
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.8786G	48.60	74.00	-25.40	43.28	3	Vertical	292	2.05	81	33.61	7.10	35.39	
AV	4.87344G	35.31	54.00	-18.69	30.02	3	Vertical	292	2.05	81	33.59	7.10	35.40	
PK	7.32848G	53.34	74.00	-20.66	43.50	3	Vertical	334	1.80	81	36.96	8.46	35.58	
AV	7.3158G	40.17	54.00	-13.83	30.38	3	Vertical	334	1.80	81	36.93	8.43	35.57	

802.11ax HEW20_Nss1,(MCS0)_4TX

2437MHz_TX




EUT Y_4TX
SET 81
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87048G	47.32	74.00	-26.68	42.04	3	Horizontal	25	1.91	81	33.58	7.10	35.40
AV	4.87844G	34.50	54.00	-19.50	29.18	3	Horizontal	25	1.91	81	33.61	7.10	35.39
PK	7.31464G	53.27	74.00	-20.73	43.48	3	Horizontal	297	1.79	81	36.93	8.43	35.57
AV	7.31524G	40.28	54.00	-13.72	30.49	3	Horizontal	297	1.79	81	36.93	8.43	35.57

802.11ax HEW20_Nss1,(MCS0)_4TX

2457MHz_TX




EUT Y_4TX
SET 80
80
0.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4592G	121.37	Inf	-Inf	88.60	3	Vertical	-0	1.80	80	28.34	4.43	-	
AV	2.4623G	109.75	Inf	-Inf	76.97	3	Vertical	-0	1.80	80	28.35	4.43	-	
PK	2.4875G	65.76	74.00	-8.24	32.87	3	Vertical	-0	1.80	80	28.45	4.44	-	
AV	2.4872G	53.68	54.00	-0.32	20.79	3	Vertical	-0	1.80	80	28.45	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_4TX

2457MHz_TX




EUT Y_4TX
SET 80
80
0.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4598G	122.33	Inf	-Inf	89.56	3	Horizontal	357	2.10	80	28.34	4.43	-	
AV	2.4599G	108.91	Inf	-Inf	76.14	3	Horizontal	357	2.10	80	28.34	4.43	-	
PK	2.4848G	68.07	74.00	-5.93	35.19	3	Horizontal	357	2.10	80	28.44	4.44	-	
AV	2.4848G	53.69	54.00	-0.31	20.81	3	Horizontal	357	2.10	80	28.44	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_4TX

2462MHz_TX




EUT_Y_4TX
SET 74
70\74
1.75\0.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4675G	121.23	Inf	-Inf	88.43	3	Vertical	360	1.95	74	28.37	4.43	-	
AV	2.4673G	108.46	Inf	-Inf	75.66	3	Vertical	360	1.95	74	28.37	4.43	-	
PK	2.4871G	68.67	74.00	-5.33	35.78	3	Vertical	360	1.95	74	28.45	4.44	-	
AV	2.4871G	53.86	54.00	-0.14	20.97	3	Vertical	360	1.95	74	28.45	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_4TX

2462MHz_TX




EUT_Y_4TX
SET 71
74\44\59\66\69\70\71\72\71
-1.11\6.73\3.71\2.13\1.31\0.89\0.64\0.06\0.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4602G	119.44	Inf	-Inf	86.67	3	Horizontal	0	1.90	71	28.34	4.43	-	
AV	2.4649G	106.76	Inf	-Inf	73.97	3	Horizontal	0	1.90	71	28.36	4.43	-	
PK	2.4848G	66.64	74.00	-7.36	33.76	3	Horizontal	0	1.90	71	28.44	4.44	-	
AV	2.4849G	53.40	54.00	-0.60	20.52	3	Horizontal	0	1.90	71	28.44	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_4TX

2462MHz_TX




EUT Y_4TX
SET 71
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9052G	46.77	74.00	-27.23	41.34	3	Vertical	208	1.80	71	33.71	7.10	35.38	
AV	4.94296G	34.12	54.00	-19.88	28.59	3	Vertical	208	1.80	71	33.79	7.10	35.36	
PK	7.39488G	52.54	74.00	-21.46	42.54	3	Vertical	6	1.81	71	37.00	8.59	35.59	
AV	7.39184G	39.34	54.00	-14.66	29.35	3	Vertical	6	1.81	71	37.00	8.58	35.59	

802.11ax HEW20_Nss1,(MCS0)_4TX

2462MHz_TX



EUT Y_4TX
SET 71
03-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.92384G	46.55	74.00	-27.45	41.07	3	Horizontal	254	1.80	71	33.75	7.10	35.37	
AV	4.93632G	33.82	54.00	-20.18	28.31	3	Horizontal	254	1.80	71	33.77	7.10	35.36	
PK	7.37828G	52.92	74.00	-21.08	42.95	3	Horizontal	298	1.60	71	37.00	8.56	35.59	
AV	7.39736G	39.47	54.00	-14.53	29.47	3	Horizontal	298	1.60	71	37.00	8.59	35.59	




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	AV	2.3891G	53.84	54.00	-0.16	3	Vertical	358	1.60	67

802.11ax HEW20_Nss4,(MCS0)_4TX

2412MHz_TX




EUT X_4TX
SET 67
65\68\67
0.56\0.58\0.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	63.60	74.00	-10.40	32.24	3	Vertical	358	1.60	67	27.56	3.80	-
AV	2.3891G	53.84	54.00	-0.16	22.48	3	Vertical	358	1.60	67	27.56	3.80	-
PK	2.4143G	118.79	Inf	-Inf	87.41	3	Vertical	358	1.60	67	27.57	3.81	-
AV	2.4133G	107.71	Inf	-Inf	76.33	3	Vertical	358	1.60	67	27.57	3.81	-

802.11ax HEW20_Nss4,(MCS0)_4TX

2412MHz_TX




EUT X_4TX
SET 67
67
0.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3889G	62.76	74.00	-11.24	31.40	3	Horizontal	359	1.71	67	27.56	3.80	-	
AV	2.3899G	53.30	54.00	-0.70	21.94	3	Horizontal	359	1.71	67	27.56	3.80	-	
PK	2.4101G	116.13	Inf	-Inf	84.74	3	Horizontal	359	1.71	67	27.58	3.81	-	
AV	2.4095G	105.83	Inf	-Inf	74.45	3	Horizontal	359	1.71	67	27.58	3.80	-	

802.11ax HEW20_Nss4,(MCS0)_4TX

2412MHz_TX




EUT_X_4TX
SET 67
01-I-G-2
FSV

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81833G	48.79	74.00	-25.21	42.94	3	Vertical	1	2.88	67	32.44	6.30	32.89
AV	4.84334G	36.71	54.00	-17.29	30.80	3	Vertical	1	2.88	67	32.49	6.30	32.88

802.11ax HEW20_Nss4,(MCS0)_4TX

2412MHz_TX




EUT_X_4TX
SET 67
01-I-G-2
FSV

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8439G	48.22	74.00	-25.78	42.31	3	Horizontal	2	1.71	67	32.49	6.30	32.88
AV	4.8079G	36.54	54.00	-17.46	30.71	3	Horizontal	2	1.71	67	32.42	6.30	32.89

802.11ax HEW20_Nss4,(MCS0)_4TX

2417MHz_TX




EUT_X_4TX
SET 72
80\62\71\75\73\72
-3.23\2.70\1.12\0.34\0.09\0.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	63.26	74.00	-10.74	31.90	3	Vertical	355	1.86	72	27.56	3.80	-
AV	2.3898G	53.16	54.00	-0.84	21.80	3	Vertical	355	1.86	72	27.56	3.80	-
PK	2.4193G	120.05	Inf	-Inf	88.68	3	Vertical	355	1.86	72	27.56	3.81	-
AV	2.4182G	108.96	Inf	-Inf	77.59	3	Vertical	355	1.86	72	27.56	3.81	-

802.11ax HEW20_Nss4,(MCS0)_4TX

2417MHz_TX




EUT X_4TX
SET 72
72
1.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3893G	62.94	74.00	-11.06	31.58	3	Horizontal	357	1.76	72	27.56	3.80	-	
AV	2.3899G	52.43	54.00	-1.57	21.07	3	Horizontal	357	1.76	72	27.56	3.80	-	
PK	2.4234G	116.81	Inf	-Inf	85.45	3	Horizontal	357	1.76	72	27.55	3.81	-	
AV	2.4145G	107.30	Inf	-Inf	75.92	3	Horizontal	357	1.76	72	27.57	3.81	-	

802.11ax HEW20_Nss4,(MCS0)_4TX

2437MHz_TX




EUT_X_4TX
SET 78
80\74\77\78
-0.35\1.49\0.84\0.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38932G	66.67	74.00	-7.33	35.31	3	Vertical	356	1.80	78	27.56	3.80	-
AV	2.38932G	53.30	54.00	-0.70	21.94	3	Vertical	356	1.80	78	27.56	3.80	-
PK	2.43924G	121.39	Inf	-Inf	90.05	3	Vertical	356	1.80	78	27.52	3.82	-
AV	2.43828G	110.54	Inf	-Inf	79.20	3	Vertical	356	1.80	78	27.52	3.82	-
PK	2.48532G	65.67	74.00	-8.33	34.12	3	Vertical	356	1.80	78	27.71	3.84	-
AV	2.485G	53.52	54.00	-0.48	21.97	3	Vertical	356	1.80	78	27.71	3.84	-

802.11ax HEW20_Nss4,(MCS0)_4TX

2437MHz_TX




EUT_X_4TX
SET 78
78
1.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38996G	65.74	74.00	-8.26	34.38	3	Horizontal	358	1.72	78	27.56	3.80	-
AV	2.38916G	52.58	54.00	-1.42	21.22	3	Horizontal	358	1.72	78	27.56	3.80	-
PK	2.4434G	118.30	Inf	-Inf	86.97	3	Horizontal	358	1.72	78	27.51	3.82	-
AV	2.4298G	108.29	Inf	-Inf	76.94	3	Horizontal	358	1.72	78	27.54	3.81	-
PK	2.48964G	67.01	74.00	-6.99	35.43	3	Horizontal	358	1.72	78	27.74	3.84	-
AV	2.4835G	52.75	54.00	-1.25	21.21	3	Horizontal	358	1.72	78	27.70	3.84	-

802.11ax HEW20_Nss4,(MCS0)_4TX

2437MHz_TX




EUT_X_4TX
SET 78
01-I-G-2
FSV

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.88499G	48.78	74.00	-25.22	42.78	3	Vertical	291	2.06	78	32.57	6.30	32.87	
AV	4.87088G	37.10	54.00	-16.90	31.14	3	Vertical	291	2.06	78	32.54	6.30	32.88	
PK	7.32247G	54.46	74.00	-19.54	43.07	3	Vertical	332	1.77	78	37.26	7.32	33.19	
AV	7.31488G	42.57	54.00	-11.43	31.17	3	Vertical	332	1.77	78	37.27	7.31	33.18	

802.11ax HEW20_Nss4,(MCS0)_4TX

2437MHz_TX




EUT_X_4TX
SET 78
01-I-G-2
FSV

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.88127G	48.19	74.00	-25.81	42.20	3	Horizontal	46	2.34	78	32.56	6.30	32.87	
AV	4.8732G	36.99	54.00	-17.01	31.02	3	Horizontal	46	2.34	78	32.55	6.30	32.88	
PK	7.31935G	54.30	74.00	-19.70	42.91	3	Horizontal	296	1.79	78	37.26	7.32	33.19	
AV	7.30425G	42.38	54.00	-11.62	30.97	3	Horizontal	296	1.79	78	37.29	7.30	33.18	

802.11ax HEW20_Nss4,(MCS0)_4TX

2457MHz_TX




EUT_X_4TX
SET 74
80\62\71\75\73\74
-2.93\1.66\1.09\0.07\0.78\0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4594G	120.31	Inf	-Inf	88.92	3	Vertical	356	1.79	74	27.56	3.83	-
AV	2.4583G	109.21	Inf	-Inf	77.83	3	Vertical	356	1.79	74	27.55	3.83	-
PK	2.4838G	64.27	74.00	-9.73	32.73	3	Vertical	356	1.79	74	27.70	3.84	-
AV	2.4838G	53.80	54.00	-0.20	22.26	3	Vertical	356	1.79	74	27.70	3.84	-

802.11ax HEW20_Nss4,(MCS0)_4TX

2457MHz_TX




EUT X_4TX
SET 74
74
0.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4515G	117.41	Inf	-Inf	86.07	3	Horizontal	355	2.63	74	27.51	3.83	-	
AV	2.4544G	107.03	Inf	-Inf	75.67	3	Horizontal	355	2.63	74	27.53	3.83	-	
PK	2.4835G	62.77	74.00	-11.23	31.23	3	Horizontal	355	2.63	74	27.70	3.84	-	
AV	2.4837G	53.80	54.00	-0.20	22.26	3	Horizontal	355	2.63	74	27.70	3.84	-	

802.11ax HEW20_Nss4,(MCS0)_4TX

2462MHz_TX




EUT_X_4TX
SET 64
80\62\71\67\65\64
-8.40\0.92\1.79\0.21\0.21\0.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4643G	116.96	Inf	-Inf	85.54	3	Vertical	360	1.77	64	27.59	3.83	-
AV	2.4644G	106.06	Inf	-Inf	74.64	3	Vertical	360	1.77	64	27.59	3.83	-
PK	2.4849G	63.27	74.00	-10.73	31.72	3	Vertical	360	1.77	64	27.71	3.84	-
AV	2.4835G	53.79	54.00	-0.21	22.25	3	Vertical	360	1.77	64	27.70	3.84	-

802.11ax HEW20_Nss4,(MCS0)_4TX

2462MHz_TX




EUT X_4TX
SET 64
64
1.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4539G	116.28	Inf	-Inf	84.93	3	Horizontal	360	2.67	64	27.52	3.83	-	
AV	2.4542G	105.09	Inf	-Inf	73.73	3	Horizontal	360	2.67	64	27.53	3.83	-	
PK	2.4847G	63.99	74.00	-10.01	32.44	3	Horizontal	360	2.67	64	27.71	3.84	-	
AV	2.4835G	52.91	54.00	-1.09	21.37	3	Horizontal	360	2.67	64	27.70	3.84	-	

802.11ax HEW20_Nss4,(MCS0)_4TX

2462MHz_TX




EUT_X_4TX
SET 64
01-I-G-2
FSV

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.93475G	49.22	74.00	-24.78	43.11	3	Vertical	176	1.19	64	32.67	6.30	32.86	
AV	4.93003G	37.17	54.00	-16.83	31.07	3	Vertical	176	1.19	64	32.66	6.30	32.86	
PK	7.39495G	53.64	74.00	-20.36	42.28	3	Vertical	135	2.95	64	37.20	7.39	33.23	
AV	7.40234G	42.08	54.00	-11.92	30.71	3	Vertical	135	2.95	64	37.20	7.40	33.23	

802.11ax HEW20_Nss4,(MCS0)_4TX

2462MHz_TX



EUT_X_4TX
SET 64
01-I-G-2
FSV

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.92732G	49.11	74.00	-24.89	43.02	3	Horizontal	54	1.80	64	32.65	6.30	32.86	
AV	4.93199G	37.05	54.00	-16.95	30.95	3	Horizontal	54	1.80	64	32.66	6.30	32.86	
PK	7.39323G	53.45	74.00	-20.55	42.08	3	Horizontal	96	1.06	64	37.20	7.39	33.22	
AV	7.39887G	42.23	54.00	-11.77	30.86	3	Horizontal	96	1.06	64	37.20	7.40	33.23	




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	AV	2.4835G	53.87	54.00	-0.13	3	Horizontal	360	1.80	89

802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT_Y_1TX
SET 94
94
0.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3887G	62.09	74.00	-11.91	29.45	3	Vertical	22	1.65	94	28.25	4.39	-	
AV	2.3872G	53.57	54.00	-0.43	20.93	3	Vertical	22	1.65	94	28.25	4.39	-	
PK	2.413G	113.99	Inf	-Inf	81.28	3	Vertical	22	1.65	94	28.30	4.41	-	
AV	2.4112G	110.08	Inf	-Inf	77.37	3	Vertical	22	1.65	94	28.30	4.41	-	

802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUT_Y_1TX
SET 94
80\108\94\101\98\97\85\91\94
7.08\ -35.14\0.92\ -7.67\ -5.30\ -3.46\6.30\1.64\0.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3899G	62.25	74.00	-11.75	29.60	3	Horizontal	-0	2.05	94	28.26	4.39	-	
AV	2.3872G	53.02	54.00	-0.98	20.38	3	Horizontal	-0	2.05	94	28.25	4.39	-	
PK	2.413G	113.33	Inf	-Inf	80.62	3	Horizontal	-0	2.05	94	28.30	4.41	-	
AV	2.4112G	109.52	Inf	-Inf	76.81	3	Horizontal	-0	2.05	94	28.30	4.41	-	

802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUTY_1TX
SET 94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82384G	48.40	74.00	-25.60	43.38	3	Vertical	352	1.93	94	33.34	7.10	35.42
AV	4.82396G	39.19	54.00	-14.81	34.17	3	Vertical	352	1.93	94	33.34	7.10	35.42

802.11b_Nss1,(1Mbps)_1TX

2412MHz_TX




EUTY_1TX
SET 94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82376G	49.33	74.00	-24.67	44.31	3	Horizontal	50	2.14	94	33.34	7.10	35.42
AV	4.824G	42.73	54.00	-11.27	37.71	3	Horizontal	50	2.14	94	33.34	7.10	35.42

802.11b_Nss1,(1Mbps)_1TX

2417MHz_TX




EUT Y_1TX
SET 97
97
0.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3879G	62.88	74.00	-11.12	30.24	3	Vertical	13	1.65	97	28.25	4.39	-	
AV	2.39G	53.10	54.00	-0.90	20.45	3	Vertical	13	1.65	97	28.26	4.39	-	
PK	2.418G	115.26	Inf	-Inf	82.55	3	Vertical	13	1.65	97	28.30	4.41	-	
AV	2.4177G	111.30	Inf	-Inf	78.59	3	Vertical	13	1.65	97	28.30	4.41	-	

802.11b_Nss1,(1Mbps)_1TX

2417MHz_TX




EUT Y_1TX
SET 97
80\108\94\101\98\97
7.42\ -34.25\3.85\ -7.77\ -1.79\1.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3885G	61.50	74.00	-12.50	28.86	3	Horizontal	1	1.60	97	28.25	4.39	-
AV	2.39G	52.72	54.00	-1.28	20.07	3	Horizontal	1	1.60	97	28.26	4.39	-
PK	2.418G	114.12	Inf	-Inf	81.41	3	Horizontal	1	1.60	97	28.30	4.41	-
AV	2.4163G	110.30	Inf	-Inf	77.59	3	Horizontal	1	1.60	97	28.30	4.41	-

802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_V_1TX
SET 102
102
2.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3858G	60.96	74.00	-13.04	28.33	3	Vertical	33	1.85	102	28.24	4.39	-
AV	2.38868G	51.28	54.00	-2.72	18.64	3	Vertical	33	1.85	102	28.25	4.39	-
PK	2.43604G	115.12	Inf	-Inf	82.40	3	Vertical	33	1.85	102	28.30	4.42	-
AV	2.4378G	111.11	Inf	-Inf	78.39	3	Vertical	33	1.85	102	28.30	4.42	-
PK	2.48548G	61.36	74.00	-12.64	28.48	3	Vertical	33	1.85	102	28.44	4.44	-
AV	2.48564G	51.52	54.00	-2.48	18.64	3	Vertical	33	1.85	102	28.44	4.44	-

802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT_V_1TX
SET 102
80\108\94\101\104\103\102
7.58\18.51\6.85\3.67\2.24\2.51\0.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38868G	60.75	74.00	-13.25	28.11	3	Horizontal	354	1.05	102	28.25	4.39	-
AV	2.38868G	51.07	54.00	-2.93	18.43	3	Horizontal	354	1.05	102	28.25	4.39	-
PK	2.43796G	114.95	Inf	-Inf	82.23	3	Horizontal	354	1.05	102	28.30	4.42	-
AV	2.4362G	111.17	Inf	-Inf	78.45	3	Horizontal	354	1.05	102	28.30	4.42	-
PK	2.48564G	61.99	74.00	-12.01	29.11	3	Horizontal	354	1.05	102	28.44	4.44	-
AV	2.4858G	53.54	54.00	-0.46	20.66	3	Horizontal	354	1.05	102	28.44	4.44	-

802.11b_Nss1,(1Mbps)_1TX


2437MHz_TX


EUT Y_1TX
SET 102

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.874G	52.51	74.00	-21.49	47.21	3	Vertical	294	1.88	102	33.60	7.10	35.40	
AV	4.874G	47.44	54.00	-6.56	42.14	3	Vertical	294	1.88	102	33.60	7.10	35.40	
PK	7.31192G	57.34	74.00	-16.66	47.57	3	Vertical	334	1.84	102	36.92	8.42	35.57	
AV	7.30976G	50.42	54.00	-3.58	40.65	3	Vertical	334	1.84	102	36.92	8.42	35.57	

802.11b_Nss1,(1Mbps)_1TX

2437MHz_TX




EUT Y_1TX
SET 102

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.874G	51.56	74.00	-22.44	46.26	3	Horizontal	329	1.80	102	33.60	7.10	35.40
AV	4.874G	45.59	54.00	-8.41	40.29	3	Horizontal	329	1.80	102	33.60	7.10	35.40
PK	7.3124G	56.57	74.00	-17.43	46.80	3	Horizontal	298	1.80	102	36.92	8.42	35.57
AV	7.31172G	49.07	54.00	-4.93	39.30	3	Horizontal	298	1.80	102	36.92	8.42	35.57

802.11b_Nss1,(1Mbps)_1TX

2457MHz_TX




EUT_Y_1TX
SET 94
94
2.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4561G	113.70	Inf	-Inf	80.95	3	Vertical	31	1.79	94	28.32	4.43	-	
AV	2.4563G	109.87	Inf	-Inf	77.11	3	Vertical	31	1.79	94	28.33	4.43	-	
PK	2.4839G	60.88	74.00	-13.12	28.00	3	Vertical	31	1.79	94	28.44	4.44	-	
AV	2.4863G	51.58	54.00	-2.42	18.69	3	Vertical	31	1.79	94	28.45	4.44	-	

802.11b_Nss1,(1Mbps)_1TX

2457MHz_TX




EUT_Y_1TX
SET 94
80\108\94\101\98\97\85\91\94
6.86\ -37.18\1.08\ -8.66\ -5.63\ -3.18\6.30\2.58\1.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4561G	114.16	Inf	-Inf	81.41	3	Horizontal	360	1.80	94	28.32	4.43	-	
AV	2.4562G	110.33	Inf	-Inf	77.58	3	Horizontal	360	1.80	94	28.32	4.43	-	
PK	2.4866G	62.82	74.00	-11.18	29.93	3	Horizontal	360	1.80	94	28.45	4.44	-	
AV	2.4864G	52.81	54.00	-1.19	19.92	3	Horizontal	360	1.80	94	28.45	4.44	-	

802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Y_1TX
SET 89
89
1.64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4629G	113.04	Inf	-Inf	80.26	3	Vertical	32	1.77	89	28.35	4.43	-	
AV	2.4612G	109.20	Inf	-Inf	76.43	3	Vertical	32	1.77	89	28.34	4.43	-	
PK	2.489G	60.82	74.00	-13.18	27.92	3	Vertical	32	1.77	89	28.46	4.44	-	
AV	2.4835G	52.36	54.00	-1.64	19.49	3	Vertical	32	1.77	89	28.43	4.44	-	

802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT Y_1TX
SET 89
80\108\94\87\90\89
6.23\ -37.66\ -3.96\ 4.17\ -1.52\ 0.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.463G	113.63	Inf	-Inf	80.85	3	Horizontal	360	1.80	89	28.35	4.43	-	
AV	2.4627G	109.61	Inf	-Inf	76.83	3	Horizontal	360	1.80	89	28.35	4.43	-	
PK	2.4837G	63.52	74.00	-10.48	30.65	3	Horizontal	360	1.80	89	28.43	4.44	-	
AV	2.4835G	53.87	54.00	-0.13	21.00	3	Horizontal	360	1.80	89	28.43	4.44	-	

802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




EUT_Y_1TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9242G	47.39	74.00	-26.61	41.91	3	Vertical	158	1.41	89	33.75	7.10	35.37
AV	4.92408G	37.58	54.00	-16.42	32.10	3	Vertical	158	1.41	89	33.75	7.10	35.37
PK	7.38412G	55.47	74.00	-18.53	45.49	3	Vertical	333	1.79	89	37.00	8.57	35.59
AV	7.3852G	47.16	54.00	-6.84	37.18	3	Vertical	333	1.79	89	37.00	8.57	35.59

802.11b_Nss1,(1Mbps)_1TX


2462MHz_TX


EUT_Y_1TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.90956G	46.85	74.00	-27.15	41.41	3	Horizontal	333	2.09	89	33.72	7.10	35.38	
AV	4.92392G	35.44	54.00	-18.56	29.96	3	Horizontal	333	2.09	89	33.75	7.10	35.37	
PK	7.38688G	55.20	74.00	-18.80	45.22	3	Horizontal	296	1.80	89	37.00	8.57	35.59	
AV	7.38728G	45.25	54.00	-8.75	35.27	3	Horizontal	296	1.80	89	37.00	8.57	35.59	

802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT_Y_1TX
SET 83
83
0.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	65.82	74.00	-8.18	33.17	3	Vertical	11	1.65	83	28.26	4.39	-
AV	2.3899G	53.62	54.00	-0.38	20.97	3	Vertical	11	1.65	83	28.26	4.39	-
PK	2.4183G	112.57	Inf	-Inf	79.86	3	Vertical	11	1.65	83	28.30	4.41	-
AV	2.4161G	102.14	Inf	-Inf	69.43	3	Vertical	11	1.65	83	28.30	4.41	-

802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT Y_1TX
SET 83
80\84\82\83
3.97\1.35\1.44\1.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3899G	67.13	74.00	-6.87	34.48	3	Horizontal	360	1.05	83	28.26	4.39	-	
AV	2.39G	52.70	54.00	-1.30	20.05	3	Horizontal	360	1.05	83	28.26	4.39	-	
PK	2.4057G	111.20	Inf	-Inf	78.50	3	Horizontal	360	1.05	83	28.30	4.40	-	
AV	2.4097G	100.97	Inf	-Inf	68.27	3	Horizontal	360	1.05	83	28.30	4.40	-	

802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT Y_1TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8258G	46.99	74.00	-27.01	41.96	3	Vertical	342	1.80	83	33.35	7.10	35.42
AV	4.825G	33.58	54.00	-20.42	28.55	3	Vertical	342	1.80	83	33.35	7.10	35.42

802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




EUT Y_1TX
SET 83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8228G	46.70	74.00	-27.30	41.68	3	Horizontal	340	1.80	83	33.34	7.10	35.42
AV	4.8206G	33.55	54.00	-20.45	28.55	3	Horizontal	340	1.80	83	33.32	7.10	35.42

802.11g_Nss1,(6Mbps)_1TX

2417MHz_TX




EUT Y_1TX
SET 87
88\58\73\80\83\84\85\86\87
-0.47\7.77\6.59\4.99\3.36\2.55\1.98\0.77\0.74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3888G	66.34	74.00	-7.66	33.69	3	Vertical	8	1.69	87	28.26	4.39	-
AV	2.3899G	53.26	54.00	-0.74	20.61	3	Vertical	8	1.69	87	28.26	4.39	-
PK	2.4196G	112.84	Inf	-Inf	80.13	3	Vertical	8	1.69	87	28.30	4.41	-
AV	2.4193G	103.18	Inf	-Inf	70.47	3	Vertical	8	1.69	87	28.30	4.41	-

802.11g_Nss1,(6Mbps)_1TX

2417MHz_TX




EUT_Y_1TX
SET 88
80\108\94\87\90\89\88
5.83\ -30.98\ -2.98\ 1.06\ -0.43\ -0.35\ 0.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3861G	66.22	74.00	-7.78	33.59	3	Horizontal	360	1.60	88	28.24	4.39	-
AV	2.3899G	53.67	54.00	-0.33	21.02	3	Horizontal	360	1.60	88	28.26	4.39	-
PK	2.4218G	112.54	Inf	-Inf	79.83	3	Horizontal	360	1.60	88	28.30	4.41	-
AV	2.4197G	102.48	Inf	-Inf	69.77	3	Horizontal	360	1.60	88	28.30	4.41	-

802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT Y_1TX
SET 97
97
0.88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38676G	68.64	74.00	-5.36	36.00	3	Vertical	34	1.84	97	28.25	4.39	-
AV	2.38996G	53.12	54.00	-0.88	20.47	3	Vertical	34	1.84	97	28.26	4.39	-
PK	2.44276G	115.64	Inf	-Inf	82.92	3	Vertical	34	1.84	97	28.30	4.42	-
AV	2.43332G	105.16	Inf	-Inf	72.44	3	Vertical	34	1.84	97	28.30	4.42	-
PK	2.48468G	69.79	74.00	-4.21	36.91	3	Vertical	34	1.84	97	28.44	4.44	-
AV	2.48372G	52.51	54.00	-1.49	19.64	3	Vertical	34	1.84	97	28.43	4.44	-

802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT_V_1TX
SET 97
80\108\94\101\98\97
6.75\ -24.28\1.90\ -3.47\ -0.79\0.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38836G	68.15	74.00	-5.85	35.51	3	Horizontal	360	1.80	97	28.25	4.39	-
AV	2.38964G	52.14	54.00	-1.86	19.49	3	Horizontal	360	1.80	97	28.26	4.39	-
PK	2.43956G	114.37	Inf	-Inf	81.65	3	Horizontal	360	1.80	97	28.30	4.42	-
AV	2.43492G	104.47	Inf	-Inf	71.75	3	Horizontal	360	1.80	97	28.30	4.42	-
PK	2.48708G	69.86	74.00	-4.14	36.97	3	Horizontal	360	1.80	97	28.45	4.44	-
AV	2.48436G	53.71	54.00	-0.29	20.83	3	Horizontal	360	1.80	97	28.44	4.44	-

802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT Y_1TX
SET 97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.876G	48.12	74.00	-25.88	42.81	3	Vertical	296	2.06	97	33.60	7.10	35.39	
AV	4.87636G	35.46	54.00	-18.54	30.14	3	Vertical	296	2.06	97	33.61	7.10	35.39	
PK	7.323G	56.43	74.00	-17.57	46.60	3	Vertical	333	1.80	97	36.95	8.45	35.57	
AV	7.3146G	41.96	54.00	-12.04	32.17	3	Vertical	333	1.80	97	36.93	8.43	35.57	

802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




EUT Y_1TX
SET 97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.87384G	48.18	74.00	-25.82	42.88	3	Horizontal	331	1.80	97	33.60	7.10	35.40	
AV	4.87516G	34.96	54.00	-19.04	29.65	3	Horizontal	331	1.80	97	33.60	7.10	35.39	
PK	7.31536G	54.67	74.00	-19.33	44.88	3	Horizontal	297	1.80	97	36.93	8.43	35.57	
AV	7.31584G	41.36	54.00	-12.64	31.57	3	Horizontal	297	1.80	97	36.93	8.43	35.57	

802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX




EUT Y_1TX
SET 87
87
1.76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4545G	113.03	Inf	-Inf	80.28	3	Vertical	33	1.78	87	28.32	4.43	-	
AV	2.4516G	102.49	Inf	-Inf	69.75	3	Vertical	33	1.78	87	28.31	4.43	-	
PK	2.4835G	65.90	74.00	-8.10	33.03	3	Vertical	33	1.78	87	28.43	4.44	-	
AV	2.4836G	52.24	54.00	-1.76	19.37	3	Vertical	33	1.78	87	28.43	4.44	-	

802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX




EUT Y_1TX
SET 87
80\108\94\87
5.44\ -32.67\ -5.66\0.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4634G	113.19	Inf	-Inf	80.41	3	Horizontal	360	1.80	87	28.35	4.43	-
AV	2.4585G	103.03	Inf	-Inf	70.27	3	Horizontal	360	1.80	87	28.33	4.43	-
PK	2.4836G	67.38	74.00	-6.62	34.51	3	Horizontal	360	1.80	87	28.43	4.44	-
AV	2.4841G	53.84	54.00	-0.16	20.96	3	Horizontal	360	1.80	87	28.44	4.44	-

802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_Y_1TX
SET 80
80
2.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4638G	110.92	Inf	-Inf	78.13	3	Vertical	31	1.80	80	28.36	4.43	-	
AV	2.458G	100.65	Inf	-Inf	67.89	3	Vertical	31	1.80	80	28.33	4.43	-	
PK	2.4838G	66.23	74.00	-7.77	33.35	3	Vertical	31	1.80	80	28.44	4.44	-	
AV	2.4835G	51.82	54.00	-2.18	18.95	3	Vertical	31	1.80	80	28.43	4.44	-	

802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




EUT_Y_1TX
SET 80
80\108\94\87\84\83\71\77\80
0.73\ -35.71\ -16.24\ -7.90\ -5.37\ -3.47\ 5.69\ 2.92\ 0.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4602G	111.28	Inf	-Inf	78.51	3	Horizontal	355	1.80	80	28.34	4.43	-	
AV	2.4646G	101.40	Inf	-Inf	68.61	3	Horizontal	355	1.80	80	28.36	4.43	-	
PK	2.4846G	66.79	74.00	-7.21	33.91	3	Horizontal	355	1.80	80	28.44	4.44	-	
AV	2.4835G	53.41	54.00	-0.59	20.54	3	Horizontal	355	1.80	80	28.43	4.44	-	

802.11g_Nss1,(6Mbps)_1TX


2462MHz_TX


EUT Y_1TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.93496G	46.61	74.00	-27.39	41.10	3	Vertical	186	1.80	80	33.77	7.10	35.36	
AV	4.91744G	33.79	54.00	-20.21	28.33	3	Vertical	186	1.80	80	33.73	7.10	35.37	
PK	7.38132G	52.52	74.00	-21.48	42.55	3	Vertical	331	1.80	80	37.00	8.56	35.59	
AV	7.38656G	39.57	54.00	-14.43	29.59	3	Vertical	331	1.80	80	37.00	8.57	35.59	

802.11g_Nss1,(6Mbps)_1TX


2462MHz_TX


EUT Y_1TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92468G	46.63	74.00	-27.37	41.15	3	Horizontal	91	1.80	80	33.75	7.10	35.37
AV	4.93912G	33.95	54.00	-20.05	28.43	3	Horizontal	91	1.80	80	33.78	7.10	35.36
PK	7.37008G	52.53	74.00	-21.47	42.58	3	Horizontal	242	1.80	80	37.00	8.54	35.59
AV	7.39664G	39.38	54.00	-14.62	29.38	3	Horizontal	242	1.80	80	37.00	8.59	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT Y_1TX
SET 82
82
0.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3897G	65.78	74.00	-8.22	33.13	3	Vertical	10	1.69	82	28.26	4.39	-	
AV	2.39G	53.51	54.00	-0.49	20.86	3	Vertical	10	1.69	82	28.26	4.39	-	
PK	2.4111G	112.77	Inf	-Inf	80.06	3	Vertical	10	1.69	82	28.30	4.41	-	
AV	2.4179G	100.06	Inf	-Inf	67.35	3	Vertical	10	1.69	82	28.30	4.41	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT Y_1TX
SET 82
80\87\84\83\82
3.10\~7.62\~2.47\~1.30\0.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3893G	66.08	74.00	-7.92	33.43	3	Horizontal	5	2.04	82	28.26	4.39	-
AV	2.39G	53.38	54.00	-0.62	20.73	3	Horizontal	5	2.04	82	28.26	4.39	-
PK	2.4175G	111.83	Inf	-Inf	79.12	3	Horizontal	5	2.04	82	28.30	4.41	-
AV	2.4144G	98.93	Inf	-Inf	66.22	3	Horizontal	5	2.04	82	28.30	4.41	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT Y_1TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83704G	47.40	74.00	-26.60	42.29	3	Vertical	38	2.89	82	33.42	7.10	35.41
AV	4.83684G	33.68	54.00	-20.32	28.57	3	Vertical	38	2.89	82	33.42	7.10	35.41

802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




EUT Y_1TX
SET 82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81196G	46.74	74.00	-27.26	41.80	3	Horizontal	1	2.10	82	33.27	7.10	35.43
AV	4.8204G	33.62	54.00	-20.38	28.62	3	Horizontal	1	2.10	82	33.32	7.10	35.42

802.11ax HEW20_Nss1,(MCS0)_1TX

2417MHz_TX




EUT Y_1TX
SET 87
87
0.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.39G	67.39	74.00	-6.61	34.74	3	Vertical	12	1.67	87	28.26	4.39	-	
AV	2.39G	53.72	54.00	-0.28	21.07	3	Vertical	12	1.67	87	28.26	4.39	-	
PK	2.4209G	114.60	Inf	-Inf	81.89	3	Vertical	12	1.67	87	28.30	4.41	-	
AV	2.4195G	101.42	Inf	-Inf	68.71	3	Vertical	12	1.67	87	28.30	4.41	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2417MHz_TX




EUT_Y_1TX
SET 87
87\91\89\88\87
1.63\ -2.87\ -1.05\ -0.08\ 1.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3898G	69.02	74.00	-4.98	36.37	3	Horizontal	356	1.61	87	28.26	4.39	-	
AV	2.39G	52.39	54.00	-1.61	19.74	3	Horizontal	356	1.61	87	28.26	4.39	-	
PK	2.4229G	113.49	Inf	-Inf	80.78	3	Horizontal	356	1.61	87	28.30	4.41	-	
AV	2.4195G	100.20	Inf	-Inf	67.49	3	Horizontal	356	1.61	87	28.30	4.41	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_V_1TX
SET 95
95
0.89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.38468G	69.82	74.00	-4.18	37.20	3	Vertical	37	1.80	95	28.24	4.38	-	
AV	2.38996G	53.11	54.00	-0.89	20.46	3	Vertical	37	1.80	95	28.26	4.39	-	
PK	2.43476G	115.14	Inf	-Inf	82.42	3	Vertical	37	1.80	95	28.30	4.42	-	
AV	2.43428G	102.83	Inf	-Inf	70.11	3	Vertical	37	1.80	95	28.30	4.42	-	
PK	2.48548G	69.37	74.00	-4.63	36.49	3	Vertical	37	1.80	95	28.44	4.44	-	
AV	2.4835G	51.93	54.00	-2.07	19.06	3	Vertical	37	1.80	95	28.43	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Y_1TX
SET 95
97\93\95
-1.36\1.60\0.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38948G	70.88	74.00	-3.12	38.23	3	Horizontal	360	1.82	95	28.26	4.39	-
AV	2.38996G	52.75	54.00	-1.25	20.10	3	Horizontal	360	1.82	95	28.26	4.39	-
PK	2.43572G	115.13	Inf	-Inf	82.41	3	Horizontal	360	1.82	95	28.30	4.42	-
AV	2.43524G	102.32	Inf	-Inf	69.60	3	Horizontal	360	1.82	95	28.30	4.42	-
PK	2.49108G	71.04	74.00	-2.96	38.13	3	Horizontal	360	1.82	95	28.46	4.45	-
AV	2.4835G	53.54	54.00	-0.46	20.67	3	Horizontal	360	1.82	95	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Y_1TX
SET 95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87252G	47.94	74.00	-26.06	42.65	3	Vertical	296	1.80	95	33.59	7.10	35.40
AV	4.8724G	35.27	54.00	-18.73	29.98	3	Vertical	296	1.80	95	33.59	7.10	35.40
PK	7.32004G	55.90	74.00	-18.10	46.09	3	Vertical	333	1.80	95	36.94	8.44	35.57
AV	7.31696G	41.38	54.00	-12.62	31.59	3	Vertical	333	1.80	95	36.93	8.43	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




EUT_Y_1TX
SET 95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86756G	48.28	74.00	-25.72	43.01	3	Horizontal	330	1.80	95	33.57	7.10	35.40
AV	4.8736G	34.89	54.00	-19.11	29.60	3	Horizontal	330	1.80	95	33.59	7.10	35.40
PK	7.3278G	54.36	74.00	-19.64	44.52	3	Horizontal	295	1.79	95	36.96	8.46	35.58
AV	7.31704G	40.97	54.00	-13.03	31.18	3	Horizontal	295	1.79	95	36.93	8.43	35.57

802.11ax HEW20_Nss1,(MCS0)_1TX

2457MHz_TX




EUT Y_1TX
SET 84
84
2.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4501G	113.90	Inf	-Inf	81.17	3	Vertical	33	1.80	84	28.30	4.43	-	
AV	2.451G	100.01	Inf	-Inf	67.28	3	Vertical	33	1.80	84	28.30	4.43	-	
PK	2.4835G	65.42	74.00	-8.58	32.55	3	Vertical	33	1.80	84	28.43	4.44	-	
AV	2.4835G	51.54	54.00	-2.46	18.67	3	Vertical	33	1.80	84	28.43	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2457MHz_TX




EUT_Y_1TX
SET 84
87\83\85\86\85\84
-1.71\2.57\0.58\1.31\0.87\1.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4542G	113.88	Inf	-Inf	81.13	3	Horizontal	360	1.80	84	28.32	4.43	-
AV	2.4555G	100.36	Inf	-Inf	67.61	3	Horizontal	360	1.80	84	28.32	4.43	-
PK	2.4841G	69.08	74.00	-4.92	36.20	3	Horizontal	360	1.80	84	28.44	4.44	-
AV	2.4835G	52.84	54.00	-1.16	19.97	3	Horizontal	360	1.80	84	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT Y_1TX
SET 78
78
2.99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4563G	111.73	Inf	-Inf	78.97	3	Vertical	32	1.80	78	28.33	4.43	-
AV	2.4598G	98.35	Inf	-Inf	65.58	3	Vertical	32	1.80	78	28.34	4.43	-
PK	2.4864G	63.89	74.00	-10.11	31.00	3	Vertical	32	1.80	78	28.45	4.44	-
AV	2.4835G	51.01	54.00	-2.99	18.14	3	Vertical	32	1.80	78	28.43	4.44	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_Y_1TX
SET 78
80\76\78\79\78
-0.78\2.50\1.40\0.53\1.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4661G	111.96	Inf	-Inf	79.17	3	Horizontal	353	1.38	78	28.36	4.43	-	
AV	2.4648G	98.95	Inf	-Inf	66.16	3	Horizontal	353	1.38	78	28.36	4.43	-	
PK	2.4865G	66.28	74.00	-7.72	33.39	3	Horizontal	353	1.38	78	28.45	4.44	-	
AV	2.4835G	52.60	54.00	-1.40	19.73	3	Horizontal	353	1.38	78	28.43	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




EUT_Y_1TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.94396G	47.20	74.00	-26.80	41.67	3	Vertical	94	1.80	78	33.79	7.10	35.36
AV	4.944G	33.87	54.00	-20.13	28.34	3	Vertical	94	1.80	78	33.79	7.10	35.36
PK	7.39696G	52.69	74.00	-21.31	42.69	3	Vertical	280	1.51	78	37.00	8.59	35.59
AV	7.39572G	39.43	54.00	-14.57	29.43	3	Vertical	280	1.51	78	37.00	8.59	35.59

802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX



EUT Y_1TX
SET 78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.9326G	46.92	74.00	-27.08	41.42	3	Horizontal	329	1.62	78	33.77	7.10	35.37	
AV	4.93496G	33.76	54.00	-20.24	28.25	3	Horizontal	329	1.62	78	33.77	7.10	35.36	
PK	7.37816G	52.35	74.00	-21.65	42.38	3	Horizontal	246	1.94	78	37.00	8.56	35.59	
AV	7.3994G	39.53	54.00	-14.47	29.52	3	Horizontal	246	1.94	78	37.00	8.60	35.59	




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11g_Nss1,(6Mbps)_2TX	Pass	AV	2.39G	53.98	54.00	-0.02	3	Horizontal	0	2.02	82

802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT Y_2TX
SET 85
89\59\74\81\84\86\85
-0.59\7.44\6.09\4.82\4.39\ -0.01\4.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3871G	61.45	74.00	-12.55	28.81	3	Vertical	2	1.69	85	28.25	4.39	-
AV	2.3889G	49.83	54.00	-4.17	17.18	3	Vertical	2	1.69	85	28.26	4.39	-
PK	2.413G	117.79	Inf	-Inf	85.08	3	Vertical	2	1.69	85	28.30	4.41	-
AV	2.4127G	113.75	Inf	-Inf	81.04	3	Vertical	2	1.69	85	28.30	4.41	-

802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT Y_2TX
SET 89
85\108\97\92\90\89
4.58\ -40.00\ -7.69\ -2.48\ -1.05\ 0.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3897G	62.94	74.00	-11.06	30.29	3	Horizontal	-0	2.01	89	28.26	4.39	-
AV	2.3892G	53.83	54.00	-0.17	21.18	3	Horizontal	-0	2.01	89	28.26	4.39	-
PK	2.413G	118.44	Inf	-Inf	85.73	3	Horizontal	-0	2.01	89	28.30	4.41	-
AV	2.4127G	114.52	Inf	-Inf	81.81	3	Horizontal	-0	2.01	89	28.30	4.41	-

802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT Y_2TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82388G	48.59	74.00	-25.41	43.57	3	Vertical	351	1.93	85	33.34	7.10	35.42
AV	4.824G	40.10	54.00	-13.90	35.08	3	Vertical	351	1.93	85	33.34	7.10	35.42

802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT Y_2TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.824G	47.30	74.00	-26.70	42.28	3	Horizontal	-0	2.95	85	33.34	7.10	35.42
AV	4.824G	38.44	54.00	-15.56	33.42	3	Horizontal	-0	2.95	85	33.34	7.10	35.42

802.11b_Nss1,(1Mbps)_2TX

2417MHz_TX




EUT Y_2TX
SET 93
93
1.61

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3893G	62.62	74.00	-11.38	29.97	3	Vertical	0	1.66	93	28.26	4.39	-	
AV	2.3889G	52.39	54.00	-1.61	19.74	3	Vertical	0	1.66	93	28.26	4.39	-	
PK	2.418G	119.41	Inf	-Inf	86.70	3	Vertical	0	1.66	93	28.30	4.41	-	
AV	2.4177G	115.48	Inf	-Inf	82.77	3	Vertical	0	1.66	93	28.30	4.41	-	

802.11b_Nss1,(1Mbps)_2TX

2417MHz_TX




EUT_V_2TX
SET 93
80\108\94\87\90\91\92\93
5.65\ -39.80\ -1.17\ 3.92\ 1.87\ 1.17\ 1.29\ 1.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3891G	62.90	74.00	-11.10	30.25	3	Horizontal	2	2.03	93	28.26	4.39	-	
AV	2.3877G	52.88	54.00	-1.12	20.24	3	Horizontal	2	2.03	93	28.25	4.39	-	
PK	2.418G	119.32	Inf	-Inf	86.61	3	Horizontal	2	2.03	93	28.30	4.41	-	
AV	2.4162G	115.60	Inf	-Inf	82.89	3	Horizontal	2	2.03	93	28.30	4.41	-	

802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT Y_2TX
SET 101
101
0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.389G	63.00	74.00	-11.00	30.35	3	Vertical	2	1.90	101	28.26	4.39	-	
AV	2.38868G	52.02	54.00	-1.98	19.38	3	Vertical	2	1.90	101	28.25	4.39	-	
PK	2.43604G	119.53	Inf	-Inf	86.81	3	Vertical	2	1.90	101	28.30	4.42	-	
AV	2.4362G	115.80	Inf	-Inf	83.08	3	Vertical	2	1.90	101	28.30	4.42	-	
PK	2.48532G	63.44	74.00	-10.56	30.56	3	Vertical	2	1.90	101	28.44	4.44	-	
AV	2.48564G	53.60	54.00	-0.40	20.72	3	Vertical	2	1.90	101	28.44	4.44	-	

802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_V_2TX
SET 101
80\108\94\101\104\103\102\101
6.57\25.10\5.59\1.57\3.25\1.93\2.24\0.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38644G	61.78	74.00	-12.22	29.14	3	Horizontal	0	1.80	101	28.25	4.39	-
AV	2.38868G	51.48	54.00	-2.52	18.84	3	Horizontal	0	1.80	101	28.25	4.39	-
PK	2.43604G	120.48	Inf	-Inf	87.76	3	Horizontal	0	1.80	101	28.30	4.42	-
AV	2.4362G	116.76	Inf	-Inf	84.04	3	Horizontal	0	1.80	101	28.30	4.42	-
PK	2.4858G	64.80	74.00	-9.20	31.92	3	Horizontal	0	1.80	101	28.44	4.44	-
AV	2.4858G	53.90	54.00	-0.10	21.02	3	Horizontal	0	1.80	101	28.44	4.44	-

802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT Y_2TX
SET 101

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.874G	54.10	74.00	-19.90	48.80	3	Vertical	296	1.88	101	33.60	7.10	35.40	
AV	4.87404G	49.58	54.00	-4.42	44.28	3	Vertical	296	1.88	101	33.60	7.10	35.40	
PK	7.31156G	58.67	74.00	-15.33	48.90	3	Vertical	334	1.80	101	36.92	8.42	35.57	
AV	7.31028G	52.35	54.00	-1.65	42.58	3	Vertical	334	1.80	101	36.92	8.42	35.57	

802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT Y_2TX
SET 101

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87396G	54.58	74.00	-19.42	49.28	3	Horizontal	331	1.80	101	33.60	7.10	35.40
AV	4.874G	49.06	54.00	-4.94	43.76	3	Horizontal	331	1.80	101	33.60	7.10	35.40
PK	7.31152G	57.98	74.00	-16.02	48.21	3	Horizontal	344	1.84	101	36.92	8.42	35.57
AV	7.30976G	51.55	54.00	-2.45	41.78	3	Horizontal	344	1.84	101	36.92	8.42	35.57

802.11b_Nss1,(1Mbps)_2TX

2457MHz_TX




EUT Y_2TX
SET 90
90
0.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.458G	118.82	Inf	-Inf	86.06	3	Vertical	1	1.80	90	28.33	4.43	-	
AV	2.4577G	114.86	Inf	-Inf	82.10	3	Vertical	1	1.80	90	28.33	4.43	-	
PK	2.4839G	63.07	74.00	-10.93	30.19	3	Vertical	1	1.80	90	28.44	4.44	-	
AV	2.4838G	53.49	54.00	-0.51	20.61	3	Vertical	1	1.80	90	28.44	4.44	-	

802.11b_Nss1,(1Mbps)_2TX

2457MHz_TX




EUT_Y_2TX
SET 90
80\108\94\87\90\91\90
5.68\ -42.15\ -1.32\ 3.78\ 0.57\ -0.66\ 0.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.458G	119.34	Inf	-Inf	86.58	3	Horizontal	360	1.80	90	28.33	4.43	-	
AV	2.4563G	115.45	Inf	-Inf	82.69	3	Horizontal	360	1.80	90	28.33	4.43	-	
PK	2.4837G	62.37	74.00	-11.63	29.50	3	Horizontal	360	1.80	90	28.43	4.44	-	
AV	2.4838G	53.81	54.00	-0.19	20.93	3	Horizontal	360	1.80	90	28.44	4.44	-	

802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT Y_2TX
SET 88
88
0.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.463G	118.93	Inf	-Inf	86.15	3	Vertical	1	1.80	88	28.35	4.43	-	
AV	2.4613G	114.97	Inf	-Inf	82.19	3	Vertical	1	1.80	88	28.35	4.43	-	
PK	2.4835G	62.86	74.00	-11.14	29.99	3	Vertical	1	1.80	88	28.43	4.44	-	
AV	2.4835G	53.88	54.00	-0.12	21.01	3	Vertical	1	1.80	88	28.43	4.44	-	

802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT Y_2TX
SET 88
80\108\94\87\90\89\88
5.16\42.54\8.92\1.64\4.16\2.46\0.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4629G	119.37	Inf	-Inf	86.59	3	Horizontal	360	1.80	88	28.35	4.43	-	
AV	2.4613G	115.44	Inf	-Inf	82.66	3	Horizontal	360	1.80	88	28.35	4.43	-	
PK	2.4836G	62.76	74.00	-11.24	29.89	3	Horizontal	360	1.80	88	28.43	4.44	-	
AV	2.4835G	53.29	54.00	-0.71	20.42	3	Horizontal	360	1.80	88	28.43	4.44	-	

802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT Y_2TX
SET 88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.92396G	48.73	74.00	-25.27	43.25	3	Vertical	156	1.39	88	33.75	7.10	35.37	
AV	4.924G	39.63	54.00	-14.37	34.15	3	Vertical	156	1.39	88	33.75	7.10	35.37	
PK	7.38704G	55.51	74.00	-18.49	45.53	3	Vertical	334	1.80	88	37.00	8.57	35.59	
AV	7.38728G	47.39	54.00	-6.61	37.41	3	Vertical	334	1.80	88	37.00	8.57	35.59	

802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT Y_2TX
SET 88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.92812G	48.19	74.00	-25.81	42.70	3	Horizontal	330	1.75	88	33.76	7.10	35.37	
AV	4.924G	37.00	54.00	-17.00	31.52	3	Horizontal	330	1.75	88	33.75	7.10	35.37	
PK	7.3876G	55.58	74.00	-18.42	45.59	3	Horizontal	346	1.87	88	37.00	8.58	35.59	
AV	7.38728G	45.74	54.00	-8.26	35.76	3	Horizontal	346	1.87	88	37.00	8.57	35.59	

802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
SET 79
82\52\67\74\77\78\79
-2.53\6.83\5.08\3.28\2.07\0.93\0.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	66.85	74.00	-7.15	34.20	3	Vertical	12	1.66	79	28.26	4.39	-
AV	2.389G	53.68	54.00	-0.32	21.03	3	Vertical	12	1.66	79	28.26	4.39	-
PK	2.4188G	116.62	Inf	-Inf	83.91	3	Vertical	12	1.66	79	28.30	4.41	-
AV	2.4188G	106.85	Inf	-Inf	74.14	3	Vertical	12	1.66	79	28.30	4.41	-

802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_V_2TX
SET 82
80\108\94\87\84\83\82
2.05\ -38.05\ -13.41\ -6.55\ -2.03\ -1.45\ 0.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.39G	67.45	74.00	-6.55	34.80	3	Horizontal	0	2.02	82	28.26	4.39	-	
AV	2.39G	53.98	54.00	-0.02	21.33	3	Horizontal	0	2.02	82	28.26	4.39	-	
PK	2.4168G	116.07	Inf	-Inf	83.36	3	Horizontal	0	2.02	82	28.30	4.41	-	
AV	2.4165G	106.29	Inf	-Inf	73.58	3	Horizontal	0	2.02	82	28.30	4.41	-	

802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUTY_2TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.80864G	46.52	74.00	-27.48	41.60	3	Vertical	11	1.78	79	33.25	7.10	35.43
AV	4.83276G	33.72	54.00	-20.28	28.64	3	Vertical	11	1.78	79	33.40	7.10	35.42

802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUTY_2TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81296G	46.91	74.00	-27.09	41.96	3	Horizontal	15	1.80	79	33.28	7.10	35.43
AV	4.82412G	33.73	54.00	-20.27	28.71	3	Horizontal	15	1.80	79	33.34	7.10	35.42

802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




EUT_Y_2TX
SET 82
84\54\69\76\79\80\81\82\83\82
-1.15\7.29\5.91\4.29\3.09\2.52\1.15\0.67~-0.18\0.65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3893G	66.31	74.00	-7.69	33.66	3	Vertical	15	1.65	82	28.26	4.39	-
AV	2.3897G	53.35	54.00	-0.65	20.70	3	Vertical	15	1.65	82	28.26	4.39	-
PK	2.4194G	117.54	Inf	-Inf	84.83	3	Vertical	15	1.65	82	28.30	4.41	-
AV	2.4192G	107.80	Inf	-Inf	75.09	3	Vertical	15	1.65	82	28.30	4.41	-

802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




EUT_Y_2TX
SET 84
80\108\94\87\84\85\84
3.45\ -35.88\ -7.40\ -1.72\ 0.56\ -0.13\ 0.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.387G	69.38	74.00	-4.62	36.74	3	Horizontal	1	2.02	84	28.25	4.39	-
AV	2.387G	53.56	54.00	-0.44	20.92	3	Horizontal	1	2.02	84	28.25	4.39	-
PK	2.4116G	115.89	Inf	-Inf	83.18	3	Horizontal	1	2.02	84	28.30	4.41	-
AV	2.422G	106.48	Inf	-Inf	73.77	3	Horizontal	1	2.02	84	28.30	4.41	-

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_V_2TX
SET 91
93\63\78\85\88\89\90\91\92\91
-0.75\7.39\6.11\3.83\2.61\1.63\1.10\0.58\0.33\0.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38868G	70.36	74.00	-3.64	37.72	3	Vertical	15	1.68	91	28.25	4.39	-
AV	2.38932G	53.52	54.00	-0.48	20.87	3	Vertical	15	1.68	91	28.26	4.39	-
PK	2.4338G	118.63	Inf	-Inf	85.91	3	Vertical	15	1.68	91	28.30	4.42	-
AV	2.43396G	108.94	Inf	-Inf	76.22	3	Vertical	15	1.68	91	28.30	4.42	-
PK	2.48404G	71.09	74.00	-2.91	38.21	3	Vertical	15	1.68	91	28.44	4.44	-
AV	2.48372G	52.74	54.00	-1.26	19.87	3	Vertical	15	1.68	91	28.43	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_V_2TX
SET 93
80\108\94\87\90\91\92\93
5.92\ -28.33\ -0.61\ 3.84\ 2.24\ 1.63\ 1.17\ 0.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38708G	70.38	74.00	-3.62	37.74	3	Horizontal	357	1.80	93	28.25	4.39	-
AV	2.38676G	52.78	54.00	-1.22	20.14	3	Horizontal	357	1.80	93	28.25	4.39	-
PK	2.44212G	118.68	Inf	-Inf	85.96	3	Horizontal	357	1.80	93	28.30	4.42	-
AV	2.4362G	109.15	Inf	-Inf	76.43	3	Horizontal	357	1.80	93	28.30	4.42	-
PK	2.48628G	70.85	74.00	-3.15	37.96	3	Horizontal	357	1.80	93	28.45	4.44	-
AV	2.4866G	53.46	54.00	-0.54	20.57	3	Horizontal	357	1.80	93	28.45	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUTY_2TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87304G	48.79	74.00	-25.21	43.50	3	Vertical	296	1.80	91	33.59	7.10	35.40
AV	4.87364G	35.58	54.00	-18.42	30.29	3	Vertical	296	1.80	91	33.59	7.10	35.40
PK	7.31604G	56.00	74.00	-18.00	46.21	3	Vertical	334	1.80	91	36.93	8.43	35.57
AV	7.31544G	41.61	54.00	-12.39	31.82	3	Vertical	334	1.80	91	36.93	8.43	35.57

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT Y_2TX
SET 91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87508G	48.23	74.00	-25.77	42.92	3	Horizontal	329	1.80	91	33.60	7.10	35.39
AV	4.87416G	35.38	54.00	-18.62	30.08	3	Horizontal	329	1.80	91	33.60	7.10	35.40
PK	7.31616G	54.43	74.00	-19.57	44.64	3	Horizontal	344	1.82	91	36.93	8.43	35.57
AV	7.31592G	40.99	54.00	-13.01	31.20	3	Horizontal	344	1.82	91	36.93	8.43	35.57

802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUT Y_2TX
SET 84
84
1.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.462G	116.35	Inf	-Inf	83.57	3	Vertical	1	1.80	84	28.35	4.43	-	
AV	2.4618G	107.01	Inf	-Inf	74.23	3	Vertical	1	1.80	84	28.35	4.43	-	
PK	2.4871G	65.58	74.00	-8.42	32.69	3	Vertical	1	1.80	84	28.45	4.44	-	
AV	2.4872G	52.93	54.00	-1.07	20.04	3	Vertical	1	1.80	84	28.45	4.44	-	

802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUT_Y_2TX
SET 84
80\108\94\87\84\85\84
4.10\36.48\7.88\2.04\1.03\0.40\1.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4617G	116.84	Inf	-Inf	84.06	3	Horizontal	360	1.80	84	28.35	4.43	-	
AV	2.462G	107.33	Inf	-Inf	74.55	3	Horizontal	360	1.80	84	28.35	4.43	-	
PK	2.487G	65.47	74.00	-8.53	32.58	3	Horizontal	360	1.80	84	28.45	4.44	-	
AV	2.4869G	52.98	54.00	-1.02	20.09	3	Horizontal	360	1.80	84	28.45	4.44	-	

802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT Y_2TX
SET 80
81\51\66\73\76\77\78\79\80
-0.23\7.46\6.20\4.74\3.56\2.93\2.41\1.57\0.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4609G	115.43	Inf	-Inf	82.66	3	Vertical	25	1.80	80	28.34	4.43	-
AV	2.4601G	106.06	Inf	-Inf	73.29	3	Vertical	25	1.80	80	28.34	4.43	-
PK	2.4845G	69.81	74.00	-4.19	36.93	3	Vertical	25	1.80	80	28.44	4.44	-
AV	2.4847G	53.76	54.00	-0.24	20.88	3	Vertical	25	1.80	80	28.44	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT Y_2TX
SET 81
80\108\94\87\84\83\82\81
1.46\ -38.87\ -15.95\ -7.77\ -3.35\ -1.76\ -0.47\ 0.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4566G	116.24	Inf	-Inf	83.48	3	Horizontal	356	1.80	81	28.33	4.43	-
AV	2.4613G	106.54	Inf	-Inf	73.76	3	Horizontal	356	1.80	81	28.35	4.43	-
PK	2.4858G	66.33	74.00	-7.67	33.45	3	Horizontal	356	1.80	81	28.44	4.44	-
AV	2.4835G	53.03	54.00	-0.97	20.16	3	Horizontal	356	1.80	81	28.43	4.44	-

802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT Y_2TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92072G	47.77	74.00	-26.23	42.30	3	Vertical	353	1.80	80	33.74	7.10	35.37
AV	4.94304G	33.98	54.00	-20.02	28.45	3	Vertical	353	1.80	80	33.79	7.10	35.36
PK	7.38568G	52.96	74.00	-21.04	42.98	3	Vertical	342	1.27	80	37.00	8.57	35.59
AV	7.38428G	39.65	54.00	-14.35	29.67	3	Vertical	342	1.27	80	37.00	8.57	35.59

802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT Y_2TX
SET 80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.944G	48.14	74.00	-25.86	42.61	3	Horizontal	233	2.73	80	33.79	7.10	35.36
AV	4.937G	33.78	54.00	-20.22	28.27	3	Horizontal	233	2.73	80	33.77	7.10	35.36
PK	7.38448G	52.47	74.00	-21.53	42.49	3	Horizontal	252	1.80	80	37.00	8.57	35.59
AV	7.38504G	39.48	54.00	-14.52	29.50	3	Horizontal	252	1.80	80	37.00	8.57	35.59

802.11ax HEW20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT Y_2TX
SET 77
77
0.59

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.389G	64.80	74.00	-9.20	32.15	3	Vertical	20	1.65	77	28.26	4.39	-	
AV	2.39G	53.41	54.00	-0.59	20.76	3	Vertical	20	1.65	77	28.26	4.39	-	
PK	2.4145G	114.75	Inf	-Inf	82.04	3	Vertical	20	1.65	77	28.30	4.41	-	
AV	2.417G	103.81	Inf	-Inf	71.10	3	Vertical	20	1.65	77	28.30	4.41	-	

802.11ax HEW20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT Y_2TX
SET 77
80\42\61\70\74\76\77\78\77
-1.40\7.40\5.42\4.26\2.83\2.18\1.11\0.51\0.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	64.07	74.00	-9.93	31.42	3	Horizontal	0	2.04	77	28.26	4.39	-
AV	2.3897G	53.15	54.00	-0.85	20.50	3	Horizontal	0	2.04	77	28.26	4.39	-
PK	2.4108G	114.68	Inf	-Inf	81.97	3	Horizontal	0	2.04	77	28.30	4.41	-
AV	2.4168G	102.61	Inf	-Inf	69.90	3	Horizontal	0	2.04	77	28.30	4.41	-

802.11ax HEW20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT Y_2TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.80616G	46.19	74.00	-27.81	41.28	3	Vertical	160	1.80	77	33.24	7.10	35.43
AV	4.84016G	33.72	54.00	-20.28	28.59	3	Vertical	160	1.80	77	33.44	7.10	35.41

802.11ax HEW20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT Y_2TX
SET 77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81588G	46.54	74.00	-27.46	41.57	3	Horizontal	291	2.08	77	33.30	7.10	35.43
AV	4.84084G	33.67	54.00	-20.33	28.53	3	Horizontal	291	2.08	77	33.45	7.10	35.41

802.11ax HEW20_Nss2,(MCS0)_2TX

2417MHz_TX




EUT Y_2TX
SET 83
83
0.32

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.39G	66.53	74.00	-7.47	33.88	3	Vertical	14	1.64	83	28.26	4.39	-	
AV	2.39G	53.68	54.00	-0.32	21.03	3	Vertical	14	1.64	83	28.26	4.39	-	
PK	2.4181G	116.75	Inf	-Inf	84.04	3	Vertical	14	1.64	83	28.30	4.41	-	
AV	2.4194G	105.20	Inf	-Inf	72.49	3	Vertical	14	1.64	83	28.30	4.41	-	

802.11ax HEW20_Nss2,(MCS0)_2TX

2417MHz_TX




EUT_V_2TX
SET 83
80\108\94\87\84\83
3.09\ -35.96\ -10.46\ -4.22\ -0.77\ 0.93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	66.80	74.00	-7.20	34.15	3	Horizontal	360	2.01	83	28.26	4.39	-
AV	2.3897G	53.07	54.00	-0.93	20.42	3	Horizontal	360	2.01	83	28.26	4.39	-
PK	2.423G	114.73	Inf	-Inf	82.02	3	Horizontal	360	2.01	83	28.30	4.41	-
AV	2.4194G	103.81	Inf	-Inf	71.10	3	Horizontal	360	2.01	83	28.30	4.41	-

802.11ax HEW20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT V_2TX
SET 88
88
0.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38388G	68.53	74.00	-5.47	35.91	3	Vertical	16	1.65	88	28.24	4.38	-
AV	2.38964G	53.31	54.00	-0.69	20.66	3	Vertical	16	1.65	88	28.26	4.39	-
PK	2.4338G	118.15	Inf	-Inf	85.43	3	Vertical	16	1.65	88	28.30	4.42	-
AV	2.43316G	106.34	Inf	-Inf	73.62	3	Vertical	16	1.65	88	28.30	4.42	-
PK	2.4835G	67.43	74.00	-6.57	34.56	3	Vertical	16	1.65	88	28.43	4.44	-
AV	2.48388G	52.34	54.00	-1.66	19.46	3	Vertical	16	1.65	88	28.44	4.44	-

802.11ax HEW20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT V_2TX
SET 88
80\108\94\87\90\89\88
4.63\ -30.18\ -4.53\ 0.87\ -0.58\ -0.06\ 0.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38804G	69.01	74.00	-4.99	36.37	3	Horizontal	360	1.79	88	28.25	4.39	-
AV	2.38964G	52.72	54.00	-1.28	20.07	3	Horizontal	360	1.79	88	28.26	4.39	-
PK	2.43524G	117.31	Inf	-Inf	84.59	3	Horizontal	360	1.79	88	28.30	4.42	-
AV	2.43444G	106.00	Inf	-Inf	73.28	3	Horizontal	360	1.79	88	28.30	4.42	-
PK	2.4858G	67.97	74.00	-6.03	35.09	3	Horizontal	360	1.79	88	28.44	4.44	-
AV	2.4835G	53.53	54.00	-0.47	20.66	3	Horizontal	360	1.79	88	28.43	4.44	-

802.11ax HEW20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT Y_2TX
SET 88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.88108G	47.92	74.00	-26.08	42.59	3	Vertical	289	2.00	88	33.62	7.10	35.39
AV	4.86876G	34.75	54.00	-19.25	29.47	3	Vertical	289	2.00	88	33.58	7.10	35.40
PK	7.31824G	53.43	74.00	-20.57	43.62	3	Vertical	333	1.80	88	36.94	8.44	35.57
AV	7.31828G	40.37	54.00	-13.63	30.56	3	Vertical	333	1.80	88	36.94	8.44	35.57

802.11ax HEW20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT Y_2TX
SET 88

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86792G	48.21	74.00	-25.79	42.94	3	Horizontal	329	1.80	88	33.57	7.10	35.40
AV	4.87604G	34.70	54.00	-19.30	29.39	3	Horizontal	329	1.80	88	33.60	7.10	35.39
PK	7.32668G	53.11	74.00	-20.89	43.28	3	Horizontal	295	1.80	88	36.95	8.45	35.57
AV	7.31876G	40.00	54.00	-14.00	30.19	3	Horizontal	295	1.80	88	36.94	8.44	35.57

802.11ax HEW20_Nss2,(MCS0)_2TX

2457MHz_TX




EUT Y_2TX
SET 82
82
0.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4629G	116.07	Inf	-Inf	83.29	3	Vertical	358	1.75	82	28.35	4.43	-	
AV	2.4616G	104.13	Inf	-Inf	71.35	3	Vertical	358	1.75	82	28.35	4.43	-	
PK	2.4837G	64.58	74.00	-9.42	31.71	3	Vertical	358	1.75	82	28.43	4.44	-	
AV	2.4835G	53.21	54.00	-0.79	20.34	3	Vertical	358	1.75	82	28.43	4.44	-	

802.11ax HEW20_Nss2,(MCS0)_2TX

2457MHz_TX




EUT_V_2TX
SET 82
80\108\94\87\84\83\82
2.30\ -36.85\ -12.94\ -5.93\ -1.58\ -0.61\ 0.64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4628G	115.96	Inf	-Inf	83.18	3	Horizontal	356	1.80	82	28.35	4.43	-	
AV	2.4618G	104.47	Inf	-Inf	71.69	3	Horizontal	356	1.80	82	28.35	4.43	-	
PK	2.4835G	64.69	74.00	-9.31	31.82	3	Horizontal	356	1.80	82	28.43	4.44	-	
AV	2.4835G	53.36	54.00	-0.64	20.49	3	Horizontal	356	1.80	82	28.43	4.44	-	

802.11ax HEW20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT Y_2TX
SET 76
76
1.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4708G	114.02	Inf	-Inf	81.20	3	Vertical	358	1.63	76	28.38	4.44	-	
AV	2.4641G	102.86	Inf	-Inf	70.07	3	Vertical	358	1.63	76	28.36	4.43	-	
PK	2.4839G	63.02	74.00	-10.98	30.14	3	Vertical	358	1.63	76	28.44	4.44	-	
AV	2.4836G	52.81	54.00	-1.19	19.94	3	Vertical	358	1.63	76	28.43	4.44	-	

802.11ax HEW20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT Y_2TX
SET 76
80\42\61\70\74\76\77\76
-3.14\7.00\4.75\3.36\1.35\0.61\0.66\0.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4657G	114.76	Inf	-Inf	81.97	3	Horizontal	358	1.80	76	28.36	4.43	-	
AV	2.4642G	103.12	Inf	-Inf	70.33	3	Horizontal	358	1.80	76	28.36	4.43	-	
PK	2.4863G	66.95	74.00	-7.05	34.06	3	Horizontal	358	1.80	76	28.45	4.44	-	
AV	2.4836G	53.10	54.00	-0.90	20.23	3	Horizontal	358	1.80	76	28.43	4.44	-	

802.11ax HEW20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT Y_2TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.90676G	46.71	74.00	-27.29	41.28	3	Vertical	214	1.80	76	33.71	7.10	35.38	
AV	4.938G	33.83	54.00	-20.17	28.31	3	Vertical	214	1.80	76	33.78	7.10	35.36	
PK	7.40252G	52.21	74.00	-21.79	42.21	3	Vertical	69	2.89	76	36.99	8.60	35.59	
AV	7.3968G	39.31	54.00	-14.69	29.31	3	Vertical	69	2.89	76	37.00	8.59	35.59	

802.11ax HEW20_Nss2,(MCS0)_2TX

2462MHz_TX


EUT Y_2TX
SET 76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.94388G	47.20	74.00	-26.80	41.67	3	Horizontal	1	2.10	76	33.79	7.10	35.36	
AV	4.93684G	33.84	54.00	-20.16	28.33	3	Horizontal	1	2.10	76	33.77	7.10	35.36	
PK	7.39332G	52.50	74.00	-21.50	42.50	3	Horizontal	311	1.80	76	37.00	8.59	35.59	
AV	7.40436G	39.53	54.00	-14.47	29.54	3	Horizontal	311	1.80	76	36.99	8.60	35.60	




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11g_Nss1,(6Mbps)_4TX	Pass	AV	2.39G	53.87	54.00	-0.13	3	Horizontal	-0	2.02	75

802.11b_Nss1,(1Mbps)_4TX

2412MHz_TX




EUT_Y_4TX
SET 86
86
3.64

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3856G	61.53	74.00	-12.47	28.90	3	Vertical	5	1.66	86	28.24	4.39	-	
AV	2.39G	50.36	54.00	-3.64	17.71	3	Vertical	5	1.66	86	28.26	4.39	-	
PK	2.413G	115.25	Inf	-Inf	82.54	3	Vertical	5	1.66	86	28.30	4.41	-	
AV	2.4127G	111.24	Inf	-Inf	78.53	3	Vertical	5	1.66	86	28.30	4.41	-	

802.11b_Nss1,(1Mbps)_4TX

2412MHz_TX




EUT Y_4TX
SET 86
80\108\94\87\84\85\86
2.96\45.16\7.66\0.10\2.45\1.57\0.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3889G	63.51	74.00	-10.49	30.86	3	Horizontal	3	2.03	86	28.26	4.39	-
AV	2.3872G	53.22	54.00	-0.78	20.58	3	Horizontal	3	2.03	86	28.25	4.39	-
PK	2.413G	122.79	Inf	-Inf	90.08	3	Horizontal	3	2.03	86	28.30	4.41	-
AV	2.4111G	118.69	Inf	-Inf	85.98	3	Horizontal	3	2.03	86	28.30	4.41	-

802.11b_Nss1,(1Mbps)_4TX

2412MHz_TX




EUT_Y_4TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8238G	48.98	74.00	-25.02	43.96	3	Vertical	356	1.92	86	33.34	7.10	35.42
AV	4.82404G	42.14	54.00	-11.86	37.12	3	Vertical	356	1.92	86	33.34	7.10	35.42

802.11b_Nss1,(1Mbps)_4TX

2412MHz_TX




EUT_Y_4TX
SET 86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82392G	48.75	74.00	-25.25	43.73	3	Horizontal	360	1.86	86	33.34	7.10	35.42
AV	4.82404G	41.47	54.00	-12.53	36.45	3	Horizontal	360	1.86	86	33.34	7.10	35.42

802.11b_Nss1,(1Mbps)_4TX

2417MHz_TX




EUT Y_4TX
SET 87
87
4.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3858G	62.21	74.00	-11.79	29.58	3	Vertical	5	1.67	87	28.24	4.39	-	
AV	2.39G	49.88	54.00	-4.12	17.23	3	Vertical	5	1.67	87	28.26	4.39	-	
PK	2.4161G	115.48	Inf	-Inf	82.77	3	Vertical	5	1.67	87	28.30	4.41	-	
AV	2.4162G	111.68	Inf	-Inf	78.97	3	Vertical	5	1.67	87	28.30	4.41	-	

802.11b_Nss1,(1Mbps)_4TX

2417MHz_TX




EUT Y_4TX
SET 87
80\108\94\87
4.25\ -44.66\ -4.49\0.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.39G	62.82	74.00	-11.18	30.17	3	Horizontal	4	2.05	87	28.26	4.39	-	
AV	2.39G	53.52	54.00	-0.48	20.87	3	Horizontal	4	2.05	87	28.26	4.39	-	
PK	2.4161G	122.98	Inf	-Inf	90.27	3	Horizontal	4	2.05	87	28.30	4.41	-	
AV	2.4162G	119.20	Inf	-Inf	86.49	3	Horizontal	4	2.05	87	28.30	4.41	-	

802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
SET 99
99
3.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38852G	61.84	74.00	-12.16	29.20	3	Vertical	4	1.27	99	28.25	4.39	-
AV	2.3898G	49.80	54.00	-4.20	17.15	3	Vertical	4	1.27	99	28.26	4.39	-
PK	2.43604G	116.75	Inf	-Inf	84.03	3	Vertical	4	1.27	99	28.30	4.42	-
AV	2.4362G	112.98	Inf	-Inf	80.26	3	Vertical	4	1.27	99	28.30	4.42	-
PK	2.49124G	62.76	74.00	-11.24	29.85	3	Vertical	4	1.27	99	28.46	4.45	-
AV	2.4835G	50.72	54.00	-3.28	17.85	3	Vertical	4	1.27	99	28.43	4.44	-

802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
SET 99
80\108\94\101\98\99\100\99
5.40\ -29.91\3.94\ -3.70\2.53\1.15\ -0.69\1.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38948G	62.63	74.00	-11.37	29.98	3	Horizontal	1	1.80	99	28.26	4.39	-
AV	2.3882G	51.70	54.00	-2.30	19.06	3	Horizontal	1	1.80	99	28.25	4.39	-
PK	2.43604G	124.40	Inf	-Inf	91.68	3	Horizontal	1	1.80	99	28.30	4.42	-
AV	2.4378G	120.36	Inf	-Inf	87.64	3	Horizontal	1	1.80	99	28.30	4.42	-
PK	2.48548G	63.32	74.00	-10.68	30.44	3	Horizontal	1	1.80	99	28.44	4.44	-
AV	2.48388G	52.61	54.00	-1.39	19.73	3	Horizontal	1	1.80	99	28.44	4.44	-

802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87408G	52.05	74.00	-21.95	46.75	3	Vertical	296	1.89	99	33.60	7.10	35.40
AV	4.87404G	47.38	54.00	-6.62	42.08	3	Vertical	296	1.89	99	33.60	7.10	35.40
PK	7.30944G	58.94	74.00	-15.06	49.17	3	Vertical	334	1.12	99	36.92	8.42	35.57
AV	7.3102G	52.61	54.00	-1.39	42.84	3	Vertical	334	1.12	99	36.92	8.42	35.57

802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
SET 99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87396G	54.20	74.00	-19.80	48.90	3	Horizontal	331	1.80	99	33.60	7.10	35.40
AV	4.874G	49.39	54.00	-4.61	44.09	3	Horizontal	331	1.80	99	33.60	7.10	35.40
PK	7.30944G	58.42	74.00	-15.58	48.65	3	Horizontal	346	1.79	99	36.92	8.42	35.57
AV	7.31028G	51.60	54.00	-2.40	41.83	3	Horizontal	346	1.79	99	36.92	8.42	35.57

802.11b_Nss1,(1Mbps)_4TX

2457MHz_TX




EUT_Y_4TX
SET 86
86
5.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.458G	113.90	Inf	-Inf	81.14	3	Vertical	40	2.09	86	28.33	4.43	-	
AV	2.4563G	109.93	Inf	-Inf	77.17	3	Vertical	40	2.09	86	28.33	4.43	-	
PK	2.4872G	60.84	74.00	-13.16	27.95	3	Vertical	40	2.09	86	28.45	4.44	-	
AV	2.4835G	48.28	54.00	-5.72	15.41	3	Vertical	40	2.09	86	28.43	4.44	-	

802.11b_Nss1,(1Mbps)_4TX

2457MHz_TX




EUT Y_4TX
SET 86
80\108\94\87\84\85\86
3.89\ -46.81\ -6.84\ -1.26\ 3.30\ 2.49\ 2.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.458G	123.11	Inf	-Inf	90.35	3	Horizontal	360	1.80	86	28.33	4.43	-
AV	2.4562G	119.31	Inf	-Inf	86.56	3	Horizontal	360	1.80	86	28.32	4.43	-
PK	2.4838G	63.06	74.00	-10.94	30.18	3	Horizontal	360	1.80	86	28.44	4.44	-
AV	2.4835G	51.89	54.00	-2.11	19.02	3	Horizontal	360	1.80	86	28.43	4.44	-

802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




EUT_Y_4TX
SET 85
85
5.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4629G	113.99	Inf	-Inf	81.21	3	Vertical	40	2.09	85	28.35	4.43	-	
AV	2.4613G	110.04	Inf	-Inf	77.26	3	Vertical	40	2.09	85	28.35	4.43	-	
PK	2.4855G	60.25	74.00	-13.75	27.37	3	Vertical	40	2.09	85	28.44	4.44	-	
AV	2.4835G	48.74	54.00	-5.26	15.87	3	Vertical	40	2.09	85	28.43	4.44	-	

802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




EUT_Y_4TX
SET 85
80\108\94\87\84\85\86\85
2.89\ -47.47\ -13.11\ -2.55\ 0.87\ 0.86\ -1.38\ 0.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.463G	123.14	Inf	-Inf	90.36	3	Horizontal	360	1.80	85	28.35	4.43	-	
AV	2.4613G	119.27	Inf	-Inf	86.49	3	Horizontal	360	1.80	85	28.35	4.43	-	
PK	2.4888G	63.49	74.00	-10.51	30.59	3	Horizontal	360	1.80	85	28.46	4.44	-	
AV	2.4863G	53.38	54.00	-0.62	20.49	3	Horizontal	360	1.80	85	28.45	4.44	-	

802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




EUT Y_4TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92384G	47.80	74.00	-26.20	42.32	3	Vertical	157	1.37	85	33.75	7.10	35.37
AV	4.92396G	39.69	54.00	-14.31	34.21	3	Vertical	157	1.37	85	33.75	7.10	35.37
PK	7.38744G	54.89	74.00	-19.11	44.91	3	Vertical	333	1.78	85	37.00	8.57	35.59
AV	7.38724G	45.71	54.00	-8.29	35.73	3	Vertical	333	1.78	85	37.00	8.57	35.59

802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




EUT_Y_4TX
SET 85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9238G	47.40	74.00	-26.60	41.92	3	Horizontal	46	1.80	85	33.75	7.10	35.37
AV	4.92396G	36.66	54.00	-17.34	31.18	3	Horizontal	46	1.80	85	33.75	7.10	35.37
PK	7.38568G	54.84	74.00	-19.16	44.86	3	Horizontal	354	1.79	85	37.00	8.57	35.59
AV	7.38728G	44.74	54.00	-9.26	34.76	3	Horizontal	354	1.79	85	37.00	8.57	35.59

802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT Y_4TX
SET 75
75
1.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3892G	64.30	74.00	-9.70	31.65	3	Vertical	34	1.85	75	28.26	4.39	-	
AV	2.3894G	52.17	54.00	-1.83	19.52	3	Vertical	34	1.85	75	28.26	4.39	-	
PK	2.4079G	117.16	Inf	-Inf	84.46	3	Vertical	34	1.85	75	28.30	4.40	-	
AV	2.408G	107.48	Inf	-Inf	74.78	3	Vertical	34	1.85	75	28.30	4.40	-	

802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT_Y_4TX
SET 75
80\42\61\70\74\76\75
-3.81\7.34\4.15\2.00\0.58\0.54\0.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	65.50	74.00	-8.50	32.85	3	Horizontal	-0	2.02	75	28.26	4.39	-
AV	2.39G	53.87	54.00	-0.13	21.22	3	Horizontal	-0	2.02	75	28.26	4.39	-
PK	2.4129G	118.30	Inf	-Inf	85.59	3	Horizontal	-0	2.02	75	28.30	4.41	-
AV	2.413G	109.19	Inf	-Inf	76.48	3	Horizontal	-0	2.02	75	28.30	4.41	-

802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT_Y_4TX
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82172G	47.63	74.00	-26.37	42.62	3	Vertical	289	1.80	75	33.33	7.10	35.42
AV	4.83004G	33.62	54.00	-20.38	28.56	3	Vertical	289	1.80	75	33.38	7.10	35.42

802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT_Y_4TX
SET 75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83044G	46.58	74.00	-27.42	41.52	3	Horizontal	3	1.80	75	33.38	7.10	35.42
AV	4.82968G	33.82	54.00	-20.18	28.76	3	Horizontal	3	1.80	75	33.38	7.10	35.42

802.11g_Nss1,(6Mbps)_4TX

2417MHz_TX




EUT_Y_4TX
SET 83
86\56\71\78\81\82\83
-2.62\6.91\4.96\2.79\1.76\0.64\0.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3897G	65.31	74.00	-8.69	32.66	3	Vertical	32	1.65	83	28.26	4.39	-
AV	2.39G	53.62	54.00	-0.38	20.97	3	Vertical	32	1.65	83	28.26	4.39	-
PK	2.4136G	119.40	Inf	-Inf	86.69	3	Vertical	32	1.65	83	28.30	4.41	-
AV	2.4131G	109.86	Inf	-Inf	77.15	3	Vertical	32	1.65	83	28.30	4.41	-

802.11g_Nss1,(6Mbps)_4TX

2417MHz_TX




EUT_Y_4TX
SET 86
80\108\94\87\84\85\86
3.87\ -35.69\ -6.87\ -0.08\ 2.13\ 0.98\ 0.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3785G	67.66	74.00	-6.34	35.07	3	Horizontal	1	1.74	86	28.21	4.38	-	
AV	2.39G	53.28	54.00	-0.72	20.63	3	Horizontal	1	1.74	86	28.26	4.39	-	
PK	2.4177G	120.97	Inf	-Inf	88.26	3	Horizontal	1	1.74	86	28.30	4.41	-	
AV	2.4178G	111.77	Inf	-Inf	79.06	3	Horizontal	1	1.74	86	28.30	4.41	-	

802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
SET 89
89
2.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38276G	67.61	74.00	-6.39	35.00	3	Vertical	32	1.84	89	28.23	4.38	-
AV	2.38996G	51.57	54.00	-2.43	18.92	3	Vertical	32	1.84	89	28.26	4.39	-
PK	2.43412G	121.20	Inf	-Inf	88.48	3	Vertical	32	1.84	89	28.30	4.42	-
AV	2.43284G	111.88	Inf	-Inf	79.16	3	Vertical	32	1.84	89	28.30	4.42	-
PK	2.49556G	68.45	74.00	-5.55	35.52	3	Vertical	32	1.84	89	28.48	4.45	-
AV	2.49444G	51.16	54.00	-2.84	18.23	3	Vertical	32	1.84	89	28.48	4.45	-

802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
SET 89
80\108\94\87\90\89
5.21\ -28.11\ -0.86\ 3.30\ -0.56\ 2.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3786G	68.11	74.00	-5.89	35.52	3	Horizontal	1	1.80	89	28.21	4.38	-
AV	2.37764G	51.13	54.00	-2.87	18.54	3	Horizontal	1	1.80	89	28.21	4.38	-
PK	2.43828G	121.94	Inf	-Inf	89.22	3	Horizontal	1	1.80	89	28.30	4.42	-
AV	2.43796G	112.78	Inf	-Inf	80.06	3	Horizontal	1	1.80	89	28.30	4.42	-
PK	2.49684G	69.52	74.00	-4.48	36.58	3	Horizontal	1	1.80	89	28.49	4.45	-
AV	2.49764G	51.27	54.00	-2.73	18.33	3	Horizontal	1	1.80	89	28.49	4.45	-

802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87088G	50.10	74.00	-23.90	44.82	3	Vertical	294	2.00	89	33.58	7.10	35.40
AV	4.8712G	37.29	54.00	-16.71	32.01	3	Vertical	294	2.00	89	33.58	7.10	35.40
PK	7.30868G	54.42	74.00	-19.58	44.65	3	Vertical	333	1.82	89	36.92	8.42	35.57
AV	7.30732G	41.53	54.00	-12.47	31.78	3	Vertical	333	1.82	89	36.91	8.41	35.57

802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
SET 89

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8716G	50.59	74.00	-23.41	45.30	3	Horizontal	332	1.80	89	33.59	7.10	35.40
AV	4.87152G	36.69	54.00	-17.31	31.40	3	Horizontal	332	1.80	89	33.59	7.10	35.40
PK	7.31848G	54.98	74.00	-19.02	45.17	3	Horizontal	238	1.80	89	36.94	8.44	35.57
AV	7.318G	41.00	54.00	-13.00	31.19	3	Horizontal	238	1.80	89	36.94	8.44	35.57

802.11g_Nss1,(6Mbps)_4TX

2457MHz_TX




EUT_Y_4TX
SET 86
86
1.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4533G	120.17	Inf	-Inf	87.43	3	Vertical	32	1.79	86	28.31	4.43	-	
AV	2.4534G	110.41	Inf	-Inf	77.67	3	Vertical	32	1.79	86	28.31	4.43	-	
PK	2.4917G	68.11	74.00	-5.89	35.19	3	Vertical	32	1.79	86	28.47	4.45	-	
AV	2.4929G	52.81	54.00	-1.19	19.89	3	Vertical	32	1.79	86	28.47	4.45	-	

802.11g_Nss1,(6Mbps)_4TX

2457MHz_TX




EUT_Y_4TX
SET 86
80\108\94\87\84\85\86
4.06\ -36.52\ -7.27\ -0.37\ 2.30\ 1.00\ 0.94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4579G	121.61	Inf	-Inf	88.85	3	Horizontal	360	1.80	86	28.33	4.43	-	
AV	2.4581G	112.15	Inf	-Inf	79.39	3	Horizontal	360	1.80	86	28.33	4.43	-	
PK	2.4837G	69.60	74.00	-4.40	36.73	3	Horizontal	360	1.80	86	28.43	4.44	-	
AV	2.4848G	53.06	54.00	-0.94	20.18	3	Horizontal	360	1.80	86	28.44	4.44	-	

802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUT Y_4TX
SET 72
72
3.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4591G	117.16	Inf	-Inf	84.39	3	Vertical	-0	1.80	72	28.34	4.43	-	
AV	2.4586G	107.50	Inf	-Inf	74.74	3	Vertical	-0	1.80	72	28.33	4.43	-	
PK	2.4839G	62.59	74.00	-11.41	29.71	3	Vertical	-0	1.80	72	28.44	4.44	-	
AV	2.4849G	50.73	54.00	-3.27	17.85	3	Vertical	-0	1.80	72	28.44	4.44	-	

802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUT_Y_4TX
SET 72
80\42\61\70\74\72
-7.25\7.17\3.94\1.29\0.83\0.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.463G	118.48	Inf	-Inf	85.70	3	Horizontal	-0	1.79	72	28.35	4.43	-
AV	2.4628G	109.13	Inf	-Inf	76.35	3	Horizontal	-0	1.79	72	28.35	4.43	-
PK	2.4838G	67.74	74.00	-6.26	34.86	3	Horizontal	-0	1.79	72	28.44	4.44	-
AV	2.4836G	53.57	54.00	-0.43	20.70	3	Horizontal	-0	1.79	72	28.43	4.44	-

802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUT_Y_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92716G	46.47	74.00	-27.53	40.99	3	Vertical	92	1.80	72	33.75	7.10	35.37
AV	4.94044G	33.81	54.00	-20.19	28.29	3	Vertical	92	1.80	72	33.78	7.10	35.36
PK	7.39376G	52.04	74.00	-21.96	42.04	3	Vertical	68	2.07	72	37.00	8.59	35.59
AV	7.39884G	39.42	54.00	-14.58	29.41	3	Vertical	68	2.07	72	37.00	8.60	35.59

802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUTY_4TX
SET 72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93452G	47.01	74.00	-26.99	41.50	3	Horizontal	280	1.47	72	33.77	7.10	35.36
AV	4.94268G	33.86	54.00	-20.14	28.33	3	Horizontal	280	1.47	72	33.79	7.10	35.36
PK	7.40348G	52.59	74.00	-21.41	42.59	3	Horizontal	181	1.80	72	36.99	8.60	35.59
AV	7.40156G	39.40	54.00	-14.60	29.39	3	Horizontal	181	1.80	72	37.00	8.60	35.59

802.11ax HEW20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT_Y_4TX
SET 71
76\46\61\68\71
-2.80\6.62\3.29\1.46\0.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3895G	67.26	74.00	-6.74	34.61	3	Vertical	2	1.80	71	28.26	4.39	-	
AV	2.3896G	53.67	54.00	-0.33	21.02	3	Vertical	2	1.80	71	28.26	4.39	-	
PK	2.4146G	119.01	Inf	-Inf	86.30	3	Vertical	2	1.80	71	28.30	4.41	-	
AV	2.4147G	105.67	Inf	-Inf	72.96	3	Vertical	2	1.80	71	28.30	4.41	-	

802.11ax HEW20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT Y_4TX
SET 76
75\79\77\76
1.05\2.03\0.30\0.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3874G	67.40	74.00	-6.60	34.76	3	Horizontal	-0	1.80	76	28.25	4.39	-	
AV	2.387G	53.72	54.00	-0.28	21.08	3	Horizontal	-0	1.80	76	28.25	4.39	-	
PK	2.4168G	117.98	Inf	-Inf	85.27	3	Horizontal	-0	1.80	76	28.30	4.41	-	
AV	2.417G	106.42	Inf	-Inf	73.71	3	Horizontal	-0	1.80	76	28.30	4.41	-	

802.11ax HEW20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT_Y_4TX
SET 71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81368G	46.78	74.00	-27.22	41.83	3	Vertical	261	2.82	71	33.28	7.10	35.43
AV	4.822G	33.85	54.00	-20.15	28.84	3	Vertical	261	2.82	71	33.33	7.10	35.42

802.11ax HEW20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT_Y_4TX
SET 71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81896G	48.11	74.00	-25.89	43.12	3	Horizontal	360	2.69	71	33.31	7.10	35.42
AV	4.83116G	33.80	54.00	-20.20	28.73	3	Horizontal	360	2.69	71	33.39	7.10	35.42

802.11ax HEW20_Nss1,(MCS0)_4TX

2417MHz_TX




EUT Y_4TX
SET 79
81\51\66\73\76\77\78\79
-1.40\7.25\4.74\3.05\1.77\1.39\0.64\0.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	68.23	74.00	-5.77	35.58	3	Vertical	1	1.70	79	28.26	4.39	-
AV	2.3897G	53.82	54.00	-0.18	21.17	3	Vertical	1	1.70	79	28.26	4.39	-
PK	2.4248G	120.65	Inf	-Inf	87.94	3	Vertical	1	1.70	79	28.30	4.41	-
AV	2.4147G	107.78	Inf	-Inf	75.07	3	Vertical	1	1.70	79	28.30	4.41	-

802.11ax HEW20_Nss1,(MCS0)_4TX

2417MHz_TX




EUT Y_4TX
SET 81
83\79\81\82\81
-1.24\2.01\0.79\0.28\0.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3871G	65.91	74.00	-8.09	33.27	3	Horizontal	6	2.06	81	28.25	4.39	-
AV	2.3871G	53.17	54.00	-0.83	20.53	3	Horizontal	6	2.06	81	28.25	4.39	-
PK	2.4116G	120.10	Inf	-Inf	87.39	3	Horizontal	6	2.06	81	28.30	4.41	-
AV	2.4221G	107.79	Inf	-Inf	75.08	3	Horizontal	6	2.06	81	28.30	4.41	-

802.11ax HEW20_Nss1,(MCS0)_4TX

2437MHz_TX




EUT Y_4TX
SET 79
85\55\70\77\80\79
-0.25\7.41\6.16\4.25\ -0.07\2.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38996G	71.90	74.00	-2.10	39.25	3	Vertical	360	1.84	79	28.26	4.39	-
AV	2.38948G	50.52	54.00	-3.48	17.87	3	Vertical	360	1.84	79	28.26	4.39	-
PK	2.44452G	119.67	Inf	-Inf	86.95	3	Vertical	360	1.84	79	28.30	4.42	-
AV	2.44452G	107.86	Inf	-Inf	75.14	3	Vertical	360	1.84	79	28.30	4.42	-
PK	2.48452G	68.51	74.00	-5.49	35.63	3	Vertical	360	1.84	79	28.44	4.44	-
AV	2.48452G	50.61	54.00	-3.39	17.73	3	Vertical	360	1.84	79	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_Y_4TX
SET 85
89\85\87\86\85
-2.28\0.91\0.69\0.27\0.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3874G	70.58	74.00	-3.42	37.94	3	Horizontal	0	1.79	85	28.25	4.39	-
AV	2.38708G	52.54	54.00	-1.46	19.90	3	Horizontal	0	1.79	85	28.25	4.39	-
PK	2.4322G	121.73	Inf	-Inf	89.01	3	Horizontal	0	1.79	85	28.30	4.42	-
AV	2.4322G	109.37	Inf	-Inf	76.65	3	Horizontal	0	1.79	85	28.30	4.42	-
PK	2.48788G	72.94	74.00	-1.06	40.05	3	Horizontal	0	1.79	85	28.45	4.44	-
AV	2.48708G	53.27	54.00	-0.73	20.38	3	Horizontal	0	1.79	85	28.45	4.44	-

802.11ax HEW20_Nss1,(MCS0)_4TX

2437MHz_TX




EUT Y_4TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87268G	48.17	74.00	-25.83	42.88	3	Vertical	289	1.80	79	33.59	7.10	35.40
AV	4.8734G	35.19	54.00	-18.81	29.90	3	Vertical	289	1.80	79	33.59	7.10	35.40
PK	7.32016G	52.43	74.00	-21.57	42.62	3	Vertical	334	1.78	79	36.94	8.44	35.57
AV	7.3204G	39.48	54.00	-14.52	29.67	3	Vertical	334	1.78	79	36.94	8.44	35.57

802.11ax HEW20_Nss1,(MCS0)_4TX

2437MHz_TX




EUT Y_4TX
SET 79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.87444G	48.41	74.00	-25.59	43.11	3	Horizontal	331	1.83	79	33.60	7.10	35.40	
AV	4.87368G	35.23	54.00	-18.77	29.94	3	Horizontal	331	1.83	79	33.59	7.10	35.40	
PK	7.32436G	52.28	74.00	-21.72	42.45	3	Horizontal	237	1.80	79	36.95	8.45	35.57	
AV	7.31448G	39.29	54.00	-14.71	29.50	3	Horizontal	237	1.80	79	36.93	8.43	35.57	

802.11ax HEW20_Nss1,(MCS0)_4TX

2457MHz_TX




EUT_Y_4TX
SET 80
82\52\67\74\77\78\79\80\81\80
-1.75\7.27\5.37\3.84\2.57\2.10\1.48\0.67~-0.45\0.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4599G	121.53	Inf	-Inf	88.76	3	Vertical	-0	1.80	80	28.34	4.43	-
AV	2.4595G	108.25	Inf	-Inf	75.48	3	Vertical	-0	1.80	80	28.34	4.43	-
PK	2.4842G	68.51	74.00	-5.49	35.63	3	Vertical	-0	1.80	80	28.44	4.44	-
AV	2.4844G	53.16	54.00	-0.84	20.28	3	Vertical	-0	1.80	80	28.44	4.44	-

802.11ax HEW20_Nss1,(MCS0)_4TX

2457MHz_TX




EUT Y_4TX
SET 82
86\82
-3.95\0.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4521G	120.99	Inf	-Inf	88.25	3	Horizontal	2	1.80	82	28.31	4.43	-	
AV	2.462G	108.53	Inf	-Inf	75.75	3	Horizontal	2	1.80	82	28.35	4.43	-	
PK	2.4836G	66.85	74.00	-7.15	33.98	3	Horizontal	2	1.80	82	28.43	4.44	-	
AV	2.4872G	53.54	54.00	-0.46	20.65	3	Horizontal	2	1.80	82	28.45	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_4TX

2462MHz_TX




EUT_Y_4TX
SET 71
75\45\60\67\70\71
-2.38\6.61\3.72\1.83\0.64\0.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4544G	118.76	Inf	-Inf	86.01	3	Vertical	360	1.80	71	28.32	4.43	-	
AV	2.4646G	106.45	Inf	-Inf	73.66	3	Vertical	360	1.80	71	28.36	4.43	-	
PK	2.4847G	68.44	74.00	-5.56	35.56	3	Vertical	360	1.80	71	28.44	4.44	-	
AV	2.4846G	53.81	54.00	-0.19	20.93	3	Vertical	360	1.80	71	28.44	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_4TX

2462MHz_TX




EUT Y_4TX
SET 75
72\76\74\75
2.15\0.19\0.83\0.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4671G	118.94	Inf	-Inf	86.14	3	Horizontal	360	1.79	75	28.37	4.43	-	
AV	2.467G	106.77	Inf	-Inf	73.97	3	Horizontal	360	1.79	75	28.37	4.43	-	
PK	2.487G	68.58	74.00	-5.42	35.69	3	Horizontal	360	1.79	75	28.45	4.44	-	
AV	2.4871G	53.31	54.00	-0.69	20.42	3	Horizontal	360	1.79	75	28.45	4.44	-	

802.11ax HEW20_Nss1,(MCS0)_4TX

2462MHz_TX




EUT Y_4TX
SET 71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90824G	46.38	74.00	-27.62	40.94	3	Vertical	30	2.57	71	33.72	7.10	35.38
AV	4.9428G	34.02	54.00	-19.98	28.49	3	Vertical	30	2.57	71	33.79	7.10	35.36
PK	7.3878G	52.38	74.00	-21.62	42.39	3	Vertical	1	2.19	71	37.00	8.58	35.59
AV	7.39016G	39.58	54.00	-14.42	29.59	3	Vertical	1	2.19	71	37.00	8.58	35.59

802.11ax HEW20_Nss1,(MCS0)_4TX

2462MHz_TX



EUT Y_4TX
SET 71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90864G	46.74	74.00	-27.26	41.30	3	Horizontal	356	1.80	71	33.72	7.10	35.38
AV	4.93804G	33.86	54.00	-20.14	28.34	3	Horizontal	356	1.80	71	33.78	7.10	35.36
PK	7.39592G	52.77	74.00	-21.23	42.77	3	Horizontal	224	1.80	71	37.00	8.59	35.59
AV	7.40036G	39.46	54.00	-14.54	29.45	3	Horizontal	224	1.80	71	37.00	8.60	35.59




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	AV	2.39G	53.97	54.00	-0.03	3	Horizontal	0	1.80	73

802.11ax HEW20_Nss4,(MCS0)_4TX

2412MHz_TX




EUT Y_4TX
SET 73
80\62\71\75\73
-6.05\2.88\0.56\0.93\0.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	63.85	74.00	-10.15	32.49	3	Vertical	0	1.75	73	27.56	3.80	-
AV	2.3897G	53.84	54.00	-0.16	22.48	3	Vertical	0	1.75	73	27.56	3.80	-
PK	2.4098G	115.46	Inf	-Inf	84.08	3	Vertical	0	1.75	73	27.58	3.80	-
AV	2.4095G	106.48	Inf	-Inf	75.10	3	Vertical	0	1.75	73	27.58	3.80	-

802.11ax HEW20_Nss4,(MCS0)_4TX

2412MHz_TX




EUT Y_4TX
SET 73
73
0.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3866G	63.37	74.00	-10.63	32.02	3	Horizontal	0	1.80	73	27.55	3.80	-	
AV	2.39G	53.97	54.00	-0.03	22.61	3	Horizontal	0	1.80	73	27.56	3.80	-	
PK	2.411G	116.86	Inf	-Inf	85.47	3	Horizontal	0	1.80	73	27.58	3.81	-	
AV	2.4132G	106.33	Inf	-Inf	74.95	3	Horizontal	0	1.80	73	27.57	3.81	-	

802.11ax HEW20_Nss4,(MCS0)_4TX

2412MHz_TX




EUT Y_4TX
SET 73
01-I-G-2
FSV

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81097G	47.04	74.00	-26.96	41.21	3	Vertical	154	1.80	73	32.42	6.30	32.89
AV	4.80798G	34.79	54.00	-19.21	28.96	3	Vertical	154	1.80	73	32.42	6.30	32.89

802.11ax HEW20_Nss4,(MCS0)_4TX

2412MHz_TX




EUT Y_4TX
SET 73
01-I-G-2
FSV

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.80622G	46.16	74.00	-27.84	40.34	3	Horizontal	335	2.95	73	32.41	6.30	32.89
AV	4.8073G	34.70	54.00	-19.30	28.88	3	Horizontal	335	2.95	73	32.41	6.30	32.89

802.11ax HEW20_Nss4,(MCS0)_4TX

2417MHz_TX




EUT Y_4TX
SET 79
80\71\75\77\78\79
-0.58\2.88\1.88\1.41\0.84\0.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3899G	63.51	74.00	-10.49	32.15	3	Vertical	2	1.73	79	27.56	3.80	-
AV	2.3899G	53.57	54.00	-0.43	22.21	3	Vertical	2	1.73	79	27.56	3.80	-
PK	2.4118G	117.86	Inf	-Inf	86.47	3	Vertical	2	1.73	79	27.58	3.81	-
AV	2.4145G	107.63	Inf	-Inf	76.25	3	Vertical	2	1.73	79	27.57	3.81	-

802.11ax HEW20_Nss4,(MCS0)_4TX

2417MHz_TX




EUT Y_4TX
SET 79
79
0.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3868G	64.42	74.00	-9.58	33.07	3	Horizontal	358	1.80	79	27.55	3.80	-	
AV	2.39G	53.97	54.00	-0.03	22.61	3	Horizontal	358	1.80	79	27.56	3.80	-	
PK	2.416G	118.33	Inf	-Inf	86.95	3	Horizontal	358	1.80	79	27.57	3.81	-	
AV	2.4181G	107.71	Inf	-Inf	76.34	3	Horizontal	358	1.80	79	27.56	3.81	-	

802.11ax HEW20_Nss4,(MCS0)_4TX

2437MHz_TX




EUT_Y_4TX
SET 83
80\92\86\83
1.73\ -5.73\ -1.04\ 0.29

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38628G	66.97	74.00	-7.03	35.62	3	Vertical	20	1.80	83	27.55	3.80	-
AV	2.38996G	53.71	54.00	-0.29	22.35	3	Vertical	20	1.80	83	27.56	3.80	-
PK	2.429G	118.27	Inf	-Inf	86.92	3	Vertical	20	1.80	83	27.54	3.81	-
AV	2.43316G	107.59	Inf	-Inf	76.24	3	Vertical	20	1.80	83	27.53	3.82	-
PK	2.4874G	67.53	74.00	-6.47	35.97	3	Vertical	20	1.80	83	27.72	3.84	-
AV	2.48436G	52.77	54.00	-1.23	21.22	3	Vertical	20	1.80	83	27.71	3.84	-

802.11ax HEW20_Nss4,(MCS0)_4TX

2437MHz_TX




EUT_Y_4TX
SET 83
83
0.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	65.97	74.00	-8.03	34.61	3	Horizontal	341	1.80	83	27.56	3.80	-
AV	2.38916G	52.73	54.00	-1.27	21.37	3	Horizontal	341	1.80	83	27.56	3.80	-
PK	2.44308G	118.70	Inf	-Inf	87.37	3	Horizontal	341	1.80	83	27.51	3.82	-
AV	2.44084G	107.81	Inf	-Inf	76.47	3	Horizontal	341	1.80	83	27.52	3.82	-
PK	2.4835G	71.75	74.00	-2.25	40.21	3	Horizontal	341	1.80	83	27.70	3.84	-
AV	2.48404G	53.37	54.00	-0.63	21.83	3	Horizontal	341	1.80	83	27.70	3.84	-

802.11ax HEW20_Nss4,(MCS0)_4TX

2437MHz_TX




EUT Y_4TX
SET 83
01-I-G-2
FSV

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87184G	47.82	74.00	-26.18	41.86	3	Vertical	288	1.89	83	32.54	6.30	32.88
AV	4.86829G	35.90	54.00	-18.10	29.94	3	Vertical	288	1.89	83	32.54	6.30	32.88
PK	7.31096G	53.37	74.00	-20.63	41.96	3	Vertical	334	1.76	83	37.28	7.31	33.18
AV	7.3148G	41.31	54.00	-12.69	29.91	3	Vertical	334	1.76	83	37.27	7.31	33.18

802.11ax HEW20_Nss4,(MCS0)_4TX

2437MHz_TX




EUT Y_4TX
SET 83
01-I-G-2
FSV

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87264G	48.21	74.00	-25.79	42.24	3	Horizontal	332	1.75	83	32.55	6.30	32.88
AV	4.87336G	35.80	54.00	-18.20	29.83	3	Horizontal	332	1.75	83	32.55	6.30	32.88
PK	7.31496G	53.07	74.00	-20.93	41.67	3	Horizontal	296	1.80	83	37.27	7.31	33.18
AV	7.31524G	41.22	54.00	-12.78	29.81	3	Horizontal	296	1.80	83	37.27	7.32	33.18

802.11ax HEW20_Nss4,(MCS0)_4TX

2457MHz_TX




EUT_Y_4TX
SET 77
80\68\74\77\78\77
-1.68\2.80\1.73\0.64\0.07\0.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4515G	116.77	Inf	-Inf	85.43	3	Vertical	350	1.70	77	27.51	3.83	-
AV	2.454G	106.12	Inf	-Inf	74.77	3	Vertical	350	1.70	77	27.52	3.83	-
PK	2.4836G	63.71	74.00	-10.29	32.17	3	Vertical	350	1.70	77	27.70	3.84	-
AV	2.4835G	53.51	54.00	-0.49	21.97	3	Vertical	350	1.70	77	27.70	3.84	-

802.11ax HEW20_Nss4,(MCS0)_4TX

2457MHz_TX




EUT Y_4TX
SET 77
77
0.94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4561G	118.07	Inf	-Inf	86.70	3	Horizontal	357	1.72	77	27.54	3.83	-	
AV	2.4581G	107.29	Inf	-Inf	75.91	3	Horizontal	357	1.72	77	27.55	3.83	-	
PK	2.4835G	64.48	74.00	-9.52	32.94	3	Horizontal	357	1.72	77	27.70	3.84	-	
AV	2.4835G	53.06	54.00	-0.94	21.52	3	Horizontal	357	1.72	77	27.70	3.84	-	

802.11ax HEW20_Nss4,(MCS0)_4TX

2462MHz_TX




EUT Y_4TX
SET 69
80\62\71\67\69
-8.51\2.06\0.34\1.09\0.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4611G	115.15	Inf	-Inf	83.75	3	Vertical	356	1.80	69	27.57	3.83	-
AV	2.4594G	104.75	Inf	-Inf	73.36	3	Vertical	356	1.80	69	27.56	3.83	-
PK	2.4844G	63.68	74.00	-10.32	32.13	3	Vertical	356	1.80	69	27.71	3.84	-
AV	2.4837G	53.65	54.00	-0.35	22.11	3	Vertical	356	1.80	69	27.70	3.84	-

802.11ax HEW20_Nss4,(MCS0)_4TX

2462MHz_TX




EUT Y_4TX
SET 69
69
0.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.461G	115.80	Inf	-Inf	84.40	3	Horizontal	360	1.77	69	27.57	3.83	-
AV	2.4632G	105.16	Inf	-Inf	73.75	3	Horizontal	360	1.77	69	27.58	3.83	-
PK	2.4845G	63.90	74.00	-10.10	32.35	3	Horizontal	360	1.77	69	27.71	3.84	-
AV	2.484G	53.65	54.00	-0.35	22.11	3	Horizontal	360	1.77	69	27.70	3.84	-

802.11ax HEW20_Nss4,(MCS0)_4TX

2462MHz_TX




EUT_Y_4TX
SET 69
01-I-G-2
FSV

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92664G	47.29	74.00	-26.71	41.20	3	Vertical	150	1.80	69	32.65	6.30	32.86
AV	4.93127G	35.36	54.00	-18.64	29.26	3	Vertical	150	1.80	69	32.66	6.30	32.86
PK	7.37581G	52.16	74.00	-21.84	40.80	3	Vertical	33	1.80	69	37.20	7.38	33.22
AV	7.40226G	40.33	54.00	-13.67	28.96	3	Vertical	33	1.80	69	37.20	7.40	33.23

802.11ax HEW20_Nss4,(MCS0)_4TX

2462MHz_TX



EUT_Y_4TX
SET 69
01-I-G-2
FSV

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93315G	46.86	74.00	-27.14	40.75	3	Horizontal	182	1.80	69	32.67	6.30	32.86
AV	4.93099G	35.35	54.00	-18.65	29.25	3	Horizontal	182	1.80	69	32.66	6.30	32.86
PK	7.40055G	52.56	74.00	-21.44	41.19	3	Horizontal	288	1.80	69	37.20	7.40	33.23
AV	7.39467G	40.48	54.00	-13.52	29.12	3	Horizontal	288	1.80	69	37.20	7.39	33.23