


5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.43278G	58.44	83.54	-25.10	54.46	1	Horizontal	228.4	1.67	-	37.57	16.62	50.21			
AV	18.42369G	47.11	63.54	-16.43	43.12	1	Horizontal	228.4	1.67	-	37.57	16.61	50.19			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT Y_2TX
Setting 108
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.77933G	58.01	88.20	-30.19	51.91	3	Vertical	2	1.13	-	39.56	9.41	42.87			
RMS	12.77867G	48.42	68.20	-19.78	42.32	3	Vertical	2	1.13	-	39.56	9.41	42.87			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT Y_2TX
Setting 108
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.77519G	58.40	88.20	-29.80	52.31	3	Horizontal	22	2.81	-	39.55	9.41	42.87			
RMS	12.77984G	47.90	68.20	-20.30	41.80	3	Horizontal	22	2.81	-	39.56	9.41	42.87			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT Y_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.14231G	53.85	83.54	-29.69	50.35	1	Vertical	93	1.44	-	37.56	16.91	50.97			
AV	19.14234G	44.21	63.54	-19.33	40.71	1	Vertical	93	1.44	-	37.56	16.91	50.97			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT Y_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.14036G	53.70	83.54	-29.84	50.20	1	Horizontal	355	1.84	-	37.56	16.91	50.97			
AV	19.15698G	42.60	63.54	-20.94	39.12	1	Horizontal	355	1.84	-	37.56	16.91	50.99			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TX




EUT Y_2TX
Setting 108
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24319G	55.88	88.20	-32.32	48.74	3	Vertical	334	1.80	-	40.24	9.60	42.70			
RMS	13.23698G	44.74	68.20	-23.46	37.61	3	Vertical	334	1.80	-	40.24	9.59	42.70			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TX




EUT Y_2TX
Setting 108
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.24871G	55.85	88.20	-32.35	48.70	3	Horizontal	8	1.38	-	40.25	9.60	42.70			
RMS	13.24334G	45.27	68.20	-22.93	38.13	3	Horizontal	8	1.38	-	40.24	9.60	42.70			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TX




EUT Y_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.86408G	52.24	83.54	-31.30	49.29	1	Vertical	140	1.39	-	37.51	17.20	51.76			
AV	19.8855G	41.68	63.54	-21.86	38.77	1	Vertical	140	1.39	-	37.49	17.21	51.79			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TX




EUT Y_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.86423G	52.54	83.54	-31.00	49.59	1	Horizontal	17	1.14	-	37.51	17.20	51.76			
AV	19.86921G	41.81	63.54	-21.73	38.87	1	Horizontal	17	1.14	-	37.50	17.21	51.77			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TX




EUT Y_2TX
Setting 108
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.41987G	54.92	88.20	-33.28	47.59	3	Vertical	227	2.46	-	40.40	9.67	42.74			
RMS	13.41021G	44.41	68.20	-23.79	37.09	3	Vertical	227	2.46	-	40.40	9.66	42.74			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TX




EUT Y_2TX
Setting 108
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.42353G	54.97	88.20	-33.23	47.64	3	Horizontal	66	1.83	-	40.40	9.67	42.74			
RMS	13.41222G	44.37	68.20	-23.83	37.05	3	Horizontal	66	1.83	-	40.40	9.66	42.74			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TX




EUT Y_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11302G	53.71	83.54	-29.83	50.83	1	Vertical	151	2.81	-	37.49	17.31	51.92			
AV	20.10768G	43.19	63.54	-20.35	40.31	1	Vertical	151	2.81	-	37.49	17.31	51.92			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TX




EUT Y_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.10732G	53.89	83.54	-29.65	51.01	1	Horizontal	71	1.29	-	37.49	17.31	51.92			
AV	20.12454G	43.00	63.54	-20.54	40.11	1	Horizontal	71	1.29	-	37.50	17.31	51.92			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TX




EUT Y_2TX
Setting 108
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.5616G	56.36	88.20	-31.84	48.96	3	Vertical	359	2.18	-	40.40	9.72	42.72			
RMS	13.57852G	45.61	68.20	-22.59	38.19	3	Vertical	359	2.18	-	40.40	9.73	42.71			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TX




EUT Y_2TX
Setting 108
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.58155G	56.02	88.20	-32.18	48.60	3	Horizontal	6	2.91	-	40.40	9.73	42.71			
RMS	13.57747G	45.85	68.20	-22.35	38.43	3	Horizontal	6	2.91	-	40.40	9.73	42.71			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TX




EUT Y_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.34054G	55.90	83.54	-27.64	52.82	1	Vertical	322	2.92	-	37.64	17.41	51.97			
AV	20.36964G	45.04	63.54	-18.50	41.94	1	Vertical	322	2.92	-	37.65	17.42	51.97			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TX




EUT Y_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35968G	56.32	83.54	-27.22	53.23	1	Horizontal	93	2.26	-	37.64	17.42	51.97			
AV	20.36658G	45.26	63.54	-18.28	42.16	1	Horizontal	93	2.26	-	37.65	17.42	51.97			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
Setting 81
01-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9194G	77.32	88.20	-10.88	68.39	3	Vertical	352	1.80	-	35.38	6.36	32.81			
RMS	5.9194G	65.12	68.20	-3.08	56.19	3	Vertical	352	1.80	-	35.38	6.36	32.81			
PK	6.049G	104.07	Inf	-Inf	94.89	3	Vertical	352	1.80	-	35.60	6.42	32.84			
RMS	6.049G	94.46	Inf	-Inf	85.28	3	Vertical	352	1.80	-	35.60	6.42	32.84			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
Setting 81
01-D-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9162G	81.85	88.20	-6.35	72.94	3	Horizontal	0	1.89	-	35.36	6.36	32.81			
RMS	5.9162G	68.02	68.20	-0.18	59.11	3	Horizontal	0	1.89	-	35.36	6.36	32.81			
PK	6.045G	106.83	Inf	-Inf	97.66	3	Horizontal	0	1.89	-	35.59	6.42	32.84			
RMS	6.041G	97.04	Inf	-Inf	87.88	3	Horizontal	0	1.89	-	35.58	6.42	32.84			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
Setting 61
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.04379G	53.10	74.00	-20.90	48.33	3	Vertical	63	1.99	-	38.86	9.12	43.21			
AV	12.03977G	43.58	54.00	-10.42	38.81	3	Vertical	63	1.99	-	38.86	9.12	43.21			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
Setting 61
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.06014G	53.65	74.00	-20.35	48.90	3	Horizontal	7	1.80	-	38.84	9.12	43.21			
AV	12.04649G	43.79	54.00	-10.21	39.03	3	Horizontal	7	1.80	-	38.85	9.12	43.21			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
Setting 81
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.0678G	55.82	83.54	-27.72	51.54	1	Vertical	300	1.69	-	37.50	16.47	49.69			
AV	18.08856G	45.03	63.54	-18.51	40.77	1	Vertical	300	1.69	-	37.50	16.48	49.72			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
Setting 81
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.06303G	55.83	83.54	-27.71	51.55	1	Horizontal	29.9	1.62	-	37.50	16.47	49.69			
AV	18.0852G	45.30	63.54	-18.24	41.05	1	Horizontal	29.9	1.62	-	37.50	16.47	49.72			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT Y_2TX
Setting 108
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38383G	55.99	74.00	-18.01	50.94	3	Vertical	348	1.80	-	38.97	9.25	43.17			
AV	12.37624G	46.72	54.00	-7.28	41.69	3	Vertical	348	1.80	-	38.95	9.25	43.17			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT Y_2TX
Setting 108
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.37876G	55.88	74.00	-18.12	50.84	3	Horizontal	293	1.80	-	38.96	9.25	43.17			
AV	12.38365G	46.70	54.00	-7.30	41.65	3	Horizontal	293	1.80	-	38.97	9.25	43.17			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT Y_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.55554G	59.09	83.54	-24.45	55.16	1	Vertical	350	1.36	-	37.62	16.67	50.36			
AV	18.54843G	48.94	63.54	-14.60	45.01	1	Vertical	350	1.36	-	37.62	16.66	50.35			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT Y_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.54324G	58.36	83.54	-25.18	54.42	1	Horizontal	291	1.90	-	37.62	16.66	50.34			
AV	18.54036G	48.26	63.54	-15.28	44.32	1	Horizontal	291	1.90	-	37.62	16.66	50.34			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT Y_2TX
Setting 108
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.69065G	56.57	74.00	-17.43	50.77	3	Vertical	8	1.78	-	39.38	9.38	42.96			
AV	12.69116G	47.75	54.00	-6.25	41.95	3	Vertical	8	1.78	-	39.38	9.38	42.96			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT Y_2TX
Setting 108
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.69476G	56.77	74.00	-17.23	50.96	3	Horizontal	123	1.88	-	39.39	9.38	42.96			
AV	12.69633G	47.29	54.00	-6.71	41.47	3	Horizontal	123	1.88	-	39.39	9.38	42.95			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT Y_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.04418G	59.17	83.54	-24.37	55.63	1	Vertical	120	1.80	-	37.52	16.87	50.85			
AV	19.02543G	48.57	63.54	-14.97	45.03	1	Vertical	120	1.80	-	37.51	16.86	50.83			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT Y_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.04592G	59.35	83.54	-24.19	55.82	1	Horizontal	152	1.41	-	37.52	16.87	50.86			
AV	19.0206G	48.62	63.54	-14.92	45.07	1	Horizontal	152	1.41	-	37.51	16.86	50.82			

6.525-6.875GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TX




EUT Y_2TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.33651G	55.80	74.00	-18.20	48.55	3	Vertical	221	1.80	-	40.34	9.63	42.72			
AV	13.32505G	45.35	54.00	-8.65	38.11	3	Vertical	221	1.80	-	40.33	9.63	42.72			

6.525-6.875GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TX




EUT Y_2TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.31917G	55.39	74.00	-18.61	48.16	3	Horizontal	64	1.80	-	40.32	9.63	42.72			
AV	13.3189G	45.75	54.00	-8.25	38.52	3	Horizontal	64	1.80	-	40.32	9.63	42.72			

6.525-6.875GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TX




EUT Y_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.00115G	59.22	83.54	-24.32	56.46	1	Vertical	194	1.09	-	37.40	17.26	51.90			
AV	19.98711G	48.50	63.54	-15.04	45.73	1	Vertical	194	1.09	-	37.41	17.25	51.89			

6.525-6.875GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TX



EUT Y_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.00121G	59.06	83.54	-24.48	56.30	1	Horizontal	317.1	1.73	-	37.40	17.26	51.90			
AV	20.00298G	47.97	63.54	-15.57	45.21	1	Horizontal	317.1	1.73	-	37.40	17.26	51.90			



**RSE TX above 1GHz_Set 6 antenna with 30 degree_R5_1T1S,
2T2S, 4T1S, 4T4S**


Appendix E.3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1.(MCS0)_4TX	Pass	RMS	5.921G	68.18	68.20	-0.02	3	Horizontal	0	2.14	-

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
SET 94
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9244G	72.33	88.20	-15.87	63.38	3	Vertical	8	1.80	-	35.40	6.36	32.81			
RMS	5.925G	60.50	68.20	-7.70	51.55	3	Vertical	8	1.80	-	35.40	6.36	32.81			
PK	5.9578G	111.76	Inf	-Inf	102.70	3	Vertical	8	1.80	-	35.50	6.38	32.82			
RMS	5.9574G	100.65	Inf	-Inf	91.59	3	Vertical	8	1.80	-	35.50	6.38	32.82			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
SET 94
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9192G	75.30	88.20	-12.90	66.37	3	Horizontal	1	1.80	-	35.38	6.36	32.81			
RMS	5.9248G	62.36	68.20	-5.84	53.41	3	Horizontal	1	1.80	-	35.40	6.36	32.81			
PK	5.9542G	114.57	Inf	-Inf	105.51	3	Horizontal	1	1.80	-	35.50	6.38	32.82			
RMS	5.9576G	103.24	Inf	-Inf	94.18	3	Horizontal	1	1.80	-	35.50	6.38	32.82			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
SET 94
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90751G	54.50	74.00	-19.50	49.86	3	Vertical	349	1.94	-	38.81	9.06	43.23			
AV	11.90088G	41.72	54.00	-12.28	37.10	3	Vertical	349	1.94	-	38.80	9.06	43.24			
PK	17.87664G	61.37	74.00	-12.63	48.57	3	Vertical	0	2.93	-	42.73	11.45	41.38			
AV	17.85513G	47.74	54.00	-6.26	35.05	3	Vertical	0	2.93	-	42.67	11.44	41.42			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT_Y_1TX
SET 94
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91396G	54.45	74.00	-19.55	49.80	3	Horizontal	45	1.33	-	38.81	9.07	43.23			
AV	11.90703G	42.04	54.00	-11.96	37.40	3	Horizontal	45	1.33	-	38.81	9.06	43.23			
PK	17.85738G	60.85	74.00	-13.15	48.15	3	Horizontal	85	2.36	-	42.67	11.44	41.41			
AV	17.86332G	48.25	54.00	-5.75	35.51	3	Horizontal	85	2.36	-	42.69	11.45	41.40			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
SET 94
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.80722G	48.33	83.54	-35.21	40.86	1	Vertical	168	1.80	-	38.80	18.95	50.28			
AV	23.81124G	33.62	63.54	-29.92	26.15	1	Vertical	168	1.80	-	38.80	18.95	50.28			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TX




EUT Y_1TX
SET 94
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.83185G	48.28	83.54	-35.26	40.79	1	Horizontal	82	1.80	-	38.80	18.96	50.27			
AV	23.81136G	33.54	63.54	-30.00	26.07	1	Horizontal	82	1.80	-	38.80	18.95	50.28			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_V_1TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.35351G	61.75	74.00	-12.25	56.77	3	Vertical	8	1.80	-	38.91	9.24	43.17			
AV	12.34853G	48.92	54.00	-5.08	43.95	3	Vertical	8	1.80	-	38.90	9.24	43.17			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_V_1TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.34952G	62.49	74.00	-11.51	57.52	3	Horizontal	343	1.79	-	38.90	9.24	43.17			
AV	12.34622G	47.54	54.00	-6.46	42.58	3	Horizontal	343	1.79	-	38.89	9.24	43.17			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_V_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.52578G	50.70	83.54	-32.84	46.76	1	Vertical	358	1.82	-	37.61	16.66	50.33			
AV	18.52233G	36.60	63.54	-26.94	32.66	1	Vertical	358	1.82	-	37.61	16.65	50.32			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6195MHz_TX




EUT_V_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.52572G	50.97	83.54	-32.57	47.03	1	Horizontal	33	1.80	-	37.61	16.66	50.33			
AV	18.52233G	37.06	63.54	-26.48	33.12	1	Horizontal	33	1.80	-	37.61	16.65	50.32			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT V_1TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.82997G	64.75	88.20	-23.45	58.51	3	Vertical	19	2.06	-	39.63	9.43	42.82			
RMS	12.8291G	52.42	68.20	-15.78	46.18	3	Vertical	19	2.06	-	39.63	9.43	42.82			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_V_1TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.8351G	64.74	88.20	-23.46	58.48	3	Horizontal	162	1.09	-	39.64	9.43	42.81			
RMS	12.8288G	52.29	68.20	-15.91	46.05	3	Horizontal	162	1.09	-	39.63	9.43	42.82			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT_V_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24803G	50.65	83.54	-32.89	47.20	1	Vertical	350	1.79	-	37.60	16.95	51.10			
AV	19.24704G	36.74	63.54	-26.80	33.29	1	Vertical	350	1.79	-	37.60	16.95	51.10			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TX




EUT Y_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24581G	51.11	83.54	-32.43	47.65	1	Horizontal	8	2.76	-	37.60	16.95	51.09			
AV	19.24734G	36.75	63.54	-26.79	33.30	1	Horizontal	8	2.76	-	37.60	16.95	51.10			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT V_1TX
Setting 108
01-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07912G	58.96	88.20	-29.24	52.12	3	Vertical	327	1.79	-	39.98	9.53	42.67			
RMS	13.0688G	46.23	68.20	-21.97	39.40	3	Vertical	327	1.79	-	39.97	9.53	42.67			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_V_1TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.06931G	58.42	88.20	-29.78	51.59	3	Horizontal	82	1.60	-	39.97	9.53	42.67			
RMS	13.06853G	46.39	68.20	-21.81	39.56	3	Horizontal	82	1.60	-	39.97	9.53	42.67			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX



EUT V_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.61073G	52.25	83.54	-31.29	49.00	1	Vertical	332	1.78	-	37.66	17.10	51.51			
AV	19.60743G	38.18	63.54	-25.36	34.93	1	Vertical	332	1.78	-	37.66	17.10	51.51			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TX




EUT_V_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.59573G	51.62	83.54	-31.92	48.37	1	Horizontal	144	2.80	-	37.66	17.09	51.50			
AV	19.60749G	38.05	63.54	-25.49	34.80	1	Horizontal	144	2.80	-	37.66	17.10	51.51			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT Y_1TX
Setting 108
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39672G	56.25	74.00	-17.75	48.93	3	Vertical	28	1.80	-	40.40	9.66	42.74			
AV	13.3897G	42.16	54.00	-11.84	34.85	3	Vertical	28	1.80	-	40.39	9.66	42.74			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT Y_1TX
Setting 108
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38781G	56.07	74.00	-17.93	48.76	3	Horizontal	298	1.76	-	40.39	9.66	42.74			
AV	13.39093G	41.81	54.00	-12.19	34.50	3	Horizontal	298	1.76	-	40.39	9.66	42.74			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT V_1TX
Setting 108
01-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.07156G	50.52	83.54	-33.02	47.68	1	Vertical	210	1.74	-	37.46	17.29	51.91			
AV	20.08227G	34.00	63.54	-29.54	31.15	1	Vertical	210	1.74	-	37.47	17.30	51.92			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TX




EUT_V_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.07984G	50.20	83.54	-33.34	47.37	1	Horizontal	41	1.80	-	37.46	17.29	51.92			
AV	20.07627G	34.98	63.54	-28.56	32.15	1	Horizontal	41	1.80	-	37.46	17.29	51.92			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_Y_1TX
Setting 108
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.69956G	57.77	88.20	-30.43	43.00	3	Vertical	20	2.34	-	40.30	9.45	34.98			
RMS	13.69503G	45.80	68.20	-22.40	31.03	3	Vertical	20	2.34	-	40.30	9.45	34.98			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_V_1TX
Setting 108
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.69755G	58.25	88.20	-29.95	43.48	3	Horizontal	256	1.69	-	40.30	9.45	34.98			
RMS	13.69512G	45.80	68.20	-22.40	31.03	3	Horizontal	256	1.69	-	40.30	9.45	34.98			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX



EUT_V_1TX
Setting 108
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56398G	51.04	83.54	-32.50	47.61	1	Vertical	-0	1.80	-	37.93	17.51	52.01			
AV	20.56366G	38.67	63.54	-24.87	35.24	1	Vertical	-0	1.80	-	37.93	17.51	52.01			




RSE TX above 1GHz_Set 6 antenna with 30 degree_R5_1T1S,
2T2S, 4T1S, 4T4S

Appendix E.3

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TX




EUT_V_1TX
Setting 108
01-D-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56916G	51.04	83.54	-32.50	47.60	1	Horizontal	0	1.78	-	37.94	17.51	52.01			
AV	20.55862G	38.62	63.54	-24.92	35.21	1	Horizontal	0	1.78	-	37.92	17.50	52.01			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
Setting 87
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9248G	77.35	88.20	-10.85	68.40	3	Vertical	9	1.80	-	35.40	6.36	32.81			
RMS	5.925G	64.53	68.20	-3.67	55.58	3	Vertical	9	1.80	-	35.40	6.36	32.81			
PK	5.9804G	109.35	Inf	-Inf	100.29	3	Vertical	9	1.80	-	35.50	6.39	32.83			
RMS	5.9826G	97.40	Inf	-Inf	88.34	3	Vertical	9	1.80	-	35.50	6.39	32.83			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
Setting 87
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.924G	80.47	88.20	-7.73	71.52	3	Horizontal	0	1.80	-	35.40	6.36	32.81			
RMS	5.925G	67.82	68.20	-0.38	58.87	3	Horizontal	0	1.80	-	35.40	6.36	32.81			
PK	5.9722G	111.10	Inf	-Inf	102.04	3	Horizontal	0	1.80	-	35.50	6.39	32.83			
RMS	5.9826G	100.38	Inf	-Inf	91.32	3	Horizontal	0	1.80	-	35.50	6.39	32.83			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
Setting 87
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9405G	54.09	74.00	-19.91	49.40	3	Vertical	349	1.52	-	38.84	9.08	43.23			
AV	11.93723G	42.61	54.00	-11.39	37.93	3	Vertical	349	1.52	-	38.84	9.07	43.23			
PK	17.8806G	61.53	74.00	-12.47	48.72	3	Vertical	173	2.14	-	42.74	11.45	41.38			
AV	17.88492G	47.82	54.00	-6.18	34.99	3	Vertical	173	2.14	-	42.75	11.45	41.37			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
Setting 87
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93951G	54.01	74.00	-19.99	49.32	3	Horizontal	344	1.51	-	38.84	9.08	43.23			
AV	11.94422G	42.21	54.00	-11.79	37.52	3	Horizontal	344	1.51	-	38.84	9.08	43.23			
PK	17.90439G	60.54	74.00	-13.46	47.60	3	Horizontal	10	1.80	-	42.82	11.46	41.34			
AV	17.8971G	47.90	54.00	-6.10	35.00	3	Horizontal	10	1.80	-	42.79	11.46	41.35			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT_V_1TX
Setting 87
01-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.85259G	47.62	83.54	-35.92	40.11	1	Vertical	192	2.17	-	38.80	18.97	50.26			
AV	23.87029G	35.50	63.54	-28.04	27.97	1	Vertical	192	2.17	-	38.80	18.98	50.25			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

5965MHz_TX




EUT Y_1TX
Setting 87
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.8597G	47.62	83.54	-35.92	40.10	1	Horizontal	48	1.76	-	38.80	18.98	50.26			
AV	23.85796G	35.57	63.54	-27.97	28.05	1	Horizontal	48	1.76	-	38.80	18.98	50.26			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_V_1TX
Setting 108
01-R-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.32721G	59.11	74.00	-14.89	54.20	3	Vertical	10	1.80	-	38.85	9.23	43.17			
AV	12.32484G	46.75	54.00	-7.25	41.84	3	Vertical	10	1.80	-	38.85	9.23	43.17			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_V_1TX
Setting 108
01-R-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.32796G	57.48	74.00	-16.52	52.56	3	Horizontal	298	1.79	-	38.86	9.23	43.17			
AV	12.33129G	45.32	54.00	-8.68	40.40	3	Horizontal	298	1.79	-	38.86	9.23	43.17			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_V_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.50427G	49.91	83.54	-33.63	45.96	1	Vertical	348	1.92	-	37.60	16.65	50.30			
AV	18.50529G	36.52	63.54	-27.02	32.58	1	Vertical	348	1.92	-	37.60	16.65	50.31			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6205MHz_TX




EUT_V_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.49206G	48.84	83.54	-34.70	44.89	1	Horizontal	31	1.80	-	37.60	16.64	50.29			
AV	18.49311G	36.36	63.54	-27.18	32.41	1	Horizontal	31	1.80	-	37.60	16.64	50.29			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_V_1TX
Setting 108
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.8091G	60.43	88.20	-27.77	54.24	3	Vertical	351	1.92	-	39.61	9.42	42.84			
RMS	12.80991G	48.14	68.20	-20.06	41.95	3	Vertical	351	1.92	-	39.61	9.42	42.84			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT V_1TX
Setting 108
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.80724G	60.34	88.20	-27.86	54.15	3	Horizontal	55	1.98	-	39.61	9.42	42.84			
RMS	12.81081G	48.23	68.20	-19.97	42.04	3	Horizontal	55	1.98	-	39.61	9.42	42.84			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_V_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21149G	50.76	83.54	-32.78	47.29	1	Vertical	6	1.60	-	37.58	16.94	51.05			
AV	19.21959G	38.60	63.54	-24.94	35.13	1	Vertical	6	1.60	-	37.59	16.94	51.06			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TX




EUT_V_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.22484G	49.96	83.54	-33.58	46.50	1	Horizontal	1	1.79	-	37.59	16.94	51.07			
AV	19.22922G	38.21	63.54	-25.33	34.76	1	Horizontal	1	1.79	-	37.59	16.94	51.08			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT Y_1TX
Setting 108
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.12799G	59.28	88.20	-28.92	52.35	3	Vertical	5	2.32	-	40.06	9.55	42.68			
RMS	13.13219G	46.56	68.20	-21.64	39.63	3	Vertical	5	2.32	-	40.06	9.55	42.68			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_V_1TX
Setting 108
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13003G	60.96	88.20	-27.24	54.03	3	Horizontal	45	1.80	-	40.06	9.55	42.68			
RMS	13.13276G	48.76	68.20	-19.44	41.82	3	Horizontal	45	1.80	-	40.07	9.55	42.68			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT Y_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.69437G	49.99	83.54	-33.55	46.83	1	Vertical	332	1.77	-	37.62	17.13	51.59			
AV	19.68912G	37.45	63.54	-26.09	34.29	1	Vertical	332	1.77	-	37.62	17.13	51.59			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TX




EUT_V_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.69551G	49.34	83.54	-34.20	46.18	1	Horizontal	97	2.45	-	37.62	17.14	51.60			
AV	19.69032G	37.36	63.54	-26.18	34.20	1	Horizontal	97	2.45	-	37.62	17.13	51.59			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT Y_1TX
Setting 108
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.35866G	56.48	74.00	-17.52	49.21	3	Vertical	26	1.80	-	40.36	9.64	42.73			
AV	13.37042G	44.82	54.00	-9.18	37.53	3	Vertical	26	1.80	-	40.37	9.65	42.73			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT Y_1TX
Setting 108
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.37267G	55.74	74.00	-18.26	48.45	3	Horizontal	249	1.80	-	40.37	9.65	42.73			
AV	13.36052G	43.14	54.00	-10.86	35.87	3	Horizontal	249	1.80	-	40.36	9.64	42.73			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_V_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05668G	46.28	83.54	-37.26	43.46	1	Vertical	11	1.80	-	37.45	17.28	51.91			
AV	20.04462G	34.21	63.54	-29.33	31.40	1	Vertical	11	1.80	-	37.44	17.28	51.91			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TX




EUT_V_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.06358G	45.79	83.54	-37.75	42.96	1	Horizontal	37	1.46	-	37.45	17.29	51.91			
AV	20.05848G	34.16	63.54	-29.38	31.33	1	Horizontal	37	1.46	-	37.45	17.29	51.91			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_V_1TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.68934G	58.41	88.20	-29.79	43.65	3	Vertical	71	1.73	-	40.29	9.44	34.97			
RMS	13.67842G	47.51	68.20	-20.69	32.75	3	Vertical	71	1.73	-	40.28	9.44	34.96			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_V_1TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.68403G	58.53	88.20	-29.67	43.78	3	Horizontal	212	2.37	-	40.28	9.44	34.97			
RMS	13.68877G	47.37	68.20	-20.83	32.61	3	Horizontal	212	2.37	-	40.29	9.44	34.97			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_V_1TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.52886G	51.11	83.54	-32.43	47.86	1	Vertical	269	2.70	-	37.77	17.49	52.01			
AV	20.5381G	40.01	63.54	-23.53	36.70	1	Vertical	269	2.70	-	37.83	17.49	52.01			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TX




EUT_V_1TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.54024G	51.05	83.54	-32.49	47.72	1	Horizontal	29	1.29	-	37.84	17.50	52.01			
AV	20.53794G	40.01	63.54	-23.53	36.70	1	Horizontal	29	1.29	-	37.83	17.49	52.01			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
SET 86
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9218G	75.36	88.20	-12.84	66.42	3	Vertical	6	1.80	-	35.39	6.36	32.81			
RMS	5.925G	64.08	68.20	-4.12	55.13	3	Vertical	6	1.80	-	35.40	6.36	32.81			
PK	5.9918G	107.14	Inf	-Inf	98.08	3	Vertical	6	1.80	-	35.50	6.40	32.84			
RMS	5.9962G	95.79	Inf	-Inf	86.73	3	Vertical	6	1.80	-	35.50	6.40	32.84			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
SET 86
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9234G	79.96	88.20	-8.24	71.02	3	Horizontal	2	1.80	-	35.39	6.36	32.81			
RMS	5.925G	67.79	68.20	-0.41	58.84	3	Horizontal	2	1.80	-	35.40	6.36	32.81			
PK	6.0138G	109.16	Inf	-Inf	100.06	3	Horizontal	2	1.80	-	35.53	6.41	32.84			
RMS	6.0002G	97.92	Inf	-Inf	88.86	3	Horizontal	2	1.80	-	35.50	6.40	32.84			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
Setting 86
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96964G	54.24	74.00	-19.76	49.50	3	Vertical	55	1.80	-	38.87	9.09	43.22			
AV	11.98491G	41.68	54.00	-12.32	36.93	3	Vertical	55	1.80	-	38.88	9.09	43.22			
PK	17.96064G	61.10	74.00	-12.90	47.77	3	Vertical	210	1.80	-	43.10	11.48	41.25			
AV	17.95527G	48.62	54.00	-5.38	35.32	3	Vertical	210	1.80	-	43.08	11.48	41.26			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT Y_1TX
Setting 86
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96637G	54.39	74.00	-19.61	49.66	3	Horizontal	60	1.00	-	38.87	9.09	43.23			
AV	11.95932G	42.64	54.00	-11.36	37.93	3	Horizontal	60	1.00	-	38.86	9.08	43.23			
PK	17.94879G	60.71	74.00	-13.29	47.46	3	Horizontal	277	1.80	-	43.04	11.48	41.27			
AV	17.94807G	48.66	54.00	-5.34	35.41	3	Horizontal	277	1.80	-	43.04	11.48	41.27			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_V_1TX
Setting 86
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.92899G	47.05	83.54	-36.49	39.47	1	Vertical	360	1.80	-	38.80	19.01	50.23			
AV	23.9541G	35.41	63.54	-28.13	27.81	1	Vertical	360	1.80	-	38.80	19.02	50.22			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TX




EUT_V_1TX
Setting 86
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.92992G	46.91	83.54	-36.63	39.33	1	Horizontal	104	2.09	-	38.80	19.01	50.23			
AV	23.94975G	34.95	63.54	-28.59	27.35	1	Horizontal	104	2.09	-	38.80	19.02	50.22			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_V_1TX
Setting 108
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.29894G	57.53	74.00	-16.47	52.69	3	Vertical	8	1.80	-	38.80	9.22	43.18			
AV	12.29576G	44.74	54.00	-9.26	39.90	3	Vertical	8	1.80	-	38.80	9.22	43.18			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_Y_1TX
Setting 108
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.2933G	56.47	74.00	-17.53	51.62	3	Horizontal	294	1.80	-	38.81	9.22	43.18			
AV	12.28001G	43.83	54.00	-10.17	38.98	3	Horizontal	294	1.80	-	38.82	9.21	43.18			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_V_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.43593G	47.18	83.54	-36.36	43.20	1	Vertical	24	1.83	-	37.57	16.62	50.21			
AV	18.42336G	34.47	63.54	-29.07	30.48	1	Vertical	24	1.83	-	37.57	16.61	50.19			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6225MHz_TX




EUT_V_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.44511G	47.83	83.54	-35.71	43.85	1	Horizontal	247	2.95	-	37.58	16.62	50.22			
AV	18.43254G	34.56	63.54	-28.98	30.58	1	Horizontal	247	2.95	-	37.57	16.62	50.21			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT Y_1TX
Setting 108
01-R-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7771G	56.59	88.20	-31.61	50.49	3	Vertical	350	1.80	-	39.56	9.41	42.87			
RMS	12.77798G	44.89	68.20	-23.31	38.79	3	Vertical	350	1.80	-	39.56	9.41	42.87			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT V_1TX
Setting 108
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.78086G	58.04	88.20	-30.16	51.94	3	Horizontal	54	2.94	-	39.56	9.41	42.87			
RMS	12.7775G	45.33	68.20	-22.87	39.24	3	Horizontal	54	2.94	-	39.55	9.41	42.87			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_V_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.16001G	46.58	83.54	-36.96	43.09	1	Vertical	328	1.60	-	37.56	16.92	50.99			
AV	19.16793G	34.05	63.54	-29.49	30.56	1	Vertical	328	1.60	-	37.57	16.92	51.00			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TX




EUT_V_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.15188G	47.39	83.54	-36.15	43.90	1	Horizontal	70	1.41	-	37.56	16.91	50.98			
AV	19.16667G	34.27	63.54	-29.27	30.78	1	Horizontal	70	1.41	-	37.57	16.92	51.00			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT Y_1TX
Setting 108
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.23992G	55.23	88.20	-32.97	48.09	3	Vertical	125	1.52	-	40.24	9.60	42.70			
RMS	13.24373G	43.38	68.20	-24.82	36.24	3	Vertical	125	1.52	-	40.24	9.60	42.70			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT V_1TX
Setting 108
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.2398G	55.36	88.20	-32.84	48.22	3	Horizontal	20	1.80	-	40.24	9.60	42.70			
RMS	13.23932G	43.59	68.20	-24.61	36.45	3	Horizontal	20	1.80	-	40.24	9.60	42.70			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_V_1TX
Setting 108
01-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.86138G	46.30	83.54	-37.24	43.35	1	Vertical	237	1.80	-	37.51	17.20	51.76			
AV	19.86282G	34.34	63.54	-29.20	31.39	1	Vertical	237	1.80	-	37.51	17.20	51.76			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT V_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.86093G	45.96	83.54	-37.58	43.01	1	Horizontal	270	1.99	-	37.51	17.20	51.76			
AV	19.87224G	33.98	63.54	-29.56	31.04	1	Horizontal	270	1.99	-	37.50	17.21	51.77			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT Y_1TX
Setting 108
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40133G	56.26	88.20	-31.94	48.94	3	Vertical	28	1.80	-	40.40	9.66	42.74			
RMS	13.41606G	43.55	68.20	-24.65	36.22	3	Vertical	28	1.80	-	40.40	9.67	42.74			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_V_1TX
Setting 108
01-R-A-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40364G	55.82	88.20	-32.38	48.50	3	Horizontal	200	1.80	-	40.40	9.66	42.74			
RMS	13.40943G	43.00	68.20	-25.20	35.68	3	Horizontal	200	1.80	-	40.40	9.66	42.74			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_V_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11497G	46.21	83.54	-37.33	43.33	1	Vertical	347	2.40	-	37.49	17.31	51.92			
AV	20.10432G	33.74	63.54	-29.80	30.87	1	Vertical	347	2.40	-	37.48	17.31	51.92			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT V_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.10834G	45.87	83.54	-37.67	42.99	1	Horizontal	90	2.36	-	37.49	17.31	51.92			
AV	20.10279G	33.68	63.54	-29.86	30.82	1	Horizontal	90	2.36	-	37.48	17.30	51.92			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT Y_1TX
Setting 108
01-R-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5583G	57.43	88.20	-30.77	50.04	3	Vertical	29	1.86	-	40.40	9.72	42.73			
RMS	13.57009G	44.68	68.20	-23.52	37.27	3	Vertical	29	1.86	-	40.40	9.73	42.72			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_V_1TX
Setting 108
01-R-A-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5787G	57.19	88.20	-31.01	49.77	3	Horizontal	306	1.80	-	40.40	9.73	42.71			
RMS	13.5727G	44.65	68.20	-23.55	37.24	3	Horizontal	306	1.80	-	40.40	9.73	42.72			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_V_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35644G	46.41	83.54	-37.13	43.32	1	Vertical	360	1.80	-	37.64	17.42	51.97			
AV	20.37G	34.24	63.54	-29.30	31.14	1	Vertical	360	1.80	-	37.65	17.42	51.97			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_V_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.36298G	46.15	83.54	-37.39	43.05	1	Horizontal	199	2.35	-	37.65	17.42	51.97			
AV	20.36754G	33.81	63.54	-29.73	30.71	1	Horizontal	199	2.35	-	37.65	17.42	51.97			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
Setting 82
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	75.06	88.20	-13.14	66.13	3	Vertical	360	1.80	-	35.38	6.36	32.81			
RMS	5.9226G	63.78	68.20	-4.42	54.84	3	Vertical	360	1.80	-	35.39	6.36	32.81			
PK	6.0042G	102.46	Inf	-Inf	93.39	3	Vertical	360	1.80	-	35.51	6.40	32.84			
RMS	5.9994G	92.10	Inf	-Inf	83.04	3	Vertical	360	1.80	-	35.50	6.40	32.84			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Y_1TX
Setting 82
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9154G	79.36	88.20	-8.84	70.45	3	Horizontal	0	2.12	-	35.36	6.36	32.81			
RMS	5.9226G	68.18	68.20	-0.02	59.24	3	Horizontal	0	2.12	-	35.39	6.36	32.81			
PK	6.0074G	106.62	Inf	-Inf	97.55	3	Horizontal	0	2.12	-	35.51	6.40	32.84			
RMS	5.9962G	95.66	Inf	-Inf	86.60	3	Horizontal	0	2.12	-	35.50	6.40	32.84			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Y_1TX
Setting 82
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.0452G	54.81	74.00	-19.19	50.05	3	Vertical	344	2.32	-	38.85	9.12	43.21			
AV	12.06374G	43.64	54.00	-10.36	38.88	3	Vertical	344	2.32	-	38.84	9.13	43.21			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT V_1TX
Setting 82
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.06101G	54.36	74.00	-19.64	49.61	3	Horizontal	223	1.44	-	38.84	9.12	43.21			
AV	12.04301G	44.17	54.00	-9.83	39.40	3	Horizontal	223	1.44	-	38.86	9.12	43.21			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_V_1TX
Setting 82
01-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	24.09151G	47.42	97.74	-50.32	39.68	1	Vertical	165	1.80	-	38.80	19.07	50.13			
AV	24.08554G	36.87	77.74	-40.87	29.13	1	Vertical	165	1.80	-	38.80	19.07	50.13			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_V_1TX
Setting 82
01-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	24.09256G	47.64	97.74	-50.10	39.90	1	Horizontal	104	1.80	-	38.80	19.07	50.13			
AV	24.10036G	36.72	77.74	-41.02	28.96	1	Horizontal	104	1.80	-	38.80	19.08	50.12			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT Y_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38431G	56.64	74.00	-17.36	51.59	3	Vertical	8	1.80	-	38.97	9.25	43.17			
AV	12.38104G	45.87	54.00	-8.13	40.83	3	Vertical	8	1.80	-	38.96	9.25	43.17			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT Y_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.38377G	57.50	74.00	-16.50	52.45	3	Horizontal	347	1.77	-	38.97	9.25	43.17			
AV	12.38116G	46.54	54.00	-7.46	41.50	3	Horizontal	347	1.77	-	38.96	9.25	43.17			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_V_1TX
Setting 108
01-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.56466G	46.77	83.54	-36.77	42.83	1	Vertical	31	1.80	-	37.63	16.67	50.36			
AV	18.56016G	35.51	63.54	-28.03	31.58	1	Vertical	31	1.80	-	37.62	16.67	50.36			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_V_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.54732G	46.28	83.54	-37.26	42.35	1	Horizontal	182	2.42	-	37.62	16.66	50.35			
AV	18.54195G	36.01	63.54	-27.53	32.07	1	Horizontal	182	2.42	-	37.62	16.66	50.34			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_V_1TX
Setting 108
01-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69316G	54.86	74.00	-19.14	49.05	3	Vertical	82	2.05	-	39.39	9.38	42.96			
AV	12.69255G	44.61	54.00	-9.39	38.80	3	Vertical	82	2.05	-	39.39	9.38	42.96			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_V_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.69401G	55.12	74.00	-18.88	49.31	3	Horizontal	89	1.14	-	39.39	9.38	42.96			
AV	12.68876G	44.37	54.00	-9.63	38.57	3	Horizontal	89	1.14	-	39.38	9.38	42.96			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_V_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.04523G	47.24	83.54	-36.30	43.70	1	Vertical	266	1.87	-	37.52	16.87	50.85			
AV	19.02753G	37.19	63.54	-26.35	33.65	1	Vertical	266	1.87	-	37.51	16.86	50.83			

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_V_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.04559G	48.02	83.54	-35.52	44.48	1	Horizontal	12	1.56	-	37.52	16.87	50.85			
AV	19.0296G	37.33	63.54	-26.21	33.80	1	Horizontal	12	1.56	-	37.51	16.86	50.84			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT Y_1TX
Setting 108
01-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.31749G	56.77	74.00	-17.23	49.54	3	Vertical	190	1.80	-	40.32	9.63	42.72			
AV	13.3393G	45.53	54.00	-8.47	38.27	3	Vertical	190	1.80	-	40.34	9.64	42.72			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_V_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.34437G	55.96	74.00	-18.04	48.71	3	Horizontal	360	2.07	-	40.34	9.64	42.73			
AV	13.33201G	45.69	54.00	-8.31	38.45	3	Horizontal	360	2.07	-	40.33	9.63	42.72			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_V_1TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.99539G	45.35	83.54	-38.19	42.59	1	Vertical	222	1.73	-	37.40	17.26	51.90			
AV	19.98135G	34.70	63.54	-28.84	31.92	1	Vertical	222	1.73	-	37.41	17.25	51.88			

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_V_1TX
Setting 108
01-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.98624G	45.55	83.54	-37.99	42.78	1	Horizontal	132	1.63	-	37.41	17.25	51.89			
AV	20.00322G	35.01	63.54	-28.53	32.25	1	Horizontal	132	1.63	-	37.40	17.26	51.90			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_V_2TX
Setting 95
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9246G	76.27	88.20	-11.93	67.32	3	Vertical	7	1.74	-	35.40	6.36	32.81			
RMS	5.925G	62.54	68.20	-5.66	53.59	3	Vertical	7	1.74	-	35.40	6.36	32.81			
PK	5.9572G	115.75	Inf	-Inf	106.69	3	Vertical	7	1.74	-	35.50	6.38	32.82			
RMS	5.954G	101.27	Inf	-Inf	92.21	3	Vertical	7	1.74	-	35.50	6.38	32.82			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_V_2TX
Setting 95
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9248G	80.25	88.20	-7.95	71.30	3	Horizontal	360	1.80	-	35.40	6.36	32.81			
RMS	5.925G	67.42	68.20	-0.78	58.47	3	Horizontal	360	1.80	-	35.40	6.36	32.81			
PK	5.956G	118.08	Inf	-Inf	109.02	3	Horizontal	360	1.80	-	35.50	6.38	32.82			
RMS	5.9574G	107.38	Inf	-Inf	98.32	3	Horizontal	360	1.80	-	35.50	6.38	32.82			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT Y_2TX
Setting 95
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9097G	55.89	74.00	-18.11	51.25	3	Vertical	15	1.80	-	38.81	9.06	43.23			
AV	11.90967G	43.64	54.00	-10.36	39.00	3	Vertical	15	1.80	-	38.81	9.06	43.23			
PK	17.85915G	61.63	74.00	-12.37	48.92	3	Vertical	321	1.86	-	42.68	11.44	41.41			
AV	17.86812G	48.99	54.00	-5.01	36.24	3	Vertical	321	1.86	-	42.70	11.45	41.40			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT Y_2TX
Setting 95
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91009G	58.32	74.00	-15.68	53.68	3	Horizontal	11	1.79	-	38.81	9.06	43.23			
AV	11.90982G	45.73	54.00	-8.27	41.09	3	Horizontal	11	1.79	-	38.81	9.06	43.23			
PK	17.85594G	61.03	74.00	-12.97	48.33	3	Horizontal	29	2.52	-	42.67	11.44	41.41			
AV	17.86755G	48.40	54.00	-5.60	35.65	3	Horizontal	29	2.52	-	42.70	11.45	41.40			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_V_2TX
Setting 95
01-F-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.80698G	50.59	83.54	-32.95	43.12	1	Vertical	255	2.86	-	38.80	18.95	50.28			
AV	23.80563G	36.77	63.54	-26.77	29.30	1	Vertical	255	2.86	-	38.80	18.95	50.28			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_V_2TX
Setting 95
01-F-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82771G	50.97	83.54	-32.57	43.48	1	Horizontal	260	2.10	-	38.80	18.96	50.27			
AV	23.805G	36.45	63.54	-27.09	28.98	1	Horizontal	260	2.10	-	38.80	18.95	50.28			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 108
01-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3572G	55.70	74.00	-18.30	50.72	3	Vertical	53	2.17	-	38.91	9.24	43.17			
AV	12.35117G	43.73	54.00	-10.27	38.76	3	Vertical	53	2.17	-	38.90	9.24	43.17			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.34949G	59.26	74.00	-14.74	54.29	3	Horizontal	346	1.79	-	38.90	9.24	43.17			
AV	12.3494G	46.80	54.00	-7.20	41.83	3	Horizontal	346	1.79	-	38.90	9.24	43.17			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 108
01-F-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5196G	63.27	83.54	-20.27	59.33	1	Vertical	25	1.91	-	37.61	16.65	50.32			
AV	18.52467G	48.18	63.54	-15.36	44.23	1	Vertical	25	1.91	-	37.61	16.66	50.32			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6195MHz_TX




EUT_Y_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.52581G	63.52	83.54	-20.02	59.58	1	Horizontal	331.3	2.10	-	37.61	16.66	50.33			
AV	18.52464G	48.24	63.54	-15.30	44.29	1	Horizontal	331.3	2.10	-	37.61	16.66	50.32			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT V_2TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.83288G	61.20	88.20	-27.00	54.96	3	Vertical	350	1.78	-	39.63	9.43	42.82			
RMS	12.83045G	48.92	68.20	-19.28	42.68	3	Vertical	350	1.78	-	39.63	9.43	42.82			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TX



EUT_V_2TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.82541G	60.16	88.20	-28.04	53.92	3	Horizontal	342	1.55	-	39.63	9.43	42.82			
RMS	12.83066G	48.09	68.20	-20.11	41.85	3	Horizontal	342	1.55	-	39.63	9.43	42.82			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TX



EUT_V_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24353G	62.34	83.54	-21.20	58.88	1	Vertical	281	2.04	-	37.60	16.95	51.09			
AV	19.24245G	47.50	63.54	-16.04	44.04	1	Vertical	281	2.04	-	37.60	16.95	51.09			

5.925-6.425GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT_V_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24254G	62.81	83.54	-20.73	59.35	1	Horizontal	38.6	1.95	-	37.60	16.95	51.09			
AV	19.24251G	47.48	63.54	-16.06	44.02	1	Horizontal	38.6	1.95	-	37.60	16.95	51.09			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TX




EUT_V_2TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.061846	60.34	88.20	-27.86	53.52	3	Vertical	350	2.95	-	39.96	9.52	42.66			
RMS	13.06946G	47.42	68.20	-20.78	40.59	3	Vertical	350	2.95	-	39.97	9.53	42.67			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TX



EUT_V_2TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.07159G	59.73	88.20	-28.47	52.90	3	Horizontal	46	1.79	-	39.97	9.53	42.67			
RMS	13.06946G	47.41	68.20	-20.79	40.58	3	Horizontal	46	1.79	-	39.97	9.53	42.67			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TX




EUT_V_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60716G	62.93	83.54	-20.61	59.68	1	Vertical	281	2.83	-	37.66	17.10	51.51			
AV	19.60722G	47.55	63.54	-15.99	44.30	1	Vertical	281	2.83	-	37.66	17.10	51.51			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TX




EUT_V_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60008G	63.61	83.54	-19.93	60.35	1	Horizontal	41.7	1.95	-	37.66	17.10	51.50			
AV	19.60728G	48.00	63.54	-15.54	44.75	1	Horizontal	41.7	1.95	-	37.66	17.10	51.51			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT_V_2TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.37686G	58.63	74.00	-15.37	51.33	3	Vertical	31	2.93	-	40.38	9.65	42.73			
AV	13.38907G	46.30	54.00	-7.70	38.99	3	Vertical	31	2.93	-	40.39	9.66	42.74			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT_V_2TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.37776G	56.89	74.00	-17.11	49.59	3	Horizontal	61	1.27	-	40.38	9.65	42.73			
AV	13.38976G	44.97	54.00	-9.03	37.66	3	Horizontal	61	1.27	-	40.39	9.66	42.74			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT V_2TX
Setting
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08161G	64.52	83.54	-19.02	61.67	1	Vertical	71	1.03	-	37.47	17.30	51.92			
AV	20.08746G	49.01	63.54	-14.53	46.16	1	Vertical	71	1.03	-	37.47	17.30	51.92			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT_V_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08176G	63.85	83.54	-19.69	61.00	1	Horizontal	243	2.54	-	37.47	17.30	51.92			
AV	20.08737G	49.01	63.54	-14.53	46.16	1	Horizontal	243	2.54	-	37.47	17.30	51.92			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.70922G	57.92	88.20	-30.28	43.15	3	Vertical	76	2.73	-	40.31	9.45	34.99			
RMS	13.69503G	45.74	68.20	-22.46	30.97	3	Vertical	76	2.73	-	40.30	9.45	34.98			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.69569G	58.38	88.20	-29.82	43.61	3	Horizontal	303	2.84	-	40.30	9.45	34.98			
RMS	13.69503G	45.98	68.20	-22.22	31.21	3	Horizontal	303	2.84	-	40.30	9.45	34.98			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 108
04-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.55526G	51.45	83.54	-32.09	48.05	1	Vertical	103	2.53	-	37.91	17.50	52.01			
AV	20.55728G	38.47	63.54	-25.07	35.07	1	Vertical	103	2.53	-	37.91	17.50	52.01			

6.525-6.875GHz_802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TX




EUT_Y_2TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.57342G	51.30	83.54	-32.24	47.85	1	Horizontal	131	2.83	-	37.95	17.51	52.01			
AV	20.55556G	38.46	63.54	-25.08	35.06	1	Horizontal	131	2.83	-	37.91	17.50	52.01			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_V_2TX
Setting 83
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9244G	79.98	88.20	-8.22	71.03	3	Vertical	10	1.80	-	35.40	6.36	32.81			
RMS	5.925G	67.05	68.20	-1.15	58.10	3	Vertical	10	1.80	-	35.40	6.36	32.81			
PK	5.9664G	110.63	Inf	-Inf	101.58	3	Vertical	10	1.80	-	35.50	6.38	32.83			
RMS	5.9802G	100.14	Inf	-Inf	91.08	3	Vertical	10	1.80	-	35.50	6.39	32.83			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_V_2TX
Setting 83
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	81.06	88.20	-7.14	72.12	3	Horizontal	360	1.80	-	35.39	6.36	32.81			
RMS	5.925G	67.92	68.20	-0.28	58.97	3	Horizontal	360	1.80	-	35.40	6.36	32.81			
PK	5.9532G	113.31	Inf	-Inf	104.25	3	Horizontal	360	1.80	-	35.50	6.38	32.82			
RMS	5.9826G	102.20	Inf	-Inf	93.14	3	Horizontal	360	1.80	-	35.50	6.39	32.83			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT Y_2TX
Setting 83
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93084G	55.04	74.00	-18.96	50.37	3	Vertical	278	1.28	-	38.83	9.07	43.23			
AV	11.94482G	42.40	54.00	-11.60	37.71	3	Vertical	278	1.28	-	38.84	9.08	43.23			
PK	17.88675G	62.12	74.00	-11.88	49.28	3	Vertical	57	1.80	-	42.76	11.45	41.37			
AV	17.90979G	48.76	54.00	-5.24	35.78	3	Vertical	57	1.80	-	42.85	11.46	41.33			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_V_2TX
Setting 83
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93696G	54.19	74.00	-19.81	49.51	3	Horizontal	231	2.28	-	38.84	9.07	43.23			
AV	11.94365G	42.35	54.00	-11.65	37.66	3	Horizontal	231	2.28	-	38.84	9.08	43.23			
PK	17.88039G	61.95	74.00	-12.05	49.14	3	Horizontal	281	2.00	-	42.74	11.45	41.38			
AV	17.88507G	48.83	54.00	-5.17	35.99	3	Horizontal	281	2.00	-	42.76	11.45	41.37			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_V_2TX
Setting 83
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.84707G	49.18	83.54	-34.36	41.67	1	Vertical	3	2.42	-	38.80	18.97	50.26			
AV	23.87263G	37.48	63.54	-26.06	29.95	1	Vertical	3	2.42	-	38.80	18.98	50.25			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_V_2TX
Setting 83
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.86927G	49.95	83.54	-33.59	42.42	1	Horizontal	234	1.65	-	38.80	18.98	50.25			
AV	23.87281G	37.51	63.54	-26.03	29.98	1	Horizontal	234	1.65	-	38.80	18.98	50.25			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.32715G	60.02	74.00	-13.98	55.11	3	Vertical	8	1.80	-	38.85	9.23	43.17			
AV	12.3306G	47.69	54.00	-6.31	42.77	3	Vertical	8	1.80	-	38.86	9.23	43.17			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.33G	59.91	74.00	-14.09	54.99	3	Horizontal	296	1.80	-	38.86	9.23	43.17			
AV	12.32838G	46.98	54.00	-7.02	42.06	3	Horizontal	296	1.80	-	38.86	9.23	43.17			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.49992G	59.70	83.54	-23.84	55.76	1	Vertical	22	2.65	-	37.60	16.64	50.30			
AV	18.48747G	47.53	63.54	-16.01	43.58	1	Vertical	22	2.65	-	37.59	16.64	50.28			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Y_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.5085G	61.69	83.54	-21.85	57.75	1	Horizontal	343.9	1.60	-	37.60	16.65	50.31			
AV	18.48882G	48.14	63.54	-15.40	44.18	1	Horizontal	343.9	1.60	-	37.60	16.64	50.28			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.81084G	62.34	88.20	-25.86	56.15	3	Vertical	351	1.91	-	39.61	9.42	42.84			
RMS	12.80592G	48.55	68.20	-19.65	42.36	3	Vertical	351	1.91	-	39.61	9.42	42.84			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.80736G	61.43	88.20	-26.77	55.24	3	Horizontal	171	2.20	-	39.61	9.42	42.84			
RMS	12.80922G	49.33	68.20	-18.87	43.14	3	Horizontal	171	2.20	-	39.61	9.42	42.84			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.22493G	54.36	83.54	-29.18	50.90	1	Vertical	60	1.59	-	37.59	16.94	51.07			
AV	19.21809G	41.90	63.54	-21.64	38.43	1	Vertical	60	1.59	-	37.59	16.94	51.06			

5.925-6.425GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_V_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.22496G	54.59	83.54	-28.95	51.13	1	Horizontal	291	2.61	-	37.59	16.94	51.07			
AV	19.21986G	41.87	63.54	-21.67	38.40	1	Horizontal	291	2.61	-	37.59	16.94	51.06			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT V_2TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13432G	58.74	88.20	-29.46	51.80	3	Vertical	4	1.78	-	40.07	9.55	42.68			
RMS	13.1309G	46.16	68.20	-22.04	39.23	3	Vertical	4	1.78	-	40.06	9.55	42.68			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.14011G	57.87	88.20	-30.33	50.91	3	Horizontal	147	1.65	-	40.08	9.56	42.68			
RMS	13.14332G	44.34	68.20	-23.86	37.37	3	Horizontal	147	1.65	-	40.09	9.56	42.68			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TX



EUT_V_2TX
Setting 108
01-F-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.683G	50.27	83.54	-33.27	47.09	1	Horizontal	93	1.88	-	37.63	17.13	51.58			
AV	19.68099G	37.90	63.54	-25.64	34.72	1	Horizontal	93	1.88	-	37.63	17.13	51.58			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT_V_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.68099G	50.44	83.54	-33.10	47.26	1	Horizontal	21	1.96	-	37.63	17.13	51.58			
AV	19.68924G	37.73	63.54	-25.81	34.57	1	Horizontal	21	1.96	-	37.62	17.13	51.59			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT V_2TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.37117G	57.53	74.00	-16.47	50.24	3	Vertical	27	1.80	-	40.37	9.65	42.73			
AV	13.36847G	44.90	54.00	-9.10	37.61	3	Vertical	27	1.80	-	40.37	9.65	42.73			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 108
01-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36241G	56.36	74.00	-17.64	49.09	3	Horizontal	334	1.80	-	40.36	9.64	42.73			
AV	13.36856G	44.09	54.00	-9.91	36.80	3	Horizontal	334	1.80	-	40.37	9.65	42.73			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.05671G	49.10	83.54	-34.44	46.28	1	Vertical	186	1.03	-	37.45	17.28	51.91			
AV	20.04804G	36.87	63.54	-26.67	34.06	1	Vertical	186	1.03	-	37.44	17.28	51.91			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT_V_2TX
Setting 108
01-F-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05389G	48.33	83.54	-35.21	45.52	1	Horizontal	297	2.69	-	37.44	17.28	51.91			
AV	20.05851G	36.64	63.54	-26.90	33.81	1	Horizontal	297	2.69	-	37.45	17.29	51.91			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.69423G	57.83	88.20	-30.37	43.06	3	Vertical	282	2.35	-	40.29	9.45	34.97			
RMS	13.68343G	46.62	68.20	-21.58	31.87	3	Vertical	282	2.35	-	40.28	9.44	34.97			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 108
04-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.67569G	58.07	88.20	-30.13	43.31	3	Horizontal	227	2.92	-	40.28	9.44	34.96			
RMS	13.68523G	46.85	68.20	-21.35	32.09	3	Horizontal	227	2.92	-	40.29	9.44	34.97			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.53536G	50.72	83.54	-32.82	47.43	1	Vertical	185	1.21	-	37.81	17.49	52.01			
AV	20.545G	40.28	63.54	-23.26	36.92	1	Vertical	185	1.21	-	37.87	17.50	52.01			

6.525-6.875GHz_802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT_Y_2TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.52834G	50.79	83.54	-32.75	47.54	1	Horizontal	127	2.58	-	37.77	17.49	52.01			
AV	20.53274G	40.21	63.54	-23.33	36.93	1	Horizontal	127	2.58	-	37.80	17.49	52.01			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_V_2TX
Setting 83
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.923G	77.01	88.20	-11.19	68.07	3	Vertical	4	1.80	-	35.39	6.36	32.81			
RMS	5.9234G	65.37	68.20	-2.83	56.43	3	Vertical	4	1.80	-	35.39	6.36	32.81			
PK	6.0122G	108.08	Inf	-Inf	98.99	3	Vertical	4	1.80	-	35.52	6.41	32.84			
RMS	5.9986G	98.09	Inf	-Inf	89.03	3	Vertical	4	1.80	-	35.50	6.40	32.84			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_V_2TX
Setting 83
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9214G	80.43	88.20	-7.77	71.49	3	Horizontal	360	1.80	-	35.39	6.36	32.81			
RMS	5.925G	68.07	68.20	-0.13	59.12	3	Horizontal	360	1.80	-	35.40	6.36	32.81			
PK	6.0138G	110.98	Inf	-Inf	101.88	3	Horizontal	360	1.80	-	35.53	6.41	32.84			
RMS	6.0162G	100.32	Inf	-Inf	91.22	3	Horizontal	360	1.80	-	35.53	6.41	32.84			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_V_2TX
Setting 83
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.95515G	54.60	74.00	-19.40	49.89	3	Vertical	138	1.00	-	38.86	9.08	43.23			
AV	11.96082G	44.77	54.00	-9.23	40.06	3	Vertical	138	1.00	-	38.86	9.08	43.23			
PK	17.95506G	61.60	74.00	-12.40	48.30	3	Vertical	356	2.20	-	43.08	11.48	41.26			
AV	17.94897G	49.86	54.00	-4.14	36.61	3	Vertical	356	2.20	-	43.04	11.48	41.27			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_V_2TX
Setting 83
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.95776G	55.42	74.00	-18.58	50.71	3	Horizontal	88	2.58	-	38.86	9.08	43.23			
AV	11.9775G	44.97	54.00	-9.03	40.22	3	Horizontal	88	2.58	-	38.88	9.09	43.22			
PK	17.95365G	62.00	74.00	-12.00	48.71	3	Horizontal	30	1.67	-	43.07	11.48	41.26			
AV	17.94723G	49.49	54.00	-4.51	36.24	3	Horizontal	30	1.67	-	43.04	11.48	41.27			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_V_2TX
Setting 83
01-F-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.9415G	50.09	83.54	-33.45	42.50	1	Vertical	257	2.08	-	38.80	19.01	50.22			
AV	23.93508G	38.73	63.54	-24.81	31.15	1	Vertical	257	2.08	-	38.80	19.01	50.23			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_V_2TX
Setting 83
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.93343G	49.80	83.54	-33.74	42.22	1	Horizontal	91	1.08	-	38.80	19.01	50.23			
AV	23.95122G	38.98	63.54	-24.56	31.38	1	Horizontal	91	1.08	-	38.80	19.02	50.22			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 108
01-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3026G	58.47	74.00	-15.53	53.62	3	Vertical	347	1.80	-	38.81	9.22	43.18			
AV	12.28019G	49.31	54.00	-4.69	44.46	3	Vertical	347	1.80	-	38.82	9.21	43.18			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 108
01-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.28085G	58.93	74.00	-15.07	54.08	3	Horizontal	343	1.73	-	38.82	9.21	43.18			
AV	12.30038G	50.22	54.00	-3.78	45.38	3	Horizontal	343	1.73	-	38.80	9.22	43.18			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 108
01-F-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.44253G	51.28	83.54	-32.26	47.30	1	Vertical	289	2.44	-	37.58	16.62	50.22			
AV	18.44835G	40.82	63.54	-22.72	36.85	1	Vertical	289	2.44	-	37.58	16.62	50.23			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6225MHz_TX




EUT_Y_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.43251G	51.86	83.54	-31.68	47.88	1	Horizontal	229	2.82	-	37.57	16.62	50.21			
AV	18.44487G	41.10	63.54	-22.44	37.12	1	Horizontal	229	2.82	-	37.58	16.62	50.22			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT V_2TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.78356G	58.25	88.20	-29.95	52.14	3	Vertical	0	1.80	-	39.57	9.41	42.87			
RMS	12.78023G	50.58	68.20	-17.62	44.48	3	Vertical	0	1.80	-	39.56	9.41	42.87			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT_V_2TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.77963G	59.41	88.20	-28.79	53.31	3	Horizontal	24	1.80	-	39.56	9.41	42.87			
RMS	12.78029G	50.90	68.20	-17.30	44.80	3	Horizontal	24	1.80	-	39.56	9.41	42.87			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX



EUT_V_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.14243G	62.10	83.54	-21.44	58.60	1	Vertical	356.9	1.56	-	37.56	16.91	50.97			
AV	19.14246G	51.66	63.54	-11.88	48.16	1	Vertical	356.9	1.56	-	37.56	16.91	50.97			

5.925-6.425GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT_V_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.14246G	62.00	83.54	-21.54	58.50	1	Horizontal	39	1.62	-	37.56	16.91	50.97			
AV	19.14216G	51.99	63.54	-11.55	48.49	1	Horizontal	39	1.62	-	37.56	16.91	50.97			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TX




EUT V_2TX
Setting 108
01-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.25471G	56.27	74.00	-17.73	49.13	3	Vertical	360	2.38	-	40.25	9.60	42.71			
AV	13.2537G	46.63	54.00	-7.37	39.49	3	Vertical	360	2.38	-	40.25	9.60	42.71			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TX




EUT_V_2TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.25998G	56.85	74.00	-17.15	49.70	3	Horizontal	332	1.39	-	40.26	9.60	42.71			
AV	13.25945G	47.66	54.00	-6.34	40.51	3	Horizontal	332	1.39	-	40.26	9.60	42.71			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TX




EUT_V_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.87281G	52.18	83.54	-31.36	49.24	1	Vertical	34	1.25	-	37.50	17.21	51.77			
AV	19.8621G	41.86	63.54	-21.68	38.91	1	Vertical	34	1.25	-	37.51	17.20	51.76			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TX




EUT_V_2TX
Setting 108
01-F-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.878G	51.96	83.54	-31.58	49.03	1	Horizontal	223	1.80	-	37.50	17.21	51.78			
AV	19.86201G	41.76	63.54	-21.78	38.81	1	Horizontal	223	1.80	-	37.51	17.20	51.76			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TX




EUT_V_2TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.4169G	56.16	88.20	-32.04	48.83	3	Vertical	354	1.10	-	40.40	9.67	42.74			
RMS	13.41096G	46.47	68.20	-21.73	39.15	3	Vertical	354	1.10	-	40.40	9.66	42.74			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TX




EUT_V_2TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.4244G	56.16	88.20	-32.04	48.83	3	Horizontal	112	2.85	-	40.40	9.67	42.74			
RMS	13.41885G	46.68	68.20	-21.52	39.35	3	Horizontal	112	2.85	-	40.40	9.67	42.74			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TX




EUT_V_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.12976G	56.59	83.54	-26.95	53.70	1	Vertical	207	2.05	-	37.50	17.32	51.93			
AV	20.10051G	45.61	63.54	-17.93	42.75	1	Vertical	207	2.05	-	37.48	17.30	51.92			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TX




EUT_V_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.12001G	55.74	83.54	-27.80	52.85	1	Horizontal	126	2.98	-	37.50	17.31	51.92			
AV	20.12937G	45.45	63.54	-18.09	42.56	1	Horizontal	126	2.98	-	37.50	17.32	51.93			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TX




EUT_V_2TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.5787G	57.57	88.20	-30.63	50.15	3	Vertical	320	1.90	-	40.40	9.73	42.71			
RMS	13.57801G	48.12	68.20	-20.08	40.70	3	Vertical	320	1.90	-	40.40	9.73	42.71			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TX




EUT_V_2TX
Setting 108
01-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.57873G	57.88	88.20	-30.32	50.46	3	Horizontal	150	2.15	-	40.40	9.73	42.71			
RMS	13.58401G	48.09	68.20	-20.11	40.67	3	Horizontal	150	2.15	-	40.40	9.73	42.71			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TX




EUT_V_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.3538G	62.34	83.54	-21.20	59.26	1	Vertical	109	2.97	-	37.64	17.41	51.97			
AV	20.3502G	51.14	63.54	-12.40	48.06	1	Vertical	109	2.97	-	37.64	17.41	51.97			

6.525-6.875GHz_802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TX




EUT_V_2TX
Setting 108
01-F-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.34183G	61.47	83.54	-22.07	58.39	1	Horizontal	278	2.31	-	37.64	17.41	51.97			
AV	20.35251G	51.08	63.54	-12.46	48.00	1	Horizontal	278	2.31	-	37.64	17.41	51.97			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
Setting 81
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.909G	77.70	88.20	-10.50	68.81	3	Vertical	2	2.05	-	35.34	6.35	32.80			
RMS	5.9194G	64.20	68.20	-4.00	55.27	3	Vertical	2	2.05	-	35.38	6.36	32.81			
PK	6.017G	104.91	Inf	-Inf	95.81	3	Vertical	2	2.05	-	35.53	6.41	32.84			
RMS	5.9994G	94.05	Inf	-Inf	84.99	3	Vertical	2	2.05	-	35.50	6.40	32.84			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 81
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	82.36	88.20	-5.84	73.43	3	Horizontal	1	2.03	-	35.38	6.36	32.81			
RMS	5.921G	67.86	68.20	-0.34	58.93	3	Horizontal	1	2.03	-	35.38	6.36	32.81			
PK	5.9938G	106.26	Inf	-Inf	97.20	3	Horizontal	1	2.03	-	35.50	6.40	32.84			
RMS	6.0426G	96.72	Inf	-Inf	87.55	3	Horizontal	1	2.03	-	35.59	6.42	32.84			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT V_2TX
Setting 81
01-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.04172G	54.30	74.00	-19.70	49.53	3	Vertical	284	1.71	-	38.86	9.12	43.21			
AV	12.03647G	44.55	54.00	-9.45	39.79	3	Vertical	284	1.71	-	38.86	9.11	43.21			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 81
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.03665G	54.82	74.00	-19.18	50.06	3	Horizontal	65	2.40	-	38.86	9.11	43.21			
AV	12.03566G	44.83	54.00	-9.17	40.08	3	Horizontal	65	2.40	-	38.86	9.11	43.22			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 81
01-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.07983G	47.76	83.54	-35.78	43.50	1	Vertical	281	1.21	-	37.50	16.47	49.71			
AV	18.08742G	37.02	63.54	-26.52	32.76	1	Vertical	281	1.21	-	37.50	16.48	49.72			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_V_2TX
Setting 81
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.07542G	48.25	83.54	-35.29	43.99	1	Horizontal	62	2.37	-	37.50	16.47	49.71			
AV	18.087G	37.66	63.54	-25.88	33.40	1	Horizontal	62	2.37	-	37.50	16.48	49.72			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT V_2TX
Setting 108
01-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37363G	55.15	74.00	-18.85	50.12	3	Vertical	87	2.67	-	38.95	9.25	43.17			
AV	12.38128G	45.97	54.00	-8.03	40.93	3	Vertical	87	2.67	-	38.96	9.25	43.17			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT_V_2TX
Setting 108
01-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.37267G	55.14	74.00	-18.86	50.11	3	Horizontal	301	1.81	-	38.95	9.25	43.17			
AV	12.38128G	46.05	54.00	-7.95	41.01	3	Horizontal	301	1.81	-	38.96	9.25	43.17			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT_V_2TX
Setting 108
01-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5532G	47.61	83.54	-35.93	43.67	1	Vertical	230	2.41	-	37.62	16.67	50.35			
AV	18.54519G	36.66	63.54	-26.88	32.73	1	Vertical	230	2.41	-	37.62	16.66	50.35			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT_V_2TX
Setting 108
01-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.54111G	47.96	83.54	-35.58	44.02	1	Horizontal	312	1.49	-	37.62	16.66	50.34			
AV	18.54306G	37.12	63.54	-26.42	33.18	1	Horizontal	312	1.49	-	37.62	16.66	50.34			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.69066G	54.66	74.00	-19.34	48.86	3	Vertical	211	1.34	-	39.38	9.38	42.96			
AV	12.69693G	45.74	54.00	-8.26	39.92	3	Vertical	211	1.34	-	39.39	9.38	42.95			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT V_2TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.67773G	54.93	74.00	-19.07	49.17	3	Horizontal	164	2.00	-	39.36	9.37	42.97			
AV	12.69804G	45.81	54.00	-8.19	39.98	3	Horizontal	164	2.00	-	39.40	9.38	42.95			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.02894G	48.50	83.54	-35.04	44.96	1	Vertical	192	1.77	-	37.51	16.86	50.83			
AV	19.0443G	35.99	63.54	-27.55	32.45	1	Vertical	192	1.77	-	37.52	16.87	50.85			

5.925-6.425GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT_V_2TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.03782G	47.14	83.54	-36.40	43.60	1	Horizontal	279	2.11	-	37.52	16.87	50.85			
AV	19.02615G	36.03	63.54	-27.51	32.49	1	Horizontal	279	2.11	-	37.51	16.86	50.83			

6.525-6.875GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TX




EUT_V_2TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.33543G	56.44	74.00	-17.56	49.19	3	Vertical	296	1.80	-	40.34	9.63	42.72			
AV	13.3417G	46.60	54.00	-7.40	39.35	3	Vertical	296	1.80	-	40.34	9.64	42.73			

6.525-6.875GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TX




EUT_V_2TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.34218G	56.56	74.00	-17.44	49.31	3	Horizontal	65	2.24	-	40.34	9.64	42.73			
AV	13.33852G	47.92	54.00	-6.08	40.66	3	Horizontal	65	2.24	-	40.34	9.64	42.72			

6.525-6.875GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TX




EUT_V_2TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.98951G	56.27	83.54	-27.27	53.49	1	Vertical	208	2.42	-	37.41	17.26	51.89			
AV	19.99569G	45.29	63.54	-18.25	42.53	1	Vertical	208	2.42	-	37.40	17.26	51.90			

6.525-6.875GHz_802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TX




EUT_V_2TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.00232G	55.29	83.54	-28.25	52.53	1	Horizontal	248	2.13	-	37.40	17.26	51.90			
AV	19.98501G	45.66	63.54	-17.88	42.89	1	Horizontal	248	2.13	-	37.41	17.25	51.89			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
Setting 77
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9216G	69.63	88.20	-18.57	60.69	3	Vertical	355	2.48	-	35.39	6.36	32.81			
RMS	5.9214G	57.61	68.20	-10.59	48.67	3	Vertical	355	2.48	-	35.39	6.36	32.81			
PK	5.9564G	118.29	Inf	-Inf	109.23	3	Vertical	355	2.48	-	35.50	6.38	32.82			
RMS	5.9514G	107.83	Inf	-Inf	98.77	3	Vertical	355	2.48	-	35.50	6.38	32.82			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
Setting 77
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	71.18	88.20	-17.02	62.23	3	Horizontal	360	2.14	-	35.40	6.36	32.81			
RMS	5.925G	58.92	68.20	-9.28	49.97	3	Horizontal	360	2.14	-	35.40	6.36	32.81			
PK	5.9616G	119.32	Inf	-Inf	110.26	3	Horizontal	360	2.14	-	35.50	6.38	32.82			
RMS	5.9514G	108.80	Inf	-Inf	99.74	3	Horizontal	360	2.14	-	35.50	6.38	32.82			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 77
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90835G	55.00	74.00	-19.00	50.36	3	Vertical	19	1.80	-	38.81	9.06	43.23			
AV	11.90635G	45.49	54.00	-8.51	40.85	3	Vertical	19	1.80	-	38.81	9.06	43.23			
PK	17.86695G	61.79	74.00	-12.21	49.04	3	Vertical	356	1.80	-	42.70	11.45	41.40			
AV	17.86775G	52.45	54.00	-1.55	39.70	3	Vertical	356	1.80	-	42.70	11.45	41.40			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
Setting 77
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.8985G	56.86	74.00	-17.14	52.24	3	Horizontal	11	1.89	-	38.80	9.06	43.24			
AV	11.89795G	47.09	54.00	-6.91	42.47	3	Horizontal	11	1.89	-	38.80	9.06	43.24			
PK	17.86025G	63.50	74.00	-10.50	50.79	3	Horizontal	23	1.42	-	42.68	11.44	41.41			
AV	17.8693G	53.81	54.00	-0.19	41.04	3	Horizontal	23	1.42	-	42.71	11.45	41.39			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
Setting 77
01-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.83344G	50.06	83.54	-33.48	42.57	1	Vertical	261	1.02	-	38.80	18.96	50.27			
AV	23.8329G	38.93	63.54	-24.61	31.44	1	Vertical	261	1.02	-	38.80	18.96	50.27			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TX




EUT_Y_4TX
Setting 77
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.82009G	50.09	83.54	-33.45	42.60	1	Horizontal	120	1.37	-	38.80	18.96	50.27			
AV	23.81151G	39.32	63.54	-24.22	31.85	1	Horizontal	120	1.37	-	38.80	18.95	50.28			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 93
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.34979G	62.64	74.00	-11.36	57.67	3	Vertical	352	2.64	-	38.90	9.24	43.17			
AV	12.34867G	53.69	54.00	-0.31	48.72	3	Vertical	352	2.64	-	38.90	9.24	43.17			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_V_4TX
Setting 93
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.34895G	62.14	74.00	-11.86	57.17	3	Horizontal	344	1.80	-	38.90	9.24	43.17			
AV	12.34881G	53.12	54.00	-0.88	48.15	3	Horizontal	344	1.80	-	38.90	9.24	43.17			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 93
01-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.525G	63.32	83.54	-20.22	59.37	1	Vertical	160	2.49	-	37.61	16.66	50.32			
AV	18.52491G	52.34	63.54	-11.20	48.39	1	Vertical	160	2.49	-	37.61	16.66	50.32			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6195MHz_TX




EUT_Y_4TX
Setting 93
01-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5295G	62.90	83.54	-20.64	58.96	1	Horizontal	23.5	1.90	-	37.61	16.66	50.33			
AV	18.51975G	52.64	63.54	-10.90	48.70	1	Horizontal	23.5	1.90	-	37.61	16.65	50.32			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.83434G	66.11	88.20	-22.09	59.87	3	Vertical	109	2.59	-	39.63	9.43	42.82			
RMS	12.8286G	58.35	68.20	-9.85	52.11	3	Vertical	109	2.59	-	39.63	9.43	42.82			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 108
01-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82923G	67.53	88.20	-20.67	61.29	3	Horizontal	28	1.78	-	39.63	9.43	42.82			
RMS	12.82937G	59.08	68.20	-9.12	52.84	3	Horizontal	28	1.78	-	39.63	9.43	42.82			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.23792G	61.95	83.54	-21.59	58.49	1	Vertical	20.1	1.96	-	37.60	16.95	51.09			
AV	19.248G	51.85	63.54	-11.69	48.40	1	Vertical	20.1	1.96	-	37.60	16.95	51.10			

5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TX




EUT_V_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.248333G	65.45	83.54	-18.09	62.00	1	Horizontal	14.8	1.89	-	37.60	16.95	51.10			
AV	19.24299G	54.66	63.54	-8.88	51.20	1	Horizontal	14.8	1.89	-	37.60	16.95	51.09			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.07021G	63.82	88.20	-24.38	56.99	3	Vertical	26	1.20	-	39.97	9.53	42.67			
RMS	13.06979G	55.44	68.20	-12.76	48.61	3	Vertical	26	1.20	-	39.97	9.53	42.67			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.07007G	63.75	88.20	-24.45	56.92	3	Horizontal	54	1.17	-	39.97	9.53	42.67			
RMS	13.07028G	54.76	68.20	-13.44	47.93	3	Horizontal	54	1.17	-	39.97	9.53	42.67			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 108
05-Q-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60347G	64.55	83.54	-18.99	61.29	1	Vertical	21	1.50	-	37.66	17.10	51.50			
AV	19.60857G	54.24	63.54	-9.30	50.99	1	Vertical	21	1.50	-	37.66	17.10	51.51			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TX




EUT_V_4TX
Setting 108
05-Q-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60836G	65.91	83.54	-17.63	62.66	1	Horizontal	354	1.50	-	37.66	17.10	51.51			
AV	19.60551G	56.11	63.54	-7.43	52.86	1	Horizontal	354	1.50	-	37.66	17.10	51.51			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39154G	56.44	74.00	-17.56	49.13	3	Vertical	21	2.03	-	40.39	9.66	42.74			
AV	13.38692G	47.19	54.00	-6.81	39.89	3	Vertical	21	2.03	-	40.39	9.65	42.74			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 108
01-R-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39035G	56.59	74.00	-17.41	49.28	3	Horizontal	163	1.22	-	40.39	9.66	42.74			
AV	13.38888G	46.23	54.00	-7.77	38.92	3	Horizontal	163	1.22	-	40.39	9.66	42.74			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 108
05-Q-R-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.08227G	65.46	83.54	-18.08	62.61	1	Vertical	18	1.49	-	37.47	17.30	51.92			
AV	20.08683G	54.77	63.54	-8.77	51.92	1	Vertical	18	1.49	-	37.47	17.30	51.92			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TX




EUT_V_4TX
Setting 108
05-Q-R-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08206G	66.55	83.54	-16.99	63.70	1	Horizontal	28	1.48	-	37.47	17.30	51.92			
AV	20.08032G	56.29	63.54	-7.25	53.46	1	Horizontal	28	1.48	-	37.46	17.29	51.92			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_V_4TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.71735G	57.82	88.20	-30.38	43.04	3	Vertical	176	1.16	-	40.32	9.46	35.00			
RMS	13.72419G	48.23	68.20	-19.97	33.45	3	Vertical	176	1.16	-	40.32	9.46	35.00			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.71393G	57.70	88.20	-30.50	42.92	3	Horizontal	315	2.95	-	40.31	9.46	34.99			
RMS	13.69908G	47.91	68.20	-20.29	33.14	3	Horizontal	315	2.95	-	40.30	9.45	34.98			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_Y_4TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56467G	60.04	83.54	-23.50	56.61	1	Vertical	1	1.50	-	37.93	17.51	52.01			
AV	20.56338G	52.98	63.54	-10.56	49.55	1	Vertical	1	1.50	-	37.93	17.51	52.01			

6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TX




EUT_V_4TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56518G	60.25	83.54	-23.29	56.82	1	Horizontal	360	1.50	-	37.93	17.51	52.01			
AV	20.56341G	51.93	63.54	-11.61	48.50	1	Horizontal	360	1.50	-	37.93	17.51	52.01			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 78
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9224G	78.78	88.20	-9.42	69.84	3	Vertical	352	1.80	-	35.39	6.36	32.81			
RMS	5.9226G	64.08	68.20	-4.12	55.14	3	Vertical	352	1.80	-	35.39	6.36	32.81			
PK	5.9728G	113.99	Inf	-Inf	104.93	3	Vertical	352	1.80	-	35.50	6.39	32.83			
RMS	5.9674G	103.94	Inf	-Inf	94.89	3	Vertical	352	1.80	-	35.50	6.38	32.83			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 78
01-R-R-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9216G	81.50	88.20	-6.70	72.56	3	Horizontal	1	2.04	-	35.39	6.36	32.81			
RMS	5.925G	67.48	68.20	-0.72	58.53	3	Horizontal	1	2.04	-	35.40	6.36	32.81			
PK	5.9766G	117.31	Inf	-Inf	108.25	3	Horizontal	1	2.04	-	35.50	6.39	32.83			
RMS	5.9714G	106.57	Inf	-Inf	97.51	3	Horizontal	1	2.04	-	35.50	6.39	32.83			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 78
01-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.93621G	54.03	74.00	-19.97	49.35	3	Vertical	182	1.43	-	38.84	9.07	43.23			
AV	11.94122G	45.15	54.00	-8.85	40.46	3	Vertical	182	1.43	-	38.84	9.08	43.23			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT Y_4TX
Setting 78
01-R-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.94407G	54.32	74.00	-19.68	49.63	3	Horizontal	59	1.20	-	38.84	9.08	43.23			
AV	11.9234G	44.86	54.00	-9.14	40.20	3	Horizontal	59	1.20	-	38.82	9.07	43.23			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 78
05-Q-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	17.88219G	63.89	83.54	-19.65	59.52	1	Vertical	338	1.48	-	37.25	16.40	49.28			
AV	17.89278G	53.07	63.54	-10.47	48.69	1	Vertical	338	1.48	-	37.28	16.40	49.30			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 78
05-Q-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	17.88447G	61.88	83.54	-21.66	57.50	1	Horizontal	311	1.51	-	37.26	16.40	49.28			
AV	17.89446G	50.56	63.54	-12.98	46.19	1	Horizontal	311	1.51	-	37.28	16.40	49.31			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.33063G	62.14	74.00	-11.86	57.22	3	Vertical	2	1.00	-	38.86	9.23	43.17			
AV	12.33006G	51.52	54.00	-2.48	46.60	3	Vertical	2	1.00	-	38.86	9.23	43.17			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 108
01-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3276G	62.43	74.00	-11.57	57.51	3	Horizontal	344	1.80	-	38.86	9.23	43.17			
AV	12.32844G	51.06	54.00	-2.94	46.14	3	Horizontal	344	1.80	-	38.86	9.23	43.17			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_V_4TX
Setting 108
05-Q-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.50481G	64.82	83.54	-18.72	60.87	1	Vertical	20	1.52	-	37.60	16.65	50.30			
AV	18.49488G	54.03	63.54	-9.51	50.08	1	Vertical	20	1.52	-	37.60	16.64	50.29			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 108
05-Q-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.4812G	64.62	83.54	-18.92	60.66	1	Horizontal	8	1.50	-	37.59	16.64	50.27			
AV	18.48603G	54.33	63.54	-9.21	50.38	1	Horizontal	8	1.50	-	37.59	16.64	50.28			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.80754G	61.22	88.20	-26.98	55.03	3	Vertical	0	1.80	-	39.61	9.42	42.84			
RMS	12.81549G	50.74	68.20	-17.46	44.52	3	Vertical	0	1.80	-	39.62	9.43	42.83			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.80742G	61.54	88.20	-26.66	55.35	3	Horizontal	235	2.56	-	39.61	9.42	42.84			
RMS	12.82029G	51.05	68.20	-17.15	44.83	3	Horizontal	235	2.56	-	39.62	9.43	42.83			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 108
05-Q-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.22478G	66.39	83.54	-17.15	62.93	1	Vertical	5	1.51	-	37.59	16.94	51.07			
AV	19.20933G	55.79	63.54	-7.75	52.32	1	Vertical	5	1.51	-	37.58	16.94	51.05			

5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 78
05-Q-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.20348G	66.70	83.54	-16.84	63.23	1	Horizontal	1	1.41	-	37.58	16.93	51.04			
AV	19.2234G	55.60	63.54	-7.94	52.14	1	Horizontal	1	1.41	-	37.59	16.94	51.07			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.12679G	61.71	88.20	-26.49	54.79	3	Vertical	12	1.80	-	40.05	9.55	42.68			
RMS	13.13207G	52.07	68.20	-16.13	45.14	3	Vertical	12	1.80	-	40.06	9.55	42.68			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13186G	62.39	88.20	-25.81	55.46	3	Horizontal	360	1.61	-	40.06	9.55	42.68			
RMS	13.13195G	51.53	68.20	-16.67	44.60	3	Horizontal	360	1.61	-	40.06	9.55	42.68			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 108
05-Q-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.70586G	61.66	83.54	-21.88	58.51	1	Vertical	5	1.50	-	37.62	17.14	51.61			
AV	19.7007G	50.76	63.54	-12.78	47.60	1	Vertical	5	1.50	-	37.62	17.14	51.60			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 108
05-Q-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.70244G	61.76	83.54	-21.78	58.60	1	Horizontal	343	1.50	-	37.62	17.14	51.60			
AV	19.70718G	51.28	63.54	-12.26	48.13	1	Horizontal	343	1.50	-	37.62	17.14	51.61			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 108
01-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36727G	57.06	74.00	-16.94	49.77	3	Vertical	38	1.80	-	40.37	9.65	42.73			
AV	13.3724G	46.57	54.00	-7.43	39.28	3	Vertical	38	1.80	-	40.37	9.65	42.73			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 108
01-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36778G	59.00	74.00	-15.00	51.71	3	Horizontal	332	1.80	-	40.37	9.65	42.73			
AV	13.36919G	47.87	54.00	-6.13	40.58	3	Horizontal	332	1.80	-	40.37	9.65	42.73			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 108
05-Q-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0601G	64.15	83.54	-19.39	61.32	1	Vertical	350	1.52	-	37.45	17.29	51.91			
AV	20.05845G	52.96	63.54	-10.58	50.13	1	Vertical	350	1.52	-	37.45	17.29	51.91			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TX




EUT_V_4TX
Setting 108
05-Q-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.04765G	61.94	83.54	-21.60	59.13	1	Horizontal	27	1.48	-	37.44	17.28	51.91			
AV	20.05758G	51.08	63.54	-12.46	48.25	1	Horizontal	27	1.48	-	37.45	17.29	51.91			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
Setting 108
04-H-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.68475G	58.41	88.20	-29.79	43.66	3	Vertical	225	2.51	-	40.28	9.44	34.97			
RMS	13.67872G	47.80	68.20	-20.40	33.04	3	Vertical	225	2.51	-	40.28	9.44	34.96			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.70341G	57.33	88.20	-30.87	42.56	3	Horizontal	172	1.66	-	40.30	9.45	34.98			
RMS	13.68166G	48.18	68.20	-20.02	33.42	3	Horizontal	172	1.66	-	40.28	9.44	34.96			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.52735G	60.23	83.54	-23.31	56.99	1	Vertical	351	1.50	-	37.76	17.49	52.01			
AV	20.54256G	50.64	63.54	-12.90	47.29	1	Vertical	351	1.50	-	37.86	17.50	52.01			

6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TX




EUT_V_4TX
Setting 108
04-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.53242G	59.03	83.54	-24.51	55.76	1	Horizontal	350	2.28	-	37.79	17.49	52.01			
AV	20.54298G	50.70	63.54	-12.84	47.35	1	Horizontal	350	2.28	-	37.86	17.50	52.01			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 79
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9222G	78.39	88.20	-9.81	69.45	3	Vertical	356	2.45	-	35.39	6.36	32.81			
RMS	5.9226G	66.16	68.20	-2.04	57.22	3	Vertical	356	2.45	-	35.39	6.36	32.81			
PK	5.9874G	111.98	Inf	-Inf	102.92	3	Vertical	356	2.45	-	35.50	6.39	32.83			
RMS	5.9874G	101.50	Inf	-Inf	92.44	3	Vertical	356	2.45	-	35.50	6.39	32.83			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 79
01-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	79.71	88.20	-8.49	70.78	3	Horizontal	0	2.14	-	35.38	6.36	32.81			
RMS	5.921G	68.18	68.20	-0.02	59.25	3	Horizontal	0	2.14	-	35.38	6.36	32.81			
PK	6.0166G	112.49	Inf	-Inf	103.39	3	Horizontal	0	2.14	-	35.53	6.41	32.84			
RMS	5.9914G	102.96	Inf	-Inf	93.90	3	Horizontal	0	2.14	-	35.50	6.40	32.84			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 79
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96382G	54.25	74.00	-19.75	49.53	3	Vertical	33	1.66	-	38.86	9.09	43.23			
AV	11.95722G	43.12	54.00	-10.88	38.41	3	Vertical	33	1.66	-	38.86	9.08	43.23			
PK	17.95725G	60.97	74.00	-13.03	47.66	3	Vertical	142	1.80	-	43.09	11.48	41.26			
AV	17.94657G	49.07	54.00	-4.93	35.83	3	Vertical	142	1.80	-	43.03	11.48	41.27			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 79
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.95677G	54.12	74.00	-19.88	49.41	3	Horizontal	153	1.77	-	38.86	9.08	43.23			
AV	11.95716G	43.12	54.00	-10.88	38.41	3	Horizontal	153	1.77	-	38.86	9.08	43.23			
PK	17.955G	61.46	74.00	-12.54	48.16	3	Horizontal	87	2.94	-	43.08	11.48	41.26			
AV	17.95311G	48.97	54.00	-5.03	35.68	3	Horizontal	87	2.94	-	43.07	11.48	41.26			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 79
05-Q-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.95026G	52.45	83.54	-31.09	48.09	1	Vertical	290	1.23	-	37.40	16.42	49.46			
AV	17.9571G	40.18	63.54	-23.36	35.83	1	Vertical	290	1.23	-	37.41	16.42	49.48			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 79
05-Q-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	17.95995G	51.56	83.54	-31.98	47.21	1	Horizontal	219	1.57	-	37.42	16.42	49.49			
AV	17.95719G	39.30	63.54	-24.24	34.95	1	Horizontal	219	1.57	-	37.41	16.42	49.48			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 108
01-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.29279G	57.97	74.00	-16.03	53.12	3	Vertical	347	1.79	-	38.81	9.22	43.18			
AV	12.2927G	46.92	54.00	-7.08	42.07	3	Vertical	347	1.79	-	38.81	9.22	43.18			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 108
01-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.30404G	58.78	74.00	-15.22	53.93	3	Horizontal	343	1.80	-	38.81	9.22	43.18			
AV	12.30359G	48.02	54.00	-5.98	43.17	3	Horizontal	343	1.80	-	38.81	9.22	43.18			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_V_4TX
Setting 108
05-Q-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.43476G	62.87	83.54	-20.67	58.89	1	Vertical	356	1.50	-	37.57	16.62	50.21			
AV	18.44484G	50.38	63.54	-13.16	46.40	1	Vertical	356	1.50	-	37.58	16.62	50.22			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 108
05-Q-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.43935G	64.58	83.54	-18.96	60.60	1	Horizontal	16	1.52	-	37.58	16.62	50.22			
AV	18.43419G	53.11	63.54	-10.43	49.13	1	Horizontal	16	1.52	-	37.57	16.62	50.21			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.78251G	59.21	88.20	-28.99	53.10	3	Vertical	2	1.20	-	39.57	9.41	42.87			
RMS	12.77222G	48.46	68.20	-19.74	42.39	3	Vertical	2	1.20	-	39.54	9.41	42.88			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.78224G	58.75	88.20	-29.45	52.65	3	Horizontal	8	2.12	-	39.56	9.41	42.87			
RMS	12.78239G	48.24	68.20	-19.96	42.14	3	Horizontal	8	2.12	-	39.56	9.41	42.87			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX



EUT_Y_4TX
Setting 108
05-Q-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.14336G	68.74	83.54	-14.80	65.24	1	Vertical	348	1.53	-	37.56	16.91	50.97			
AV	19.14381G	57.03	63.54	-6.51	53.53	1	Vertical	348	1.53	-	37.56	16.91	50.97			

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 108
05-Q-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.14255G	62.08	83.54	-21.46	58.58	1	Horizontal	34	1.54	-	37.56	16.91	50.97			
AV	19.1526G	50.23	63.54	-13.31	46.74	1	Horizontal	34	1.54	-	37.56	16.91	50.98			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.23668G	56.58	88.20	-31.62	49.45	3	Vertical	13	1.80	-	40.24	9.59	42.70			
RMS	13.2374G	46.02	68.20	-22.18	38.89	3	Vertical	13	1.80	-	40.24	9.59	42.70			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX



EUT Y_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.23758G	56.78	88.20	-31.42	49.64	3	Horizontal	241	2.43	-	40.24	9.60	42.70			
RMS	13.24259G	45.73	68.20	-22.47	38.59	3	Horizontal	241	2.43	-	40.24	9.60	42.70			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 108
05-Q-R-7

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87686G	61.43	83.54	-22.11	58.50	1	Vertical	350	1.50	-	37.50	17.21	51.78			
AV	19.86684G	49.64	63.54	-13.90	46.69	1	Vertical	350	1.50	-	37.51	17.21	51.77			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.86969G	64.71	83.54	-18.83	61.77	1	Horizontal	28	1.48	-	37.50	17.21	51.77			
AV	19.86768G	52.53	63.54	-11.01	49.58	1	Horizontal	28	1.48	-	37.51	17.21	51.77			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 108
01-R-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41057G	56.38	88.20	-31.82	49.06	3	Vertical	33	1.80	-	40.40	9.66	42.74			
RMS	13.41756G	45.82	68.20	-22.38	38.49	3	Vertical	33	1.80	-	40.40	9.67	42.74			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 108
01-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.40271G	56.08	88.20	-32.12	48.76	3	Horizontal	199	2.60	-	40.40	9.66	42.74			
RMS	13.41288G	45.44	68.20	-22.76	38.11	3	Horizontal	199	2.60	-	40.40	9.67	42.74			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 108
05-Q-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.10669G	60.97	83.54	-22.57	58.09	1	Vertical	19	1.50	-	37.49	17.31	51.92			
AV	20.10168G	49.18	63.54	-14.36	46.32	1	Vertical	19	1.50	-	37.48	17.30	51.92			

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX



EUT Y_4TX
Setting 108
05-Q-R-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.11134G	63.40	83.54	-20.14	60.52	1	Horizontal	23	1.54	-	37.49	17.31	51.92			
AV	20.11137G	51.70	63.54	-11.84	48.82	1	Horizontal	23	1.54	-	37.49	17.31	51.92			