


802.11ax HEW80_Nss1,(MCS0)_4TX

26/10/2018

5775MHz_TX




EUT_Z_4TX
Setting 68
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.649G	67.96	68.20	-0.24	9.30	3	Vertical	272	2.21	-
PK	5.789G	114.74	Inf	-Inf	9.33	3	Vertical	272	2.21	-
AV	5.788G	103.32	Inf	-Inf	9.33	3	Vertical	272	2.21	-
PK	5.932G	62.18	68.20	-6.02	9.45	3	Vertical	272	2.21	-

802.11ax HEW80_Nss1,(MCS0)_4TX

26/10/2018

5775MHz_TX



EUT_Z_4TX
Setting 68
02-M-1-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.644G	61.19	68.20	-7.01	9.30	3	Horizontal	180	2.61	-
PK	5.788G	104.58	Inf	-Inf	9.33	3	Horizontal	180	2.61	-
AV	5.764G	92.69	Inf	-Inf	9.32	3	Horizontal	180	2.61	-
PK	5.928G	59.71	68.20	-8.49	9.45	3	Horizontal	180	2.61	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.1498G	73.99	74.00	-0.01	2.85	3	Vertical	91	2.56	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/11/2018

5180MHz_TX




EUT_Z_4TX
Setting 70
01-J-4-10
FSU

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	5.15G	73.66	74.00	-0.34	2.85	3	Vertical	180	2.48	-
AV	5.1496G	53.89	54.00	-0.11	2.85	3	Vertical	180	2.48	-
PK	5.1816G	122.61	Inf	-Inf	2.78	3	Vertical	180	2.48	-
AV	5.1812G	109.95	Inf	-Inf	2.78	3	Vertical	180	2.48	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/11/2018

5180MHz_TX




EUT_Z_4TX
Setting 70
01-J-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.15G	67.22	74.00	-6.78	2.85	3	Horizontal	187	1.01	-
AV	5.15G	47.21	54.00	-6.79	2.85	3	Horizontal	187	1.01	-
PK	5.1768G	111.06	Inf	-Inf	2.79	3	Horizontal	187	1.01	-
AV	5.1752G	98.46	Inf	-Inf	2.79	3	Horizontal	187	1.01	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/11/2018

5200MHz_TX




EUT_Z_4TX
Setting 86
01-J-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1472G	72.53	74.00	-1.47	2.86	3	Vertical	358	2.57	-
AV	5.15G	53.86	54.00	-0.14	2.85	3	Vertical	358	2.57	-
PK	5.206G	126.43	Inf	-Inf	2.72	3	Vertical	358	2.57	-
AV	5.204G	114.11	Inf	-Inf	2.72	3	Vertical	358	2.57	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/11/2018

5200MHz_TX




EUT_Z_4TX
Setting 86
01-J-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1472G	61.49	74.00	-12.51	2.86	3	Horizontal	185	2.87	-
AV	5.1488G	47.45	54.00	-6.55	2.85	3	Horizontal	185	2.87	-
PK	5.206G	114.44	Inf	-Inf	2.72	3	Horizontal	185	2.87	-
AV	5.2028G	102.17	Inf	-Inf	2.72	3	Horizontal	185	2.87	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/11/2018

5240MHz_TX




EUT Z_4TX
Setting 105
01-J-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1476G	66.63	74.00	-7.37	2.85	3	Vertical	84	2.51	-
AV	5.15G	52.18	54.00	-1.82	2.85	3	Vertical	84	2.51	-
PK	5.246G	129.24	Inf	-Inf	2.67	3	Vertical	84	2.51	-
AV	5.2478G	116.75	Inf	-Inf	2.66	3	Vertical	84	2.51	-
PK	5.354G	64.62	74.00	-9.38	2.79	3	Vertical	84	2.51	-
AV	5.35G	50.77	54.00	-3.23	2.78	3	Vertical	84	2.51	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/11/2018

5240MHz_TX




EUT_Z_4TX
Setting 105
01-J-4-10
FSU

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	5.15G	59.25	74.00	-14.75	2.85	3	Horizontal	182	2.97	-
AV	5.1464G	46.98	54.00	-7.02	2.86	3	Horizontal	182	2.97	-
PK	5.237G	117.29	Inf	-Inf	2.69	3	Horizontal	182	2.97	-
AV	5.2412G	105.50	Inf	-Inf	2.68	3	Horizontal	182	2.97	-
PK	5.3732G	57.94	74.00	-16.06	2.86	3	Horizontal	182	2.97	-
AV	5.3546G	46.19	54.00	-7.81	2.79	3	Horizontal	182	2.97	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/11/2018

5745MHz_TX




EUT_Z_4TX
Setting 94
01-J-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.653G	67.46	70.42	-2.96	3.34	3	Vertical	90	2.66	-
PK	5.742G	128.02	Inf	-Inf	3.53	3	Vertical	90	2.66	-
AV	5.752G	116.00	Inf	-Inf	3.54	3	Vertical	90	2.66	-
PK	5.935G	61.62	68.20	-6.58	4.03	3	Vertical	90	2.66	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/11/2018

5745MHz_TX




EUT_Z_4TX
Setting 94
01-J-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.637G	58.73	68.20	-9.47	3.29	3	Horizontal	98	2.79	-
PK	5.742G	114.27	Inf	-Inf	3.53	3	Horizontal	98	2.79	-
AV	5.753G	102.07	Inf	-Inf	3.55	3	Horizontal	98	2.79	-
PK	5.956G	58.83	68.20	-9.37	4.11	3	Horizontal	98	2.79	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/11/2018

5785MHz_TX




EUT_Z_4TX
Setting 97
01-J-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.63G	63.09	68.20	-5.11	3.28	3	Vertical	90	2.66	-
PK	5.786G	128.11	Inf	-Inf	3.62	3	Vertical	90	2.66	-
AV	5.792G	117.07	Inf	-Inf	3.64	3	Vertical	90	2.66	-
PK	5.951G	62.53	68.20	-5.67	4.09	3	Vertical	90	2.66	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/11/2018

5785MHz_TX




EUT_Z_4TX
Setting 97
01-J-4-10
FSU

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	5.608G	58.32	68.20	-9.88	3.24	3	Horizontal	113	2.79	-
PK	5.78G	113.01	Inf	-Inf	3.61	3	Horizontal	113	2.79	-
AV	5.791G	100.42	Inf	-Inf	3.64	3	Horizontal	113	2.79	-
PK	5.934G	58.79	68.20	-9.41	4.03	3	Horizontal	113	2.79	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/11/2018

5825MHz_TX




EUT_Z_4TX
Setting 91
01-J-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.65G	62.82	68.20	-5.38	3.33	3	Vertical	92	2.72	-
PK	5.833G	125.98	Inf	-Inf	3.74	3	Vertical	92	2.72	-
AV	5.832G	114.76	Inf	-Inf	3.73	3	Vertical	92	2.72	-
PK	5.988G	62.04	68.20	-6.16	4.22	3	Vertical	92	2.72	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

12/11/2018

5825MHz_TX




EUT_Z_4TX
Setting 91
01-J-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.616G	57.65	68.20	-10.55	3.25	3	Horizontal	72	2.99	-
PK	5.816G	115.83	Inf	-Inf	3.71	3	Horizontal	72	2.99	-
AV	5.816G	104.21	Inf	-Inf	3.71	3	Horizontal	72	2.99	-
PK	5.945G	58.59	68.20	-9.61	4.07	3	Horizontal	72	2.99	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/11/2018

5190MHz_TX




EUT_Z_4TX
Setting 57
01-J-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1498G	73.99	74.00	-0.01	2.85	3	Vertical	91	2.56	-
AV	5.1498G	49.18	54.00	-4.82	2.85	3	Vertical	91	2.56	-
PK	5.181G	116.61	Inf	-Inf	2.78	3	Vertical	91	2.56	-
AV	5.1828G	104.47	Inf	-Inf	2.77	3	Vertical	91	2.56	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/11/2018

5190MHz_TX




EUT_Z_4TX
Setting 57
01-J-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1498G	61.22	74.00	-12.78	2.85	3	Horizontal	187	1.03	-
AV	5.1486G	44.01	54.00	-9.99	2.85	3	Horizontal	187	1.03	-
PK	5.1936G	105.35	Inf	-Inf	2.74	3	Horizontal	187	1.03	-
AV	5.196G	92.63	Inf	-Inf	2.74	3	Horizontal	187	1.03	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/11/2018

5230MHz_TX




EUT_Z_4TX
Setting 79
01-J-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1496G	71.98	74.00	-2.02	2.85	3	Vertical	270	2.61	-
AV	5.1496G	53.88	54.00	-0.12	2.85	3	Vertical	270	2.61	-
PK	5.2456G	121.75	Inf	-Inf	2.67	3	Vertical	270	2.61	-
AV	5.2456G	110.20	Inf	-Inf	2.67	3	Vertical	270	2.61	-
PK	5.362G	62.50	74.00	-11.50	2.83	3	Vertical	270	2.61	-
AV	5.35G	48.36	54.00	-5.64	2.78	3	Vertical	270	2.61	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/11/2018

5230MHz_TX




EUT_Z_4TX
Setting 79
01-J-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.149G	61.67	74.00	-12.33	2.85	3	Horizontal	152	2.71	-
AV	5.15G	45.89	54.00	-8.11	2.85	3	Horizontal	152	2.71	-
PK	5.215G	111.09	Inf	-Inf	2.71	3	Horizontal	152	2.71	-
AV	5.2162G	98.98	Inf	-Inf	2.71	3	Horizontal	152	2.71	-
PK	5.356G	55.28	74.00	-18.72	2.80	3	Horizontal	152	2.71	-
AV	5.3572G	43.34	54.00	-10.66	2.80	3	Horizontal	152	2.71	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/11/2018

5755MHz_TX




EUT_Z_4TX
Setting 85
01-J-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.649G	68.03	68.20	-0.17	3.32	3	Vertical	265	2.37	-
PK	5.771G	123.71	Inf	-Inf	3.59	3	Vertical	265	2.37	-
AV	5.768G	112.39	Inf	-Inf	3.59	3	Vertical	265	2.37	-
PK	5.926G	62.83	68.20	-5.37	3.99	3	Vertical	265	2.37	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/11/2018

5755MHz_TX




EUT_Z_4TX
Setting 85
01-J-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.652G	60.40	69.68	-9.28	3.33	3	Horizontal	67	2.83	-
PK	5.746G	111.50	Inf	-Inf	3.54	3	Horizontal	67	2.83	-
AV	5.739G	98.41	Inf	-Inf	3.53	3	Horizontal	67	2.83	-
PK	5.96G	56.89	68.20	-11.31	4.12	3	Horizontal	67	2.83	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

13/11/2018

5795MHz_TX




EUT_Z_4TX
Setting 96
01-J-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.648G	65.86	68.20	-2.34	3.32	3	Vertical	316	2.29	-
PK	5.789G	125.22	Inf	-Inf	3.64	3	Vertical	316	2.29	-
AV	5.793G	113.55	Inf	-Inf	3.65	3	Vertical	316	2.29	-
PK	5.937G	68.18	68.20	-0.02	4.03	3	Vertical	316	2.29	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

13/11/2018

5795MHz_TX




EUT_Z_4TX
Setting 96
01-J-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.636G	57.78	68.20	-10.42	3.29	3	Horizontal	59	2.88	-
PK	5.781G	114.11	Inf	-Inf	3.61	3	Horizontal	59	2.88	-
AV	5.785G	98.87	Inf	-Inf	3.62	3	Horizontal	59	2.88	-
PK	5.928G	59.28	68.20	-8.92	4.01	3	Horizontal	59	2.88	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

13/11/2018

5210MHz_TX




EUT_Z_4TX
Setting 65
01-J-4-10
FSU

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	5.142G	72.74	74.00	-1.26	2.87	3	Vertical	359	2.59	-
AV	5.15G	53.94	54.00	-0.06	2.85	3	Vertical	359	2.59	-
PK	5.194G	116.83	Inf	-Inf	2.74	3	Vertical	359	2.59	-
AV	5.195G	103.77	Inf	-Inf	2.74	3	Vertical	359	2.59	-
PK	5.369G	59.80	74.00	-14.20	2.85	3	Vertical	359	2.59	-
AV	5.355G	46.77	54.00	-7.23	2.79	3	Vertical	359	2.59	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

13/11/2018

5210MHz_TX




EUT_Z_4TX
Setting 65
01-J-4-10
FSU

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	5.15G	63.85	74.00	-10.15	2.85	3	Horizontal	63	2.99	-
AV	5.15G	46.08	54.00	-7.92	2.85	3	Horizontal	63	2.99	-
PK	5.188G	103.16	Inf	-Inf	2.75	3	Horizontal	63	2.99	-
AV	5.186G	90.20	Inf	-Inf	2.77	3	Horizontal	63	2.99	-
PK	5.391G	56.20	74.00	-17.80	2.92	3	Horizontal	63	2.99	-
AV	5.351G	42.55	54.00	-11.45	2.78	3	Horizontal	63	2.99	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

13/11/2018

5775MHz_TX




EUT Z_4TX
Setting 69
01-J-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.651G	68.74	68.94	-0.20	3.33	3	Vertical	84	2.95	-
PK	5.751G	118.05	Inf	-Inf	3.54	3	Vertical	84	2.95	-
AV	5.75G	104.97	Inf	-Inf	3.54	3	Vertical	84	2.95	-
PK	5.929G	62.62	68.20	-5.58	4.01	3	Vertical	84	2.95	-

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

13/11/2018

5775MHz_TX



EUT_Z_4TX
Setting 69
01-J-4-10
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.627G	58.94	68.20	-9.26	3.27	3	Horizontal	63	2.81	-
PK	5.753G	108.04	Inf	-Inf	3.55	3	Horizontal	63	2.81	-
AV	5.762G	93.53	Inf	-Inf	3.56	3	Horizontal	63	2.81	-
PK	5.962G	57.50	68.20	-10.70	4.13	3	Horizontal	63	2.81	-




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	AV	5.149G	53.95	54.00	-0.05	8.56	3	Vertical	344	2.33	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/10/2018

5180MHz_TX




EUT_Z_4TX
Setting 68
02-E-4-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1482G	68.84	74.00	-5.16	8.56	3	Vertical	85	2.29	-
AV	5.1496G	53.74	54.00	-0.26	8.56	3	Vertical	85	2.29	-
PK	5.1862G	117.14	Inf	-Inf	8.63	3	Vertical	85	2.29	-
AV	5.178G	105.08	Inf	-Inf	8.63	3	Vertical	85	2.29	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/10/2018

5180MHz_TX




EUT_Z_4TX
Setting 68
02-E-4-10
FSU(100050)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	5.1488G	59.93	74.00	-14.07	8.56	3	Horizontal	335	2.64	-
AV	5.1492G	47.40	54.00	-6.60	8.56	3	Horizontal	335	2.64	-
PK	5.1796G	106.39	Inf	-Inf	8.63	3	Horizontal	335	2.64	-
AV	5.1786G	95.36	Inf	-Inf	8.63	3	Horizontal	335	2.64	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/10/2018

5200MHz_TX




EUT_Z_4TX
Setting 87
02-E-4-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.15G	69.08	74.00	-4.92	8.56	3	Vertical	93	2.49	-
AV	5.15G	53.83	54.00	-0.17	8.56	3	Vertical	93	2.49	-
PK	5.1988G	121.72	Inf	-Inf	8.66	3	Vertical	93	2.49	-
AV	5.198G	110.18	Inf	-Inf	8.66	3	Vertical	93	2.49	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/10/2018

5200MHz_TX




EUT_Z_4TX
Setting 87
02-E-4-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1496G	61.16	74.00	-12.84	8.56	3	Horizontal	335	1.14	-
AV	5.1464G	48.70	54.00	-5.30	8.56	3	Horizontal	335	1.14	-
PK	5.1924G	113.07	Inf	-Inf	8.65	3	Horizontal	335	1.14	-
AV	5.196G	100.23	Inf	-Inf	8.66	3	Horizontal	335	1.14	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/10/2018

5240MHz_TX




EUT_Z_4TX
Setting 105
02-E-4-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1494G	65.07	74.00	-8.93	8.56	3	Vertical	74	2.46	-
AV	5.15G	52.71	54.00	-1.29	8.56	3	Vertical	74	2.46	-
PK	5.2448G	125.58	Inf	-Inf	8.72	3	Vertical	74	2.46	-
AV	5.2382G	113.13	Inf	-Inf	8.72	3	Vertical	74	2.46	-
PK	5.3792G	62.39	74.00	-11.61	8.93	3	Vertical	74	2.46	-
AV	5.35G	50.55	54.00	-3.45	8.89	3	Vertical	74	2.46	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/10/2018

5240MHz_TX




EUT_Z_4TX
Setting 105
02-E-4-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.15G	59.43	74.00	-14.57	8.56	3	Horizontal	327	1.05	-
AV	5.1278G	47.60	54.00	-6.40	8.53	3	Horizontal	327	1.05	-
PK	5.2322G	114.33	Inf	-Inf	8.71	3	Horizontal	327	1.05	-
AV	5.2364G	101.99	Inf	-Inf	8.71	3	Horizontal	327	1.05	-
PK	5.3798G	58.95	74.00	-15.05	8.93	3	Horizontal	327	1.05	-
AV	5.375G	47.12	54.00	-6.88	8.92	3	Horizontal	327	1.05	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/10/2018

5745MHz_TX




EUT_Z_4TX
Setting_94
02-E-4-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.643G	62.95	68.20	-5.25	9.30	3	Vertical	76	2.32	-
PK	5.744G	124.04	Inf	-Inf	9.32	3	Vertical	76	2.32	-
AV	5.747G	111.96	Inf	-Inf	9.32	3	Vertical	76	2.32	-
PK	5.961G	61.85	68.20	-6.35	9.47	3	Vertical	76	2.32	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/10/2018

5745MHz_TX




EUT_Z_4TX
Setting 94
02-E-4-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.543G	59.67	68.20	-8.53	9.24	3	Horizontal	133	2.70	-
PK	5.749G	110.94	Inf	-Inf	9.32	3	Horizontal	133	2.70	-
AV	5.74G	99.49	Inf	-Inf	9.32	3	Horizontal	133	2.70	-
PK	5.972G	59.62	68.20	-8.58	9.48	3	Horizontal	133	2.70	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/10/2018

5785MHz_TX




EUT_Z_4TX
Setting 97
02-E-4-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.568G	62.38	68.20	-5.82	9.25	3	Vertical	355	2.41	-
PK	5.79G	124.30	Inf	-Inf	9.33	3	Vertical	355	2.41	-
AV	5.783G	111.87	Inf	-Inf	9.33	3	Vertical	355	2.41	-
PK	5.979G	62.05	68.20	-6.15	9.50	3	Vertical	355	2.41	-

802.11ax HEW20_Nss4,(MCS0)_4TX

28/10/2018

5785MHz_TX




EUT_Z_4TX
Setting 97
02-E-4-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.64G	59.69	68.20	-8.51	9.30	3	Horizontal	256	2.40	-
PK	5.784G	111.17	Inf	-Inf	9.33	3	Horizontal	256	2.40	-
AV	5.783G	100.02	Inf	-Inf	9.33	3	Horizontal	256	2.40	-
PK	5.968G	59.52	68.20	-8.68	9.48	3	Horizontal	256	2.40	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/10/2018

5825MHz_TX




EUT_Z_4TX
Setting 91
02-C-5-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.637G	62.01	68.20	-6.19	9.29	3	Vertical	346	2.66	-
PK	5.824G	121.43	Inf	-Inf	9.34	3	Vertical	346	2.66	-
AV	5.826G	110.46	Inf	-Inf	9.36	3	Vertical	346	2.66	-
PK	5.956G	61.78	68.20	-6.42	9.47	3	Vertical	346	2.66	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/10/2018

5825MHz_TX




EUT_Z_4TX
Setting 91
02-C-5-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.615G	59.60	68.20	-8.60	9.29	3	Horizontal	129	1.05	-
PK	5.824G	111.09	Inf	-Inf	9.34	3	Horizontal	129	1.05	-
AV	5.833G	98.91	Inf	-Inf	9.36	3	Horizontal	129	1.05	-
PK	5.93G	59.28	68.20	-8.92	9.45	3	Horizontal	129	1.05	-

802.11ax HEW40_Nss4,(MCS0)_4TX

28/10/2018

5190MHz_TX




EUT_Z_4TX
Setting 59
02-E-4-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1472G	66.16	74.00	-7.84	8.56	3	Vertical	83	2.61	-
AV	5.15G	53.60	54.00	-0.40	8.56	3	Vertical	83	2.61	-
PK	5.1956G	112.43	Inf	-Inf	8.66	3	Vertical	83	2.61	-
AV	5.1928G	101.55	Inf	-Inf	8.65	3	Vertical	83	2.61	-

802.11ax HEW40_Nss4,(MCS0)_4TX

28/10/2018

5190MHz_TX




EUT_Z_4TX
Setting 59
02-E-4-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1312G	60.13	74.00	-13.87	8.54	3	Horizontal	327	1.13	-
AV	5.15G	49.28	54.00	-4.72	8.56	3	Horizontal	327	1.13	-
PK	5.1752G	103.11	Inf	-Inf	8.62	3	Horizontal	327	1.13	-
AV	5.2012G	93.06	Inf	-Inf	8.66	3	Horizontal	327	1.13	-

802.11ax HEW40_Nss4,(MCS0)_4TX

28/10/2018

5230MHz_TX




EUT Z_4TX
Setting 78
02-E-4-10
FSU(100050)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	5.14G	66.33	74.00	-7.67	8.55	3	Vertical	344	2.33	-
AV	5.149G	53.95	54.00	-0.05	8.56	3	Vertical	344	2.33	-
PK	5.2222G	117.76	Inf	-Inf	8.70	3	Vertical	344	2.33	-
AV	5.2354G	107.29	Inf	-Inf	8.71	3	Vertical	344	2.33	-
PK	5.35G	61.50	74.00	-12.50	8.89	3	Vertical	344	2.33	-
AV	5.3788G	50.91	54.00	-3.09	8.93	3	Vertical	344	2.33	-

802.11ax HEW40_Nss4,(MCS0)_4TX

28/10/2018

5230MHz_TX




EUT Z_4TX
Setting 78
02-E-4-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.149G	60.36	74.00	-13.64	8.56	3	Horizontal	337	2.77	-
AV	5.149G	49.85	54.00	-4.15	8.56	3	Horizontal	337	2.77	-
PK	5.2192G	107.62	Inf	-Inf	8.69	3	Horizontal	337	2.77	-
AV	5.2186G	98.09	Inf	-Inf	8.69	3	Horizontal	337	2.77	-
PK	5.3644G	58.90	74.00	-15.10	8.90	3	Horizontal	337	2.77	-
AV	5.3596G	48.29	54.00	-5.71	8.90	3	Horizontal	337	2.77	-

802.11ax HEW40_Nss4,(MCS0)_4TX

28/10/2018

5755MHz_TX




EUT_Z_4TX
Setting 83
02-E-4-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.648G	68.01	68.20	-0.19	9.30	3	Vertical	359	2.42	-
PK	5.74G	120.04	Inf	-Inf	9.32	3	Vertical	359	2.42	-
AV	5.748G	109.62	Inf	-Inf	9.32	3	Vertical	359	2.42	-
PK	5.948G	61.48	68.20	-6.72	9.47	3	Vertical	359	2.42	-

802.11ax HEW40_Nss4,(MCS0)_4TX

28/10/2018

5755MHz_TX




EUT_Z_4TX
Setting 83
02-E-4-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.559G	59.91	68.20	-8.29	9.24	3	Horizontal	308	1.00	-
PK	5.757G	108.23	Inf	-Inf	9.32	3	Horizontal	308	1.00	-
AV	5.757G	98.79	Inf	-Inf	9.32	3	Horizontal	308	1.00	-
PK	5.925G	59.17	68.20	-9.03	9.45	3	Horizontal	308	1.00	-

802.11ax HEW40_Nss4,(MCS0)_4TX

28/10/2018

5795MHz_TX




EUT_Z_4TX
Setting_94
02-E-4-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.636G	66.23	68.20	-1.97	9.29	3	Vertical	78	2.58	-
PK	5.799G	121.37	Inf	-Inf	9.33	3	Vertical	78	2.58	-
AV	5.802G	110.51	Inf	-Inf	9.33	3	Vertical	78	2.58	-
PK	5.925G	68.10	68.20	-0.10	9.45	3	Vertical	78	2.58	-

802.11ax HEW40_Nss4,(MCS0)_4TX

28/10/2018

5795MHz_TX




EUT_Z_4TX
Setting 83
02-E-4-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.638G	59.41	68.20	-8.79	9.30	3	Horizontal	139	2.61	-
PK	5.78G	108.76	Inf	-Inf	9.33	3	Horizontal	139	2.61	-
AV	5.81G	99.12	Inf	-Inf	9.34	3	Horizontal	139	2.61	-
PK	5.938G	59.93	68.20	-8.27	9.46	3	Horizontal	139	2.61	-

802.11ax HEW80_Nss4,(MCS0)_4TX

28/10/2018

5210MHz_TX




EUT_Z_4TX
Setting 56
02-E-4-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.1164G	64.20	74.00	-9.80	8.51	3	Vertical	64	2.47	-
AV	5.1156G	53.72	54.00	-0.28	8.51	3	Vertical	64	2.47	-
PK	5.1492G	65.64	74.00	-8.36	8.56	3	Vertical	64	2.47	-
AV	5.1468G	53.84	54.00	-0.16	8.56	3	Vertical	64	2.47	-
PK	5.2156G	108.89	Inf	-Inf	8.68	3	Vertical	64	2.47	-
AV	5.1972G	98.85	Inf	-Inf	8.66	3	Vertical	64	2.47	-
PK	5.3708G	60.48	74.00	-13.52	8.91	3	Vertical	64	2.47	-
AV	5.3604G	49.91	54.00	-4.09	8.90	3	Vertical	64	2.47	-

802.11ax HEW80_Nss4,(MCS0)_4TX

28/10/2018

5210MHz_TX




EUT_Z_4TX
Setting_56
02-E-4-10
FSU(100050)

Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	
PK	5.142G	59.67	74.00	-14.33	8.56	3	Horizontal	312	1.22	-
AV	5.138G	48.73	54.00	-5.27	8.55	3	Horizontal	312	1.22	-
PK	5.2012G	98.52	Inf	-Inf	8.66	3	Horizontal	312	1.22	-
AV	5.2012G	88.83	Inf	-Inf	8.66	3	Horizontal	312	1.22	-
PK	5.3788G	58.49	74.00	-15.51	8.93	3	Horizontal	312	1.22	-
AV	5.4076G	48.15	54.00	-5.85	8.97	3	Horizontal	312	1.22	-

802.11ax HEW80_Nss4,(MCS0)_4TX

28/10/2018

5775MHz_TX




EUT Z_4TX
Setting 72
02-E-4-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.634G	68.02	68.20	-0.18	9.29	3	Vertical	334	2.41	-
PK	5.755G	114.45	Inf	-Inf	9.32	3	Vertical	334	2.41	-
AV	5.764G	103.05	Inf	-Inf	9.32	3	Vertical	334	2.41	-
PK	5.922G	66.83	70.42	-3.59	9.43	3	Vertical	334	2.41	-

802.11ax HEW80_Nss4,(MCS0)_4TX

28/10/2018

5775MHz_TX



EUT_Z_4TX
Setting 72
02-E-4-10
FSU(100050)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	5.644G	61.10	68.20	-7.10	9.30	3	Horizontal	249	2.66	-
PK	5.751G	101.23	Inf	-Inf	9.32	3	Horizontal	249	2.66	-
AV	5.767G	90.41	Inf	-Inf	9.32	3	Horizontal	249	2.66	-
PK	5.937G	59.13	68.20	-9.07	9.46	3	Horizontal	249	2.66	-