


802.11ax HEW40_Nss2,(MCS0)_2TX

30/01/2019

2442MHz_TX




EUT Y_2TX
Setting 60
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3856G	60.53	74.00	-13.47	30.79	3	Horizontal	351	1.50	-
AV	2.3888G	47.91	54.00	-6.09	30.80	3	Horizontal	351	1.50	-
PK	2.4344G	104.30	Inf	-Inf	30.89	3	Horizontal	351	1.50	-
AV	2.436G	92.02	Inf	-Inf	30.90	3	Horizontal	351	1.50	-
PK	2.4852G	63.92	74.00	-10.08	30.97	3	Horizontal	351	1.50	-
AV	2.4835G	50.00	54.00	-4.00	30.96	3	Horizontal	351	1.50	-

802.11ax HEW40_Nss2,(MCS0)_2TX

30/01/2019

2447MHz_TX




EUT Y_2TX
Setting 57
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3882G	61.16	74.00	-12.84	30.79	3	Vertical	8	2.57	-
AV	2.389G	48.05	54.00	-5.95	30.80	3	Vertical	8	2.57	-
PK	2.4566G	109.96	Inf	-Inf	30.93	3	Vertical	8	2.57	-
AV	2.4514G	97.99	Inf	-Inf	30.92	3	Vertical	8	2.57	-
PK	2.4835G	69.64	74.00	-4.36	30.96	3	Vertical	8	2.57	-
AV	2.4842G	53.83	54.00	-0.17	30.96	3	Vertical	8	2.57	-

802.11ax HEW40_Nss2,(MCS0)_2TX

30/01/2019

2447MHz_TX




EUT Y_2TX
Setting 57
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3818G	58.94	74.00	-15.06	30.78	3	Horizontal	349	1.49	-
AV	2.3862G	47.22	54.00	-6.78	30.79	3	Horizontal	349	1.49	-
PK	2.4334G	102.43	Inf	-Inf	30.89	3	Horizontal	349	1.49	-
AV	2.4322G	91.45	Inf	-Inf	30.89	3	Horizontal	349	1.49	-
PK	2.485G	64.10	74.00	-9.90	30.97	3	Horizontal	349	1.49	-
AV	2.4842G	49.26	54.00	-4.74	30.96	3	Horizontal	349	1.49	-

802.11ax HEW40_Nss2,(MCS0)_2TX

30/01/2019

2452MHz_TX




EUT Y_2TX
Setting 56
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3896G	59.60	74.00	-14.40	30.80	3	Vertical	14	1.94	-
AV	2.3868G	47.97	54.00	-6.03	30.79	3	Vertical	14	1.94	-
PK	2.448G	109.30	Inf	-Inf	30.91	3	Vertical	14	1.94	-
AV	2.4508G	97.18	Inf	-Inf	30.92	3	Vertical	14	1.94	-
PK	2.484G	71.73	74.00	-2.27	30.96	3	Vertical	14	1.94	-
AV	2.4852G	53.92	54.00	-0.08	30.97	3	Vertical	14	1.94	-

802.11ax HEW40_Nss2,(MCS0)_2TX

30/01/2019

2452MHz_TX



EUT Y_2TX
Setting 56
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3824G	58.44	74.00	-15.56	30.78	3	Horizontal	352	1.71	-
AV	2.378G	46.74	54.00	-7.26	30.75	3	Horizontal	352	1.71	-
PK	2.4452G	102.48	Inf	-Inf	30.91	3	Horizontal	352	1.71	-
AV	2.446G	91.32	Inf	-Inf	30.91	3	Horizontal	352	1.71	-
PK	2.4908G	66.39	74.00	-7.61	30.98	3	Horizontal	352	1.71	-
AV	2.4852G	49.79	54.00	-4.21	30.97	3	Horizontal	352	1.71	-



RSE TX above 1GHz Result_Bandedge

Appendix F.11


For Non-beamforming / 4T1S mode Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1.(MCS0)_4TX	Pass	AV	2.4856G	53.98	54.00	-0.02	30.97	3	Vertical	354	2.43	-

802.11b_Nss1,(1Mbps)_4TX

29/01/2019

2412MHz_TX




EUT Y_4TX
Setting 78
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	64.75	74.00	-9.25	30.80	3	Vertical	9	2.14	-
AV	2.3892G	53.83	54.00	-0.17	30.80	3	Vertical	9	2.14	-
PK	2.413G	122.34	Inf	-Inf	30.86	3	Vertical	9	2.14	-
AV	2.4112G	118.61	Inf	-Inf	30.86	3	Vertical	9	2.14	-

802.11b_Nss1,(1Mbps)_4TX

29/01/2019

2412MHz_TX



Lim.PK
PK
Lim.AV
AV


EUT Y_4TX
Setting 78
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.389G	59.87	74.00	-14.13	30.80	3	Horizontal	346	1.02	-
AV	2.3892G	47.50	54.00	-6.50	30.80	3	Horizontal	346	1.02	-
PK	2.413G	113.93	Inf	-Inf	30.86	3	Horizontal	346	1.02	-
AV	2.4112G	110.13	Inf	-Inf	30.86	3	Horizontal	346	1.02	-

802.11b_Nss1,(1Mbps)_4TX

2417MHz_TX

29/01/2019




EUT Y_4TX
Setting 80
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	65.86	74.00	-8.14	30.80	3	Vertical	92	2.33	-
AV	2.3898G	53.91	54.00	-0.09	30.80	3	Vertical	92	2.33	-
PK	2.4162G	120.66	Inf	-Inf	30.87	3	Vertical	92	2.33	-
AV	2.4162G	117.07	Inf	-Inf	30.87	3	Vertical	92	2.33	-
PK	2.4846G	62.11	74.00	-11.89	30.96	3	Vertical	92	2.33	-
AV	2.4842G	49.20	54.00	-4.80	30.96	3	Vertical	92	2.33	-

802.11b_Nss1,(1Mbps)_4TX

2417MHz_TX

29/01/2019




EUT Y_4TX
Setting 80
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	59.60	74.00	-14.40	30.80	3	Horizontal	60	2.38	-
AV	2.3898G	47.79	54.00	-6.21	30.80	3	Horizontal	60	2.38	-
PK	2.4178G	113.90	Inf	-Inf	30.87	3	Horizontal	60	2.38	-
AV	2.4178G	110.04	Inf	-Inf	30.87	3	Horizontal	60	2.38	-
PK	2.4898G	60.38	74.00	-13.62	30.97	3	Horizontal	60	2.38	-
AV	2.4938G	46.94	54.00	-7.06	30.98	3	Horizontal	60	2.38	-

802.11b_Nss1,(1Mbps)_4TX

2422MHz_TX

29/01/2019




EUT Y_4TX
Setting 85
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	64.12	74.00	-9.88	30.80	3	Vertical	304	2.33	-
AV	2.39G	53.83	54.00	-0.17	30.80	3	Vertical	304	2.33	-
PK	2.4212G	118.73	Inf	-Inf	30.87	3	Vertical	304	2.33	-
AV	2.4212G	115.04	Inf	-Inf	30.87	3	Vertical	304	2.33	-
PK	2.484G	61.90	74.00	-12.10	30.96	3	Vertical	304	2.33	-
AV	2.484G	48.73	54.00	-5.27	30.96	3	Vertical	304	2.33	-

802.11b_Nss1,(1Mbps)_4TX

29/01/2019

2422MHz_TX




EUT Y_4TX
Setting 85
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	60.97	74.00	-13.03	30.80	3	Horizontal	329	2.58	-
AV	2.39G	49.36	54.00	-4.64	30.80	3	Horizontal	329	2.58	-
PK	2.4212G	117.12	Inf	-Inf	30.87	3	Horizontal	329	2.58	-
AV	2.4212G	113.60	Inf	-Inf	30.87	3	Horizontal	329	2.58	-
PK	2.4912G	60.03	74.00	-13.97	30.98	3	Horizontal	329	2.58	-
AV	2.4835G	47.23	54.00	-6.77	30.96	3	Horizontal	329	2.58	-

802.11b_Nss1,(1Mbps)_4TX

29/01/2019

2427MHz_TX




EUT Y_4TX
Setting 86
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3874G	63.79	74.00	-10.21	30.79	3	Vertical	93	1.88	-
AV	2.3898G	52.78	54.00	-1.22	30.80	3	Vertical	93	1.88	-
PK	2.4262G	121.56	Inf	-Inf	30.88	3	Vertical	93	1.88	-
AV	2.4262G	117.90	Inf	-Inf	30.88	3	Vertical	93	1.88	-
PK	2.4926G	63.22	74.00	-10.78	30.98	3	Vertical	93	1.88	-
AV	2.4838G	49.76	54.00	-4.24	30.96	3	Vertical	93	1.88	-

802.11b_Nss1,(1Mbps)_4TX

2427MHz_TX

29/01/2019




EUT Y_4TX
Setting 86
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3862G	60.79	74.00	-13.21	30.79	3	Horizontal	322	2.03	-
AV	2.3898G	47.49	54.00	-6.51	30.80	3	Horizontal	322	2.03	-
PK	2.4258G	113.68	Inf	-Inf	30.88	3	Horizontal	322	2.03	-
AV	2.4262G	110.05	Inf	-Inf	30.88	3	Horizontal	322	2.03	-
PK	2.4842G	60.97	74.00	-13.03	30.96	3	Horizontal	322	2.03	-
AV	2.4842G	47.80	54.00	-6.20	30.96	3	Horizontal	322	2.03	-

802.11b_Nss1,(1Mbps)_4TX

29/01/2019

2437MHz_TX




EUT Y_4TX
Setting 86
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3878G	63.42	74.00	-10.58	30.79	3	Vertical	11	1.95	-
AV	2.3886G	50.91	54.00	-3.09	30.80	3	Vertical	11	1.95	-
PK	2.4362G	122.81	Inf	-Inf	30.90	3	Vertical	11	1.95	-
AV	2.4362G	119.17	Inf	-Inf	30.90	3	Vertical	11	1.95	-
PK	2.485G	65.02	74.00	-8.98	30.97	3	Vertical	11	1.95	-
AV	2.4836G	53.93	54.00	-0.07	30.96	3	Vertical	11	1.95	-

802.11b_Nss1,(1Mbps)_4TX

29/01/2019

2437MHz_TX




EUT_Y_4TX
Setting 86
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3854G	60.12	74.00	-13.88	30.79	3	Horizontal	347	1.06	-
AV	2.3882G	47.26	54.00	-6.74	30.79	3	Horizontal	347	1.06	-
PK	2.4358G	114.23	Inf	-Inf	30.90	3	Horizontal	347	1.06	-
AV	2.4362G	110.58	Inf	-Inf	30.90	3	Horizontal	347	1.06	-
PK	2.4854G	59.86	74.00	-14.14	30.97	3	Horizontal	347	1.06	-
AV	2.4835G	47.48	54.00	-6.52	30.96	3	Horizontal	347	1.06	-

802.11b_Nss1,(1Mbps)_4TX

29/01/2019

2442MHz_TX




EUT Y_4TX
Setting 85
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3856G	61.96	74.00	-12.04	30.79	3	Vertical	338	1.49	-
AV	2.39G	49.43	54.00	-4.57	30.80	3	Vertical	338	1.49	-
PK	2.4412G	119.95	Inf	-Inf	30.90	3	Vertical	338	1.49	-
AV	2.4412G	116.04	Inf	-Inf	30.90	3	Vertical	338	1.49	-
PK	2.488G	66.23	74.00	-7.77	30.97	3	Vertical	338	1.49	-
AV	2.4852G	53.90	54.00	-0.10	30.97	3	Vertical	338	1.49	-

802.11b_Nss1,(1Mbps)_4TX

29/01/2019

2442MHz_TX




EUT Y_4TX
Setting 85
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3888G	60.41	74.00	-13.59	30.80	3	Horizontal	34	1.34	-
AV	2.39G	47.18	54.00	-6.82	30.80	3	Horizontal	34	1.34	-
PK	2.4428G	115.75	Inf	-Inf	30.90	3	Horizontal	34	1.34	-
AV	2.4428G	112.04	Inf	-Inf	30.90	3	Horizontal	34	1.34	-
PK	2.4835G	60.58	74.00	-13.42	30.96	3	Horizontal	34	1.34	-
AV	2.4852G	48.54	54.00	-5.46	30.97	3	Horizontal	34	1.34	-

802.11b_Nss1,(1Mbps)_4TX

29/01/2019

2447MHz_TX




EUT Y_4TX
Setting 85
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.389G	60.64	74.00	-13.36	30.80	3	Vertical	73	1.50	-
AV	2.3898G	48.09	54.00	-5.91	30.80	3	Vertical	73	1.50	-
PK	2.4478G	116.67	Inf	-Inf	30.91	3	Vertical	73	1.50	-
AV	2.4462G	112.97	Inf	-Inf	30.91	3	Vertical	73	1.50	-
PK	2.4846G	64.95	74.00	-9.05	30.96	3	Vertical	73	1.50	-
AV	2.485G	53.84	54.00	-0.16	30.97	3	Vertical	73	1.50	-

802.11b_Nss1,(1Mbps)_4TX

29/01/2019

2447MHz_TX




EUT Y_4TX
Setting 85
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.389G	59.56	74.00	-14.44	30.80	3	Horizontal	326	2.29	-
AV	2.3898G	47.16	54.00	-6.84	30.80	3	Horizontal	326	2.29	-
PK	2.4458G	117.43	Inf	-Inf	30.91	3	Horizontal	326	2.29	-
AV	2.4462G	113.68	Inf	-Inf	30.91	3	Horizontal	326	2.29	-
PK	2.4874G	62.36	74.00	-11.64	30.97	3	Horizontal	326	2.29	-
AV	2.485G	50.36	54.00	-3.64	30.97	3	Horizontal	326	2.29	-

802.11b_Nss1,(1Mbps)_4TX

29/01/2019

2452MHz_TX




EUT Y_4TX
Setting 82
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.388G	61.80	74.00	-12.20	30.79	3	Vertical	343	1.79	-
AV	2.39G	48.64	54.00	-5.36	30.80	3	Vertical	343	1.79	-
PK	2.4512G	122.95	Inf	-Inf	30.92	3	Vertical	343	1.79	-
AV	2.4512G	119.30	Inf	-Inf	30.92	3	Vertical	343	1.79	-
PK	2.4848G	66.40	74.00	-7.60	30.96	3	Vertical	343	1.79	-
AV	2.484G	53.95	54.00	-0.05	30.96	3	Vertical	343	1.79	-

802.11b_Nss1,(1Mbps)_4TX

29/01/2019

2452MHz_TX




EUT Y_4TX
Setting 82
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	58.67	74.00	-15.33	30.80	3	Horizontal	11	1.06	-
AV	2.3892G	46.12	54.00	-7.88	30.80	3	Horizontal	11	1.06	-
PK	2.4512G	113.78	Inf	-Inf	30.92	3	Horizontal	11	1.06	-
AV	2.4512G	110.22	Inf	-Inf	30.92	3	Horizontal	11	1.06	-
PK	2.4936G	60.93	74.00	-13.07	30.98	3	Horizontal	11	1.06	-
AV	2.484G	47.69	54.00	-6.31	30.96	3	Horizontal	11	1.06	-

802.11b_Nss1,(1Mbps)_4TX

2457MHz_TX

29/01/2019




EUT Y_4TX
Setting 80
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3862G	60.53	74.00	-13.47	30.79	3	Vertical	268	1.85	-
AV	2.3894G	47.50	54.00	-6.50	30.80	3	Vertical	268	1.85	-
PK	2.4562G	119.98	Inf	-Inf	30.93	3	Vertical	268	1.85	-
AV	2.4562G	116.27	Inf	-Inf	30.93	3	Vertical	268	1.85	-
PK	2.4836G	64.76	74.00	-9.24	30.96	3	Vertical	268	1.85	-
AV	2.4838G	53.90	54.00	-0.10	30.96	3	Vertical	268	1.85	-

802.11b_Nss1,(1Mbps)_4TX

29/01/2019

2457MHz_TX




EUT Y_4TX
Setting 80
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3862G	58.84	74.00	-15.16	30.79	3	Horizontal	33	1.23	-
AV	2.389G	46.50	54.00	-7.50	30.80	3	Horizontal	33	1.23	-
PK	2.4562G	115.95	Inf	-Inf	30.93	3	Horizontal	33	1.23	-
AV	2.4562G	112.32	Inf	-Inf	30.93	3	Horizontal	33	1.23	-
PK	2.4838G	62.08	74.00	-11.92	30.96	3	Horizontal	33	1.23	-
AV	2.4838G	50.83	54.00	-3.17	30.96	3	Horizontal	33	1.23	-

802.11b_Nss1,(1Mbps)_4TX

29/01/2019

2462MHz_TX




EUT Y_4TX
Setting 78
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.463G	119.31	Inf	-Inf	30.93	3	Vertical	289	2.07	-
AV	2.4612G	115.56	Inf	-Inf	30.93	3	Vertical	289	2.07	-
PK	2.486G	64.30	74.00	-9.70	30.97	3	Vertical	289	2.07	-
AV	2.4836G	53.94	54.00	-0.06	30.96	3	Vertical	289	2.07	-

802.11b_Nss1,(1Mbps)_4TX

29/01/2019

2462MHz_TX




EUT_Y_4TX
Setting 78
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.463G	111.30	Inf	-Inf	30.93	3	Horizontal	348	1.46	-
AV	2.4612G	107.65	Inf	-Inf	30.93	3	Horizontal	348	1.46	-
PK	2.4878G	60.41	74.00	-13.59	30.97	3	Horizontal	348	1.46	-
AV	2.4862G	48.35	54.00	-5.65	30.97	3	Horizontal	348	1.46	-

802.11g_Nss1,(6Mbps)_4TX

29/01/2019

2412MHz_TX




EUT Y_4TX
Setting 52
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	73.88	74.00	-0.12	30.80	3	Vertical	358	2.10	-
AV	2.39G	50.03	54.00	-3.97	30.80	3	Vertical	358	2.10	-
PK	2.41G	116.16	Inf	-Inf	30.86	3	Vertical	358	2.10	-
AV	2.4098G	106.79	Inf	-Inf	30.85	3	Vertical	358	2.10	-

802.11g_Nss1,(6Mbps)_4TX

29/01/2019

2412MHz_TX




EUT_Y_4TX
Setting 52
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3896G	65.73	74.00	-8.27	30.80	3	Horizontal	32	2.15	-
AV	2.3898G	47.07	54.00	-6.93	30.80	3	Horizontal	32	2.15	-
PK	2.4196G	107.58	Inf	-Inf	30.87	3	Horizontal	32	2.15	-
AV	2.4196G	98.27	Inf	-Inf	30.87	3	Horizontal	32	2.15	-

802.11g_Nss1,(6Mbps)_4TX

29/01/2019

2417MHz_TX




EUT Y_4TX
Setting 61
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3882G	73.88	74.00	-0.12	30.79	3	Vertical	358	2.34	-
AV	2.389G	51.78	54.00	-2.22	30.80	3	Vertical	358	2.34	-
PK	2.4094G	115.13	Inf	-Inf	30.85	3	Vertical	358	2.34	-
AV	2.4094G	106.16	Inf	-Inf	30.85	3	Vertical	358	2.34	-
PK	2.4958G	60.54	74.00	-13.46	30.99	3	Vertical	358	2.34	-
AV	2.4854G	48.30	54.00	-5.70	30.97	3	Vertical	358	2.34	-

802.11g_Nss1,(6Mbps)_4TX

29/01/2019

2417MHz_TX




EUT Y_4TX
Setting 61
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	66.28	74.00	-7.72	30.80	3	Horizontal	25	2.10	-
AV	2.3898G	48.68	54.00	-5.32	30.80	3	Horizontal	25	2.10	-
PK	2.4106G	110.67	Inf	-Inf	30.86	3	Horizontal	25	2.10	-
AV	2.411G	101.45	Inf	-Inf	30.86	3	Horizontal	25	2.10	-
PK	2.4938G	59.31	74.00	-14.69	30.98	3	Horizontal	25	2.10	-
AV	2.489G	46.80	54.00	-7.20	30.97	3	Horizontal	25	2.10	-

802.11g_Nss1,(6Mbps)_4TX

29/01/2019

2422MHz_TX




EUT Y_4TX
Setting 64
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	73.92	74.00	-0.08	30.80	3	Vertical	358	2.36	-
AV	2.39G	51.55	54.00	-2.45	30.80	3	Vertical	358	2.36	-
PK	2.4296G	117.62	Inf	-Inf	30.88	3	Vertical	358	2.36	-
AV	2.4296G	108.36	Inf	-Inf	30.88	3	Vertical	358	2.36	-
PK	2.4916G	61.86	74.00	-12.14	30.98	3	Vertical	358	2.36	-
AV	2.4835G	48.55	54.00	-5.45	30.96	3	Vertical	358	2.36	-

802.11g_Nss1,(6Mbps)_4TX

12/02/2019

2422MHz_TX




EUT Y_4TX
Setting 64
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3868G	63.58	74.00	-10.42	30.79	3	Horizontal	30	2.27	-
AV	2.3868G	47.16	54.00	-6.84	30.79	3	Horizontal	30	2.27	-
PK	2.4256G	111.12	Inf	-Inf	30.88	3	Horizontal	30	2.27	-
AV	2.426G	102.06	Inf	-Inf	30.88	3	Horizontal	30	2.27	-
PK	2.4904G	59.39	74.00	-14.61	30.98	3	Horizontal	30	2.27	-
AV	2.4864G	47.04	54.00	-6.96	30.97	3	Horizontal	30	2.27	-

802.11g_Nss1,(6Mbps)_4TX

29/01/2019

2427MHz_TX




EUT Y_4TX
Setting 67
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	73.67	74.00	-0.33	30.80	3	Vertical	0	2.33	-
AV	2.3898G	50.47	54.00	-3.53	30.80	3	Vertical	0	2.33	-
PK	2.4238G	116.05	Inf	-Inf	30.87	3	Vertical	0	2.33	-
AV	2.4242G	106.59	Inf	-Inf	30.87	3	Vertical	0	2.33	-
PK	2.4838G	66.04	74.00	-7.96	30.96	3	Vertical	0	2.33	-
AV	2.4902G	49.24	54.00	-4.76	30.98	3	Vertical	0	2.33	-

802.11g_Nss1,(6Mbps)_4TX

29/01/2019

2427MHz_TX




EUT Y_4TX
Setting 67
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3854G	66.89	74.00	-7.11	30.79	3	Horizontal	33	1.44	-
AV	2.3858G	47.29	54.00	-6.71	30.79	3	Horizontal	33	1.44	-
PK	2.4262G	111.37	Inf	-Inf	30.88	3	Horizontal	33	1.44	-
AV	2.4274G	101.58	Inf	-Inf	30.88	3	Horizontal	33	1.44	-
PK	2.499G	60.11	74.00	-13.89	30.99	3	Horizontal	33	1.44	-
AV	2.4842G	47.24	54.00	-6.76	30.96	3	Horizontal	33	1.44	-

802.11g_Nss1,(6Mbps)_4TX

29/01/2019

2432MHz_TX




EUT Y_4TX
Setting 68
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	73.88	74.00	-0.12	30.80	3	Vertical	358	2.31	-
AV	2.39G	49.48	54.00	-4.52	30.80	3	Vertical	358	2.31	-
PK	2.43G	119.63	Inf	-Inf	30.89	3	Vertical	358	2.31	-
AV	2.4304G	110.35	Inf	-Inf	30.89	3	Vertical	358	2.31	-
PK	2.4896G	68.53	74.00	-5.47	30.97	3	Vertical	358	2.31	-
AV	2.4904G	49.45	54.00	-4.55	30.98	3	Vertical	358	2.31	-

802.11g_Nss1,(6Mbps)_4TX

29/01/2019

2432MHz_TX




EUT Y_4TX
Setting 68
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3868G	64.84	74.00	-9.16	30.79	3	Horizontal	29	2.35	-
AV	2.388G	47.36	54.00	-6.64	30.79	3	Horizontal	29	2.35	-
PK	2.4264G	112.22	Inf	-Inf	30.88	3	Horizontal	29	2.35	-
AV	2.426G	102.81	Inf	-Inf	30.88	3	Horizontal	29	2.35	-
PK	2.484G	60.72	74.00	-13.28	30.96	3	Horizontal	29	2.35	-
AV	2.4892G	47.26	54.00	-6.74	30.97	3	Horizontal	29	2.35	-

802.11g_Nss1,(6Mbps)_4TX

29/01/2019

2437MHz_TX




EUT_Y_4TX
Setting 74
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.383G	73.93	74.00	-0.07	30.78	3	Vertical	0	2.21	-
AV	2.3854G	52.02	54.00	-1.98	30.79	3	Vertical	0	2.21	-
PK	2.4446G	119.59	Inf	-Inf	30.90	3	Vertical	0	2.21	-
AV	2.4446G	110.36	Inf	-Inf	30.90	3	Vertical	0	2.21	-
PK	2.4862G	73.98	74.00	-0.02	30.97	3	Vertical	0	2.21	-
AV	2.4858G	53.74	54.00	-0.26	30.97	3	Vertical	0	2.21	-

802.11g_Nss1,(6Mbps)_4TX

29/01/2019

2437MHz_TX




EUT Y_4TX
Setting 74
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3882G	68.58	74.00	-5.42	30.79	3	Horizontal	33	2.25	-
AV	2.3894G	48.72	54.00	-5.28	30.80	3	Horizontal	33	2.25	-
PK	2.4406G	114.26	Inf	-Inf	30.90	3	Horizontal	33	2.25	-
AV	2.441G	105.06	Inf	-Inf	30.90	3	Horizontal	33	2.25	-
PK	2.4835G	68.56	74.00	-5.44	30.96	3	Horizontal	33	2.25	-
AV	2.4835G	50.10	54.00	-3.90	30.96	3	Horizontal	33	2.25	-

802.11g_Nss1,(6Mbps)_4TX

29/01/2019

2442MHz_TX




EUT Y_4TX
Setting 70
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3876G	70.48	74.00	-3.52	30.79	3	Vertical	359	2.44	-
AV	2.3892G	49.56	54.00	-4.44	30.80	3	Vertical	359	2.44	-
PK	2.446G	119.21	Inf	-Inf	30.91	3	Vertical	359	2.44	-
AV	2.446G	110.16	Inf	-Inf	30.91	3	Vertical	359	2.44	-
PK	2.4856G	73.92	74.00	-0.08	30.97	3	Vertical	359	2.44	-
AV	2.4835G	52.75	54.00	-1.25	30.96	3	Vertical	359	2.44	-

802.11g_Nss1,(6Mbps)_4TX

29/01/2019

2442MHz_TX




EUT Y_4TX
Setting 70
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3896G	65.50	74.00	-8.50	30.80	3	Horizontal	324	2.32	-
AV	2.39G	47.48	54.00	-6.52	30.80	3	Horizontal	324	2.32	-
PK	2.4496G	112.86	Inf	-Inf	30.91	3	Horizontal	324	2.32	-
AV	2.4496G	103.65	Inf	-Inf	30.91	3	Horizontal	324	2.32	-
PK	2.4888G	68.47	74.00	-5.53	30.97	3	Horizontal	324	2.32	-
AV	2.488G	48.99	54.00	-5.01	30.97	3	Horizontal	324	2.32	-

802.11g_Nss1,(6Mbps)_4TX

29/01/2019

2447MHz_TX




EUT Y_4TX
Setting 68
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3894G	72.54	74.00	-1.46	30.80	3	Vertical	358	2.19	-
AV	2.3886G	49.28	54.00	-4.72	30.80	3	Vertical	358	2.19	-
PK	2.4422G	116.40	Inf	-Inf	30.90	3	Vertical	358	2.19	-
AV	2.4422G	107.02	Inf	-Inf	30.90	3	Vertical	358	2.19	-
PK	2.4838G	73.90	74.00	-0.10	30.96	3	Vertical	358	2.19	-
AV	2.48355G	52.28	54.00	-1.72	30.96	3	Vertical	358	2.19	-

802.11g_Nss1,(6Mbps)_4TX

2447MHz_TX

29/01/2019




EUT Y_4TX
Setting 68
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3858G	61.16	74.00	-12.84	30.79	3	Horizontal	30	2.31	-
AV	2.3898G	46.86	54.00	-7.14	30.80	3	Horizontal	30	2.31	-
PK	2.445G	112.25	Inf	-Inf	30.91	3	Horizontal	30	2.31	-
AV	2.4446G	103.09	Inf	-Inf	30.90	3	Horizontal	30	2.31	-
PK	2.4842G	69.22	74.00	-4.78	30.96	3	Horizontal	30	2.31	-
AV	2.4835G	48.88	54.00	-5.12	30.96	3	Horizontal	30	2.31	-

802.11g_Nss1,(6Mbps)_4TX

29/01/2019

2452MHz_TX




EUT Y_4TX
Setting 62
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3808G	61.13	74.00	-12.87	30.76	3	Vertical	358	2.44	-
AV	2.386G	47.62	54.00	-6.38	30.79	3	Vertical	358	2.44	-
PK	2.4444G	114.65	Inf	-Inf	30.90	3	Vertical	358	2.44	-
AV	2.4444G	105.59	Inf	-Inf	30.90	3	Vertical	358	2.44	-
PK	2.48355G	73.88	74.00	-0.12	30.96	3	Vertical	358	2.44	-
AV	2.48355G	51.55	54.00	-2.45	30.96	3	Vertical	358	2.44	-

802.11g_Nss1,(6Mbps)_4TX

29/01/2019

2452MHz_TX




EUT Y_4TX
Setting 62
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3784G	58.53	74.00	-15.47	30.76	3	Horizontal	29	2.33	-
AV	2.3896G	46.60	54.00	-7.40	30.80	3	Horizontal	29	2.33	-
PK	2.4464G	111.44	Inf	-Inf	30.91	3	Horizontal	29	2.33	-
AV	2.446G	101.82	Inf	-Inf	30.91	3	Horizontal	29	2.33	-
PK	2.4848G	67.13	74.00	-6.87	30.96	3	Horizontal	29	2.33	-
AV	2.484G	47.95	54.00	-6.05	30.96	3	Horizontal	29	2.33	-

802.11g_Nss1,(6Mbps)_4TX

29/01/2019

2457MHz_TX




EUT Y_4TX
Setting 58
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.4646G	116.38	Inf	-Inf	30.93	3	Vertical	355	2.46	-
AV	2.4646G	107.13	Inf	-Inf	30.93	3	Vertical	355	2.46	-
PK	2.4842G	73.97	74.00	-0.03	30.96	3	Vertical	355	2.46	-
AV	2.4836G	51.38	54.00	-2.62	30.96	3	Vertical	355	2.46	-

802.11g_Nss1,(6Mbps)_4TX

2457MHz_TX

29/01/2019




EUT Y_4TX
Setting 58
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.4596G	110.40	Inf	-Inf	30.93	3	Horizontal	355	1.44	-
AV	2.4596G	101.02	Inf	-Inf	30.93	3	Horizontal	355	1.44	-
PK	2.4835G	62.52	74.00	-11.48	30.96	3	Horizontal	355	1.44	-
AV	2.4838G	47.20	54.00	-6.80	30.96	3	Horizontal	355	1.44	-

802.11g_Nss1,(6Mbps)_4TX

29/01/2019

2462MHz_TX




EUT Y_4TX
Setting 52
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.4632G	114.18	Inf	-Inf	30.93	3	Vertical	8	1.50	-
AV	2.463G	105.04	Inf	-Inf	30.93	3	Vertical	8	1.50	-
PK	2.4836G	73.95	74.00	-0.05	30.96	3	Vertical	8	1.50	-
AV	2.4836G	50.29	54.00	-3.71	30.96	3	Vertical	8	1.50	-

802.11g_Nss1,(6Mbps)_4TX

29/01/2019

2462MHz_TX




EUT Y_4TX
Setting 52
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.467G	108.55	Inf	-Inf	30.94	3	Horizontal	33	2.02	-
AV	2.466G	99.49	Inf	-Inf	30.94	3	Horizontal	33	2.02	-
PK	2.4848G	65.19	74.00	-8.81	30.96	3	Horizontal	33	2.02	-
AV	2.485G	47.42	54.00	-6.58	30.97	3	Horizontal	33	2.02	-

802.11ax HEW20_Nss1,(MCS0)_4TX

29/01/2019

2412MHz_TX




EUT Y_4TX
Setting 52
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3892G	73.84	74.00	-0.16	30.80	3	Vertical	359	2.35	-
AV	2.3892G	50.36	54.00	-3.64	30.80	3	Vertical	359	2.35	-
PK	2.409G	118.67	Inf	-Inf	30.85	3	Vertical	359	2.35	-
AV	2.414G	105.14	Inf	-Inf	30.86	3	Vertical	359	2.35	-

802.11ax HEW20_Nss1,(MCS0)_4TX

29/01/2019

2412MHz_TX




EUT Y_4TX
Setting 52
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	65.17	74.00	-8.83	30.80	3	Horizontal	33	2.10	-
AV	2.39G	46.67	54.00	-7.33	30.80	3	Horizontal	33	2.10	-
PK	2.4162G	109.07	Inf	-Inf	30.87	3	Horizontal	33	2.10	-
AV	2.4114G	96.84	Inf	-Inf	30.86	3	Horizontal	33	2.10	-

802.11ax HEW20_Nss1,(MCS0)_4TX

29/01/2019

2417MHz_TX




EUT Y_4TX
Setting 56
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3892G	73.90	74.00	-0.10	30.80	3	Vertical	356	2.35	-
AV	2.3894G	50.21	54.00	-3.79	30.80	3	Vertical	356	2.35	-
PK	2.41G	116.32	Inf	-Inf	30.86	3	Vertical	356	2.35	-
AV	2.4148G	103.46	Inf	-Inf	30.86	3	Vertical	356	2.35	-

802.11ax HEW20_Nss1,(MCS0)_4TX

29/01/2019

2417MHz_TX




EUT Y_4TX
Setting 56
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3866G	66.42	74.00	-7.58	30.79	3	Horizontal	31	1.00	-
AV	2.3864G	47.05	54.00	-6.95	30.79	3	Horizontal	31	1.00	-
PK	2.4224G	110.58	Inf	-Inf	30.87	3	Horizontal	31	1.00	-
AV	2.4122G	97.77	Inf	-Inf	30.86	3	Horizontal	31	1.00	-

802.11ax HEW20_Nss1,(MCS0)_4TX

29/01/2019

2422MHz_TX




EUT Y_4TX
Setting 62
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.384G	73.98	74.00	-0.02	30.78	3	Vertical	359	2.26	-
AV	2.3888G	51.64	54.00	-2.36	30.80	3	Vertical	359	2.26	-
PK	2.4188G	121.55	Inf	-Inf	30.87	3	Vertical	359	2.26	-
AV	2.4192G	107.37	Inf	-Inf	30.87	3	Vertical	359	2.26	-
PK	2.4872G	62.53	74.00	-11.47	30.97	3	Vertical	359	2.26	-
AV	2.484G	47.95	54.00	-6.05	30.96	3	Vertical	359	2.26	-

802.11ax HEW20_Nss1,(MCS0)_4TX

29/01/2019

2422MHz_TX




EUT Y_4TX
Setting 62
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.386G	65.87	74.00	-8.13	30.79	3	Horizontal	356	2.39	-
AV	2.39G	47.13	54.00	-6.87	30.80	3	Horizontal	356	2.39	-
PK	2.426G	112.00	Inf	-Inf	30.88	3	Horizontal	356	2.39	-
AV	2.4208G	99.95	Inf	-Inf	30.87	3	Horizontal	356	2.39	-
PK	2.5G	59.10	74.00	-14.90	30.99	3	Horizontal	356	2.39	-
AV	2.4936G	46.25	54.00	-7.75	30.98	3	Horizontal	356	2.39	-

802.11ax HEW20_Nss1,(MCS0)_4TX

29/01/2019

2427MHz_TX




EUT Y_4TX
Setting 62
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3874G	73.98	74.00	-0.02	30.79	3	Vertical	358	2.26	-
AV	2.387G	48.75	54.00	-5.25	30.79	3	Vertical	358	2.26	-
PK	2.4222G	117.11	Inf	-Inf	30.87	3	Vertical	358	2.26	-
AV	2.4222G	106.00	Inf	-Inf	30.87	3	Vertical	358	2.26	-
PK	2.4862G	64.76	74.00	-9.24	30.97	3	Vertical	358	2.26	-
AV	2.4835G	48.04	54.00	-5.96	30.96	3	Vertical	358	2.26	-

802.11ax HEW20_Nss1,(MCS0)_4TX

29/01/2019

2427MHz_TX




EUT Y_4TX
Setting 62
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3894G	68.98	74.00	-5.02	30.80	3	Horizontal	33	1.23	-
AV	2.3894G	46.83	54.00	-7.17	30.80	3	Horizontal	33	1.23	-
PK	2.4194G	111.49	Inf	-Inf	30.87	3	Horizontal	33	1.23	-
AV	2.4246G	99.30	Inf	-Inf	30.87	3	Horizontal	33	1.23	-
PK	2.4918G	59.71	74.00	-14.29	30.98	3	Horizontal	33	1.23	-
AV	2.4902G	46.45	54.00	-7.55	30.98	3	Horizontal	33	1.23	-

802.11ax HEW20_Nss1,(MCS0)_4TX

29/01/2019

2432MHz_TX




EUT Y_4TX
Setting 67
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3848G	73.27	74.00	-0.73	30.78	3	Vertical	356	2.27	-
AV	2.39G	50.43	54.00	-3.57	30.80	3	Vertical	356	2.27	-
PK	2.4252G	120.67	Inf	-Inf	30.88	3	Vertical	356	2.27	-
AV	2.4256G	107.36	Inf	-Inf	30.88	3	Vertical	356	2.27	-
PK	2.4844G	69.61	74.00	-4.39	30.96	3	Vertical	356	2.27	-
AV	2.4835G	49.30	54.00	-4.70	30.96	3	Vertical	356	2.27	-

802.11ax HEW20_Nss1,(MCS0)_4TX

29/01/2019

2432MHz_TX




EUT Y_4TX
Setting 67
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.382G	65.89	74.00	-8.11	30.78	3	Horizontal	31	2.39	-
AV	2.3872G	46.79	54.00	-7.21	30.79	3	Horizontal	31	2.39	-
PK	2.4332G	113.20	Inf	-Inf	30.89	3	Horizontal	31	2.39	-
AV	2.4332G	100.76	Inf	-Inf	30.89	3	Horizontal	31	2.39	-
PK	2.4844G	63.38	74.00	-10.62	30.96	3	Horizontal	31	2.39	-
AV	2.4904G	46.69	54.00	-7.31	30.98	3	Horizontal	31	2.39	-

802.11ax HEW20_Nss1,(MCS0)_4TX

29/01/2019

2437MHz_TX




EUT Y_4TX
Setting 67
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3866G	73.37	74.00	-0.63	30.79	3	Vertical	358	2.05	-
AV	2.387G	48.41	54.00	-5.59	30.79	3	Vertical	358	2.05	-
PK	2.4338G	118.09	Inf	-Inf	30.89	3	Vertical	358	2.05	-
AV	2.435G	106.07	Inf	-Inf	30.89	3	Vertical	358	2.05	-
PK	2.4866G	73.97	74.00	-0.03	30.97	3	Vertical	358	2.05	-
AV	2.4838G	49.48	54.00	-4.52	30.96	3	Vertical	358	2.05	-

802.11ax HEW20_Nss1,(MCS0)_4TX

29/01/2019

2437MHz_TX




EUT Y_4TX
Setting 67
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3866G	66.84	74.00	-7.16	30.79	3	Horizontal	35	1.45	-
AV	2.3866G	46.38	54.00	-7.62	30.79	3	Horizontal	35	1.45	-
PK	2.4362G	113.26	Inf	-Inf	30.90	3	Horizontal	35	1.45	-
AV	2.4362G	100.52	Inf	-Inf	30.90	3	Horizontal	35	1.45	-
PK	2.4862G	65.85	74.00	-8.15	30.97	3	Horizontal	35	1.45	-
AV	2.4835G	46.71	54.00	-7.29	30.96	3	Horizontal	35	1.45	-

802.11ax HEW20_Nss1,(MCS0)_4TX

29/01/2019

2442MHz_TX




EUT Y_4TX
Setting 62
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3896G	68.20	74.00	-5.80	30.80	3	Vertical	360	2.34	-
AV	2.39G	47.61	54.00	-6.39	30.80	3	Vertical	360	2.34	-
PK	2.4388G	120.56	Inf	-Inf	30.90	3	Vertical	360	2.34	-
AV	2.4392G	106.56	Inf	-Inf	30.90	3	Vertical	360	2.34	-
PK	2.484G	73.86	74.00	-0.14	30.96	3	Vertical	360	2.34	-
AV	2.484G	49.52	54.00	-4.48	30.96	3	Vertical	360	2.34	-

802.11ax HEW20_Nss1,(MCS0)_4TX

29/01/2019

2442MHz_TX




EUT Y_4TX
Setting 62
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3868G	63.85	74.00	-10.15	30.79	3	Horizontal	325	2.30	-
AV	2.3872G	46.12	54.00	-7.88	30.79	3	Horizontal	325	2.30	-
PK	2.4468G	113.72	Inf	-Inf	30.91	3	Horizontal	325	2.30	-
AV	2.4368G	101.07	Inf	-Inf	30.90	3	Horizontal	325	2.30	-
PK	2.4964G	63.81	74.00	-10.19	30.99	3	Horizontal	325	2.30	-
AV	2.4856G	47.09	54.00	-6.91	30.97	3	Horizontal	325	2.30	-

802.11ax HEW20_Nss1,(MCS0)_4TX

29/01/2019

2447MHz_TX




EUT Y_4TX
Setting 59
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.387G	65.06	74.00	-8.94	30.79	3	Vertical	357	2.21	-
AV	2.3898G	47.18	54.00	-6.82	30.80	3	Vertical	357	2.21	-
PK	2.4558G	118.44	Inf	-Inf	30.93	3	Vertical	357	2.21	-
AV	2.4454G	105.21	Inf	-Inf	30.91	3	Vertical	357	2.21	-
PK	2.4858G	73.87	74.00	-0.13	30.97	3	Vertical	357	2.21	-
AV	2.4854G	49.23	54.00	-4.77	30.97	3	Vertical	357	2.21	-

802.11ax HEW20_Nss1,(MCS0)_4TX

29/01/2019

2447MHz_TX




EUT Y_4TX
Setting 59
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3842G	59.91	74.00	-14.09	30.78	3	Horizontal	323	1.65	-
AV	2.3862G	45.92	54.00	-8.08	30.79	3	Horizontal	323	1.65	-
PK	2.453G	111.24	Inf	-Inf	30.92	3	Horizontal	323	1.65	-
AV	2.4478G	98.92	Inf	-Inf	30.91	3	Horizontal	323	1.65	-
PK	2.4835G	67.94	74.00	-6.06	30.96	3	Horizontal	323	1.65	-
AV	2.4835G	47.02	54.00	-6.98	30.96	3	Horizontal	323	1.65	-

802.11ax HEW20_Nss1,(MCS0)_4TX

29/01/2019

2452MHz_TX




EUT Y_4TX
Setting 58
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3896G	64.30	74.00	-9.70	30.80	3	Vertical	359	2.27	-
AV	2.39G	47.15	54.00	-6.85	30.80	3	Vertical	359	2.27	-
PK	2.4608G	117.83	Inf	-Inf	30.93	3	Vertical	359	2.27	-
AV	2.4504G	105.22	Inf	-Inf	30.92	3	Vertical	359	2.27	-
PK	2.4904G	73.85	74.00	-0.15	30.98	3	Vertical	359	2.27	-
AV	2.4856G	50.31	54.00	-3.69	30.97	3	Vertical	359	2.27	-

802.11ax HEW20_Nss1,(MCS0)_4TX

29/01/2019

2452MHz_TX




EUT Y_4TX
Setting 58
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3704G	59.31	74.00	-14.69	30.73	3	Horizontal	323	1.18	-
AV	2.388G	45.82	54.00	-8.18	30.79	3	Horizontal	323	1.18	-
PK	2.458G	111.34	Inf	-Inf	30.93	3	Horizontal	323	1.18	-
AV	2.4528G	98.68	Inf	-Inf	30.92	3	Horizontal	323	1.18	-
PK	2.4936G	67.48	74.00	-6.52	30.98	3	Horizontal	323	1.18	-
AV	2.4835G	47.79	54.00	-6.21	30.96	3	Horizontal	323	1.18	-

802.11ax HEW20_Nss1,(MCS0)_4TX

29/01/2019

2457MHz_TX




EUT Y_4TX
Setting 50
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.4656G	115.77	Inf	-Inf	30.94	3	Vertical	344	1.81	-
AV	2.4658G	101.79	Inf	-Inf	30.94	3	Vertical	344	1.81	-
PK	2.4856G	73.82	74.00	-0.18	30.97	3	Vertical	344	1.81	-
AV	2.4854G	48.63	54.00	-5.37	30.97	3	Vertical	344	1.81	-

802.11ax HEW20_Nss1,(MCS0)_4TX

29/01/2019

2457MHz_TX




EUT Y_4TX
Setting 50
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.454G	110.57	Inf	-Inf	30.92	3	Horizontal	327	2.31	-
AV	2.4544G	97.46	Inf	-Inf	30.92	3	Horizontal	327	2.31	-
PK	2.4838G	68.22	74.00	-5.78	30.96	3	Horizontal	327	2.31	-
AV	2.4838G	46.93	54.00	-7.07	30.96	3	Horizontal	327	2.31	-

802.11ax HEW20_Nss1,(MCS0)_4TX

29/01/2019

2462MHz_TX




EUT Y_4TX
Setting 44
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.4688G	115.21	Inf	-Inf	30.94	3	Vertical	353	2.15	-
AV	2.464G	101.91	Inf	-Inf	30.93	3	Vertical	353	2.15	-
PK	2.4836G	73.92	74.00	-0.08	30.96	3	Vertical	353	2.15	-
AV	2.4836G	48.71	54.00	-5.29	30.96	3	Vertical	353	2.15	-

802.11ax HEW20_Nss1,(MCS0)_4TX

29/01/2019

2462MHz_TX




EUT Y_4TX
Setting 44
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.4686G	108.90	Inf	-Inf	30.94	3	Horizontal	353	1.50	-
AV	2.4686G	95.59	Inf	-Inf	30.93	3	Horizontal	353	1.50	-
PK	2.4835G	66.63	74.00	-7.37	30.96	3	Horizontal	353	1.50	-
AV	2.4835G	46.55	54.00	-7.45	30.96	3	Horizontal	353	1.50	-

802.11ax HEW40_Nss1,(MCS0)_4TX

29/01/2019

2422MHz_TX




EUT Y_4TX
Setting 53
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3892G	73.80	74.00	-0.20	30.80	3	Vertical	355	2.34	-
AV	2.3896G	53.82	54.00	-0.18	30.79	3	Vertical	355	2.34	-
PK	2.4156G	115.08	Inf	-Inf	30.87	3	Vertical	355	2.34	-
AV	2.4156G	103.55	Inf	-Inf	30.87	3	Vertical	355	2.34	-
PK	2.4896G	62.01	74.00	-11.99	30.97	3	Vertical	355	2.34	-
AV	2.486G	49.44	54.00	-4.56	30.97	3	Vertical	355	2.34	-

802.11ax HEW40_Nss1,(MCS0)_4TX

29/01/2019

2422MHz_TX




EUT Y_4TX
Setting 53
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.388G	66.60	74.00	-7.40	30.79	3	Horizontal	321	1.84	-
AV	2.3864G	49.28	54.00	-4.72	30.79	3	Horizontal	321	1.84	-
PK	2.438G	106.79	Inf	-Inf	30.90	3	Horizontal	321	1.84	-
AV	2.428G	94.83	Inf	-Inf	30.88	3	Horizontal	321	1.84	-
PK	2.4872G	59.80	74.00	-14.20	30.97	3	Horizontal	321	1.84	-
AV	2.5G	47.52	54.00	-6.48	30.99	3	Horizontal	321	1.84	-

802.11ax HEW40_Nss1,(MCS0)_4TX

29/01/2019

2427MHz_TX




EUT Y_4TX
Setting 53
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.389G	73.41	74.00	-0.59	30.80	3	Vertical	356	2.24	-
AV	2.389G	53.97	54.00	-0.03	30.80	3	Vertical	356	2.24	-
PK	2.419G	116.81	Inf	-Inf	30.87	3	Vertical	356	2.24	-
AV	2.419G	104.48	Inf	-Inf	30.87	3	Vertical	356	2.24	-
PK	2.489G	62.42	74.00	-11.58	30.97	3	Vertical	356	2.24	-
AV	2.4842G	50.09	54.00	-3.91	30.96	3	Vertical	356	2.24	-

802.11ax HEW40_Nss1,(MCS0)_4TX

29/01/2019

2427MHz_TX




EUT Y_4TX
Setting 53
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3894G	67.23	74.00	-6.77	30.80	3	Horizontal	328	2.42	-
AV	2.3866G	49.29	54.00	-4.71	30.79	3	Horizontal	328	2.42	-
PK	2.4218G	107.96	Inf	-Inf	30.87	3	Horizontal	328	2.42	-
AV	2.4218G	96.67	Inf	-Inf	30.87	3	Horizontal	328	2.42	-
PK	2.4994G	60.81	74.00	-13.19	30.99	3	Horizontal	328	2.42	-
AV	2.4934G	47.87	54.00	-6.13	30.98	3	Horizontal	328	2.42	-

802.11ax HEW40_Nss1,(MCS0)_4TX

29/01/2019

2432MHz_TX




EUT Y_4TX
Setting 54
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3892G	71.47	74.00	-2.53	30.80	3	Vertical	358	2.28	-
AV	2.3888G	53.88	54.00	-0.12	30.80	3	Vertical	358	2.28	-
PK	2.424G	117.44	Inf	-Inf	30.87	3	Vertical	358	2.28	-
AV	2.424G	104.56	Inf	-Inf	30.87	3	Vertical	358	2.28	-
PK	2.4844G	64.19	74.00	-9.81	30.96	3	Vertical	358	2.28	-
AV	2.4844G	51.18	54.00	-2.82	30.96	3	Vertical	358	2.28	-

802.11ax HEW40_Nss1,(MCS0)_4TX

29/01/2019

2432MHz_TX




EUT Y_4TX
Setting 54
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	63.70	74.00	-10.30	30.80	3	Horizontal	324	2.33	-
AV	2.3864G	48.79	54.00	-5.21	30.79	3	Horizontal	324	2.33	-
PK	2.4416G	108.67	Inf	-Inf	30.90	3	Horizontal	324	2.33	-
AV	2.4216G	97.01	Inf	-Inf	30.87	3	Horizontal	324	2.33	-
PK	2.4984G	59.71	74.00	-14.29	30.99	3	Horizontal	324	2.33	-
AV	2.4868G	48.00	54.00	-6.00	30.97	3	Horizontal	324	2.33	-

802.11ax HEW40_Nss1,(MCS0)_4TX

29/01/2019

2437MHz_TX




EUT Y_4TX
Setting 56
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	71.56	74.00	-2.44	30.80	3	Vertical	358	2.29	-
AV	2.3898G	53.86	54.00	-0.14	30.80	3	Vertical	358	2.29	-
PK	2.4302G	114.32	Inf	-Inf	30.89	3	Vertical	358	2.29	-
AV	2.4206G	103.84	Inf	-Inf	30.87	3	Vertical	358	2.29	-
PK	2.4838G	69.25	74.00	-4.75	30.96	3	Vertical	358	2.29	-
AV	2.4858G	52.80	54.00	-1.20	30.97	3	Vertical	358	2.29	-

802.11ax HEW40_Nss1,(MCS0)_4TX

29/01/2019

2437MHz_TX




EUT Y_4TX
Setting 56
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3878G	62.58	74.00	-11.42	30.79	3	Horizontal	32	2.54	-
AV	2.3878G	48.62	54.00	-5.38	30.79	3	Horizontal	32	2.54	-
PK	2.4382G	107.96	Inf	-Inf	30.90	3	Horizontal	32	2.54	-
AV	2.4378G	97.06	Inf	-Inf	30.90	3	Horizontal	32	2.54	-
PK	2.4835G	61.96	74.00	-12.04	30.96	3	Horizontal	32	2.54	-
AV	2.4835G	49.15	54.00	-4.85	30.96	3	Horizontal	32	2.54	-

802.11ax HEW40_Nss1,(MCS0)_4TX

29/01/2019

2442MHz_TX




EUT Y_4TX
Setting 54
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3876G	65.63	74.00	-8.37	30.79	3	Vertical	0	2.18	-
AV	2.3892G	50.81	54.00	-3.19	30.80	3	Vertical	0	2.18	-
PK	2.4432G	112.11	Inf	-Inf	30.90	3	Vertical	0	2.18	-
AV	2.4484G	100.86	Inf	-Inf	30.91	3	Vertical	0	2.18	-
PK	2.48351G	70.88	74.00	-3.12	30.96	3	Vertical	0	2.18	-
AV	2.48351G	53.95	54.00	-0.05	30.96	3	Vertical	0	2.18	-

802.11ax HEW40_Nss1,(MCS0)_4TX

29/01/2019

2442MHz_TX




EUT Y_4TX
Setting 54
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3856G	60.18	74.00	-13.82	30.79	3	Horizontal	33	1.47	-
AV	2.3892G	48.05	54.00	-5.95	30.80	3	Horizontal	33	1.47	-
PK	2.434G	108.19	Inf	-Inf	30.89	3	Horizontal	33	1.47	-
AV	2.434G	96.55	Inf	-Inf	30.89	3	Horizontal	33	1.47	-
PK	2.4835G	62.31	74.00	-11.69	30.96	3	Horizontal	33	1.47	-
AV	2.484G	49.24	54.00	-4.76	30.96	3	Horizontal	33	1.47	-

802.11ax HEW40_Nss1,(MCS0)_4TX

29/01/2019

2447MHz_TX




EUT Y_4TX
Setting 52
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3866G	63.22	74.00	-10.78	30.79	3	Vertical	357	2.32	-
AV	2.3866G	49.11	54.00	-4.89	30.79	3	Vertical	357	2.32	-
PK	2.4318G	115.04	Inf	-Inf	30.89	3	Vertical	357	2.32	-
AV	2.4366G	103.23	Inf	-Inf	30.90	3	Vertical	357	2.32	-
PK	2.4842G	73.88	74.00	-0.12	30.96	3	Vertical	357	2.32	-
AV	2.4862G	53.75	54.00	-0.25	30.97	3	Vertical	357	2.32	-

802.11ax HEW40_Nss1,(MCS0)_4TX

29/01/2019

2447MHz_TX




EUT Y_4TX
Setting 52
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3822G	59.20	74.00	-14.80	30.78	3	Horizontal	352	1.50	-
AV	2.3878G	47.11	54.00	-6.89	30.79	3	Horizontal	352	1.50	-
PK	2.4534G	105.87	Inf	-Inf	30.92	3	Horizontal	352	1.50	-
AV	2.4338G	95.47	Inf	-Inf	30.89	3	Horizontal	352	1.50	-
PK	2.4835G	66.00	74.00	-8.00	30.96	3	Horizontal	352	1.50	-
AV	2.4835G	49.84	54.00	-4.16	30.96	3	Horizontal	352	1.50	-

802.11ax HEW40_Nss1,(MCS0)_4TX

29/01/2019

2452MHz_TX




EUT Y_4TX
Setting 49
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3864G	59.85	74.00	-14.15	30.79	3	Vertical	354	2.43	-
AV	2.388G	48.19	54.00	-5.81	30.79	3	Vertical	354	2.43	-
PK	2.466G	112.42	Inf	-Inf	30.94	3	Vertical	354	2.43	-
AV	2.4556G	101.63	Inf	-Inf	30.93	3	Vertical	354	2.43	-
PK	2.4856G	71.74	74.00	-2.26	30.97	3	Vertical	354	2.43	-
AV	2.4856G	53.98	54.00	-0.02	30.97	3	Vertical	354	2.43	-

802.11ax HEW40_Nss1,(MCS0)_4TX

29/01/2019

2452MHz_TX



EUT Y_4TX
Setting 49
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3856G	59.03	74.00	-14.97	30.79	3	Horizontal	322	2.25	-
AV	2.3896G	47.08	54.00	-6.92	30.80	3	Horizontal	322	2.25	-
PK	2.468G	106.49	Inf	-Inf	30.94	3	Horizontal	322	2.25	-
AV	2.448G	94.66	Inf	-Inf	30.91	3	Horizontal	322	2.25	-
PK	2.4835G	65.57	74.00	-8.43	30.96	3	Horizontal	322	2.25	-
AV	2.488G	49.25	54.00	-4.75	30.97	3	Horizontal	322	2.25	-



RSE TX above 1GHz Result_Bandedge

Appendix F.12


For Beamforming / 4T1S mode Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	2.4854G	73.91	74.00	-0.09	31.59	3	Vertical	288	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

01/02/2019

2412MHz_TX




EUT Y_4TX
Setting 57
02-L-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	73.59	74.00	-0.41	31.38	3	Vertical	278	2.76	-
AV	2.39G	51.61	54.00	-2.39	31.38	3	Vertical	278	2.76	-
PK	2.4042G	119.16	Inf	-Inf	31.42	3	Vertical	278	2.76	-
AV	2.4044G	105.78	Inf	-Inf	31.42	3	Vertical	278	2.76	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

01/02/2019

2412MHz_TX




EUT Y_4TX
Setting 57
02-L-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3872G	65.82	74.00	-8.18	31.37	3	Horizontal	236	1.50	-
AV	2.3898G	46.21	54.00	-7.79	31.38	3	Horizontal	236	1.50	-
PK	2.42G	114.31	Inf	-Inf	31.46	3	Horizontal	236	1.50	-
AV	2.4194G	101.05	Inf	-Inf	31.45	3	Horizontal	236	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

01/02/2019

2417MHz_TX




EUT Y_4TX
Setting 61
02-L-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	73.55	74.00	-0.45	31.38	3	Vertical	296	1.75	-
AV	2.39G	52.58	54.00	-1.42	31.38	3	Vertical	296	1.75	-
PK	2.418G	119.10	Inf	-Inf	31.45	3	Vertical	296	1.75	-
AV	2.4152G	106.54	Inf	-Inf	31.45	3	Vertical	296	1.75	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

01/02/2019

2417MHz_TX



Lim.PK 
 PK 
 Lim_AV 
 AV 


EUT Y_4TX
Setting 61
02-L-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments								
PK	2.3898G	65.18	74.00	-8.82	31.38	3	Horizontal	271	1.62	-								
AV	2.39G	46.63	54.00	-7.37	31.38	3	Horizontal	271	1.62	-								
PK	2.4252G	111.40	Inf	-Inf	31.47	3	Horizontal	271	1.62	-								
AV	2.424G	98.41	Inf	-Inf	31.46	3	Horizontal	271	1.62	-								

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

01/02/2019

2422MHz_TX




EUT Y_4TX
Setting 66
02-L-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3874G	73.89	74.00	-0.11	31.37	3	Vertical	290	2.44	-
AV	2.3896G	51.48	54.00	-2.52	31.38	3	Vertical	290	2.44	-
PK	2.414G	121.64	Inf	-Inf	31.45	3	Vertical	290	2.44	-
AV	2.4156G	108.43	Inf	-Inf	31.45	3	Vertical	290	2.44	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

01/02/2019

2422MHz_TX



Lim.PK

PK

Lim.AV

AV


EUT Y_4TX
Setting 66
02-L-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3882G	65.37	74.00	-8.63	31.38	3	Horizontal	231	1.54	-
AV	2.39G	47.46	54.00	-6.54	31.38	3	Horizontal	231	1.54	-
PK	2.4302G	116.22	Inf	-Inf	31.47	3	Horizontal	231	1.54	-
AV	2.4308G	103.29	Inf	-Inf	31.48	3	Horizontal	231	1.54	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

01/02/2019

2427MHz_TX




EUT_Y_4TX
Setting 72
02-L-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3886G	72.17	74.00	-1.83	31.38	3	Vertical	283	1.49	-
AV	2.3898G	51.50	54.00	-2.50	31.38	3	Vertical	283	1.49	-
PK	2.4354G	121.54	Inf	-Inf	31.48	3	Vertical	283	1.49	-
AV	2.4354G	109.26	Inf	-Inf	31.48	3	Vertical	283	1.49	-
PK	2.4858G	66.11	74.00	-7.89	31.59	3	Vertical	283	1.49	-
AV	2.4838G	48.35	54.00	-5.65	31.59	3	Vertical	283	1.49	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

01/02/2019

2427MHz_TX




EUT Y_4TX
Setting 72
02-L-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	69.47	74.00	-4.53	31.38	3	Horizontal	225	1.58	-
AV	2.3898G	48.73	54.00	-5.27	31.38	3	Horizontal	225	1.58	-
PK	2.4322G	117.13	Inf	-Inf	31.48	3	Horizontal	225	1.58	-
AV	2.4338G	103.95	Inf	-Inf	31.48	3	Horizontal	225	1.58	-
PK	2.4906G	62.51	74.00	-11.49	31.61	3	Horizontal	225	1.58	-
AV	2.4838G	46.31	54.00	-7.69	31.59	3	Horizontal	225	1.58	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

01/02/2019

2437MHz_TX




EUT_Y_4TX
Setting 72
02-L-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	73.00	74.00	-1.00	31.38	3	Vertical	288	1.50	-
AV	2.389G	50.57	54.00	-3.43	31.38	3	Vertical	288	1.50	-
PK	2.4282G	120.80	Inf	-Inf	31.47	3	Vertical	288	1.50	-
AV	2.4282G	108.78	Inf	-Inf	31.47	3	Vertical	288	1.50	-
PK	2.4854G	73.91	74.00	-0.09	31.59	3	Vertical	288	1.50	-
AV	2.4838G	52.07	54.00	-1.93	31.59	3	Vertical	288	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

01/02/2019

2437MHz_TX




EUT_Y_4TX
Setting 72
02-L-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.389G	66.50	74.00	-7.50	31.38	3	Horizontal	217	1.50	-
AV	2.3882G	46.03	54.00	-7.97	31.38	3	Horizontal	217	1.50	-
PK	2.4294G	115.44	Inf	-Inf	31.47	3	Horizontal	217	1.50	-
AV	2.4286G	102.94	Inf	-Inf	31.47	3	Horizontal	217	1.50	-
PK	2.487G	67.40	74.00	-6.60	31.60	3	Horizontal	217	1.50	-
AV	2.485G	48.14	54.00	-5.86	31.59	3	Horizontal	217	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

01/02/2019

2442MHz_TX




EUT Y_4TX
Setting 70
02-L-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3876G	67.24	74.00	-6.76	31.38	3	Vertical	282	1.48	-
AV	2.388G	46.98	54.00	-7.02	31.38	3	Vertical	282	1.48	-
PK	2.4368G	120.45	Inf	-Inf	31.49	3	Vertical	282	1.48	-
AV	2.44G	107.60	Inf	-Inf	31.50	3	Vertical	282	1.48	-
PK	2.4835G	73.23	74.00	-0.77	31.59	3	Vertical	282	1.48	-
AV	2.4835G	51.12	54.00	-2.88	31.59	3	Vertical	282	1.48	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

01/02/2019

2442MHz_TX




EUT_Y_4TX
Setting 70
02-L-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3896G	61.47	74.00	-12.53	31.38	3	Horizontal	46	1.47	-
AV	2.3896G	45.61	54.00	-8.39	31.38	3	Horizontal	46	1.47	-
PK	2.45G	113.87	Inf	-Inf	31.52	3	Horizontal	46	1.47	-
AV	2.4508G	102.12	Inf	-Inf	31.52	3	Horizontal	46	1.47	-
PK	2.4872G	68.02	74.00	-5.98	31.60	3	Horizontal	46	1.47	-
AV	2.484G	47.83	54.00	-6.17	31.59	3	Horizontal	46	1.47	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

01/02/2019

2447MHz_TX




EUT Y_4TX
Setting 68
02-L-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.4462G	120.98	Inf	-Inf	31.51	3	Vertical	275	2.21	-
AV	2.4452G	108.28	Inf	-Inf	31.51	3	Vertical	275	2.21	-
PK	2.49G	73.04	74.00	-0.96	31.61	3	Vertical	275	2.21	-
AV	2.4836G	50.33	54.00	-3.67	31.59	3	Vertical	275	2.21	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

01/02/2019

2447MHz_TX




EUT Y_4TX
Setting 68
02-L-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.4552G	115.90	Inf	-Inf	31.53	3	Horizontal	294	2.48	-
AV	2.4558G	102.87	Inf	-Inf	31.53	3	Horizontal	294	2.48	-
PK	2.4862G	68.01	74.00	-5.99	31.60	3	Horizontal	294	2.48	-
AV	2.4838G	48.23	54.00	-5.77	31.59	3	Horizontal	294	2.48	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

01/02/2019

2452MHz_TX




EUT Y_4TX
Setting 61
02-L-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.4602G	118.54	Inf	-Inf	31.54	3	Vertical	324	1.47	-
AV	2.4608G	105.88	Inf	-Inf	31.54	3	Vertical	324	1.47	-
PK	2.4886G	73.61	74.00	-0.39	31.61	3	Vertical	324	1.47	-
AV	2.4835G	49.54	54.00	-4.46	31.59	3	Vertical	324	1.47	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

01/02/2019

2452MHz_TX




EUT Y_4TX
Setting 61
02-L-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.4602G	113.73	Inf	-Inf	31.54	3	Horizontal	52	2.15	-
AV	2.4608G	100.57	Inf	-Inf	31.54	3	Horizontal	52	2.15	-
PK	2.4888G	68.65	74.00	-5.35	31.61	3	Horizontal	52	2.15	-
AV	2.4836G	47.77	54.00	-6.23	31.59	3	Horizontal	52	2.15	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

01/02/2019

2457MHz_TX




EUT_Y_4TX
Setting 54
02-L-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.4652G	118.71	Inf	-Inf	31.56	3	Vertical	328	2.01	-
AV	2.4654G	105.46	Inf	-Inf	31.56	3	Vertical	328	2.01	-
PK	2.4835G	73.88	74.00	-0.12	31.59	3	Vertical	328	2.01	-
AV	2.4835G	49.47	54.00	-4.53	31.59	3	Vertical	328	2.01	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

01/02/2019

2457MHz_TX




EUT Y_4TX
Setting 54
02-L-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.4622G	111.92	Inf	-Inf	31.54	3	Horizontal	50	2.17	-
AV	2.4618G	98.54	Inf	-Inf	31.54	3	Horizontal	50	2.17	-
PK	2.4836G	65.48	74.00	-8.52	31.59	3	Horizontal	50	2.17	-
AV	2.4835G	46.39	54.00	-7.61	31.59	3	Horizontal	50	2.17	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

01/02/2019

2462MHz_TX




EUT Y_4TX
Setting 49
02-L-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.4702G	118.44	Inf	-Inf	31.57	3	Vertical	323	2.17	-
AV	2.4706G	105.02	Inf	-Inf	31.57	3	Vertical	323	2.17	-
PK	2.4835G	73.46	74.00	-0.54	31.59	3	Vertical	323	2.17	-
AV	2.4838G	49.83	54.00	-4.17	31.59	3	Vertical	323	2.17	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

01/02/2019

2462MHz_TX




EUT Y_4TX
Setting 49
02-L-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.4704G	112.45	Inf	-Inf	31.57	3	Horizontal	303	1.43	-
AV	2.4706G	99.16	Inf	-Inf	31.57	3	Horizontal	303	1.43	-
PK	2.4876G	66.99	74.00	-7.01	31.61	3	Horizontal	303	1.43	-
AV	2.4838G	47.49	54.00	-6.51	31.59	3	Horizontal	303	1.43	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

01/02/2019

2422MHz_TX




EUT Y_4TX
Setting 50
02-L-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3868G	73.89	74.00	-0.11	31.37	3	Vertical	290	1.77	-
AV	2.3896G	48.35	54.00	-5.65	31.38	3	Vertical	290	1.77	-
PK	2.4164G	113.42	Inf	-Inf	31.45	3	Vertical	290	1.77	-
AV	2.4156G	101.40	Inf	-Inf	31.45	3	Vertical	290	1.77	-
PK	2.484G	57.64	74.00	-16.36	31.59	3	Vertical	290	1.77	-
AV	2.4844G	45.95	54.00	-8.05	31.59	3	Vertical	290	1.77	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

01/02/2019

2422MHz_TX




EUT_Y_4TX
Setting 50
02-L-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.386G	70.84	74.00	-3.16	31.37	3	Horizontal	224	1.49	-
AV	2.39G	46.11	54.00	-7.89	31.38	3	Horizontal	224	1.49	-
PK	2.4204G	108.98	Inf	-Inf	31.46	3	Horizontal	224	1.49	-
AV	2.4196G	96.38	Inf	-Inf	31.46	3	Horizontal	224	1.49	-
PK	2.484G	57.41	74.00	-16.59	31.59	3	Horizontal	224	1.49	-
AV	2.4844G	45.49	54.00	-8.51	31.59	3	Horizontal	224	1.49	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

01/02/2019

2427MHz_TX




EUT Y_4TX
Setting 51
02-L-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	73.46	74.00	-0.54	31.38	3	Vertical	293	1.75	-
AV	2.389G	47.69	54.00	-6.31	31.38	3	Vertical	293	1.75	-
PK	2.4254G	114.05	Inf	-Inf	31.47	3	Vertical	293	1.75	-
AV	2.4186G	101.54	Inf	-Inf	31.45	3	Vertical	293	1.75	-
PK	2.4835G	60.36	74.00	-13.64	31.59	3	Vertical	293	1.75	-
AV	2.4835G	46.59	54.00	-7.41	31.59	3	Vertical	293	1.75	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

01/02/2019

2427MHz_TX




EUT Y_4TX
Setting 51
02-L-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3882G	65.58	74.00	-8.42	31.38	3	Horizontal	228	1.53	-
AV	2.3874G	45.25	54.00	-8.75	31.37	3	Horizontal	228	1.53	-
PK	2.4318G	107.65	Inf	-Inf	31.48	3	Horizontal	228	1.53	-
AV	2.4314G	96.40	Inf	-Inf	31.48	3	Horizontal	228	1.53	-
PK	2.4998G	56.66	74.00	-17.34	31.63	3	Horizontal	228	1.53	-
AV	2.4846G	45.25	54.00	-8.75	31.59	3	Horizontal	228	1.53	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

01/02/2019

2432MHz_TX




EUT_Y_4TX
Setting 55
02-L-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3844G	73.49	74.00	-0.51	31.37	3	Vertical	294	1.75	-
AV	2.3864G	48.84	54.00	-5.16	31.37	3	Vertical	294	1.75	-
PK	2.4168G	114.52	Inf	-Inf	31.45	3	Vertical	294	1.75	-
AV	2.4168G	102.50	Inf	-Inf	31.45	3	Vertical	294	1.75	-
PK	2.4844G	64.05	74.00	-9.95	31.59	3	Vertical	294	1.75	-
AV	2.484G	48.20	54.00	-5.80	31.59	3	Vertical	294	1.75	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

01/02/2019

2432MHz_TX




EUT Y_4TX
Setting 55
02-L-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3896G	62.17	74.00	-11.83	31.38	3	Horizontal	228	1.53	-
AV	2.3896G	46.57	54.00	-7.43	31.38	3	Horizontal	228	1.53	-
PK	2.4304G	109.94	Inf	-Inf	31.47	3	Horizontal	228	1.53	-
AV	2.4308G	96.77	Inf	-Inf	31.48	3	Horizontal	228	1.53	-
PK	2.4848G	60.34	74.00	-13.66	31.59	3	Horizontal	228	1.53	-
AV	2.4844G	45.93	54.00	-8.07	31.59	3	Horizontal	228	1.53	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

01/02/2019

2437MHz_TX




EUT_Y_4TX
Setting 60
02-L-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3878G	73.57	74.00	-0.43	31.38	3	Vertical	277	1.72	-
AV	2.389G	53.51	54.00	-0.49	31.38	3	Vertical	277	1.72	-
PK	2.4274G	115.26	Inf	-Inf	31.47	3	Vertical	277	1.72	-
AV	2.4318G	104.41	Inf	-Inf	31.48	3	Vertical	277	1.72	-
PK	2.4842G	70.29	74.00	-3.71	31.59	3	Vertical	277	1.72	-
AV	2.4838G	53.20	54.00	-0.80	31.59	3	Vertical	277	1.72	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

01/02/2019

2437MHz_TX




EUT Y_4TX
Setting 60
02-L-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	70.64	74.00	-3.36	31.38	3	Horizontal	231	1.52	-
AV	2.3894G	47.62	54.00	-6.38	31.38	3	Horizontal	231	1.52	-
PK	2.4314G	110.29	Inf	-Inf	31.48	3	Horizontal	231	1.52	-
AV	2.431G	98.29	Inf	-Inf	31.48	3	Horizontal	231	1.52	-
PK	2.4842G	69.68	74.00	-4.32	31.59	3	Horizontal	231	1.52	-
AV	2.4835G	50.22	54.00	-3.78	31.59	3	Horizontal	231	1.52	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

01/02/2019

2442MHz_TX




EUT Y_4TX
Setting 54
02-L-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3844G	64.76	74.00	-9.24	31.37	3	Vertical	293	1.55	-
AV	2.3896G	46.43	54.00	-7.57	31.38	3	Vertical	293	1.55	-
PK	2.428G	113.94	Inf	-Inf	31.47	3	Vertical	293	1.55	-
AV	2.4244G	102.11	Inf	-Inf	31.46	3	Vertical	293	1.55	-
PK	2.4844G	73.25	74.00	-0.75	31.59	3	Vertical	293	1.55	-
AV	2.4835G	52.09	54.00	-1.91	31.59	3	Vertical	293	1.55	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

01/02/2019

2442MHz_TX




EUT Y_4TX
Setting 54
02-L-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.388G	60.51	74.00	-13.49	31.38	3	Horizontal	17	1.46	-
AV	2.39G	45.38	54.00	-8.62	31.38	3	Horizontal	17	1.46	-
PK	2.4564G	110.26	Inf	-Inf	31.53	3	Horizontal	17	1.46	-
AV	2.4568G	97.65	Inf	-Inf	31.53	3	Horizontal	17	1.46	-
PK	2.486G	70.54	74.00	-3.46	31.59	3	Horizontal	17	1.46	-
AV	2.4852G	50.60	54.00	-3.40	31.59	3	Horizontal	17	1.46	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

01/02/2019

2447MHz_TX




EUT_Y_4TX
Setting 54
02-L-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3766G	60.92	74.00	-13.08	31.34	3	Vertical	71	1.65	-
AV	2.389G	46.36	54.00	-7.64	31.38	3	Vertical	71	1.65	-
PK	2.4538G	114.63	Inf	-Inf	31.53	3	Vertical	71	1.65	-
AV	2.4526G	101.78	Inf	-Inf	31.52	3	Vertical	71	1.65	-
PK	2.491G	73.21	74.00	-0.79	31.61	3	Vertical	71	1.65	-
AV	2.4835G	50.83	54.00	-3.17	31.59	3	Vertical	71	1.65	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

01/02/2019

2447MHz_TX




EUT_Y_4TX
Setting 54
02-L-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3782G	57.85	74.00	-16.15	31.35	3	Horizontal	293	1.99	-
AV	2.3834G	44.76	54.00	-9.24	31.37	3	Horizontal	293	1.99	-
PK	2.465G	111.09	Inf	-Inf	31.56	3	Horizontal	293	1.99	-
AV	2.465G	98.48	Inf	-Inf	31.56	3	Horizontal	293	1.99	-
PK	2.4838G	68.38	74.00	-5.62	31.59	3	Horizontal	293	1.99	-
AV	2.4835G	48.88	54.00	-5.12	31.59	3	Horizontal	293	1.99	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

01/02/2019

2452MHz_TX




EUT_Y_4TX
Setting 50
02-L-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3896G	57.55	74.00	-16.45	31.38	3	Vertical	64	2.07	-
AV	2.3888G	45.60	54.00	-8.40	31.38	3	Vertical	64	2.07	-
PK	2.4536G	112.15	Inf	-Inf	31.53	3	Vertical	64	2.07	-
AV	2.454G	99.98	Inf	-Inf	31.53	3	Vertical	64	2.07	-
PK	2.4852G	73.51	74.00	-0.49	31.59	3	Vertical	64	2.07	-
AV	2.4852G	49.38	54.00	-4.62	31.59	3	Vertical	64	2.07	-

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

01/02/2019

2452MHz_TX



EUT Y_4TX
Setting 50
02-L-3
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3812G	55.60	74.00	-18.40	31.36	3	Horizontal	302	2.00	-
AV	2.3876G	44.46	54.00	-9.54	31.38	3	Horizontal	302	2.00	-
PK	2.4696G	110.63	Inf	-Inf	31.57	3	Horizontal	302	2.00	-
AV	2.4696G	98.62	Inf	-Inf	31.57	3	Horizontal	302	2.00	-
PK	2.4872G	68.44	74.00	-5.56	31.60	3	Horizontal	302	2.00	-
AV	2.4856G	47.34	54.00	-6.66	31.59	3	Horizontal	302	2.00	-



RSE TX above 1GHz Result_Bandedge

Appendix F.13


For Non-beamforming / 4T4S mode Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss4,(MCS0)_4TX	Pass	AV	2.3894G	53.98	54.00	-0.02	30.80	3	Vertical	354	1.99	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/01/2019

2412MHz_TX




EUT Y_4TX
Setting 57
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3892G	71.87	74.00	-2.13	30.80	3	Vertical	353	1.96	-
AV	2.39G	53.93	54.00	-0.07	30.80	3	Vertical	353	1.96	-
PK	2.4064G	114.82	Inf	-Inf	30.85	3	Vertical	353	1.96	-
AV	2.4138G	103.37	Inf	-Inf	30.86	3	Vertical	353	1.96	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/01/2019

2412MHz_TX




EUT Y_4TX
Setting 57
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3892G	68.13	74.00	-5.87	30.80	3	Horizontal	32	2.10	-
AV	2.39G	50.06	54.00	-3.94	30.80	3	Horizontal	32	2.10	-
PK	2.4096G	108.30	Inf	-Inf	30.85	3	Horizontal	32	2.10	-
AV	2.4072G	97.05	Inf	-Inf	30.85	3	Horizontal	32	2.10	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/01/2019

2417MHz_TX




EUT Y_4TX
Setting 62
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.389G	67.55	74.00	-6.45	30.80	3	Vertical	0	2.00	-
AV	2.3898G	53.95	54.00	-0.05	30.80	3	Vertical	0	2.00	-
PK	2.415G	116.81	Inf	-Inf	30.86	3	Vertical	0	2.00	-
AV	2.4122G	104.33	Inf	-Inf	30.86	3	Vertical	0	2.00	-
PK	2.4902G	60.80	74.00	-13.20	30.98	3	Vertical	0	2.00	-
AV	2.4836G	48.61	54.00	-5.39	30.96	3	Vertical	0	2.00	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/01/2019

2417MHz_TX




EUT_Y_4TX
Setting 62
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3882G	68.64	74.00	-5.36	30.79	3	Horizontal	32	2.30	-
AV	2.3894G	50.40	54.00	-3.60	30.80	3	Horizontal	32	2.30	-
PK	2.4238G	108.93	Inf	-Inf	30.87	3	Horizontal	32	2.30	-
AV	2.4242G	97.83	Inf	-Inf	30.87	3	Horizontal	32	2.30	-
PK	2.4862G	58.75	74.00	-15.25	30.97	3	Horizontal	32	2.30	-
AV	2.4918G	47.52	54.00	-6.48	30.98	3	Horizontal	32	2.30	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/01/2019

2422MHz_TX




EUT Y_4TX
Setting 65
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3856G	68.85	74.00	-5.15	30.79	3	Vertical	0	2.25	-
AV	2.39G	53.93	54.00	-0.07	30.80	3	Vertical	0	2.25	-
PK	2.426G	118.15	Inf	-Inf	30.88	3	Vertical	0	2.25	-
AV	2.4184G	105.72	Inf	-Inf	30.87	3	Vertical	0	2.25	-
PK	2.4848G	60.92	74.00	-13.08	30.96	3	Vertical	0	2.25	-
AV	2.4844G	48.98	54.00	-5.02	30.96	3	Vertical	0	2.25	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/01/2019

2422MHz_TX




EUT Y_4TX
Setting 65
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3892G	67.66	74.00	-6.34	30.80	3	Horizontal	31	2.31	-
AV	2.39G	50.17	54.00	-3.83	30.80	3	Horizontal	31	2.31	-
PK	2.4184G	109.93	Inf	-Inf	30.87	3	Horizontal	31	2.31	-
AV	2.4256G	98.58	Inf	-Inf	30.88	3	Horizontal	31	2.31	-
PK	2.484G	59.48	74.00	-14.52	30.96	3	Horizontal	31	2.31	-
AV	2.49G	47.52	54.00	-6.48	30.98	3	Horizontal	31	2.31	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/01/2019

2427MHz_TX




EUT Y_4TX
Setting 69
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	71.32	74.00	-2.68	30.80	3	Vertical	0	2.27	-
AV	2.3898G	53.83	54.00	-0.17	30.80	3	Vertical	0	2.27	-
PK	2.4238G	118.16	Inf	-Inf	30.87	3	Vertical	0	2.27	-
AV	2.4226G	106.17	Inf	-Inf	30.87	3	Vertical	0	2.27	-
PK	2.4862G	63.18	74.00	-10.82	30.97	3	Vertical	0	2.27	-
AV	2.487G	50.00	54.00	-4.00	30.97	3	Vertical	0	2.27	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/01/2019

2427MHz_TX




EUT_Y_4TX
Setting 69
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3882G	64.54	74.00	-9.46	30.79	3	Horizontal	33	1.46	-
AV	2.3894G	49.45	54.00	-4.55	30.80	3	Horizontal	33	1.46	-
PK	2.4234G	111.09	Inf	-Inf	30.87	3	Horizontal	33	1.46	-
AV	2.4294G	99.44	Inf	-Inf	30.88	3	Horizontal	33	1.46	-
PK	2.4862G	60.46	74.00	-13.54	30.97	3	Horizontal	33	1.46	-
AV	2.4938G	47.55	54.00	-6.45	30.98	3	Horizontal	33	1.46	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/01/2019

2432MHz_TX




EUT_Y_4TX
Setting 72
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3892G	69.02	74.00	-4.98	30.80	3	Vertical	4	2.06	-
AV	2.39G	53.96	54.00	-0.04	30.80	3	Vertical	4	2.06	-
PK	2.4372G	118.38	Inf	-Inf	30.90	3	Vertical	4	2.06	-
AV	2.4356G	106.29	Inf	-Inf	30.90	3	Vertical	4	2.06	-
PK	2.4856G	65.08	74.00	-8.92	30.97	3	Vertical	4	2.06	-
AV	2.4856G	51.84	54.00	-2.16	30.97	3	Vertical	4	2.06	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/01/2019

2432MHz_TX




EUT_Y_4TX
Setting 72
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3868G	67.60	74.00	-6.40	30.79	3	Horizontal	29	2.30	-
AV	2.39G	50.69	54.00	-3.31	30.80	3	Horizontal	29	2.30	-
PK	2.436G	113.68	Inf	-Inf	30.90	3	Horizontal	29	2.30	-
AV	2.4232G	100.36	Inf	-Inf	30.87	3	Horizontal	29	2.30	-
PK	2.4856G	62.96	74.00	-11.04	30.97	3	Horizontal	29	2.30	-
AV	2.4852G	48.28	54.00	-5.72	30.97	3	Horizontal	29	2.30	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/01/2019

2437MHz_TX




EUT Y_4TX
Setting 72
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.389G	69.34	74.00	-4.66	30.80	3	Vertical	0	2.27	-
AV	2.3886G	52.79	54.00	-1.21	30.80	3	Vertical	0	2.27	-
PK	2.4338G	118.73	Inf	-Inf	30.89	3	Vertical	0	2.27	-
AV	2.435G	106.75	Inf	-Inf	30.89	3	Vertical	0	2.27	-
PK	2.4842G	69.57	74.00	-4.43	30.96	3	Vertical	0	2.27	-
AV	2.4835G	53.89	54.00	-0.11	30.96	3	Vertical	0	2.27	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/01/2019

2437MHz_TX




EUT Y_4TX
Setting 72
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3878G	65.34	74.00	-8.66	30.79	3	Horizontal	35	2.08	-
AV	2.3898G	48.81	54.00	-5.19	30.80	3	Horizontal	35	2.08	-
PK	2.4314G	111.76	Inf	-Inf	30.89	3	Horizontal	35	2.08	-
AV	2.439G	100.13	Inf	-Inf	30.90	3	Horizontal	35	2.08	-
PK	2.4838G	64.25	74.00	-9.75	30.96	3	Horizontal	35	2.08	-
AV	2.4835G	49.38	54.00	-4.62	30.96	3	Horizontal	35	2.08	-

802.11ax HEW20_Nss4,(MCS0)_4TX

30/01/2019

2442MHz_TX




EUT Y_4TX
Setting 71
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3896G	65.96	74.00	-8.04	30.80	3	Vertical	5	2.16	-
AV	2.39G	51.06	54.00	-2.94	30.80	3	Vertical	5	2.16	-
PK	2.446G	117.91	Inf	-Inf	30.91	3	Vertical	5	2.16	-
AV	2.4352G	106.14	Inf	-Inf	30.90	3	Vertical	5	2.16	-
PK	2.4836G	69.24	74.00	-4.76	30.96	3	Vertical	5	2.16	-
AV	2.4836G	53.89	54.00	-0.11	30.96	3	Vertical	5	2.16	-

802.11ax HEW20_Nss4,(MCS0)_4TX

30/01/2019

2442MHz_TX




EUT Y_4TX
Setting 71
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3896G	63.18	74.00	-10.82	30.80	3	Horizontal	31	2.32	-
AV	2.3896G	48.55	54.00	-5.45	30.80	3	Horizontal	31	2.32	-
PK	2.4392G	112.05	Inf	-Inf	30.90	3	Horizontal	31	2.32	-
AV	2.4392G	100.14	Inf	-Inf	30.90	3	Horizontal	31	2.32	-
PK	2.484G	68.11	74.00	-5.89	30.96	3	Horizontal	31	2.32	-
AV	2.4848G	49.73	54.00	-4.27	30.96	3	Horizontal	31	2.32	-

802.11ax HEW20_Nss4,(MCS0)_4TX

30/01/2019

2447MHz_TX




EUT Y_4TX
Setting 67
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	63.17	74.00	-10.83	30.80	3	Vertical	359	2.20	-
AV	2.3886G	49.42	54.00	-4.58	30.80	3	Vertical	359	2.20	-
PK	2.451G	118.46	Inf	-Inf	30.92	3	Vertical	359	2.20	-
AV	2.4434G	105.49	Inf	-Inf	30.90	3	Vertical	359	2.20	-
PK	2.4836G	70.79	74.00	-3.21	30.96	3	Vertical	359	2.20	-
AV	2.4838G	53.83	54.00	-0.17	30.96	3	Vertical	359	2.20	-

802.11ax HEW20_Nss4,(MCS0)_4TX

30/01/2019

2447MHz_TX




EUT Y_4TX
Setting 67
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3874G	60.11	74.00	-13.89	30.79	3	Horizontal	326	2.23	-
AV	2.387G	47.33	54.00	-6.67	30.79	3	Horizontal	326	2.23	-
PK	2.445G	111.46	Inf	-Inf	30.91	3	Horizontal	326	2.23	-
AV	2.445G	99.74	Inf	-Inf	30.91	3	Horizontal	326	2.23	-
PK	2.4862G	63.44	74.00	-10.56	30.97	3	Horizontal	326	2.23	-
AV	2.4838G	49.88	54.00	-4.12	30.96	3	Horizontal	326	2.23	-

802.11ax HEW20_Nss4,(MCS0)_4TX

30/01/2019

2452MHz_TX




EUT Y_4TX
Setting 64
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3836G	60.62	74.00	-13.38	30.78	3	Vertical	0	2.23	-
AV	2.3896G	48.61	54.00	-5.39	30.80	3	Vertical	0	2.23	-
PK	2.4464G	116.31	Inf	-Inf	30.91	3	Vertical	0	2.23	-
AV	2.4536G	104.57	Inf	-Inf	30.92	3	Vertical	0	2.23	-
PK	2.4844G	68.61	74.00	-5.39	30.96	3	Vertical	0	2.23	-
AV	2.4835G	53.84	54.00	-0.16	30.96	3	Vertical	0	2.23	-

802.11ax HEW20_Nss4,(MCS0)_4TX

30/01/2019

2452MHz_TX




EUT Y_4TX
Setting 64
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3816G	58.67	74.00	-15.33	30.77	3	Horizontal	31	2.35	-
AV	2.3896G	47.33	54.00	-6.67	30.80	3	Horizontal	31	2.35	-
PK	2.4496G	110.67	Inf	-Inf	30.91	3	Horizontal	31	2.35	-
AV	2.4472G	98.91	Inf	-Inf	30.91	3	Horizontal	31	2.35	-
PK	2.486G	64.81	74.00	-9.19	30.97	3	Horizontal	31	2.35	-
AV	2.4835G	49.92	54.00	-4.08	30.96	3	Horizontal	31	2.35	-

802.11ax HEW20_Nss4,(MCS0)_4TX

30/01/2019

2457MHz_TX




EUT Y_4TX
Setting 59
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3874G	59.47	74.00	-14.53	30.79	3	Vertical	0	2.43	-
AV	2.3822G	47.73	54.00	-6.27	30.78	3	Vertical	0	2.43	-
PK	2.4638G	115.17	Inf	-Inf	30.93	3	Vertical	0	2.43	-
AV	2.4554G	103.08	Inf	-Inf	30.93	3	Vertical	0	2.43	-
PK	2.485G	68.04	74.00	-5.96	30.97	3	Vertical	0	2.43	-
AV	2.4835G	53.86	54.00	-0.14	30.96	3	Vertical	0	2.43	-

802.11ax HEW20_Nss4,(MCS0)_4TX

30/01/2019

2457MHz_TX




EUT Y_4TX
Setting 59
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3818G	59.11	74.00	-14.89	30.78	3	Horizontal	31	2.34	-
AV	2.3898G	46.97	54.00	-7.03	30.80	3	Horizontal	31	2.34	-
PK	2.461G	109.89	Inf	-Inf	30.93	3	Horizontal	31	2.34	-
AV	2.453G	97.75	Inf	-Inf	30.92	3	Horizontal	31	2.34	-
PK	2.4842G	64.99	74.00	-9.01	30.96	3	Horizontal	31	2.34	-
AV	2.4835G	49.31	54.00	-4.69	30.96	3	Horizontal	31	2.34	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/01/2019

2462MHz_TX




EUT Y_4TX
Setting 55
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.469G	114.34	Inf	-Inf	30.94	3	Vertical	0	2.09	-
AV	2.4678G	102.40	Inf	-Inf	30.94	3	Vertical	0	2.09	-
PK	2.4844G	72.49	74.00	-1.51	30.96	3	Vertical	0	2.09	-
AV	2.4836G	53.90	54.00	-0.10	30.96	3	Vertical	0	2.09	-

802.11ax HEW20_Nss4,(MCS0)_4TX

29/01/2019

2462MHz_TX




EUT Y_4TX
Setting 55
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.4658G	108.63	Inf	-Inf	30.94	3	Horizontal	31	2.34	-
AV	2.453G	96.42	Inf	-Inf	30.92	3	Horizontal	31	2.34	-
PK	2.485G	72.41	74.00	-1.59	30.97	3	Horizontal	31	2.34	-
AV	2.4854G	49.73	54.00	-4.27	30.97	3	Horizontal	31	2.34	-

802.11ax HEW40_Nss4,(MCS0)_4TX

30/01/2019

2422MHz_TX




EUT Y_4TX
Setting 46
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	66.48	74.00	-7.52	30.80	3	Vertical	350	1.97	-
AV	2.3896G	53.96	54.00	-0.04	30.80	3	Vertical	350	1.97	-
PK	2.4092G	110.38	Inf	-Inf	30.85	3	Vertical	350	1.97	-
AV	2.4096G	99.74	Inf	-Inf	30.85	3	Vertical	350	1.97	-
PK	2.4952G	60.16	74.00	-13.84	30.99	3	Vertical	350	1.97	-
AV	2.4904G	49.57	54.00	-4.43	30.98	3	Vertical	350	1.97	-

802.11ax HEW40_Nss4,(MCS0)_4TX

30/01/2019

2422MHz_TX




EUT Y_4TX
Setting 46
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.386G	61.11	74.00	-12.89	30.79	3	Horizontal	32	2.35	-
AV	2.3864G	48.81	54.00	-5.19	30.79	3	Horizontal	32	2.35	-
PK	2.4284G	103.20	Inf	-Inf	30.88	3	Horizontal	32	2.35	-
AV	2.4232G	92.96	Inf	-Inf	30.87	3	Horizontal	32	2.35	-
PK	2.4904G	58.85	74.00	-15.15	30.98	3	Horizontal	32	2.35	-
AV	2.4904G	48.51	54.00	-5.49	30.98	3	Horizontal	32	2.35	-

802.11ax HEW40_Nss4,(MCS0)_4TX

30/01/2019

2427MHz_TX




EUT Y_4TX
Setting 47
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3894G	66.39	74.00	-7.61	30.80	3	Vertical	354	1.99	-
AV	2.3894G	53.98	54.00	-0.02	30.80	3	Vertical	354	1.99	-
PK	2.419G	109.51	Inf	-Inf	30.87	3	Vertical	354	1.99	-
AV	2.419G	100.19	Inf	-Inf	30.87	3	Vertical	354	1.99	-
PK	2.493G	60.25	74.00	-13.75	30.98	3	Vertical	354	1.99	-
AV	2.485G	49.67	54.00	-4.33	30.97	3	Vertical	354	1.99	-

802.11ax HEW40_Nss4,(MCS0)_4TX

30/01/2019

2427MHz_TX




EUT Y_4TX
Setting 47
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3878G	61.77	74.00	-12.23	30.79	3	Horizontal	31	2.36	-
AV	2.3882G	49.13	54.00	-4.87	30.79	3	Horizontal	31	2.36	-
PK	2.4334G	103.39	Inf	-Inf	30.89	3	Horizontal	31	2.36	-
AV	2.421G	92.95	Inf	-Inf	30.87	3	Horizontal	31	2.36	-
PK	2.499G	59.04	74.00	-14.96	30.99	3	Horizontal	31	2.36	-
AV	2.4906G	48.52	54.00	-5.48	30.98	3	Horizontal	31	2.36	-

802.11ax HEW40_Nss4,(MCS0)_4TX

30/01/2019

2432MHz_TX




EUT Y_4TX
Setting 51
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3868G	69.88	74.00	-4.12	30.79	3	Vertical	9	1.83	-
AV	2.3868G	53.94	54.00	-0.06	30.79	3	Vertical	9	1.83	-
PK	2.4232G	110.66	Inf	-Inf	30.87	3	Vertical	9	1.83	-
AV	2.4196G	100.51	Inf	-Inf	30.87	3	Vertical	9	1.83	-
PK	2.4872G	62.31	74.00	-11.69	30.97	3	Vertical	9	1.83	-
AV	2.4872G	50.80	54.00	-3.20	30.97	3	Vertical	9	1.83	-

802.11ax HEW40_Nss4,(MCS0)_4TX

30/01/2019

2432MHz_TX




EUT Y_4TX
Setting 51
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3784G	62.22	74.00	-11.78	30.76	3	Horizontal	32	2.31	-
AV	2.3872G	49.74	54.00	-4.26	30.79	3	Horizontal	32	2.31	-
PK	2.4208G	104.83	Inf	-Inf	30.87	3	Horizontal	32	2.31	-
AV	2.4356G	94.62	Inf	-Inf	30.90	3	Horizontal	32	2.31	-
PK	2.4864G	59.80	74.00	-14.20	30.97	3	Horizontal	32	2.31	-
AV	2.484G	48.98	54.00	-5.02	30.96	3	Horizontal	32	2.31	-

802.11ax HEW40_Nss4,(MCS0)_4TX

30/01/2019

2437MHz_TX




EUT Y_4TX
Setting 55
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3894G	67.63	74.00	-6.37	30.80	3	Vertical	354	2.26	-
AV	2.389G	53.93	54.00	-0.07	30.80	3	Vertical	354	2.26	-
PK	2.4262G	112.43	Inf	-Inf	30.88	3	Vertical	354	2.26	-
AV	2.4226G	101.83	Inf	-Inf	30.87	3	Vertical	354	2.26	-
PK	2.4846G	68.15	74.00	-5.85	30.96	3	Vertical	354	2.26	-
AV	2.4882G	53.61	54.00	-0.39	30.97	3	Vertical	354	2.26	-

802.11ax HEW40_Nss4,(MCS0)_4TX

30/01/2019

2437MHz_TX




EUT Y_4TX
Setting 55
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	63.63	74.00	-10.37	30.80	3	Horizontal	33	2.27	-
AV	2.3894G	50.14	54.00	-3.86	30.80	3	Horizontal	33	2.27	-
PK	2.4454G	105.95	Inf	-Inf	30.91	3	Horizontal	33	2.27	-
AV	2.451G	95.00	Inf	-Inf	30.92	3	Horizontal	33	2.27	-
PK	2.489G	62.22	74.00	-11.78	30.97	3	Horizontal	33	2.27	-
AV	2.4842G	49.83	54.00	-4.17	30.96	3	Horizontal	33	2.27	-

802.11ax HEW40_Nss4,(MCS0)_4TX

30/01/2019

2442MHz_TX




EUT Y_4TX
Setting 50
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	62.98	74.00	-11.02	30.80	3	Vertical	0	2.27	-
AV	2.39G	50.52	54.00	-3.48	30.80	3	Vertical	0	2.27	-
PK	2.4468G	111.57	Inf	-Inf	30.91	3	Vertical	0	2.27	-
AV	2.4368G	100.22	Inf	-Inf	30.90	3	Vertical	0	2.27	-
PK	2.4852G	69.68	74.00	-4.32	30.97	3	Vertical	0	2.27	-
AV	2.4868G	53.98	54.00	-0.02	30.97	3	Vertical	0	2.27	-

802.11ax HEW40_Nss4,(MCS0)_4TX

30/01/2019

2442MHz_TX




EUT Y_4TX
Setting 50
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3824G	59.20	74.00	-14.80	30.78	3	Horizontal	324	2.32	-
AV	2.39G	48.98	54.00	-5.02	30.80	3	Horizontal	324	2.32	-
PK	2.4464G	104.55	Inf	-Inf	30.91	3	Horizontal	324	2.32	-
AV	2.4368G	95.16	Inf	-Inf	30.90	3	Horizontal	324	2.32	-
PK	2.484G	66.12	74.00	-7.88	30.96	3	Horizontal	324	2.32	-
AV	2.4844G	50.94	54.00	-3.06	30.96	3	Horizontal	324	2.32	-

802.11ax HEW40_Nss4,(MCS0)_4TX

30/01/2019

2447MHz_TX




EUT Y_4TX
Setting 50
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3822G	61.08	74.00	-12.92	30.78	3	Vertical	357	2.33	-
AV	2.3894G	49.79	54.00	-4.21	30.80	3	Vertical	357	2.33	-
PK	2.4362G	111.44	Inf	-Inf	30.90	3	Vertical	357	2.33	-
AV	2.4378G	100.41	Inf	-Inf	30.90	3	Vertical	357	2.33	-
PK	2.485G	68.36	74.00	-5.64	30.97	3	Vertical	357	2.33	-
AV	2.4842G	53.92	54.00	-0.08	30.96	3	Vertical	357	2.33	-

802.11ax HEW40_Nss4,(MCS0)_4TX

30/01/2019

2447MHz_TX




EUT Y_4TX
Setting 50
01-W-3
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.389G	59.47	74.00	-14.53	30.80	3	Horizontal	32	2.31	-
AV	2.3886G	48.60	54.00	-5.40	30.80	3	Horizontal	32	2.31	-
PK	2.4362G	104.84	Inf	-Inf	30.90	3	Horizontal	32	2.31	-
AV	2.4338G	94.13	Inf	-Inf	30.89	3	Horizontal	32	2.31	-
PK	2.4835G	68.28	74.00	-5.72	30.96	3	Horizontal	32	2.31	-
AV	2.4835G	52.91	54.00	-1.09	30.96	3	Horizontal	32	2.31	-

802.11ax HEW40_Nss4,(MCS0)_4TX

30/01/2019

2452MHz_TX




EUT Y_4TX
Setting 47
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3832G	59.87	74.00	-14.13	30.78	3	Vertical	0	2.20	-
AV	2.3864G	49.39	54.00	-4.61	30.79	3	Vertical	0	2.20	-
PK	2.4364G	109.28	Inf	-Inf	30.90	3	Vertical	0	2.20	-
AV	2.45G	99.17	Inf	-Inf	30.92	3	Vertical	0	2.20	-
PK	2.4836G	68.23	74.00	-5.77	30.96	3	Vertical	0	2.20	-
AV	2.4844G	53.93	54.00	-0.07	30.96	3	Vertical	0	2.20	-

802.11ax HEW40_Nss4,(MCS0)_4TX

30/01/2019

2452MHz_TX



EUT Y_4TX
Setting 47
01-J-5
FSU
ANT 8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.388G	58.68	74.00	-15.32	30.79	3	Horizontal	32	2.31	-
AV	2.3872G	48.45	54.00	-5.55	30.79	3	Horizontal	32	2.31	-
PK	2.4392G	103.71	Inf	-Inf	30.90	3	Horizontal	32	2.31	-
AV	2.4504G	93.17	Inf	-Inf	30.92	3	Horizontal	32	2.31	-
PK	2.4864G	61.13	74.00	-12.87	30.97	3	Horizontal	32	2.31	-
AV	2.486G	49.60	54.00	-4.40	30.97	3	Horizontal	32	2.31	-



RSE TX above 1GHz Result_Radiated Emission

Appendix F.14

Mode 3: (Ant. 11 Panel antenna / 6.8 dBi)

For Non-beamforming / 4T1S mode


Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_4TX	Pass	AV	7.38474G	53.96	54.00	-0.04	9.23	3	Vertical	2	1.38	-

802.11b_Nss1,(1Mbps)_4TX

11/02/2019

2412MHz_TX




EUT Y_4TX
Setting 110
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	4.82394G	51.40	74.00	-22.60	3.59	3	Vertical	33	1.19	-
AV	4.82398G	46.64	54.00	-7.36	3.59	3	Vertical	33	1.19	-
PK	12.06444G	59.59	74.00	-14.41	12.33	3	Vertical	342	1.89	-
AV	12.06072G	50.50	54.00	-3.50	12.33	3	Vertical	342	1.89	-

802.11b_Nss1,(1Mbps)_4TX

11/02/2019

2412MHz_TX




EUT Y_4TX
Setting 110
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	4.82396G	52.63	74.00	-21.37	3.59	3	Horizontal	311	1.88	-
AV	4.82396G	47.84	54.00	-6.16	3.59	3	Horizontal	311	1.88	-
PK	12.06084G	57.19	74.00	-16.81	12.33	3	Horizontal	104	1.55	-
AV	12.06066G	47.57	54.00	-6.43	12.33	3	Horizontal	104	1.55	-

802.11b_Nss1,(1Mbps)_4TX

11/02/2019

2437MHz_TX




EUT Y_4TX
Setting 85
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	4.87388G	46.33	74.00	-27.67	3.81	3	Vertical	176	2.86	-
AV	4.87402G	35.52	54.00	-18.48	3.81	3	Vertical	176	2.86	-
PK	7.30996G	59.91	74.00	-14.09	9.25	3	Vertical	1	1.34	-
AV	7.30972G	53.83	54.00	-0.17	9.25	3	Vertical	1	1.34	-
PK	12.18632G	56.51	74.00	-17.49	12.68	3	Vertical	0	1.69	-
AV	12.18364G	44.46	54.00	-9.54	12.68	3	Vertical	0	1.69	-

802.11b_Nss1,(1Mbps)_4TX

11/02/2019

2437MHz_TX




EUT Y_4TX
Setting 85
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	4.87376G	46.08	74.00	-27.92	3.81	3	Horizontal	10	1.51	-
AV	4.874G	33.96	54.00	-20.04	3.81	3	Horizontal	10	1.51	-
PK	7.30996G	59.70	74.00	-14.30	9.25	3	Horizontal	341	1.32	-
AV	7.3097G	53.16	54.00	-0.84	9.25	3	Horizontal	341	1.32	-
PK	12.18434G	56.82	74.00	-17.18	12.68	3	Horizontal	339	2.99	-
AV	12.18366G	45.07	54.00	-8.93	12.68	3	Horizontal	339	2.99	-

802.11b_Nss1,(1Mbps)_4TX

11/02/2019

2462MHz_TX




EUT_Y_4TX
Setting 87
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	4.9239G	47.47	74.00	-26.53	4.04	3	Vertical	176	2.30	-
AV	4.92398G	38.41	54.00	-15.59	4.04	3	Vertical	176	2.30	-
PK	7.38494G	59.66	74.00	-14.34	9.23	3	Vertical	2	1.38	-
AV	7.38474G	53.96	54.00	-0.04	9.23	3	Vertical	2	1.38	-
PK	12.31078G	57.57	74.00	-16.43	13.03	3	Vertical	12	1.97	-
AV	12.30878G	44.53	54.00	-9.47	13.03	3	Vertical	12	1.97	-

802.11b_Nss1,(1Mbps)_4TX

11/02/2019

2462MHz_TX




EUT Y_4TX
Setting 87
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	4.92402G	46.14	74.00	-27.86	4.04	3	Horizontal	311	1.89	-
AV	4.92396G	35.18	54.00	-18.82	4.04	3	Horizontal	311	1.89	-
PK	7.38442G	53.90	74.00	-20.10	9.23	3	Horizontal	30	1.60	-
AV	7.38476G	43.52	54.00	-10.48	9.23	3	Horizontal	30	1.60	-
PK	12.30736G	57.93	74.00	-16.07	13.02	3	Horizontal	98	1.70	-
AV	12.30872G	45.80	54.00	-8.20	13.03	3	Horizontal	98	1.70	-

802.11g_Nss1,(6Mbps)_4TX

11/02/2019

2412MHz_TX




EUT Y_4TX
Setting 110
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	4.83054G	50.38	74.00	-23.62	3.62	3	Vertical	187	1.04	-
AV	4.83156G	37.89	54.00	-16.11	3.62	3	Vertical	187	1.04	-
PK	12.06106G	56.50	74.00	-17.50	12.30	3	Vertical	342	1.95	-
AV	12.06066G	43.14	54.00	-10.86	12.33	3	Vertical	342	1.95	-

802.11g_Nss1,(6Mbps)_4TX

11/02/2019

2412MHz_TX




EUT Y_4TX
Setting 110
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	4.8285G	51.01	74.00	-22.99	3.61	3	Horizontal	44	1.02	-
AV	4.82784G	37.34	54.00	-16.66	3.60	3	Horizontal	44	1.02	-
PK	12.05838G	56.47	74.00	-17.53	12.33	3	Horizontal	96	2.45	-
AV	12.05736G	43.21	54.00	-10.79	12.30	3	Horizontal	96	2.45	-

802.11g_Nss1,(6Mbps)_4TX

11/02/2019

2437MHz_TX




EUT Y_4TX
Setting 110
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	7.30554G	62.72	74.00	-11.28	9.26	3	Vertical	319	1.86	-						
AV	7.30596G	50.19	54.00	-3.81	9.25	3	Vertical	319	1.86	-						

802.11g_Nss1,(6Mbps)_4TX

11/02/2019

2437MHz_TX




EUT Y_4TX
Setting 110
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	7.3053G	63.48	74.00	-10.52	9.26	3	Horizontal	344	1.85	-						
AV	7.30572G	51.26	54.00	-2.74	9.25	3	Horizontal	344	1.85	-						

802.11g_Nss1,(6Mbps)_4TX

11/02/2019

2462MHz_TX




EUT Y_4TX
Setting 110
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	7.38558G	61.19	74.00	-12.81	9.24	3	Vertical	1	1.33	-						
AV	7.38612G	48.48	54.00	-5.52	9.24	3	Vertical	1	1.33	-						

802.11g_Nss1,(6Mbps)_4TX

11/02/2019

2462MHz_TX




EUT Y_4TX
Setting 110
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	7.38894G	59.42	74.00	-14.58	9.24	3	Horizontal	339	2.36	-						
AV	7.3893G	46.25	54.00	-7.75	9.24	3	Horizontal	339	2.36	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

11/02/2019

2412MHz_TX




EUT Y_4TX
Setting 110
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	4.82032G	49.87	74.00	-24.13	3.57	3	Vertical	2	1.50	-
AV	4.82504G	36.11	54.00	-17.89	3.60	3	Vertical	2	1.50	-
PK	12.05928G	55.85	74.00	-18.15	12.37	3	Vertical	245	2.09	-
AV	12.05976G	42.68	54.00	-11.32	12.33	3	Vertical	245	2.09	-

802.11ax HEW20_Nss1,(MCS0)_4TX

11/02/2019

2412MHz_TX




EUT Y_4TX
Setting 110
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	4.822G	49.03	74.00	-24.97	3.59	3	Horizontal	42	1.49	-
AV	4.82688G	36.69	54.00	-17.31	3.60	3	Horizontal	42	1.49	-
PK	12.06094G	55.63	74.00	-18.37	12.33	3	Horizontal	98	2.46	-
AV	12.06124G	42.71	54.00	-11.29	12.30	3	Horizontal	98	2.46	-

802.11ax HEW20_Nss1,(MCS0)_4TX

11/02/2019

2437MHz_TX




EUT Y_4TX
Setting 110
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	7.3071G	61.70	74.00	-12.30	9.25	3	Vertical	4	1.54	-						
AV	7.3071G	49.76	54.00	-4.24	9.25	3	Vertical	4	1.54	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

11/02/2019

2437MHz_TX




EUT Y_4TX
Setting 110
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	7.3073G	62.98	74.00	-11.02	9.25	3	Horizontal	344	1.81	-						
AV	7.3072G	50.39	54.00	-3.61	9.25	3	Horizontal	344	1.81	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

11/02/2019

2462MHz_TX




EUT Y_4TX
Setting 110
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	7.3784G	59.11	74.00	-14.89	9.24	3	Vertical	2	1.30	-						
AV	7.3886G	46.90	54.00	-7.10	9.24	3	Vertical	2	1.30	-						

802.11ax HEW20_Nss1,(MCS0)_4TX

11/02/2019

2462MHz_TX




EUT Y_4TX
Setting 110
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	7.3785G	57.10	74.00	-16.90	9.24	3	Horizontal	338	2.32	-						
AV	7.3884G	45.07	54.00	-8.93	9.24	3	Horizontal	338	2.32	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

11/02/2019

2422MHz_TX




EUT Y_4TX
Setting 110
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	4.8403G	48.17	74.00	-25.83	3.66	3	Vertical	0	1.49	-
AV	4.845G	35.94	54.00	-18.06	3.67	3	Vertical	0	1.49	-
PK	7.2961G	58.74	74.00	-15.26	9.24	3	Vertical	4	1.62	-
AV	7.2961G	45.24	54.00	-8.76	9.24	3	Vertical	4	1.62	-
PK	12.1028G	55.46	74.00	-18.54	12.44	3	Vertical	255	1.48	-
AV	12.1162G	42.78	54.00	-11.22	12.43	3	Vertical	255	1.48	-

802.11ax HEW40_Nss1,(MCS0)_4TX

11/02/2019

2422MHz_TX




EUT Y_4TX
Setting 110
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	4.8399G	48.04	74.00	-25.96	3.66	3	Horizontal	43	1.05	-
AV	4.8451G	36.43	54.00	-17.57	3.68	3	Horizontal	43	1.05	-
PK	7.291G	57.83	74.00	-16.17	9.23	3	Horizontal	346	1.93	-
AV	7.286G	46.14	54.00	-7.86	9.22	3	Horizontal	346	1.93	-
PK	12.1265G	55.74	74.00	-18.26	12.50	3	Horizontal	109	2.22	-
AV	12.1076G	43.23	54.00	-10.77	12.46	3	Horizontal	109	2.22	-

802.11ax HEW40_Nss1,(MCS0)_4TX

11/02/2019

2437MHz_TX




EUT Y_4TX
Setting 110
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	7.2994G	59.35	74.00	-14.65	9.25	3	Vertical	2	1.74	-						
AV	7.3046G	47.81	54.00	-6.19	9.25	3	Vertical	2	1.74	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

11/02/2019

2437MHz_TX




EUT Y_4TX
Setting 110
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	7.2998G	60.56	74.00	-13.44	9.25	3	Horizontal	344	1.83	-						
AV	7.2998G	48.73	54.00	-5.27	9.25	3	Horizontal	344	1.83	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

11/02/2019

2452MHz_TX




EUT Y_4TX
Setting 110
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	7.335G	57.63	74.00	-16.37	9.24	3	Vertical	3	1.30	-						
AV	7.3351G	45.55	54.00	-8.45	9.25	3	Vertical	3	1.30	-						

802.11ax HEW40_Nss1,(MCS0)_4TX

11/02/2019

2452MHz_TX



EUT Y_4TX
Setting 110
01-J-5
FSU
ANT14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments						
PK	7.3384G	56.42	74.00	-17.58	9.25	3	Horizontal	346	1.95	-						
AV	7.3385G	44.43	54.00	-9.57	9.25	3	Horizontal	346	1.95	-						



RSE TX above 1GHz Result_Bandedge

Appendix F.15


For Non-beamforming / 1T1S mode Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1.(MCS0)_1TX	Pass	AV	2.3894G	53.98	54.00	-0.02	30.80	3	Vertical	173	1.06	-

802.11b_Nss1,(1Mbps)_1TX

13/02/2019

2412MHz_TX




EUT_X_1TX
Setting 79
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3896G	64.30	74.00	-9.70	30.80	3	Vertical	176	1.10	-
AV	2.3892G	53.77	54.00	-0.23	30.80	3	Vertical	176	1.10	-
PK	2.4112G	117.12	Inf	-Inf	30.86	3	Vertical	176	1.10	-
AV	2.4112G	113.50	Inf	-Inf	30.86	3	Vertical	176	1.10	-
PK	2.4848G	60.46	74.00	-13.54	30.96	3	Vertical	176	1.10	-
AV	2.484G	47.66	54.00	-6.34	30.96	3	Vertical	176	1.10	-

802.11b_Nss1,(1Mbps)_1TX

13/02/2019

2412MHz_TX




EUT_X_1TX
Setting 79
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	58.82	74.00	-15.18	30.80	3	Horizontal	204	1.01	-
AV	2.3892G	46.43	54.00	-7.57	30.80	3	Horizontal	204	1.01	-
PK	2.4112G	104.64	Inf	-Inf	30.86	3	Horizontal	204	1.01	-
AV	2.4112G	101.00	Inf	-Inf	30.86	3	Horizontal	204	1.01	-
PK	2.486G	59.02	74.00	-14.98	30.97	3	Horizontal	204	1.01	-
AV	2.496G	46.09	54.00	-7.91	30.99	3	Horizontal	204	1.01	-

802.11b_Nss1,(1Mbps)_1TX

2417MHz_TX

13/02/2019




EUT_X_1TX
Setting 85
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3866G	65.14	74.00	-8.86	30.79	3	Vertical	173	1.06	-
AV	2.3874G	53.85	54.00	-0.15	30.79	3	Vertical	173	1.06	-
PK	2.4178G	118.00	Inf	-Inf	30.87	3	Vertical	173	1.06	-
AV	2.4162G	114.29	Inf	-Inf	30.87	3	Vertical	173	1.06	-
PK	2.491G	62.63	74.00	-11.37	30.98	3	Vertical	173	1.06	-
AV	2.4835G	49.43	54.00	-4.57	30.96	3	Vertical	173	1.06	-

802.11b_Nss1,(1Mbps)_1TX

2417MHz_TX

13/02/2019




EUT_X_1TX
Setting 85
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.389G	58.39	74.00	-15.61	30.80	3	Horizontal	56	1.62	-
AV	2.3874G	46.23	54.00	-7.77	30.79	3	Horizontal	56	1.62	-
PK	2.4162G	103.60	Inf	-Inf	30.87	3	Horizontal	56	1.62	-
AV	2.4162G	100.04	Inf	-Inf	30.87	3	Horizontal	56	1.62	-
PK	2.4842G	58.35	74.00	-15.65	30.96	3	Horizontal	56	1.62	-
AV	2.499G	46.07	54.00	-7.93	30.99	3	Horizontal	56	1.62	-

802.11b_Nss1,(1Mbps)_1TX

14/02/2019

2437MHz_TX




EUT X_1TX
Setting 85
01-J-5
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3842G	61.96	74.00	-12.04	30.78	3	Vertical	171	1.04	-
AV	2.3898G	49.25	54.00	-4.75	30.80	3	Vertical	171	1.04	-
PK	2.4358G	117.31	Inf	-Inf	30.90	3	Vertical	171	1.04	-
AV	2.4362G	113.69	Inf	-Inf	30.90	3	Vertical	171	1.04	-
PK	2.4846G	63.84	74.00	-10.16	30.96	3	Vertical	171	1.04	-
AV	2.4835G	50.31	54.00	-3.69	30.96	3	Vertical	171	1.04	-

802.11b_Nss1,(1Mbps)_1TX

14/02/2019

2437MHz_TX




EUT X_1TX
Setting 85
01-J-5
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.349G	58.07	74.00	-15.93	30.65	3	Horizontal	226	1.27	-
AV	2.3898G	45.62	54.00	-8.38	30.80	3	Horizontal	226	1.27	-
PK	2.4362G	101.30	Inf	-Inf	30.90	3	Horizontal	226	1.27	-
AV	2.4378G	97.55	Inf	-Inf	30.90	3	Horizontal	226	1.27	-
PK	2.4986G	58.69	74.00	-15.31	30.99	3	Horizontal	226	1.27	-
AV	2.4954G	46.02	54.00	-7.98	30.99	3	Horizontal	226	1.27	-

802.11b_Nss1,(1Mbps)_1TX

2452MHz_TX

14/02/2019




EUT_X_1TX
Setting 85
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3896G	61.61	74.00	-12.39	30.80	3	Vertical	169	1.18	-
AV	2.39G	48.88	54.00	-5.12	30.80	3	Vertical	169	1.18	-
PK	2.4528G	117.90	Inf	-Inf	30.92	3	Vertical	169	1.18	-
AV	2.4512G	114.28	Inf	-Inf	30.92	3	Vertical	169	1.18	-
PK	2.484G	64.53	74.00	-9.47	30.96	3	Vertical	169	1.18	-
AV	2.484G	53.84	54.00	-0.16	30.96	3	Vertical	169	1.18	-

802.11b_Nss1,(1Mbps)_1TX

2452MHz_TX

14/02/2019




EUT_X_1TX
Setting 85
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3648G	58.25	74.00	-15.75	30.70	3	Horizontal	198	1.31	-
AV	2.3896G	45.62	54.00	-8.38	30.80	3	Horizontal	198	1.31	-
PK	2.4512G	104.12	Inf	-Inf	30.92	3	Horizontal	198	1.31	-
AV	2.4512G	100.58	Inf	-Inf	30.92	3	Horizontal	198	1.31	-
PK	2.4976G	58.57	74.00	-15.43	30.99	3	Horizontal	198	1.31	-
AV	2.484G	46.36	54.00	-7.64	30.96	3	Horizontal	198	1.31	-

802.11b_Nss1,(1Mbps)_1TX

2457MHz_TX

14/02/2019




EUT_X_1TX
Setting 83
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
AV	2.3898G	48.13	54.00	-5.87	30.80	3	Vertical	172	1.45	-
PK	2.3866G	61.08	74.00	-12.92	30.79	3	Vertical	172	1.45	-
AV	2.4562G	113.74	Inf	-Inf	30.93	3	Vertical	172	1.45	-
PK	2.4562G	117.63	Inf	-Inf	30.93	3	Vertical	172	1.45	-
PK	2.4842G	65.19	74.00	-8.81	30.96	3	Vertical	172	1.45	-
AV	2.4838G	53.77	54.00	-0.23	30.96	3	Vertical	172	1.45	-

802.11b_Nss1,(1Mbps)_1TX

2457MHz_TX

14/02/2019




EUT_X_1TX
Setting 83
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.367G	58.24	74.00	-15.76	30.71	3	Horizontal	199	1.18	-
AV	2.3898G	45.67	54.00	-8.33	30.80	3	Horizontal	199	1.18	-
PK	2.4562G	103.47	Inf	-Inf	30.93	3	Horizontal	199	1.18	-
AV	2.4562G	99.62	Inf	-Inf	30.93	3	Horizontal	199	1.18	-
PK	2.4938G	59.46	74.00	-14.54	30.98	3	Horizontal	199	1.18	-
AV	2.4838G	46.54	54.00	-7.46	30.96	3	Horizontal	199	1.18	-

802.11b_Nss1,(1Mbps)_1TX

13/02/2019

2462MHz_TX




EUT_X_1TX
Setting 79
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3888G	60.85	74.00	-13.15	30.80	3	Vertical	172	1.01	-
AV	2.39G	47.99	54.00	-6.01	30.80	3	Vertical	172	1.01	-
PK	2.4612G	116.76	Inf	-Inf	30.93	3	Vertical	172	1.01	-
AV	2.4612G	113.16	Inf	-Inf	30.93	3	Vertical	172	1.01	-
PK	2.4835G	66.46	74.00	-7.54	30.96	3	Vertical	172	1.01	-
AV	2.4835G	53.91	54.00	-0.09	30.96	3	Vertical	172	1.01	-

802.11b_Nss1,(1Mbps)_1TX

13/02/2019

2462MHz_TX




EUT_X_1TX
Setting 79
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3896G	58.31	74.00	-15.69	30.80	3	Horizontal	201	1.20	-
AV	2.3884G	45.61	54.00	-8.39	30.80	3	Horizontal	201	1.20	-
PK	2.4612G	103.29	Inf	-Inf	30.93	3	Horizontal	201	1.20	-
AV	2.4612G	99.63	Inf	-Inf	30.93	3	Horizontal	201	1.20	-
PK	2.4972G	58.69	74.00	-15.31	30.99	3	Horizontal	201	1.20	-
AV	2.4964G	46.11	54.00	-7.89	30.99	3	Horizontal	201	1.20	-

802.11g_Nss1,(6Mbps)_1TX

13/02/2019

2412MHz_TX




EUT_X_1TX
Setting 57
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	73.78	74.00	-0.22	30.80	3	Vertical	175	1.07	-
AV	2.39G	50.14	54.00	-3.86	30.80	3	Vertical	175	1.07	-
PK	2.4136G	112.01	Inf	-Inf	30.86	3	Vertical	175	1.07	-
AV	2.4092G	101.80	Inf	-Inf	30.85	3	Vertical	175	1.07	-
PK	2.4948G	59.21	74.00	-14.79	30.98	3	Vertical	175	1.07	-
AV	2.4868G	47.11	54.00	-6.89	30.97	3	Vertical	175	1.07	-

802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX

13/02/2019




EUT_X_1TX
Setting 57
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	60.75	74.00	-13.25	30.80	3	Horizontal	202	1.12	-
AV	2.3892G	46.10	54.00	-7.90	30.80	3	Horizontal	202	1.12	-
PK	2.4136G	98.40	Inf	-Inf	30.86	3	Horizontal	202	1.12	-
AV	2.41G	88.53	Inf	-Inf	30.86	3	Horizontal	202	1.12	-
PK	2.486G	58.68	74.00	-15.32	30.97	3	Horizontal	202	1.12	-
AV	2.4912G	46.48	54.00	-7.52	30.98	3	Horizontal	202	1.12	-

802.11g_Nss1,(6Mbps)_1TX

2417MHz_TX

14/02/2019




EUT_X_1TX
Setting 67
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3882G	73.75	74.00	-0.25	30.79	3	Vertical	172	1.01	-
AV	2.3898G	53.16	54.00	-0.84	30.80	3	Vertical	172	1.01	-
PK	2.4194G	114.24	Inf	-Inf	30.87	3	Vertical	172	1.01	-
AV	2.4198G	104.14	Inf	-Inf	30.87	3	Vertical	172	1.01	-
PK	2.48351G	60.00	74.00	-14.00	30.96	3	Vertical	172	1.01	-
AV	2.48351G	47.88	54.00	-6.12	30.96	3	Vertical	172	1.01	-

802.11g_Nss1,(6Mbps)_1TX

2417MHz_TX

14/02/2019




EUT_X_1TX
Setting 67
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3878G	62.02	74.00	-11.98	30.79	3	Horizontal	201	1.00	-
AV	2.389G	46.68	54.00	-7.32	30.80	3	Horizontal	201	1.00	-
PK	2.4186G	101.26	Inf	-Inf	30.87	3	Horizontal	201	1.00	-
AV	2.4198G	91.10	Inf	-Inf	30.87	3	Horizontal	201	1.00	-
PK	2.4886G	59.22	74.00	-14.78	30.97	3	Horizontal	201	1.00	-
AV	2.4974G	46.55	54.00	-7.45	30.99	3	Horizontal	201	1.00	-

802.11g_Nss1,(6Mbps)_1TX

2422MHz_TX

14/02/2019




EUT_X_1TX
Setting 65
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	73.95	74.00	-0.05	30.80	3	Vertical	172	1.01	-
AV	2.39G	50.17	54.00	-3.83	30.80	3	Vertical	172	1.01	-
PK	2.4236G	114.60	Inf	-Inf	30.87	3	Vertical	172	1.01	-
AV	2.424G	104.27	Inf	-Inf	30.87	3	Vertical	172	1.01	-
PK	2.4856G	60.66	74.00	-13.34	30.97	3	Vertical	172	1.01	-
AV	2.48351G	47.95	54.00	-6.05	30.96	3	Vertical	172	1.01	-

802.11g_Nss1,(6Mbps)_1TX

2422MHz_TX

14/02/2019




EUT_X_1TX
Setting 65
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3884G	59.02	74.00	-14.98	30.80	3	Horizontal	57	1.43	-
AV	2.3896G	46.09	54.00	-7.91	30.80	3	Horizontal	57	1.43	-
PK	2.4236G	100.08	Inf	-Inf	30.87	3	Horizontal	57	1.43	-
AV	2.4236G	89.78	Inf	-Inf	30.87	3	Horizontal	57	1.43	-
PK	2.4912G	58.36	74.00	-15.64	30.98	3	Horizontal	57	1.43	-
AV	2.4904G	46.48	54.00	-7.52	30.98	3	Horizontal	57	1.43	-

802.11g_Nss1,(6Mbps)_1TX

2427MHz_TX

14/02/2019




EUT_X_1TX
Setting 72
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	73.74	74.00	-0.26	30.80	3	Vertical	170	1.24	-
AV	2.3898G	50.56	54.00	-3.44	30.80	3	Vertical	170	1.24	-
PK	2.4286G	115.01	Inf	-Inf	30.88	3	Vertical	170	1.24	-
AV	2.431G	105.07	Inf	-Inf	30.89	3	Vertical	170	1.24	-
PK	2.4838G	64.67	74.00	-9.33	30.96	3	Vertical	170	1.24	-
AV	2.485G	48.78	54.00	-5.22	30.97	3	Vertical	170	1.24	-

802.11g_Nss1,(6Mbps)_1TX

2427MHz_TX

14/02/2019




EUT_X_1TX
Setting 72
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.389G	61.86	74.00	-12.14	30.80	3	Horizontal	203	1.24	-
AV	2.389G	46.30	54.00	-7.70	30.80	3	Horizontal	203	1.24	-
PK	2.4294G	100.94	Inf	-Inf	30.88	3	Horizontal	203	1.24	-
AV	2.431G	90.95	Inf	-Inf	30.89	3	Horizontal	203	1.24	-
PK	2.4986G	58.48	74.00	-15.52	30.99	3	Horizontal	203	1.24	-
AV	2.4974G	46.59	54.00	-7.41	30.99	3	Horizontal	203	1.24	-

802.11g_Nss1,(6Mbps)_1TX

2432MHz_TX

14/02/2019




EUT_X_1TX
Setting 72
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3892G	73.97	74.00	-0.03	30.80	3	Vertical	177	1.09	-
AV	2.3896G	50.42	54.00	-3.58	30.80	3	Vertical	177	1.09	-
PK	2.4344G	115.66	Inf	-Inf	30.89	3	Vertical	177	1.09	-
AV	2.436G	105.72	Inf	-Inf	30.90	3	Vertical	177	1.09	-
PK	2.4888G	66.20	74.00	-7.80	30.97	3	Vertical	177	1.09	-
AV	2.484G	48.86	54.00	-5.14	30.96	3	Vertical	177	1.09	-

802.11g_Nss1,(6Mbps)_1TX

14/02/2019

2432MHz_TX




EUT_X_1TX
Setting 72
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3888G	60.78	74.00	-13.22	30.80	3	Horizontal	220	1.50	-
AV	2.3868G	46.06	54.00	-7.94	30.79	3	Horizontal	220	1.50	-
PK	2.4336G	100.79	Inf	-Inf	30.89	3	Horizontal	220	1.50	-
AV	2.436G	90.75	Inf	-Inf	30.90	3	Horizontal	220	1.50	-
PK	2.494G	59.24	74.00	-14.76	30.98	3	Horizontal	220	1.50	-
AV	2.4976G	46.47	54.00	-7.53	30.99	3	Horizontal	220	1.50	-

802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX

13/02/2019




EUT_X_1TX
Setting 78
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	73.28	74.00	-0.72	30.80	3	Vertical	173	1.20	-
AV	2.3898G	53.74	54.00	-0.26	30.80	3	Vertical	173	1.20	-
PK	2.4386G	116.71	Inf	-Inf	30.90	3	Vertical	173	1.20	-
AV	2.4398G	106.53	Inf	-Inf	30.90	3	Vertical	173	1.20	-
PK	2.4835G	73.97	74.00	-0.03	30.96	3	Vertical	173	1.20	-
AV	2.4835G	53.71	54.00	-0.29	30.96	3	Vertical	173	1.20	-

802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX

13/02/2019




EUT_X_1TX
Setting 78
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3782G	60.91	74.00	-13.09	30.75	3	Horizontal	204	1.11	-
AV	2.3898G	46.63	54.00	-7.37	30.80	3	Horizontal	204	1.11	-
PK	2.4394G	102.73	Inf	-Inf	30.90	3	Horizontal	204	1.11	-
AV	2.4438G	92.70	Inf	-Inf	30.90	3	Horizontal	204	1.11	-
PK	2.4846G	62.33	74.00	-11.67	30.96	3	Horizontal	204	1.11	-
AV	2.4835G	46.99	54.00	-7.01	30.96	3	Horizontal	204	1.11	-

802.11g_Nss1,(6Mbps)_1TX

2442MHz_TX

14/02/2019




EUT_X_1TX
Setting 74
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	73.74	74.00	-0.26	30.80	3	Vertical	172	1.17	-
AV	2.3896G	49.52	54.00	-4.48	30.80	3	Vertical	172	1.17	-
PK	2.4384G	115.52	Inf	-Inf	30.90	3	Vertical	172	1.17	-
AV	2.4388G	105.42	Inf	-Inf	30.90	3	Vertical	172	1.17	-
PK	2.4844G	70.04	74.00	-3.96	30.96	3	Vertical	172	1.17	-
AV	2.4835G	49.84	54.00	-4.16	30.96	3	Vertical	172	1.17	-

802.11g_Nss1,(6Mbps)_1TX

14/02/2019

2442MHz_TX




EUT_X_1TX
Setting 74
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3892G	59.04	74.00	-14.96	30.80	3	Horizontal	216	1.14	-
AV	2.3896G	46.09	54.00	-7.91	30.80	3	Horizontal	216	1.14	-
PK	2.4384G	101.51	Inf	-Inf	30.90	3	Horizontal	216	1.14	-
AV	2.4412G	91.29	Inf	-Inf	30.90	3	Horizontal	216	1.14	-
PK	2.4852G	59.50	74.00	-14.50	30.97	3	Horizontal	216	1.14	-
AV	2.486G	46.59	54.00	-7.41	30.97	3	Horizontal	216	1.14	-

802.11g_Nss1,(6Mbps)_1TX

2447MHz_TX

14/02/2019




EUT_X_1TX
Setting 73
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3882G	65.44	74.00	-8.56	30.79	3	Vertical	172	1.23	-
AV	2.3882G	48.37	54.00	-5.63	30.79	3	Vertical	172	1.23	-
PK	2.4486G	115.63	Inf	-Inf	30.91	3	Vertical	172	1.23	-
AV	2.451G	105.48	Inf	-Inf	30.92	3	Vertical	172	1.23	-
PK	2.4842G	73.89	74.00	-0.11	30.96	3	Vertical	172	1.23	-
AV	2.4835G	51.37	54.00	-2.63	30.96	3	Vertical	172	1.23	-

802.11g_Nss1,(6Mbps)_1TX

2447MHz_TX

14/02/2019




EUT_X_1TX
Setting 73
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3882G	58.33	74.00	-15.67	30.79	3	Horizontal	201	1.30	-
AV	2.379G	45.98	54.00	-8.02	30.76	3	Horizontal	201	1.30	-
PK	2.4486G	101.78	Inf	-Inf	30.91	3	Horizontal	201	1.30	-
AV	2.445G	91.64	Inf	-Inf	30.91	3	Horizontal	201	1.30	-
PK	2.4835G	62.28	74.00	-11.72	30.96	3	Horizontal	201	1.30	-
AV	2.4858G	46.74	54.00	-7.26	30.97	3	Horizontal	201	1.30	-

802.11g_Nss1,(6Mbps)_1TX

2452MHz_TX

14/02/2019




EUT_X_1TX
Setting 70
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3856G	61.02	74.00	-12.98	30.79	3	Vertical	171	1.50	-
AV	2.3892G	47.56	54.00	-6.44	30.80	3	Vertical	171	1.50	-
PK	2.4536G	114.90	Inf	-Inf	30.92	3	Vertical	171	1.50	-
AV	2.4536G	104.69	Inf	-Inf	30.92	3	Vertical	171	1.50	-
PK	2.484G	73.70	74.00	-0.30	30.96	3	Vertical	171	1.50	-
AV	2.4835G	51.64	54.00	-2.36	30.96	3	Vertical	171	1.50	-

802.11g_Nss1,(6Mbps)_1TX

2452MHz_TX

14/02/2019




EUT_X_1TX
Setting 70
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3584G	58.56	74.00	-15.44	30.69	3	Horizontal	202	1.30	-
AV	2.3876G	45.94	54.00	-8.06	30.79	3	Horizontal	202	1.30	-
PK	2.4452G	100.75	Inf	-Inf	30.91	3	Horizontal	202	1.30	-
AV	2.4472G	90.86	Inf	-Inf	30.91	3	Horizontal	202	1.30	-
PK	2.4844G	62.87	74.00	-11.13	30.96	3	Horizontal	202	1.30	-
AV	2.4852G	46.77	54.00	-7.23	30.97	3	Horizontal	202	1.30	-

802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX

14/02/2019




EUT_X_1TX
Setting 66
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3882G	59.35	74.00	-14.65	30.79	3	Vertical	171	1.50	-
AV	2.3898G	47.06	54.00	-6.94	30.80	3	Vertical	171	1.50	-
PK	2.4522G	113.43	Inf	-Inf	30.92	3	Vertical	171	1.50	-
AV	2.4522G	103.46	Inf	-Inf	30.92	3	Vertical	171	1.50	-
PK	2.4842G	73.76	74.00	-0.24	30.96	3	Vertical	171	1.50	-
AV	2.4835G	51.70	54.00	-2.30	30.96	3	Vertical	171	1.50	-

802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX

14/02/2019




EUT_X_1TX
Setting 66
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3814G	58.23	74.00	-15.77	30.77	3	Horizontal	202	1.19	-
AV	2.3858G	45.97	54.00	-8.03	30.79	3	Horizontal	202	1.19	-
PK	2.4594G	99.82	Inf	-Inf	30.93	3	Horizontal	202	1.19	-
AV	2.461G	89.67	Inf	-Inf	30.93	3	Horizontal	202	1.19	-
PK	2.4846G	61.32	74.00	-12.68	30.96	3	Horizontal	202	1.19	-
AV	2.4835G	46.67	54.00	-7.33	30.96	3	Horizontal	202	1.19	-

802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX

13/02/2019




EUT_X_1TX
Setting 58
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3868G	58.75	74.00	-15.25	30.79	3	Vertical	170	1.44	-
AV	2.3872G	46.83	54.00	-7.17	30.79	3	Vertical	170	1.44	-
PK	2.4552G	111.46	Inf	-Inf	30.93	3	Vertical	170	1.44	-
AV	2.4572G	101.57	Inf	-Inf	30.93	3	Vertical	170	1.44	-
PK	2.48351G	73.75	74.00	-0.25	30.96	3	Vertical	170	1.44	-
AV	2.48351G	50.21	54.00	-3.79	30.96	3	Vertical	170	1.44	-

802.11g_Nss1,(6Mbps)_1TX

13/02/2019

2462MHz_TX




EUT_X_1TX
Setting 58
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.38G	58.01	74.00	-15.99	30.76	3	Horizontal	201	1.19	-
AV	2.3808G	46.06	54.00	-7.94	30.76	3	Horizontal	201	1.19	-
PK	2.4636G	98.07	Inf	-Inf	30.93	3	Horizontal	201	1.19	-
AV	2.464G	88.08	Inf	-Inf	30.93	3	Horizontal	201	1.19	-
PK	2.484G	61.22	74.00	-12.78	30.96	3	Horizontal	201	1.19	-
AV	2.4972G	46.60	54.00	-7.40	30.99	3	Horizontal	201	1.19	-

802.11ax HEW20_Nss1,(MCS0)_1TX

13/02/2019

2412MHz_TX




EUT_X_1TX
Setting 54
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	73.77	74.00	-0.23	30.80	3	Vertical	176	1.12	-
AV	2.39G	50.76	54.00	-3.24	30.80	3	Vertical	176	1.12	-
PK	2.4088G	113.85	Inf	-Inf	30.85	3	Vertical	176	1.12	-
AV	2.41G	100.90	Inf	-Inf	30.86	3	Vertical	176	1.12	-
PK	2.48351G	59.26	74.00	-14.74	30.96	3	Vertical	176	1.12	-
AV	2.4876G	46.93	54.00	-7.07	30.97	3	Vertical	176	1.12	-

802.11ax HEW20_Nss1,(MCS0)_1TX

13/02/2019

2412MHz_TX




EUT_X_1TX
Setting 54
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	60.48	74.00	-13.52	30.80	3	Horizontal	202	1.12	-
AV	2.3896G	46.24	54.00	-7.76	30.80	3	Horizontal	202	1.12	-
PK	2.4092G	100.47	Inf	-Inf	30.85	3	Horizontal	202	1.12	-
AV	2.41G	87.55	Inf	-Inf	30.86	3	Horizontal	202	1.12	-
PK	2.4848G	58.77	74.00	-15.23	30.96	3	Horizontal	202	1.12	-
AV	2.4944G	46.52	54.00	-7.48	30.98	3	Horizontal	202	1.12	-

802.11ax HEW20_Nss1,(MCS0)_1TX

14/02/2019

2417MHz_TX




EUT_X_1TX
Setting 65
01-J-5
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3858G	73.30	74.00	-0.70	30.79	3	Vertical	173	1.06	-
AV	2.3894G	53.98	54.00	-0.02	30.80	3	Vertical	173	1.06	-
PK	2.4138G	114.87	Inf	-Inf	30.86	3	Vertical	173	1.06	-
AV	2.4198G	102.37	Inf	-Inf	30.87	3	Vertical	173	1.06	-
PK	2.4835G	60.88	74.00	-13.12	30.96	3	Vertical	173	1.06	-
AV	2.4842G	47.73	54.00	-6.27	30.96	3	Vertical	173	1.06	-

802.11ax HEW20_Nss1,(MCS0)_1TX

14/02/2019

2417MHz_TX




EUT_X_1TX
Setting 65
01-J-5
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3838G	63.25	74.00	-10.75	30.78	3	Horizontal	200	1.01	-
AV	2.3898G	47.20	54.00	-6.80	30.80	3	Horizontal	200	1.01	-
PK	2.4138G	103.15	Inf	-Inf	30.86	3	Horizontal	200	1.01	-
AV	2.4198G	90.91	Inf	-Inf	30.87	3	Horizontal	200	1.01	-
PK	2.4942G	58.64	74.00	-15.36	30.98	3	Horizontal	200	1.01	-
AV	2.4986G	46.59	54.00	-7.41	30.99	3	Horizontal	200	1.01	-

802.11ax HEW20_Nss1,(MCS0)_1TX

2422MHz_TX

14/02/2019




EUT_X_1TX
Setting 65
01-J-5
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3888G	73.98	74.00	-0.02	30.80	3	Vertical	176	1.05	-
AV	2.3896G	51.02	54.00	-2.98	30.80	3	Vertical	176	1.05	-
PK	2.4192G	115.13	Inf	-Inf	30.87	3	Vertical	176	1.05	-
AV	2.42G	102.30	Inf	-Inf	30.87	3	Vertical	176	1.05	-
PK	2.4835G	62.12	74.00	-11.88	30.96	3	Vertical	176	1.05	-
AV	2.4848G	47.73	54.00	-6.27	30.96	3	Vertical	176	1.05	-

802.11ax HEW20_Nss1,(MCS0)_1TX

14/02/2019

2422MHz_TX




EUT_X_1TX
Setting 65
01-J-5
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3888G	63.24	74.00	-10.76	30.80	3	Horizontal	202	1.00	-
AV	2.39G	46.49	54.00	-7.51	30.80	3	Horizontal	202	1.00	-
PK	2.4188G	103.87	Inf	-Inf	30.87	3	Horizontal	202	1.00	-
AV	2.42G	91.06	Inf	-Inf	30.87	3	Horizontal	202	1.00	-
PK	2.4944G	58.87	74.00	-15.13	30.98	3	Horizontal	202	1.00	-
AV	2.4908G	46.61	54.00	-7.39	30.98	3	Horizontal	202	1.00	-

802.11ax HEW20_Nss1,(MCS0)_1TX

14/02/2019

2427MHz_TX




EUT_X_1TX
Setting 72
01-J-5
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3894G	73.35	74.00	-0.65	30.80	3	Vertical	175	1.03	-
AV	2.3898G	53.49	54.00	-0.51	30.80	3	Vertical	175	1.03	-
PK	2.4238G	116.97	Inf	-Inf	30.87	3	Vertical	175	1.03	-
AV	2.4322G	103.88	Inf	-Inf	30.89	3	Vertical	175	1.03	-
PK	2.4866G	66.78	74.00	-7.22	30.97	3	Vertical	175	1.03	-
AV	2.4846G	49.17	54.00	-4.83	30.96	3	Vertical	175	1.03	-

802.11ax HEW20_Nss1,(MCS0)_1TX

14/02/2019

2427MHz_TX




EUT_X_1TX
Setting 72
01-J-5
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3846G	61.40	74.00	-12.60	30.78	3	Horizontal	202	1.01	-
AV	2.3898G	47.17	54.00	-6.83	30.80	3	Horizontal	202	1.01	-
PK	2.4238G	105.52	Inf	-Inf	30.87	3	Horizontal	202	1.01	-
AV	2.4222G	92.46	Inf	-Inf	30.87	3	Horizontal	202	1.01	-
PK	2.4886G	58.64	74.00	-15.36	30.97	3	Horizontal	202	1.01	-
AV	2.4922G	46.54	54.00	-7.46	30.98	3	Horizontal	202	1.01	-

802.11ax HEW20_Nss1,(MCS0)_1TX

13/02/2019

2437MHz_TX




EUT_X_1TX
Setting 72
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3898G	71.93	74.00	-2.07	30.80	3	Vertical	173	1.01	-
AV	2.3898G	50.78	54.00	-3.22	30.80	3	Vertical	173	1.01	-
PK	2.4338G	117.82	Inf	-Inf	30.89	3	Vertical	173	1.01	-
AV	2.4354G	105.00	Inf	-Inf	30.90	3	Vertical	173	1.01	-
PK	2.4835G	73.84	74.00	-0.16	30.96	3	Vertical	173	1.01	-
AV	2.4835G	50.88	54.00	-3.12	30.96	3	Vertical	173	1.01	-

802.11ax HEW20_Nss1,(MCS0)_1TX

13/02/2019

2437MHz_TX




EUT_X_1TX
Setting 72
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.389G	60.52	74.00	-13.48	30.80	3	Horizontal	202	1.11	-
AV	2.3898G	46.30	54.00	-7.70	30.80	3	Horizontal	202	1.11	-
PK	2.4454G	103.59	Inf	-Inf	30.91	3	Horizontal	202	1.11	-
AV	2.4454G	91.04	Inf	-Inf	30.91	3	Horizontal	202	1.11	-
PK	2.4835G	62.08	74.00	-11.92	30.96	3	Horizontal	202	1.11	-
AV	2.4866G	46.79	54.00	-7.21	30.97	3	Horizontal	202	1.11	-

802.11ax HEW20_Nss1,(MCS0)_1TX

14/02/2019

2442MHz_TX




EUT_X_1TX
Setting 72
01-J-5
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3848G	67.32	74.00	-6.68	30.78	3	Vertical	172	1.26	-
AV	2.3884G	49.07	54.00	-4.93	30.80	3	Vertical	172	1.26	-
PK	2.4476G	115.97	Inf	-Inf	30.91	3	Vertical	172	1.26	-
AV	2.4468G	103.63	Inf	-Inf	30.91	3	Vertical	172	1.26	-
PK	2.4852G	73.90	74.00	-0.10	30.97	3	Vertical	172	1.26	-
AV	2.4835G	51.41	54.00	-2.59	30.96	3	Vertical	172	1.26	-

802.11ax HEW20_Nss1,(MCS0)_1TX

14/02/2019

2442MHz_TX




EUT_X_1TX
Setting 72
01-J-5
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3872G	58.62	74.00	-15.38	30.79	3	Horizontal	198	1.11	-
AV	2.3896G	46.20	54.00	-7.80	30.80	3	Horizontal	198	1.11	-
PK	2.4388G	104.52	Inf	-Inf	30.90	3	Horizontal	198	1.11	-
AV	2.4448G	92.14	Inf	-Inf	30.90	3	Horizontal	198	1.11	-
PK	2.4872G	63.33	74.00	-10.67	30.97	3	Horizontal	198	1.11	-
AV	2.4835G	47.06	54.00	-6.94	30.96	3	Horizontal	198	1.11	-

802.11ax HEW20_Nss1,(MCS0)_1TX

14/02/2019

2447MHz_TX




EUT_X_1TX
Setting 65
01-J-5
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3886G	64.41	74.00	-9.59	30.80	3	Vertical	174	1.25	-
AV	2.3886G	47.17	54.00	-6.83	30.80	3	Vertical	174	1.25	-
PK	2.4438G	114.30	Inf	-Inf	30.90	3	Vertical	174	1.25	-
AV	2.4502G	102.02	Inf	-Inf	30.92	3	Vertical	174	1.25	-
PK	2.4836G	73.91	74.00	-0.09	30.96	3	Vertical	174	1.25	-
AV	2.4836G	49.00	54.00	-5.00	30.96	3	Vertical	174	1.25	-

802.11ax HEW20_Nss1,(MCS0)_1TX

14/02/2019

2447MHz_TX




EUT_X_1TX
Setting 65
01-J-5
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3814G	58.24	74.00	-15.76	30.77	3	Horizontal	198	1.11	-
AV	2.3898G	45.99	54.00	-8.01	30.80	3	Horizontal	198	1.11	-
PK	2.4442G	102.98	Inf	-Inf	30.90	3	Horizontal	198	1.11	-
AV	2.4482G	90.27	Inf	-Inf	30.91	3	Horizontal	198	1.11	-
PK	2.485G	64.18	74.00	-9.82	30.97	3	Horizontal	198	1.11	-
AV	2.4858G	46.56	54.00	-7.44	30.97	3	Horizontal	198	1.11	-

802.11ax HEW20_Nss1,(MCS0)_1TX

14/02/2019

2452MHz_TX




EUT_X_1TX
Setting 63
01-J-5
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3892G	61.50	74.00	-12.50	30.80	3	Vertical	176	1.24	-
AV	2.39G	46.99	54.00	-7.01	30.80	3	Vertical	176	1.24	-
PK	2.4488G	114.55	Inf	-Inf	30.91	3	Vertical	176	1.24	-
AV	2.45G	101.65	Inf	-Inf	30.92	3	Vertical	176	1.24	-
PK	2.484G	73.93	74.00	-0.07	30.96	3	Vertical	176	1.24	-
AV	2.4835G	49.77	54.00	-4.23	30.96	3	Vertical	176	1.24	-

802.11ax HEW20_Nss1,(MCS0)_1TX

14/02/2019

2452MHz_TX




EUT_X_1TX
Setting 63
01-J-5
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3784G	58.08	74.00	-15.92	30.76	3	Horizontal	198	1.11	-
AV	2.388G	45.98	54.00	-8.02	30.79	3	Horizontal	198	1.11	-
PK	2.4488G	102.51	Inf	-Inf	30.91	3	Horizontal	198	1.11	-
AV	2.448G	89.59	Inf	-Inf	30.91	3	Horizontal	198	1.11	-
PK	2.4864G	64.07	74.00	-9.93	30.97	3	Horizontal	198	1.11	-
AV	2.4835G	46.67	54.00	-7.33	30.96	3	Horizontal	198	1.11	-

802.11ax HEW20_Nss1,(MCS0)_1TX

14/02/2019

2457MHz_TX




EUT_X_1TX
Setting 62
01-J-5
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3846G	60.81	74.00	-13.19	30.78	3	Vertical	176	1.22	-
AV	2.3894G	46.94	54.00	-7.06	30.80	3	Vertical	176	1.22	-
PK	2.4538G	114.23	Inf	-Inf	30.92	3	Vertical	176	1.22	-
AV	2.4514G	101.48	Inf	-Inf	30.92	3	Vertical	176	1.22	-
PK	2.489G	73.96	74.00	-0.04	30.97	3	Vertical	176	1.22	-
AV	2.4835G	51.86	54.00	-2.14	30.96	3	Vertical	176	1.22	-

802.11ax HEW20_Nss1,(MCS0)_1TX

14/02/2019

2457MHz_TX




EUT_X_1TX
Setting 62
01-J-5
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3682G	57.80	74.00	-16.20	30.71	3	Horizontal	197	1.19	-
AV	2.389G	45.97	54.00	-8.03	30.80	3	Horizontal	197	1.19	-
PK	2.4538G	102.35	Inf	-Inf	30.92	3	Horizontal	197	1.19	-
AV	2.455G	89.39	Inf	-Inf	30.92	3	Horizontal	197	1.19	-
PK	2.4922G	62.66	74.00	-11.34	30.98	3	Horizontal	197	1.19	-
AV	2.4835G	46.79	54.00	-7.21	30.96	3	Horizontal	197	1.19	-

802.11ax HEW20_Nss1,(MCS0)_1TX

13/02/2019

2462MHz_TX




EUT_X_1TX
Setting 50
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3884G	58.88	74.00	-15.12	30.80	3	Vertical	172	1.50	-
AV	2.3896G	46.35	54.00	-7.65	30.80	3	Vertical	172	1.50	-
PK	2.4552G	112.38	Inf	-Inf	30.93	3	Vertical	172	1.50	-
AV	2.4548G	99.65	Inf	-Inf	30.92	3	Vertical	172	1.50	-
PK	2.4835G	73.96	74.00	-0.04	30.96	3	Vertical	172	1.50	-
AV	2.4835G	49.61	54.00	-4.39	30.96	3	Vertical	172	1.50	-

802.11ax HEW20_Nss1,(MCS0)_1TX

13/02/2019

2462MHz_TX




EUT_X_1TX
Setting 50
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.382G	58.15	74.00	-15.85	30.78	3	Horizontal	199	1.19	-
AV	2.3824G	45.93	54.00	-8.07	30.78	3	Horizontal	199	1.19	-
PK	2.4588G	98.82	Inf	-Inf	30.93	3	Horizontal	199	1.19	-
AV	2.4604G	86.16	Inf	-Inf	30.93	3	Horizontal	199	1.19	-
PK	2.4835G	62.07	74.00	-11.93	30.96	3	Horizontal	199	1.19	-
AV	2.4992G	46.55	54.00	-7.45	30.99	3	Horizontal	199	1.19	-

802.11ax HEW40_Nss1,(MCS0)_1TX

13/02/2019

2422MHz_TX




EUT_X_1TX
Setting 56
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3844G	73.79	74.00	-0.21	30.78	3	Vertical	174	1.03	-
AV	2.39G	52.98	54.00	-1.02	30.80	3	Vertical	174	1.03	-
PK	2.414G	110.63	Inf	-Inf	30.86	3	Vertical	174	1.03	-
AV	2.4348G	98.59	Inf	-Inf	30.89	3	Vertical	174	1.03	-
PK	2.484G	61.59	74.00	-12.41	30.96	3	Vertical	174	1.03	-
AV	2.4872G	48.44	54.00	-5.56	30.97	3	Vertical	174	1.03	-

802.11ax HEW40_Nss1,(MCS0)_1TX

13/02/2019

2422MHz_TX




EUT_X_1TX
Setting 56
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.384G	61.73	74.00	-12.27	30.78	3	Horizontal	200	1.12	-
AV	2.3896G	46.95	54.00	-7.05	30.80	3	Horizontal	200	1.12	-
PK	2.414G	97.25	Inf	-Inf	30.86	3	Horizontal	200	1.12	-
AV	2.4084G	85.30	Inf	-Inf	30.85	3	Horizontal	200	1.12	-
PK	2.4944G	58.69	74.00	-15.31	30.98	3	Horizontal	200	1.12	-
AV	2.4984G	47.28	54.00	-6.72	30.99	3	Horizontal	200	1.12	-

802.11ax HEW40_Nss1,(MCS0)_1TX

2427MHz_TX

14/02/2019




EUT_X_1TX
Setting 59
01-J-5
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3894G	71.38	74.00	-2.62	30.80	3	Vertical	177	1.01	-
AV	2.3898G	53.96	54.00	-0.04	30.80	3	Vertical	177	1.01	-
PK	2.4338G	110.97	Inf	-Inf	30.89	3	Vertical	177	1.01	-
AV	2.4342G	98.16	Inf	-Inf	30.89	3	Vertical	177	1.01	-
PK	2.4838G	62.23	74.00	-11.77	30.96	3	Vertical	177	1.01	-
AV	2.4835G	49.56	54.00	-4.44	30.96	3	Vertical	177	1.01	-

802.11ax HEW40_Nss1,(MCS0)_1TX

14/02/2019

2427MHz_TX




EUT_X_1TX
Setting 59
01-J-5
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3878G	61.90	74.00	-12.10	30.79	3	Horizontal	199	1.01	-
AV	2.3874G	47.58	54.00	-6.42	30.79	3	Horizontal	199	1.01	-
PK	2.4194G	98.85	Inf	-Inf	30.87	3	Horizontal	199	1.01	-
AV	2.421G	86.58	Inf	-Inf	30.87	3	Horizontal	199	1.01	-
PK	2.4898G	59.07	74.00	-14.93	30.97	3	Horizontal	199	1.01	-
AV	2.4922G	47.03	54.00	-6.97	30.98	3	Horizontal	199	1.01	-

802.11ax HEW40_Nss1,(MCS0)_1TX

14/02/2019

2432MHz_TX




EUT_X_1TX
Setting 60
01-J-5
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.39G	70.67	74.00	-3.33	30.80	3	Vertical	176	1.08	-
AV	2.3892G	53.83	54.00	-0.17	30.80	3	Vertical	176	1.08	-
PK	2.4244G	110.28	Inf	-Inf	30.87	3	Vertical	176	1.08	-
AV	2.4356G	98.61	Inf	-Inf	30.90	3	Vertical	176	1.08	-
PK	2.4835G	65.89	74.00	-8.11	30.96	3	Vertical	176	1.08	-
AV	2.4835G	50.66	54.00	-3.34	30.96	3	Vertical	176	1.08	-

802.11ax HEW40_Nss1,(MCS0)_1TX

14/02/2019

2432MHz_TX




EUT_X_1TX
Setting 60
01-J-5
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.388G	61.42	74.00	-12.58	30.79	3	Horizontal	200	1.01	-
AV	2.3892G	47.54	54.00	-6.46	30.80	3	Horizontal	200	1.01	-
PK	2.4244G	99.13	Inf	-Inf	30.87	3	Horizontal	200	1.01	-
AV	2.4244G	86.47	Inf	-Inf	30.87	3	Horizontal	200	1.01	-
PK	2.49G	60.06	74.00	-13.94	30.98	3	Horizontal	200	1.01	-
AV	2.4928G	47.22	54.00	-6.78	30.98	3	Horizontal	200	1.01	-

802.11ax HEW40_Nss1,(MCS0)_1TX

13/02/2019

2437MHz_TX




EUT_X_1TX
Setting 60
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3846G	72.33	74.00	-1.67	30.78	3	Vertical	170	1.22	-
AV	2.3898G	53.47	54.00	-0.53	30.80	3	Vertical	170	1.22	-
PK	2.4542G	112.36	Inf	-Inf	30.92	3	Vertical	170	1.22	-
AV	2.4498G	99.81	Inf	-Inf	30.91	3	Vertical	170	1.22	-
PK	2.4854G	71.15	74.00	-2.85	30.97	3	Vertical	170	1.22	-
AV	2.48351G	53.78	54.00	-0.22	30.96	3	Vertical	170	1.22	-

802.11ax HEW40_Nss1,(MCS0)_1TX

13/02/2019

2437MHz_TX




EUT_X_1TX
Setting 60
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3846G	59.82	74.00	-14.18	30.78	3	Horizontal	202	1.32	-
AV	2.3858G	46.72	54.00	-7.28	30.79	3	Horizontal	202	1.32	-
PK	2.4438G	97.41	Inf	-Inf	30.90	3	Horizontal	202	1.32	-
AV	2.4474G	86.05	Inf	-Inf	30.91	3	Horizontal	202	1.32	-
PK	2.487G	59.34	74.00	-14.66	30.97	3	Horizontal	202	1.32	-
AV	2.4862G	47.33	54.00	-6.67	30.97	3	Horizontal	202	1.32	-

802.11ax HEW40_Nss1,(MCS0)_1TX

14/02/2019

2442MHz_TX




EUT_X_1TX
Setting 60
01-J-5
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3888G	66.87	74.00	-7.13	30.80	3	Vertical	174	1.25	-
AV	2.3892G	51.07	54.00	-2.93	30.80	3	Vertical	174	1.25	-
PK	2.434G	110.50	Inf	-Inf	30.89	3	Vertical	174	1.25	-
AV	2.448G	98.60	Inf	-Inf	30.91	3	Vertical	174	1.25	-
PK	2.4848G	71.41	74.00	-2.59	30.96	3	Vertical	174	1.25	-
AV	2.4835G	53.89	54.00	-0.11	30.96	3	Vertical	174	1.25	-

802.11ax HEW40_Nss1,(MCS0)_1TX

14/02/2019

2442MHz_TX




EUT_X_1TX
Setting 60
01-J-5
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3868G	57.73	74.00	-16.27	30.79	3	Horizontal	198	1.10	-
AV	2.3892G	46.70	54.00	-7.30	30.80	3	Horizontal	198	1.10	-
PK	2.4488G	98.73	Inf	-Inf	30.91	3	Horizontal	198	1.10	-
AV	2.4456G	86.63	Inf	-Inf	30.91	3	Horizontal	198	1.10	-
PK	2.4835G	61.58	74.00	-12.42	30.96	3	Horizontal	198	1.10	-
AV	2.4835G	47.50	54.00	-6.50	30.96	3	Horizontal	198	1.10	-

802.11ax HEW40_Nss1,(MCS0)_1TX

14/02/2019

2447MHz_TX




EUT_X_1TX
Setting 58
01-J-5
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3862G	62.85	74.00	-11.15	30.79	3	Vertical	175	1.24	-
AV	2.3894G	48.99	54.00	-5.01	30.80	3	Vertical	175	1.24	-
PK	2.439G	109.77	Inf	-Inf	30.90	3	Vertical	175	1.24	-
AV	2.4506G	98.36	Inf	-Inf	30.92	3	Vertical	175	1.24	-
PK	2.4835G	72.49	74.00	-1.51	30.96	3	Vertical	175	1.24	-
AV	2.4835G	53.88	54.00	-0.12	30.96	3	Vertical	175	1.24	-

802.11ax HEW40_Nss1,(MCS0)_1TX

14/02/2019

2447MHz_TX




EUT_X_1TX
Setting 58
01-J-5
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3746G	58.22	74.00	-15.78	30.74	3	Horizontal	199	1.11	-
AV	2.3894G	46.51	54.00	-7.49	30.80	3	Horizontal	199	1.11	-
PK	2.439G	97.95	Inf	-Inf	30.90	3	Horizontal	199	1.11	-
AV	2.4458G	85.94	Inf	-Inf	30.91	3	Horizontal	199	1.11	-
PK	2.4854G	64.07	74.00	-9.93	30.97	3	Horizontal	199	1.11	-
AV	2.4846G	47.88	54.00	-6.12	30.96	3	Horizontal	199	1.11	-

802.11ax HEW40_Nss1,(MCS0)_1TX

13/02/2019

2452MHz_TX




EUT_X_1TX
Setting 55
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3884G	59.88	74.00	-14.12	30.80	3	Vertical	170	1.24	-
AV	2.39G	48.15	54.00	-5.85	30.80	3	Vertical	170	1.24	-
PK	2.444G	110.57	Inf	-Inf	30.90	3	Vertical	170	1.24	-
AV	2.4472G	98.58	Inf	-Inf	30.91	3	Vertical	170	1.24	-
PK	2.4844G	72.73	74.00	-1.27	30.96	3	Vertical	170	1.24	-
AV	2.4864G	53.74	54.00	-0.26	30.97	3	Vertical	170	1.24	-

802.11ax HEW40_Nss1,(MCS0)_1TX

13/02/2019

2452MHz_TX



EUT_X_1TX
Setting 55
01-M-1
FSU
ANT 14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
PK	2.3788G	58.75	74.00	-15.25	30.76	3	Horizontal	201	1.30	-
AV	2.384G	46.53	54.00	-7.47	30.78	3	Horizontal	201	1.30	-
PK	2.4444G	97.36	Inf	-Inf	30.90	3	Horizontal	201	1.30	-
AV	2.4444G	84.91	Inf	-Inf	30.90	3	Horizontal	201	1.30	-
PK	2.488G	60.43	74.00	-13.57	30.97	3	Horizontal	201	1.30	-
AV	2.4856G	47.54	54.00	-6.46	30.97	3	Horizontal	201	1.30	-