


Photographs of EUT Setup and Antenna Location


The photographs of EUT and setup for SAR testing are shown as follows.

<Front Face View> Tablet




Antenna	To Top Side	To Bottom Side	To Left Side	To Right Side	Support Band
	(mm)	(mm)	(mm)	(mm)	
WLAN Ant 0	130.50	44.90	0.00	311.00	WLAN
WLAN/BT Ant 1	78.50	120.50	311.00	0.00	WLAN+BT

<Right Side View> Tablet




Antenna	To Front Side	To Rear Side	Support Band
	(mm)	(mm)	
WLAN Ant 0	19.00	4.00	WLAN
WLAN/BT Ant 1	5.00	16.00	WLAN+BT

<Front Face View>Notebook Mode (180°)



Antenna	To Top/Bottom Side	To Baseline	To Left Side	To Right Side	Support Band
	(mm)	(mm)	(mm)	(mm)	
WLAN Ant 0	130.50	44.90	0.00	311.00	WLAN
WLAN/BT Ant 1	78.50	120.50	311.00	0.00	WLAN+BT

<Right Side View> Notebook Mode(90°)



Antenna	To KeyBoard	To Bottom	Support Band
	(mm)	(mm)	
WLAN Ant 0	83.90	107.90	WLAN
WLAN/BT Ant 1	159.50	183.50	WLAN+BT

<Photographs of Body SAR Test Setup>



Rear Face of EUT with Battery1 Tested at 0 mm



Left Side of EUT with Battery1 Tested at 0 mm



Right Side of EUT with Battery1 Tested at 0 mm




Top Side of EUT with Battery1 Tested at 0 mm



Bottom Side of EUT with Battery1 Tested at 0 mm

<Photographs of Body SAR Test Setup>



Left Side of EUT with Battery2 Tested at 0 mm



Right Side of EUT with Battery2 Tested at 0 mm