

FCC ID: QYLLN920V12

Date: 2025-07-28

# Description of Permissive Change

(Original grant issue date: 2025-07-08)

The application is prepared for FCC class II permissive change for adding a portable host with PIFA antenna and disabling LTE Band 30 TX and LTE Band 106.

The Host information is listed as below:

| Product  | Brand | Model                                                                                                       | Difference        |
|----------|-------|-------------------------------------------------------------------------------------------------------------|-------------------|
| Notebook | Getac | V120                                                                                                        | Marketing purpose |
|          |       | V120Y(Y= 10 characters, Y can be 0 to 9, A to Z, a to z, “/”, “\”, “-”, “_” or blank for marketing purpose) |                   |

The antenna information is listed as below:

| Antenna Type | Antenna Connector | Band    | Peak Gain (dBi)         |                        |
|--------------|-------------------|---------|-------------------------|------------------------|
|              |                   |         | Ant 1 - Main Gain (dBi) | Ant 2 - AUX Gain (dBi) |
| PIFA         | IPEX I            | WCDMA 2 | 1.81                    | 1.93                   |
|              |                   | WCDMA 4 | 1.03                    | —                      |
|              |                   | WCDMA 5 | 0.74                    | —                      |
| PIFA         | IPEX I            | LTE 2   | 1.81                    | 1.93                   |
|              |                   | LTE 4   | 1.03                    | —                      |
|              |                   | LTE 5   | 0.74                    | —                      |
|              |                   | LTE 7   | 1.99                    | -0.08                  |
|              |                   | LTE 12  | 2.39                    | —                      |
|              |                   | LTE 13  | 2.47                    | —                      |
|              |                   | LTE 14  | 1.63                    | —                      |
|              |                   | LTE 17  | 2                       | —                      |
|              |                   | LTE 25  | 1.81                    | 2.29                   |
|              |                   | LTE 26  | 0.74                    | —                      |
|              |                   | LTE 38  | 0.69                    | -1.22                  |
|              |                   | LTE 41  | 1.99                    | -0.08                  |
|              |                   | LTE 66  | 1.03                    | —                      |
|              |                   | LTE 71  | 2.4                     | —                      |

| Antenna Type | Antenna Connector | Band   | Peak Gain (dBi)         |                        |
|--------------|-------------------|--------|-------------------------|------------------------|
|              |                   |        | Ant 1 - Main Gain (dBi) | Ant 2 - AUX Gain (dBi) |
| PIFA         | IPEX I            | LTE 42 | 1.46                    | 0.03                   |
|              |                   | LTE 43 | 1.46                    | 0.03                   |
|              |                   | LTE 48 | 1.46                    | 0.03                   |

The newly tested power table as below:

| WWAN  | Band | Original RF Exposure | SAR Report | Difference |
|-------|------|----------------------|------------|------------|
| WCDMA | 2    | 24.5                 | 21.5       | 3          |
|       | 4    | 24.5                 | 20         | 4.5        |
|       | 5    | 24.5                 | 24.5       | 0          |
| LTE   | 2    | 23.5                 | 21.5       | 2          |
|       | 4    | 23.5                 | 20         | 3.5        |
|       | 5    | 23.5                 | 23.5       | 0          |
|       | 7    | 23.5                 | 19.5       | 4          |
|       | 12   | 23.5                 | 23.5       | 0          |
|       | 13   | 23.5                 | 23         | 0.5        |
|       | 14   | 23.5                 | 23.5       | 0          |
|       | 17   | 23.5                 | 23.5       | 0          |
|       | 25   | 23.5                 | 21.5       | 2          |
|       | 26   | 23.5                 | 23.5       | 0          |
|       | 38   | 23.5                 | 21         | 2.5        |
|       | 41   | 23.5                 | 21         | 2.5        |
|       | 42   | 22                   | 22         | 0          |
|       | 43   | 22                   | 20         | 2          |
|       | 48   | 22                   | 22         | 0          |
| CA    | 66   | 23.5                 | 20         | 3.5        |
|       | 71   | 23.5                 | 23.5       | 0          |
|       | 5B   | 24                   | 22.83      | 1.17       |
|       | 7C   | 24                   | 18.3       | 5.7        |
|       | 38C  | 23.5                 | 20.36      | 3.14       |
|       | 41C  | 24                   | 19.42      | 4.58       |

Except for the changes mentioned above, no other modification is performed.

Regards,



Jenny Nien, Specialist

Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch

Tel: 886-3-318 3232 ext. 4311930

Fax: 886-3-327 0892

Email: jenny.nien@bureauveritas.com