

**Date:** 16 Dec 2019

Federal Communications Commission  
Equipment Authorization Branch  
7435 Oakland Mills Road  
Columbia, MD 21046

Elster Solutions  
208 S Rogers Lane  
Raleigh, NC 27610-2144  
United States

T +1 919 212 4800  
F +1 919 212 4801

[www.elster.com](http://www.elster.com)

## Modular Approval Request

**FCC ID: QZC-GNICI**

**The following attestation addresses the requirements to support modular approval:**

Modular approval requirement	Yes (provide brief statement)	No *
(a) The radio elements must have the radio frequency circuitry shielded. Physical components and tuning capacitor(s) may be located external to the shield, but must be on the module assembly	Yes, all circuitry related to the radio subsystem of the device are placed underneath an installed RF shield. This includes all tuning capacitors, RF ICs, and lumped element circuitry.	
(b) The module must have buffered modulation/data inputs to ensure that the device will comply with Part 15 requirements with any type of input signal	Yes, the radio modem is designed and configured to comply with Part 15 requirements under all operating conditions.	
(c) The module must contain power supply regulation on the module		No, the GNICI PCBA does not regulate the provided input voltage. Elster Solutions accepts responsibility of installing the GNICI PCBA in a host that will provide identical voltage conditions as those tested during certification testing.
(d) The module must contain a permanently attached antenna, or contain a unique antenna connector, and be marketed and operated only with specific antenna(s), per Sections 15.203, 15.204(b), 15.204(c), 15.212(a), 2.929(b)	Yes, the antennas utilized by the GNICI are either permanently attached to the PCBA, or attached inside the electricity meter host during factory assembly of the meter.	

Modular approval requirement	Yes (provide brief statement)	No *
(e) The module must demonstrate compliance in a stand-alone configuration		The GNICI module was tested installed in an Elster Solutions electric watt-hour meter. The GNICI does not have onboard voltage regulation and requires voltage regulation from the host device it is installed in. The GNICI module is intended to be installed in Elster Solutions electricity meters and metering equipment supplied by Elster Solutions.
(h) The module must comply with RF exposure requirements	Yes, the GNICI is compliant with applicable RF exposure requirements.	
(f) The module must be labelled with its permanently affixed FCC ID label, or use an electronic display (See KDB Publication 784748 about labelling requirements)	Yes, the GNICI is permanently labelled with the appropriate FCC ID	
(g) The module must comply with all specific rules applicable to the transmitter. The grantee must provide comprehensive instructions to explain compliance requirements	Yes, the GNICI was tested to all applicable requirements	

Respectfully,



John Holt  
Principal Engineer  
Telephone: 919-250-5557  
E-mail: john.holt@honeywell.com