

hp

REF 107.0 dB μ V

AT 10 dB

PEAK

LOG


10

dB/

VA SB

SC FC

CORR



CENTER 433.920 MHz

SPAN 0 Hz

#RES BW 300 kHz

#VBW 300 kHz

#SWP 60.0 msec

Timing 5

h/g

REF 107.0 dB μ V

AT 10 dB

MKR 26.175 msec

.00 dB

PEAK

LOG


10

dB/

VA SB

SC FC

CORR



Average Factor
= (5 x 0.262 + 8 x 0.637)
/ 26.175
= 6.406 / 26.175
= 0.245
or -12.2 dB

CENTER 433.920 MHz

#RES BW 300 kHz

#VBW 300 kHz

SPAN 0 Hz

#SWP 30.0 msec

HP

REF 107.0 dB μ V

AT 10 dB

MKR 637.00 μ sec

-.07 dB

PEAK

LOG


10

dB/

VA SB

SC FC

CORR



CENTER 433.920 MHz

SPAN 0 Hz

#RES BW 300 kHz


#VBW 300 kHz

#SWP 15.0 msec

tip
REF 107.0 dB μ V AT 10 dB MKR 3.3500 sec
- .50 dB

PEAK
LOG
10
dB/

VA SB
SC FC
CORR



CENTER 433.920 MHz SPAN 0 Hz
#RES BW 300 kHz #VBW 300 kHz #SWP 5.00 sec