

Title: MODULAR APPROVAL REQUEST			Pages: 4
Document article/revision: 1	Author: Peo Karlsson	Release date: 2013-06-26	Approved by: 

MODULAR APPROVAL REQUEST

26.06.2013

RE: FCC Modular Approval
FCC ID: R47F2M03GXA

Dear Application Examiner

Free2move AB / Bluetooth module, FCC ID R47F2M03GXA, would like to have your authorization as a modular approval. The requirements of section 15.212 of FCC rules have been met and shown on the following statements.

The modular transmitter must have its own RF shielding.	The module has its own RF shielding
The modular transmitter must have buffered modulation/data inputs (if such input is provided) to ensure that module will comply with Part 15 requirements under conditions of excessive data rates or over-modulation.	The module has buffered data inputs integrated to BlueCore 4 External.
The modular transmitter must have its own power supply regulation.	The module has its own power supply integrated to the BlueCore 4 External chip

FREE2MOVE

Title: MODULAR APPROVAL REQUEST			Pages: 4
Document article/revision: 1	Author: Peo Karlsson	Release date: 2013-06-26	Approved by:

The modular transmitter must comply with the antenna requirements of section 15.203 and 15.204(c). The antenna must either be permanently attached or employ a "unique" antenna coupler (at all connections between the module and the antenna, including the cable). Any antenna used with the module must be approved.	The module has a permanently attached internal antenna.
With the module, either at the time of initial authorization or through a Class II permissive change. The "professional instillation" provision of Section 15.203 may not be applied to modules.	
The modular transmitter must be tested in a stand-alone configuration, i.e., the module must not be inside another device during testing. This intended to demonstrate that the module is capable of complying with part 15 limits regardless of the device into which it is eventually installed. Unless the transmitter module will be battery powered, it must comply with AC line conducted requirements found in Section 15.207. AC or DC power lines and data input/output lines connected to the module must not contain ferrites; unless they will be marketed with the module (see Section 15.27(a)). The length of these lines shall be length typical of actual use or, if that length is unknown, at least 10 centimeters to insure that there is no coupling between the case of the module and supporting equipment. Any accessories, peripherals, or support equipment connected to the module during testing shall be unmodified and commercially available (see Section 15.31(i)).	The module was tested in a stand-alone configuration using a test-kit

FREE2MOVE AB
Sperlingsgatan 7
SE-302 48 Halmstad
Sweden
Phone: +46 35 15 22 60
Fax: +46 35 15 22 69

FREE2MOVE

Title: MODULAR APPROVAL REQUEST			Pages: 4
Document article/revision: 1	Author: Peo Karlsson	Release date: 2013-06-26	Approved by:

<p>The modular transmitter must be equipped with either a permanently affixed label or must be capable of electronically displaying its FCC identification number.</p> <p>(A) if using a permanent affixed label, the modular transmitter must be labeled with its own FCC identification number, and, if the FCC identification number is not visible when the module is installed inside another device, the outside of the device into which the module is installed must also display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains Transmitter Module FCC ID: XYZMODEL1" or "Contain FCC ID: XYZMODEL1". Any similar wording that expresses the same meaning may be used.</p> <p>The Grantee may either provide such a label, an example of which must be included in the application for equipment authorization, or, must provide adequate instructions along with the module which explains this requirement. In the latter case, a copy of these instructions must be included in the application for equipment authorization.</p>	<p>Please see exhibition label sample for the module. And also in the exhibition user manual, there are instructions to give to the OEM on how to label the end product.</p>
<p>The modular transmitter must comply with any specific rules or operating requirements that ordinarily apply to a complete transmitter and manufacturer must provide adequate instructions along with the module to explain any such requirements. A copy of these instructions must be included in the application for equipment authorization.</p>	<p>The module is compliant with all FCC rules. Detailed instructions for remaining compliance are given in the User Manual (datasheet).</p>
<p>The modular transmitter must comply with any applicable RF exposure requirements.</p>	<p>The module complies with RF exposure requirement. RF exposure is addressed in</p>

FREE2MOVE AB
Sperlingsgatan 7
SE-302 48 Halmstad
Sweden
Phone: +46 35 15 22 60
Fax: +46 35 15 22 69

FREE2MOVE

Title: MODULAR APPROVAL REQUEST			Pages: 4
Document article/revision: 1	Author: Peo Karlsson	Release date: 2013-06-26	Approved by:

For example, FCC rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental evaluation for RF exposure to demonstrate compliance. In addition, spread spectrum transmitter operating under Section 15.247 are required to address RF exposure compliance in accordance to Section 15.247(b)(4). Modular transmitter approved under other Sections of Part 15, when necessary, my also need to address certain RF Exposure concerns, typically by providing specific installers and other interested parties to ensure compliance.	the RF exposure exhibition.
--	-----------------------------

Sincerely,



Ander Johan Johansson
CEO
Free2move AB

FREE2MOVE AB
Sperlingsgatan 7
SE-302 48 Halmstad
Sweden
Phone: +46 35 15 22 60
Fax: +46 35 15 22 69