



文件編號：

Ver.: 1.0

承認書

SPECIFICATION FOR APPROVAL

CUSTOMER _____

PRODUCT Inverted F Antenna

MODEL NO. 5050109012

DATE _____

APPROVED

Date : _____

一：天線規格;

Part name	A1001
Model No	5050109012
版本	V1.0
頻率範圍	2400MHZ~2483.5MHZ
天線增益：	-3.46(average gain);peak gain:0.87
天線型態	inverted F
輸入阻抗:	50 Ohm
天線尺寸	L:21mm, W:10mm,H:4.1mm
VSWR	2.0

二:天線外觀:







三. 天線場型圖:



Advance Data Technology Corporation 誠信科技股份有限公司

http://www.adt.com.tw/ E-mail: zerule@adt.com.tw

Hwa Ya Lab: No.19, Hwa Ya 2nd RD., Kueikuan, Taoyuan, Taiwan, R.O.C.

Tel: (03) 318-3232 Fax: (03) 318-5050

Tayuan Lab: 13-1 Lane 19, Wei Shai 3rd St., Kueikuan, Taoyuan, Taiwan, R.O.C.

Tel: (03) 327-0910 Fax: (03) 327-0892

Hsichui Lab: 81-1 Lufeng Rd., 9th Fl., Wuling Tsrui, Cilinglin, Hsichui, Taiwan, R.O.C.

Tel: (03) 593-5343 Fax: (03) 593-5342

Brand / Model : 2

Remark :

Tested by : HARDWAY

EUT description : VER

Location: **RF Chamber**


Date: **2004/3/24**

Time: **下午 02:39:09**

Temperatuer (°C): **25**

Humidity (%): **75**

Approved by:



Frequency (MHz): **2450.00** Antenna Polarity: **Horizontal** Average Gain (dB): **-5.12**

Maximum Gain (dB): **0.87** Maximum Gain (degree): **290**

Minimum Gain (dB): **-32.01** Minimum Gain (degree): **332**

D:\Antenna Pattern V5.0\Graph\0324\03240007.png



Advance Data Technology Corporation 誠信科技股份有限公司

http://www.adt.com.tw/ E-mail: zerule@adt.com.tw

Hwa Ya Lab : No.19, Hwa Ya 2nd RD., Kueikuan, Taoyuan, Taiwan, R.O.C.

Tel (03) 318-3232 Fax (03) 318-5050

Tayuan Lab : 13-1 Lane 19, Wei Shai 3rd St., Kueikuan, Taoyuan, Taiwan, R.O.C.

Tel (03) 327-0910 Fax (03) 327-0992

Hsichui Lab: 81-1 Lufeng Rd., 9th Fl., Wuling Tsrui, Cilinglin, Hsichui, Taiwan, R.O.C.

Tel (03) 593-5343 Fax (03) 593-5342

Brand / Model : 2

Remark :

Tested by : HARDWAY

EUT description : HOR

Location: **RF Chamber**


Date: **2004/3/24**

Time: **下午 02:56:48**

Temperatuer (°C): **25**

Humidity (%): **75**

Approved by:



Frequency (MHz): **2450.00** Antenna Polarity: **Vertical** Average Gain (dB): **-3.46**

Maximum Gain (dB): **0.46** Maximum Gain (degree): **349**

Minimum Gain (dB): **-13.35** Minimum Gain (degree): **116**

D:\Antenna Pattern V5.0\Graph\0324\03240012.png