

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3490.02	80	108	54	23.02	23.60	< 30.00
		1	1	23.16	23.74	< 30.00
		1	215	22.71	23.29	< 30.00
		216	0	23.05	23.63	< 30.00
		1	216	22.84	23.42	< 30.00
		1	0	23.18	23.76	< 30.00
3500.01	80	108	54	22.97	23.55	< 30.00
		1	1	23.29	23.87	< 30.00
		1	215	22.88	23.46	< 30.00
		216	0	23.09	23.67	< 30.00
		1	216	22.62	23.20	< 30.00
		1	0	23.33	23.91	< 30.00
3510.00	80	108	54	22.85	23.43	< 30.00
		1	1	23.23	23.81	< 30.00
		1	215	22.80	23.38	< 30.00
		216	0	23.03	23.61	< 30.00
		1	216	22.24	22.82	< 30.00
		1	0	23.32	23.90	< 30.00
3495.00	90	120	60	23.02	23.60	< 30.00
		1	1	23.03	23.61	< 30.00
		1	243	22.31	22.89	< 30.00
		243	0	23.05	23.63	< 30.00
		1	244	23.33	23.91	< 30.00
		1	0	22.97	23.55	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3500.01	90	120	60	22.94	23.52	< 30.00
		1	1	23.13	23.71	< 30.00
		1	243	23.53	24.11	< 30.00
		243	0	23.02	23.60	< 30.00
		1	244	22.28	22.86	< 30.00
		1	0	22.99	23.57	< 30.00
3504.99	90	120	60	22.92	23.50	< 30.00
		1	1	23.15	23.73	< 30.00
		1	243	23.13	23.71	< 30.00
		243	0	23.01	23.59	< 30.00
		1	244	22.92	23.50	< 30.00
		1	0	23.05	23.63	< 30.00
3500.01	100	135	67	22.96	23.54	< 30.00
		1	1	23.13	23.71	< 30.00
		1	271	22.97	23.55	< 30.00
		270	0	22.94	23.52	< 30.00
		1	272	22.86	23.44	< 30.00
		1	0	22.82	23.40	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3455.01	10	12	6	20.52	21.10	< 30.00
		1	1	20.70	21.28	< 30.00
		1	22	20.91	21.49	< 30.00
		24	0	20.50	21.08	< 30.00
		1	23	20.67	21.25	< 30.00
		1	0	20.53	21.11	< 30.00
3500.01	10	12	6	20.05	20.63	< 30.00
		1	1	20.45	21.03	< 30.00
		1	22	20.29	20.87	< 30.00
		24	0	20.10	20.68	< 30.00
		1	23	20.67	21.25	< 30.00
		1	0	20.29	20.87	< 30.00
3544.98	10	12	6	20.11	20.69	< 30.00
		1	1	19.97	20.55	< 30.00
		1	22	20.55	21.13	< 30.00
		24	0	20.05	20.63	< 30.00
		1	23	20.65	21.23	< 30.00
		1	0	20.46	21.04	< 30.00
3457.50	15	18	9	20.59	21.17	< 30.00
		1	1	20.89	21.47	< 30.00
		1	36	20.86	21.44	< 30.00
		36	0	20.74	21.32	< 30.00
		1	37	21.10	21.68	< 30.00
		1	0	20.89	21.47	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3500.01	15	18	9	20.36	20.94	< 30.00
		1	1	20.60	21.18	< 30.00
		1	36	20.34	20.92	< 30.00
		36	0	20.43	21.01	< 30.00
		1	37	20.49	21.07	< 30.00
		1	0	20.65	21.23	< 30.00
3542.49	15	18	9	20.36	20.94	< 30.00
		1	1	20.47	21.05	< 30.00
		1	36	20.44	21.02	< 30.00
		36	0	20.37	20.95	< 30.00
		1	37	20.39	20.97	< 30.00
		1	0	20.45	21.03	< 30.00
3460.02	20	25	12	20.58	21.16	< 30.00
		1	1	20.91	21.49	< 30.00
		1	49	20.93	21.51	< 30.00
		50	0	20.67	21.25	< 30.00
		1	50	21.10	21.68	< 30.00
		1	0	20.71	21.29	< 30.00
3500.01	20	25	12	20.18	20.76	< 30.00
		1	1	20.69	21.27	< 30.00
		1	49	20.87	21.45	< 30.00
		50	0	20.35	20.93	< 30.00
		1	50	20.30	20.88	< 30.00
		1	0	20.62	21.20	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3540.00	20	25	12	20.39	20.97	< 30.00
		1	1	20.40	20.98	< 30.00
		1	49	20.40	20.98	< 30.00
		50	0	20.32	20.90	< 30.00
		1	50	20.33	20.91	< 30.00
		1	0	20.61	21.19	< 30.00
3462.51	25	33	16	19.30	19.88	< 30.00
		1	1	19.17	19.75	< 30.00
		1	63	19.31	19.89	< 30.00
		65	0	19.31	19.89	< 30.00
		1	0	19.07	19.65	< 30.00
		1	64	19.45	20.03	< 30.00
3500.01	25	33	16	18.85	19.43	< 30.00
		1	1	19.42	20.00	< 30.00
		1	63	18.68	19.26	< 30.00
		65	0	18.98	19.56	< 30.00
		1	0	19.17	19.75	< 30.00
		1	64	18.81	19.39	< 30.00
3537.48	25	33	16	18.90	19.48	< 30.00
		1	1	18.75	19.33	< 30.00
		1	63	19.04	19.62	< 30.00
		65	0	18.97	19.55	< 30.00
		1	0	18.91	19.49	< 30.00
		1	64	18.99	19.57	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3464.00	30	36	78	20.71	21.29	< 30.00
		1	1	20.98	21.56	< 30.00
		1	76	21.01	21.59	< 30.00
		75	0	20.69	21.27	< 30.00
		1	77	21.11	21.69	< 30.00
		1	0	20.59	21.17	< 30.00
3500.01	30	36	78	20.36	20.94	< 30.00
		1	1	20.86	21.44	< 30.00
		1	76	20.36	20.94	< 30.00
		75	0	20.44	21.02	< 30.00
		1	77	20.15	20.73	< 30.00
		1	0	21.13	21.71	< 30.00
3534.99	30	36	78	20.36	20.94	< 30.00
		1	1	20.43	21.01	< 30.00
		1	76	20.42	21.00	< 30.00
		75	0	20.28	20.86	< 30.00
		1	77	20.46	21.04	< 30.00
		1	0	20.44	21.02	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3470.01	40	50	25	20.95	21.53	< 30.00
		1	1	21.02	21.60	< 30.00
		1	104	20.98	21.56	< 30.00
		100	0	20.71	21.29	< 30.00
		1	105	21.02	21.60	< 30.00
		1	0	21.05	21.63	< 30.00
3500.01	40	50	25	20.40	20.98	< 30.00
		1	1	21.03	21.61	< 30.00
		1	104	20.74	21.32	< 30.00
		100	0	20.36	20.94	< 30.00
		1	105	20.50	21.08	< 30.00
		1	0	21.10	21.68	< 30.00
3529.98	40	50	25	20.29	20.87	< 30.00
		1	1	20.12	20.70	< 30.00
		1	104	20.55	21.13	< 30.00
		100	0	20.33	20.91	< 30.00
		1	105	21.11	21.69	< 30.00
		1	0	20.68	21.26	< 30.00
3475.02	50	64	32	20.74	21.32	< 30.00
		1	1	20.86	21.44	< 30.00
		1	131	20.36	20.94	< 30.00
		128	0	20.49	21.07	< 30.00
		1	132	20.23	20.81	< 30.00
		1	0	20.81	21.39	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3500.01	50	64	32	20.18	20.76	< 30.00
		1	1	20.86	21.44	< 30.00
		1	131	20.52	21.10	< 30.00
		128	0	20.16	20.74	< 30.00
		1	132	19.95	20.53	< 30.00
		1	0	20.85	21.43	< 30.00
3525.00	50	64	32	20.08	20.66	< 30.00
		1	1	20.45	21.03	< 30.00
		1	131	20.27	20.85	< 30.00
		128	0	20.15	20.73	< 30.00
		1	132	20.15	20.73	< 30.00
		1	0	20.38	20.96	< 30.00
3480.00	60	81	40	20.53	21.11	< 30.00
		1	1	20.52	21.10	< 30.00
		1	160	20.16	20.74	< 30.00
		162	0	20.67	21.25	< 30.00
		1	161	20.14	20.72	< 30.00
		1	0	20.73	21.31	< 30.00
3500.01	60	81	40	20.39	20.97	< 30.00
		1	1	20.74	21.32	< 30.00
		1	160	20.31	20.89	< 30.00
		162	0	20.39	20.97	< 30.00
		1	161	20.37	20.95	< 30.00
		1	0	20.77	21.35	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3519.99	60	81	40	20.17	20.75	< 30.00
		1	1	20.69	21.27	< 30.00
		1	160	20.22	20.80	< 30.00
		162	0	20.25	20.83	< 30.00
		1	161	20.46	21.04	< 30.00
		1	0	21.00	21.58	< 30.00
3485.01	70	90	45	19.48	20.06	< 30.00
		1	1	19.80	20.38	< 30.00
		1	187	19.84	20.42	< 30.00
		180	0	19.54	20.12	< 30.00
		1	188	19.63	20.21	< 30.00
		1	0	19.65	20.23	< 30.00
3500.01	70	90	45	19.96	20.54	< 30.00
		1	1	20.24	20.82	< 30.00
		1	187	19.65	20.23	< 30.00
		180	0	19.96	20.54	< 30.00
		1	188	19.68	20.26	< 30.00
		1	0	19.97	20.55	< 30.00
3514.98	70	90	45	20.04	20.62	< 30.00
		1	1	20.12	20.70	< 30.00
		1	187	19.54	20.12	< 30.00
		180	0	19.98	20.56	< 30.00
		1	188	19.81	20.39	< 30.00
		1	0	19.88	20.46	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3490.02	80	108	54	20.08	20.66	< 30.00
		1	1	20.47	21.05	< 30.00
		1	215	20.09	20.67	< 30.00
		216	0	20.31	20.89	< 30.00
		1	216	20.70	21.28	< 30.00
		1	0	20.36	20.94	< 30.00
3500.01	80	108	54	20.00	20.58	< 30.00
		1	1	20.50	21.08	< 30.00
		1	215	19.85	20.43	< 30.00
		216	0	20.20	20.78	< 30.00
		1	216	19.78	20.36	< 30.00
		1	0	20.62	21.20	< 30.00
3510.00	80	108	54	19.92	20.50	< 30.00
		1	1	20.81	21.39	< 30.00
		1	215	20.36	20.94	< 30.00
		216	0	19.97	20.55	< 30.00
		1	216	19.79	20.37	< 30.00
		1	0	20.42	21.00	< 30.00
3495.00	90	120	60	20.06	20.64	< 30.00
		1	1	20.51	21.09	< 30.00
		1	243	20.15	20.73	< 30.00
		243	0	20.05	20.63	< 30.00
		1	244	20.13	20.71	< 30.00
		1	0	20.24	20.82	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3500.01	90	120	60	20.12	20.70	< 30.00
		1	1	20.84	21.42	< 30.00
		1	243	20.21	20.79	< 30.00
		243	0	20.07	20.65	< 30.00
		1	244	20.09	20.67	< 30.00
		1	0	20.55	21.13	< 30.00
3504.99	90	120	60	20.07	20.65	< 30.00
		1	1	20.49	21.07	< 30.00
		1	243	20.21	20.79	< 30.00
		243	0	20.07	20.65	< 30.00
		1	244	20.18	20.76	< 30.00
		1	0	20.69	21.27	< 30.00
3500.01	100	135	67	20.17	20.75	< 30.00
		1	1	20.59	21.17	< 30.00
		1	271	20.04	20.62	< 30.00
		270	0	20.28	20.86	< 30.00
		1	272	20.10	20.68	< 30.00
		1	0	22.80	23.38	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	SIP-SR1 WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/05/03 ~ 2022/07/15 2023/05/10	Test Band	HPUE n77/n78_SA (3450 ~ 3550)

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3455.01	10	12	6	26.90	27.48	< 30.00
		1	1	26.83	27.41	< 30.00
		1	22	26.99	27.57	< 30.00
		24	0	26.42	27.00	< 30.00
		1	23	23.32	23.90	< 30.00
		1	0	23.40	23.98	< 30.00
3500.01	10	12	6	26.65	27.23	< 30.00
		1	1	26.57	27.15	< 30.00
		1	22	26.49	27.07	< 30.00
		24	0	26.09	26.67	< 30.00
		1	23	22.93	23.51	< 30.00
		1	0	23.13	23.71	< 30.00
3544.98	10	12	6	26.57	27.15	< 30.00
		1	1	26.54	27.12	< 30.00
		1	22	26.52	27.10	< 30.00
		24	0	26.07	26.65	< 30.00
		1	23	23.10	23.68	< 30.00
		1	0	23.21	23.79	< 30.00
3457.50	15	18	9	27.13	27.71	< 30.00
		1	1	26.91	27.49	< 30.00
		1	36	27.11	27.69	< 30.00
		36	0	26.54	27.12	< 30.00
		1	37	23.69	24.27	< 30.00
		1	0	23.40	23.98	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3500.01	15	18	9	26.70	27.28	< 30.00
		1	1	26.79	27.37	< 30.00
		1	36	26.58	27.16	< 30.00
		36	0	26.22	26.80	< 30.00
		1	37	23.00	23.58	< 30.00
		1	0	23.45	24.03	< 30.00
3542.49	15	18	9	26.69	27.27	< 30.00
		1	1	26.60	27.18	< 30.00
		1	36	26.57	27.15	< 30.00
		36	0	26.10	26.68	< 30.00
		1	37	23.04	23.62	< 30.00
		1	0	23.03	23.61	< 30.00
3460.02	20	25	12	27.08	27.66	< 30.00
		1	1	26.91	27.49	< 30.00
		1	49	27.02	27.60	< 30.00
		50	0	26.57	27.15	< 30.00
		1	50	26.57	27.15	< 30.00
		1	0	23.49	24.07	< 30.00
3500.01	20	25	12	26.66	27.24	< 30.00
		1	1	26.80	27.38	< 30.00
		1	49	26.50	27.08	< 30.00
		50	0	26.24	26.82	< 30.00
		1	50	22.92	23.50	< 30.00
		1	0	23.39	23.97	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3540.00	20	25	12	26.68	27.26	< 30.00
		1	1	26.63	27.21	< 30.00
		1	49	26.61	27.19	< 30.00
		50	0	26.27	26.85	< 30.00
		1	50	23.08	23.66	< 30.00
		1	0	23.07	23.65	< 30.00
3462.51	25	32	16	25.95	26.53	< 30.00
		1	1	25.83	26.41	< 30.00
		1	63	26.05	26.63	< 30.00
		64	0	25.48	26.06	< 30.00
		1	0	22.25	22.83	< 30.00
		1	64	22.45	23.03	< 30.00
3500.01	25	32	16	25.52	26.10	< 30.00
		1	1	25.66	26.24	< 30.00
		1	63	25.31	25.89	< 30.00
		64	0	25.04	25.62	< 30.00
		1	0	22.12	22.70	< 30.00
		1	64	21.74	22.32	< 30.00
3537.48	25	32	16	25.45	26.03	< 30.00
		1	1	25.41	25.99	< 30.00
		1	63	25.30	25.88	< 30.00
		64	0	24.90	25.48	< 30.00
		1	0	21.82	22.40	< 30.00
		1	64	21.75	22.33	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3464.00	30	36	78	27.18	27.76	< 30.00
		1	1	26.93	27.51	< 30.00
		1	76	27.16	27.74	< 30.00
		75	0	26.59	27.17	< 30.00
		1	77	23.65	24.23	< 30.00
		1	0	23.40	23.98	< 30.00
3500.01	30	36	78	26.81	27.39	< 30.00
		1	1	27.02	27.60	< 30.00
		1	76	26.67	27.25	< 30.00
		75	0	26.32	26.90	< 30.00
		1	77	23.11	23.69	< 30.00
		1	0	23.39	23.97	< 30.00
3534.99	30	36	78	26.72	27.30	< 30.00
		1	1	26.68	27.26	< 30.00
		1	76	26.69	27.27	< 30.00
		75	0	26.26	26.84	< 30.00
		1	77	23.29	23.87	< 30.00
		1	0	23.13	23.71	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3470.01	40	50	25	27.09	27.67	< 30.00
		1	1	26.94	27.52	< 30.00
		1	104	26.98	27.56	< 30.00
		100	0	26.59	27.17	< 30.00
		1	105	23.47	24.05	< 30.00
		1	0	23.44	24.02	< 30.00
3500.01	40	50	25	26.89	27.47	< 30.00
		1	1	27.04	27.62	< 30.00
		1	104	26.71	27.29	< 30.00
		100	0	26.40	26.98	< 30.00
		1	105	23.19	23.77	< 30.00
		1	0	23.48	24.06	< 30.00
3529.98	40	50	25	26.77	27.35	< 30.00
		1	1	26.70	27.28	< 30.00
		1	104	26.78	27.36	< 30.00
		100	0	26.29	26.87	< 30.00
		1	105	23.39	23.97	< 30.00
		1	0	23.12	23.70	< 30.00
3475.02	50	64	32	26.97	27.55	< 30.00
		1	1	26.91	27.49	< 30.00
		1	131	26.49	27.07	< 30.00
		128	0	26.46	27.04	< 30.00
		1	132	23.13	23.71	< 30.00
		1	0	23.40	23.98	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3500.01	50	64	32	26.67	27.25	< 30.00
		1	1	27.06	27.64	< 30.00
		1	131	26.48	27.06	< 30.00
		128	0	26.29	26.87	< 30.00
		1	132	22.92	23.50	< 30.00
		1	0	23.54	24.12	< 30.00
3525.00	50	64	32	26.48	27.06	< 30.00
		1	1	26.60	27.18	< 30.00
		1	131	26.46	27.04	< 30.00
		128	0	26.09	26.67	< 30.00
		1	132	22.94	23.52	< 30.00
		1	0	23.21	23.79	< 30.00
3480.00	60	81	40	27.01	27.59	< 30.00
		1	1	26.81	27.39	< 30.00
		1	160	26.38	26.96	< 30.00
		162	0	26.42	27.00	< 30.00
		1	161	22.88	23.46	< 30.00
		1	0	23.35	23.93	< 30.00
3500.01	60	81	40	26.65	27.23	< 30.00
		1	1	26.89	27.47	< 30.00
		1	160	26.39	26.97	< 30.00
		162	0	26.22	26.80	< 30.00
		1	161	22.91	23.49	< 30.00
		1	0	23.34	23.92	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3519.99	60	81	40	26.51	27.09	< 30.00
		1	1	26.67	27.25	< 30.00
		1	160	26.42	27.00	< 30.00
		162	0	26.10	26.68	< 30.00
		1	161	22.99	23.57	< 30.00
		1	0	23.16	23.74	< 30.00
3485.01	70	90	45	26.14	26.72	< 30.00
		1	1	26.36	26.94	< 30.00
		1	187	26.28	26.86	< 30.00
		180	0	25.67	26.25	< 30.00
		1	188	22.72	23.30	< 30.00
		1	0	22.79	23.37	< 30.00
3500.01	70	90	45	26.44	27.02	< 30.00
		1	1	26.65	27.23	< 30.00
		1	187	26.42	27.00	< 30.00
		180	0	26.03	26.61	< 30.00
		1	188	22.91	23.49	< 30.00
		1	0	23.15	23.73	< 30.00
3514.98	70	90	45	26.50	27.08	< 30.00
		1	1	26.54	27.12	< 30.00
		1	187	26.30	26.88	< 30.00
		180	0	26.00	26.58	< 30.00
		1	188	22.79	23.37	< 30.00
		1	0	23.16	23.74	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3490.02	80	108	54	26.55	27.13	< 30.00
		1	1	26.64	27.22	< 30.00
		1	215	26.30	26.88	< 30.00
		216	0	26.08	26.66	< 30.00
		1	216	22.83	23.41	< 30.00
		1	0	23.10	23.68	< 30.00
3500.01	80	108	54	26.43	27.01	< 30.00
		1	1	26.77	27.35	< 30.00
		1	215	26.31	26.89	< 30.00
		216	0	26.14	26.72	< 30.00
		1	216	22.86	23.44	< 30.00
		1	0	23.22	23.80	< 30.00
3510.00	80	108	54	26.41	26.99	< 30.00
		1	1	26.82	27.40	< 30.00
		1	215	26.29	26.87	< 30.00
		216	0	25.97	26.55	< 30.00
		1	216	22.82	23.40	< 30.00
		1	0	23.25	23.83	< 30.00
3495.00	90	120	60	26.62	27.20	< 30.00
		1	1	26.63	27.21	< 30.00
		1	243	26.41	26.99	< 30.00
		243	0	26.09	26.67	< 30.00
		1	244	22.78	23.36	< 30.00
		1	0	23.16	23.74	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3500.01	90	120	60	26.51	27.09	< 30.00
		1	1	26.68	27.26	< 30.00
		1	243	26.41	26.99	< 30.00
		243	0	26.08	26.66	< 30.00
		1	244	22.78	23.36	< 30.00
		1	0	23.14	23.72	< 30.00
3504.99	90	120	60	26.48	27.06	< 30.00
		1	1	26.75	27.33	< 30.00
		1	243	26.40	26.98	< 30.00
		243	0	26.02	26.60	< 30.00
		1	244	22.91	23.49	< 30.00
		1	0	23.14	23.72	< 30.00
3500.01	100	135	67	26.58	27.16	< 30.00
		1	1	26.52	27.10	< 30.00
		1	271	26.38	26.96	< 30.00
		270	0	26.07	26.65	< 30.00
		1	272	22.68	23.26	< 30.00
		1	0	22.88	23.46	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3455.01	10	12	6	26.92	27.50	< 30.00
		1	1	26.79	27.37	< 30.00
		1	22	26.97	27.55	< 30.00
		24	0	25.88	26.46	< 30.00
		1	23	23.36	23.94	< 30.00
		1	0	23.38	23.96	< 30.00
3500.01	10	12	6	26.58	27.16	< 30.00
		1	1	26.55	27.13	< 30.00
		1	22	26.59	27.17	< 30.00
		24	0	25.64	26.22	< 30.00
		1	23	23.04	23.62	< 30.00
		1	0	23.09	23.67	< 30.00
3544.98	10	12	6	26.60	27.18	< 30.00
		1	1	26.54	27.12	< 30.00
		1	22	26.51	27.09	< 30.00
		24	0	25.52	26.10	< 30.00
		1	23	23.07	23.65	< 30.00
		1	0	23.20	23.78	< 30.00
3457.50	15	18	9	27.08	27.66	< 30.00
		1	1	26.96	27.54	< 30.00
		1	36	27.23	27.81	< 30.00
		36	0	25.98	26.56	< 30.00
		1	37	23.66	24.24	< 30.00
		1	0	23.37	23.95	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3500.01	15	18	9	26.75	27.33	< 30.00
		1	1	26.94	27.52	< 30.00
		1	36	26.63	27.21	< 30.00
		36	0	25.74	26.32	< 30.00
		1	37	22.97	23.55	< 30.00
		1	0	23.41	23.99	< 30.00
3542.49	15	18	9	26.75	27.33	< 30.00
		1	1	26.64	27.22	< 30.00
		1	36	26.57	27.15	< 30.00
		36	0	25.62	26.20	< 30.00
		1	37	23.01	23.59	< 30.00
		1	0	23.20	23.78	< 30.00
3460.02	20	25	12	27.04	27.62	< 30.00
		1	1	26.99	27.57	< 30.00
		1	49	27.06	27.64	< 30.00
		50	0	26.10	26.68	< 30.00
		1	50	26.10	26.68	< 30.00
		1	0	23.53	24.11	< 30.00
3500.01	20	25	12	26.66	27.24	< 30.00
		1	1	26.79	27.37	< 30.00
		1	49	26.50	27.08	< 30.00
		50	0	25.69	26.27	< 30.00
		1	50	23.00	23.58	< 30.00
		1	0	23.46	24.04	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3540.00	20	25	12	26.68	27.26	< 30.00
		1	1	26.60	27.18	< 30.00
		1	49	26.67	27.25	< 30.00
		50	0	25.60	26.18	< 30.00
		1	50	23.25	23.83	< 30.00
		1	0	23.33	23.91	< 30.00
3462.51	25	32	16	26.01	26.59	< 30.00
		1	1	25.93	26.51	< 30.00
		1	63	25.99	26.57	< 30.00
		64	0	25.01	25.59	< 30.00
		1	0	22.29	22.87	< 30.00
		1	64	22.60	23.18	< 30.00
3500.01	25	32	16	25.52	26.10	< 30.00
		1	1	25.73	26.31	< 30.00
		1	63	25.29	25.87	< 30.00
		64	0	24.46	25.04	< 30.00
		1	0	22.14	22.72	< 30.00
		1	64	21.76	22.34	< 30.00
3537.48	25	32	16	25.41	25.99	< 30.00
		1	1	25.43	26.01	< 30.00
		1	63	25.34	25.92	< 30.00
		64	0	24.39	24.97	< 30.00
		1	0	21.74	22.32	< 30.00
		1	64	21.69	22.27	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3464.00	30	36	78	27.04	27.62	< 30.00
		1	1	27.01	27.59	< 30.00
		1	76	27.20	27.78	< 30.00
		75	0	25.99	26.57	< 30.00
		1	77	23.70	24.28	< 30.00
		1	0	23.34	23.92	< 30.00
3500.01	30	36	78	26.81	27.39	< 30.00
		1	1	26.94	27.52	< 30.00
		1	76	26.63	27.21	< 30.00
		75	0	25.85	26.43	< 30.00
		1	77	22.96	23.54	< 30.00
		1	0	23.38	23.96	< 30.00
3534.99	30	36	78	26.71	27.29	< 30.00
		1	1	26.64	27.22	< 30.00
		1	76	26.82	27.40	< 30.00
		75	0	25.77	26.35	< 30.00
		1	77	23.18	23.76	< 30.00
		1	0	23.02	23.60	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3470.01	40	50	25	27.17	27.75	< 30.00
		1	1	27.04	27.62	< 30.00
		1	104	27.14	27.72	< 30.00
		100	0	26.10	26.68	< 30.00
		1	105	23.37	23.95	< 30.00
		1	0	23.61	24.19	< 30.00
3500.01	40	50	25	26.80	27.38	< 30.00
		1	1	27.22	27.80	< 30.00
		1	104	26.78	27.36	< 30.00
		100	0	25.82	26.40	< 30.00
		1	105	23.28	23.86	< 30.00
		1	0	23.67	24.25	< 30.00
3529.98	40	50	25	26.76	27.34	< 30.00
		1	1	26.71	27.29	< 30.00
		1	104	26.84	27.42	< 30.00
		100	0	25.74	26.32	< 30.00
		1	105	23.28	23.86	< 30.00
		1	0	23.21	23.79	< 30.00
3475.02	50	64	32	27.03	27.61	< 30.00
		1	1	26.86	27.44	< 30.00
		1	131	26.58	27.16	< 30.00
		128	0	25.98	26.56	< 30.00
		1	132	23.05	23.63	< 30.00
		1	0	23.41	23.99	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3500.01	50	64	32	26.64	27.22	< 30.00
		1	1	27.07	27.65	< 30.00
		1	131	26.49	27.07	< 30.00
		128	0	25.70	26.28	< 30.00
		1	132	22.90	23.48	< 30.00
		1	0	23.47	24.05	< 30.00
3525.00	50	64	32	26.56	27.14	< 30.00
		1	1	26.73	27.31	< 30.00
		1	131	26.51	27.09	< 30.00
		128	0	25.51	26.09	< 30.00
		1	132	23.14	23.72	< 30.00
		1	0	23.26	23.84	< 30.00
3480.00	60	81	40	26.96	27.54	< 30.00
		1	1	26.73	27.31	< 30.00
		1	160	26.52	27.10	< 30.00
		162	0	25.89	26.47	< 30.00
		1	161	22.81	23.39	< 30.00
		1	0	23.15	23.73	< 30.00
3500.01	60	81	40	26.72	27.30	< 30.00
		1	1	27.11	27.69	< 30.00
		1	160	26.47	27.05	< 30.00
		162	0	25.64	26.22	< 30.00
		1	161	22.89	23.47	< 30.00
		1	0	23.62	24.20	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3519.99	60	81	40	26.52	27.10	< 30.00
		1	1	26.76	27.34	< 30.00
		1	160	26.51	27.09	< 30.00
		162	0	25.53	26.11	< 30.00
		1	161	22.87	23.45	< 30.00
		1	0	23.35	23.93	< 30.00
3485.01	70	90	45	26.13	26.71	< 30.00
		1	1	26.32	26.90	< 30.00
		1	187	26.31	26.89	< 30.00
		180	0	25.22	25.80	< 30.00
		1	188	22.76	23.34	< 30.00
		1	0	22.72	23.30	< 30.00
3500.01	70	90	45	26.46	27.04	< 30.00
		1	1	26.58	27.16	< 30.00
		1	187	26.37	26.95	< 30.00
		180	0	25.48	26.06	< 30.00
		1	188	22.90	23.48	< 30.00
		1	0	23.14	23.72	< 30.00
3514.98	70	90	45	26.52	27.10	< 30.00
		1	1	26.54	27.12	< 30.00
		1	187	26.22	26.80	< 30.00
		180	0	25.44	26.02	< 30.00
		1	188	22.77	23.35	< 30.00
		1	0	23.04	23.62	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3490.02	80	108	54	26.57	27.15	< 30.00
		1	1	26.54	27.12	< 30.00
		1	215	26.40	26.98	< 30.00
		216	0	25.57	26.15	< 30.00
		1	216	22.99	23.57	< 30.00
		1	0	23.14	23.72	< 30.00
3500.01	80	108	54	26.42	27.00	< 30.00
		1	1	26.68	27.26	< 30.00
		1	215	26.33	26.91	< 30.00
		216	0	25.58	26.16	< 30.00
		1	216	22.74	23.32	< 30.00
		1	0	23.22	23.80	< 30.00
3510.00	80	108	54	26.40	26.98	< 30.00
		1	1	26.82	27.40	< 30.00
		1	215	26.39	26.97	< 30.00
		216	0	25.52	26.10	< 30.00
		1	216	22.72	23.30	< 30.00
		1	0	23.25	23.83	< 30.00
3495.00	90	120	60	26.57	27.15	< 30.00
		1	1	26.66	27.24	< 30.00
		1	243	26.42	27.00	< 30.00
		243	0	25.62	26.20	< 30.00
		1	244	22.95	23.53	< 30.00
		1	0	23.02	23.60	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3500.01	90	120	60	26.57	27.15	< 30.00
		1	1	26.77	27.35	< 30.00
		1	243	26.43	27.01	< 30.00
		243	0	25.62	26.20	< 30.00
		1	244	22.97	23.55	< 30.00
		1	0	23.15	23.73	< 30.00
3504.99	90	120	60	26.56	27.14	< 30.00
		1	1	26.84	27.42	< 30.00
		1	243	26.41	26.99	< 30.00
		243	0	25.64	26.22	< 30.00
		1	244	22.98	23.56	< 30.00
		1	0	23.30	23.88	< 30.00
3500.01	100	135	67	26.55	27.13	< 30.00
		1	1	26.63	27.21	< 30.00
		1	271	26.36	26.94	< 30.00
		270	0	25.60	26.18	< 30.00
		1	272	22.67	23.25	< 30.00
		1	0	22.95	23.53	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3455.01	10	12	6	26.01	26.59	< 30.00
		1	1	25.63	26.21	< 30.00
		1	22	25.77	26.35	< 30.00
		24	0	24.83	25.41	< 30.00
		1	23	22.93	23.51	< 30.00
		1	0	23.10	23.68	< 30.00
3500.01	10	12	6	25.57	26.15	< 30.00
		1	1	25.64	26.22	< 30.00
		1	22	25.48	26.06	< 30.00
		24	0	24.67	25.25	< 30.00
		1	23	22.84	23.42	< 30.00
		1	0	23.01	23.59	< 30.00
3544.98	10	12	6	25.64	26.22	< 30.00
		1	1	25.55	26.13	< 30.00
		1	22	25.55	26.13	< 30.00
		24	0	24.63	25.21	< 30.00
		1	23	22.78	23.36	< 30.00
		1	0	22.89	23.47	< 30.00
3457.50	15	18	9	26.13	26.71	< 30.00
		1	1	25.72	26.30	< 30.00
		1	36	25.89	26.47	< 30.00
		36	0	25.13	25.71	< 30.00
		1	37	23.41	23.99	< 30.00
		1	0	23.27	23.85	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3500.01	15	18	9	25.77	26.35	< 30.00
		1	1	25.70	26.28	< 30.00
		1	36	25.29	25.87	< 30.00
		36	0	24.66	25.24	< 30.00
		1	37	22.84	23.42	< 30.00
		1	0	22.97	23.55	< 30.00
3542.49	15	18	9	25.68	26.26	< 30.00
		1	1	25.44	26.02	< 30.00
		1	36	25.38	25.96	< 30.00
		36	0	24.74	25.32	< 30.00
		1	37	22.77	23.35	< 30.00
		1	0	22.86	23.44	< 30.00
3460.02	20	25	12	26.11	26.69	< 30.00
		1	1	25.75	26.33	< 30.00
		1	49	25.91	26.49	< 30.00
		50	0	25.04	25.62	< 30.00
		1	50	25.04	25.62	< 30.00
		1	0	23.13	23.71	< 30.00
3500.01	20	25	12	25.74	26.32	< 30.00
		1	1	25.63	26.21	< 30.00
		1	49	25.31	25.89	< 30.00
		50	0	24.72	25.30	< 30.00
		1	50	22.61	23.19	< 30.00
		1	0	23.08	23.66	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3540.00	20	25	12	25.67	26.25	< 30.00
		1	1	25.34	25.92	< 30.00
		1	49	25.34	25.92	< 30.00
		50	0	24.77	25.35	< 30.00
		1	50	22.81	23.39	< 30.00
		1	0	22.87	23.45	< 30.00
3462.51	25	32	16	24.99	25.57	< 30.00
		1	1	24.75	25.33	< 30.00
		1	63	25.00	25.58	< 30.00
		64	0	23.83	24.41	< 30.00
		1	0	22.37	22.95	< 30.00
		1	64	22.54	23.12	< 30.00
3500.01	25	32	16	24.45	25.03	< 30.00
		1	1	24.71	25.29	< 30.00
		1	63	24.29	24.87	< 30.00
		64	0	23.45	24.03	< 30.00
		1	0	22.16	22.74	< 30.00
		1	64	21.74	22.32	< 30.00
3537.48	25	32	16	24.35	24.93	< 30.00
		1	1	24.32	24.90	< 30.00
		1	63	24.25	24.83	< 30.00
		64	0	23.27	23.85	< 30.00
		1	0	21.83	22.41	< 30.00
		1	64	21.77	22.35	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3464.00	30	36	78	26.01	26.59	< 30.00
		1	1	25.65	26.23	< 30.00
		1	76	25.81	26.39	< 30.00
		75	0	25.15	25.73	< 30.00
		1	77	23.42	24.00	< 30.00
		1	0	23.04	23.62	< 30.00
3500.01	30	36	78	25.77	26.35	< 30.00
		1	1	25.72	26.30	< 30.00
		1	76	25.48	26.06	< 30.00
		75	0	24.79	25.37	< 30.00
		1	77	22.84	23.42	< 30.00
		1	0	23.12	23.70	< 30.00
3534.99	30	36	78	25.66	26.24	< 30.00
		1	1	25.67	26.25	< 30.00
		1	76	25.69	26.27	< 30.00
		75	0	24.68	25.26	< 30.00
		1	77	23.21	23.79	< 30.00
		1	0	23.26	23.84	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3470.01	40	50	25	26.12	26.70	< 30.00
		1	1	25.89	26.47	< 30.00
		1	104	25.77	26.35	< 30.00
		100	0	25.01	25.59	< 30.00
		1	105	23.21	23.79	< 30.00
		1	0	23.20	23.78	< 30.00
3500.01	40	50	25	25.78	26.36	< 30.00
		1	1	25.88	26.46	< 30.00
		1	104	25.54	26.12	< 30.00
		100	0	24.83	25.41	< 30.00
		1	105	23.10	23.68	< 30.00
		1	0	23.31	23.89	< 30.00
3529.98	40	50	25	25.74	26.32	< 30.00
		1	1	25.52	26.10	< 30.00
		1	104	25.55	26.13	< 30.00
		100	0	24.73	25.31	< 30.00
		1	105	22.93	23.51	< 30.00
		1	0	22.94	23.52	< 30.00
3475.02	50	64	32	26.07	26.65	< 30.00
		1	1	25.57	26.15	< 30.00
		1	131	25.32	25.90	< 30.00
		128	0	24.98	25.56	< 30.00
		1	132	22.85	23.43	< 30.00
		1	0	22.88	23.46	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3500.01	50	64	32	25.66	26.24	< 30.00
		1	1	25.78	26.36	< 30.00
		1	131	25.30	25.88	< 30.00
		128	0	24.62	25.20	< 30.00
		1	132	22.79	23.37	< 30.00
		1	0	23.13	23.71	< 30.00
3525.00	50	64	32	25.59	26.17	< 30.00
		1	1	25.36	25.94	< 30.00
		1	131	25.26	25.84	< 30.00
		128	0	24.61	25.19	< 30.00
		1	132	22.68	23.26	< 30.00
		1	0	22.94	23.52	< 30.00
3480.00	60	81	40	25.99	26.57	< 30.00
		1	1	25.53	26.11	< 30.00
		1	160	25.23	25.81	< 30.00
		162	0	24.82	25.40	< 30.00
		1	161	22.48	23.06	< 30.00
		1	0	22.84	23.42	< 30.00
3500.01	60	81	40	25.66	26.24	< 30.00
		1	1	25.82	26.40	< 30.00
		1	160	25.25	25.83	< 30.00
		162	0	24.65	25.23	< 30.00
		1	161	22.69	23.27	< 30.00
		1	0	23.30	23.88	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3519.99	60	81	40	25.57	26.15	< 30.00
		1	1	25.49	26.07	< 30.00
		1	160	25.26	25.84	< 30.00
		162	0	24.65	25.23	< 30.00
		1	161	22.68	23.26	< 30.00
		1	0	22.80	23.38	< 30.00
3485.01	70	90	45	25.03	25.61	< 30.00
		1	1	25.10	25.68	< 30.00
		1	187	25.03	25.61	< 30.00
		180	0	24.08	24.66	< 30.00
		1	188	22.54	23.12	< 30.00
		1	0	22.60	23.18	< 30.00
3500.01	70	90	45	25.46	26.04	< 30.00
		1	1	25.37	25.95	< 30.00
		1	187	25.13	25.71	< 30.00
		180	0	24.48	25.06	< 30.00
		1	188	22.69	23.27	< 30.00
		1	0	22.91	23.49	< 30.00
3514.98	70	90	45	25.46	26.04	< 30.00
		1	1	25.28	25.86	< 30.00
		1	187	25.09	25.67	< 30.00
		180	0	24.52	25.10	< 30.00
		1	188	22.43	23.01	< 30.00
		1	0	22.90	23.48	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3490.02	80	108	54	25.67	26.25	< 30.00
		1	1	25.51	26.09	< 30.00
		1	215	25.17	25.75	< 30.00
		216	0	24.56	25.14	< 30.00
		1	216	22.53	23.11	< 30.00
		1	0	22.69	23.27	< 30.00
3500.01	80	108	54	25.45	26.03	< 30.00
		1	1	25.63	26.21	< 30.00
		1	215	25.23	25.81	< 30.00
		216	0	24.59	25.17	< 30.00
		1	216	22.53	23.11	< 30.00
		1	0	22.89	23.47	< 30.00
3510.00	80	108	54	25.45	26.03	< 30.00
		1	1	25.70	26.28	< 30.00
		1	215	25.19	25.77	< 30.00
		216	0	24.53	25.11	< 30.00
		1	216	22.36	22.94	< 30.00
		1	0	23.12	23.70	< 30.00
3495.00	90	120	60	25.62	26.20	< 30.00
		1	1	25.56	26.14	< 30.00
		1	243	25.23	25.81	< 30.00
		243	0	24.60	25.18	< 30.00
		1	244	22.74	23.32	< 30.00
		1	0	22.60	23.18	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3500.01	90	120	60	25.62	26.20	< 30.00
		1	1	25.65	26.23	< 30.00
		1	243	25.25	25.83	< 30.00
		243	0	24.63	25.21	< 30.00
		1	244	22.66	23.24	< 30.00
		1	0	22.78	23.36	< 30.00
3504.99	90	120	60	25.52	26.10	< 30.00
		1	1	25.47	26.05	< 30.00
		1	243	25.24	25.82	< 30.00
		243	0	24.64	25.22	< 30.00
		1	244	22.52	23.10	< 30.00
		1	0	22.97	23.55	< 30.00
3500.01	100	135	67	25.57	26.15	< 30.00
		1	1	25.44	26.02	< 30.00
		1	271	25.15	25.73	< 30.00
		270	0	24.50	25.08	< 30.00
		1	272	22.53	23.11	< 30.00
		1	0	22.72	23.30	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3455.01	10	12	6	24.42	25.00	< 30.00
		1	1	24.08	24.66	< 30.00
		1	22	24.42	25.00	< 30.00
		24	0	24.39	24.97	< 30.00
		1	23	23.51	24.09	< 30.00
		1	0	23.32	23.90	< 30.00
3500.01	10	12	6	24.09	24.67	< 30.00
		1	1	23.89	24.47	< 30.00
		1	22	24.36	24.94	< 30.00
		24	0	24.12	24.70	< 30.00
		1	23	22.94	23.52	< 30.00
		1	0	23.13	23.71	< 30.00
3544.98	10	12	6	24.07	24.65	< 30.00
		1	1	23.77	24.35	< 30.00
		1	22	23.76	24.34	< 30.00
		24	0	24.07	24.65	< 30.00
		1	23	22.89	23.47	< 30.00
		1	0	22.86	23.44	< 30.00
3457.50	15	18	9	24.55	25.13	< 30.00
		1	1	24.35	24.93	< 30.00
		1	36	24.48	25.06	< 30.00
		36	0	24.64	25.22	< 30.00
		1	37	23.69	24.27	< 30.00
		1	0	23.50	24.08	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3500.01	15	18	9	24.21	24.79	< 30.00
		1	1	24.44	25.02	< 30.00
		1	36	24.41	24.99	< 30.00
		36	0	24.17	24.75	< 30.00
		1	37	23.14	23.72	< 30.00
		1	0	23.38	23.96	< 30.00
3542.49	15	18	9	24.27	24.85	< 30.00
		1	1	23.97	24.55	< 30.00
		1	36	23.98	24.56	< 30.00
		36	0	24.03	24.61	< 30.00
		1	37	23.69	24.27	< 30.00
		1	0	23.17	23.75	< 30.00
3460.02	20	25	12	24.56	25.14	< 30.00
		1	1	24.50	25.08	< 30.00
		1	49	24.72	25.30	< 30.00
		50	0	24.65	25.23	< 30.00
		1	50	24.65	25.23	< 30.00
		1	0	23.26	23.84	< 30.00
3500.01	20	25	12	24.27	24.85	< 30.00
		1	1	24.39	24.97	< 30.00
		1	49	24.12	24.70	< 30.00
		50	0	24.23	24.81	< 30.00
		1	50	23.00	23.58	< 30.00
		1	0	23.36	23.94	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3540.00	20	25	12	24.26	24.84	< 30.00
		1	1	24.34	24.92	< 30.00
		1	49	24.26	24.84	< 30.00
		50	0	24.17	24.75	< 30.00
		1	50	23.23	23.81	< 30.00
		1	0	23.02	23.60	< 30.00
3462.51	25	32	16	23.43	24.01	< 30.00
		1	1	23.48	24.06	< 30.00
		1	63	23.72	24.30	< 30.00
		64	0	23.39	23.97	< 30.00
		1	0	22.39	22.97	< 30.00
		1	64	22.64	23.22	< 30.00
3500.01	25	32	16	22.85	23.43	< 30.00
		1	1	23.30	23.88	< 30.00
		1	63	23.38	23.96	< 30.00
		64	0	22.88	23.46	< 30.00
		1	0	22.39	22.97	< 30.00
		1	64	22.01	22.59	< 30.00
3537.48	25	32	16	22.96	23.54	< 30.00
		1	1	23.12	23.70	< 30.00
		1	63	22.97	23.55	< 30.00
		64	0	22.81	23.39	< 30.00
		1	0	21.97	22.55	< 30.00
		1	64	22.02	22.60	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3464.00	30	36	78	24.58	25.16	< 30.00
		1	1	24.38	24.96	< 30.00
		1	76	24.39	24.97	< 30.00
		75	0	24.55	25.13	< 30.00
		1	77	23.70	24.28	< 30.00
		1	0	23.21	23.79	< 30.00
3500.01	30	36	78	24.26	24.84	< 30.00
		1	1	24.59	25.17	< 30.00
		1	76	24.25	24.83	< 30.00
		75	0	24.42	25.00	< 30.00
		1	77	23.31	23.89	< 30.00
		1	0	23.66	24.24	< 30.00
3534.99	30	36	78	24.31	24.89	< 30.00
		1	1	23.60	24.18	< 30.00
		1	76	24.01	24.59	< 30.00
		75	0	24.32	24.90	< 30.00
		1	77	22.99	23.57	< 30.00
		1	0	23.01	23.59	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3470.01	40	50	25	24.54	25.12	< 30.00
		1	1	24.53	25.11	< 30.00
		1	104	24.47	25.05	< 30.00
		100	0	24.66	25.24	< 30.00
		1	105	23.75	24.33	< 30.00
		1	0	23.84	24.42	< 30.00
3500.01	40	50	25	24.30	24.88	< 30.00
		1	1	24.41	24.99	< 30.00
		1	104	23.79	24.37	< 30.00
		100	0	24.48	25.06	< 30.00
		1	105	23.86	24.44	< 30.00
		1	0	23.61	24.19	< 30.00
3529.98	40	50	25	24.22	24.80	< 30.00
		1	1	24.66	25.24	< 30.00
		1	104	24.27	24.85	< 30.00
		100	0	24.26	24.84	< 30.00
		1	105	23.59	24.17	< 30.00
		1	0	23.90	24.48	< 30.00
3475.02	50	64	32	24.44	25.02	< 30.00
		1	1	24.42	25.00	< 30.00
		1	131	24.32	24.90	< 30.00
		128	0	24.54	25.12	< 30.00
		1	132	23.08	23.66	< 30.00
		1	0	23.17	23.75	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3500.01	50	64	32	24.13	24.71	< 30.00
		1	1	24.73	25.31	< 30.00
		1	131	24.11	24.69	< 30.00
		128	0	24.15	24.73	< 30.00
		1	132	22.92	23.50	< 30.00
		1	0	23.50	24.08	< 30.00
3525.00	50	64	32	23.95	24.53	< 30.00
		1	1	24.34	24.92	< 30.00
		1	131	24.11	24.69	< 30.00
		128	0	23.94	24.52	< 30.00
		1	132	22.90	23.48	< 30.00
		1	0	22.96	23.54	< 30.00
3480.00	60	81	40	24.47	25.05	< 30.00
		1	1	24.28	24.86	< 30.00
		1	160	23.95	24.53	< 30.00
		162	0	24.34	24.92	< 30.00
		1	161	22.84	23.42	< 30.00
		1	0	23.21	23.79	< 30.00
3500.01	60	81	40	24.14	24.72	< 30.00
		1	1	24.59	25.17	< 30.00
		1	160	24.54	25.12	< 30.00
		162	0	24.27	24.85	< 30.00
		1	161	22.93	23.51	< 30.00
		1	0	23.34	23.92	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3519.99	60	81	40	24.13	24.71	< 30.00
		1	1	24.27	24.85	< 30.00
		1	160	23.98	24.56	< 30.00
		162	0	24.09	24.67	< 30.00
		1	161	22.97	23.55	< 30.00
		1	0	23.25	23.83	< 30.00
3485.01	70	90	45	23.67	24.25	< 30.00
		1	1	23.99	24.57	< 30.00
		1	187	24.00	24.58	< 30.00
		180	0	23.72	24.30	< 30.00
		1	188	23.03	23.61	< 30.00
		1	0	23.02	23.60	< 30.00
3500.01	70	90	45	23.93	24.51	< 30.00
		1	1	24.33	24.91	< 30.00
		1	187	23.98	24.56	< 30.00
		180	0	24.01	24.59	< 30.00
		1	188	22.94	23.52	< 30.00
		1	0	23.30	23.88	< 30.00
3514.98	70	90	45	24.02	24.60	< 30.00
		1	1	24.21	24.79	< 30.00
		1	187	23.91	24.49	< 30.00
		180	0	23.98	24.56	< 30.00
		1	188	22.88	23.46	< 30.00
		1	0	23.27	23.85	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3490.02	80	108	54	24.04	24.62	< 30.00
		1	1	24.09	24.67	< 30.00
		1	215	23.95	24.53	< 30.00
		216	0	24.17	24.75	< 30.00
		1	216	23.07	23.65	< 30.00
		1	0	23.54	24.12	< 30.00
3500.01	80	108	54	23.97	24.55	< 30.00
		1	1	24.49	25.07	< 30.00
		1	215	23.96	24.54	< 30.00
		216	0	24.03	24.61	< 30.00
		1	216	23.09	23.67	< 30.00
		1	0	23.66	24.24	< 30.00
3510.00	80	108	54	23.93	24.51	< 30.00
		1	1	24.51	25.09	< 30.00
		1	215	24.56	25.14	< 30.00
		216	0	24.05	24.63	< 30.00
		1	216	23.03	23.61	< 30.00
		1	0	23.33	23.91	< 30.00
3495.00	90	120	60	24.12	24.70	< 30.00
		1	1	24.27	24.85	< 30.00
		1	243	24.15	24.73	< 30.00
		243	0	24.14	24.72	< 30.00
		1	244	23.28	23.86	< 30.00
		1	0	23.45	24.03	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3500.01	90	120	60	24.00	24.58	< 30.00
		1	1	24.43	25.01	< 30.00
		1	243	24.07	24.65	< 30.00
		243	0	24.04	24.62	< 30.00
		1	244	23.18	23.76	< 30.00
		1	0	23.18	23.76	< 30.00
3504.99	90	120	60	24.05	24.63	< 30.00
		1	1	24.30	24.88	< 30.00
		1	243	23.95	24.53	< 30.00
		243	0	24.15	24.73	< 30.00
		1	244	22.83	23.41	< 30.00
		1	0	23.49	24.07	< 30.00
3500.01	100	135	67	24.06	24.64	< 30.00
		1	1	24.13	24.71	< 30.00
		1	271	23.93	24.51	< 30.00
		270	0	24.14	24.72	< 30.00
		1	272	23.14	23.72	< 30.00
		1	0	23.23	23.81	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3455.01	10	12	6	22.39	22.97	< 30.00
		1	1	22.10	22.68	< 30.00
		1	22	22.53	23.11	< 30.00
		24	0	22.44	23.02	< 30.00
		1	23	22.28	22.86	< 30.00
		1	0	22.31	22.89	< 30.00
3500.01	10	12	6	22.04	22.62	< 30.00
		1	1	22.22	22.80	< 30.00
		1	22	21.94	22.52	< 30.00
		24	0	22.35	22.93	< 30.00
		1	23	21.84	22.42	< 30.00
		1	0	22.22	22.80	< 30.00
3544.98	10	12	6	22.13	22.71	< 30.00
		1	1	22.21	22.79	< 30.00
		1	22	22.15	22.73	< 30.00
		24	0	22.06	22.64	< 30.00
		1	23	22.18	22.76	< 30.00
		1	0	21.85	22.43	< 30.00
3457.50	15	18	9	22.59	23.17	< 30.00
		1	1	22.43	23.01	< 30.00
		1	36	22.62	23.20	< 30.00
		36	0	22.49	23.07	< 30.00
		1	37	22.37	22.95	< 30.00
		1	0	22.39	22.97	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3500.01	15	18	9	22.23	22.81	< 30.00
		1	1	22.12	22.70	< 30.00
		1	36	22.08	22.66	< 30.00
		36	0	22.23	22.81	< 30.00
		1	37	22.14	22.72	< 30.00
		1	0	22.18	22.76	< 30.00
3542.49	15	18	9	22.29	22.87	< 30.00
		1	1	21.92	22.50	< 30.00
		1	36	21.81	22.39	< 30.00
		36	0	22.32	22.90	< 30.00
		1	37	21.79	22.37	< 30.00
		1	0	22.17	22.75	< 30.00
3460.02	20	25	12	22.64	23.22	< 30.00
		1	1	22.45	23.03	< 30.00
		1	49	22.43	23.01	< 30.00
		50	0	22.49	23.07	< 30.00
		1	50	22.49	23.07	< 30.00
		1	0	22.29	22.87	< 30.00
3500.01	20	25	12	22.39	22.97	< 30.00
		1	1	22.43	23.01	< 30.00
		1	49	22.06	22.64	< 30.00
		50	0	22.28	22.86	< 30.00
		1	50	22.42	23.00	< 30.00
		1	0	22.38	22.96	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3540.00	20	25	12	22.11	22.69	< 30.00
		1	1	22.18	22.76	< 30.00
		1	49	22.16	22.74	< 30.00
		50	0	22.07	22.65	< 30.00
		1	50	22.13	22.71	< 30.00
		1	0	22.25	22.83	< 30.00
3462.51	25	32	16	21.58	22.16	< 30.00
		1	1	20.82	21.40	< 30.00
		1	63	21.05	21.63	< 30.00
		64	0	21.36	21.94	< 30.00
		1	0	21.02	21.60	< 30.00
		1	64	21.03	21.61	< 30.00
3500.01	25	32	16	20.90	21.48	< 30.00
		1	1	20.74	21.32	< 30.00
		1	63	20.48	21.06	< 30.00
		64	0	21.07	21.65	< 30.00
		1	0	20.92	21.50	< 30.00
		1	64	20.55	21.13	< 30.00
3537.48	25	32	16	20.80	21.38	< 30.00
		1	1	20.22	20.80	< 30.00
		1	63	19.95	20.53	< 30.00
		64	0	20.99	21.57	< 30.00
		1	0	20.21	20.79	< 30.00
		1	64	20.66	21.24	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3464.00	30	36	78	22.59	23.17	< 30.00
		1	1	22.31	22.89	< 30.00
		1	76	22.41	22.99	< 30.00
		75	0	22.51	23.09	< 30.00
		1	77	22.37	22.95	< 30.00
		1	0	22.27	22.85	< 30.00
3500.01	30	36	78	22.41	22.99	< 30.00
		1	1	22.41	22.99	< 30.00
		1	76	22.45	23.03	< 30.00
		75	0	22.20	22.78	< 30.00
		1	77	22.29	22.87	< 30.00
		1	0	22.40	22.98	< 30.00
3534.99	30	36	78	22.25	22.83	< 30.00
		1	1	21.90	22.48	< 30.00
		1	76	22.42	23.00	< 30.00
		75	0	22.16	22.74	< 30.00
		1	77	22.29	22.87	< 30.00
		1	0	22.11	22.69	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3470.01	40	50	25	22.56	23.14	< 30.00
		1	1	22.53	23.11	< 30.00
		1	104	22.47	23.05	< 30.00
		100	0	22.49	23.07	< 30.00
		1	105	22.56	23.14	< 30.00
		1	0	22.28	22.86	< 30.00
3500.01	40	50	25	22.30	22.88	< 30.00
		1	1	22.61	23.19	< 30.00
		1	104	22.09	22.67	< 30.00
		100	0	22.37	22.95	< 30.00
		1	105	22.33	22.91	< 30.00
		1	0	22.49	23.07	< 30.00
3529.98	40	50	25	22.18	22.76	< 30.00
		1	1	21.96	22.54	< 30.00
		1	104	22.03	22.61	< 30.00
		100	0	22.18	22.76	< 30.00
		1	105	22.32	22.90	< 30.00
		1	0	22.30	22.88	< 30.00
3475.02	50	64	32	22.49	23.07	< 30.00
		1	1	22.11	22.69	< 30.00
		1	131	22.16	22.74	< 30.00
		128	0	22.35	22.93	< 30.00
		1	132	22.04	22.62	< 30.00
		1	0	22.34	22.92	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3500.01	50	64	32	22.05	22.63	< 30.00
		1	1	22.34	22.92	< 30.00
		1	131	21.95	22.53	< 30.00
		128	0	22.18	22.76	< 30.00
		1	132	21.73	22.31	< 30.00
		1	0	22.57	23.15	< 30.00
3525.00	50	64	32	21.98	22.56	< 30.00
		1	1	22.11	22.69	< 30.00
		1	131	21.72	22.30	< 30.00
		128	0	21.97	22.55	< 30.00
		1	132	21.70	22.28	< 30.00
		1	0	22.12	22.70	< 30.00
3480.00	60	81	40	22.35	22.93	< 30.00
		1	1	22.12	22.70	< 30.00
		1	160	21.70	22.28	< 30.00
		162	0	22.33	22.91	< 30.00
		1	161	21.88	22.46	< 30.00
		1	0	22.06	22.64	< 30.00
3500.01	60	81	40	22.17	22.75	< 30.00
		1	1	22.46	23.04	< 30.00
		1	160	21.85	22.43	< 30.00
		162	0	22.32	22.90	< 30.00
		1	161	21.93	22.51	< 30.00
		1	0	22.52	23.10	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3519.99	60	81	40	21.99	22.57	< 30.00
		1	1	22.17	22.75	< 30.00
		1	160	21.78	22.36	< 30.00
		162	0	22.02	22.60	< 30.00
		1	161	21.75	22.33	< 30.00
		1	0	22.28	22.86	< 30.00
3485.01	70	90	45	21.52	22.10	< 30.00
		1	1	21.62	22.20	< 30.00
		1	187	21.68	22.26	< 30.00
		180	0	21.58	22.16	< 30.00
		1	188	21.57	22.15	< 30.00
		1	0	21.58	22.16	< 30.00
3500.01	70	90	45	22.05	22.63	< 30.00
		1	1	22.00	22.58	< 30.00
		1	187	21.68	22.26	< 30.00
		180	0	21.95	22.53	< 30.00
		1	188	21.70	22.28	< 30.00
		1	0	21.99	22.57	< 30.00
3514.98	70	90	45	22.03	22.61	< 30.00
		1	1	21.95	22.53	< 30.00
		1	187	21.73	22.31	< 30.00
		180	0	22.05	22.63	< 30.00
		1	188	21.42	22.00	< 30.00
		1	0	21.90	22.48	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3490.02	80	108	54	22.23	22.81	< 30.00
		1	1	22.14	22.72	< 30.00
		1	215	21.64	22.22	< 30.00
		216	0	21.97	22.55	< 30.00
		1	216	21.70	22.28	< 30.00
		1	0	22.01	22.59	< 30.00
3500.01	80	108	54	21.88	22.46	< 30.00
		1	1	22.25	22.83	< 30.00
		1	215	21.99	22.57	< 30.00
		216	0	22.10	22.68	< 30.00
		1	216	21.81	22.39	< 30.00
		1	0	22.30	22.88	< 30.00
3510.00	80	108	54	21.83	22.41	< 30.00
		1	1	22.28	22.86	< 30.00
		1	215	21.81	22.39	< 30.00
		216	0	22.03	22.61	< 30.00
		1	216	21.75	22.33	< 30.00
		1	0	22.24	22.82	< 30.00
3495.00	90	120	60	22.01	22.59	< 30.00
		1	1	22.24	22.82	< 30.00
		1	243	21.91	22.49	< 30.00
		243	0	22.19	22.77	< 30.00
		1	244	21.80	22.38	< 30.00
		1	0	21.90	22.48	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3500.01	90	120	60	22.01	22.59	< 30.00
		1	1	22.31	22.89	< 30.00
		1	243	22.13	22.71	< 30.00
		243	0	22.01	22.59	< 30.00
		1	244	21.79	22.37	< 30.00
		1	0	22.20	22.78	< 30.00
3504.99	90	120	60	22.09	22.67	< 30.00
		1	1	22.25	22.83	< 30.00
		1	243	22.06	22.64	< 30.00
		243	0	22.02	22.60	< 30.00
		1	244	21.87	22.45	< 30.00
		1	0	21.94	22.52	< 30.00
3500.01	100	135	67	22.02	22.60	< 30.00
		1	1	21.94	22.52	< 30.00
		1	271	21.87	22.45	< 30.00
		270	0	22.28	22.86	< 30.00
		1	272	21.67	22.25	< 30.00
		1	0	21.86	22.44	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3455.01	10	12	6	25.52	26.10	< 30.00
		1	1	25.36	25.94	< 30.00
		1	22	25.52	26.10	< 30.00
		24	0	23.92	24.50	< 30.00
		1	23	23.49	24.07	< 30.00
		1	0	23.29	23.87	< 30.00
3500.01	10	12	6	25.16	25.74	< 30.00
		1	1	25.08	25.66	< 30.00
		1	22	24.88	25.46	< 30.00
		24	0	23.53	24.11	< 30.00
		1	23	22.94	23.52	< 30.00
		1	0	23.09	23.67	< 30.00
3544.98	10	12	6	25.01	25.59	< 30.00
		1	1	25.00	25.58	< 30.00
		1	22	24.96	25.54	< 30.00
		24	0	23.52	24.10	< 30.00
		1	23	23.29	23.87	< 30.00
		1	0	23.06	23.64	< 30.00
3457.50	15	19	9	25.66	26.24	< 30.00
		1	1	25.41	25.99	< 30.00
		1	36	25.48	26.06	< 30.00
		38	0	24.15	24.73	< 30.00
		1	37	23.77	24.35	< 30.00
		1	0	23.40	23.98	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3500.01	15	19	9	25.21	25.79	< 30.00
		1	1	25.39	25.97	< 30.00
		1	36	25.02	25.60	< 30.00
		38	0	23.66	24.24	< 30.00
		1	37	23.08	23.66	< 30.00
		1	0	23.34	23.92	< 30.00
3542.49	15	19	9	25.15	25.73	< 30.00
		1	1	25.26	25.84	< 30.00
		1	36	25.03	25.61	< 30.00
		38	0	23.66	24.24	< 30.00
		1	37	23.01	23.59	< 30.00
		1	0	23.13	23.71	< 30.00
3460.02	20	25	12	25.64	26.22	< 30.00
		1	1	25.44	26.02	< 30.00
		1	49	25.54	26.12	< 30.00
		51	0	24.14	24.72	< 30.00
		1	50	23.56	24.14	< 30.00
		1	0	23.45	24.03	< 30.00
3500.01	20	25	12	25.27	25.85	< 30.00
		1	1	25.52	26.10	< 30.00
		1	49	24.94	25.52	< 30.00
		51	0	23.70	24.28	< 30.00
		1	50	22.95	23.53	< 30.00
		1	0	23.34	23.92	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3540.00	20	25	12	25.18	25.76	< 30.00
		1	1	25.13	25.71	< 30.00
		1	49	25.17	25.75	< 30.00
		51	0	23.67	24.25	< 30.00
		1	50	23.62	24.20	< 30.00
		1	0	23.09	23.67	< 30.00
3462.51	25	33	16	24.41	24.99	< 30.00
		1	1	24.41	24.99	< 30.00
		1	63	24.71	25.29	< 30.00
		65	0	22.99	23.57	< 30.00
		1	0	22.48	23.06	< 30.00
		1	64	22.63	23.21	< 30.00
3500.01	25	33	16	23.99	24.57	< 30.00
		1	1	24.29	24.87	< 30.00
		1	63	24.15	24.73	< 30.00
		65	0	22.45	23.03	< 30.00
		1	0	22.32	22.90	< 30.00
		1	64	21.96	22.54	< 30.00
3537.48	25	33	16	23.87	24.45	< 30.00
		1	1	23.90	24.48	< 30.00
		1	63	23.83	24.41	< 30.00
		65	0	22.34	22.92	< 30.00
		1	0	21.93	22.51	< 30.00
		1	64	22.15	22.73	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3464.00	30	39	19	25.56	26.14	< 30.00
		1	1	25.42	26.00	< 30.00
		1	76	25.58	26.16	< 30.00
		78	0	24.04	24.62	< 30.00
		1	77	23.50	24.08	< 30.00
		1	0	23.37	23.95	< 30.00
3500.01	30	39	19	25.14	25.72	< 30.00
		1	1	25.46	26.04	< 30.00
		1	76	25.12	25.70	< 30.00
		78	0	23.87	24.45	< 30.00
		1	77	22.76	23.34	< 30.00
		1	0	23.40	23.98	< 30.00
3534.99	30	39	19	25.20	25.78	< 30.00
		1	1	25.14	25.72	< 30.00
		1	76	25.13	25.71	< 30.00
		78	0	23.72	24.30	< 30.00
		1	77	23.08	23.66	< 30.00
		1	0	23.13	23.71	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3470.01	40	53	26	25.58	26.16	< 30.00
		1	1	25.52	26.10	< 30.00
		1	104	25.36	25.94	< 30.00
		106	0	24.05	24.63	< 30.00
		1	105	23.50	24.08	< 30.00
		1	0	23.48	24.06	< 30.00
3500.01	40	53	26	25.32	25.90	< 30.00
		1	1	25.76	26.34	< 30.00
		1	104	25.13	25.71	< 30.00
		106	0	23.86	24.44	< 30.00
		1	105	23.18	23.76	< 30.00
		1	0	23.57	24.15	< 30.00
3529.98	40	53	26	25.22	25.80	< 30.00
		1	1	25.21	25.79	< 30.00
		1	104	25.20	25.78	< 30.00
		106	0	23.76	24.34	< 30.00
		1	105	23.61	24.19	< 30.00
		1	0	23.17	23.75	< 30.00
3475.02	50	67	33	25.47	26.05	< 30.00
		1	1	25.36	25.94	< 30.00
		1	131	24.96	25.54	< 30.00
		133	0	23.91	24.49	< 30.00
		1	132	23.06	23.64	< 30.00
		1	0	23.28	23.86	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3500.01	50	67	33	25.13	25.71	< 30.00
		1	1	25.57	26.15	< 30.00
		1	131	24.84	25.42	< 30.00
		133	0	23.72	24.30	< 30.00
		1	132	22.98	23.56	< 30.00
		1	0	23.50	24.08	< 30.00
3525.00	50	67	33	25.00	25.58	< 30.00
		1	1	25.15	25.73	< 30.00
		1	131	24.79	25.37	< 30.00
		133	0	23.47	24.05	< 30.00
		1	132	22.90	23.48	< 30.00
		1	0	22.88	23.46	< 30.00
3480.00	60	81	40	25.48	26.06	< 30.00
		1	1	25.21	25.79	< 30.00
		1	160	24.78	25.36	< 30.00
		162	0	23.90	24.48	< 30.00
		1	161	22.83	23.41	< 30.00
		1	0	23.31	23.89	< 30.00
3500.01	60	81	40	25.23	25.81	< 30.00
		1	1	25.41	25.99	< 30.00
		1	160	24.83	25.41	< 30.00
		162	0	23.68	24.26	< 30.00
		1	161	22.98	23.56	< 30.00
		1	0	23.33	23.91	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3519.99	60	81	40	25.00	25.58	< 30.00
		1	1	25.29	25.87	< 30.00
		1	160	24.86	25.44	< 30.00
		162	0	23.53	24.11	< 30.00
		1	161	22.83	23.41	< 30.00
		1	0	23.35	23.93	< 30.00
3485.01	70	90	45	24.57	25.15	< 30.00
		1	1	24.94	25.52	< 30.00
		1	187	24.90	25.48	< 30.00
		180	0	23.16	23.74	< 30.00
		1	188	22.79	23.37	< 30.00
		1	0	22.96	23.54	< 30.00
3500.01	70	90	45	25.00	25.58	< 30.00
		1	1	25.31	25.89	< 30.00
		1	187	24.89	25.47	< 30.00
		180	0	23.52	24.10	< 30.00
		1	188	23.13	23.71	< 30.00
		1	0	23.29	23.87	< 30.00
3514.98	70	90	45	25.01	25.59	< 30.00
		1	1	25.17	25.75	< 30.00
		1	187	24.84	25.42	< 30.00
		180	0	23.52	24.10	< 30.00
		1	188	22.79	23.37	< 30.00
		1	0	23.19	23.77	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3490.02	80	109	54	25.14	25.72	< 30.00
		1	1	25.12	25.70	< 30.00
		1	215	24.89	25.47	< 30.00
		217	0	23.63	24.21	< 30.00
		1	216	22.92	23.50	< 30.00
		1	0	22.87	23.45	< 30.00
3500.01	80	109	54	24.96	25.54	< 30.00
		1	1	25.41	25.99	< 30.00
		1	215	24.94	25.52	< 30.00
		217	0	23.49	24.07	< 30.00
		1	216	22.77	23.35	< 30.00
		1	0	23.23	23.81	< 30.00
3510.00	80	109	54	24.93	25.51	< 30.00
		1	1	25.38	25.96	< 30.00
		1	215	24.79	25.37	< 30.00
		217	0	23.59	24.17	< 30.00
		1	216	22.70	23.28	< 30.00
		1	0	23.21	23.79	< 30.00
3495.00	90	123	61	25.05	25.63	< 30.00
		1	1	25.09	25.67	< 30.00
		1	243	24.82	25.40	< 30.00
		245	0	23.58	24.16	< 30.00
		1	244	22.84	23.42	< 30.00
		1	0	23.07	23.65	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3500.01	90	123	61	24.99	25.57	< 30.00
		1	1	25.24	25.82	< 30.00
		1	243	24.78	25.36	< 30.00
		245	0	23.53	24.11	< 30.00
		1	244	22.77	23.35	< 30.00
		1	0	23.07	23.65	< 30.00
3504.99	90	123	61	24.98	25.56	< 30.00
		1	1	25.22	25.80	< 30.00
		1	243	24.94	25.52	< 30.00
		245	0	23.46	24.04	< 30.00
		1	244	22.96	23.54	< 30.00
		1	0	23.12	23.70	< 30.00
3500.01	100	137	68	25.02	25.60	< 30.00
		1	1	24.97	25.55	< 30.00
		1	271	24.88	25.46	< 30.00
		273	0	23.55	24.13	< 30.00
		1	272	22.80	23.38	< 30.00
		1	0	22.82	23.40	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3455.01	10	12	6	24.79	25.37	< 30.00
		1	1	24.93	25.51	< 30.00
		1	22	25.00	25.58	< 30.00
		24	0	24.00	24.58	< 30.00
		1	23	23.35	23.93	< 30.00
		1	0	23.06	23.64	< 30.00
3500.01	10	12	6	24.61	25.19	< 30.00
		1	1	24.74	25.32	< 30.00
		1	22	24.38	24.96	< 30.00
		24	0	23.71	24.29	< 30.00
		1	23	22.90	23.48	< 30.00
		1	0	23.15	23.73	< 30.00
3544.98	10	12	6	24.56	25.14	< 30.00
		1	1	24.46	25.04	< 30.00
		1	22	24.21	24.79	< 30.00
		24	0	23.52	24.10	< 30.00
		1	23	22.75	23.33	< 30.00
		1	0	23.27	23.85	< 30.00
3457.50	15	19	9	25.04	25.62	< 30.00
		1	1	24.89	25.47	< 30.00
		1	36	24.79	25.37	< 30.00
		38	0	24.19	24.77	< 30.00
		1	37	23.67	24.25	< 30.00
		1	0	23.43	24.01	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3500.01	15	19	9	24.67	25.25	< 30.00
		1	1	24.73	25.31	< 30.00
		1	36	24.24	24.82	< 30.00
		38	0	23.71	24.29	< 30.00
		1	37	23.19	23.77	< 30.00
		1	0	23.45	24.03	< 30.00
3542.49	15	19	9	24.67	25.25	< 30.00
		1	1	24.41	24.99	< 30.00
		1	36	24.33	24.91	< 30.00
		38	0	23.64	24.22	< 30.00
		1	37	22.94	23.52	< 30.00
		1	0	23.25	23.83	< 30.00
3460.02	20	25	12	25.15	25.73	< 30.00
		1	1	24.78	25.36	< 30.00
		1	49	24.89	25.47	< 30.00
		51	0	24.08	24.66	< 30.00
		1	50	23.56	24.14	< 30.00
		1	0	23.25	23.83	< 30.00
3500.01	20	25	12	24.73	25.31	< 30.00
		1	1	24.69	25.27	< 30.00
		1	49	24.78	25.36	< 30.00
		51	0	23.62	24.20	< 30.00
		1	50	22.98	23.56	< 30.00
		1	0	23.32	23.90	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3540.00	20	25	12	24.73	25.31	< 30.00
		1	1	24.47	25.05	< 30.00
		1	49	24.66	25.24	< 30.00
		51	0	23.66	24.24	< 30.00
		1	50	23.20	23.78	< 30.00
		1	0	23.20	23.78	< 30.00
3462.51	25	33	16	23.96	24.54	< 30.00
		1	1	23.82	24.40	< 30.00
		1	63	24.06	24.64	< 30.00
		65	0	23.05	23.63	< 30.00
		1	0	22.24	22.82	< 30.00
		1	64	22.27	22.85	< 30.00
3500.01	25	33	16	23.50	24.08	< 30.00
		1	1	23.73	24.31	< 30.00
		1	63	23.40	23.98	< 30.00
		65	0	22.47	23.05	< 30.00
		1	0	22.23	22.81	< 30.00
		1	64	21.89	22.47	< 30.00
3537.48	25	33	16	23.44	24.02	< 30.00
		1	1	23.34	23.92	< 30.00
		1	63	23.26	23.84	< 30.00
		65	0	22.46	23.04	< 30.00
		1	0	21.81	22.39	< 30.00
		1	64	21.68	22.26	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3464.00	30	39	19	25.02	25.60	< 30.00
		1	1	24.63	25.21	< 30.00
		1	76	24.77	25.35	< 30.00
		78	0	24.12	24.70	< 30.00
		1	77	23.71	24.29	< 30.00
		1	0	23.29	23.87	< 30.00
3500.01	30	39	19	24.78	25.36	< 30.00
		1	1	24.98	25.56	< 30.00
		1	76	24.50	25.08	< 30.00
		78	0	23.70	24.28	< 30.00
		1	77	22.79	23.37	< 30.00
		1	0	23.58	24.16	< 30.00
3534.99	30	39	19	24.73	25.31	< 30.00
		1	1	24.86	25.44	< 30.00
		1	76	24.67	25.25	< 30.00
		78	0	23.74	24.32	< 30.00
		1	77	23.33	23.91	< 30.00
		1	0	23.19	23.77	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3470.01	40	53	26	25.09	25.67	< 30.00
		1	1	24.99	25.57	< 30.00
		1	104	24.84	25.42	< 30.00
		106	0	24.10	24.68	< 30.00
		1	105	23.36	23.94	< 30.00
		1	0	23.61	24.19	< 30.00
3500.01	40	53	26	24.84	25.42	< 30.00
		1	1	25.00	25.58	< 30.00
		1	104	24.68	25.26	< 30.00
		106	0	23.92	24.50	< 30.00
		1	105	23.19	23.77	< 30.00
		1	0	23.58	24.16	< 30.00
3529.98	40	53	26	24.71	25.29	< 30.00
		1	1	24.49	25.07	< 30.00
		1	104	24.58	25.16	< 30.00
		106	0	23.83	24.41	< 30.00
		1	105	23.23	23.81	< 30.00
		1	0	23.11	23.69	< 30.00
3475.02	50	67	33	25.01	25.59	< 30.00
		1	1	24.88	25.46	< 30.00
		1	131	24.61	25.19	< 30.00
		133	0	23.92	24.50	< 30.00
		1	132	23.16	23.74	< 30.00
		1	0	23.24	23.82	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3500.01	50	67	33	24.68	25.26	< 30.00
		1	1	24.84	25.42	< 30.00
		1	131	24.25	24.83	< 30.00
		133	0	23.67	24.25	< 30.00
		1	132	22.91	23.49	< 30.00
		1	0	23.55	24.13	< 30.00
3525.00	50	67	33	24.57	25.15	< 30.00
		1	1	24.60	25.18	< 30.00
		1	131	24.32	24.90	< 30.00
		133	0	23.58	24.16	< 30.00
		1	132	22.85	23.43	< 30.00
		1	0	23.16	23.74	< 30.00
3480.00	60	81	40	25.00	25.58	< 30.00
		1	1	24.74	25.32	< 30.00
		1	160	24.52	25.10	< 30.00
		162	0	23.89	24.47	< 30.00
		1	161	22.81	23.39	< 30.00
		1	0	22.90	23.48	< 30.00
3500.01	60	81	40	24.72	25.30	< 30.00
		1	1	24.93	25.51	< 30.00
		1	160	24.65	25.23	< 30.00
		162	0	23.65	24.23	< 30.00
		1	161	22.96	23.54	< 30.00
		1	0	23.31	23.89	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3519.99	60	81	40	24.53	25.11	< 30.00
		1	1	24.58	25.16	< 30.00
		1	160	24.62	25.20	< 30.00
		162	0	23.53	24.11	< 30.00
		1	161	22.77	23.35	< 30.00
		1	0	23.05	23.63	< 30.00
3485.01	70	95	47	24.02	24.60	< 30.00
		1	1	24.10	24.68	< 30.00
		1	187	24.04	24.62	< 30.00
		189	0	23.23	23.81	< 30.00
		1	188	22.49	23.07	< 30.00
		1	0	22.76	23.34	< 30.00
3500.01	70	95	47	24.52	25.10	< 30.00
		1	1	24.44	25.02	< 30.00
		1	187	24.13	24.71	< 30.00
		189	0	23.49	24.07	< 30.00
		1	188	22.75	23.33	< 30.00
		1	0	22.97	23.55	< 30.00
3514.98	70	95	47	24.54	25.12	< 30.00
		1	1	24.42	25.00	< 30.00
		1	187	24.03	24.61	< 30.00
		189	0	23.48	24.06	< 30.00
		1	188	22.48	23.06	< 30.00
		1	0	22.94	23.52	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3490.02	80	109	54	24.54	25.12	< 30.00
		1	1	24.56	25.14	< 30.00
		1	215	23.94	24.52	< 30.00
		217	0	23.55	24.13	< 30.00
		1	216	23.05	23.63	< 30.00
		1	0	23.16	23.74	< 30.00
3500.01	80	109	54	24.48	25.06	< 30.00
		1	1	24.55	25.13	< 30.00
		1	215	24.00	24.58	< 30.00
		217	0	23.51	24.09	< 30.00
		1	216	22.83	23.41	< 30.00
		1	0	23.14	23.72	< 30.00
3510.00	80	109	54	24.39	24.97	< 30.00
		1	1	24.72	25.30	< 30.00
		1	215	24.36	24.94	< 30.00
		217	0	23.42	24.00	< 30.00
		1	216	22.61	23.19	< 30.00
		1	0	23.14	23.72	< 30.00
3495.00	90	123	61	24.59	25.17	< 30.00
		1	1	24.51	25.09	< 30.00
		1	243	24.32	24.90	< 30.00
		245	0	23.65	24.23	< 30.00
		1	244	22.74	23.32	< 30.00
		1	0	23.17	23.75	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3500.01	90	123	61	24.56	25.14	< 30.00
		1	1	24.49	25.07	< 30.00
		1	243	24.27	24.85	< 30.00
		245	0	23.53	24.11	< 30.00
		1	244	23.00	23.58	< 30.00
		1	0	23.26	23.84	< 30.00
3504.99	90	123	61	24.52	25.10	< 30.00
		1	1	24.65	25.23	< 30.00
		1	243	24.15	24.73	< 30.00
		245	0	23.55	24.13	< 30.00
		1	244	22.72	23.30	< 30.00
		1	0	23.21	23.79	< 30.00
3500.01	100	137	68	24.56	25.14	< 30.00
		1	1	24.50	25.08	< 30.00
		1	271	24.11	24.69	< 30.00
		273	0	23.46	24.04	< 30.00
		1	272	22.72	23.30	< 30.00
		1	0	23.00	23.58	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3455.01	10	12	6	23.49	24.07	< 30.00
		1	1	23.40	23.98	< 30.00
		1	22	23.59	24.17	< 30.00
		24	0	23.50	24.08	< 30.00
		1	23	23.38	23.96	< 30.00
		1	0	23.28	23.86	< 30.00
3500.01	10	12	6	23.20	23.78	< 30.00
		1	1	23.22	23.80	< 30.00
		1	22	22.75	23.33	< 30.00
		24	0	23.04	23.62	< 30.00
		1	23	23.04	23.62	< 30.00
		1	0	23.30	23.88	< 30.00
3544.98	10	12	6	23.07	23.65	< 30.00
		1	1	23.20	23.78	< 30.00
		1	22	23.17	23.75	< 30.00
		24	0	23.20	23.78	< 30.00
		1	23	22.76	23.34	< 30.00
		1	0	23.07	23.65	< 30.00
3457.50	15	19	9	23.50	24.08	< 30.00
		1	1	23.61	24.19	< 30.00
		1	36	23.84	24.42	< 30.00
		38	0	23.63	24.21	< 30.00
		1	37	23.79	24.37	< 30.00
		1	0	23.57	24.15	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3500.01	15	19	9	23.14	23.72	< 30.00
		1	1	23.36	23.94	< 30.00
		1	36	23.35	23.93	< 30.00
		38	0	23.21	23.79	< 30.00
		1	37	22.62	23.20	< 30.00
		1	0	23.24	23.82	< 30.00
3542.49	15	19	9	23.12	23.70	< 30.00
		1	1	23.25	23.83	< 30.00
		1	36	23.04	23.62	< 30.00
		38	0	23.23	23.81	< 30.00
		1	37	23.09	23.67	< 30.00
		1	0	23.29	23.87	< 30.00
3460.02	20	25	12	23.64	24.22	< 30.00
		1	1	23.59	24.17	< 30.00
		1	49	23.75	24.33	< 30.00
		51	0	23.58	24.16	< 30.00
		1	50	23.79	24.37	< 30.00
		1	0	23.64	24.22	< 30.00
3500.01	20	25	12	23.34	23.92	< 30.00
		1	1	23.40	23.98	< 30.00
		1	49	23.07	23.65	< 30.00
		51	0	23.17	23.75	< 30.00
		1	50	23.12	23.70	< 30.00
		1	0	23.38	23.96	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3540.00	20	25	12	23.16	23.74	< 30.00
		1	1	23.25	23.83	< 30.00
		1	49	23.17	23.75	< 30.00
		51	0	23.17	23.75	< 30.00
		1	50	23.23	23.81	< 30.00
		1	0	23.11	23.69	< 30.00
3462.51	25	33	16	22.47	23.05	< 30.00
		1	1	22.43	23.01	< 30.00
		1	63	22.59	23.17	< 30.00
		65	0	22.39	22.97	< 30.00
		1	0	22.20	22.78	< 30.00
		1	64	22.53	23.11	< 30.00
3500.01	25	33	16	21.89	22.47	< 30.00
		1	1	22.32	22.90	< 30.00
		1	63	21.82	22.40	< 30.00
		65	0	21.98	22.56	< 30.00
		1	0	22.26	22.84	< 30.00
		1	64	21.69	22.27	< 30.00
3537.48	25	33	16	21.81	22.39	< 30.00
		1	1	21.89	22.47	< 30.00
		1	63	21.81	22.39	< 30.00
		65	0	21.88	22.46	< 30.00
		1	0	21.75	22.33	< 30.00
		1	64	21.80	22.38	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3464.00	30	39	19	23.64	24.22	< 30.00
		1	1	23.39	23.97	< 30.00
		1	76	23.60	24.18	< 30.00
		78	0	23.60	24.18	< 30.00
		1	77	23.63	24.21	< 30.00
		1	0	23.50	24.08	< 30.00
3500.01	30	39	19	23.21	23.79	< 30.00
		1	1	23.51	24.09	< 30.00
		1	76	23.10	23.68	< 30.00
		78	0	23.25	23.83	< 30.00
		1	77	23.23	23.81	< 30.00
		1	0	23.45	24.03	< 30.00
3534.99	30	39	19	23.11	23.69	< 30.00
		1	1	23.44	24.02	< 30.00
		1	76	23.27	23.85	< 30.00
		78	0	23.31	23.89	< 30.00
		1	77	23.18	23.76	< 30.00
		1	0	22.75	23.33	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3470.01	40	53	26	23.71	24.29	< 30.00
		1	1	23.50	24.08	< 30.00
		1	104	23.45	24.03	< 30.00
		106	0	23.57	24.15	< 30.00
		1	105	23.43	24.01	< 30.00
		1	0	23.51	24.09	< 30.00
3500.01	40	53	26	23.33	23.91	< 30.00
		1	1	23.57	24.15	< 30.00
		1	104	22.91	23.49	< 30.00
		106	0	23.45	24.03	< 30.00
		1	105	23.45	24.03	< 30.00
		1	0	23.68	24.26	< 30.00
3529.98	40	53	26	23.22	23.80	< 30.00
		1	1	23.07	23.65	< 30.00
		1	104	23.15	23.73	< 30.00
		106	0	23.37	23.95	< 30.00
		1	105	23.11	23.69	< 30.00
		1	0	23.23	23.81	< 30.00
3475.02	50	67	33	23.51	24.09	< 30.00
		1	1	23.47	24.05	< 30.00
		1	131	23.21	23.79	< 30.00
		133	0	23.30	23.88	< 30.00
		1	132	23.10	23.68	< 30.00
		1	0	23.37	23.95	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3500.01	50	67	33	23.08	23.66	< 30.00
		1	1	23.61	24.19	< 30.00
		1	131	22.95	23.53	< 30.00
		133	0	23.28	23.86	< 30.00
		1	132	23.01	23.59	< 30.00
		1	0	23.79	24.37	< 30.00
3525.00	50	67	33	23.09	23.67	< 30.00
		1	1	23.31	23.89	< 30.00
		1	131	22.94	23.52	< 30.00
		133	0	23.13	23.71	< 30.00
		1	132	22.94	23.52	< 30.00
		1	0	23.29	23.87	< 30.00
3480.00	60	81	40	23.33	23.91	< 30.00
		1	1	23.25	23.83	< 30.00
		1	160	23.00	23.58	< 30.00
		162	0	23.48	24.06	< 30.00
		1	161	23.06	23.64	< 30.00
		1	0	23.31	23.89	< 30.00
3500.01	60	81	40	23.08	23.66	< 30.00
		1	1	23.66	24.24	< 30.00
		1	160	22.67	23.25	< 30.00
		162	0	23.13	23.71	< 30.00
		1	161	22.64	23.22	< 30.00
		1	0	23.45	24.03	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3519.99	60	81	40	22.98	23.56	< 30.00
		1	1	23.21	23.79	< 30.00
		1	160	23.20	23.78	< 30.00
		162	0	23.10	23.68	< 30.00
		1	161	22.98	23.56	< 30.00
		1	0	23.35	23.93	< 30.00
3485.01	70	95	47	22.52	23.10	< 30.00
		1	1	22.82	23.40	< 30.00
		1	187	22.67	23.25	< 30.00
		189	0	22.70	23.28	< 30.00
		1	188	22.62	23.20	< 30.00
		1	0	22.70	23.28	< 30.00
3500.01	70	95	47	22.99	23.57	< 30.00
		1	1	23.17	23.75	< 30.00
		1	187	22.83	23.41	< 30.00
		189	0	23.06	23.64	< 30.00
		1	188	22.71	23.29	< 30.00
		1	0	23.22	23.80	< 30.00
3514.98	70	95	47	23.04	23.62	< 30.00
		1	1	23.03	23.61	< 30.00
		1	187	22.70	23.28	< 30.00
		189	0	23.01	23.59	< 30.00
		1	188	22.73	23.31	< 30.00
		1	0	23.07	23.65	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3490.02	80	109	54	23.08	23.66	< 30.00
		1	1	23.08	23.66	< 30.00
		1	215	22.58	23.16	< 30.00
		217	0	23.19	23.77	< 30.00
		1	216	22.80	23.38	< 30.00
		1	0	23.04	23.62	< 30.00
3500.01	80	109	54	22.96	23.54	< 30.00
		1	1	23.18	23.76	< 30.00
		1	215	22.63	23.21	< 30.00
		217	0	23.05	23.63	< 30.00
		1	216	22.78	23.36	< 30.00
		1	0	23.32	23.90	< 30.00
3510.00	80	109	54	23.01	23.59	< 30.00
		1	1	23.17	23.75	< 30.00
		1	215	22.85	23.43	< 30.00
		217	0	23.07	23.65	< 30.00
		1	216	22.77	23.35	< 30.00
		1	0	23.22	23.80	< 30.00
3495.00	90	123	61	23.02	23.60	< 30.00
		1	1	23.10	23.68	< 30.00
		1	243	22.72	23.30	< 30.00
		245	0	23.15	23.73	< 30.00
		1	244	23.43	24.01	< 30.00
		1	0	23.09	23.67	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3500.01	90	123	61	23.01	23.59	< 30.00
		1	1	23.26	23.84	< 30.00
		1	243	22.30	22.88	< 30.00
		245	0	23.07	23.65	< 30.00
		1	244	22.33	22.91	< 30.00
		1	0	22.97	23.55	< 30.00
3504.99	90	123	61	22.90	23.48	< 30.00
		1	1	23.14	23.72	< 30.00
		1	243	22.74	23.32	< 30.00
		245	0	22.99	23.57	< 30.00
		1	244	22.88	23.46	< 30.00
		1	0	22.93	23.51	< 30.00
3500.01	100	137	68	23.01	23.59	< 30.00
		1	1	23.00	23.58	< 30.00
		1	271	22.65	23.23	< 30.00
		273	0	23.01	23.59	< 30.00
		1	272	22.82	23.40	< 30.00
		1	0	22.71	23.29	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3455.01	10	12	6	20.54	21.12	< 30.00
		1	1	20.64	21.22	< 30.00
		1	22	20.91	21.49	< 30.00
		24	0	20.37	20.95	< 30.00
		1	23	20.76	21.34	< 30.00
		1	0	20.86	21.44	< 30.00
3500.01	10	12	6	20.19	20.77	< 30.00
		1	1	20.49	21.07	< 30.00
		1	22	20.40	20.98	< 30.00
		24	0	20.23	20.81	< 30.00
		1	23	20.36	20.94	< 30.00
		1	0	20.52	21.10	< 30.00
3544.98	10	12	6	20.27	20.85	< 30.00
		1	1	19.97	20.55	< 30.00
		1	22	20.77	21.35	< 30.00
		24	0	20.23	20.81	< 30.00
		1	23	20.48	21.06	< 30.00
		1	0	20.36	20.94	< 30.00
3457.50	15	19	9	20.62	21.20	< 30.00
		1	1	20.89	21.47	< 30.00
		1	36	20.90	21.48	< 30.00
		38	0	20.57	21.15	< 30.00
		1	37	21.06	21.64	< 30.00
		1	0	20.98	21.56	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3500.01	15	19	9	20.38	20.96	< 30.00
		1	1	20.60	21.18	< 30.00
		1	36	20.43	21.01	< 30.00
		38	0	20.41	20.99	< 30.00
		1	37	20.34	20.92	< 30.00
		1	0	20.67	21.25	< 30.00
3542.49	15	19	9	20.24	20.82	< 30.00
		1	1	20.53	21.11	< 30.00
		1	36	20.48	21.06	< 30.00
		38	0	20.26	20.84	< 30.00
		1	37	20.46	21.04	< 30.00
		1	0	20.38	20.96	< 30.00
3460.02	20	25	12	20.54	21.12	< 30.00
		1	1	20.74	21.32	< 30.00
		1	49	21.02	21.60	< 30.00
		51	0	20.87	21.45	< 30.00
		1	50	20.92	21.50	< 30.00
		1	0	20.80	21.38	< 30.00
3500.01	20	25	12	20.18	20.76	< 30.00
		1	1	20.64	21.22	< 30.00
		1	49	20.37	20.95	< 30.00
		51	0	20.25	20.83	< 30.00
		1	50	20.30	20.88	< 30.00
		1	0	20.64	21.22	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3540.00	20	25	12	20.12	20.70	< 30.00
		1	1	20.37	20.95	< 30.00
		1	49	20.44	21.02	< 30.00
		51	0	20.30	20.88	< 30.00
		1	50	20.44	21.02	< 30.00
		1	0	20.41	20.99	< 30.00
3462.51	25	33	16	19.32	19.90	< 30.00
		1	1	19.31	19.89	< 30.00
		1	63	19.46	20.04	< 30.00
		65	0	19.56	20.14	< 30.00
		1	0	19.11	19.69	< 30.00
		1	64	19.58	20.16	< 30.00
3500.01	25	33	16	18.88	19.46	< 30.00
		1	1	19.16	19.74	< 30.00
		1	63	18.82	19.40	< 30.00
		65	0	18.93	19.51	< 30.00
		1	0	19.08	19.66	< 30.00
		1	64	18.69	19.27	< 30.00
3537.48	25	33	16	18.78	19.36	< 30.00
		1	1	18.89	19.47	< 30.00
		1	63	18.44	19.02	< 30.00
		65	0	18.97	19.55	< 30.00
		1	0	18.80	19.38	< 30.00
		1	64	18.99	19.57	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3464.00	30	39	19	20.66	21.24	< 30.00
		1	1	20.66	21.24	< 30.00
		1	76	20.90	21.48	< 30.00
		78	0	20.87	21.45	< 30.00
		1	77	21.06	21.64	< 30.00
		1	0	20.83	21.41	< 30.00
3500.01	30	39	19	20.31	20.89	< 30.00
		1	1	21.02	21.60	< 30.00
		1	76	20.37	20.95	< 30.00
		78	0	20.38	20.96	< 30.00
		1	77	19.99	20.57	< 30.00
		1	0	20.84	21.42	< 30.00
3534.99	30	39	19	20.37	20.95	< 30.00
		1	1	20.79	21.37	< 30.00
		1	76	20.66	21.24	< 30.00
		78	0	20.45	21.03	< 30.00
		1	77	20.59	21.17	< 30.00
		1	0	20.64	21.22	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3470.01	40	53	26	20.66	21.24	< 30.00
		1	1	21.33	21.91	< 30.00
		1	104	21.07	21.65	< 30.00
		106	0	20.74	21.32	< 30.00
		1	105	20.81	21.39	< 30.00
		1	0	21.12	21.70	< 30.00
3500.01	40	53	26	20.45	21.03	< 30.00
		1	1	21.01	21.59	< 30.00
		1	104	20.72	21.30	< 30.00
		106	0	20.42	21.00	< 30.00
		1	105	20.54	21.12	< 30.00
		1	0	21.04	21.62	< 30.00
3529.98	40	53	26	20.46	21.04	< 30.00
		1	1	20.54	21.12	< 30.00
		1	104	21.11	21.69	< 30.00
		106	0	20.27	20.85	< 30.00
		1	105	21.03	21.61	< 30.00
		1	0	20.77	21.35	< 30.00
3475.02	50	67	33	20.47	21.05	< 30.00
		1	1	20.76	21.34	< 30.00
		1	131	20.49	21.07	< 30.00
		133	0	20.41	20.99	< 30.00
		1	132	20.28	20.86	< 30.00
		1	0	20.72	21.30	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3500.01	50	67	33	20.09	20.67	< 30.00
		1	1	20.93	21.51	< 30.00
		1	131	20.52	21.10	< 30.00
		133	0	20.39	20.97	< 30.00
		1	132	20.38	20.96	< 30.00
		1	0	20.80	21.38	< 30.00
3525.00	50	67	33	20.06	20.64	< 30.00
		1	1	20.48	21.06	< 30.00
		1	131	20.34	20.92	< 30.00
		133	0	20.02	20.60	< 30.00
		1	132	20.15	20.73	< 30.00
		1	0	20.56	21.14	< 30.00
3480.00	60	81	40	20.51	21.09	< 30.00
		1	1	20.73	21.31	< 30.00
		1	160	19.91	20.49	< 30.00
		162	0	20.56	21.14	< 30.00
		1	161	20.20	20.78	< 30.00
		1	0	20.58	21.16	< 30.00
3500.01	60	81	40	20.15	20.73	< 30.00
		1	1	20.75	21.33	< 30.00
		1	160	20.20	20.78	< 30.00
		162	0	20.18	20.76	< 30.00
		1	161	20.19	20.77	< 30.00
		1	0	21.10	21.68	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3519.99	60	81	40	20.16	20.74	< 30.00
		1	1	20.48	21.06	< 30.00
		1	160	20.51	21.09	< 30.00
		162	0	20.14	20.72	< 30.00
		1	161	20.20	20.78	< 30.00
		1	0	20.57	21.15	< 30.00
3485.01	70	95	47	19.49	20.07	< 30.00
		1	1	19.56	20.14	< 30.00
		1	187	19.54	20.12	< 30.00
		189	0	19.76	20.34	< 30.00
		1	188	19.37	19.95	< 30.00
		1	0	19.78	20.36	< 30.00
3500.01	70	95	47	20.05	20.63	< 30.00
		1	1	19.97	20.55	< 30.00
		1	187	19.69	20.27	< 30.00
		189	0	19.96	20.54	< 30.00
		1	188	19.64	20.22	< 30.00
		1	0	19.97	20.55	< 30.00
3514.98	70	95	47	20.00	20.58	< 30.00
		1	1	19.85	20.43	< 30.00
		1	187	19.56	20.14	< 30.00
		189	0	20.00	20.58	< 30.00
		1	188	19.51	20.09	< 30.00
		1	0	20.08	20.66	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3490.02	80	109	54	20.03	20.61	< 30.00
		1	1	20.39	20.97	< 30.00
		1	215	20.15	20.73	< 30.00
		217	0	20.05	20.63	< 30.00
		1	216	19.75	20.33	< 30.00
		1	0	20.47	21.05	< 30.00
3500.01	80	109	54	19.96	20.54	< 30.00
		1	1	20.63	21.21	< 30.00
		1	215	20.16	20.74	< 30.00
		217	0	20.06	20.64	< 30.00
		1	216	20.31	20.89	< 30.00
		1	0	20.59	21.17	< 30.00
3510.00	80	109	54	20.01	20.59	< 30.00
		1	1	20.48	21.06	< 30.00
		1	215	19.79	20.37	< 30.00
		217	0	19.93	20.51	< 30.00
		1	216	20.23	20.81	< 30.00
		1	0	20.89	21.47	< 30.00
3495.00	90	123	61	19.96	20.54	< 30.00
		1	1	20.40	20.98	< 30.00
		1	243	20.27	20.85	< 30.00
		245	0	20.16	20.74	< 30.00
		1	244	20.19	20.77	< 30.00
		1	0	20.41	20.99	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3500.01	90	123	61	19.94	20.52	< 30.00
		1	1	20.51	21.09	< 30.00
		1	243	20.18	20.76	< 30.00
		245	0	20.19	20.77	< 30.00
		1	244	20.03	20.61	< 30.00
		1	0	20.29	20.87	< 30.00
3504.99	90	123	61	19.97	20.55	< 30.00
		1	1	20.52	21.10	< 30.00
		1	243	20.10	20.68	< 30.00
		245	0	19.96	20.54	< 30.00
		1	244	20.23	20.81	< 30.00
		1	0	20.63	21.21	< 30.00
3500.01	100	137	68	20.01	20.59	< 30.00
		1	1	20.43	21.01	< 30.00
		1	271	20.20	20.78	< 30.00
		273	0	20.03	20.61	< 30.00
		1	272	20.08	20.66	< 30.00
		1	0	20.18	20.76	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	SIP-SR1 WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/05/03 ~ 2022/07/15 2023/05/10	Test Band	n77/n78_SA (3700 ~ 3980)

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3705.00	10	12	6	23.65	24.23	< 30.00
		1	1	23.43	24.01	< 30.00
		1	22	23.57	24.15	< 30.00
		24	0	23.65	24.23	< 30.00
		1	23	23.00	23.58	< 30.00
		1	0	23.04	23.62	< 30.00
3840.00	10	12	6	23.93	24.51	< 30.00
		1	1	23.78	24.36	< 30.00
		1	22	23.71	24.29	< 30.00
		24	0	24.00	24.58	< 30.00
		1	23	23.25	23.83	< 30.00
		1	0	23.16	23.74	< 30.00
3975.00	10	12	6	24.11	24.69	< 30.00
		1	1	24.04	24.62	< 30.00
		1	22	24.12	24.70	< 30.00
		24	0	24.20	24.78	< 30.00
		1	23	23.61	24.19	< 30.00
		1	0	23.59	24.17	< 30.00
3707.52	15	18	9	23.67	24.25	< 30.00
		1	1	23.66	24.24	< 30.00
		1	36	23.72	24.30	< 30.00
		36	0	23.71	24.29	< 30.00
		1	37	23.10	23.68	< 30.00
		1	0	23.22	23.80	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3840.00	15	18	9	24.19	24.77	< 30.00
		1	1	24.03	24.61	< 30.00
		1	36	24.03	24.61	< 30.00
		36	0	24.05	24.63	< 30.00
		1	37	23.57	24.15	< 30.00
		1	0	23.46	24.04	< 30.00
3972.48	15	18	9	24.26	24.84	< 30.00
		1	1	24.17	24.75	< 30.00
		1	36	24.28	24.86	< 30.00
		36	0	24.21	24.79	< 30.00
		1	37	23.70	24.28	< 30.00
		1	0	23.73	24.31	< 30.00
3710.01	20	25	12	23.76	24.34	< 30.00
		1	1	23.61	24.19	< 30.00
		1	49	23.53	24.11	< 30.00
		50	0	23.57	24.15	< 30.00
		1	50	23.26	23.84	< 30.00
		1	0	23.07	23.65	< 30.00
3840.00	20	25	12	24.09	24.67	< 30.00
		1	1	24.02	24.60	< 30.00
		1	49	23.97	24.55	< 30.00
		50	0	24.05	24.63	< 30.00
		1	50	23.37	23.95	< 30.00
		1	0	23.45	24.03	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3969.99	20	25	12	24.27	24.85	< 30.00
		1	1	24.00	24.58	< 30.00
		1	49	24.23	24.81	< 30.00
		50	0	24.23	24.81	< 30.00
		1	50	23.55	24.13	< 30.00
		1	0	23.70	24.28	< 30.00
3712.50	25	32	16	22.47	23.05	< 30.00
		1	1	22.27	22.85	< 30.00
		1	63	22.35	22.93	< 30.00
		64	0	22.33	22.91	< 30.00
		1	0	21.98	22.56	< 30.00
		1	64	21.79	22.37	< 30.00
3840.00	25	32	16	22.30	22.88	< 30.00
		1	1	22.39	22.97	< 30.00
		1	63	22.22	22.80	< 30.00
		64	0	22.42	23.00	< 30.00
		1	0	21.71	22.29	< 30.00
		1	64	21.77	22.35	< 30.00
3967.50	25	32	16	22.68	23.26	< 30.00
		1	1	22.58	23.16	< 30.00
		1	63	22.74	23.32	< 30.00
		64	0	22.60	23.18	< 30.00
		1	0	22.03	22.61	< 30.00
		1	64	22.21	22.79	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3715.02	30	36	78	23.68	24.26	< 30.00
		1	1	23.64	24.22	< 30.00
		1	76	23.66	24.24	< 30.00
		75	0	23.71	24.29	< 30.00
		1	77	23.19	23.77	< 30.00
		1	0	23.09	23.67	< 30.00
3840.00	30	36	78	23.98	24.56	< 30.00
		1	1	23.98	24.56	< 30.00
		1	76	23.84	24.42	< 30.00
		75	0	24.07	24.65	< 30.00
		1	77	23.41	23.99	< 30.00
		1	0	23.38	23.96	< 30.00
3964.98	30	36	78	24.13	24.71	< 30.00
		1	1	24.00	24.58	< 30.00
		1	76	24.21	24.79	< 30.00
		75	0	24.23	24.81	< 30.00
		1	77	23.56	24.14	< 30.00
		1	0	23.69	24.27	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3720.00	40	50	25	23.69	24.27	< 30.00
		1	1	23.87	24.45	< 30.00
		1	104	23.68	24.26	< 30.00
		100	0	23.65	24.23	< 30.00
		1	105	23.44	24.02	< 30.00
		1	0	23.16	23.74	< 30.00
3840.00	40	50	25	24.07	24.65	< 30.00
		1	1	24.11	24.69	< 30.00
		1	104	23.79	24.37	< 30.00
		100	0	24.01	24.59	< 30.00
		1	105	23.48	24.06	< 30.00
		1	0	23.43	24.01	< 30.00
3960.00	40	50	25	24.07	24.65	< 30.00
		1	1	24.05	24.63	< 30.00
		1	104	24.21	24.79	< 30.00
		100	0	24.13	24.71	< 30.00
		1	105	23.53	24.11	< 30.00
		1	0	23.88	24.46	< 30.00
3725.01	50	64	32	23.49	24.07	< 30.00
		1	1	23.41	23.99	< 30.00
		1	131	23.38	23.96	< 30.00
		128	0	23.51	24.09	< 30.00
		1	132	22.90	23.48	< 30.00
		1	0	22.86	23.44	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3840.00	50	64	32	23.88	24.46	< 30.00
		1	1	23.75	24.33	< 30.00
		1	131	23.67	24.25	< 30.00
		128	0	23.76	24.34	< 30.00
		1	132	23.21	23.79	< 30.00
		1	0	23.32	23.90	< 30.00
3954.99	50	64	32	24.03	24.61	< 30.00
		1	1	23.80	24.38	< 30.00
		1	131	24.09	24.67	< 30.00
		128	0	23.89	24.47	< 30.00
		1	132	23.26	23.84	< 30.00
		1	0	23.58	24.16	< 30.00
3730.02	60	81	40	23.42	24.00	< 30.00
		1	1	23.30	23.88	< 30.00
		1	160	23.31	23.89	< 30.00
		162	0	23.36	23.94	< 30.00
		1	161	22.84	23.42	< 30.00
		1	0	22.78	23.36	< 30.00
3840.00	60	81	40	23.95	24.53	< 30.00
		1	1	23.58	24.16	< 30.00
		1	160	23.62	24.20	< 30.00
		162	0	23.95	24.53	< 30.00
		1	161	23.02	23.60	< 30.00
		1	0	23.07	23.65	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3949.98	60	81	40	23.75	24.33	< 30.00
		1	1	23.76	24.34	< 30.00
		1	160	23.82	24.40	< 30.00
		162	0	23.91	24.49	< 30.00
		1	161	23.08	23.66	< 30.00
		1	0	23.24	23.82	< 30.00
3735.00	70	90	45	23.24	23.82	< 30.00
		1	1	23.16	23.74	< 30.00
		1	187	23.27	23.85	< 30.00
		180	0	23.24	23.82	< 30.00
		1	188	22.64	23.22	< 30.00
		1	0	22.75	23.33	< 30.00
3840.00	70	90	45	23.44	24.02	< 30.00
		1	1	23.40	23.98	< 30.00
		1	187	23.38	23.96	< 30.00
		180	0	23.45	24.03	< 30.00
		1	188	22.84	23.42	< 30.00
		1	0	22.88	23.46	< 30.00
3945.00	70	90	45	23.73	24.31	< 30.00
		1	1	23.94	24.52	< 30.00
		1	187	23.44	24.02	< 30.00
		180	0	23.70	24.28	< 30.00
		1	188	23.37	23.95	< 30.00
		1	0	23.02	23.60	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3740.01	80	108	54	23.49	24.07	< 30.00
		1	1	23.40	23.98	< 30.00
		1	215	23.09	23.67	< 30.00
		216	0	23.29	23.87	< 30.00
		1	216	22.82	23.40	< 30.00
		1	0	22.63	23.21	< 30.00
3840.00	80	108	54	23.67	24.25	< 30.00
		1	1	23.35	23.93	< 30.00
		1	215	23.40	23.98	< 30.00
		216	0	23.68	24.26	< 30.00
		1	216	22.87	23.45	< 30.00
		1	0	22.95	23.53	< 30.00
3939.99	80	108	54	23.55	24.13	< 30.00
		1	1	23.48	24.06	< 30.00
		1	215	23.72	24.30	< 30.00
		216	0	23.75	24.33	< 30.00
		1	216	22.90	23.48	< 30.00
		1	0	23.16	23.74	< 30.00
3745.02	90	120	60	23.41	23.99	< 30.00
		1	1	23.29	23.87	< 30.00
		1	243	23.15	23.73	< 30.00
		243	0	23.28	23.86	< 30.00
		1	244	22.75	23.33	< 30.00
		1	0	22.65	23.23	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3840.00	90	120	60	23.70	24.28	< 30.00
		1	1	23.45	24.03	< 30.00
		1	243	23.45	24.03	< 30.00
		243	0	23.48	24.06	< 30.00
		1	244	22.90	23.48	< 30.00
		1	0	22.96	23.54	< 30.00
3934.98	90	120	60	23.59	24.17	< 30.00
		1	1	23.73	24.31	< 30.00
		1	243	23.86	24.44	< 30.00
		243	0	23.78	24.36	< 30.00
		1	244	22.96	23.54	< 30.00
		1	0	23.23	23.81	< 30.00
3750.00	100	135	67	23.40	23.98	< 30.00
		1	1	23.24	23.82	< 30.00
		1	271	23.10	23.68	< 30.00
		270	0	23.27	23.85	< 30.00
		1	272	22.62	23.20	< 30.00
		1	0	22.42	23.00	< 30.00
3840.00	100	135	67	23.76	24.34	< 30.00
		1	1	23.32	23.90	< 30.00
		1	271	23.40	23.98	< 30.00
		270	0	23.60	24.18	< 30.00
		1	272	22.68	23.26	< 30.00
		1	0	22.68	23.26	< 30.00
3930.00	100	135	67	23.61	24.19	< 30.00
		1	1	23.44	24.02	< 30.00
		1	271	23.93	24.51	< 30.00
		270	0	23.63	24.21	< 30.00
		1	272	22.79	23.37	< 30.00
		1	0	23.11	23.69	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3705.00	10	12	6	23.56	24.14	< 30.00
		1	1	23.50	24.08	< 30.00
		1	22	23.62	24.20	< 30.00
		24	0	23.51	24.09	< 30.00
		1	23	22.94	23.52	< 30.00
		1	0	23.05	23.63	< 30.00
3840.00	10	12	6	23.91	24.49	< 30.00
		1	1	23.83	24.41	< 30.00
		1	22	23.92	24.50	< 30.00
		24	0	23.92	24.50	< 30.00
		1	23	23.42	24.00	< 30.00
		1	0	23.31	23.89	< 30.00
3975.00	10	12	6	24.21	24.79	< 30.00
		1	1	24.05	24.63	< 30.00
		1	22	24.14	24.72	< 30.00
		24	0	24.18	24.76	< 30.00
		1	23	23.57	24.15	< 30.00
		1	0	23.66	24.24	< 30.00
3707.52	15	18	9	23.69	24.27	< 30.00
		1	1	23.62	24.20	< 30.00
		1	36	23.83	24.41	< 30.00
		36	0	23.65	24.23	< 30.00
		1	37	23.16	23.74	< 30.00
		1	0	23.27	23.85	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3840.00	15	18	9	24.09	24.67	< 30.00
		1	1	24.05	24.63	< 30.00
		1	36	23.99	24.57	< 30.00
		36	0	23.98	24.56	< 30.00
		1	37	23.42	24.00	< 30.00
		1	0	23.56	24.14	< 30.00
3972.48	15	18	9	24.19	24.77	< 30.00
		1	1	24.18	24.76	< 30.00
		1	36	24.38	24.96	< 30.00
		36	0	24.22	24.80	< 30.00
		1	37	23.68	24.26	< 30.00
		1	0	23.70	24.28	< 30.00
3710.01	20	25	12	23.63	24.21	< 30.00
		1	1	23.73	24.31	< 30.00
		1	49	23.73	24.31	< 30.00
		50	0	23.60	24.18	< 30.00
		1	50	23.09	23.67	< 30.00
		1	0	23.04	23.62	< 30.00
3840.00	20	25	12	23.96	24.54	< 30.00
		1	1	23.98	24.56	< 30.00
		1	49	23.89	24.47	< 30.00
		50	0	24.09	24.67	< 30.00
		1	50	23.56	24.14	< 30.00
		1	0	23.51	24.09	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3969.99	20	25	12	24.15	24.73	< 30.00
		1	1	24.03	24.61	< 30.00
		1	49	24.36	24.94	< 30.00
		50	0	24.17	24.75	< 30.00
		1	50	23.58	24.16	< 30.00
		1	0	23.73	24.31	< 30.00
3712.50	25	32	16	22.42	23.00	< 30.00
		1	1	22.42	23.00	< 30.00
		1	63	22.34	22.92	< 30.00
		64	0	22.38	22.96	< 30.00
		1	0	21.92	22.50	< 30.00
		1	64	21.79	22.37	< 30.00
3840.00	25	32	16	22.46	23.04	< 30.00
		1	1	22.29	22.87	< 30.00
		1	63	22.41	22.99	< 30.00
		64	0	22.46	23.04	< 30.00
		1	0	21.77	22.35	< 30.00
		1	64	21.72	22.30	< 30.00
3967.50	25	32	16	22.62	23.20	< 30.00
		1	1	22.56	23.14	< 30.00
		1	63	22.78	23.36	< 30.00
		64	0	22.64	23.22	< 30.00
		1	0	22.04	22.62	< 30.00
		1	64	22.18	22.76	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3715.02	30	36	78	23.64	24.22	< 30.00
		1	1	23.66	24.24	< 30.00
		1	76	23.65	24.23	< 30.00
		75	0	23.75	24.33	< 30.00
		1	77	23.22	23.80	< 30.00
		1	0	23.32	23.90	< 30.00
3840.00	30	36	78	24.04	24.62	< 30.00
		1	1	24.01	24.59	< 30.00
		1	76	24.07	24.65	< 30.00
		75	0	24.09	24.67	< 30.00
		1	77	23.50	24.08	< 30.00
		1	0	23.33	23.91	< 30.00
3964.98	30	36	78	24.09	24.67	< 30.00
		1	1	24.03	24.61	< 30.00
		1	76	24.21	24.79	< 30.00
		75	0	24.23	24.81	< 30.00
		1	77	23.51	24.09	< 30.00
		1	0	23.71	24.29	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3720.00	40	50	25	23.79	24.37	< 30.00
		1	1	23.84	24.42	< 30.00
		1	104	23.66	24.24	< 30.00
		100	0	23.77	24.35	< 30.00
		1	105	23.27	23.85	< 30.00
		1	0	23.19	23.77	< 30.00
3840.00	40	50	25	24.09	24.67	< 30.00
		1	1	24.04	24.62	< 30.00
		1	104	23.85	24.43	< 30.00
		100	0	24.03	24.61	< 30.00
		1	105	23.65	24.23	< 30.00
		1	0	23.51	24.09	< 30.00
3960.00	40	50	25	23.99	24.57	< 30.00
		1	1	24.08	24.66	< 30.00
		1	104	24.28	24.86	< 30.00
		100	0	24.15	24.73	< 30.00
		1	105	23.65	24.23	< 30.00
		1	0	23.85	24.43	< 30.00
3725.01	50	64	32	23.41	23.99	< 30.00
		1	1	23.45	24.03	< 30.00
		1	131	23.41	23.99	< 30.00
		128	0	23.57	24.15	< 30.00
		1	132	22.99	23.57	< 30.00
		1	0	22.83	23.41	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3840.00	50	64	32	23.94	24.52	< 30.00
		1	1	23.79	24.37	< 30.00
		1	131	23.74	24.32	< 30.00
		128	0	23.80	24.38	< 30.00
		1	132	23.16	23.74	< 30.00
		1	0	23.19	23.77	< 30.00
3954.99	50	64	32	23.91	24.49	< 30.00
		1	1	23.73	24.31	< 30.00
		1	131	24.23	24.81	< 30.00
		128	0	23.98	24.56	< 30.00
		1	132	23.17	23.75	< 30.00
		1	0	23.54	24.12	< 30.00
3730.02	60	81	40	23.36	23.94	< 30.00
		1	1	23.43	24.01	< 30.00
		1	160	23.46	24.04	< 30.00
		162	0	23.50	24.08	< 30.00
		1	161	22.90	23.48	< 30.00
		1	0	22.93	23.51	< 30.00
3840.00	60	81	40	23.83	24.41	< 30.00
		1	1	23.72	24.30	< 30.00
		1	160	23.72	24.30	< 30.00
		162	0	23.87	24.45	< 30.00
		1	161	23.00	23.58	< 30.00
		1	0	23.19	23.77	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3949.98	60	81	40	23.74	24.32	< 30.00
		1	1	23.61	24.19	< 30.00
		1	160	23.99	24.57	< 30.00
		162	0	23.65	24.23	< 30.00
		1	161	23.05	23.63	< 30.00
		1	0	23.26	23.84	< 30.00
3735.00	70	90	45	23.27	23.85	< 30.00
		1	1	23.10	23.68	< 30.00
		1	187	23.20	23.78	< 30.00
		180	0	23.26	23.84	< 30.00
		1	188	22.58	23.16	< 30.00
		1	0	22.72	23.30	< 30.00
3840.00	70	90	45	23.50	24.08	< 30.00
		1	1	23.37	23.95	< 30.00
		1	187	23.38	23.96	< 30.00
		180	0	23.44	24.02	< 30.00
		1	188	22.85	23.43	< 30.00
		1	0	22.91	23.49	< 30.00
3945.00	70	90	45	23.74	24.32	< 30.00
		1	1	23.98	24.56	< 30.00
		1	187	23.37	23.95	< 30.00
		180	0	23.84	24.42	< 30.00
		1	188	23.34	23.92	< 30.00
		1	0	22.90	23.48	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3740.01	80	108	54	23.32	23.90	< 30.00
		1	1	23.46	24.04	< 30.00
		1	215	23.14	23.72	< 30.00
		216	0	23.44	24.02	< 30.00
		1	216	22.89	23.47	< 30.00
		1	0	22.69	23.27	< 30.00
3840.00	80	108	54	23.65	24.23	< 30.00
		1	1	23.43	24.01	< 30.00
		1	215	23.57	24.15	< 30.00
		216	0	23.59	24.17	< 30.00
		1	216	22.96	23.54	< 30.00
		1	0	22.81	23.39	< 30.00
3939.99	80	108	54	23.65	24.23	< 30.00
		1	1	23.52	24.10	< 30.00
		1	215	23.70	24.28	< 30.00
		216	0	23.57	24.15	< 30.00
		1	216	22.98	23.56	< 30.00
		1	0	23.13	23.71	< 30.00
3745.02	90	120	60	23.42	24.00	< 30.00
		1	1	23.42	24.00	< 30.00
		1	243	23.20	23.78	< 30.00
		243	0	23.28	23.86	< 30.00
		1	244	22.80	23.38	< 30.00
		1	0	22.53	23.11	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3840.00	90	120	60	23.65	24.23	< 30.00
		1	1	23.61	24.19	< 30.00
		1	243	23.70	24.28	< 30.00
		243	0	23.58	24.16	< 30.00
		1	244	22.95	23.53	< 30.00
		1	0	23.05	23.63	< 30.00
3934.98	90	120	60	23.70	24.28	< 30.00
		1	1	23.57	24.15	< 30.00
		1	243	23.86	24.44	< 30.00
		243	0	23.58	24.16	< 30.00
		1	244	22.96	23.54	< 30.00
		1	0	23.40	23.98	< 30.00
3750.00	100	135	67	23.50	24.08	< 30.00
		1	1	23.26	23.84	< 30.00
		1	271	23.21	23.79	< 30.00
		270	0	23.41	23.99	< 30.00
		1	272	22.57	23.15	< 30.00
		1	0	22.61	23.19	< 30.00
3840.00	100	135	67	23.69	24.27	< 30.00
		1	1	23.36	23.94	< 30.00
		1	271	23.58	24.16	< 30.00
		270	0	23.46	24.04	< 30.00
		1	272	22.55	23.13	< 30.00
		1	0	22.78	23.36	< 30.00
3930.00	100	135	67	23.77	24.35	< 30.00
		1	1	23.49	24.07	< 30.00
		1	271	23.89	24.47	< 30.00
		270	0	23.64	24.22	< 30.00
		1	272	22.68	23.26	< 30.00
		1	0	23.08	23.66	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3705.00	10	12	6	23.64	24.22	< 30.00
		1	1	23.42	24.00	< 30.00
		1	22	23.36	23.94	< 30.00
		24	0	23.66	24.24	< 30.00
		1	23	22.74	23.32	< 30.00
		1	0	22.79	23.37	< 30.00
3840.00	10	12	6	23.91	24.49	< 30.00
		1	1	23.56	24.14	< 30.00
		1	22	23.55	24.13	< 30.00
		24	0	23.96	24.54	< 30.00
		1	23	23.15	23.73	< 30.00
		1	0	22.96	23.54	< 30.00
3975.00	10	12	6	24.19	24.77	< 30.00
		1	1	23.90	24.48	< 30.00
		1	22	23.87	24.45	< 30.00
		24	0	24.16	24.74	< 30.00
		1	23	23.35	23.93	< 30.00
		1	0	23.36	23.94	< 30.00
3707.52	15	18	9	23.64	24.22	< 30.00
		1	1	23.41	23.99	< 30.00
		1	36	23.55	24.13	< 30.00
		36	0	23.61	24.19	< 30.00
		1	37	22.98	23.56	< 30.00
		1	0	22.99	23.57	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3840.00	15	18	9	24.09	24.67	< 30.00
		1	1	23.77	24.35	< 30.00
		1	36	23.90	24.48	< 30.00
		36	0	24.13	24.71	< 30.00
		1	37	23.33	23.91	< 30.00
		1	0	23.29	23.87	< 30.00
3972.48	15	18	9	24.20	24.78	< 30.00
		1	1	23.84	24.42	< 30.00
		1	36	23.98	24.56	< 30.00
		36	0	24.33	24.91	< 30.00
		1	37	23.51	24.09	< 30.00
		1	0	23.51	24.09	< 30.00
3710.01	20	25	12	23.60	24.18	< 30.00
		1	1	23.35	23.93	< 30.00
		1	49	23.40	23.98	< 30.00
		50	0	23.57	24.15	< 30.00
		1	50	22.87	23.45	< 30.00
		1	0	22.83	23.41	< 30.00
3840.00	20	25	12	24.14	24.72	< 30.00
		1	1	23.85	24.43	< 30.00
		1	49	23.76	24.34	< 30.00
		50	0	24.12	24.70	< 30.00
		1	50	23.23	23.81	< 30.00
		1	0	23.24	23.82	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3969.99	20	25	12	24.29	24.87	< 30.00
		1	1	23.97	24.55	< 30.00
		1	49	24.16	24.74	< 30.00
		50	0	24.27	24.85	< 30.00
		1	50	23.30	23.88	< 30.00
		1	0	23.57	24.15	< 30.00
3712.50	25	32	16	22.47	23.05	< 30.00
		1	1	22.18	22.76	< 30.00
		1	63	22.28	22.86	< 30.00
		64	0	22.42	23.00	< 30.00
		1	0	21.69	22.27	< 30.00
		1	64	21.68	22.26	< 30.00
3840.00	25	32	16	22.44	23.02	< 30.00
		1	1	22.29	22.87	< 30.00
		1	63	22.26	22.84	< 30.00
		64	0	22.29	22.87	< 30.00
		1	0	21.86	22.44	< 30.00
		1	64	21.84	22.42	< 30.00
3967.50	25	32	16	22.65	23.23	< 30.00
		1	1	22.54	23.12	< 30.00
		1	63	22.81	23.39	< 30.00
		64	0	22.61	23.19	< 30.00
		1	0	21.86	22.44	< 30.00
		1	64	22.22	22.80	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3715.02	30	36	78	23.64	24.22	< 30.00
		1	1	23.80	24.38	< 30.00
		1	76	23.81	24.39	< 30.00
		75	0	23.74	24.32	< 30.00
		1	77	23.30	23.88	< 30.00
		1	0	23.22	23.80	< 30.00
3840.00	30	36	78	24.10	24.68	< 30.00
		1	1	23.76	24.34	< 30.00
		1	76	23.71	24.29	< 30.00
		75	0	24.13	24.71	< 30.00
		1	77	23.35	23.93	< 30.00
		1	0	23.26	23.84	< 30.00
3964.98	30	36	78	24.02	24.60	< 30.00
		1	1	23.84	24.42	< 30.00
		1	76	24.12	24.70	< 30.00
		75	0	24.21	24.79	< 30.00
		1	77	23.30	23.88	< 30.00
		1	0	23.49	24.07	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3720.00	40	50	25	23.78	24.36	< 30.00
		1	1	23.62	24.20	< 30.00
		1	104	23.72	24.30	< 30.00
		100	0	23.70	24.28	< 30.00
		1	105	23.24	23.82	< 30.00
		1	0	23.06	23.64	< 30.00
3840.00	40	50	25	24.06	24.64	< 30.00
		1	1	23.96	24.54	< 30.00
		1	104	23.61	24.19	< 30.00
		100	0	24.00	24.58	< 30.00
		1	105	23.32	23.90	< 30.00
		1	0	23.22	23.80	< 30.00
3960.00	40	50	25	24.06	24.64	< 30.00
		1	1	24.01	24.59	< 30.00
		1	104	24.27	24.85	< 30.00
		100	0	24.10	24.68	< 30.00
		1	105	23.40	23.98	< 30.00
		1	0	23.60	24.18	< 30.00
3725.01	50	64	32	23.57	24.15	< 30.00
		1	1	23.47	24.05	< 30.00
		1	131	23.32	23.90	< 30.00
		128	0	23.43	24.01	< 30.00
		1	132	22.82	23.40	< 30.00
		1	0	22.60	23.18	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3840.00	50	64	32	23.88	24.46	< 30.00
		1	1	23.99	24.57	< 30.00
		1	131	23.60	24.18	< 30.00
		128	0	23.93	24.51	< 30.00
		1	132	23.34	23.92	< 30.00
		1	0	23.43	24.01	< 30.00
3954.99	50	64	32	23.85	24.43	< 30.00
		1	1	23.67	24.25	< 30.00
		1	131	23.81	24.39	< 30.00
		128	0	23.86	24.44	< 30.00
		1	132	23.13	23.71	< 30.00
		1	0	23.35	23.93	< 30.00
3730.02	60	81	40	23.52	24.10	< 30.00
		1	1	23.47	24.05	< 30.00
		1	160	23.39	23.97	< 30.00
		162	0	23.36	23.94	< 30.00
		1	161	22.93	23.51	< 30.00
		1	0	22.95	23.53	< 30.00
3840.00	60	81	40	23.82	24.40	< 30.00
		1	1	23.68	24.26	< 30.00
		1	160	23.76	24.34	< 30.00
		162	0	23.78	24.36	< 30.00
		1	161	23.07	23.65	< 30.00
		1	0	23.24	23.82	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3949.98	60	81	40	23.90	24.48	< 30.00
		1	1	23.63	24.21	< 30.00
		1	160	23.92	24.50	< 30.00
		162	0	23.72	24.30	< 30.00
		1	161	23.09	23.67	< 30.00
		1	0	23.40	23.98	< 30.00
3735.00	70	90	45	23.26	23.84	< 30.00
		1	1	22.91	23.49	< 30.00
		1	187	23.10	23.68	< 30.00
		180	0	23.20	23.78	< 30.00
		1	188	22.60	23.18	< 30.00
		1	0	22.67	23.25	< 30.00
3840.00	70	90	45	23.54	24.12	< 30.00
		1	1	23.11	23.69	< 30.00
		1	187	23.28	23.86	< 30.00
		180	0	23.49	24.07	< 30.00
		1	188	22.63	23.21	< 30.00
		1	0	22.71	23.29	< 30.00
3945.00	70	90	45	23.68	24.26	< 30.00
		1	1	23.67	24.25	< 30.00
		1	187	23.26	23.84	< 30.00
		180	0	23.79	24.37	< 30.00
		1	188	23.25	23.83	< 30.00
		1	0	22.92	23.50	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3740.01	80	108	54	23.44	24.02	< 30.00
		1	1	23.08	23.66	< 30.00
		1	215	22.97	23.55	< 30.00
		216	0	23.29	23.87	< 30.00
		1	216	22.58	23.16	< 30.00
		1	0	22.39	22.97	< 30.00
3840.00	80	108	54	23.78	24.36	< 30.00
		1	1	23.34	23.92	< 30.00
		1	215	23.26	23.84	< 30.00
		216	0	23.69	24.27	< 30.00
		1	216	22.69	23.27	< 30.00
		1	0	22.65	23.23	< 30.00
3939.99	80	108	54	23.72	24.30	< 30.00
		1	1	23.37	23.95	< 30.00
		1	215	23.48	24.06	< 30.00
		216	0	23.75	24.33	< 30.00
		1	216	22.83	23.41	< 30.00
		1	0	22.99	23.57	< 30.00
3745.02	90	120	60	23.47	24.05	< 30.00
		1	1	23.25	23.83	< 30.00
		1	243	22.91	23.49	< 30.00
		243	0	23.24	23.82	< 30.00
		1	244	22.61	23.19	< 30.00
		1	0	22.36	22.94	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3840.00	90	120	60	23.83	24.41	< 30.00
		1	1	23.39	23.97	< 30.00
		1	243	23.47	24.05	< 30.00
		243	0	23.50	24.08	< 30.00
		1	244	22.59	23.17	< 30.00
		1	0	22.64	23.22	< 30.00
3934.98	90	120	60	23.58	24.16	< 30.00
		1	1	23.51	24.09	< 30.00
		1	243	23.77	24.35	< 30.00
		243	0	23.65	24.23	< 30.00
		1	244	22.81	23.39	< 30.00
		1	0	23.06	23.64	< 30.00
3750.00	100	135	67	23.39	23.97	< 30.00
		1	1	23.10	23.68	< 30.00
		1	271	22.89	23.47	< 30.00
		270	0	23.26	23.84	< 30.00
		1	272	22.25	22.83	< 30.00
		1	0	22.27	22.85	< 30.00
3840.00	100	135	67	23.68	24.26	< 30.00
		1	1	23.05	23.63	< 30.00
		1	271	23.25	23.83	< 30.00
		270	0	23.55	24.13	< 30.00
		1	272	22.39	22.97	< 30.00
		1	0	22.71	23.29	< 30.00
3930.00	100	135	67	23.60	24.18	< 30.00
		1	1	23.40	23.98	< 30.00
		1	271	23.80	24.38	< 30.00
		270	0	23.75	24.33	< 30.00
		1	272	22.55	23.13	< 30.00
		1	0	22.90	23.48	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3705.00	10	12	6	23.65	24.23	< 30.00
		1	1	23.65	24.23	< 30.00
		1	22	23.51	24.09	< 30.00
		24	0	23.63	24.21	< 30.00
		1	23	23.14	23.72	< 30.00
		1	0	23.07	23.65	< 30.00
3840.00	10	12	6	23.80	24.38	< 30.00
		1	1	23.83	24.41	< 30.00
		1	22	23.65	24.23	< 30.00
		24	0	23.87	24.45	< 30.00
		1	23	23.55	24.13	< 30.00
		1	0	23.27	23.85	< 30.00
3975.00	10	12	6	24.16	24.74	< 30.00
		1	1	24.10	24.68	< 30.00
		1	22	24.09	24.67	< 30.00
		24	0	24.23	24.81	< 30.00
		1	23	23.76	24.34	< 30.00
		1	0	23.94	24.52	< 30.00
3707.52	15	18	9	23.62	24.20	< 30.00
		1	1	23.80	24.38	< 30.00
		1	36	23.92	24.50	< 30.00
		36	0	23.57	24.15	< 30.00
		1	37	23.13	23.71	< 30.00
		1	0	23.13	23.71	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3840.00	15	18	9	24.05	24.63	< 30.00
		1	1	24.30	24.88	< 30.00
		1	36	24.23	24.81	< 30.00
		36	0	24.10	24.68	< 30.00
		1	37	23.41	23.99	< 30.00
		1	0	23.53	24.11	< 30.00
3972.48	15	18	9	24.31	24.89	< 30.00
		1	1	24.27	24.85	< 30.00
		1	36	24.34	24.92	< 30.00
		36	0	24.36	24.94	< 30.00
		1	37	23.85	24.43	< 30.00
		1	0	23.87	24.45	< 30.00
3710.01	20	25	12	23.71	24.29	< 30.00
		1	1	23.86	24.44	< 30.00
		1	49	23.61	24.19	< 30.00
		50	0	23.65	24.23	< 30.00
		1	50	23.25	23.83	< 30.00
		1	0	23.09	23.67	< 30.00
3840.00	20	25	12	24.10	24.68	< 30.00
		1	1	23.93	24.51	< 30.00
		1	49	23.89	24.47	< 30.00
		50	0	24.00	24.58	< 30.00
		1	50	23.54	24.12	< 30.00
		1	0	23.49	24.07	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3969.99	20	25	12	24.38	24.96	< 30.00
		1	1	24.14	24.72	< 30.00
		1	49	24.24	24.82	< 30.00
		50	0	24.29	24.87	< 30.00
		1	50	23.66	24.24	< 30.00
		1	0	23.73	24.31	< 30.00
3712.50	25	32	16	22.38	22.96	< 30.00
		1	1	22.58	23.16	< 30.00
		1	63	22.66	23.24	< 30.00
		64	0	22.32	22.90	< 30.00
		1	0	22.17	22.75	< 30.00
		1	64	22.15	22.73	< 30.00
3840.00	25	32	16	22.48	23.06	< 30.00
		1	1	22.45	23.03	< 30.00
		1	63	22.58	23.16	< 30.00
		64	0	22.41	22.99	< 30.00
		1	0	21.74	22.32	< 30.00
		1	64	21.76	22.34	< 30.00
3967.50	25	32	16	22.78	23.36	< 30.00
		1	1	22.95	23.53	< 30.00
		1	63	23.01	23.59	< 30.00
		64	0	22.72	23.30	< 30.00
		1	0	22.25	22.83	< 30.00
		1	64	22.60	23.18	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3715.02	30	36	78	23.68	24.26	< 30.00
		1	1	23.95	24.53	< 30.00
		1	76	23.56	24.14	< 30.00
		75	0	23.75	24.33	< 30.00
		1	77	23.26	23.84	< 30.00
		1	0	22.93	23.51	< 30.00
3840.00	30	36	78	24.06	24.64	< 30.00
		1	1	23.83	24.41	< 30.00
		1	76	23.76	24.34	< 30.00
		75	0	24.17	24.75	< 30.00
		1	77	23.53	24.11	< 30.00
		1	0	23.39	23.97	< 30.00
3964.98	30	36	78	24.09	24.67	< 30.00
		1	1	24.23	24.81	< 30.00
		1	76	24.42	25.00	< 30.00
		75	0	24.28	24.86	< 30.00
		1	77	23.70	24.28	< 30.00
		1	0	23.83	24.41	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3720.00	40	50	25	23.70	24.28	< 30.00
		1	1	23.89	24.47	< 30.00
		1	104	23.65	24.23	< 30.00
		100	0	23.77	24.35	< 30.00
		1	105	23.48	24.06	< 30.00
		1	0	23.23	23.81	< 30.00
3840.00	40	50	25	24.20	24.78	< 30.00
		1	1	24.09	24.67	< 30.00
		1	104	23.83	24.41	< 30.00
		100	0	24.11	24.69	< 30.00
		1	105	23.45	24.03	< 30.00
		1	0	23.47	24.05	< 30.00
3960.00	40	50	25	24.01	24.59	< 30.00
		1	1	24.09	24.67	< 30.00
		1	104	24.26	24.84	< 30.00
		100	0	24.15	24.73	< 30.00
		1	105	23.64	24.22	< 30.00
		1	0	23.88	24.46	< 30.00
3725.01	50	64	32	23.42	24.00	< 30.00
		1	1	23.56	24.14	< 30.00
		1	131	23.35	23.93	< 30.00
		128	0	23.49	24.07	< 30.00
		1	132	23.14	23.72	< 30.00
		1	0	22.91	23.49	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3840.00	50	64	32	24.00	24.58	< 30.00
		1	1	23.88	24.46	< 30.00
		1	131	24.12	24.70	< 30.00
		128	0	23.82	24.40	< 30.00
		1	132	23.18	23.76	< 30.00
		1	0	23.17	23.75	< 30.00
3954.99	50	64	32	23.89	24.47	< 30.00
		1	1	23.73	24.31	< 30.00
		1	131	24.29	24.87	< 30.00
		128	0	24.02	24.60	< 30.00
		1	132	23.40	23.98	< 30.00
		1	0	23.78	24.36	< 30.00
3730.02	60	81	40	23.41	23.99	< 30.00
		1	1	23.70	24.28	< 30.00
		1	160	23.35	23.93	< 30.00
		162	0	23.50	24.08	< 30.00
		1	161	22.79	23.37	< 30.00
		1	0	22.72	23.30	< 30.00
3840.00	60	81	40	23.81	24.39	< 30.00
		1	1	23.85	24.43	< 30.00
		1	160	23.89	24.47	< 30.00
		162	0	23.75	24.33	< 30.00
		1	161	23.00	23.58	< 30.00
		1	0	23.33	23.91	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3949.98	60	81	40	23.89	24.47	< 30.00
		1	1	23.93	24.51	< 30.00
		1	160	23.79	24.37	< 30.00
		162	0	23.70	24.28	< 30.00
		1	161	23.30	23.88	< 30.00
		1	0	23.15	23.73	< 30.00
3735.00	70	90	45	23.34	23.92	< 30.00
		1	1	23.35	23.93	< 30.00
		1	187	23.44	24.02	< 30.00
		180	0	23.34	23.92	< 30.00
		1	188	22.86	23.44	< 30.00
		1	0	23.04	23.62	< 30.00
3840.00	70	90	45	23.50	24.08	< 30.00
		1	1	23.51	24.09	< 30.00
		1	187	23.57	24.15	< 30.00
		180	0	23.51	24.09	< 30.00
		1	188	22.89	23.47	< 30.00
		1	0	22.90	23.48	< 30.00
3945.00	70	90	45	23.75	24.33	< 30.00
		1	1	24.15	24.73	< 30.00
		1	187	23.70	24.28	< 30.00
		180	0	23.70	24.28	< 30.00
		1	188	23.46	24.04	< 30.00
		1	0	22.94	23.52	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3740.01	80	108	54	23.39	23.97	< 30.00
		1	1	23.63	24.21	< 30.00
		1	215	23.32	23.90	< 30.00
		216	0	23.44	24.02	< 30.00
		1	216	22.91	23.49	< 30.00
		1	0	22.69	23.27	< 30.00
3840.00	80	108	54	23.63	24.21	< 30.00
		1	1	23.73	24.31	< 30.00
		1	215	23.68	24.26	< 30.00
		216	0	23.59	24.17	< 30.00
		1	216	22.82	23.40	< 30.00
		1	0	22.95	23.53	< 30.00
3939.99	80	108	54	23.75	24.33	< 30.00
		1	1	23.54	24.12	< 30.00
		1	215	23.75	24.33	< 30.00
		216	0	23.73	24.31	< 30.00
		1	216	23.26	23.84	< 30.00
		1	0	23.16	23.74	< 30.00
3745.02	90	120	60	23.48	24.06	< 30.00
		1	1	23.41	23.99	< 30.00
		1	243	23.35	23.93	< 30.00
		243	0	23.43	24.01	< 30.00
		1	244	22.87	23.45	< 30.00
		1	0	22.59	23.17	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3840.00	90	120	60	23.73	24.31	< 30.00
		1	1	23.59	24.17	< 30.00
		1	243	23.72	24.30	< 30.00
		243	0	23.47	24.05	< 30.00
		1	244	22.97	23.55	< 30.00
		1	0	22.80	23.38	< 30.00
3934.98	90	120	60	23.76	24.34	< 30.00
		1	1	23.79	24.37	< 30.00
		1	243	24.10	24.68	< 30.00
		243	0	23.74	24.32	< 30.00
		1	244	23.09	23.67	< 30.00
		1	0	23.02	23.60	< 30.00
3750.00	100	135	67	23.54	24.12	< 30.00
		1	1	23.50	24.08	< 30.00
		1	271	23.48	24.06	< 30.00
		270	0	23.38	23.96	< 30.00
		1	272	22.52	23.10	< 30.00
		1	0	22.52	23.10	< 30.00
3840.00	100	135	67	23.65	24.23	< 30.00
		1	1	23.29	23.87	< 30.00
		1	271	23.60	24.18	< 30.00
		270	0	23.64	24.22	< 30.00
		1	272	22.53	23.11	< 30.00
		1	0	23.00	23.58	< 30.00
3930.00	100	135	67	23.61	24.19	< 30.00
		1	1	23.45	24.03	< 30.00
		1	271	24.11	24.69	< 30.00
		270	0	23.75	24.33	< 30.00
		1	272	22.93	23.51	< 30.00
		1	0	23.24	23.82	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3705.00	10	12	6	22.03	22.61	< 30.00
		1	1	21.94	22.52	< 30.00
		1	22	21.88	22.46	< 30.00
		24	0	22.13	22.71	< 30.00
		1	23	22.03	22.61	< 30.00
		1	0	22.08	22.66	< 30.00
3840.00	10	12	6	22.32	22.90	< 30.00
		1	1	22.14	22.72	< 30.00
		1	22	22.38	22.96	< 30.00
		24	0	22.38	22.96	< 30.00
		1	23	22.12	22.70	< 30.00
		1	0	22.14	22.72	< 30.00
3975.00	10	12	6	22.59	23.17	< 30.00
		1	1	22.45	23.03	< 30.00
		1	22	22.75	23.33	< 30.00
		24	0	22.90	23.48	< 30.00
		1	23	22.77	23.35	< 30.00
		1	0	22.74	23.32	< 30.00
3707.52	15	18	9	22.16	22.74	< 30.00
		1	1	21.93	22.51	< 30.00
		1	36	22.20	22.78	< 30.00
		36	0	22.11	22.69	< 30.00
		1	37	21.91	22.49	< 30.00
		1	0	21.94	22.52	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3840.00	15	18	9	22.59	23.17	< 30.00
		1	1	22.22	22.80	< 30.00
		1	36	22.35	22.93	< 30.00
		36	0	22.58	23.16	< 30.00
		1	37	22.43	23.01	< 30.00
		1	0	22.31	22.89	< 30.00
3972.48	15	18	9	22.78	23.36	< 30.00
		1	1	22.42	23.00	< 30.00
		1	36	22.55	23.13	< 30.00
		36	0	22.85	23.43	< 30.00
		1	37	22.71	23.29	< 30.00
		1	0	22.76	23.34	< 30.00
3710.01	20	25	12	22.06	22.64	< 30.00
		1	1	22.20	22.78	< 30.00
		1	49	21.98	22.56	< 30.00
		50	0	22.12	22.70	< 30.00
		1	50	22.09	22.67	< 30.00
		1	0	22.17	22.75	< 30.00
3840.00	20	25	12	22.61	23.19	< 30.00
		1	1	22.42	23.00	< 30.00
		1	49	22.29	22.87	< 30.00
		50	0	22.65	23.23	< 30.00
		1	50	22.43	23.01	< 30.00
		1	0	22.25	22.83	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3969.99	20	25	12	22.61	23.19	< 30.00
		1	1	22.30	22.88	< 30.00
		1	49	22.54	23.12	< 30.00
		50	0	22.67	23.25	< 30.00
		1	50	22.60	23.18	< 30.00
		1	0	22.87	23.45	< 30.00
3712.50	25	32	16	20.71	21.29	< 30.00
		1	1	20.51	21.09	< 30.00
		1	63	20.80	21.38	< 30.00
		64	0	20.79	21.37	< 30.00
		1	0	20.77	21.35	< 30.00
		1	64	20.75	21.33	< 30.00
3840.00	25	32	16	20.79	21.37	< 30.00
		1	1	20.36	20.94	< 30.00
		1	63	20.53	21.11	< 30.00
		64	0	20.94	21.52	< 30.00
		1	0	20.46	21.04	< 30.00
		1	64	20.40	20.98	< 30.00
3967.50	25	32	16	21.00	21.58	< 30.00
		1	1	20.70	21.28	< 30.00
		1	63	20.95	21.53	< 30.00
		64	0	21.20	21.78	< 30.00
		1	0	20.82	21.40	< 30.00
		1	64	20.85	21.43	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3715.02	30	36	78	22.07	22.65	< 30.00
		1	1	22.31	22.89	< 30.00
		1	76	22.17	22.75	< 30.00
		75	0	22.10	22.68	< 30.00
		1	77	21.96	22.54	< 30.00
		1	0	22.25	22.83	< 30.00
3840.00	30	36	78	22.50	23.08	< 30.00
		1	1	22.45	23.03	< 30.00
		1	76	22.36	22.94	< 30.00
		75	0	22.62	23.20	< 30.00
		1	77	22.55	23.13	< 30.00
		1	0	22.45	23.03	< 30.00
3964.98	30	36	78	22.69	23.27	< 30.00
		1	1	22.47	23.05	< 30.00
		1	76	22.76	23.34	< 30.00
		75	0	22.73	23.31	< 30.00
		1	77	22.59	23.17	< 30.00
		1	0	22.85	23.43	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3720.00	40	50	25	22.09	22.67	< 30.00
		1	1	22.39	22.97	< 30.00
		1	104	22.05	22.63	< 30.00
		100	0	22.28	22.86	< 30.00
		1	105	22.40	22.98	< 30.00
		1	0	22.04	22.62	< 30.00
3840.00	40	50	25	22.44	23.02	< 30.00
		1	1	22.46	23.04	< 30.00
		1	104	22.26	22.84	< 30.00
		100	0	22.48	23.06	< 30.00
		1	105	22.33	22.91	< 30.00
		1	0	22.26	22.84	< 30.00
3960.00	40	50	25	22.47	23.05	< 30.00
		1	1	22.60	23.18	< 30.00
		1	104	22.74	23.32	< 30.00
		100	0	22.56	23.14	< 30.00
		1	105	22.35	22.93	< 30.00
		1	0	22.86	23.44	< 30.00
3725.01	50	64	32	22.11	22.69	< 30.00
		1	1	22.05	22.63	< 30.00
		1	131	21.97	22.55	< 30.00
		128	0	22.07	22.65	< 30.00
		1	132	21.83	22.41	< 30.00
		1	0	21.84	22.42	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3840.00	50	64	32	22.45	23.03	< 30.00
		1	1	22.32	22.90	< 30.00
		1	131	22.29	22.87	< 30.00
		128	0	22.36	22.94	< 30.00
		1	132	22.06	22.64	< 30.00
		1	0	22.14	22.72	< 30.00
3954.99	50	64	32	22.34	22.92	< 30.00
		1	1	22.18	22.76	< 30.00
		1	131	22.65	23.23	< 30.00
		128	0	22.26	22.84	< 30.00
		1	132	22.30	22.88	< 30.00
		1	0	22.40	22.98	< 30.00
3730.02	60	81	40	21.99	22.57	< 30.00
		1	1	21.96	22.54	< 30.00
		1	160	21.88	22.46	< 30.00
		162	0	21.98	22.56	< 30.00
		1	161	21.97	22.55	< 30.00
		1	0	21.63	22.21	< 30.00
3840.00	60	81	40	22.31	22.89	< 30.00
		1	1	21.90	22.48	< 30.00
		1	160	22.14	22.72	< 30.00
		162	0	22.31	22.89	< 30.00
		1	161	21.85	22.43	< 30.00
		1	0	22.12	22.70	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3949.98	60	81	40	22.35	22.93	< 30.00
		1	1	21.88	22.46	< 30.00
		1	160	22.25	22.83	< 30.00
		162	0	22.13	22.71	< 30.00
		1	161	22.08	22.66	< 30.00
		1	0	22.27	22.85	< 30.00
3735.00	70	90	45	21.79	22.37	< 30.00
		1	1	21.54	22.12	< 30.00
		1	187	21.59	22.17	< 30.00
		180	0	21.79	22.37	< 30.00
		1	188	21.61	22.19	< 30.00
		1	0	21.72	22.30	< 30.00
3840.00	70	90	45	21.95	22.53	< 30.00
		1	1	21.83	22.41	< 30.00
		1	187	21.81	22.39	< 30.00
		180	0	21.88	22.46	< 30.00
		1	188	21.64	22.22	< 30.00
		1	0	21.74	22.32	< 30.00
3945.00	70	90	45	22.16	22.74	< 30.00
		1	1	22.28	22.86	< 30.00
		1	187	21.77	22.35	< 30.00
		180	0	22.26	22.84	< 30.00
		1	188	22.21	22.79	< 30.00
		1	0	21.82	22.40	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3740.01	80	108	54	21.82	22.40	< 30.00
		1	1	21.71	22.29	< 30.00
		1	215	21.67	22.25	< 30.00
		216	0	21.74	22.32	< 30.00
		1	216	21.77	22.35	< 30.00
		1	0	21.60	22.18	< 30.00
3840.00	80	108	54	22.17	22.75	< 30.00
		1	1	21.68	22.26	< 30.00
		1	215	21.83	22.41	< 30.00
		216	0	22.05	22.63	< 30.00
		1	216	21.74	22.32	< 30.00
		1	0	22.00	22.58	< 30.00
3939.99	80	108	54	22.08	22.66	< 30.00
		1	1	22.54	23.12	< 30.00
		1	215	22.30	22.88	< 30.00
		216	0	22.23	22.81	< 30.00
		1	216	22.58	23.16	< 30.00
		1	0	22.41	22.99	< 30.00
3745.02	90	120	60	21.86	22.44	< 30.00
		1	1	21.89	22.47	< 30.00
		1	243	21.65	22.23	< 30.00
		243	0	21.73	22.31	< 30.00
		1	244	21.79	22.37	< 30.00
		1	0	21.56	22.14	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3840.00	90	120	60	22.07	22.65	< 30.00
		1	1	21.86	22.44	< 30.00
		1	243	21.98	22.56	< 30.00
		243	0	22.02	22.60	< 30.00
		1	244	21.71	22.29	< 30.00
		1	0	21.74	22.32	< 30.00
3934.98	90	120	60	22.09	22.67	< 30.00
		1	1	22.07	22.65	< 30.00
		1	243	22.38	22.96	< 30.00
		243	0	22.15	22.73	< 30.00
		1	244	22.09	22.67	< 30.00
		1	0	22.16	22.74	< 30.00
3750.00	100	135	67	21.92	22.50	< 30.00
		1	1	21.77	22.35	< 30.00
		1	271	21.73	22.31	< 30.00
		270	0	21.87	22.45	< 30.00
		1	272	21.70	22.28	< 30.00
		1	0	21.54	22.12	< 30.00
3840.00	100	135	67	22.09	22.67	< 30.00
		1	1	21.76	22.34	< 30.00
		1	271	21.92	22.50	< 30.00
		270	0	22.00	22.58	< 30.00
		1	272	21.57	22.15	< 30.00
		1	0	21.85	22.43	< 30.00
3930.00	100	135	67	22.09	22.67	< 30.00
		1	1	22.12	22.70	< 30.00
		1	271	22.41	22.99	< 30.00
		270	0	22.19	22.77	< 30.00
		1	272	21.62	22.20	< 30.00
		1	0	22.01	22.59	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3705.00	10	12	6	23.67	24.25	< 30.00
		1	1	23.61	24.19	< 30.00
		1	22	23.54	24.12	< 30.00
		24	0	23.50	24.08	< 30.00
		1	23	22.99	23.57	< 30.00
		1	0	23.07	23.65	< 30.00
3840.00	10	12	6	23.99	24.57	< 30.00
		1	1	23.97	24.55	< 30.00
		1	22	23.83	24.41	< 30.00
		24	0	23.86	24.44	< 30.00
		1	23	23.36	23.94	< 30.00
		1	0	23.28	23.86	< 30.00
3975.00	10	12	6	24.17	24.75	< 30.00
		1	1	24.13	24.71	< 30.00
		1	22	24.32	24.90	< 30.00
		24	0	24.29	24.87	< 30.00
		1	23	23.60	24.18	< 30.00
		1	0	23.62	24.20	< 30.00
3707.52	15	19	9	23.65	24.23	< 30.00
		1	1	23.77	24.35	< 30.00
		1	36	23.63	24.21	< 30.00
		38	0	23.62	24.20	< 30.00
		1	37	23.17	23.75	< 30.00
		1	0	23.05	23.63	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3840.00	15	19	9	24.23	24.81	< 30.00
		1	1	24.01	24.59	< 30.00
		1	36	23.85	24.43	< 30.00
		38	0	24.09	24.67	< 30.00
		1	37	23.47	24.05	< 30.00
		1	0	23.35	23.93	< 30.00
3972.48	15	19	9	24.32	24.90	< 30.00
		1	1	24.23	24.81	< 30.00
		1	36	24.27	24.85	< 30.00
		38	0	24.11	24.69	< 30.00
		1	37	23.62	24.20	< 30.00
		1	0	23.68	24.26	< 30.00
3710.01	20	25	12	23.66	24.24	< 30.00
		1	1	23.61	24.19	< 30.00
		1	49	23.65	24.23	< 30.00
		51	0	23.58	24.16	< 30.00
		1	50	23.14	23.72	< 30.00
		1	0	23.19	23.77	< 30.00
3840.00	20	25	12	24.12	24.70	< 30.00
		1	1	23.89	24.47	< 30.00
		1	49	23.95	24.53	< 30.00
		51	0	24.10	24.68	< 30.00
		1	50	23.62	24.20	< 30.00
		1	0	23.63	24.21	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3969.99	20	25	12	24.23	24.81	< 30.00
		1	1	23.97	24.55	< 30.00
		1	49	24.07	24.65	< 30.00
		51	0	24.26	24.84	< 30.00
		1	50	23.72	24.30	< 30.00
		1	0	24.04	24.62	< 30.00
3712.50	25	33	16	22.36	22.94	< 30.00
		1	1	22.31	22.89	< 30.00
		1	63	22.39	22.97	< 30.00
		65	0	22.48	23.06	< 30.00
		1	0	21.91	22.49	< 30.00
		1	64	21.87	22.45	< 30.00
3840.00	25	33	16	22.36	22.94	< 30.00
		1	1	22.42	23.00	< 30.00
		1	63	22.28	22.86	< 30.00
		65	0	22.43	23.01	< 30.00
		1	0	21.83	22.41	< 30.00
		1	64	21.78	22.36	< 30.00
3967.50	25	33	16	22.62	23.20	< 30.00
		1	1	22.69	23.27	< 30.00
		1	63	22.69	23.27	< 30.00
		65	0	22.68	23.26	< 30.00
		1	0	22.02	22.60	< 30.00
		1	64	22.52	23.10	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3715.02	30	39	19	23.70	24.28	< 30.00
		1	1	23.80	24.38	< 30.00
		1	76	23.72	24.30	< 30.00
		78	0	23.71	24.29	< 30.00
		1	77	23.36	23.94	< 30.00
		1	0	23.16	23.74	< 30.00
3840.00	30	39	19	24.17	24.75	< 30.00
		1	1	24.10	24.68	< 30.00
		1	76	23.75	24.33	< 30.00
		78	0	24.06	24.64	< 30.00
		1	77	23.49	24.07	< 30.00
		1	0	23.38	23.96	< 30.00
3964.98	30	39	19	24.29	24.87	< 30.00
		1	1	23.98	24.56	< 30.00
		1	76	24.12	24.70	< 30.00
		78	0	24.12	24.70	< 30.00
		1	77	23.65	24.23	< 30.00
		1	0	23.67	24.25	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3720.00	40	53	26	23.78	24.36	< 30.00
		1	1	23.87	24.45	< 30.00
		1	104	23.64	24.22	< 30.00
		106	0	23.80	24.38	< 30.00
		1	105	23.38	23.96	< 30.00
		1	0	23.22	23.80	< 30.00
3840.00	40	53	26	24.01	24.59	< 30.00
		1	1	24.07	24.65	< 30.00
		1	104	23.88	24.46	< 30.00
		106	0	23.96	24.54	< 30.00
		1	105	23.56	24.14	< 30.00
		1	0	23.41	23.99	< 30.00
3960.00	40	53	26	24.10	24.68	< 30.00
		1	1	24.02	24.60	< 30.00
		1	104	24.35	24.93	< 30.00
		106	0	24.17	24.75	< 30.00
		1	105	23.52	24.10	< 30.00
		1	0	23.83	24.41	< 30.00
3725.01	50	67	33	23.56	24.14	< 30.00
		1	1	23.63	24.21	< 30.00
		1	131	23.34	23.92	< 30.00
		133	0	23.44	24.02	< 30.00
		1	132	22.96	23.54	< 30.00
		1	0	22.88	23.46	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3840.00	50	67	33	23.97	24.55	< 30.00
		1	1	23.72	24.30	< 30.00
		1	131	23.80	24.38	< 30.00
		133	0	23.82	24.40	< 30.00
		1	132	23.30	23.88	< 30.00
		1	0	23.31	23.89	< 30.00
3954.99	50	67	33	23.92	24.50	< 30.00
		1	1	23.87	24.45	< 30.00
		1	131	23.95	24.53	< 30.00
		133	0	23.87	24.45	< 30.00
		1	132	23.25	23.83	< 30.00
		1	0	23.50	24.08	< 30.00
3730.02	60	81	40	23.49	24.07	< 30.00
		1	1	23.47	24.05	< 30.00
		1	160	23.32	23.90	< 30.00
		162	0	23.44	24.02	< 30.00
		1	161	22.94	23.52	< 30.00
		1	0	22.75	23.33	< 30.00
3840.00	60	81	40	23.90	24.48	< 30.00
		1	1	23.73	24.31	< 30.00
		1	160	23.60	24.18	< 30.00
		162	0	23.87	24.45	< 30.00
		1	161	23.10	23.68	< 30.00
		1	0	23.10	23.68	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3949.98	60	81	40	23.63	24.21	< 30.00
		1	1	23.73	24.31	< 30.00
		1	160	23.70	24.28	< 30.00
		162	0	23.69	24.27	< 30.00
		1	161	23.09	23.67	< 30.00
		1	0	23.30	23.88	< 30.00
3735.00	70	95	47	23.31	23.89	< 30.00
		1	1	23.33	23.91	< 30.00
		1	187	23.37	23.95	< 30.00
		189	0	23.29	23.87	< 30.00
		1	188	22.73	23.31	< 30.00
		1	0	22.83	23.41	< 30.00
3840.00	70	95	47	23.50	24.08	< 30.00
		1	1	23.35	23.93	< 30.00
		1	187	23.52	24.10	< 30.00
		189	0	23.48	24.06	< 30.00
		1	188	22.94	23.52	< 30.00
		1	0	23.15	23.73	< 30.00
3945.00	70	95	47	23.79	24.37	< 30.00
		1	1	23.88	24.46	< 30.00
		1	187	23.50	24.08	< 30.00
		189	0	23.75	24.33	< 30.00
		1	188	23.50	24.08	< 30.00
		1	0	22.90	23.48	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3740.01	80	109	54	23.44	24.02	< 30.00
		1	1	23.41	23.99	< 30.00
		1	215	23.15	23.73	< 30.00
		217	0	23.30	23.88	< 30.00
		1	216	22.80	23.38	< 30.00
		1	0	22.72	23.30	< 30.00
3840.00	80	109	54	23.73	24.31	< 30.00
		1	1	23.71	24.29	< 30.00
		1	215	23.55	24.13	< 30.00
		217	0	23.65	24.23	< 30.00
		1	216	22.89	23.47	< 30.00
		1	0	22.93	23.51	< 30.00
3939.99	80	109	54	23.66	24.24	< 30.00
		1	1	23.60	24.18	< 30.00
		1	215	23.78	24.36	< 30.00
		217	0	23.63	24.21	< 30.00
		1	216	23.05	23.63	< 30.00
		1	0	23.28	23.86	< 30.00
3745.02	90	123	61	23.35	23.93	< 30.00
		1	1	23.37	23.95	< 30.00
		1	243	23.36	23.94	< 30.00
		245	0	23.29	23.87	< 30.00
		1	244	22.79	23.37	< 30.00
		1	0	22.71	23.29	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3840.00	90	123	61	23.52	24.10	< 30.00
		1	1	23.56	24.14	< 30.00
		1	243	23.59	24.17	< 30.00
		245	0	23.61	24.19	< 30.00
		1	244	22.77	23.35	< 30.00
		1	0	23.03	23.61	< 30.00
3934.98	90	123	61	23.62	24.20	< 30.00
		1	1	23.60	24.18	< 30.00
		1	243	23.74	24.32	< 30.00
		245	0	23.72	24.30	< 30.00
		1	244	23.01	23.59	< 30.00
		1	0	23.28	23.86	< 30.00
3750.00	100	137	68	23.44	24.02	< 30.00
		1	1	23.25	23.83	< 30.00
		1	271	23.07	23.65	< 30.00
		273	0	23.23	23.81	< 30.00
		1	272	22.60	23.18	< 30.00
		1	0	22.52	23.10	< 30.00
3840.00	100	137	68	23.67	24.25	< 30.00
		1	1	23.38	23.96	< 30.00
		1	271	23.77	24.35	< 30.00
		273	0	23.62	24.20	< 30.00
		1	272	22.60	23.18	< 30.00
		1	0	22.80	23.38	< 30.00
3930.00	100	137	68	23.69	24.27	< 30.00
		1	1	23.46	24.04	< 30.00
		1	271	23.81	24.39	< 30.00
		273	0	23.71	24.29	< 30.00
		1	272	22.75	23.33	< 30.00
		1	0	23.14	23.72	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3705.00	10	12	6	23.52	24.10	< 30.00
		1	1	23.75	24.33	< 30.00
		1	22	23.70	24.28	< 30.00
		24	0	23.60	24.18	< 30.00
		1	23	23.04	23.62	< 30.00
		1	0	22.89	23.47	< 30.00
3840.00	10	12	6	23.93	24.51	< 30.00
		1	1	24.08	24.66	< 30.00
		1	22	23.91	24.49	< 30.00
		24	0	24.02	24.60	< 30.00
		1	23	23.39	23.97	< 30.00
		1	0	23.33	23.91	< 30.00
3975.00	10	12	6	24.13	24.71	< 30.00
		1	1	24.25	24.83	< 30.00
		1	22	24.23	24.81	< 30.00
		24	0	24.28	24.86	< 30.00
		1	23	23.64	24.22	< 30.00
		1	0	23.52	24.10	< 30.00
3707.52	15	19	9	23.65	24.23	< 30.00
		1	1	23.80	24.38	< 30.00
		1	36	23.64	24.22	< 30.00
		38	0	23.67	24.25	< 30.00
		1	37	23.10	23.68	< 30.00
		1	0	23.23	23.81	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3840.00	15	19	9	24.09	24.67	< 30.00
		1	1	24.16	24.74	< 30.00
		1	36	23.84	24.42	< 30.00
		38	0	24.23	24.81	< 30.00
		1	37	23.39	23.97	< 30.00
		1	0	23.61	24.19	< 30.00
3972.48	15	19	9	24.23	24.81	< 30.00
		1	1	24.40	24.98	< 30.00
		1	36	24.31	24.89	< 30.00
		38	0	24.27	24.85	< 30.00
		1	37	23.72	24.30	< 30.00
		1	0	23.62	24.20	< 30.00
3710.01	20	25	12	23.73	24.31	< 30.00
		1	1	23.69	24.27	< 30.00
		1	49	23.53	24.11	< 30.00
		51	0	23.57	24.15	< 30.00
		1	50	22.94	23.52	< 30.00
		1	0	22.90	23.48	< 30.00
3840.00	20	25	12	24.13	24.71	< 30.00
		1	1	24.05	24.63	< 30.00
		1	49	23.99	24.57	< 30.00
		51	0	24.07	24.65	< 30.00
		1	50	23.46	24.04	< 30.00
		1	0	23.38	23.96	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3969.99	20	25	12	24.30	24.88	< 30.00
		1	1	24.47	25.05	< 30.00
		1	49	24.36	24.94	< 30.00
		51	0	24.24	24.82	< 30.00
		1	50	23.35	23.93	< 30.00
		1	0	23.81	24.39	< 30.00
3712.50	25	33	16	22.40	22.98	< 30.00
		1	1	22.47	23.05	< 30.00
		1	63	22.61	23.19	< 30.00
		65	0	22.49	23.07	< 30.00
		1	0	22.02	22.60	< 30.00
		1	64	22.03	22.61	< 30.00
3840.00	25	33	16	22.43	23.01	< 30.00
		1	1	22.69	23.27	< 30.00
		1	63	22.58	23.16	< 30.00
		65	0	22.54	23.12	< 30.00
		1	0	21.92	22.50	< 30.00
		1	64	21.89	22.47	< 30.00
3967.50	25	33	16	22.67	23.25	< 30.00
		1	1	22.62	23.20	< 30.00
		1	63	22.78	23.36	< 30.00
		65	0	22.72	23.30	< 30.00
		1	0	22.15	22.73	< 30.00
		1	64	22.31	22.89	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3715.02	30	39	19	23.61	24.19	< 30.00
		1	1	23.82	24.40	< 30.00
		1	76	23.58	24.16	< 30.00
		78	0	23.68	24.26	< 30.00
		1	77	23.36	23.94	< 30.00
		1	0	23.07	23.65	< 30.00
3840.00	30	39	19	24.04	24.62	< 30.00
		1	1	24.14	24.72	< 30.00
		1	76	23.87	24.45	< 30.00
		78	0	24.04	24.62	< 30.00
		1	77	23.48	24.06	< 30.00
		1	0	23.43	24.01	< 30.00
3964.98	30	39	19	24.06	24.64	< 30.00
		1	1	24.21	24.79	< 30.00
		1	76	24.36	24.94	< 30.00
		78	0	24.13	24.71	< 30.00
		1	77	23.73	24.31	< 30.00
		1	0	23.69	24.27	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3720.00	40	53	26	23.83	24.41	< 30.00
		1	1	24.11	24.69	< 30.00
		1	104	23.81	24.39	< 30.00
		106	0	23.92	24.50	< 30.00
		1	105	23.46	24.04	< 30.00
		1	0	23.09	23.67	< 30.00
3840.00	40	53	26	23.96	24.54	< 30.00
		1	1	24.30	24.88	< 30.00
		1	104	24.03	24.61	< 30.00
		106	0	24.09	24.67	< 30.00
		1	105	23.49	24.07	< 30.00
		1	0	23.48	24.06	< 30.00
3960.00	40	53	26	24.13	24.71	< 30.00
		1	1	24.06	24.64	< 30.00
		1	104	24.28	24.86	< 30.00
		106	0	24.14	24.72	< 30.00
		1	105	23.58	24.16	< 30.00
		1	0	23.75	24.33	< 30.00
3725.01	50	67	33	23.49	24.07	< 30.00
		1	1	23.66	24.24	< 30.00
		1	131	23.42	24.00	< 30.00
		133	0	23.46	24.04	< 30.00
		1	132	22.87	23.45	< 30.00
		1	0	22.89	23.47	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3840.00	50	67	33	23.95	24.53	< 30.00
		1	1	24.02	24.60	< 30.00
		1	131	23.72	24.30	< 30.00
		133	0	23.82	24.40	< 30.00
		1	132	23.15	23.73	< 30.00
		1	0	23.37	23.95	< 30.00
3954.99	50	67	33	23.86	24.44	< 30.00
		1	1	23.98	24.56	< 30.00
		1	131	24.27	24.85	< 30.00
		133	0	23.96	24.54	< 30.00
		1	132	23.10	23.68	< 30.00
		1	0	23.52	24.10	< 30.00
3730.02	60	81	40	23.45	24.03	< 30.00
		1	1	23.66	24.24	< 30.00
		1	160	23.65	24.23	< 30.00
		162	0	23.40	23.98	< 30.00
		1	161	22.69	23.27	< 30.00
		1	0	22.57	23.15	< 30.00
3840.00	60	81	40	23.86	24.44	< 30.00
		1	1	23.84	24.42	< 30.00
		1	160	23.86	24.44	< 30.00
		162	0	23.83	24.41	< 30.00
		1	161	22.93	23.51	< 30.00
		1	0	23.05	23.63	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3949.98	60	81	40	23.66	24.24	< 30.00
		1	1	24.03	24.61	< 30.00
		1	160	24.14	24.72	< 30.00
		162	0	23.73	24.31	< 30.00
		1	161	23.10	23.68	< 30.00
		1	0	23.40	23.98	< 30.00
3735.00	70	95	47	23.32	23.90	< 30.00
		1	1	23.14	23.72	< 30.00
		1	187	23.18	23.76	< 30.00
		189	0	23.29	23.87	< 30.00
		1	188	22.70	23.28	< 30.00
		1	0	22.84	23.42	< 30.00
3840.00	70	95	47	23.52	24.10	< 30.00
		1	1	23.28	23.86	< 30.00
		1	187	23.36	23.94	< 30.00
		189	0	23.46	24.04	< 30.00
		1	188	22.77	23.35	< 30.00
		1	0	22.98	23.56	< 30.00
3945.00	70	95	47	23.78	24.36	< 30.00
		1	1	23.84	24.42	< 30.00
		1	187	23.48	24.06	< 30.00
		189	0	23.70	24.28	< 30.00
		1	188	23.52	24.10	< 30.00
		1	0	23.01	23.59	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3740.01	80	109	54	23.40	23.98	< 30.00
		1	1	23.37	23.95	< 30.00
		1	215	23.28	23.86	< 30.00
		217	0	23.30	23.88	< 30.00
		1	216	22.77	23.35	< 30.00
		1	0	22.52	23.10	< 30.00
3840.00	80	109	54	23.76	24.34	< 30.00
		1	1	23.63	24.21	< 30.00
		1	215	23.29	23.87	< 30.00
		217	0	23.56	24.14	< 30.00
		1	216	22.77	23.35	< 30.00
		1	0	23.00	23.58	< 30.00
3939.99	80	109	54	23.58	24.16	< 30.00
		1	1	23.73	24.31	< 30.00
		1	215	24.03	24.61	< 30.00
		217	0	23.62	24.20	< 30.00
		1	216	23.12	23.70	< 30.00
		1	0	23.27	23.85	< 30.00
3745.02	90	123	61	23.35	23.93	< 30.00
		1	1	23.45	24.03	< 30.00
		1	243	23.10	23.68	< 30.00
		245	0	23.25	23.83	< 30.00
		1	244	22.94	23.52	< 30.00
		1	0	22.52	23.10	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3840.00	90	123	61	23.68	24.26	< 30.00
		1	1	23.58	24.16	< 30.00
		1	243	23.47	24.05	< 30.00
		245	0	23.58	24.16	< 30.00
		1	244	22.76	23.34	< 30.00
		1	0	23.00	23.58	< 30.00
3934.98	90	123	61	23.66	24.24	< 30.00
		1	1	23.67	24.25	< 30.00
		1	243	23.68	24.26	< 30.00
		245	0	23.69	24.27	< 30.00
		1	244	23.34	23.92	< 30.00
		1	0	23.05	23.63	< 30.00
3750.00	100	137	68	23.39	23.97	< 30.00
		1	1	23.41	23.99	< 30.00
		1	271	23.07	23.65	< 30.00
		273	0	23.30	23.88	< 30.00
		1	272	22.59	23.17	< 30.00
		1	0	22.67	23.25	< 30.00
3840.00	100	137	68	23.70	24.28	< 30.00
		1	1	23.54	24.12	< 30.00
		1	271	23.68	24.26	< 30.00
		273	0	23.71	24.29	< 30.00
		1	272	22.67	23.25	< 30.00
		1	0	22.88	23.46	< 30.00
3930.00	100	137	68	23.76	24.34	< 30.00
		1	1	23.65	24.23	< 30.00
		1	271	24.10	24.68	< 30.00
		273	0	23.68	24.26	< 30.00
		1	272	22.91	23.49	< 30.00
		1	0	23.20	23.78	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3705.00	10	12	6	23.14	23.72	< 30.00
		1	1	23.16	23.74	< 30.00
		1	22	23.21	23.79	< 30.00
		24	0	23.09	23.67	< 30.00
		1	23	23.04	23.62	< 30.00
		1	0	23.09	23.67	< 30.00
3840.00	10	12	6	23.39	23.97	< 30.00
		1	1	23.32	23.90	< 30.00
		1	22	23.35	23.93	< 30.00
		24	0	23.42	24.00	< 30.00
		1	23	23.52	24.10	< 30.00
		1	0	23.56	24.14	< 30.00
3975.00	10	12	6	23.76	24.34	< 30.00
		1	1	23.77	24.35	< 30.00
		1	22	23.73	24.31	< 30.00
		24	0	23.75	24.33	< 30.00
		1	23	23.84	24.42	< 30.00
		1	0	23.83	24.41	< 30.00
3707.52	15	19	9	23.13	23.71	< 30.00
		1	1	23.09	23.67	< 30.00
		1	36	23.09	23.67	< 30.00
		38	0	23.10	23.68	< 30.00
		1	37	23.25	23.83	< 30.00
		1	0	23.14	23.72	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3840.00	15	19	9	23.59	24.17	< 30.00
		1	1	23.50	24.08	< 30.00
		1	36	23.53	24.11	< 30.00
		38	0	23.50	24.08	< 30.00
		1	37	23.46	24.04	< 30.00
		1	0	23.58	24.16	< 30.00
3972.48	15	19	9	23.75	24.33	< 30.00
		1	1	23.72	24.30	< 30.00
		1	36	23.73	24.31	< 30.00
		38	0	23.73	24.31	< 30.00
		1	37	23.68	24.26	< 30.00
		1	0	23.78	24.36	< 30.00
3710.01	20	25	12	23.29	23.87	< 30.00
		1	1	23.37	23.95	< 30.00
		1	49	23.28	23.86	< 30.00
		51	0	23.22	23.80	< 30.00
		1	50	23.16	23.74	< 30.00
		1	0	23.34	23.92	< 30.00
3840.00	20	25	12	23.65	24.23	< 30.00
		1	1	23.67	24.25	< 30.00
		1	49	23.94	24.52	< 30.00
		51	0	23.66	24.24	< 30.00
		1	50	23.64	24.22	< 30.00
		1	0	23.78	24.36	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3969.99	20	25	12	23.79	24.37	< 30.00
		1	1	23.72	24.30	< 30.00
		1	49	23.89	24.47	< 30.00
		51	0	23.72	24.30	< 30.00
		1	50	23.76	24.34	< 30.00
		1	0	23.92	24.50	< 30.00
3712.50	25	33	16	21.94	22.52	< 30.00
		1	1	21.77	22.35	< 30.00
		1	63	21.75	22.33	< 30.00
		65	0	21.89	22.47	< 30.00
		1	0	21.73	22.31	< 30.00
		1	64	21.71	22.29	< 30.00
3840.00	25	33	16	21.91	22.49	< 30.00
		1	1	21.98	22.56	< 30.00
		1	63	21.94	22.52	< 30.00
		65	0	21.99	22.57	< 30.00
		1	0	21.95	22.53	< 30.00
		1	64	22.04	22.62	< 30.00
3967.50	25	33	16	22.16	22.74	< 30.00
		1	1	22.08	22.66	< 30.00
		1	63	22.04	22.62	< 30.00
		65	0	22.19	22.77	< 30.00
		1	0	22.07	22.65	< 30.00
		1	64	22.22	22.80	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3715.02	30	39	19	23.14	23.72	< 30.00
		1	1	23.19	23.77	< 30.00
		1	76	23.32	23.90	< 30.00
		78	0	23.14	23.72	< 30.00
		1	77	23.26	23.84	< 30.00
		1	0	23.13	23.71	< 30.00
3840.00	30	39	19	23.56	24.14	< 30.00
		1	1	23.46	24.04	< 30.00
		1	76	23.47	24.05	< 30.00
		78	0	23.52	24.10	< 30.00
		1	77	23.73	24.31	< 30.00
		1	0	23.48	24.06	< 30.00
3964.98	30	39	19	23.61	24.19	< 30.00
		1	1	23.62	24.20	< 30.00
		1	76	23.92	24.50	< 30.00
		78	0	23.68	24.26	< 30.00
		1	77	23.58	24.16	< 30.00
		1	0	23.78	24.36	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3720.00	40	53	26	23.37	23.95	< 30.00
		1	1	23.46	24.04	< 30.00
		1	104	23.37	23.95	< 30.00
		106	0	23.33	23.91	< 30.00
		1	105	23.45	24.03	< 30.00
		1	0	23.12	23.70	< 30.00
3840.00	40	53	26	23.49	24.07	< 30.00
		1	1	23.65	24.23	< 30.00
		1	104	23.09	23.67	< 30.00
		106	0	23.53	24.11	< 30.00
		1	105	23.52	24.10	< 30.00
		1	0	23.23	23.81	< 30.00
3960.00	40	53	26	23.70	24.28	< 30.00
		1	1	23.59	24.17	< 30.00
		1	104	23.85	24.43	< 30.00
		106	0	23.66	24.24	< 30.00
		1	105	23.56	24.14	< 30.00
		1	0	23.85	24.43	< 30.00
3725.01	50	67	33	22.96	23.54	< 30.00
		1	1	23.12	23.70	< 30.00
		1	131	23.05	23.63	< 30.00
		133	0	22.93	23.51	< 30.00
		1	132	23.17	23.75	< 30.00
		1	0	22.95	23.53	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3840.00	50	67	33	23.42	24.00	< 30.00
		1	1	23.29	23.87	< 30.00
		1	131	23.67	24.25	< 30.00
		133	0	23.34	23.92	< 30.00
		1	132	23.37	23.95	< 30.00
		1	0	23.65	24.23	< 30.00
3954.99	50	67	33	23.41	23.99	< 30.00
		1	1	23.48	24.06	< 30.00
		1	131	23.59	24.17	< 30.00
		133	0	23.43	24.01	< 30.00
		1	132	23.45	24.03	< 30.00
		1	0	23.60	24.18	< 30.00
3730.02	60	81	40	22.91	23.49	< 30.00
		1	1	23.13	23.71	< 30.00
		1	160	22.85	23.43	< 30.00
		162	0	22.94	23.52	< 30.00
		1	161	23.11	23.69	< 30.00
		1	0	23.02	23.60	< 30.00
3840.00	60	81	40	23.28	23.86	< 30.00
		1	1	23.10	23.68	< 30.00
		1	160	23.52	24.10	< 30.00
		162	0	23.28	23.86	< 30.00
		1	161	23.25	23.83	< 30.00
		1	0	23.02	23.60	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3949.98	60	81	40	23.19	23.77	< 30.00
		1	1	23.27	23.85	< 30.00
		1	160	23.42	24.00	< 30.00
		162	0	23.29	23.87	< 30.00
		1	161	23.31	23.89	< 30.00
		1	0	23.61	24.19	< 30.00
3735.00	70	95	47	22.91	23.49	< 30.00
		1	1	22.75	23.33	< 30.00
		1	187	22.90	23.48	< 30.00
		189	0	22.80	23.38	< 30.00
		1	188	22.57	23.15	< 30.00
		1	0	22.85	23.43	< 30.00
3840.00	70	95	47	23.05	23.63	< 30.00
		1	1	22.80	23.38	< 30.00
		1	187	22.90	23.48	< 30.00
		189	0	23.01	23.59	< 30.00
		1	188	22.77	23.35	< 30.00
		1	0	23.00	23.58	< 30.00
3945.00	70	95	47	23.24	23.82	< 30.00
		1	1	23.44	24.02	< 30.00
		1	187	22.91	23.49	< 30.00
		189	0	23.22	23.80	< 30.00
		1	188	23.42	24.00	< 30.00
		1	0	22.97	23.55	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3740.01	80	109	54	22.87	23.45	< 30.00
		1	1	22.83	23.41	< 30.00
		1	215	22.58	23.16	< 30.00
		217	0	22.83	23.41	< 30.00
		1	216	22.86	23.44	< 30.00
		1	0	22.62	23.20	< 30.00
3840.00	80	109	54	23.04	23.62	< 30.00
		1	1	22.91	23.49	< 30.00
		1	215	22.84	23.42	< 30.00
		217	0	23.12	23.70	< 30.00
		1	216	23.00	23.58	< 30.00
		1	0	22.99	23.57	< 30.00
3939.99	80	109	54	23.14	23.72	< 30.00
		1	1	23.07	23.65	< 30.00
		1	215	23.19	23.77	< 30.00
		217	0	23.17	23.75	< 30.00
		1	216	23.20	23.78	< 30.00
		1	0	23.16	23.74	< 30.00
3745.02	90	123	61	22.87	23.45	< 30.00
		1	1	22.90	23.48	< 30.00
		1	243	22.63	23.21	< 30.00
		245	0	22.89	23.47	< 30.00
		1	244	22.76	23.34	< 30.00
		1	0	22.77	23.35	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3840.00	90	123	61	23.02	23.60	< 30.00
		1	1	22.96	23.54	< 30.00
		1	243	22.96	23.54	< 30.00
		245	0	23.04	23.62	< 30.00
		1	244	22.61	23.19	< 30.00
		1	0	23.11	23.69	< 30.00
3934.98	90	123	61	23.02	23.60	< 30.00
		1	1	23.28	23.86	< 30.00
		1	243	23.36	23.94	< 30.00
		245	0	23.13	23.71	< 30.00
		1	244	22.95	23.53	< 30.00
		1	0	23.30	23.88	< 30.00
3750.00	100	137	68	22.84	23.42	< 30.00
		1	1	22.85	23.43	< 30.00
		1	271	22.72	23.30	< 30.00
		273	0	22.85	23.43	< 30.00
		1	272	22.74	23.32	< 30.00
		1	0	22.49	23.07	< 30.00
3840.00	100	137	68	23.17	23.75	< 30.00
		1	1	22.94	23.52	< 30.00
		1	271	23.01	23.59	< 30.00
		273	0	23.16	23.74	< 30.00
		1	272	22.73	23.31	< 30.00
		1	0	22.76	23.34	< 30.00
3930.00	100	137	68	23.11	23.69	< 30.00
		1	1	22.86	23.44	< 30.00
		1	271	23.25	23.83	< 30.00
		273	0	23.24	23.82	< 30.00
		1	272	22.96	23.54	< 30.00
		1	0	23.23	23.81	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3705.00	10	12	6	19.98	20.56	< 30.00
		1	1	20.24	20.82	< 30.00
		1	22	20.49	21.07	< 30.00
		24	0	20.07	20.65	< 30.00
		1	23	20.43	21.01	< 30.00
		1	0	20.50	21.08	< 30.00
3840.00	10	12	6	20.47	21.05	< 30.00
		1	1	20.66	21.24	< 30.00
		1	22	20.53	21.11	< 30.00
		24	0	20.45	21.03	< 30.00
		1	23	20.54	21.12	< 30.00
		1	0	20.58	21.16	< 30.00
3975.00	10	12	6	20.59	21.17	< 30.00
		1	1	20.80	21.38	< 30.00
		1	22	21.00	21.58	< 30.00
		24	0	20.66	21.24	< 30.00
		1	23	21.00	21.58	< 30.00
		1	0	20.91	21.49	< 30.00
3707.52	15	19	9	20.20	20.78	< 30.00
		1	1	20.38	20.96	< 30.00
		1	36	20.42	21.00	< 30.00
		38	0	20.05	20.63	< 30.00
		1	37	20.35	20.93	< 30.00
		1	0	20.37	20.95	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3840.00	15	19	9	20.63	21.21	< 30.00
		1	1	20.83	21.41	< 30.00
		1	36	20.75	21.33	< 30.00
		38	0	20.52	21.10	< 30.00
		1	37	20.82	21.40	< 30.00
		1	0	20.86	21.44	< 30.00
3972.48	15	19	9	20.69	21.27	< 30.00
		1	1	21.06	21.64	< 30.00
		1	36	21.03	21.61	< 30.00
		38	0	20.69	21.27	< 30.00
		1	37	21.02	21.60	< 30.00
		1	0	21.10	21.68	< 30.00
3710.01	20	25	12	20.25	20.83	< 30.00
		1	1	20.42	21.00	< 30.00
		1	49	20.46	21.04	< 30.00
		51	0	20.15	20.73	< 30.00
		1	50	20.32	20.90	< 30.00
		1	0	20.35	20.93	< 30.00
3840.00	20	25	12	20.60	21.18	< 30.00
		1	1	20.89	21.47	< 30.00
		1	49	20.81	21.39	< 30.00
		51	0	20.52	21.10	< 30.00
		1	50	20.79	21.37	< 30.00
		1	0	20.86	21.44	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3969.99	20	25	12	20.67	21.25	< 30.00
		1	1	20.78	21.36	< 30.00
		1	49	21.09	21.67	< 30.00
		51	0	20.74	21.32	< 30.00
		1	50	20.78	21.36	< 30.00
		1	0	21.48	22.06	< 30.00
3712.50	25	33	16	18.90	19.48	< 30.00
		1	1	19.05	19.63	< 30.00
		1	63	19.01	19.59	< 30.00
		65	0	18.77	19.35	< 30.00
		1	0	19.10	19.68	< 30.00
		1	64	19.10	19.68	< 30.00
3840.00	25	33	16	18.80	19.38	< 30.00
		1	1	18.96	19.54	< 30.00
		1	63	19.07	19.65	< 30.00
		65	0	18.82	19.40	< 30.00
		1	0	18.98	19.56	< 30.00
		1	64	19.12	19.70	< 30.00
3967.50	25	33	16	19.06	19.64	< 30.00
		1	1	19.31	19.89	< 30.00
		1	63	19.48	20.06	< 30.00
		65	0	19.24	19.82	< 30.00
		1	0	19.40	19.98	< 30.00
		1	64	19.53	20.11	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3715.02	30	39	19	20.18	20.76	< 30.00
		1	1	20.53	21.11	< 30.00
		1	76	20.37	20.95	< 30.00
		78	0	20.26	20.84	< 30.00
		1	77	20.53	21.11	< 30.00
		1	0	20.40	20.98	< 30.00
3840.00	30	39	19	20.60	21.18	< 30.00
		1	1	20.88	21.46	< 30.00
		1	76	20.53	21.11	< 30.00
		78	0	20.50	21.08	< 30.00
		1	77	20.97	21.55	< 30.00
		1	0	20.61	21.19	< 30.00
3964.98	30	39	19	20.66	21.24	< 30.00
		1	1	20.81	21.39	< 30.00
		1	76	21.03	21.61	< 30.00
		78	0	20.82	21.40	< 30.00
		1	77	20.66	21.24	< 30.00
		1	0	21.07	21.65	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3720.00	40	53	26	20.23	20.81	< 30.00
		1	1	20.69	21.27	< 30.00
		1	104	20.71	21.29	< 30.00
		106	0	20.38	20.96	< 30.00
		1	105	20.65	21.23	< 30.00
		1	0	20.49	21.07	< 30.00
3840.00	40	53	26	20.56	21.14	< 30.00
		1	1	20.74	21.32	< 30.00
		1	104	20.74	21.32	< 30.00
		106	0	20.58	21.16	< 30.00
		1	105	20.86	21.44	< 30.00
		1	0	20.56	21.14	< 30.00
3960.00	40	53	26	20.60	21.18	< 30.00
		1	1	20.87	21.45	< 30.00
		1	104	21.07	21.65	< 30.00
		106	0	20.73	21.31	< 30.00
		1	105	20.74	21.32	< 30.00
		1	0	21.06	21.64	< 30.00
3725.01	50	67	33	19.97	20.55	< 30.00
		1	1	20.28	20.86	< 30.00
		1	131	20.05	20.63	< 30.00
		133	0	20.15	20.73	< 30.00
		1	132	20.21	20.79	< 30.00
		1	0	20.08	20.66	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3840.00	50	67	33	20.37	20.95	< 30.00
		1	1	20.49	21.07	< 30.00
		1	131	20.45	21.03	< 30.00
		133	0	20.33	20.91	< 30.00
		1	132	20.53	21.11	< 30.00
		1	0	20.77	21.35	< 30.00
3954.99	50	67	33	20.43	21.01	< 30.00
		1	1	20.51	21.09	< 30.00
		1	131	20.70	21.28	< 30.00
		133	0	20.66	21.24	< 30.00
		1	132	20.60	21.18	< 30.00
		1	0	20.81	21.39	< 30.00
3730.02	60	81	40	19.85	20.43	< 30.00
		1	1	20.12	20.70	< 30.00
		1	160	20.07	20.65	< 30.00
		162	0	20.05	20.63	< 30.00
		1	161	20.19	20.77	< 30.00
		1	0	20.05	20.63	< 30.00
3840.00	60	81	40	20.49	21.07	< 30.00
		1	1	20.53	21.11	< 30.00
		1	160	20.26	20.84	< 30.00
		162	0	20.33	20.91	< 30.00
		1	161	20.34	20.92	< 30.00
		1	0	20.28	20.86	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3949.98	60	81	40	20.23	20.81	< 30.00
		1	1	20.48	21.06	< 30.00
		1	160	20.53	21.11	< 30.00
		162	0	20.42	21.00	< 30.00
		1	161	20.49	21.07	< 30.00
		1	0	21.06	21.64	< 30.00
3735.00	70	95	47	19.82	20.40	< 30.00
		1	1	19.57	20.15	< 30.00
		1	187	19.68	20.26	< 30.00
		189	0	19.88	20.46	< 30.00
		1	188	19.58	20.16	< 30.00
		1	0	19.87	20.45	< 30.00
3840.00	70	95	47	19.90	20.48	< 30.00
		1	1	19.76	20.34	< 30.00
		1	187	19.71	20.29	< 30.00
		189	0	19.86	20.44	< 30.00
		1	188	19.72	20.30	< 30.00
		1	0	19.93	20.51	< 30.00
3945.00	70	95	47	20.21	20.79	< 30.00
		1	1	20.29	20.87	< 30.00
		1	187	19.76	20.34	< 30.00
		189	0	20.31	20.89	< 30.00
		1	188	20.63	21.21	< 30.00
		1	0	19.89	20.47	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3740.01	80	109	54	19.91	20.49	< 30.00
		1	1	20.12	20.70	< 30.00
		1	215	19.82	20.40	< 30.00
		217	0	19.95	20.53	< 30.00
		1	216	20.15	20.73	< 30.00
		1	0	19.85	20.43	< 30.00
3840.00	80	109	54	20.11	20.69	< 30.00
		1	1	20.23	20.81	< 30.00
		1	215	20.21	20.79	< 30.00
		217	0	20.03	20.61	< 30.00
		1	216	20.12	20.70	< 30.00
		1	0	20.10	20.68	< 30.00
3939.99	80	109	54	20.03	20.61	< 30.00
		1	1	20.31	20.89	< 30.00
		1	215	20.54	21.12	< 30.00
		217	0	20.27	20.85	< 30.00
		1	216	20.89	21.47	< 30.00
		1	0	20.29	20.87	< 30.00
3745.02	90	123	61	20.04	20.62	< 30.00
		1	1	20.09	20.67	< 30.00
		1	243	19.94	20.52	< 30.00
		245	0	20.00	20.58	< 30.00
		1	244	19.94	20.52	< 30.00
		1	0	19.82	20.40	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3840.00	90	123	61	20.13	20.71	< 30.00
		1	1	20.36	20.94	< 30.00
		1	243	20.38	20.96	< 30.00
		245	0	20.21	20.79	< 30.00
		1	244	20.11	20.69	< 30.00
		1	0	20.28	20.86	< 30.00
3934.98	90	123	61	20.10	20.68	< 30.00
		1	1	20.38	20.96	< 30.00
		1	243	21.11	21.69	< 30.00
		245	0	20.07	20.65	< 30.00
		1	244	20.14	20.72	< 30.00
		1	0	20.45	21.03	< 30.00
3750.00	100	137	68	19.91	20.49	< 30.00
		1	1	20.13	20.71	< 30.00
		1	271	19.76	20.34	< 30.00
		273	0	19.76	20.34	< 30.00
		1	272	19.90	20.48	< 30.00
		1	0	19.76	20.34	< 30.00
3840.00	100	137	68	20.15	20.73	< 30.00
		1	1	20.34	20.92	< 30.00
		1	271	20.25	20.83	< 30.00
		273	0	20.10	20.68	< 30.00
		1	272	20.23	20.81	< 30.00
		1	0	19.92	20.50	< 30.00
3930.00	100	137	68	20.25	20.83	< 30.00
		1	1	20.30	20.88	< 30.00
		1	271	20.62	21.20	< 30.00
		273	0	20.12	20.70	< 30.00
		1	272	20.10	20.68	< 30.00
		1	0	20.37	20.95	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	SIP-SR1 WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/05/03 ~ 2022/07/15 2023/05/10	Test Band	HPUE n77/n78_SA (3700 ~ 3980)

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3705.00	10	12	6	26.40	26.98	< 30.00
		1	1	26.35	26.93	< 30.00
		1	22	26.42	27.00	< 30.00
		24	0	25.90	26.48	< 30.00
		1	23	22.83	23.41	< 30.00
		1	0	22.89	23.47	< 30.00
3840.00	10	12	6	26.72	27.30	< 30.00
		1	1	26.69	27.27	< 30.00
		1	22	26.61	27.19	< 30.00
		24	0	26.25	26.83	< 30.00
		1	23	23.24	23.82	< 30.00
		1	0	23.07	23.65	< 30.00
3975.00	10	12	6	27.01	27.59	< 30.00
		1	1	26.94	27.52	< 30.00
		1	22	27.02	27.60	< 30.00
		24	0	26.56	27.14	< 30.00
		1	23	23.48	24.06	< 30.00
		1	0	23.50	24.08	< 30.00
3707.52	15	18	9	26.52	27.10	< 30.00
		1	1	26.55	27.13	< 30.00
		1	36	26.63	27.21	< 30.00
		36	0	26.03	26.61	< 30.00
		1	37	23.09	23.67	< 30.00
		1	0	23.02	23.60	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3840.00	15	18	9	27.00	27.58	< 30.00
		1	1	27.04	27.62	< 30.00
		1	36	26.93	27.51	< 30.00
		36	0	26.50	27.08	< 30.00
		1	37	23.47	24.05	< 30.00
		1	0	23.41	23.99	< 30.00
3972.48	15	18	9	27.20	27.78	< 30.00
		1	1	27.11	27.69	< 30.00
		1	36	27.21	27.79	< 30.00
		36	0	26.75	27.33	< 30.00
		1	37	23.69	24.27	< 30.00
		1	0	23.67	24.25	< 30.00
3710.01	20	25	12	26.65	27.23	< 30.00
		1	1	26.58	27.16	< 30.00
		1	49	26.56	27.14	< 30.00
		50	0	26.15	26.73	< 30.00
		1	50	23.12	23.70	< 30.00
		1	0	23.00	23.58	< 30.00
3840.00	20	25	12	27.11	27.69	< 30.00
		1	1	27.02	27.60	< 30.00
		1	49	26.94	27.52	< 30.00
		50	0	26.49	27.07	< 30.00
		1	50	23.35	23.93	< 30.00
		1	0	23.44	24.02	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3969.99	20	25	12	27.18	27.76	< 30.00
		1	1	27.07	27.65	< 30.00
		1	49	27.16	27.74	< 30.00
		50	0	26.71	27.29	< 30.00
		1	50	23.57	24.15	< 30.00
		1	0	23.67	24.25	< 30.00
3712.50	25	32	16	25.43	26.01	< 30.00
		1	1	25.36	25.94	< 30.00
		1	63	25.56	26.14	< 30.00
		64	0	24.91	25.49	< 30.00
		1	0	21.77	22.35	< 30.00
		1	64	21.89	22.47	< 30.00
3840.00	25	32	16	25.50	26.08	< 30.00
		1	1	25.45	26.03	< 30.00
		1	63	25.42	26.00	< 30.00
		64	0	25.03	25.61	< 30.00
		1	0	21.82	22.40	< 30.00
		1	64	22.00	22.58	< 30.00
3967.50	25	32	16	25.72	26.30	< 30.00
		1	1	25.68	26.26	< 30.00
		1	63	25.94	26.52	< 30.00
		64	0	25.27	25.85	< 30.00
		1	0	22.22	22.80	< 30.00
		1	64	22.22	22.80	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3715.02	30	36	78	26.74	27.32	< 30.00
		1	1	26.74	27.32	< 30.00
		1	76	26.57	27.15	< 30.00
		75	0	26.18	26.76	< 30.00
		1	77	23.22	23.80	< 30.00
		1	0	23.00	23.58	< 30.00
3840.00	30	36	78	27.01	27.59	< 30.00
		1	1	26.91	27.49	< 30.00
		1	76	26.87	27.45	< 30.00
		75	0	26.55	27.13	< 30.00
		1	77	23.36	23.94	< 30.00
		1	0	23.34	23.92	< 30.00
3964.98	30	36	78	27.21	27.79	< 30.00
		1	1	27.08	27.66	< 30.00
		1	76	27.24	27.82	< 30.00
		75	0	26.67	27.25	< 30.00
		1	77	23.56	24.14	< 30.00
		1	0	23.66	24.24	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3720.00	40	50	25	26.84	27.42	< 30.00
		1	1	26.84	27.42	< 30.00
		1	104	26.71	27.29	< 30.00
		100	0	26.27	26.85	< 30.00
		1	105	23.24	23.82	< 30.00
		1	0	23.22	23.80	< 30.00
3840.00	40	50	25	27.05	27.63	< 30.00
		1	1	27.01	27.59	< 30.00
		1	104	26.82	27.40	< 30.00
		100	0	26.45	27.03	< 30.00
		1	105	23.49	24.07	< 30.00
		1	0	23.23	23.81	< 30.00
3960.00	40	50	25	27.03	27.61	< 30.00
		1	1	27.08	27.66	< 30.00
		1	104	27.28	27.86	< 30.00
		100	0	26.66	27.24	< 30.00
		1	105	23.52	24.10	< 30.00
		1	0	23.72	24.30	< 30.00
3725.01	50	64	32	26.60	27.18	< 30.00
		1	1	26.42	27.00	< 30.00
		1	131	26.35	26.93	< 30.00
		128	0	25.89	26.47	< 30.00
		1	132	22.91	23.49	< 30.00
		1	0	22.83	23.41	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3840.00	50	64	32	26.85	27.43	< 30.00
		1	1	26.69	27.27	< 30.00
		1	131	26.76	27.34	< 30.00
		128	0	26.27	26.85	< 30.00
		1	132	23.27	23.85	< 30.00
		1	0	23.31	23.89	< 30.00
3954.99	50	64	32	26.83	27.41	< 30.00
		1	1	26.74	27.32	< 30.00
		1	131	27.04	27.62	< 30.00
		128	0	26.38	26.96	< 30.00
		1	132	23.26	23.84	< 30.00
		1	0	23.52	24.10	< 30.00
3730.02	60	81	40	26.40	26.98	< 30.00
		1	1	26.37	26.95	< 30.00
		1	160	26.28	26.86	< 30.00
		162	0	26.00	26.58	< 30.00
		1	161	22.85	23.43	< 30.00
		1	0	22.75	23.33	< 30.00
3840.00	60	81	40	26.85	27.43	< 30.00
		1	1	26.60	27.18	< 30.00
		1	160	26.63	27.21	< 30.00
		162	0	26.35	26.93	< 30.00
		1	161	22.95	23.53	< 30.00
		1	0	23.15	23.73	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3949.98	60	81	40	26.80	27.38	< 30.00
		1	1	26.58	27.16	< 30.00
		1	160	26.85	27.43	< 30.00
		162	0	26.28	26.86	< 30.00
		1	161	23.03	23.61	< 30.00
		1	0	23.23	23.81	< 30.00
3735.00	70	90	45	26.34	26.92	< 30.00
		1	1	26.20	26.78	< 30.00
		1	187	26.20	26.78	< 30.00
		180	0	25.83	26.41	< 30.00
		1	188	22.71	23.29	< 30.00
		1	0	22.72	23.30	< 30.00
3840.00	70	90	45	26.49	27.07	< 30.00
		1	1	26.35	26.93	< 30.00
		1	187	26.44	27.02	< 30.00
		180	0	26.04	26.62	< 30.00
		1	188	22.77	23.35	< 30.00
		1	0	22.82	23.40	< 30.00
3945.00	70	90	45	26.71	27.29	< 30.00
		1	1	26.84	27.42	< 30.00
		1	187	26.45	27.03	< 30.00
		180	0	26.25	26.83	< 30.00
		1	188	23.26	23.84	< 30.00
		1	0	22.94	23.52	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3740.01	80	108	54	26.43	27.01	< 30.00
		1	1	26.37	26.95	< 30.00
		1	215	26.13	26.71	< 30.00
		216	0	25.85	26.43	< 30.00
		1	216	22.75	23.33	< 30.00
		1	0	22.67	23.25	< 30.00
3840.00	80	108	54	26.69	27.27	< 30.00
		1	1	26.43	27.01	< 30.00
		1	215	26.49	27.07	< 30.00
		216	0	26.10	26.68	< 30.00
		1	216	22.95	23.53	< 30.00
		1	0	22.93	23.51	< 30.00
3939.99	80	108	54	26.66	27.24	< 30.00
		1	1	26.53	27.11	< 30.00
		1	215	26.68	27.26	< 30.00
		216	0	26.20	26.78	< 30.00
		1	216	23.08	23.66	< 30.00
		1	0	23.14	23.72	< 30.00
3745.02	90	120	60	26.39	26.97	< 30.00
		1	1	26.42	27.00	< 30.00
		1	243	26.24	26.82	< 30.00
		243	0	25.77	26.35	< 30.00
		1	244	22.72	23.30	< 30.00
		1	0	22.54	23.12	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
3840.00	90	120	60	26.69	27.27	< 30.00
		1	1	26.41	26.99	< 30.00
		1	243	26.53	27.11	< 30.00
		243	0	25.99	26.57	< 30.00
		1	244	22.75	23.33	< 30.00
		1	0	22.80	23.38	< 30.00
3934.98	90	120	60	26.59	27.17	< 30.00
		1	1	26.63	27.21	< 30.00
		1	243	26.80	27.38	< 30.00
		243	0	26.14	26.72	< 30.00
		1	244	23.02	23.60	< 30.00
		1	0	23.22	23.80	< 30.00
3750.00	100	135	67	26.44	27.02	< 30.00
		1	1	26.31	26.89	< 30.00
		1	271	26.08	26.66	< 30.00
		270	0	25.73	26.31	< 30.00
		1	272	22.60	23.18	< 30.00
		1	0	22.48	23.06	< 30.00
3840.00	100	135	67	26.67	27.25	< 30.00
		1	1	26.30	26.88	< 30.00
		1	271	26.47	27.05	< 30.00
		270	0	25.95	26.53	< 30.00
		1	272	22.56	23.14	< 30.00
		1	0	22.68	23.26	< 30.00
3930.00	100	135	67	26.61	27.19	< 30.00
		1	1	26.40	26.98	< 30.00
		1	271	26.76	27.34	< 30.00
		270	0	26.20	26.78	< 30.00
		1	272	22.67	23.25	< 30.00
		1	0	23.08	23.66	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3705.00	10	12	6	26.44	27.02	< 30.00
		1	1	26.39	26.97	< 30.00
		1	22	26.52	27.10	< 30.00
		24	0	25.47	26.05	< 30.00
		1	23	22.82	23.40	< 30.00
		1	0	22.86	23.44	< 30.00
3840.00	10	12	6	26.79	27.37	< 30.00
		1	1	26.73	27.31	< 30.00
		1	22	26.61	27.19	< 30.00
		24	0	25.70	26.28	< 30.00
		1	23	23.27	23.85	< 30.00
		1	0	23.27	23.85	< 30.00
3975.00	10	12	6	27.14	27.72	< 30.00
		1	1	27.03	27.61	< 30.00
		1	22	27.03	27.61	< 30.00
		24	0	26.09	26.67	< 30.00
		1	23	23.52	24.10	< 30.00
		1	0	23.42	24.00	< 30.00
3707.52	15	18	9	26.57	27.15	< 30.00
		1	1	26.56	27.14	< 30.00
		1	36	26.64	27.22	< 30.00
		36	0	25.58	26.16	< 30.00
		1	37	23.07	23.65	< 30.00
		1	0	23.19	23.77	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3840.00	15	18	9	27.05	27.63	< 30.00
		1	1	27.03	27.61	< 30.00
		1	36	27.08	27.66	< 30.00
		36	0	26.06	26.64	< 30.00
		1	37	23.56	24.14	< 30.00
		1	0	23.39	23.97	< 30.00
3972.48	15	18	9	27.27	27.85	< 30.00
		1	1	27.17	27.75	< 30.00
		1	36	27.26	27.84	< 30.00
		36	0	26.19	26.77	< 30.00
		1	37	23.66	24.24	< 30.00
		1	0	23.82	24.40	< 30.00
3710.01	20	25	12	26.70	27.28	< 30.00
		1	1	26.67	27.25	< 30.00
		1	49	26.56	27.14	< 30.00
		50	0	25.63	26.21	< 30.00
		1	50	23.06	23.64	< 30.00
		1	0	23.14	23.72	< 30.00
3840.00	20	25	12	27.05	27.63	< 30.00
		1	1	26.99	27.57	< 30.00
		1	49	26.88	27.46	< 30.00
		50	0	26.05	26.63	< 30.00
		1	50	23.43	24.01	< 30.00
		1	0	23.47	24.05	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3969.99	20	25	12	27.19	27.77	< 30.00
		1	1	27.15	27.73	< 30.00
		1	49	27.28	27.86	< 30.00
		50	0	26.16	26.74	< 30.00
		1	50	23.58	24.16	< 30.00
		1	0	23.80	24.38	< 30.00
3712.50	25	32	16	25.44	26.02	< 30.00
		1	1	25.39	25.97	< 30.00
		1	63	25.52	26.10	< 30.00
		64	0	24.36	24.94	< 30.00
		1	0	21.76	22.34	< 30.00
		1	64	22.06	22.64	< 30.00
3840.00	25	32	16	25.51	26.09	< 30.00
		1	1	25.41	25.99	< 30.00
		1	63	25.43	26.01	< 30.00
		64	0	24.50	25.08	< 30.00
		1	0	21.86	22.44	< 30.00
		1	64	21.93	22.51	< 30.00
3967.50	25	32	16	25.71	26.29	< 30.00
		1	1	25.69	26.27	< 30.00
		1	63	25.82	26.40	< 30.00
		64	0	24.82	25.40	< 30.00
		1	0	22.24	22.82	< 30.00
		1	64	22.31	22.89	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3715.02	30	36	78	26.69	27.27	< 30.00
		1	1	26.82	27.40	< 30.00
		1	76	26.68	27.26	< 30.00
		75	0	25.74	26.32	< 30.00
		1	77	23.07	23.65	< 30.00
		1	0	23.17	23.75	< 30.00
3840.00	30	36	78	27.06	27.64	< 30.00
		1	1	26.99	27.57	< 30.00
		1	76	26.98	27.56	< 30.00
		75	0	26.07	26.65	< 30.00
		1	77	23.41	23.99	< 30.00
		1	0	23.32	23.90	< 30.00
3964.98	30	36	78	27.04	27.62	< 30.00
		1	1	27.06	27.64	< 30.00
		1	76	27.32	27.90	< 30.00
		75	0	26.13	26.71	< 30.00
		1	77	23.51	24.09	< 30.00
		1	0	23.73	24.31	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3720.00	40	50	25	26.77	27.35	< 30.00
		1	1	26.81	27.39	< 30.00
		1	104	26.71	27.29	< 30.00
		100	0	25.82	26.40	< 30.00
		1	105	23.32	23.90	< 30.00
		1	0	23.29	23.87	< 30.00
3840.00	40	50	25	27.05	27.63	< 30.00
		1	1	27.07	27.65	< 30.00
		1	104	26.82	27.40	< 30.00
		100	0	26.07	26.65	< 30.00
		1	105	23.52	24.10	< 30.00
		1	0	23.44	24.02	< 30.00
3960.00	40	50	25	27.03	27.61	< 30.00
		1	1	27.08	27.66	< 30.00
		1	104	27.27	27.85	< 30.00
		100	0	26.11	26.69	< 30.00
		1	105	23.58	24.16	< 30.00
		1	0	23.89	24.47	< 30.00
3725.01	50	64	32	26.39	26.97	< 30.00
		1	1	26.49	27.07	< 30.00
		1	131	26.38	26.96	< 30.00
		128	0	25.52	26.10	< 30.00
		1	132	22.91	23.49	< 30.00
		1	0	22.97	23.55	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3840.00	50	64	32	26.84	27.42	< 30.00
		1	1	26.79	27.37	< 30.00
		1	131	26.72	27.30	< 30.00
		128	0	25.83	26.41	< 30.00
		1	132	23.45	24.03	< 30.00
		1	0	23.34	23.92	< 30.00
3954.99	50	64	32	26.85	27.43	< 30.00
		1	1	26.79	27.37	< 30.00
		1	131	27.02	27.60	< 30.00
		128	0	25.85	26.43	< 30.00
		1	132	23.21	23.79	< 30.00
		1	0	23.55	24.13	< 30.00
3730.02	60	81	40	26.39	26.97	< 30.00
		1	1	26.51	27.09	< 30.00
		1	160	26.36	26.94	< 30.00
		162	0	25.45	26.03	< 30.00
		1	161	22.82	23.40	< 30.00
		1	0	22.69	23.27	< 30.00
3840.00	60	81	40	26.88	27.46	< 30.00
		1	1	26.59	27.17	< 30.00
		1	160	26.72	27.30	< 30.00
		162	0	25.69	26.27	< 30.00
		1	161	23.01	23.59	< 30.00
		1	0	23.02	23.60	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3949.98	60	81	40	26.65	27.23	< 30.00
		1	1	26.67	27.25	< 30.00
		1	160	26.89	27.47	< 30.00
		162	0	25.73	26.31	< 30.00
		1	161	23.02	23.60	< 30.00
		1	0	23.42	24.00	< 30.00
3735.00	70	90	45	26.31	26.89	< 30.00
		1	1	26.18	26.76	< 30.00
		1	187	26.20	26.78	< 30.00
		180	0	25.19	25.77	< 30.00
		1	188	22.67	23.25	< 30.00
		1	0	22.61	23.19	< 30.00
3840.00	70	90	45	26.51	27.09	< 30.00
		1	1	26.29	26.87	< 30.00
		1	187	26.40	26.98	< 30.00
		180	0	25.48	26.06	< 30.00
		1	188	22.66	23.24	< 30.00
		1	0	22.80	23.38	< 30.00
3945.00	70	90	45	26.73	27.31	< 30.00
		1	1	26.79	27.37	< 30.00
		1	187	26.43	27.01	< 30.00
		180	0	25.66	26.24	< 30.00
		1	188	23.25	23.83	< 30.00
		1	0	22.94	23.52	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3740.01	80	108	54	26.42	27.00	< 30.00
		1	1	26.39	26.97	< 30.00
		1	215	26.16	26.74	< 30.00
		216	0	25.26	25.84	< 30.00
		1	216	22.80	23.38	< 30.00
		1	0	22.63	23.21	< 30.00
3840.00	80	108	54	26.69	27.27	< 30.00
		1	1	26.49	27.07	< 30.00
		1	215	26.42	27.00	< 30.00
		216	0	25.63	26.21	< 30.00
		1	216	22.86	23.44	< 30.00
		1	0	23.01	23.59	< 30.00
3939.99	80	108	54	26.58	27.16	< 30.00
		1	1	26.70	27.28	< 30.00
		1	215	26.81	27.39	< 30.00
		216	0	25.66	26.24	< 30.00
		1	216	23.14	23.72	< 30.00
		1	0	23.32	23.90	< 30.00
3745.02	90	120	60	26.36	26.94	< 30.00
		1	1	26.44	27.02	< 30.00
		1	243	26.28	26.86	< 30.00
		243	0	25.33	25.91	< 30.00
		1	244	22.78	23.36	< 30.00
		1	0	22.55	23.13	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
3840.00	90	120	60	26.69	27.27	< 30.00
		1	1	26.54	27.12	< 30.00
		1	243	26.53	27.11	< 30.00
		243	0	25.54	26.12	< 30.00
		1	244	22.83	23.41	< 30.00
		1	0	22.85	23.43	< 30.00
3934.98	90	120	60	26.60	27.18	< 30.00
		1	1	26.72	27.30	< 30.00
		1	243	26.84	27.42	< 30.00
		243	0	25.69	26.27	< 30.00
		1	244	22.97	23.55	< 30.00
		1	0	23.31	23.89	< 30.00
3750.00	100	135	67	26.39	26.97	< 30.00
		1	1	26.30	26.88	< 30.00
		1	271	26.25	26.83	< 30.00
		270	0	25.27	25.85	< 30.00
		1	272	22.78	23.36	< 30.00
		1	0	22.48	23.06	< 30.00
3840.00	100	135	67	26.66	27.24	< 30.00
		1	1	26.33	26.91	< 30.00
		1	271	26.51	27.09	< 30.00
		270	0	25.52	26.10	< 30.00
		1	272	22.55	23.13	< 30.00
		1	0	22.81	23.39	< 30.00
3930.00	100	135	67	26.64	27.22	< 30.00
		1	1	26.43	27.01	< 30.00
		1	271	26.77	27.35	< 30.00
		270	0	25.65	26.23	< 30.00
		1	272	22.65	23.23	< 30.00
		1	0	23.09	23.67	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3705.00	10	12	6	25.51	26.09	< 30.00
		1	1	25.55	26.13	< 30.00
		1	22	25.40	25.98	< 30.00
		24	0	24.49	25.07	< 30.00
		1	23	22.78	23.36	< 30.00
		1	0	22.75	23.33	< 30.00
3840.00	10	12	6	25.79	26.37	< 30.00
		1	1	25.52	26.10	< 30.00
		1	22	25.40	25.98	< 30.00
		24	0	24.72	25.30	< 30.00
		1	23	22.82	23.40	< 30.00
		1	0	22.73	23.31	< 30.00
3975.00	10	12	6	26.04	26.62	< 30.00
		1	1	26.04	26.62	< 30.00
		1	22	26.03	26.61	< 30.00
		24	0	25.10	25.68	< 30.00
		1	23	23.36	23.94	< 30.00
		1	0	23.36	23.94	< 30.00
3707.52	15	18	9	25.64	26.22	< 30.00
		1	1	25.45	26.03	< 30.00
		1	36	25.41	25.99	< 30.00
		36	0	24.61	25.19	< 30.00
		1	37	22.81	23.39	< 30.00
		1	0	22.84	23.42	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3840.00	15	18	9	26.06	26.64	< 30.00
		1	1	25.74	26.32	< 30.00
		1	36	25.76	26.34	< 30.00
		36	0	25.00	25.58	< 30.00
		1	37	23.18	23.76	< 30.00
		1	0	23.13	23.71	< 30.00
3972.48	15	18	9	26.26	26.84	< 30.00
		1	1	26.00	26.58	< 30.00
		1	36	26.02	26.60	< 30.00
		36	0	25.15	25.73	< 30.00
		1	37	23.51	24.09	< 30.00
		1	0	23.43	24.01	< 30.00
3710.01	20	25	12	25.71	26.29	< 30.00
		1	1	25.39	25.97	< 30.00
		1	49	25.34	25.92	< 30.00
		50	0	24.57	25.15	< 30.00
		1	50	22.73	23.31	< 30.00
		1	0	22.72	23.30	< 30.00
3840.00	20	25	12	26.11	26.69	< 30.00
		1	1	25.83	26.41	< 30.00
		1	49	25.68	26.26	< 30.00
		50	0	25.08	25.66	< 30.00
		1	50	23.04	23.62	< 30.00
		1	0	23.14	23.72	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3969.99	20	25	12	26.22	26.80	< 30.00
		1	1	25.91	26.49	< 30.00
		1	49	25.93	26.51	< 30.00
		50	0	25.21	25.79	< 30.00
		1	50	23.45	24.03	< 30.00
		1	0	23.43	24.01	< 30.00
3712.50	25	32	16	24.38	24.96	< 30.00
		1	1	24.24	24.82	< 30.00
		1	63	24.30	24.88	< 30.00
		64	0	23.37	23.95	< 30.00
		1	0	21.75	22.33	< 30.00
		1	64	22.05	22.63	< 30.00
3840.00	25	32	16	24.54	25.12	< 30.00
		1	1	24.23	24.81	< 30.00
		1	63	24.34	24.92	< 30.00
		64	0	23.54	24.12	< 30.00
		1	0	21.80	22.38	< 30.00
		1	64	21.89	22.47	< 30.00
3967.50	25	32	16	24.82	25.40	< 30.00
		1	1	24.72	25.30	< 30.00
		1	63	24.69	25.27	< 30.00
		64	0	23.80	24.38	< 30.00
		1	0	22.06	22.64	< 30.00
		1	64	22.23	22.81	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3715.02	30	36	78	25.63	26.21	< 30.00
		1	1	25.73	26.31	< 30.00
		1	76	25.69	26.27	< 30.00
		75	0	24.68	25.26	< 30.00
		1	77	23.26	23.84	< 30.00
		1	0	23.27	23.85	< 30.00
3840.00	30	36	78	26.00	26.58	< 30.00
		1	1	25.96	26.54	< 30.00
		1	76	25.86	26.44	< 30.00
		75	0	25.02	25.60	< 30.00
		1	77	23.54	24.12	< 30.00
		1	0	23.45	24.03	< 30.00
3964.98	30	36	78	26.11	26.69	< 30.00
		1	1	26.10	26.68	< 30.00
		1	76	26.24	26.82	< 30.00
		75	0	25.07	25.65	< 30.00
		1	77	23.60	24.18	< 30.00
		1	0	23.70	24.28	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3720.00	40	50	25	25.72	26.30	< 30.00
		1	1	25.66	26.24	< 30.00
		1	104	25.45	26.03	< 30.00
		100	0	24.81	25.39	< 30.00
		1	105	23.05	23.63	< 30.00
		1	0	23.02	23.60	< 30.00
3840.00	40	50	25	25.92	26.50	< 30.00
		1	1	25.82	26.40	< 30.00
		1	104	25.66	26.24	< 30.00
		100	0	24.98	25.56	< 30.00
		1	105	23.21	23.79	< 30.00
		1	0	23.13	23.71	< 30.00
3960.00	40	50	25	26.11	26.69	< 30.00
		1	1	25.99	26.57	< 30.00
		1	104	26.14	26.72	< 30.00
		100	0	25.13	25.71	< 30.00
		1	105	23.16	23.74	< 30.00
		1	0	23.68	24.26	< 30.00
3725.01	50	64	32	25.47	26.05	< 30.00
		1	1	25.34	25.92	< 30.00
		1	131	25.18	25.76	< 30.00
		128	0	24.49	25.07	< 30.00
		1	132	22.60	23.18	< 30.00
		1	0	22.66	23.24	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3840.00	50	64	32	25.91	26.49	< 30.00
		1	1	25.55	26.13	< 30.00
		1	131	25.44	26.02	< 30.00
		128	0	24.84	25.42	< 30.00
		1	132	23.08	23.66	< 30.00
		1	0	22.99	23.57	< 30.00
3954.99	50	64	32	25.81	26.39	< 30.00
		1	1	25.55	26.13	< 30.00
		1	131	25.83	26.41	< 30.00
		128	0	24.88	25.46	< 30.00
		1	132	23.01	23.59	< 30.00
		1	0	23.28	23.86	< 30.00
3730.02	60	81	40	25.41	25.99	< 30.00
		1	1	25.34	25.92	< 30.00
		1	160	25.26	25.84	< 30.00
		162	0	24.46	25.04	< 30.00
		1	161	23.15	23.73	< 30.00
		1	0	22.65	23.23	< 30.00
3840.00	60	81	40	25.94	26.52	< 30.00
		1	1	25.34	25.92	< 30.00
		1	160	25.38	25.96	< 30.00
		162	0	24.71	25.29	< 30.00
		1	161	22.62	23.20	< 30.00
		1	0	22.68	23.26	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3949.98	60	81	40	25.71	26.29	< 30.00
		1	1	25.43	26.01	< 30.00
		1	160	25.56	26.14	< 30.00
		162	0	24.75	25.33	< 30.00
		1	161	22.74	23.32	< 30.00
		1	0	22.86	23.44	< 30.00
3735.00	70	90	45	25.25	25.83	< 30.00
		1	1	24.93	25.51	< 30.00
		1	187	24.99	25.57	< 30.00
		180	0	24.22	24.80	< 30.00
		1	188	22.43	23.01	< 30.00
		1	0	22.51	23.09	< 30.00
3840.00	70	90	45	25.45	26.03	< 30.00
		1	1	25.24	25.82	< 30.00
		1	187	25.15	25.73	< 30.00
		180	0	24.45	25.03	< 30.00
		1	188	22.61	23.19	< 30.00
		1	0	22.69	23.27	< 30.00
3945.00	70	90	45	25.71	26.29	< 30.00
		1	1	25.62	26.20	< 30.00
		1	187	25.22	25.80	< 30.00
		180	0	24.62	25.20	< 30.00
		1	188	23.12	23.70	< 30.00
		1	0	22.76	23.34	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3740.01	80	108	54	25.37	25.95	< 30.00
		1	1	25.27	25.85	< 30.00
		1	215	24.96	25.54	< 30.00
		216	0	24.27	24.85	< 30.00
		1	216	22.45	23.03	< 30.00
		1	0	22.30	22.88	< 30.00
3840.00	80	108	54	25.64	26.22	< 30.00
		1	1	25.34	25.92	< 30.00
		1	215	25.31	25.89	< 30.00
		216	0	24.56	25.14	< 30.00
		1	216	22.65	23.23	< 30.00
		1	0	22.49	23.07	< 30.00
3939.99	80	108	54	25.62	26.20	< 30.00
		1	1	25.40	25.98	< 30.00
		1	215	25.59	26.17	< 30.00
		216	0	24.57	25.15	< 30.00
		1	216	22.85	23.43	< 30.00
		1	0	23.02	23.60	< 30.00
3745.02	90	120	60	25.42	26.00	< 30.00
		1	1	25.21	25.79	< 30.00
		1	243	25.02	25.60	< 30.00
		243	0	24.35	24.93	< 30.00
		1	244	22.48	23.06	< 30.00
		1	0	22.25	22.83	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
3840.00	90	120	60	25.56	26.14	< 30.00
		1	1	25.20	25.78	< 30.00
		1	243	25.39	25.97	< 30.00
		243	0	24.53	25.11	< 30.00
		1	244	22.43	23.01	< 30.00
		1	0	22.60	23.18	< 30.00
3934.98	90	120	60	25.69	26.27	< 30.00
		1	1	25.50	26.08	< 30.00
		1	243	25.64	26.22	< 30.00
		243	0	24.70	25.28	< 30.00
		1	244	22.85	23.43	< 30.00
		1	0	22.90	23.48	< 30.00
3750.00	100	135	67	25.44	26.02	< 30.00
		1	1	25.13	25.71	< 30.00
		1	271	24.92	25.50	< 30.00
		270	0	24.22	24.80	< 30.00
		1	272	22.42	23.00	< 30.00
		1	0	22.32	22.90	< 30.00
3840.00	100	135	67	25.74	26.32	< 30.00
		1	1	25.12	25.70	< 30.00
		1	271	25.23	25.81	< 30.00
		270	0	24.45	25.03	< 30.00
		1	272	22.25	22.83	< 30.00
		1	0	22.48	23.06	< 30.00
3930.00	100	135	67	25.61	26.19	< 30.00
		1	1	25.23	25.81	< 30.00
		1	271	25.52	26.10	< 30.00
		270	0	24.58	25.16	< 30.00
		1	272	22.40	22.98	< 30.00
		1	0	22.96	23.54	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3705.00	10	12	6	23.87	24.45	< 30.00
		1	1	23.64	24.22	< 30.00
		1	22	23.92	24.50	< 30.00
		24	0	24.02	24.60	< 30.00
		1	23	22.64	23.22	< 30.00
		1	0	22.62	23.20	< 30.00
3840.00	10	12	6	24.23	24.81	< 30.00
		1	1	24.45	25.03	< 30.00
		1	22	24.36	24.94	< 30.00
		24	0	24.18	24.76	< 30.00
		1	23	23.27	23.85	< 30.00
		1	0	23.11	23.69	< 30.00
3975.00	10	12	6	24.48	25.06	< 30.00
		1	1	24.53	25.11	< 30.00
		1	22	24.38	24.96	< 30.00
		24	0	24.70	25.28	< 30.00
		1	23	23.23	23.81	< 30.00
		1	0	23.49	24.07	< 30.00
3707.52	15	18	9	24.13	24.71	< 30.00
		1	1	23.94	24.52	< 30.00
		1	36	23.96	24.54	< 30.00
		36	0	24.01	24.59	< 30.00
		1	37	23.33	23.91	< 30.00
		1	0	23.34	23.92	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3840.00	15	18	9	24.56	25.14	< 30.00
		1	1	24.34	24.92	< 30.00
		1	36	24.29	24.87	< 30.00
		36	0	24.52	25.10	< 30.00
		1	37	23.48	24.06	< 30.00
		1	0	23.39	23.97	< 30.00
3972.48	15	18	9	24.64	25.22	< 30.00
		1	1	24.56	25.14	< 30.00
		1	36	24.61	25.19	< 30.00
		36	0	24.76	25.34	< 30.00
		1	37	23.66	24.24	< 30.00
		1	0	24.04	24.62	< 30.00
3710.01	20	25	12	24.03	24.61	< 30.00
		1	1	24.17	24.75	< 30.00
		1	49	24.14	24.72	< 30.00
		50	0	24.07	24.65	< 30.00
		1	50	23.00	23.58	< 30.00
		1	0	23.11	23.69	< 30.00
3840.00	20	25	12	24.57	25.15	< 30.00
		1	1	24.81	25.39	< 30.00
		1	49	24.57	25.15	< 30.00
		50	0	24.57	25.15	< 30.00
		1	50	23.65	24.23	< 30.00
		1	0	23.35	23.93	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3969.99	20	25	12	24.70	25.28	< 30.00
		1	1	24.72	25.30	< 30.00
		1	49	24.88	25.46	< 30.00
		50	0	24.72	25.30	< 30.00
		1	50	23.59	24.17	< 30.00
		1	0	23.57	24.15	< 30.00
3712.50	25	32	16	23.07	23.65	< 30.00
		1	1	22.93	23.51	< 30.00
		1	63	23.01	23.59	< 30.00
		64	0	23.01	23.59	< 30.00
		1	0	21.71	22.29	< 30.00
		1	64	22.11	22.69	< 30.00
3840.00	25	32	16	23.08	23.66	< 30.00
		1	1	22.90	23.48	< 30.00
		1	63	22.97	23.55	< 30.00
		64	0	23.02	23.60	< 30.00
		1	0	22.34	22.92	< 30.00
		1	64	22.28	22.86	< 30.00
3967.50	25	32	16	23.40	23.98	< 30.00
		1	1	23.16	23.74	< 30.00
		1	63	23.33	23.91	< 30.00
		64	0	23.27	23.85	< 30.00
		1	0	22.53	23.11	< 30.00
		1	64	22.59	23.17	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3715.02	30	36	78	24.09	24.67	< 30.00
		1	1	24.29	24.87	< 30.00
		1	76	24.17	24.75	< 30.00
		75	0	24.08	24.66	< 30.00
		1	77	23.31	23.89	< 30.00
		1	0	23.25	23.83	< 30.00
3840.00	30	36	78	24.54	25.12	< 30.00
		1	1	24.54	25.12	< 30.00
		1	76	24.22	24.80	< 30.00
		75	0	24.64	25.22	< 30.00
		1	77	23.50	24.08	< 30.00
		1	0	23.15	23.73	< 30.00
3964.98	30	36	78	24.59	25.17	< 30.00
		1	1	24.58	25.16	< 30.00
		1	76	24.72	25.30	< 30.00
		75	0	24.62	25.20	< 30.00
		1	77	23.69	24.27	< 30.00
		1	0	23.83	24.41	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3720.00	40	50	25	24.07	24.65	< 30.00
		1	1	24.28	24.86	< 30.00
		1	104	24.30	24.88	< 30.00
		100	0	24.16	24.74	< 30.00
		1	105	23.42	24.00	< 30.00
		1	0	23.54	24.12	< 30.00
3840.00	40	50	25	24.59	25.17	< 30.00
		1	1	24.58	25.16	< 30.00
		1	104	24.21	24.79	< 30.00
		100	0	24.53	25.11	< 30.00
		1	105	23.53	24.11	< 30.00
		1	0	23.66	24.24	< 30.00
3960.00	40	50	25	24.53	25.11	< 30.00
		1	1	24.43	25.01	< 30.00
		1	104	24.70	25.28	< 30.00
		100	0	24.68	25.26	< 30.00
		1	105	23.54	24.12	< 30.00
		1	0	24.14	24.72	< 30.00
3725.01	50	64	32	23.94	24.52	< 30.00
		1	1	24.19	24.77	< 30.00
		1	131	23.99	24.57	< 30.00
		128	0	23.93	24.51	< 30.00
		1	132	22.85	23.43	< 30.00
		1	0	22.86	23.44	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3840.00	50	64	32	24.35	24.93	< 30.00
		1	1	24.23	24.81	< 30.00
		1	131	24.56	25.14	< 30.00
		128	0	24.28	24.86	< 30.00
		1	132	23.16	23.74	< 30.00
		1	0	23.34	23.92	< 30.00
3954.99	50	64	32	24.28	24.86	< 30.00
		1	1	24.38	24.96	< 30.00
		1	131	24.62	25.20	< 30.00
		128	0	24.32	24.90	< 30.00
		1	132	23.27	23.85	< 30.00
		1	0	23.39	23.97	< 30.00
3730.02	60	81	40	23.82	24.40	< 30.00
		1	1	23.67	24.25	< 30.00
		1	160	23.48	24.06	< 30.00
		162	0	23.87	24.45	< 30.00
		1	161	22.73	23.31	< 30.00
		1	0	22.49	23.07	< 30.00
3840.00	60	81	40	24.30	24.88	< 30.00
		1	1	24.20	24.78	< 30.00
		1	160	24.33	24.91	< 30.00
		162	0	24.13	24.71	< 30.00
		1	161	23.07	23.65	< 30.00
		1	0	23.10	23.68	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3949.98	60	81	40	24.26	24.84	< 30.00
		1	1	24.27	24.85	< 30.00
		1	160	24.40	24.98	< 30.00
		162	0	24.16	24.74	< 30.00
		1	161	23.06	23.64	< 30.00
		1	0	23.26	23.84	< 30.00
3735.00	70	90	45	23.73	24.31	< 30.00
		1	1	23.99	24.57	< 30.00
		1	187	23.73	24.31	< 30.00
		180	0	23.73	24.31	< 30.00
		1	188	22.81	23.39	< 30.00
		1	0	22.86	23.44	< 30.00
3840.00	70	90	45	24.03	24.61	< 30.00
		1	1	23.83	24.41	< 30.00
		1	187	23.94	24.52	< 30.00
		180	0	24.05	24.63	< 30.00
		1	188	22.75	23.33	< 30.00
		1	0	22.82	23.40	< 30.00
3945.00	70	90	45	24.20	24.78	< 30.00
		1	1	24.52	25.10	< 30.00
		1	187	24.21	24.79	< 30.00
		180	0	24.18	24.76	< 30.00
		1	188	23.57	24.15	< 30.00
		1	0	23.17	23.75	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3740.01	80	108	54	23.88	24.46	< 30.00
		1	1	24.10	24.68	< 30.00
		1	215	23.80	24.38	< 30.00
		216	0	23.76	24.34	< 30.00
		1	216	23.19	23.77	< 30.00
		1	0	23.01	23.59	< 30.00
3840.00	80	108	54	24.21	24.79	< 30.00
		1	1	24.17	24.75	< 30.00
		1	215	23.94	24.52	< 30.00
		216	0	24.07	24.65	< 30.00
		1	216	23.19	23.77	< 30.00
		1	0	23.05	23.63	< 30.00
3939.99	80	108	54	24.08	24.66	< 30.00
		1	1	24.26	24.84	< 30.00
		1	215	24.45	25.03	< 30.00
		216	0	24.09	24.67	< 30.00
		1	216	23.31	23.89	< 30.00
		1	0	23.46	24.04	< 30.00
3745.02	90	120	60	23.75	24.33	< 30.00
		1	1	23.83	24.41	< 30.00
		1	243	23.84	24.42	< 30.00
		243	0	23.73	24.31	< 30.00
		1	244	22.78	23.36	< 30.00
		1	0	22.74	23.32	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
3840.00	90	120	60	24.13	24.71	< 30.00
		1	1	23.94	24.52	< 30.00
		1	243	24.05	24.63	< 30.00
		243	0	23.95	24.53	< 30.00
		1	244	22.79	23.37	< 30.00
		1	0	23.29	23.87	< 30.00
3934.98	90	120	60	24.15	24.73	< 30.00
		1	1	24.20	24.78	< 30.00
		1	243	24.32	24.90	< 30.00
		243	0	24.11	24.69	< 30.00
		1	244	23.39	23.97	< 30.00
		1	0	23.46	24.04	< 30.00
3750.00	100	135	67	23.91	24.49	< 30.00
		1	1	24.05	24.63	< 30.00
		1	271	23.67	24.25	< 30.00
		270	0	23.74	24.32	< 30.00
		1	272	22.94	23.52	< 30.00
		1	0	22.55	23.13	< 30.00
3840.00	100	135	67	24.03	24.61	< 30.00
		1	1	23.96	24.54	< 30.00
		1	271	24.04	24.62	< 30.00
		270	0	24.07	24.65	< 30.00
		1	272	22.83	23.41	< 30.00
		1	0	22.91	23.49	< 30.00
3930.00	100	135	67	24.18	24.76	< 30.00
		1	1	24.14	24.72	< 30.00
		1	271	24.37	24.95	< 30.00
		270	0	24.07	24.65	< 30.00
		1	272	22.71	23.29	< 30.00
		1	0	23.50	24.08	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3705.00	10	12	6	21.88	22.46	< 30.00
		1	1	21.83	22.41	< 30.00
		1	22	21.85	22.43	< 30.00
		24	0	22.08	22.66	< 30.00
		1	23	21.66	22.24	< 30.00
		1	0	21.95	22.53	< 30.00
3840.00	10	12	6	22.26	22.84	< 30.00
		1	1	21.99	22.57	< 30.00
		1	22	22.24	22.82	< 30.00
		24	0	22.38	22.96	< 30.00
		1	23	22.21	22.79	< 30.00
		1	0	22.12	22.70	< 30.00
3975.00	10	12	6	22.51	23.09	< 30.00
		1	1	22.37	22.95	< 30.00
		1	22	22.48	23.06	< 30.00
		24	0	22.57	23.15	< 30.00
		1	23	22.60	23.18	< 30.00
		1	0	22.58	23.16	< 30.00
3707.52	15	18	9	22.02	22.60	< 30.00
		1	1	22.12	22.70	< 30.00
		1	36	22.23	22.81	< 30.00
		36	0	22.05	22.63	< 30.00
		1	37	21.84	22.42	< 30.00
		1	0	22.22	22.80	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3840.00	15	18	9	22.54	23.12	< 30.00
		1	1	22.49	23.07	< 30.00
		1	36	22.40	22.98	< 30.00
		36	0	22.42	23.00	< 30.00
		1	37	22.26	22.84	< 30.00
		1	0	22.14	22.72	< 30.00
3972.48	15	18	9	22.72	23.30	< 30.00
		1	1	22.48	23.06	< 30.00
		1	36	22.40	22.98	< 30.00
		36	0	22.82	23.40	< 30.00
		1	37	22.67	23.25	< 30.00
		1	0	22.81	23.39	< 30.00
3710.01	20	25	12	22.09	22.67	< 30.00
		1	1	21.87	22.45	< 30.00
		1	49	22.03	22.61	< 30.00
		50	0	22.13	22.71	< 30.00
		1	50	21.90	22.48	< 30.00
		1	0	21.99	22.57	< 30.00
3840.00	20	25	12	22.48	23.06	< 30.00
		1	1	22.63	23.21	< 30.00
		1	49	22.52	23.10	< 30.00
		50	0	22.54	23.12	< 30.00
		1	50	22.25	22.83	< 30.00
		1	0	22.17	22.75	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3969.99	20	25	12	22.81	23.39	< 30.00
		1	1	22.67	23.25	< 30.00
		1	49	22.64	23.22	< 30.00
		50	0	22.74	23.32	< 30.00
		1	50	22.61	23.19	< 30.00
		1	0	22.43	23.01	< 30.00
3712.50	25	32	16	20.74	21.32	< 30.00
		1	1	20.55	21.13	< 30.00
		1	63	20.64	21.22	< 30.00
		64	0	20.81	21.39	< 30.00
		1	0	20.43	21.01	< 30.00
		1	64	20.74	21.32	< 30.00
3840.00	25	32	16	21.00	21.58	< 30.00
		1	1	20.68	21.26	< 30.00
		1	63	20.74	21.32	< 30.00
		64	0	21.04	21.62	< 30.00
		1	0	20.45	21.03	< 30.00
		1	64	20.73	21.31	< 30.00
3967.50	25	32	16	21.12	21.70	< 30.00
		1	1	20.79	21.37	< 30.00
		1	63	20.94	21.52	< 30.00
		64	0	21.29	21.87	< 30.00
		1	0	20.90	21.48	< 30.00
		1	64	21.15	21.73	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3715.02	30	36	78	22.11	22.69	< 30.00
		1	1	22.27	22.85	< 30.00
		1	76	22.07	22.65	< 30.00
		75	0	22.12	22.70	< 30.00
		1	77	22.19	22.77	< 30.00
		1	0	22.07	22.65	< 30.00
3840.00	30	36	78	22.56	23.14	< 30.00
		1	1	22.52	23.10	< 30.00
		1	76	22.32	22.90	< 30.00
		75	0	22.45	23.03	< 30.00
		1	77	22.41	22.99	< 30.00
		1	0	22.17	22.75	< 30.00
3964.98	30	36	78	22.57	23.15	< 30.00
		1	1	22.42	23.00	< 30.00
		1	76	22.72	23.30	< 30.00
		75	0	22.67	23.25	< 30.00
		1	77	22.40	22.98	< 30.00
		1	0	22.71	23.29	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3720.00	40	50	25	22.16	22.74	< 30.00
		1	1	22.21	22.79	< 30.00
		1	104	22.12	22.70	< 30.00
		100	0	22.03	22.61	< 30.00
		1	105	22.36	22.94	< 30.00
		1	0	22.12	22.70	< 30.00
3840.00	40	50	25	22.46	23.04	< 30.00
		1	1	22.30	22.88	< 30.00
		1	104	22.11	22.69	< 30.00
		100	0	22.63	23.21	< 30.00
		1	105	22.39	22.97	< 30.00
		1	0	22.32	22.90	< 30.00
3960.00	40	50	25	22.64	23.22	< 30.00
		1	1	22.59	23.17	< 30.00
		1	104	22.79	23.37	< 30.00
		100	0	22.62	23.20	< 30.00
		1	105	22.58	23.16	< 30.00
		1	0	22.79	23.37	< 30.00
3725.01	50	64	32	22.05	22.63	< 30.00
		1	1	21.75	22.33	< 30.00
		1	131	21.93	22.51	< 30.00
		128	0	22.02	22.60	< 30.00
		1	132	21.87	22.45	< 30.00
		1	0	21.69	22.27	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3840.00	50	64	32	22.36	22.94	< 30.00
		1	1	22.06	22.64	< 30.00
		1	131	22.14	22.72	< 30.00
		128	0	22.26	22.84	< 30.00
		1	132	22.15	22.73	< 30.00
		1	0	22.27	22.85	< 30.00
3954.99	50	64	32	22.38	22.96	< 30.00
		1	1	22.24	22.82	< 30.00
		1	131	22.28	22.86	< 30.00
		128	0	22.30	22.88	< 30.00
		1	132	22.12	22.70	< 30.00
		1	0	22.28	22.86	< 30.00
3730.02	60	81	40	21.85	22.43	< 30.00
		1	1	21.92	22.50	< 30.00
		1	160	21.64	22.22	< 30.00
		162	0	21.83	22.41	< 30.00
		1	161	21.94	22.52	< 30.00
		1	0	21.91	22.49	< 30.00
3840.00	60	81	40	22.28	22.86	< 30.00
		1	1	22.10	22.68	< 30.00
		1	160	21.90	22.48	< 30.00
		162	0	22.21	22.79	< 30.00
		1	161	21.94	22.52	< 30.00
		1	0	22.13	22.71	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3949.98	60	81	40	22.25	22.83	< 30.00
		1	1	22.11	22.69	< 30.00
		1	160	22.34	22.92	< 30.00
		162	0	22.27	22.85	< 30.00
		1	161	22.11	22.69	< 30.00
		1	0	22.30	22.88	< 30.00
3735.00	70	90	45	21.66	22.24	< 30.00
		1	1	21.45	22.03	< 30.00
		1	187	21.57	22.15	< 30.00
		180	0	21.74	22.32	< 30.00
		1	188	21.47	22.05	< 30.00
		1	0	21.55	22.13	< 30.00
3840.00	70	90	45	22.03	22.61	< 30.00
		1	1	21.61	22.19	< 30.00
		1	187	21.60	22.18	< 30.00
		180	0	22.05	22.63	< 30.00
		1	188	21.65	22.23	< 30.00
		1	0	21.84	22.42	< 30.00
3945.00	70	90	45	22.11	22.69	< 30.00
		1	1	22.14	22.72	< 30.00
		1	187	21.96	22.54	< 30.00
		180	0	22.11	22.69	< 30.00
		1	188	22.14	22.72	< 30.00
		1	0	21.71	22.29	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3740.01	80	108	54	21.78	22.36	< 30.00
		1	1	21.74	22.32	< 30.00
		1	215	21.72	22.30	< 30.00
		216	0	21.79	22.37	< 30.00
		1	216	21.79	22.37	< 30.00
		1	0	21.45	22.03	< 30.00
3840.00	80	108	54	22.06	22.64	< 30.00
		1	1	21.91	22.49	< 30.00
		1	215	21.96	22.54	< 30.00
		216	0	22.27	22.85	< 30.00
		1	216	21.76	22.34	< 30.00
		1	0	21.91	22.49	< 30.00
3939.99	80	108	54	22.07	22.65	< 30.00
		1	1	22.14	22.72	< 30.00
		1	215	22.35	22.93	< 30.00
		216	0	22.13	22.71	< 30.00
		1	216	22.02	22.60	< 30.00
		1	0	22.23	22.81	< 30.00
3745.02	90	120	60	21.77	22.35	< 30.00
		1	1	21.78	22.36	< 30.00
		1	243	21.73	22.31	< 30.00
		243	0	21.85	22.43	< 30.00
		1	244	21.91	22.49	< 30.00
		1	0	21.61	22.19	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
3840.00	90	120	60	22.12	22.70	< 30.00
		1	1	21.86	22.44	< 30.00
		1	243	21.89	22.47	< 30.00
		243	0	21.96	22.54	< 30.00
		1	244	21.76	22.34	< 30.00
		1	0	21.79	22.37	< 30.00
3934.98	90	120	60	22.05	22.63	< 30.00
		1	1	22.13	22.71	< 30.00
		1	243	22.33	22.91	< 30.00
		243	0	22.08	22.66	< 30.00
		1	244	22.02	22.60	< 30.00
		1	0	22.21	22.79	< 30.00
3750.00	100	135	67	21.87	22.45	< 30.00
		1	1	21.80	22.38	< 30.00
		1	271	21.69	22.27	< 30.00
		270	0	21.72	22.30	< 30.00
		1	272	21.72	22.30	< 30.00
		1	0	21.29	21.87	< 30.00
3840.00	100	135	67	22.24	22.82	< 30.00
		1	1	21.79	22.37	< 30.00
		1	271	21.84	22.42	< 30.00
		270	0	22.02	22.60	< 30.00
		1	272	21.60	22.18	< 30.00
		1	0	21.63	22.21	< 30.00
3930.00	100	135	67	22.10	22.68	< 30.00
		1	1	21.90	22.48	< 30.00
		1	271	22.08	22.66	< 30.00
		270	0	22.10	22.68	< 30.00
		1	272	21.52	22.10	< 30.00
		1	0	21.79	22.37	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3705.00	10	12	6	24.96	25.54	< 30.00
		1	1	24.95	25.53	< 30.00
		1	22	24.99	25.57	< 30.00
		24	0	23.37	23.95	< 30.00
		1	23	22.82	23.40	< 30.00
		1	0	22.84	23.42	< 30.00
3840.00	10	12	6	25.37	25.95	< 30.00
		1	1	25.19	25.77	< 30.00
		1	22	25.22	25.80	< 30.00
		24	0	23.73	24.31	< 30.00
		1	23	23.24	23.82	< 30.00
		1	0	23.06	23.64	< 30.00
3975.00	10	12	6	25.59	26.17	< 30.00
		1	1	25.54	26.12	< 30.00
		1	22	25.51	26.09	< 30.00
		24	0	24.14	24.72	< 30.00
		1	23	23.56	24.14	< 30.00
		1	0	23.58	24.16	< 30.00
3707.52	15	19	9	25.07	25.65	< 30.00
		1	1	25.20	25.78	< 30.00
		1	36	25.17	25.75	< 30.00
		38	0	23.46	24.04	< 30.00
		1	37	23.12	23.70	< 30.00
		1	0	23.08	23.66	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3840.00	15	19	9	25.55	26.13	< 30.00
		1	1	25.62	26.20	< 30.00
		1	36	25.41	25.99	< 30.00
		38	0	24.05	24.63	< 30.00
		1	37	23.33	23.91	< 30.00
		1	0	23.39	23.97	< 30.00
3972.48	15	19	9	25.74	26.32	< 30.00
		1	1	25.83	26.41	< 30.00
		1	36	25.81	26.39	< 30.00
		38	0	24.19	24.77	< 30.00
		1	37	23.68	24.26	< 30.00
		1	0	24.14	24.72	< 30.00
3710.01	20	25	12	25.20	25.78	< 30.00
		1	1	25.14	25.72	< 30.00
		1	49	24.97	25.55	< 30.00
		51	0	23.62	24.20	< 30.00
		1	50	23.18	23.76	< 30.00
		1	0	23.27	23.85	< 30.00
3840.00	20	25	12	25.53	26.11	< 30.00
		1	1	25.64	26.22	< 30.00
		1	49	25.32	25.90	< 30.00
		51	0	24.01	24.59	< 30.00
		1	50	23.65	24.23	< 30.00
		1	0	23.44	24.02	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3969.99	20	25	12	25.72	26.30	< 30.00
		1	1	25.75	26.33	< 30.00
		1	49	25.61	26.19	< 30.00
		51	0	24.22	24.80	< 30.00
		1	50	23.58	24.16	< 30.00
		1	0	23.72	24.30	< 30.00
3712.50	25	33	16	23.93	24.51	< 30.00
		1	1	23.96	24.54	< 30.00
		1	63	23.94	24.52	< 30.00
		65	0	22.43	23.01	< 30.00
		1	0	21.76	22.34	< 30.00
		1	64	21.93	22.51	< 30.00
3840.00	25	33	16	23.97	24.55	< 30.00
		1	1	23.96	24.54	< 30.00
		1	63	23.99	24.57	< 30.00
		65	0	22.53	23.11	< 30.00
		1	0	21.91	22.49	< 30.00
		1	64	22.19	22.77	< 30.00
3967.50	25	33	16	24.22	24.80	< 30.00
		1	1	24.33	24.91	< 30.00
		1	63	24.38	24.96	< 30.00
		65	0	22.73	23.31	< 30.00
		1	0	22.18	22.76	< 30.00
		1	64	22.49	23.07	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3715.02	30	39	19	25.06	25.64	< 30.00
		1	1	25.27	25.85	< 30.00
		1	76	25.13	25.71	< 30.00
		78	0	23.62	24.20	< 30.00
		1	77	23.26	23.84	< 30.00
		1	0	23.20	23.78	< 30.00
3840.00	30	39	19	25.54	26.12	< 30.00
		1	1	25.52	26.10	< 30.00
		1	76	25.39	25.97	< 30.00
		78	0	24.01	24.59	< 30.00
		1	77	23.44	24.02	< 30.00
		1	0	23.36	23.94	< 30.00
3964.98	30	39	19	25.61	26.19	< 30.00
		1	1	25.58	26.16	< 30.00
		1	76	25.77	26.35	< 30.00
		78	0	24.09	24.67	< 30.00
		1	77	23.60	24.18	< 30.00
		1	0	23.56	24.14	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3720.00	40	53	26	25.23	25.81	< 30.00
		1	1	25.37	25.95	< 30.00
		1	104	25.10	25.68	< 30.00
		106	0	23.65	24.23	< 30.00
		1	105	23.31	23.89	< 30.00
		1	0	23.11	23.69	< 30.00
3840.00	40	53	26	25.58	26.16	< 30.00
		1	1	25.84	26.42	< 30.00
		1	104	25.23	25.81	< 30.00
		106	0	24.00	24.58	< 30.00
		1	105	23.52	24.10	< 30.00
		1	0	23.36	23.94	< 30.00
3960.00	40	53	26	25.62	26.20	< 30.00
		1	1	25.55	26.13	< 30.00
		1	104	25.70	26.28	< 30.00
		106	0	24.10	24.68	< 30.00
		1	105	23.54	24.12	< 30.00
		1	0	23.68	24.26	< 30.00
3725.01	50	67	33	24.98	25.56	< 30.00
		1	1	24.98	25.56	< 30.00
		1	131	24.82	25.40	< 30.00
		133	0	23.48	24.06	< 30.00
		1	132	23.07	23.65	< 30.00
		1	0	22.95	23.53	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3840.00	50	67	33	25.40	25.98	< 30.00
		1	1	25.35	25.93	< 30.00
		1	131	25.38	25.96	< 30.00
		133	0	23.89	24.47	< 30.00
		1	132	23.18	23.76	< 30.00
		1	0	23.29	23.87	< 30.00
3954.99	50	67	33	25.35	25.93	< 30.00
		1	1	25.26	25.84	< 30.00
		1	131	25.41	25.99	< 30.00
		133	0	23.90	24.48	< 30.00
		1	132	23.29	23.87	< 30.00
		1	0	23.56	24.14	< 30.00
3730.02	60	81	40	24.94	25.52	< 30.00
		1	1	24.91	25.49	< 30.00
		1	160	24.82	25.40	< 30.00
		162	0	23.41	23.99	< 30.00
		1	161	22.80	23.38	< 30.00
		1	0	22.87	23.45	< 30.00
3840.00	60	81	40	25.40	25.98	< 30.00
		1	1	25.07	25.65	< 30.00
		1	160	25.08	25.66	< 30.00
		162	0	23.87	24.45	< 30.00
		1	161	23.16	23.74	< 30.00
		1	0	23.08	23.66	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3949.98	60	81	40	25.19	25.77	< 30.00
		1	1	25.13	25.71	< 30.00
		1	160	25.28	25.86	< 30.00
		162	0	23.69	24.27	< 30.00
		1	161	23.12	23.70	< 30.00
		1	0	23.23	23.81	< 30.00
3735.00	70	95	47	24.75	25.33	< 30.00
		1	1	24.67	25.25	< 30.00
		1	187	24.76	25.34	< 30.00
		189	0	23.13	23.71	< 30.00
		1	188	22.78	23.36	< 30.00
		1	0	22.73	23.31	< 30.00
3840.00	70	95	47	25.00	25.58	< 30.00
		1	1	24.84	25.42	< 30.00
		1	187	24.95	25.53	< 30.00
		189	0	23.46	24.04	< 30.00
		1	188	22.96	23.54	< 30.00
		1	0	23.08	23.66	< 30.00
3945.00	70	95	47	25.23	25.81	< 30.00
		1	1	25.37	25.95	< 30.00
		1	187	25.10	25.68	< 30.00
		189	0	23.68	24.26	< 30.00
		1	188	23.49	24.07	< 30.00
		1	0	23.27	23.85	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3740.01	80	109	54	24.91	25.49	< 30.00
		1	1	24.91	25.49	< 30.00
		1	215	24.71	25.29	< 30.00
		217	0	23.33	23.91	< 30.00
		1	216	22.80	23.38	< 30.00
		1	0	22.57	23.15	< 30.00
3840.00	80	109	54	25.20	25.78	< 30.00
		1	1	24.98	25.56	< 30.00
		1	215	25.02	25.60	< 30.00
		217	0	23.58	24.16	< 30.00
		1	216	22.89	23.47	< 30.00
		1	0	22.83	23.41	< 30.00
3939.99	80	109	54	25.12	25.70	< 30.00
		1	1	25.19	25.77	< 30.00
		1	215	25.34	25.92	< 30.00
		217	0	23.72	24.30	< 30.00
		1	216	22.97	23.55	< 30.00
		1	0	23.19	23.77	< 30.00
3745.02	90	123	61	24.86	25.44	< 30.00
		1	1	24.95	25.53	< 30.00
		1	243	24.70	25.28	< 30.00
		245	0	23.28	23.86	< 30.00
		1	244	22.75	23.33	< 30.00
		1	0	22.67	23.25	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
3840.00	90	123	61	25.02	25.60	< 30.00
		1	1	24.85	25.43	< 30.00
		1	243	25.02	25.60	< 30.00
		245	0	23.64	24.22	< 30.00
		1	244	22.80	23.38	< 30.00
		1	0	22.95	23.53	< 30.00
3934.98	90	123	61	25.20	25.78	< 30.00
		1	1	25.16	25.74	< 30.00
		1	243	25.23	25.81	< 30.00
		245	0	23.75	24.33	< 30.00
		1	244	22.74	23.32	< 30.00
		1	0	23.33	23.91	< 30.00
3750.00	100	137	68	24.96	25.54	< 30.00
		1	1	24.87	25.45	< 30.00
		1	271	24.57	25.15	< 30.00
		273	0	23.18	23.76	< 30.00
		1	272	22.64	23.22	< 30.00
		1	0	22.57	23.15	< 30.00
3840.00	100	137	68	25.06	25.64	< 30.00
		1	1	24.81	25.39	< 30.00
		1	271	24.93	25.51	< 30.00
		273	0	23.54	24.12	< 30.00
		1	272	22.60	23.18	< 30.00
		1	0	22.84	23.42	< 30.00
3930.00	100	137	68	25.12	25.70	< 30.00
		1	1	25.00	25.58	< 30.00
		1	271	25.22	25.80	< 30.00
		273	0	23.71	24.29	< 30.00
		1	272	22.74	23.32	< 30.00
		1	0	23.06	23.64	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3705.00	10	12	6	24.45	25.03	< 30.00
		1	1	24.44	25.02	< 30.00
		1	22	24.50	25.08	< 30.00
		24	0	23.51	24.09	< 30.00
		1	23	22.90	23.48	< 30.00
		1	0	22.89	23.47	< 30.00
3840.00	10	12	6	24.68	25.26	< 30.00
		1	1	25.00	25.58	< 30.00
		1	22	24.72	25.30	< 30.00
		24	0	23.86	24.44	< 30.00
		1	23	23.29	23.87	< 30.00
		1	0	23.23	23.81	< 30.00
3975.00	10	12	6	25.04	25.62	< 30.00
		1	1	25.00	25.58	< 30.00
		1	22	24.96	25.54	< 30.00
		24	0	24.20	24.78	< 30.00
		1	23	23.63	24.21	< 30.00
		1	0	23.43	24.01	< 30.00
3707.52	15	19	9	24.58	25.16	< 30.00
		1	1	24.70	25.28	< 30.00
		1	36	24.30	24.88	< 30.00
		38	0	23.62	24.20	< 30.00
		1	37	23.11	23.69	< 30.00
		1	0	23.27	23.85	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3840.00	15	19	9	24.97	25.55	< 30.00
		1	1	24.83	25.41	< 30.00
		1	36	24.69	25.27	< 30.00
		38	0	24.02	24.60	< 30.00
		1	37	23.62	24.20	< 30.00
		1	0	23.33	23.91	< 30.00
3972.48	15	19	9	25.17	25.75	< 30.00
		1	1	25.18	25.76	< 30.00
		1	36	24.97	25.55	< 30.00
		38	0	24.26	24.84	< 30.00
		1	37	23.61	24.19	< 30.00
		1	0	23.85	24.43	< 30.00
3710.01	20	25	12	24.66	25.24	< 30.00
		1	1	24.66	25.24	< 30.00
		1	49	24.67	25.25	< 30.00
		51	0	23.54	24.12	< 30.00
		1	50	23.07	23.65	< 30.00
		1	0	22.96	23.54	< 30.00
3840.00	20	25	12	25.08	25.66	< 30.00
		1	1	24.86	25.44	< 30.00
		1	49	24.78	25.36	< 30.00
		51	0	23.98	24.56	< 30.00
		1	50	23.30	23.88	< 30.00
		1	0	23.47	24.05	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3969.99	20	25	12	25.25	25.83	< 30.00
		1	1	25.20	25.78	< 30.00
		1	49	25.27	25.85	< 30.00
		51	0	24.23	24.81	< 30.00
		1	50	23.52	24.10	< 30.00
		1	0	23.52	24.10	< 30.00
3712.50	25	33	16	23.46	24.04	< 30.00
		1	1	23.40	23.98	< 30.00
		1	63	23.67	24.25	< 30.00
		65	0	22.46	23.04	< 30.00
		1	0	21.99	22.57	< 30.00
		1	64	22.11	22.69	< 30.00
3840.00	25	33	16	23.51	24.09	< 30.00
		1	1	23.65	24.23	< 30.00
		1	63	23.52	24.10	< 30.00
		65	0	22.56	23.14	< 30.00
		1	0	21.96	22.54	< 30.00
		1	64	21.95	22.53	< 30.00
3967.50	25	33	16	23.79	24.37	< 30.00
		1	1	24.05	24.63	< 30.00
		1	63	23.94	24.52	< 30.00
		65	0	22.74	23.32	< 30.00
		1	0	22.35	22.93	< 30.00
		1	64	22.38	22.96	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3715.02	30	39	19	24.62	25.20	< 30.00
		1	1	24.73	25.31	< 30.00
		1	76	24.53	25.11	< 30.00
		78	0	23.73	24.31	< 30.00
		1	77	23.40	23.98	< 30.00
		1	0	23.17	23.75	< 30.00
3840.00	30	39	19	25.06	25.64	< 30.00
		1	1	24.94	25.52	< 30.00
		1	76	24.75	25.33	< 30.00
		78	0	23.91	24.49	< 30.00
		1	77	23.45	24.03	< 30.00
		1	0	23.39	23.97	< 30.00
3964.98	30	39	19	25.09	25.67	< 30.00
		1	1	25.12	25.70	< 30.00
		1	76	25.30	25.88	< 30.00
		78	0	24.09	24.67	< 30.00
		1	77	23.50	24.08	< 30.00
		1	0	23.82	24.40	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3720.00	40	53	26	24.70	25.28	< 30.00
		1	1	24.82	25.40	< 30.00
		1	104	24.54	25.12	< 30.00
		106	0	23.83	24.41	< 30.00
		1	105	23.44	24.02	< 30.00
		1	0	23.17	23.75	< 30.00
3840.00	40	53	26	24.97	25.55	< 30.00
		1	1	24.81	25.39	< 30.00
		1	104	24.84	25.42	< 30.00
		106	0	23.98	24.56	< 30.00
		1	105	23.44	24.02	< 30.00
		1	0	23.41	23.99	< 30.00
3960.00	40	53	26	25.06	25.64	< 30.00
		1	1	24.82	25.40	< 30.00
		1	104	25.08	25.66	< 30.00
		106	0	24.10	24.68	< 30.00
		1	105	23.73	24.31	< 30.00
		1	0	23.96	24.54	< 30.00
3725.01	50	67	33	24.51	25.09	< 30.00
		1	1	24.48	25.06	< 30.00
		1	131	24.38	24.96	< 30.00
		133	0	23.41	23.99	< 30.00
		1	132	22.71	23.29	< 30.00
		1	0	22.68	23.26	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3840.00	50	67	33	24.94	25.52	< 30.00
		1	1	24.59	25.17	< 30.00
		1	131	24.51	25.09	< 30.00
		133	0	23.82	24.40	< 30.00
		1	132	23.05	23.63	< 30.00
		1	0	23.08	23.66	< 30.00
3954.99	50	67	33	24.85	25.43	< 30.00
		1	1	24.80	25.38	< 30.00
		1	131	24.93	25.51	< 30.00
		133	0	23.83	24.41	< 30.00
		1	132	23.06	23.64	< 30.00
		1	0	23.51	24.09	< 30.00
3730.02	60	81	40	24.43	25.01	< 30.00
		1	1	24.53	25.11	< 30.00
		1	160	24.55	25.13	< 30.00
		162	0	23.49	24.07	< 30.00
		1	161	22.84	23.42	< 30.00
		1	0	22.74	23.32	< 30.00
3840.00	60	81	40	24.86	25.44	< 30.00
		1	1	24.71	25.29	< 30.00
		1	160	24.65	25.23	< 30.00
		162	0	23.68	24.26	< 30.00
		1	161	23.24	23.82	< 30.00
		1	0	23.30	23.88	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3949.98	60	81	40	24.61	25.19	< 30.00
		1	1	24.91	25.49	< 30.00
		1	160	24.80	25.38	< 30.00
		162	0	23.68	24.26	< 30.00
		1	161	23.15	23.73	< 30.00
		1	0	23.07	23.65	< 30.00
3735.00	70	95	47	24.31	24.89	< 30.00
		1	1	23.91	24.49	< 30.00
		1	187	24.00	24.58	< 30.00
		189	0	23.21	23.79	< 30.00
		1	188	22.46	23.04	< 30.00
		1	0	22.54	23.12	< 30.00
3840.00	70	95	47	24.52	25.10	< 30.00
		1	1	24.00	24.58	< 30.00
		1	187	24.20	24.78	< 30.00
		189	0	23.46	24.04	< 30.00
		1	188	22.59	23.17	< 30.00
		1	0	22.78	23.36	< 30.00
3945.00	70	95	47	24.63	25.21	< 30.00
		1	1	24.60	25.18	< 30.00
		1	187	24.26	24.84	< 30.00
		189	0	23.73	24.31	< 30.00
		1	188	23.27	23.85	< 30.00
		1	0	22.80	23.38	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3740.01	80	109	54	24.39	24.97	< 30.00
		1	1	24.15	24.73	< 30.00
		1	215	24.18	24.76	< 30.00
		217	0	23.26	23.84	< 30.00
		1	216	22.74	23.32	< 30.00
		1	0	22.71	23.29	< 30.00
3840.00	80	109	54	24.64	25.22	< 30.00
		1	1	24.44	25.02	< 30.00
		1	215	24.37	24.95	< 30.00
		217	0	23.56	24.14	< 30.00
		1	216	22.79	23.37	< 30.00
		1	0	22.99	23.57	< 30.00
3939.99	80	109	54	24.61	25.19	< 30.00
		1	1	24.70	25.28	< 30.00
		1	215	24.67	25.25	< 30.00
		217	0	23.63	24.21	< 30.00
		1	216	23.15	23.73	< 30.00
		1	0	23.19	23.77	< 30.00
3745.02	90	123	61	24.35	24.93	< 30.00
		1	1	24.26	24.84	< 30.00
		1	243	23.96	24.54	< 30.00
		245	0	23.25	23.83	< 30.00
		1	244	22.84	23.42	< 30.00
		1	0	22.50	23.08	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
3840.00	90	123	61	24.75	25.33	< 30.00
		1	1	24.26	24.84	< 30.00
		1	243	24.44	25.02	< 30.00
		245	0	23.54	24.12	< 30.00
		1	244	22.97	23.55	< 30.00
		1	0	22.87	23.45	< 30.00
3934.98	90	123	61	24.64	25.22	< 30.00
		1	1	24.48	25.06	< 30.00
		1	243	24.54	25.12	< 30.00
		245	0	23.64	24.22	< 30.00
		1	244	23.04	23.62	< 30.00
		1	0	23.37	23.95	< 30.00
3750.00	100	137	68	24.44	25.02	< 30.00
		1	1	24.11	24.69	< 30.00
		1	271	23.90	24.48	< 30.00
		273	0	23.17	23.75	< 30.00
		1	272	22.81	23.39	< 30.00
		1	0	22.38	22.96	< 30.00
3840.00	100	137	68	24.68	25.26	< 30.00
		1	1	24.30	24.88	< 30.00
		1	271	24.54	25.12	< 30.00
		273	0	23.63	24.21	< 30.00
		1	272	22.43	23.01	< 30.00
		1	0	22.90	23.48	< 30.00
3930.00	100	137	68	24.71	25.29	< 30.00
		1	1	24.35	24.93	< 30.00
		1	271	24.35	24.93	< 30.00
		273	0	23.61	24.19	< 30.00
		1	272	22.67	23.25	< 30.00
		1	0	23.21	23.79	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3705.00	10	12	6	22.91	23.49	< 30.00
		1	1	22.93	23.51	< 30.00
		1	22	23.09	23.67	< 30.00
		24	0	23.03	23.61	< 30.00
		1	23	23.03	23.61	< 30.00
		1	0	22.88	23.46	< 30.00
3840.00	10	12	6	23.30	23.88	< 30.00
		1	1	23.36	23.94	< 30.00
		1	22	23.28	23.86	< 30.00
		24	0	23.35	23.93	< 30.00
		1	23	23.34	23.92	< 30.00
		1	0	23.30	23.88	< 30.00
3975.00	10	12	6	23.65	24.23	< 30.00
		1	1	23.66	24.24	< 30.00
		1	22	23.55	24.13	< 30.00
		24	0	23.67	24.25	< 30.00
		1	23	23.52	24.10	< 30.00
		1	0	23.85	24.43	< 30.00
3707.52	15	19	9	22.99	23.57	< 30.00
		1	1	23.21	23.79	< 30.00
		1	36	23.12	23.70	< 30.00
		38	0	23.03	23.61	< 30.00
		1	37	23.05	23.63	< 30.00
		1	0	23.09	23.67	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3840.00	15	19	9	23.59	24.17	< 30.00
		1	1	23.44	24.02	< 30.00
		1	36	23.57	24.15	< 30.00
		38	0	23.48	24.06	< 30.00
		1	37	23.41	23.99	< 30.00
		1	0	23.62	24.20	< 30.00
3972.48	15	19	9	23.66	24.24	< 30.00
		1	1	23.86	24.44	< 30.00
		1	36	23.91	24.49	< 30.00
		38	0	23.76	24.34	< 30.00
		1	37	23.81	24.39	< 30.00
		1	0	23.96	24.54	< 30.00
3710.01	20	25	12	23.13	23.71	< 30.00
		1	1	23.24	23.82	< 30.00
		1	49	23.37	23.95	< 30.00
		51	0	23.20	23.78	< 30.00
		1	50	23.12	23.70	< 30.00
		1	0	23.32	23.90	< 30.00
3840.00	20	25	12	23.63	24.21	< 30.00
		1	1	23.49	24.07	< 30.00
		1	49	23.29	23.87	< 30.00
		51	0	23.58	24.16	< 30.00
		1	50	23.56	24.14	< 30.00
		1	0	23.81	24.39	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3969.99	20	25	12	23.74	24.32	< 30.00
		1	1	23.79	24.37	< 30.00
		1	49	23.98	24.56	< 30.00
		51	0	23.71	24.29	< 30.00
		1	50	23.67	24.25	< 30.00
		1	0	23.72	24.30	< 30.00
3712.50	25	33	16	22.01	22.59	< 30.00
		1	1	21.77	22.35	< 30.00
		1	63	21.94	22.52	< 30.00
		65	0	22.04	22.62	< 30.00
		1	0	21.66	22.24	< 30.00
		1	64	21.94	22.52	< 30.00
3840.00	25	33	16	22.12	22.70	< 30.00
		1	1	21.92	22.50	< 30.00
		1	63	22.00	22.58	< 30.00
		65	0	22.02	22.60	< 30.00
		1	0	22.11	22.69	< 30.00
		1	64	22.09	22.67	< 30.00
3967.50	25	33	16	22.29	22.87	< 30.00
		1	1	21.96	22.54	< 30.00
		1	63	22.12	22.70	< 30.00
		65	0	22.31	22.89	< 30.00
		1	0	22.01	22.59	< 30.00
		1	64	22.31	22.89	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3715.02	30	39	19	23.10	23.68	< 30.00
		1	1	23.42	24.00	< 30.00
		1	76	23.09	23.67	< 30.00
		78	0	23.11	23.69	< 30.00
		1	77	23.28	23.86	< 30.00
		1	0	23.13	23.71	< 30.00
3840.00	30	39	19	23.54	24.12	< 30.00
		1	1	23.56	24.14	< 30.00
		1	76	23.54	24.12	< 30.00
		78	0	23.61	24.19	< 30.00
		1	77	23.61	24.19	< 30.00
		1	0	23.79	24.37	< 30.00
3964.98	30	39	19	23.59	24.17	< 30.00
		1	1	23.60	24.18	< 30.00
		1	76	23.71	24.29	< 30.00
		78	0	23.58	24.16	< 30.00
		1	77	23.55	24.13	< 30.00
		1	0	23.88	24.46	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3720.00	40	53	26	23.18	23.76	< 30.00
		1	1	23.43	24.01	< 30.00
		1	104	23.16	23.74	< 30.00
		106	0	23.35	23.93	< 30.00
		1	105	23.14	23.72	< 30.00
		1	0	23.04	23.62	< 30.00
3840.00	40	53	26	23.47	24.05	< 30.00
		1	1	23.34	23.92	< 30.00
		1	104	22.98	23.56	< 30.00
		106	0	23.59	24.17	< 30.00
		1	105	23.52	24.10	< 30.00
		1	0	23.34	23.92	< 30.00
3960.00	40	53	26	23.57	24.15	< 30.00
		1	1	23.62	24.20	< 30.00
		1	104	23.81	24.39	< 30.00
		106	0	23.62	24.20	< 30.00
		1	105	23.60	24.18	< 30.00
		1	0	23.83	24.41	< 30.00
3725.01	50	67	33	23.01	23.59	< 30.00
		1	1	22.96	23.54	< 30.00
		1	131	22.94	23.52	< 30.00
		133	0	22.89	23.47	< 30.00
		1	132	23.14	23.72	< 30.00
		1	0	22.82	23.40	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3840.00	50	67	33	23.33	23.91	< 30.00
		1	1	23.20	23.78	< 30.00
		1	131	23.30	23.88	< 30.00
		133	0	23.26	23.84	< 30.00
		1	132	23.37	23.95	< 30.00
		1	0	23.15	23.73	< 30.00
3954.99	50	67	33	23.34	23.92	< 30.00
		1	1	23.44	24.02	< 30.00
		1	131	23.58	24.16	< 30.00
		133	0	23.28	23.86	< 30.00
		1	132	23.33	23.91	< 30.00
		1	0	23.57	24.15	< 30.00
3730.02	60	81	40	22.89	23.47	< 30.00
		1	1	23.12	23.70	< 30.00
		1	160	22.98	23.56	< 30.00
		162	0	22.87	23.45	< 30.00
		1	161	22.92	23.50	< 30.00
		1	0	22.77	23.35	< 30.00
3840.00	60	81	40	23.28	23.86	< 30.00
		1	1	23.30	23.88	< 30.00
		1	160	23.33	23.91	< 30.00
		162	0	23.32	23.90	< 30.00
		1	161	23.27	23.85	< 30.00
		1	0	23.61	24.19	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3949.98	60	81	40	23.15	23.73	< 30.00
		1	1	23.30	23.88	< 30.00
		1	160	23.38	23.96	< 30.00
		162	0	23.17	23.75	< 30.00
		1	161	23.17	23.75	< 30.00
		1	0	23.38	23.96	< 30.00
3735.00	70	95	47	22.76	23.34	< 30.00
		1	1	22.66	23.24	< 30.00
		1	187	22.71	23.29	< 30.00
		189	0	22.73	23.31	< 30.00
		1	188	22.64	23.22	< 30.00
		1	0	22.75	23.33	< 30.00
3840.00	70	95	47	23.05	23.63	< 30.00
		1	1	22.96	23.54	< 30.00
		1	187	22.83	23.41	< 30.00
		189	0	22.99	23.57	< 30.00
		1	188	22.74	23.32	< 30.00
		1	0	22.92	23.50	< 30.00
3945.00	70	95	47	23.16	23.74	< 30.00
		1	1	23.33	23.91	< 30.00
		1	187	23.02	23.60	< 30.00
		189	0	23.15	23.73	< 30.00
		1	188	23.39	23.97	< 30.00
		1	0	23.12	23.70	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3740.01	80	109	54	22.84	23.42	< 30.00
		1	1	22.85	23.43	< 30.00
		1	215	22.77	23.35	< 30.00
		217	0	22.79	23.37	< 30.00
		1	216	22.82	23.40	< 30.00
		1	0	22.58	23.16	< 30.00
3840.00	80	109	54	23.17	23.75	< 30.00
		1	1	22.90	23.48	< 30.00
		1	215	22.89	23.47	< 30.00
		217	0	23.13	23.71	< 30.00
		1	216	22.68	23.26	< 30.00
		1	0	22.73	23.31	< 30.00
3939.99	80	109	54	23.16	23.74	< 30.00
		1	1	23.27	23.85	< 30.00
		1	215	23.23	23.81	< 30.00
		217	0	23.09	23.67	< 30.00
		1	216	23.24	23.82	< 30.00
		1	0	23.19	23.77	< 30.00
3745.02	90	123	61	22.91	23.49	< 30.00
		1	1	22.88	23.46	< 30.00
		1	243	22.74	23.32	< 30.00
		245	0	22.82	23.40	< 30.00
		1	244	22.77	23.35	< 30.00
		1	0	22.72	23.30	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
3840.00	90	123	61	23.08	23.66	< 30.00
		1	1	22.79	23.37	< 30.00
		1	243	22.93	23.51	< 30.00
		245	0	23.00	23.58	< 30.00
		1	244	22.58	23.16	< 30.00
		1	0	22.87	23.45	< 30.00
3934.98	90	123	61	23.20	23.78	< 30.00
		1	1	22.95	23.53	< 30.00
		1	243	23.14	23.72	< 30.00
		245	0	23.11	23.69	< 30.00
		1	244	23.04	23.62	< 30.00
		1	0	22.96	23.54	< 30.00
3750.00	100	137	68	22.71	23.29	< 30.00
		1	1	22.70	23.28	< 30.00
		1	271	22.52	23.10	< 30.00
		273	0	22.83	23.41	< 30.00
		1	272	22.52	23.10	< 30.00
		1	0	22.59	23.17	< 30.00
3840.00	100	137	68	23.00	23.58	< 30.00
		1	1	22.59	23.17	< 30.00
		1	271	22.77	23.35	< 30.00
		273	0	23.01	23.59	< 30.00
		1	272	22.40	22.98	< 30.00
		1	0	22.84	23.42	< 30.00
3930.00	100	137	68	23.03	23.61	< 30.00
		1	1	22.70	23.28	< 30.00
		1	271	23.27	23.85	< 30.00
		273	0	23.07	23.65	< 30.00
		1	272	22.61	23.19	< 30.00
		1	0	22.84	23.42	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3705.00	10	12	6	20.03	20.61	< 30.00
		1	1	20.33	20.91	< 30.00
		1	22	20.30	20.88	< 30.00
		24	0	20.14	20.72	< 30.00
		1	23	20.39	20.97	< 30.00
		1	0	20.21	20.79	< 30.00
3840.00	10	12	6	20.47	21.05	< 30.00
		1	1	20.69	21.27	< 30.00
		1	22	20.70	21.28	< 30.00
		24	0	20.43	21.01	< 30.00
		1	23	20.63	21.21	< 30.00
		1	0	20.51	21.09	< 30.00
3975.00	10	12	6	20.70	21.28	< 30.00
		1	1	21.07	21.65	< 30.00
		1	22	21.03	21.61	< 30.00
		24	0	20.77	21.35	< 30.00
		1	23	20.85	21.43	< 30.00
		1	0	20.70	21.28	< 30.00
3707.52	15	19	9	20.14	20.72	< 30.00
		1	1	20.39	20.97	< 30.00
		1	36	20.31	20.89	< 30.00
		38	0	20.06	20.64	< 30.00
		1	37	20.45	21.03	< 30.00
		1	0	20.28	20.86	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3840.00	15	19	9	20.66	21.24	< 30.00
		1	1	20.91	21.49	< 30.00
		1	36	20.88	21.46	< 30.00
		38	0	20.64	21.22	< 30.00
		1	37	20.81	21.39	< 30.00
		1	0	20.79	21.37	< 30.00
3972.48	15	19	9	20.73	21.31	< 30.00
		1	1	21.09	21.67	< 30.00
		1	36	21.09	21.67	< 30.00
		38	0	20.84	21.42	< 30.00
		1	37	20.85	21.43	< 30.00
		1	0	21.06	21.64	< 30.00
3710.01	20	25	12	20.01	20.59	< 30.00
		1	1	20.50	21.08	< 30.00
		1	49	20.38	20.96	< 30.00
		51	0	20.12	20.70	< 30.00
		1	50	20.51	21.09	< 30.00
		1	0	20.45	21.03	< 30.00
3840.00	20	25	12	20.64	21.22	< 30.00
		1	1	20.77	21.35	< 30.00
		1	49	20.97	21.55	< 30.00
		51	0	20.60	21.18	< 30.00
		1	50	20.75	21.33	< 30.00
		1	0	20.85	21.43	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3969.99	20	25	12	20.84	21.42	< 30.00
		1	1	20.81	21.39	< 30.00
		1	49	21.35	21.93	< 30.00
		51	0	20.69	21.27	< 30.00
		1	50	20.84	21.42	< 30.00
		1	0	21.32	21.90	< 30.00
3712.50	25	33	16	18.82	19.40	< 30.00
		1	1	18.97	19.55	< 30.00
		1	63	19.03	19.61	< 30.00
		65	0	18.91	19.49	< 30.00
		1	0	19.14	19.72	< 30.00
		1	64	19.09	19.67	< 30.00
3840.00	25	33	16	18.92	19.50	< 30.00
		1	1	19.09	19.67	< 30.00
		1	63	19.07	19.65	< 30.00
		65	0	18.94	19.52	< 30.00
		1	0	19.25	19.83	< 30.00
		1	64	19.12	19.70	< 30.00
3967.50	25	33	16	19.14	19.72	< 30.00
		1	1	19.30	19.88	< 30.00
		1	63	19.41	19.99	< 30.00
		65	0	19.16	19.74	< 30.00
		1	0	19.29	19.87	< 30.00
		1	64	19.54	20.12	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3715.02	30	39	19	20.41	20.99	< 30.00
		1	1	20.43	21.01	< 30.00
		1	76	20.45	21.03	< 30.00
		78	0	20.14	20.72	< 30.00
		1	77	20.41	20.99	< 30.00
		1	0	20.47	21.05	< 30.00
3840.00	30	39	19	20.67	21.25	< 30.00
		1	1	20.71	21.29	< 30.00
		1	76	20.63	21.21	< 30.00
		78	0	20.47	21.05	< 30.00
		1	77	20.74	21.32	< 30.00
		1	0	20.67	21.25	< 30.00
3964.98	30	39	19	20.64	21.22	< 30.00
		1	1	20.76	21.34	< 30.00
		1	76	21.12	21.70	< 30.00
		78	0	20.81	21.39	< 30.00
		1	77	20.85	21.43	< 30.00
		1	0	21.07	21.65	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3720.00	40	53	26	20.23	20.81	< 30.00
		1	1	20.65	21.23	< 30.00
		1	104	20.48	21.06	< 30.00
		106	0	20.28	20.86	< 30.00
		1	105	20.59	21.17	< 30.00
		1	0	20.33	20.91	< 30.00
3840.00	40	53	26	20.55	21.13	< 30.00
		1	1	20.84	21.42	< 30.00
		1	104	20.89	21.47	< 30.00
		106	0	20.55	21.13	< 30.00
		1	105	20.79	21.37	< 30.00
		1	0	20.70	21.28	< 30.00
3960.00	40	53	26	20.69	21.27	< 30.00
		1	1	20.76	21.34	< 30.00
		1	104	21.12	21.70	< 30.00
		106	0	20.61	21.19	< 30.00
		1	105	20.76	21.34	< 30.00
		1	0	21.00	21.58	< 30.00
3725.01	50	67	33	20.10	20.68	< 30.00
		1	1	20.31	20.89	< 30.00
		1	131	20.13	20.71	< 30.00
		133	0	19.92	20.50	< 30.00
		1	132	20.25	20.83	< 30.00
		1	0	20.14	20.72	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3840.00	50	67	33	20.47	21.05	< 30.00
		1	1	20.46	21.04	< 30.00
		1	131	20.51	21.09	< 30.00
		133	0	20.34	20.92	< 30.00
		1	132	20.56	21.14	< 30.00
		1	0	20.53	21.11	< 30.00
3954.99	50	67	33	20.53	21.11	< 30.00
		1	1	20.67	21.25	< 30.00
		1	131	21.69	22.27	< 30.00
		133	0	20.54	21.12	< 30.00
		1	132	20.50	21.08	< 30.00
		1	0	20.80	21.38	< 30.00
3730.02	60	81	40	20.06	20.64	< 30.00
		1	1	20.08	20.66	< 30.00
		1	160	19.98	20.56	< 30.00
		162	0	19.94	20.52	< 30.00
		1	161	20.10	20.68	< 30.00
		1	0	20.34	20.92	< 30.00
3840.00	60	81	40	20.56	21.14	< 30.00
		1	1	20.85	21.43	< 30.00
		1	160	20.41	20.99	< 30.00
		162	0	20.43	21.01	< 30.00
		1	161	20.73	21.31	< 30.00
		1	0	20.28	20.86	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3949.98	60	81	40	20.33	20.91	< 30.00
		1	1	20.54	21.12	< 30.00
		1	160	20.58	21.16	< 30.00
		162	0	20.43	21.01	< 30.00
		1	161	20.37	20.95	< 30.00
		1	0	21.10	21.68	< 30.00
3735.00	70	95	47	19.69	20.27	< 30.00
		1	1	19.55	20.13	< 30.00
		1	187	19.78	20.36	< 30.00
		189	0	19.76	20.34	< 30.00
		1	188	19.43	20.01	< 30.00
		1	0	19.59	20.17	< 30.00
3840.00	70	95	47	19.98	20.56	< 30.00
		1	1	19.67	20.25	< 30.00
		1	187	19.61	20.19	< 30.00
		189	0	19.91	20.49	< 30.00
		1	188	19.77	20.35	< 30.00
		1	0	19.68	20.26	< 30.00
3945.00	70	95	47	20.21	20.79	< 30.00
		1	1	20.44	21.02	< 30.00
		1	187	19.90	20.48	< 30.00
		189	0	20.22	20.80	< 30.00
		1	188	20.24	20.82	< 30.00
		1	0	19.96	20.54	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3740.01	80	109	54	20.12	20.70	< 30.00
		1	1	20.18	20.76	< 30.00
		1	215	19.86	20.44	< 30.00
		217	0	19.93	20.51	< 30.00
		1	216	20.17	20.75	< 30.00
		1	0	20.21	20.79	< 30.00
3840.00	80	109	54	20.31	20.89	< 30.00
		1	1	20.22	20.80	< 30.00
		1	215	20.13	20.71	< 30.00
		217	0	20.13	20.71	< 30.00
		1	216	20.58	21.16	< 30.00
		1	0	20.08	20.66	< 30.00
3939.99	80	109	54	20.13	20.71	< 30.00
		1	1	20.37	20.95	< 30.00
		1	215	20.59	21.17	< 30.00
		217	0	20.26	20.84	< 30.00
		1	216	20.27	20.85	< 30.00
		1	0	20.43	21.01	< 30.00
3745.02	90	123	61	19.82	20.40	< 30.00
		1	1	20.10	20.68	< 30.00
		1	243	19.85	20.43	< 30.00
		245	0	19.90	20.48	< 30.00
		1	244	19.93	20.51	< 30.00
		1	0	19.82	20.40	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
3840.00	90	123	61	20.22	20.80	< 30.00
		1	1	20.25	20.83	< 30.00
		1	243	20.26	20.84	< 30.00
		245	0	20.23	20.81	< 30.00
		1	244	20.09	20.67	< 30.00
		1	0	20.22	20.80	< 30.00
3934.98	90	123	61	20.09	20.67	< 30.00
		1	1	20.33	20.91	< 30.00
		1	243	20.57	21.15	< 30.00
		245	0	20.07	20.65	< 30.00
		1	244	20.43	21.01	< 30.00
		1	0	20.41	20.99	< 30.00
3750.00	100	137	68	19.92	20.50	< 30.00
		1	1	19.94	20.52	< 30.00
		1	271	19.95	20.53	< 30.00
		273	0	19.97	20.55	< 30.00
		1	272	19.79	20.37	< 30.00
		1	0	19.62	20.20	< 30.00
3840.00	100	137	68	20.13	20.71	< 30.00
		1	1	20.25	20.83	< 30.00
		1	271	20.31	20.89	< 30.00
		273	0	20.08	20.66	< 30.00
		1	272	19.77	20.35	< 30.00
		1	0	20.06	20.64	< 30.00
3930.00	100	137	68	20.22	20.80	< 30.00
		1	1	19.96	20.54	< 30.00
		1	271	20.72	21.30	< 30.00
		273	0	20.32	20.90	< 30.00
		1	272	20.14	20.72	< 30.00
		1	0	20.54	21.12	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	SIP-SR1 WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/05/03 ~ 2022/07/15 2023/05/11	Test Band	n66_SA

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
1712.5	5	12	6	23.56	24.93	< 30.00
		1	1	23.55	24.92	< 30.00
		1	23	23.54	24.91	< 30.00
		25	0	23.62	24.99	< 30.00
		1	24	23.50	24.87	< 30.00
		1	0	23.45	24.82	< 30.00
1745.0	5	12	6	23.76	25.13	< 30.00
		1	1	23.52	24.89	< 30.00
		1	23	23.62	24.99	< 30.00
		25	0	23.70	25.07	< 30.00
		1	24	23.58	24.95	< 30.00
		1	0	23.58	24.95	< 30.00
1777.5	5	12	6	24.00	25.37	< 30.00
		1	1	23.86	25.23	< 30.00
		1	23	23.76	25.13	< 30.00
		25	0	23.86	25.23	< 30.00
		1	24	23.82	25.19	< 30.00
		1	0	23.70	25.07	< 30.00
1715.0	10	25	12	23.67	25.04	< 30.00
		1	1	23.51	24.88	< 30.00
		1	50	23.68	25.05	< 30.00
		50	0	23.73	25.10	< 30.00
		1	51	23.57	24.94	< 30.00
		1	0	23.54	24.91	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
1745.0	10	25	12	23.86	25.23	< 30.00
		1	1	23.61	24.98	< 30.00
		1	50	23.63	25.00	< 30.00
		50	0	23.79	25.16	< 30.00
		1	51	23.61	24.98	< 30.00
		1	0	23.59	24.96	< 30.00
1775.0	10	25	12	23.93	25.30	< 30.00
		1	1	23.81	25.18	< 30.00
		1	50	23.83	25.20	< 30.00
		50	0	23.91	25.28	< 30.00
		1	51	23.88	25.25	< 30.00
		1	0	23.81	25.18	< 30.00
1717.5	15	36	18	23.76	25.13	< 30.00
		1	1	23.60	24.97	< 30.00
		1	77	23.70	25.07	< 30.00
		75	0	23.81	25.18	< 30.00
		1	78	23.77	25.14	< 30.00
		1	0	23.59	24.96	< 30.00
1745.0	15	36	18	23.76	25.13	< 30.00
		1	1	23.67	25.04	< 30.00
		1	77	23.74	25.11	< 30.00
		75	0	23.83	25.20	< 30.00
		1	78	23.77	25.14	< 30.00
		1	0	23.70	25.07	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
1772.5	15	36	18	23.87	25.24	< 30.00
		1	1	23.77	25.14	< 30.00
		1	77	24.00	25.37	< 30.00
		75	0	23.97	25.34	< 30.00
		1	78	23.96	25.33	< 30.00
		1	0	23.87	25.24	< 30.00
1720.0	20	50	25	23.78	25.15	< 30.00
		1	1	23.61	24.98	< 30.00
		1	104	23.78	25.15	< 30.00
		100	0	23.78	25.15	< 30.00
		1	105	23.83	25.20	< 30.00
		1	0	23.63	25.00	< 30.00
1745.0	20	50	25	23.80	25.17	< 30.00
		1	1	23.74	25.11	< 30.00
		1	104	23.87	25.24	< 30.00
		100	0	23.83	25.20	< 30.00
		1	105	23.84	25.21	< 30.00
		1	0	23.78	25.15	< 30.00
1770.0	20	50	25	23.95	25.32	< 30.00
		1	1	23.84	25.21	< 30.00
		1	104	24.03	25.40	< 30.00
		100	0	23.91	25.28	< 30.00
		1	105	23.97	25.34	< 30.00
		1	0	23.76	25.13	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
1722.5	25	64	32	22.67	24.04	< 30.00
		1	1	22.89	24.26	< 30.00
		1	131	22.96	24.33	< 30.00
		128	0	22.69	24.06	< 30.00
		1	132	22.94	24.31	< 30.00
		1	0	23.07	24.44	< 30.00
1745.0	25	64	32	22.75	24.12	< 30.00
		1	1	22.87	24.24	< 30.00
		1	131	23.09	24.46	< 30.00
		128	0	22.79	24.16	< 30.00
		1	132	23.01	24.38	< 30.00
		1	0	23.27	24.64	< 30.00
1767.5	25	64	32	22.93	24.30	< 30.00
		1	1	22.91	24.28	< 30.00
		1	131	23.38	24.75	< 30.00
		128	0	22.86	24.23	< 30.00
		1	132	23.02	24.39	< 30.00
		1	0	23.41	24.78	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
1725.0	30	80	40	23.83	25.20	< 30.00
		1	1	23.62	24.99	< 30.00
		1	158	23.70	25.07	< 30.00
		160	0	23.83	25.20	< 30.00
		1	159	23.72	25.09	< 30.00
		1	0	23.60	24.97	< 30.00
1745.0	30	80	40	23.90	25.27	< 30.00
		1	1	23.73	25.10	< 30.00
		1	158	23.78	25.15	< 30.00
		160	0	23.88	25.25	< 30.00
		1	159	23.79	25.16	< 30.00
		1	0	23.73	25.10	< 30.00
1765.0	30	80	40	24.05	25.42	< 30.00
		1	1	23.79	25.16	< 30.00
		1	158	24.03	25.40	< 30.00
		160	0	23.95	25.32	< 30.00
		1	159	23.97	25.34	< 30.00
		1	0	23.74	25.11	< 30.00
1730.0	40	108	54	23.92	25.29	< 30.00
		1	1	23.58	24.95	< 30.00
		1	214	23.86	25.23	< 30.00
		216	0	23.83	25.20	< 30.00
		1	215	23.74	25.11	< 30.00
		1	0	23.60	24.97	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
1745.0	40	108	54	23.96	25.33	< 30.00
		1	1	23.71	25.08	< 30.00
		1	214	23.93	25.30	< 30.00
		216	0	23.89	25.26	< 30.00
		1	215	23.83	25.20	< 30.00
		1	0	23.71	25.08	< 30.00
1760.0	40	108	54	23.94	25.31	< 30.00
		1	1	23.75	25.12	< 30.00
		1	214	23.98	25.35	< 30.00
		216	0	23.93	25.30	< 30.00
		1	215	23.90	25.27	< 30.00
		1	0	23.78	25.15	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
1712.5	5	12	6	23.65	25.02	< 30.00
		1	1	23.83	25.20	< 30.00
		1	23	23.61	24.98	< 30.00
		25	0	23.10	24.47	< 30.00
		1	24	23.15	24.52	< 30.00
		1	0	23.10	24.47	< 30.00
1745.0	5	12	6	23.79	25.16	< 30.00
		1	1	23.96	25.33	< 30.00
		1	23	23.93	25.30	< 30.00
		25	0	23.15	24.52	< 30.00
		1	24	23.23	24.60	< 30.00
		1	0	23.26	24.63	< 30.00
1777.5	5	12	6	23.94	25.31	< 30.00
		1	1	24.03	25.40	< 30.00
		1	23	24.08	25.45	< 30.00
		25	0	23.35	24.72	< 30.00
		1	24	23.52	24.89	< 30.00
		1	0	23.40	24.77	< 30.00
1715.0	10	25	12	23.68	25.05	< 30.00
		1	1	23.84	25.21	< 30.00
		1	50	23.86	25.23	< 30.00
		50	0	23.21	24.58	< 30.00
		1	51	23.26	24.63	< 30.00
		1	0	23.21	24.58	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
1745.0	10	25	12	23.69	25.06	< 30.00
		1	1	23.91	25.28	< 30.00
		1	50	24.07	25.44	< 30.00
		50	0	23.25	24.62	< 30.00
		1	51	23.41	24.78	< 30.00
		1	0	23.27	24.64	< 30.00
1775.0	10	25	12	23.83	25.20	< 30.00
		1	1	23.95	25.32	< 30.00
		1	50	24.15	25.52	< 30.00
		50	0	23.45	24.82	< 30.00
		1	51	23.57	24.94	< 30.00
		1	0	23.40	24.77	< 30.00
1717.5	15	36	18	23.77	25.14	< 30.00
		1	1	23.87	25.24	< 30.00
		1	77	23.99	25.36	< 30.00
		75	0	23.27	24.64	< 30.00
		1	78	23.43	24.80	< 30.00
		1	0	23.27	24.64	< 30.00
1745.0	15	36	18	23.86	25.23	< 30.00
		1	1	23.90	25.27	< 30.00
		1	77	24.10	25.47	< 30.00
		75	0	23.37	24.74	< 30.00
		1	78	23.50	24.87	< 30.00
		1	0	23.37	24.74	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
1772.5	15	36	18	23.94	25.31	< 30.00
		1	1	24.03	25.40	< 30.00
		1	77	24.23	25.60	< 30.00
		75	0	23.45	24.82	< 30.00
		1	78	23.75	25.12	< 30.00
		1	0	23.40	24.77	< 30.00
1720.0	20	50	25	23.81	25.18	< 30.00
		1	1	23.90	25.27	< 30.00
		1	104	24.01	25.38	< 30.00
		100	0	23.24	24.61	< 30.00
		1	105	23.31	24.68	< 30.00
		1	0	23.28	24.65	< 30.00
1745.0	20	50	25	23.86	25.23	< 30.00
		1	1	23.95	25.32	< 30.00
		1	104	24.11	25.48	< 30.00
		100	0	23.29	24.66	< 30.00
		1	105	23.65	25.02	< 30.00
		1	0	23.56	24.93	< 30.00
1770.0	20	50	25	23.92	25.29	< 30.00
		1	1	24.06	25.43	< 30.00
		1	104	24.21	25.58	< 30.00
		100	0	23.47	24.84	< 30.00
		1	105	23.73	25.10	< 30.00
		1	0	23.56	24.93	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
1722.5	25	64	32	22.70	24.07	< 30.00
		1	1	22.98	24.35	< 30.00
		1	131	23.07	24.44	< 30.00
		128	0	22.26	23.63	< 30.00
		1	132	22.54	23.91	< 30.00
		1	0	22.73	24.10	< 30.00
1745.0	25	64	32	22.76	24.13	< 30.00
		1	1	22.93	24.30	< 30.00
		1	131	23.14	24.51	< 30.00
		128	0	22.36	23.73	< 30.00
		1	132	22.56	23.93	< 30.00
		1	0	22.77	24.14	< 30.00
1767.5	25	64	32	22.93	24.30	< 30.00
		1	1	22.96	24.33	< 30.00
		1	131	23.33	24.70	< 30.00
		128	0	22.45	23.82	< 30.00
		1	132	22.63	24.00	< 30.00
		1	0	23.24	24.61	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
1725.0	30	80	40	23.89	25.26	< 30.00
		1	1	23.79	25.16	< 30.00
		1	158	23.92	25.29	< 30.00
		160	0	23.32	24.69	< 30.00
		1	159	23.39	24.76	< 30.00
		1	0	23.21	24.58	< 30.00
1745.0	30	80	40	23.91	25.28	< 30.00
		1	1	23.87	25.24	< 30.00
		1	158	23.92	25.29	< 30.00
		160	0	23.43	24.80	< 30.00
		1	159	23.45	24.82	< 30.00
		1	0	23.33	24.70	< 30.00
1765.0	30	80	40	23.95	25.32	< 30.00
		1	1	24.09	25.46	< 30.00
		1	158	24.16	25.53	< 30.00
		160	0	23.43	24.80	< 30.00
		1	159	23.56	24.93	< 30.00
		1	0	23.42	24.79	< 30.00
1730.0	40	108	54	23.86	25.23	< 30.00
		1	1	23.82	25.19	< 30.00
		1	214	24.11	25.48	< 30.00
		216	0	23.33	24.70	< 30.00
		1	215	23.53	24.90	< 30.00
		1	0	23.31	24.68	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
1745.0	40	108	54	23.96	25.33	< 30.00
		1	1	23.87	25.24	< 30.00
		1	214	24.08	25.45	< 30.00
		216	0	23.37	24.74	< 30.00
		1	215	23.50	24.87	< 30.00
		1	0	23.32	24.69	< 30.00
1760.0	40	108	54	23.96	25.33	< 30.00
		1	1	23.91	25.28	< 30.00
		1	214	24.13	25.50	< 30.00
		216	0	23.50	24.87	< 30.00
		1	215	23.60	24.97	< 30.00
		1	0	23.41	24.78	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
1712.5	5	12	6	22.89	24.26	< 30.00
		1	1	22.89	24.26	< 30.00
		1	23	22.98	24.35	< 30.00
		25	0	22.01	23.38	< 30.00
		1	24	22.15	23.52	< 30.00
		1	0	22.10	23.47	< 30.00
1745.0	5	12	6	22.99	24.36	< 30.00
		1	1	23.39	24.76	< 30.00
		1	23	23.48	24.85	< 30.00
		25	0	22.17	23.54	< 30.00
		1	24	22.26	23.63	< 30.00
		1	0	22.25	23.62	< 30.00
1777.5	5	12	6	23.30	24.67	< 30.00
		1	1	23.58	24.95	< 30.00
		1	23	23.66	25.03	< 30.00
		25	0	22.40	23.77	< 30.00
		1	24	22.22	23.59	< 30.00
		1	0	22.09	23.46	< 30.00
1715.0	10	25	12	23.18	24.55	< 30.00
		1	1	23.10	24.47	< 30.00
		1	50	23.10	24.47	< 30.00
		50	0	22.04	23.41	< 30.00
		1	51	22.32	23.69	< 30.00
		1	0	22.07	23.44	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
1745.0	10	25	12	23.22	24.59	< 30.00
		1	1	23.15	24.52	< 30.00
		1	50	23.17	24.54	< 30.00
		50	0	22.19	23.56	< 30.00
		1	51	22.36	23.73	< 30.00
		1	0	22.32	23.69	< 30.00
1775.0	10	25	12	23.40	24.77	< 30.00
		1	1	23.56	24.93	< 30.00
		1	50	23.66	25.03	< 30.00
		50	0	22.32	23.69	< 30.00
		1	51	22.32	23.69	< 30.00
		1	0	22.26	23.63	< 30.00
1717.5	15	36	18	23.17	24.54	< 30.00
		1	1	23.56	24.93	< 30.00
		1	77	23.02	24.39	< 30.00
		75	0	22.22	23.59	< 30.00
		1	78	22.37	23.74	< 30.00
		1	0	22.24	23.61	< 30.00
1745.0	15	36	18	23.32	24.69	< 30.00
		1	1	23.52	24.89	< 30.00
		1	77	23.64	25.01	< 30.00
		75	0	22.32	23.69	< 30.00
		1	78	22.49	23.86	< 30.00
		1	0	22.32	23.69	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
1772.5	15	36	18	23.47	24.84	< 30.00
		1	1	23.62	24.99	< 30.00
		1	77	23.77	25.14	< 30.00
		75	0	22.47	23.84	< 30.00
		1	78	22.40	23.77	< 30.00
		1	0	22.21	23.58	< 30.00
1720.0	20	50	25	23.29	24.66	< 30.00
		1	1	23.13	24.50	< 30.00
		1	104	23.13	24.50	< 30.00
		100	0	22.32	23.69	< 30.00
		1	105	22.34	23.71	< 30.00
		1	0	22.34	23.71	< 30.00
1745.0	20	50	25	23.31	24.68	< 30.00
		1	1	23.21	24.58	< 30.00
		1	104	23.29	24.66	< 30.00
		100	0	22.41	23.78	< 30.00
		1	105	22.50	23.87	< 30.00
		1	0	22.42	23.79	< 30.00
1770.0	20	50	25	23.43	24.80	< 30.00
		1	1	23.53	24.90	< 30.00
		1	104	23.77	25.14	< 30.00
		100	0	22.46	23.83	< 30.00
		1	105	22.43	23.80	< 30.00
		1	0	22.21	23.58	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
1722.5	25	64	32	22.15	23.52	< 30.00
		1	1	22.46	23.83	< 30.00
		1	131	22.57	23.94	< 30.00
		128	0	21.25	22.62	< 30.00
		1	132	21.30	22.67	< 30.00
		1	0	21.41	22.78	< 30.00
1745.0	25	64	32	22.28	23.65	< 30.00
		1	1	22.38	23.75	< 30.00
		1	131	22.60	23.97	< 30.00
		128	0	21.31	22.68	< 30.00
		1	132	21.47	22.84	< 30.00
		1	0	21.79	23.16	< 30.00
1767.5	25	64	32	22.34	23.71	< 30.00
		1	1	22.45	23.82	< 30.00
		1	131	22.79	24.16	< 30.00
		128	0	21.43	22.80	< 30.00
		1	132	21.55	22.92	< 30.00
		1	0	21.97	23.34	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
1725.0	30	80	40	23.34	24.71	< 30.00
		1	1	23.11	24.48	< 30.00
		1	158	23.14	24.51	< 30.00
		160	0	22.30	23.67	< 30.00
		1	159	22.33	23.70	< 30.00
		1	0	22.28	23.65	< 30.00
1745.0	30	80	40	23.34	24.71	< 30.00
		1	1	23.40	24.77	< 30.00
		1	158	23.58	24.95	< 30.00
		160	0	22.39	23.76	< 30.00
		1	159	22.21	23.58	< 30.00
		1	0	22.09	23.46	< 30.00
1765.0	30	80	40	23.42	24.79	< 30.00
		1	1	23.51	24.88	< 30.00
		1	158	23.69	25.06	< 30.00
		160	0	22.49	23.86	< 30.00
		1	159	22.34	23.71	< 30.00
		1	0	22.20	23.57	< 30.00
1730.0	40	108	54	23.38	24.75	< 30.00
		1	1	23.42	24.79	< 30.00
		1	214	23.52	24.89	< 30.00
		216	0	22.33	23.70	< 30.00
		1	215	22.19	23.56	< 30.00
		1	0	22.06	23.43	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
1745.0	40	108	54	23.46	24.83	< 30.00
		1	1	23.46	24.83	< 30.00
		1	214	23.65	25.02	< 30.00
		216	0	22.35	23.72	< 30.00
		1	215	22.25	23.62	< 30.00
		1	0	21.97	23.34	< 30.00
1760.0	40	108	54	23.50	24.87	< 30.00
		1	1	23.49	24.86	< 30.00
		1	214	23.71	25.08	< 30.00
		216	0	22.38	23.75	< 30.00
		1	215	22.38	23.75	< 30.00
		1	0	22.13	23.50	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
1712.5	5	12	6	21.56	22.93	< 30.00
		1	1	21.63	23.00	< 30.00
		1	23	21.67	23.04	< 30.00
		25	0	21.57	22.94	< 30.00
		1	24	21.62	22.99	< 30.00
		1	0	21.59	22.96	< 30.00
1745.0	5	12	6	21.76	23.13	< 30.00
		1	1	21.75	23.12	< 30.00
		1	23	21.80	23.17	< 30.00
		25	0	21.74	23.11	< 30.00
		1	24	21.76	23.13	< 30.00
		1	0	21.72	23.09	< 30.00
1777.5	5	12	6	21.91	23.28	< 30.00
		1	1	21.97	23.34	< 30.00
		1	23	22.11	23.48	< 30.00
		25	0	21.97	23.34	< 30.00
		1	24	22.05	23.42	< 30.00
		1	0	21.92	23.29	< 30.00
1715.0	10	25	12	21.65	23.02	< 30.00
		1	1	21.65	23.02	< 30.00
		1	50	21.84	23.21	< 30.00
		50	0	21.71	23.08	< 30.00
		1	51	21.70	23.07	< 30.00
		1	0	21.66	23.03	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
1745.0	10	25	12	21.78	23.15	< 30.00
		1	1	21.83	23.20	< 30.00
		1	50	21.95	23.32	< 30.00
		50	0	21.74	23.11	< 30.00
		1	51	21.94	23.31	< 30.00
		1	0	21.81	23.18	< 30.00
1775.0	10	25	12	21.98	23.35	< 30.00
		1	1	22.11	23.48	< 30.00
		1	50	22.10	23.47	< 30.00
		50	0	21.88	23.25	< 30.00
		1	51	22.15	23.52	< 30.00
		1	0	22.08	23.45	< 30.00
1717.5	15	36	18	21.81	23.18	< 30.00
		1	1	21.82	23.19	< 30.00
		1	77	21.89	23.26	< 30.00
		75	0	21.81	23.18	< 30.00
		1	78	21.89	23.26	< 30.00
		1	0	21.81	23.18	< 30.00
1745.0	15	36	18	21.79	23.16	< 30.00
		1	1	21.88	23.25	< 30.00
		1	77	21.99	23.36	< 30.00
		75	0	21.86	23.23	< 30.00
		1	78	21.99	23.36	< 30.00
		1	0	21.89	23.26	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
1772.5	15	36	18	21.96	23.33	< 30.00
		1	1	22.09	23.46	< 30.00
		1	77	22.29	23.66	< 30.00
		75	0	22.03	23.40	< 30.00
		1	78	22.35	23.72	< 30.00
		1	0	22.08	23.45	< 30.00
1720.0	20	50	25	21.81	23.18	< 30.00
		1	1	21.81	23.18	< 30.00
		1	104	21.95	23.32	< 30.00
		100	0	21.73	23.10	< 30.00
		1	105	21.93	23.30	< 30.00
		1	0	21.81	23.18	< 30.00
1745.0	20	50	25	21.92	23.29	< 30.00
		1	1	21.86	23.23	< 30.00
		1	104	21.99	23.36	< 30.00
		100	0	21.88	23.25	< 30.00
		1	105	21.97	23.34	< 30.00
		1	0	21.84	23.21	< 30.00
1770.0	20	50	25	21.93	23.30	< 30.00
		1	1	22.02	23.39	< 30.00
		1	104	22.31	23.68	< 30.00
		100	0	21.98	23.35	< 30.00
		1	105	22.33	23.70	< 30.00
		1	0	21.94	23.31	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
1722.5	25	64	32	20.67	22.04	< 30.00
		1	1	20.79	22.16	< 30.00
		1	131	21.03	22.40	< 30.00
		128	0	20.72	22.09	< 30.00
		1	132	20.85	22.22	< 30.00
		1	0	20.95	22.32	< 30.00
1745.0	25	64	32	20.74	22.11	< 30.00
		1	1	21.29	22.66	< 30.00
		1	131	21.46	22.83	< 30.00
		128	0	20.81	22.18	< 30.00
		1	132	21.53	22.90	< 30.00
		1	0	21.56	22.93	< 30.00
1767.5	25	64	32	20.95	22.32	< 30.00
		1	1	21.43	22.80	< 30.00
		1	131	21.64	23.01	< 30.00
		128	0	20.91	22.28	< 30.00
		1	132	21.42	22.79	< 30.00
		1	0	21.81	23.18	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
1725.0	30	80	40	21.81	23.18	< 30.00
		1	1	21.78	23.15	< 30.00
		1	158	21.90	23.27	< 30.00
		160	0	21.81	23.18	< 30.00
		1	159	21.89	23.26	< 30.00
		1	0	21.76	23.13	< 30.00
1745.0	30	80	40	21.80	23.17	< 30.00
		1	1	21.93	23.30	< 30.00
		1	158	22.06	23.43	< 30.00
		160	0	21.80	23.17	< 30.00
		1	159	21.94	23.31	< 30.00
		1	0	21.92	23.29	< 30.00
1765.0	30	80	40	21.98	23.35	< 30.00
		1	1	21.98	23.35	< 30.00
		1	158	22.15	23.52	< 30.00
		160	0	21.91	23.28	< 30.00
		1	159	22.18	23.55	< 30.00
		1	0	22.00	23.37	< 30.00
1730.0	40	108	54	21.82	23.19	< 30.00
		1	1	21.86	23.23	< 30.00
		1	214	22.02	23.39	< 30.00
		216	0	21.84	23.21	< 30.00
		1	215	22.00	23.37	< 30.00
		1	0	21.85	23.22	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
1745.0	40	108	54	21.88	23.25	< 30.00
		1	1	22.02	23.39	< 30.00
		1	214	22.10	23.47	< 30.00
		216	0	21.87	23.24	< 30.00
		1	215	22.18	23.55	< 30.00
		1	0	21.80	23.17	< 30.00
1760.0	40	108	54	21.87	23.24	< 30.00
		1	1	22.04	23.41	< 30.00
		1	214	22.25	23.62	< 30.00
		216	0	22.01	23.38	< 30.00
		1	215	22.18	23.55	< 30.00
		1	0	21.97	23.34	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
1712.5	5	12	6	19.47	20.84	< 30.00
		1	1	19.16	20.53	< 30.00
		1	23	19.19	20.56	< 30.00
		25	0	19.50	20.87	< 30.00
		1	24	19.15	20.52	< 30.00
		1	0	19.21	20.58	< 30.00
1745.0	5	12	6	19.71	21.08	< 30.00
		1	1	19.38	20.75	< 30.00
		1	23	19.28	20.65	< 30.00
		25	0	19.63	21.00	< 30.00
		1	24	19.29	20.66	< 30.00
		1	0	19.28	20.65	< 30.00
1777.5	5	12	6	19.80	21.17	< 30.00
		1	1	19.52	20.89	< 30.00
		1	23	19.50	20.87	< 30.00
		25	0	19.80	21.17	< 30.00
		1	24	19.52	20.89	< 30.00
		1	0	19.52	20.89	< 30.00
1715.0	10	25	12	19.56	20.93	< 30.00
		1	1	19.25	20.62	< 30.00
		1	50	19.33	20.70	< 30.00
		50	0	19.63	21.00	< 30.00
		1	51	19.36	20.73	< 30.00
		1	0	19.28	20.65	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
1745.0	10	25	12	19.70	21.07	< 30.00
		1	1	19.38	20.75	< 30.00
		1	50	19.39	20.76	< 30.00
		50	0	19.68	21.05	< 30.00
		1	51	19.43	20.80	< 30.00
		1	0	19.39	20.76	< 30.00
1775.0	10	25	12	19.90	21.27	< 30.00
		1	1	19.54	20.91	< 30.00
		1	50	19.57	20.94	< 30.00
		50	0	19.82	21.19	< 30.00
		1	51	19.57	20.94	< 30.00
		1	0	19.42	20.79	< 30.00
1717.5	15	36	18	19.69	21.06	< 30.00
		1	1	19.33	20.70	< 30.00
		1	77	19.43	20.80	< 30.00
		75	0	19.71	21.08	< 30.00
		1	78	19.36	20.73	< 30.00
		1	0	19.33	20.70	< 30.00
1745.0	15	36	18	19.74	21.11	< 30.00
		1	1	19.43	20.80	< 30.00
		1	77	19.54	20.91	< 30.00
		75	0	19.73	21.10	< 30.00
		1	78	19.49	20.86	< 30.00
		1	0	19.41	20.78	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
1772.5	15	36	18	19.84	21.21	< 30.00
		1	1	19.54	20.91	< 30.00
		1	77	19.69	21.06	< 30.00
		75	0	19.91	21.28	< 30.00
		1	78	19.74	21.11	< 30.00
		1	0	19.50	20.87	< 30.00
1720.0	20	50	25	19.68	21.05	< 30.00
		1	1	19.32	20.69	< 30.00
		1	104	19.50	20.87	< 30.00
		100	0	19.66	21.03	< 30.00
		1	105	19.45	20.82	< 30.00
		1	0	19.39	20.76	< 30.00
1745.0	20	50	25	19.77	21.14	< 30.00
		1	1	19.44	20.81	< 30.00
		1	104	19.54	20.91	< 30.00
		100	0	19.77	21.14	< 30.00
		1	105	19.53	20.90	< 30.00
		1	0	19.40	20.77	< 30.00
1770.0	20	50	25	19.83	21.20	< 30.00
		1	1	19.60	20.97	< 30.00
		1	104	19.73	21.10	< 30.00
		100	0	19.91	21.28	< 30.00
		1	105	19.69	21.06	< 30.00
		1	0	19.48	20.85	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
1722.5	25	64	32	18.65	20.02	< 30.00
		1	1	18.62	19.99	< 30.00
		1	131	18.71	20.08	< 30.00
		128	0	18.73	20.10	< 30.00
		1	132	18.76	20.13	< 30.00
		1	0	18.82	20.19	< 30.00
1745.0	25	64	32	18.81	20.18	< 30.00
		1	1	18.67	20.04	< 30.00
		1	131	18.87	20.24	< 30.00
		128	0	18.77	20.14	< 30.00
		1	132	18.72	20.09	< 30.00
		1	0	18.96	20.33	< 30.00
1767.5	25	64	32	18.92	20.29	< 30.00
		1	1	18.72	20.09	< 30.00
		1	131	19.11	20.48	< 30.00
		128	0	18.93	20.30	< 30.00
		1	132	18.79	20.16	< 30.00
		1	0	19.14	20.51	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
1725.0	30	80	40	19.75	21.12	< 30.00
		1	1	19.39	20.76	< 30.00
		1	158	19.68	21.05	< 30.00
		160	0	19.76	21.13	< 30.00
		1	159	19.53	20.90	< 30.00
		1	0	19.31	20.68	< 30.00
1745.0	30	80	40	19.87	21.24	< 30.00
		1	1	19.46	20.83	< 30.00
		1	158	19.70	21.07	< 30.00
		160	0	19.96	21.33	< 30.00
		1	159	19.74	21.11	< 30.00
		1	0	19.37	20.74	< 30.00
1765.0	30	80	40	19.99	21.36	< 30.00
		1	1	19.54	20.91	< 30.00
		1	158	19.87	21.24	< 30.00
		160	0	20.03	21.40	< 30.00
		1	159	19.82	21.19	< 30.00
		1	0	19.59	20.96	< 30.00
1730.0	40	108	54	19.88	21.25	< 30.00
		1	1	19.37	20.74	< 30.00
		1	214	19.66	21.03	< 30.00
		216	0	19.78	21.15	< 30.00
		1	215	19.69	21.06	< 30.00
		1	0	19.38	20.75	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
1745.0	40	108	54	19.97	21.34	< 30.00
		1	1	19.39	20.76	< 30.00
		1	214	19.78	21.15	< 30.00
		216	0	19.82	21.19	< 30.00
		1	215	19.72	21.09	< 30.00
		1	0	19.39	20.76	< 30.00
1760.0	40	108	54	19.96	21.33	< 30.00
		1	1	19.46	20.83	< 30.00
		1	214	19.93	21.30	< 30.00
		216	0	19.87	21.24	< 30.00
		1	215	19.89	21.26	< 30.00
		1	0	19.44	20.81	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
1712.5	5	13	6	22.62	23.99	< 30.00
		1	1	22.69	24.06	< 30.00
		1	23	22.79	24.16	< 30.00
		25	0	21.01	22.38	< 30.00
		1	0	21.02	22.39	< 30.00
		1	24	21.02	22.39	< 30.00
1745.0	5	13	6	22.69	24.06	< 30.00
		1	1	23.05	24.42	< 30.00
		1	23	22.95	24.32	< 30.00
		25	0	21.16	22.53	< 30.00
		1	0	21.20	22.57	< 30.00
		1	24	21.09	22.46	< 30.00
1777.5	5	13	6	22.84	24.21	< 30.00
		1	1	23.06	24.43	< 30.00
		1	23	23.12	24.49	< 30.00
		25	0	21.39	22.76	< 30.00
		1	0	21.45	22.82	< 30.00
		1	24	21.38	22.75	< 30.00
1715.0	10	26	13	22.61	23.98	< 30.00
		1	1	22.77	24.14	< 30.00
		1	50	22.94	24.31	< 30.00
		52	0	21.10	22.47	< 30.00
		1	51	21.12	22.49	< 30.00
		1	0	21.15	22.52	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
1745.0	10	26	13	22.72	24.09	< 30.00
		1	1	22.88	24.25	< 30.00
		1	50	22.99	24.36	< 30.00
		52	0	21.20	22.57	< 30.00
		1	51	21.28	22.65	< 30.00
		1	0	21.26	22.63	< 30.00
1775.0	10	26	13	22.89	24.26	< 30.00
		1	1	23.13	24.50	< 30.00
		1	50	23.10	24.47	< 30.00
		52	0	21.39	22.76	< 30.00
		1	51	21.53	22.90	< 30.00
		1	0	21.35	22.72	< 30.00
1717.5	15	39	19	22.63	24.00	< 30.00
		1	1	22.79	24.16	< 30.00
		1	77	23.07	24.44	< 30.00
		79	0	21.24	22.61	< 30.00
		1	78	21.32	22.69	< 30.00
		1	0	21.19	22.56	< 30.00
1745.0	15	39	19	22.77	24.14	< 30.00
		1	1	22.99	24.36	< 30.00
		1	77	23.01	24.38	< 30.00
		79	0	21.34	22.71	< 30.00
		1	78	21.44	22.81	< 30.00
		1	0	21.29	22.66	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
1772.5	15	39	19	22.83	24.20	< 30.00
		1	1	23.13	24.50	< 30.00
		1	77	23.24	24.61	< 30.00
		79	0	21.48	22.85	< 30.00
		1	78	21.56	22.93	< 30.00
		1	0	21.45	22.82	< 30.00
1720.0	20	53	26	22.83	24.20	< 30.00
		1	1	22.85	24.22	< 30.00
		1	104	23.06	24.43	< 30.00
		106	0	21.31	22.68	< 30.00
		1	105	21.31	22.68	< 30.00
		1	0	21.12	22.49	< 30.00
1745.0	20	53	26	22.84	24.21	< 30.00
		1	1	23.01	24.38	< 30.00
		1	104	22.83	24.20	< 30.00
		106	0	21.33	22.70	< 30.00
		1	105	21.43	22.80	< 30.00
		1	0	21.36	22.73	< 30.00
1770.0	20	53	26	22.88	24.25	< 30.00
		1	1	23.06	24.43	< 30.00
		1	104	23.24	24.61	< 30.00
		106	0	21.45	22.82	< 30.00
		1	105	21.63	23.00	< 30.00
		1	0	21.39	22.76	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
1722.5	25	67	33	21.62	22.99	< 30.00
		1	1	21.75	23.12	< 30.00
		1	131	21.87	23.24	< 30.00
		133	0	20.21	21.58	< 30.00
		1	132	20.46	21.83	< 30.00
		1	0	20.55	21.92	< 30.00
1745.0	25	67	33	21.78	23.15	< 30.00
		1	1	21.86	23.23	< 30.00
		1	131	21.93	23.30	< 30.00
		133	0	20.39	21.76	< 30.00
		1	132	20.47	21.84	< 30.00
		1	0	20.65	22.02	< 30.00
1767.5	25	67	33	21.92	23.29	< 30.00
		1	1	21.91	23.28	< 30.00
		1	131	22.09	23.46	< 30.00
		133	0	20.49	21.86	< 30.00
		1	132	20.49	21.86	< 30.00
		1	0	20.86	22.23	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
1725.0	30	80	40	22.80	24.17	< 30.00
		1	1	22.80	24.17	< 30.00
		1	158	22.95	24.32	< 30.00
		160	0	21.30	22.67	< 30.00
		1	159	21.33	22.70	< 30.00
		1	0	21.15	22.52	< 30.00
1745.0	30	80	40	22.89	24.26	< 30.00
		1	1	23.00	24.37	< 30.00
		1	158	23.09	24.46	< 30.00
		160	0	21.41	22.78	< 30.00
		1	159	21.39	22.76	< 30.00
		1	0	21.30	22.67	< 30.00
1765.0	30	80	40	23.03	24.40	< 30.00
		1	1	23.09	24.46	< 30.00
		1	158	23.23	24.60	< 30.00
		160	0	21.48	22.85	< 30.00
		1	159	21.90	23.27	< 30.00
		1	0	21.34	22.71	< 30.00
1730.0	40	108	54	22.91	24.28	< 30.00
		1	1	22.85	24.22	< 30.00
		1	214	23.03	24.40	< 30.00
		216	0	21.32	22.69	< 30.00
		1	215	21.29	22.66	< 30.00
		1	0	21.22	22.59	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM QPSK						
1745.0	40	108	54	22.96	24.33	< 30.00
		1	1	22.87	24.24	< 30.00
		1	214	23.21	24.58	< 30.00
		216	0	21.33	22.70	< 30.00
		1	215	21.35	22.72	< 30.00
		1	0	21.34	22.71	< 30.00
1760.0	40	108	54	22.95	24.32	< 30.00
		1	1	22.92	24.29	< 30.00
		1	214	23.38	24.75	< 30.00
		216	0	21.36	22.73	< 30.00
		1	215	21.48	22.85	< 30.00
		1	0	21.25	22.62	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
1712.5	5	13	6	22.23	23.60	< 30.00
		1	1	22.37	23.74	< 30.00
		1	23	22.39	23.76	< 30.00
		25	0	21.10	22.47	< 30.00
		1	0	21.21	22.58	< 30.00
		1	24	21.11	22.48	< 30.00
1745.0	5	13	6	22.29	23.66	< 30.00
		1	1	22.05	23.42	< 30.00
		1	23	22.18	23.55	< 30.00
		25	0	21.21	22.58	< 30.00
		1	0	21.04	22.41	< 30.00
		1	24	21.03	22.40	< 30.00
1777.5	5	13	6	22.51	23.88	< 30.00
		1	1	22.36	23.73	< 30.00
		1	23	22.36	23.73	< 30.00
		25	0	21.33	22.70	< 30.00
		1	0	21.27	22.64	< 30.00
		1	24	21.24	22.61	< 30.00
1715.0	10	26	13	22.24	23.61	< 30.00
		1	1	22.12	23.49	< 30.00
		1	50	22.50	23.87	< 30.00
		52	0	21.08	22.45	< 30.00
		1	51	21.27	22.64	< 30.00
		1	0	21.20	22.57	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
1745.0	10	26	13	22.26	23.63	< 30.00
		1	1	22.48	23.85	< 30.00
		1	50	22.55	23.92	< 30.00
		52	0	21.20	22.57	< 30.00
		1	51	21.29	22.66	< 30.00
		1	0	21.19	22.56	< 30.00
1775.0	10	26	13	22.39	23.76	< 30.00
		1	1	22.18	23.55	< 30.00
		1	50	22.42	23.79	< 30.00
		52	0	21.32	22.69	< 30.00
		1	51	21.19	22.56	< 30.00
		1	0	21.19	22.56	< 30.00
1717.5	15	39	19	22.21	23.58	< 30.00
		1	1	22.52	23.89	< 30.00
		1	77	22.63	24.00	< 30.00
		79	0	21.38	22.75	< 30.00
		1	78	21.18	22.55	< 30.00
		1	0	21.01	22.38	< 30.00
1745.0	15	39	19	22.35	23.72	< 30.00
		1	1	22.23	23.60	< 30.00
		1	77	22.23	23.60	< 30.00
		79	0	21.39	22.76	< 30.00
		1	78	21.35	22.72	< 30.00
		1	0	21.14	22.51	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
1772.5	15	39	19	22.48	23.85	< 30.00
		1	1	22.33	23.70	< 30.00
		1	77	22.49	23.86	< 30.00
		79	0	21.60	22.97	< 30.00
		1	78	21.15	22.52	< 30.00
		1	0	21.29	22.66	< 30.00
1720.0	20	53	26	22.19	23.56	< 30.00
		1	1	22.24	23.61	< 30.00
		1	104	22.57	23.94	< 30.00
		106	0	21.27	22.64	< 30.00
		1	105	21.35	22.72	< 30.00
		1	0	21.27	22.64	< 30.00
1745.0	20	53	26	22.29	23.66	< 30.00
		1	1	22.56	23.93	< 30.00
		1	104	22.78	24.15	< 30.00
		106	0	21.34	22.71	< 30.00
		1	105	21.60	22.97	< 30.00
		1	0	21.34	22.71	< 30.00
1770.0	20	53	26	22.42	23.79	< 30.00
		1	1	22.22	23.59	< 30.00
		1	104	22.50	23.87	< 30.00
		106	0	21.42	22.79	< 30.00
		1	105	21.45	22.82	< 30.00
		1	0	21.26	22.63	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
1722.5	25	67	33	21.12	22.49	< 30.00
		1	1	21.60	22.97	< 30.00
		1	131	21.70	23.07	< 30.00
		133	0	20.24	21.61	< 30.00
		1	132	20.18	21.55	< 30.00
		1	0	20.27	21.64	< 30.00
1745.0	25	67	33	21.23	22.60	< 30.00
		1	1	21.40	22.77	< 30.00
		1	131	21.61	22.98	< 30.00
		133	0	20.32	21.69	< 30.00
		1	132	20.69	22.06	< 30.00
		1	0	20.95	22.32	< 30.00
1767.5	25	67	33	21.38	22.75	< 30.00
		1	1	21.50	22.87	< 30.00
		1	131	21.80	23.17	< 30.00
		133	0	20.55	21.92	< 30.00
		1	132	20.78	22.15	< 30.00
		1	0	21.14	22.51	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
1725.0	30	80	40	22.28	23.65	< 30.00
		1	1	22.51	23.88	< 30.00
		1	158	22.63	24.00	< 30.00
		160	0	21.31	22.68	< 30.00
		1	159	21.40	22.77	< 30.00
		1	0	21.28	22.65	< 30.00
1745.0	30	80	40	22.35	23.72	< 30.00
		1	1	22.11	23.48	< 30.00
		1	158	21.88	23.25	< 30.00
		160	0	21.31	22.68	< 30.00
		1	159	21.15	22.52	< 30.00
		1	0	21.14	22.51	< 30.00
1765.0	30	80	40	22.41	23.78	< 30.00
		1	1	22.26	23.63	< 30.00
		1	158	22.46	23.83	< 30.00
		160	0	21.40	22.77	< 30.00
		1	159	21.40	22.77	< 30.00
		1	0	21.21	22.58	< 30.00
1730.0	40	108	54	22.30	23.67	< 30.00
		1	1	21.74	23.11	< 30.00
		1	214	22.21	23.58	< 30.00
		216	0	21.33	22.70	< 30.00
		1	215	21.16	22.53	< 30.00
		1	0	21.07	22.44	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 16QAM						
1745.0	40	108	54	22.33	23.70	< 30.00
		1	1	22.06	23.43	< 30.00
		1	214	22.25	23.62	< 30.00
		216	0	21.36	22.73	< 30.00
		1	215	21.21	22.58	< 30.00
		1	0	21.15	22.52	< 30.00
1760.0	40	108	54	22.42	23.79	< 30.00
		1	1	22.18	23.55	< 30.00
		1	214	22.50	23.87	< 30.00
		216	0	21.39	22.76	< 30.00
		1	215	21.39	22.76	< 30.00
		1	0	21.07	22.44	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
1712.5	5	13	6	20.70	22.07	< 30.00
		1	1	20.52	21.89	< 30.00
		1	23	20.57	21.94	< 30.00
		25	0	20.57	21.94	< 30.00
		1	0	20.56	21.93	< 30.00
		1	24	20.55	21.92	< 30.00
1745.0	5	13	6	20.78	22.15	< 30.00
		1	1	20.66	22.03	< 30.00
		1	23	20.68	22.05	< 30.00
		25	0	20.61	21.98	< 30.00
		1	0	20.70	22.07	< 30.00
		1	24	20.63	22.00	< 30.00
1777.5	5	13	6	21.11	22.48	< 30.00
		1	1	20.83	22.20	< 30.00
		1	23	20.99	22.36	< 30.00
		25	0	20.91	22.28	< 30.00
		1	0	20.99	22.36	< 30.00
		1	24	20.98	22.35	< 30.00
1715.0	10	26	13	20.65	22.02	< 30.00
		1	1	20.47	21.84	< 30.00
		1	50	20.58	21.95	< 30.00
		52	0	20.67	22.04	< 30.00
		1	51	20.66	22.03	< 30.00
		1	0	20.61	21.98	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
1745.0	10	26	13	20.73	22.10	< 30.00
		1	1	20.67	22.04	< 30.00
		1	50	20.94	22.31	< 30.00
		52	0	20.74	22.11	< 30.00
		1	51	20.73	22.10	< 30.00
		1	0	20.76	22.13	< 30.00
1775.0	10	26	13	20.87	22.24	< 30.00
		1	1	20.86	22.23	< 30.00
		1	50	20.96	22.33	< 30.00
		52	0	20.93	22.30	< 30.00
		1	51	20.90	22.27	< 30.00
		1	0	20.82	22.19	< 30.00
1717.5	15	39	19	20.73	22.10	< 30.00
		1	1	20.70	22.07	< 30.00
		1	77	20.84	22.21	< 30.00
		79	0	20.72	22.09	< 30.00
		1	78	20.82	22.19	< 30.00
		1	0	20.79	22.16	< 30.00
1745.0	15	39	19	20.86	22.23	< 30.00
		1	1	20.76	22.13	< 30.00
		1	77	20.94	22.31	< 30.00
		79	0	20.79	22.16	< 30.00
		1	78	20.95	22.32	< 30.00
		1	0	20.86	22.23	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
1772.5	15	39	19	21.00	22.37	< 30.00
		1	1	20.84	22.21	< 30.00
		1	77	21.15	22.52	< 30.00
		79	0	21.00	22.37	< 30.00
		1	78	21.12	22.49	< 30.00
		1	0	20.93	22.30	< 30.00
1720.0	20	53	26	20.83	22.20	< 30.00
		1	1	20.69	22.06	< 30.00
		1	104	20.86	22.23	< 30.00
		106	0	20.74	22.11	< 30.00
		1	105	20.86	22.23	< 30.00
		1	0	20.73	22.10	< 30.00
1745.0	20	53	26	20.82	22.19	< 30.00
		1	1	20.84	22.21	< 30.00
		1	104	20.95	22.32	< 30.00
		106	0	20.92	22.29	< 30.00
		1	105	20.89	22.26	< 30.00
		1	0	20.82	22.19	< 30.00
1770.0	20	53	26	21.00	22.37	< 30.00
		1	1	20.89	22.26	< 30.00
		1	104	21.17	22.54	< 30.00
		106	0	21.02	22.39	< 30.00
		1	105	21.23	22.60	< 30.00
		1	0	20.88	22.25	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
1722.5	25	67	33	19.80	21.17	< 30.00
		1	1	19.67	21.04	< 30.00
		1	131	19.87	21.24	< 30.00
		133	0	19.73	21.10	< 30.00
		1	132	19.78	21.15	< 30.00
		1	0	19.95	21.32	< 30.00
1745.0	25	67	33	19.83	21.20	< 30.00
		1	1	19.73	21.10	< 30.00
		1	131	20.12	21.49	< 30.00
		133	0	19.83	21.20	< 30.00
		1	132	19.87	21.24	< 30.00
		1	0	20.07	21.44	< 30.00
1767.5	25	67	33	20.04	21.41	< 30.00
		1	1	19.98	21.35	< 30.00
		1	131	20.16	21.53	< 30.00
		133	0	19.95	21.32	< 30.00
		1	132	19.94	21.31	< 30.00
		1	0	20.27	21.64	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
1725.0	30	80	40	20.77	22.14	< 30.00
		1	1	20.61	21.98	< 30.00
		1	158	20.77	22.14	< 30.00
		160	0	20.83	22.20	< 30.00
		1	159	20.76	22.13	< 30.00
		1	0	20.64	22.01	< 30.00
1745.0	30	80	40	20.85	22.22	< 30.00
		1	1	20.79	22.16	< 30.00
		1	158	20.90	22.27	< 30.00
		160	0	20.85	22.22	< 30.00
		1	159	20.87	22.24	< 30.00
		1	0	20.79	22.16	< 30.00
1765.0	30	80	40	20.94	22.31	< 30.00
		1	1	20.84	22.21	< 30.00
		1	158	21.00	22.37	< 30.00
		160	0	20.96	22.33	< 30.00
		1	159	21.07	22.44	< 30.00
		1	0	20.85	22.22	< 30.00
1730.0	40	108	54	20.86	22.23	< 30.00
		1	1	20.65	22.02	< 30.00
		1	214	20.81	22.18	< 30.00
		216	0	20.82	22.19	< 30.00
		1	215	20.81	22.18	< 30.00
		1	0	20.71	22.08	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 64QAM						
1745.0	40	108	54	20.84	22.21	< 30.00
		1	1	20.47	21.84	< 30.00
		1	214	20.63	22.00	< 30.00
		216	0	20.87	22.24	< 30.00
		1	215	20.90	22.27	< 30.00
		1	0	20.77	22.14	< 30.00
1760.0	40	108	54	20.92	22.29	< 30.00
		1	1	20.77	22.14	< 30.00
		1	214	21.03	22.40	< 30.00
		216	0	20.92	22.29	< 30.00
		1	215	21.06	22.43	< 30.00
		1	0	20.71	22.08	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
1712.5	5	13	6	17.77	19.14	< 30.00
		1	1	17.37	18.74	< 30.00
		1	23	17.32	18.69	< 30.00
		25	0	17.54	18.91	< 30.00
		1	0	17.37	18.74	< 30.00
		1	24	17.31	18.68	< 30.00
1745.0	5	13	6	17.92	19.29	< 30.00
		1	1	17.50	18.87	< 30.00
		1	23	17.53	18.90	< 30.00
		25	0	17.68	19.05	< 30.00
		1	0	17.49	18.86	< 30.00
		1	24	17.42	18.79	< 30.00
1777.5	5	13	6	18.16	19.53	< 30.00
		1	1	17.66	19.03	< 30.00
		1	23	17.71	19.08	< 30.00
		25	0	17.88	19.25	< 30.00
		1	0	17.66	19.03	< 30.00
		1	24	17.58	18.95	< 30.00
1715.0	10	26	13	17.56	18.93	< 30.00
		1	1	17.50	18.87	< 30.00
		1	50	17.56	18.93	< 30.00
		52	0	17.64	19.01	< 30.00
		1	51	17.60	18.97	< 30.00
		1	0	17.42	18.79	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
1745.0	10	26	13	17.62	18.99	< 30.00
		1	1	17.59	18.96	< 30.00
		1	50	17.58	18.95	< 30.00
		52	0	17.66	19.03	< 30.00
		1	51	17.55	18.92	< 30.00
		1	0	17.61	18.98	< 30.00
1775.0	10	26	13	17.83	19.20	< 30.00
		1	1	17.59	18.96	< 30.00
		1	50	17.78	19.15	< 30.00
		52	0	17.79	19.16	< 30.00
		1	51	17.66	19.03	< 30.00
		1	0	17.65	19.02	< 30.00
1717.5	15	39	19	17.69	19.06	< 30.00
		1	1	17.55	18.92	< 30.00
		1	77	17.69	19.06	< 30.00
		79	0	17.72	19.09	< 30.00
		1	78	17.64	19.01	< 30.00
		1	0	17.50	18.87	< 30.00
1745.0	15	39	19	17.74	19.11	< 30.00
		1	1	17.58	18.95	< 30.00
		1	77	17.68	19.05	< 30.00
		79	0	17.80	19.17	< 30.00
		1	78	17.67	19.04	< 30.00
		1	0	17.59	18.96	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
1772.5	15	39	19	17.93	19.30	< 30.00
		1	1	17.59	18.96	< 30.00
		1	77	17.85	19.22	< 30.00
		79	0	17.99	19.36	< 30.00
		1	78	18.10	19.47	< 30.00
		1	0	17.66	19.03	< 30.00
1720.0	20	53	26	17.72	19.09	< 30.00
		1	1	17.59	18.96	< 30.00
		1	104	17.74	19.11	< 30.00
		106	0	17.71	19.08	< 30.00
		1	105	17.68	19.05	< 30.00
		1	0	17.52	18.89	< 30.00
1745.0	20	53	26	17.75	19.12	< 30.00
		1	1	17.63	19.00	< 30.00
		1	104	17.79	19.16	< 30.00
		106	0	17.78	19.15	< 30.00
		1	105	17.66	19.03	< 30.00
		1	0	17.64	19.01	< 30.00
1770.0	20	53	26	17.94	19.31	< 30.00
		1	1	17.72	19.09	< 30.00
		1	104	17.82	19.19	< 30.00
		106	0	17.88	19.25	< 30.00
		1	105	17.81	19.18	< 30.00
		1	0	17.63	19.00	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
1722.5	25	67	33	16.79	18.16	< 30.00
		1	1	17.19	18.56	< 30.00
		1	131	17.43	18.80	< 30.00
		133	0	16.87	18.24	< 30.00
		1	132	17.29	18.66	< 30.00
		1	0	17.48	18.85	< 30.00
1745.0	25	67	33	16.91	18.28	< 30.00
		1	1	17.64	19.01	< 30.00
		1	131	17.73	19.10	< 30.00
		133	0	16.93	18.30	< 30.00
		1	132	17.62	18.99	< 30.00
		1	0	17.81	19.18	< 30.00
1767.5	25	67	33	17.03	18.40	< 30.00
		1	1	17.53	18.90	< 30.00
		1	131	17.83	19.20	< 30.00
		133	0	17.09	18.46	< 30.00
		1	132	17.61	18.98	< 30.00
		1	0	18.01	19.38	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
1725.0	30	80	40	17.87	19.24	< 30.00
		1	1	17.64	19.01	< 30.00
		1	158	17.78	19.15	< 30.00
		160	0	17.73	19.10	< 30.00
		1	159	17.74	19.11	< 30.00
		1	0	17.53	18.90	< 30.00
1745.0	30	80	40	17.86	19.23	< 30.00
		1	1	17.54	18.91	< 30.00
		1	158	17.80	19.17	< 30.00
		160	0	17.93	19.30	< 30.00
		1	159	17.79	19.16	< 30.00
		1	0	17.48	18.85	< 30.00
1765.0	30	80	40	17.97	19.34	< 30.00
		1	1	17.65	19.02	< 30.00
		1	158	17.95	19.32	< 30.00
		160	0	18.05	19.42	< 30.00
		1	159	17.95	19.32	< 30.00
		1	0	17.67	19.04	< 30.00
1730.0	40	108	54	17.82	19.19	< 30.00
		1	1	17.56	18.93	< 30.00
		1	214	17.88	19.25	< 30.00
		216	0	17.71	19.08	< 30.00
		1	215	17.88	19.25	< 30.00
		1	0	17.50	18.87	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	EIRP (dBm)	Limit (dBm)
CP OFDM 256QAM						
1745.0	40	108	54	17.91	19.28	< 30.00
		1	1	17.47	18.84	< 30.00
		1	214	17.83	19.20	< 30.00
		216	0	17.85	19.22	< 30.00
		1	215	17.83	19.20	< 30.00
		1	0	17.44	18.81	< 30.00
1760.0	40	108	54	17.91	19.28	< 30.00
		1	1	17.68	19.05	< 30.00
		1	214	17.91	19.28	< 30.00
		216	0	17.99	19.36	< 30.00
		1	215	17.80	19.17	< 30.00
		1	0	17.55	18.92	< 30.00
Note: The EIRP (dBm) = Output Power (dBm) + Antenna Gain (dBi)						

Test Site	SIP-SR1	Test Engineer	Cloud Guo
Test Date	2022/05/03 ~ 2022/07/15	Test Band	n71_SA

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
665.5	5	12	6	23.03	22.06	< 34.77
		1	1	23.04	22.07	< 34.77
		1	23	22.99	22.02	< 34.77
		25	0	23.04	22.07	< 34.77
		1	24	23.01	22.04	< 34.77
		1	0	23.01	22.04	< 34.77
680.5	5	12	6	23.22	22.25	< 34.77
		1	1	23.02	22.05	< 34.77
		1	23	23.06	22.09	< 34.77
		25	0	23.11	22.14	< 34.77
		1	24	23.08	22.11	< 34.77
		1	0	23.01	22.04	< 34.77
695.5	5	12	6	23.10	22.13	< 34.77
		1	1	23.03	22.06	< 34.77
		1	23	23.05	22.08	< 34.77
		25	0	23.15	22.18	< 34.77
		1	24	23.08	22.11	< 34.77
		1	0	22.95	21.98	< 34.77
668.0	10	25	12	23.06	22.09	< 34.77
		1	1	22.99	22.02	< 34.77
		1	50	23.02	22.05	< 34.77
		50	0	23.13	22.16	< 34.77
		1	51	22.96	21.99	< 34.77
		1	0	23.05	22.08	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
680.5	10	25	12	23.12	22.15	< 34.77
		1	1	23.00	22.03	< 34.77
		1	50	23.10	22.13	< 34.77
		50	0	23.13	22.16	< 34.77
		1	51	23.16	22.19	< 34.77
		1	0	23.04	22.07	< 34.77
693.0	10	25	12	23.20	22.23	< 34.77
		1	1	23.11	22.14	< 34.77
		1	50	23.05	22.08	< 34.77
		50	0	23.16	22.19	< 34.77
		1	51	23.13	22.16	< 34.77
		1	0	23.08	22.11	< 34.77
670.5	15	36	18	23.30	22.33	< 34.77
		1	1	23.04	22.07	< 34.77
		1	77	23.20	22.23	< 34.77
		75	0	23.33	22.36	< 34.77
		1	78	23.18	22.21	< 34.77
		1	0	23.05	22.08	< 34.77
680.5	15	36	18	23.29	22.32	< 34.77
		1	1	23.14	22.17	< 34.77
		1	77	23.23	22.26	< 34.77
		75	0	23.35	22.38	< 34.77
		1	78	23.09	22.12	< 34.77
		1	0	23.17	22.20	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM PI/2 BPSK						
690.5	15	36	18	23.34	22.37	< 34.77
		1	1	23.21	22.24	< 34.77
		1	77	23.05	22.08	< 34.77
		75	0	23.34	22.37	< 34.77
		1	78	23.02	22.05	< 34.77
		1	0	23.23	22.26	< 34.77
673.0	20	50	25	23.34	22.37	< 34.77
		1	1	23.08	22.11	< 34.77
		1	104	23.21	22.24	< 34.77
		100	0	23.40	22.43	< 34.77
		1	105	23.23	22.26	< 34.77
		1	0	23.08	22.11	< 34.77
680.5	20	50	25	23.37	22.40	< 34.77
		1	1	23.16	22.19	< 34.77
		1	104	23.28	22.31	< 34.77
		100	0	23.35	22.38	< 34.77
		1	105	23.20	22.23	< 34.77
		1	0	23.13	22.16	< 34.77
688.0	20	50	25	23.39	22.42	< 34.77
		1	1	23.30	22.33	< 34.77
		1	104	23.16	22.19	< 34.77
		100	0	23.22	22.25	< 34.77
		1	105	23.14	22.17	< 34.77
		1	0	23.34	22.37	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
665.5	5	12	6	23.09	22.12	< 34.77
		1	1	23.35	22.38	< 34.77
		1	23	23.08	22.11	< 34.77
		25	0	23.15	22.18	< 34.77
		1	24	23.11	22.14	< 34.77
		1	0	23.13	22.16	< 34.77
680.5	5	12	6	23.12	22.15	< 34.77
		1	1	23.30	22.33	< 34.77
		1	23	23.31	22.34	< 34.77
		25	0	23.15	22.18	< 34.77
		1	24	23.09	22.12	< 34.77
		1	0	23.05	22.08	< 34.77
695.5	5	12	6	23.11	22.14	< 34.77
		1	1	23.19	22.22	< 34.77
		1	23	23.20	22.23	< 34.77
		25	0	23.12	22.15	< 34.77
		1	24	23.12	22.15	< 34.77
		1	0	23.18	22.21	< 34.77
668.0	10	25	12	23.09	22.12	< 34.77
		1	1	23.26	22.29	< 34.77
		1	50	23.14	22.17	< 34.77
		50	0	23.07	22.10	< 34.77
		1	51	23.08	22.11	< 34.77
		1	0	23.06	22.09	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
680.5	10	25	12	23.17	22.20	< 34.77
		1	1	23.20	22.23	< 34.77
		1	50	23.37	22.40	< 34.77
		50	0	23.18	22.21	< 34.77
		1	51	23.31	22.34	< 34.77
		1	0	23.15	22.18	< 34.77
693.0	10	25	12	23.18	22.21	< 34.77
		1	1	23.40	22.43	< 34.77
		1	50	23.20	22.23	< 34.77
		50	0	23.20	22.23	< 34.77
		1	51	23.27	22.30	< 34.77
		1	0	23.23	22.26	< 34.77
670.5	15	36	18	23.25	22.28	< 34.77
		1	1	23.31	22.34	< 34.77
		1	77	23.39	22.42	< 34.77
		75	0	23.35	22.38	< 34.77
		1	78	23.42	22.45	< 34.77
		1	0	23.09	22.12	< 34.77
680.5	15	36	18	23.25	22.28	< 34.77
		1	1	23.33	22.36	< 34.77
		1	77	23.31	22.34	< 34.77
		75	0	23.29	22.32	< 34.77
		1	78	23.15	22.18	< 34.77
		1	0	23.25	22.28	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM QPSK						
690.5	15	36	18	23.28	22.31	< 34.77
		1	1	23.36	22.39	< 34.77
		1	77	23.23	22.26	< 34.77
		75	0	23.29	22.32	< 34.77
		1	78	23.24	22.27	< 34.77
		1	0	23.38	22.41	< 34.77
673.0	20	50	25	23.39	22.42	< 34.77
		1	1	23.13	22.16	< 34.77
		1	104	23.32	22.35	< 34.77
		100	0	23.34	22.37	< 34.77
		1	105	23.34	22.37	< 34.77
		1	0	23.19	22.22	< 34.77
680.5	20	50	25	23.36	22.39	< 34.77
		1	1	23.23	22.26	< 34.77
		1	104	23.33	22.36	< 34.77
		100	0	23.30	22.33	< 34.77
		1	105	23.27	22.30	< 34.77
		1	0	23.21	22.24	< 34.77
688.0	20	50	25	23.34	22.37	< 34.77
		1	1	23.49	22.52	< 34.77
		1	104	23.25	22.28	< 34.77
		100	0	23.28	22.31	< 34.77
		1	105	23.23	22.26	< 34.77
		1	0	23.60	22.63	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
665.5	5	12	6	22.99	22.02	< 34.77
		1	1	23.37	22.40	< 34.77
		1	23	23.34	22.37	< 34.77
		25	0	21.99	21.02	< 34.77
		1	24	22.29	21.32	< 34.77
		1	0	22.31	21.34	< 34.77
680.5	5	12	6	23.06	22.09	< 34.77
		1	1	23.34	22.37	< 34.77
		1	23	23.36	22.39	< 34.77
		25	0	22.11	21.14	< 34.77
		1	24	22.29	21.32	< 34.77
		1	0	22.26	21.29	< 34.77
695.5	5	12	6	23.00	22.03	< 34.77
		1	1	23.40	22.43	< 34.77
		1	23	23.39	22.42	< 34.77
		25	0	22.07	21.10	< 34.77
		1	24	22.35	21.38	< 34.77
		1	0	22.28	21.31	< 34.77
668.0	10	25	12	22.95	21.98	< 34.77
		1	1	23.33	22.36	< 34.77
		1	50	23.38	22.41	< 34.77
		50	0	21.97	21.00	< 34.77
		1	51	22.36	21.39	< 34.77
		1	0	22.29	21.32	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
680.5	10	25	12	23.10	22.13	< 34.77
		1	1	23.31	22.34	< 34.77
		1	50	23.50	22.53	< 34.77
		50	0	22.09	21.12	< 34.77
		1	51	22.41	21.44	< 34.77
		1	0	22.23	21.26	< 34.77
693.0	10	25	12	23.22	22.25	< 34.77
		1	1	23.16	22.19	< 34.77
		1	50	23.14	22.17	< 34.77
		50	0	22.21	21.24	< 34.77
		1	51	22.44	21.47	< 34.77
		1	0	22.41	21.44	< 34.77
670.5	15	36	18	23.20	22.23	< 34.77
		1	1	23.30	22.33	< 34.77
		1	77	23.51	22.54	< 34.77
		75	0	22.29	21.32	< 34.77
		1	78	22.47	21.50	< 34.77
		1	0	22.26	21.29	< 34.77
680.5	15	36	18	23.31	22.34	< 34.77
		1	1	23.13	22.16	< 34.77
		1	77	23.09	22.12	< 34.77
		75	0	22.28	21.31	< 34.77
		1	78	22.28	21.31	< 34.77
		1	0	22.41	21.44	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 16QAM						
690.5	15	36	18	23.32	22.35	< 34.77
		1	1	23.57	22.60	< 34.77
		1	77	23.42	22.45	< 34.77
		75	0	22.24	21.27	< 34.77
		1	78	22.40	21.43	< 34.77
		1	0	22.54	21.57	< 34.77
673.0	20	50	25	23.37	22.40	< 34.77
		1	1	23.38	22.41	< 34.77
		1	104	23.55	22.58	< 34.77
		100	0	22.37	21.40	< 34.77
		1	105	22.48	21.51	< 34.77
		1	0	22.37	21.40	< 34.77
680.5	20	50	25	23.28	22.31	< 34.77
		1	1	23.05	22.08	< 34.77
		1	104	23.25	22.28	< 34.77
		100	0	22.34	21.37	< 34.77
		1	105	22.30	21.33	< 34.77
		1	0	22.34	21.37	< 34.77
688.0	20	50	25	23.22	22.25	< 34.77
		1	1	23.54	22.57	< 34.77
		1	104	23.20	22.23	< 34.77
		100	0	22.26	21.29	< 34.77
		1	105	22.39	21.42	< 34.77
		1	0	22.53	21.56	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
665.5	5	12	6	21.57	20.60	< 34.77
		1	1	21.73	20.76	< 34.77
		1	23	21.70	20.73	< 34.77
		25	0	21.57	20.60	< 34.77
		1	24	21.73	20.76	< 34.77
		1	0	21.72	20.75	< 34.77
680.5	5	12	6	21.66	20.69	< 34.77
		1	1	21.57	20.60	< 34.77
		1	23	21.70	20.73	< 34.77
		25	0	21.63	20.66	< 34.77
		1	24	21.73	20.76	< 34.77
		1	0	21.60	20.63	< 34.77
695.5	5	12	6	21.66	20.69	< 34.77
		1	1	21.79	20.82	< 34.77
		1	23	21.70	20.73	< 34.77
		25	0	21.66	20.69	< 34.77
		1	24	21.74	20.77	< 34.77
		1	0	21.82	20.85	< 34.77
668.0	10	25	12	21.56	20.59	< 34.77
		1	1	21.79	20.82	< 34.77
		1	50	21.75	20.78	< 34.77
		50	0	21.45	20.48	< 34.77
		1	51	21.74	20.77	< 34.77
		1	0	21.70	20.73	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
680.5	10	25	12	21.69	20.72	< 34.77
		1	1	21.83	20.86	< 34.77
		1	50	21.94	20.97	< 34.77
		50	0	21.63	20.66	< 34.77
		1	51	21.92	20.95	< 34.77
		1	0	21.72	20.75	< 34.77
693.0	10	25	12	21.70	20.73	< 34.77
		1	1	21.72	20.75	< 34.77
		1	50	21.73	20.76	< 34.77
		50	0	21.75	20.78	< 34.77
		1	51	21.72	20.75	< 34.77
		1	0	21.70	20.73	< 34.77
670.5	15	36	18	21.70	20.73	< 34.77
		1	1	21.81	20.84	< 34.77
		1	77	21.97	21.00	< 34.77
		75	0	21.66	20.69	< 34.77
		1	78	22.06	21.09	< 34.77
		1	0	21.77	20.80	< 34.77
680.5	15	36	18	21.85	20.88	< 34.77
		1	1	21.96	20.99	< 34.77
		1	77	21.92	20.95	< 34.77
		75	0	21.80	20.83	< 34.77
		1	78	21.86	20.89	< 34.77
		1	0	21.90	20.93	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 64QAM						
690.5	15	36	18	21.80	20.83	< 34.77
		1	1	21.94	20.97	< 34.77
		1	77	21.84	20.87	< 34.77
		75	0	21.79	20.82	< 34.77
		1	78	21.86	20.89	< 34.77
		1	0	22.01	21.04	< 34.77
673.0	20	50	25	21.85	20.88	< 34.77
		1	1	21.87	20.90	< 34.77
		1	104	22.02	21.05	< 34.77
		100	0	21.86	20.89	< 34.77
		1	105	21.96	20.99	< 34.77
		1	0	21.85	20.88	< 34.77
680.5	20	50	25	21.84	20.87	< 34.77
		1	1	21.89	20.92	< 34.77
		1	104	22.14	21.17	< 34.77
		100	0	21.81	20.84	< 34.77
		1	105	22.08	21.11	< 34.77
		1	0	21.82	20.85	< 34.77
688.0	20	50	25	21.75	20.78	< 34.77
		1	1	22.01	21.04	< 34.77
		1	104	21.79	20.82	< 34.77
		100	0	21.66	20.69	< 34.77
		1	105	21.81	20.84	< 34.77
		1	0	22.08	21.11	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
665.5	5	12	6	19.56	18.59	< 34.77
		1	1	19.23	18.26	< 34.77
		1	23	19.20	18.23	< 34.77
		25	0	19.52	18.55	< 34.77
		1	24	19.19	18.22	< 34.77
		1	0	19.23	18.26	< 34.77
680.5	5	12	6	19.53	18.56	< 34.77
		1	1	19.32	18.35	< 34.77
		1	23	19.32	18.35	< 34.77
		25	0	19.62	18.65	< 34.77
		1	24	19.24	18.27	< 34.77
		1	0	19.34	18.37	< 34.77
695.5	5	12	6	19.52	18.55	< 34.77
		1	1	19.38	18.41	< 34.77
		1	23	19.33	18.36	< 34.77
		25	0	19.55	18.58	< 34.77
		1	24	19.29	18.32	< 34.77
		1	0	19.28	18.31	< 34.77
668.0	10	25	12	19.59	18.62	< 34.77
		1	1	19.20	18.23	< 34.77
		1	50	19.21	18.24	< 34.77
		50	0	19.57	18.60	< 34.77
		1	51	19.20	18.23	< 34.77
		1	0	19.17	18.20	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
680.5	10	25	12	19.63	18.66	< 34.77
		1	1	19.27	18.30	< 34.77
		1	50	19.42	18.45	< 34.77
		50	0	19.56	18.59	< 34.77
		1	51	19.33	18.36	< 34.77
		1	0	19.40	18.43	< 34.77
693.0	10	25	12	19.67	18.70	< 34.77
		1	1	19.33	18.36	< 34.77
		1	50	19.26	18.29	< 34.77
		50	0	19.60	18.63	< 34.77
		1	51	19.21	18.24	< 34.77
		1	0	19.22	18.25	< 34.77
670.5	15	36	18	19.72	18.75	< 34.77
		1	1	19.28	18.31	< 34.77
		1	77	19.52	18.55	< 34.77
		75	0	19.66	18.69	< 34.77
		1	78	19.48	18.51	< 34.77
		1	0	19.27	18.30	< 34.77
680.5	15	36	18	19.79	18.82	< 34.77
		1	1	19.44	18.47	< 34.77
		1	77	19.49	18.52	< 34.77
		75	0	19.73	18.76	< 34.77
		1	78	19.41	18.44	< 34.77
		1	0	19.37	18.40	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
DFT-s OFDM 256QAM						
690.5	15	36	18	19.70	18.73	< 34.77
		1	1	19.44	18.47	< 34.77
		1	77	19.36	18.39	< 34.77
		75	0	19.76	18.79	< 34.77
		1	78	19.32	18.35	< 34.77
		1	0	19.51	18.54	< 34.77
673.0	20	50	25	19.84	18.87	< 34.77
		1	1	19.25	18.28	< 34.77
		1	104	19.55	18.58	< 34.77
		100	0	19.85	18.88	< 34.77
		1	105	19.54	18.57	< 34.77
		1	0	19.31	18.34	< 34.77
680.5	20	50	25	19.79	18.82	< 34.77
		1	1	19.37	18.40	< 34.77
		1	104	19.49	18.52	< 34.77
		100	0	19.79	18.82	< 34.77
		1	105	19.49	18.52	< 34.77
		1	0	19.43	18.46	< 34.77
688.0	20	50	25	19.74	18.77	< 34.77
		1	1	19.57	18.60	< 34.77
		1	104	19.44	18.47	< 34.77
		100	0	19.77	18.80	< 34.77
		1	105	19.41	18.44	< 34.77
		1	0	19.60	18.63	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
CP OFDM QPSK						
665.5	5	13	6	22.52	21.55	< 34.77
		1	1	22.82	21.85	< 34.77
		1	23	22.73	21.76	< 34.77
		25	0	21.04	20.07	< 34.77
		1	0	21.20	20.23	< 34.77
		1	24	21.07	20.10	< 34.77
680.5	5	13	6	22.48	21.51	< 34.77
		1	1	22.83	21.86	< 34.77
		1	23	22.80	21.83	< 34.77
		25	0	21.06	20.09	< 34.77
		1	0	21.14	20.17	< 34.77
		1	24	21.10	20.13	< 34.77
695.5	5	13	6	22.50	21.53	< 34.77
		1	1	22.87	21.90	< 34.77
		1	23	22.81	21.84	< 34.77
		25	0	21.05	20.08	< 34.77
		1	0	21.04	20.07	< 34.77
		1	24	21.10	20.13	< 34.77
668.0	10	26	13	22.53	21.56	< 34.77
		1	1	22.72	21.75	< 34.77
		1	50	22.85	21.88	< 34.77
		52	0	21.10	20.13	< 34.77
		1	51	20.99	20.02	< 34.77
		1	0	21.10	20.13	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
CP OFDM QPSK						
680.5	10	26	13	22.56	21.59	< 34.77
		1	1	22.82	21.85	< 34.77
		1	50	22.92	21.95	< 34.77
		52	0	21.13	20.16	< 34.77
		1	51	21.25	20.28	< 34.77
		1	0	21.16	20.19	< 34.77
693.0	10	26	13	22.61	21.64	< 34.77
		1	1	22.61	21.64	< 34.77
		1	50	22.60	21.63	< 34.77
		52	0	21.13	20.16	< 34.77
		1	51	21.09	20.12	< 34.77
		1	0	21.25	20.28	< 34.77
670.5	15	39	19	22.66	21.69	< 34.77
		1	1	22.81	21.84	< 34.77
		1	77	23.03	22.06	< 34.77
		79	0	21.30	20.33	< 34.77
		1	78	21.41	20.44	< 34.77
		1	0	21.17	20.20	< 34.77
680.5	15	39	19	22.74	21.77	< 34.77
		1	1	22.92	21.95	< 34.77
		1	77	22.96	21.99	< 34.77
		79	0	21.33	20.36	< 34.77
		1	78	21.29	20.32	< 34.77
		1	0	21.30	20.33	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
CP OFDM QPSK						
690.5	15	39	19	22.68	21.71	< 34.77
		1	1	22.72	21.75	< 34.77
		1	77	22.64	21.67	< 34.77
		79	0	21.28	20.31	< 34.77
		1	78	21.22	20.25	< 34.77
		1	0	21.33	20.36	< 34.77
673.0	20	53	26	22.94	21.97	< 34.77
		1	1	22.88	21.91	< 34.77
		1	104	23.11	22.14	< 34.77
		106	0	21.29	20.32	< 34.77
		1	105	21.32	20.35	< 34.77
		1	0	21.15	20.18	< 34.77
680.5	20	53	26	22.88	21.91	< 34.77
		1	1	22.74	21.77	< 34.77
		1	104	22.77	21.80	< 34.77
		106	0	21.34	20.37	< 34.77
		1	105	21.17	20.20	< 34.77
		1	0	21.32	20.35	< 34.77
688.0	20	53	26	22.81	21.84	< 34.77
		1	1	23.09	22.12	< 34.77
		1	104	22.79	21.82	< 34.77
		106	0	21.27	20.30	< 34.77
		1	105	21.23	20.26	< 34.77
		1	0	21.44	20.47	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
CP OFDM 16QAM						
665.5	5	13	6	22.09	21.12	< 34.77
		1	1	22.32	21.35	< 34.77
		1	23	21.98	21.01	< 34.77
		25	0	21.08	20.11	< 34.77
		1	0	20.85	19.88	< 34.77
		1	24	20.94	19.97	< 34.77
680.5	5	13	6	22.25	21.28	< 34.77
		1	1	22.33	21.36	< 34.77
		1	23	22.24	21.27	< 34.77
		25	0	21.02	20.05	< 34.77
		1	0	20.94	19.97	< 34.77
		1	24	20.94	19.97	< 34.77
695.5	5	13	6	22.33	21.36	< 34.77
		1	1	22.24	21.27	< 34.77
		1	23	22.37	21.40	< 34.77
		25	0	21.09	20.12	< 34.77
		1	0	20.88	19.91	< 34.77
		1	24	20.94	19.97	< 34.77
668.0	10	26	13	22.13	21.16	< 34.77
		1	1	22.30	21.33	< 34.77
		1	50	22.26	21.29	< 34.77
		52	0	21.00	20.03	< 34.77
		1	51	20.93	19.96	< 34.77
		1	0	20.81	19.84	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
CP OFDM 16QAM						
680.5	10	26	13	22.15	21.18	< 34.77
		1	1	22.21	21.24	< 34.77
		1	50	22.30	21.33	< 34.77
		52	0	21.06	20.09	< 34.77
		1	51	21.11	20.14	< 34.77
		1	0	20.97	20.00	< 34.77
693.0	10	26	13	22.12	21.15	< 34.77
		1	1	22.38	21.41	< 34.77
		1	50	22.27	21.30	< 34.77
		52	0	21.17	20.20	< 34.77
		1	51	21.52	20.55	< 34.77
		1	0	21.58	20.61	< 34.77
670.5	15	39	19	22.20	21.23	< 34.77
		1	1	22.35	21.38	< 34.77
		1	77	22.62	21.65	< 34.77
		79	0	21.25	20.28	< 34.77
		1	78	21.20	20.23	< 34.77
		1	0	21.02	20.05	< 34.77
680.5	15	39	19	22.32	21.35	< 34.77
		1	1	22.10	21.13	< 34.77
		1	77	22.44	21.47	< 34.77
		79	0	21.32	20.35	< 34.77
		1	78	21.44	20.47	< 34.77
		1	0	21.45	20.48	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
CP OFDM 16QAM						
690.5	15	39	19	22.26	21.29	< 34.77
		1	1	22.56	21.59	< 34.77
		1	77	22.31	21.34	< 34.77
		79	0	21.34	20.37	< 34.77
		1	78	20.81	19.84	< 34.77
		1	0	21.11	20.14	< 34.77
673.0	20	53	26	22.21	21.24	< 34.77
		1	1	22.42	21.45	< 34.77
		1	104	22.49	21.52	< 34.77
		106	0	21.30	20.33	< 34.77
		1	105	21.22	20.25	< 34.77
		1	0	21.04	20.07	< 34.77
680.5	20	53	26	22.30	21.33	< 34.77
		1	1	22.32	21.35	< 34.77
		1	104	22.53	21.56	< 34.77
		106	0	21.36	20.39	< 34.77
		1	105	21.56	20.59	< 34.77
		1	0	21.43	20.46	< 34.77
688.0	20	53	26	22.14	21.17	< 34.77
		1	1	22.58	21.61	< 34.77
		1	104	22.46	21.49	< 34.77
		106	0	21.28	20.31	< 34.77
		1	105	20.99	20.02	< 34.77
		1	0	21.27	20.30	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
CP OFDM 64QAM						
665.5	5	13	6	20.71	19.74	< 34.77
		1	1	20.66	19.69	< 34.77
		1	23	20.54	19.57	< 34.77
		25	0	20.50	19.53	< 34.77
		1	0	20.47	19.50	< 34.77
		1	24	20.62	19.65	< 34.77
680.5	5	13	6	20.67	19.70	< 34.77
		1	1	20.54	19.57	< 34.77
		1	23	20.58	19.61	< 34.77
		25	0	20.63	19.66	< 34.77
		1	0	20.65	19.68	< 34.77
		1	24	20.62	19.65	< 34.77
695.5	5	13	6	20.67	19.70	< 34.77
		1	1	20.60	19.63	< 34.77
		1	23	20.62	19.65	< 34.77
		25	0	20.63	19.66	< 34.77
		1	0	20.64	19.67	< 34.77
		1	24	20.56	19.59	< 34.77
668.0	10	26	13	20.53	19.56	< 34.77
		1	1	20.54	19.57	< 34.77
		1	50	20.55	19.58	< 34.77
		52	0	20.61	19.64	< 34.77
		1	51	20.51	19.54	< 34.77
		1	0	20.55	19.58	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
CP OFDM 64QAM						
680.5	10	26	13	20.65	19.68	< 34.77
		1	1	20.57	19.60	< 34.77
		1	50	20.74	19.77	< 34.77
		52	0	20.65	19.68	< 34.77
		1	51	20.79	19.82	< 34.77
		1	0	20.59	19.62	< 34.77
693.0	10	26	13	20.68	19.71	< 34.77
		1	1	20.79	19.82	< 34.77
		1	50	20.79	19.82	< 34.77
		52	0	20.64	19.67	< 34.77
		1	51	20.76	19.79	< 34.77
		1	0	20.85	19.88	< 34.77
670.5	15	39	19	20.76	19.79	< 34.77
		1	1	20.55	19.58	< 34.77
		1	77	20.81	19.84	< 34.77
		79	0	20.75	19.78	< 34.77
		1	78	20.84	19.87	< 34.77
		1	0	20.64	19.67	< 34.77
680.5	15	39	19	20.90	19.93	< 34.77
		1	1	20.74	19.77	< 34.77
		1	77	20.68	19.71	< 34.77
		79	0	20.81	19.84	< 34.77
		1	78	20.66	19.69	< 34.77
		1	0	21.21	20.24	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
CP OFDM 64QAM						
690.5	15	39	19	20.78	19.81	< 34.77
		1	1	20.82	19.85	< 34.77
		1	77	20.69	19.72	< 34.77
		79	0	20.75	19.78	< 34.77
		1	78	20.72	19.75	< 34.77
		1	0	20.78	19.81	< 34.77
673.0	20	53	26	20.95	19.98	< 34.77
		1	1	20.59	19.62	< 34.77
		1	104	20.89	19.92	< 34.77
		106	0	20.87	19.90	< 34.77
		1	105	20.80	19.83	< 34.77
		1	0	20.68	19.71	< 34.77
680.5	20	53	26	20.82	19.85	< 34.77
		1	1	21.06	20.09	< 34.77
		1	104	21.00	20.03	< 34.77
		106	0	20.82	19.85	< 34.77
		1	105	20.91	19.94	< 34.77
		1	0	21.01	20.04	< 34.77
688.0	20	53	26	20.78	19.81	< 34.77
		1	1	20.85	19.88	< 34.77
		1	104	20.76	19.79	< 34.77
		106	0	20.76	19.79	< 34.77
		1	105	20.68	19.71	< 34.77
		1	0	20.90	19.93	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
CP OFDM 256QAM						
665.5	5	13	6	17.70	16.73	< 34.77
		1	1	17.41	16.44	< 34.77
		1	23	17.29	16.32	< 34.77
		25	0	17.52	16.55	< 34.77
		1	0	17.39	16.42	< 34.77
		1	24	17.41	16.44	< 34.77
680.5	5	13	6	17.83	16.86	< 34.77
		1	1	17.41	16.44	< 34.77
		1	23	17.40	16.43	< 34.77
		25	0	17.56	16.59	< 34.77
		1	0	17.36	16.39	< 34.77
		1	24	17.42	16.45	< 34.77
695.5	5	13	6	17.80	16.83	< 34.77
		1	1	17.42	16.45	< 34.77
		1	23	17.38	16.41	< 34.77
		25	0	17.54	16.57	< 34.77
		1	0	17.44	16.47	< 34.77
		1	24	17.33	16.36	< 34.77
668.0	10	26	13	17.53	16.56	< 34.77
		1	1	17.33	16.36	< 34.77
		1	50	17.46	16.49	< 34.77
		52	0	17.61	16.64	< 34.77
		1	51	17.42	16.45	< 34.77
		1	0	17.33	16.36	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
CP OFDM 256QAM						
680.5	10	26	13	17.66	16.69	< 34.77
		1	1	17.46	16.49	< 34.77
		1	50	17.58	16.61	< 34.77
		52	0	17.63	16.66	< 34.77
		1	51	17.55	16.58	< 34.77
		1	0	17.45	16.48	< 34.77
693.0	10	26	13	17.62	16.65	< 34.77
		1	1	17.34	16.37	< 34.77
		1	50	17.35	16.38	< 34.77
		52	0	17.59	16.62	< 34.77
		1	51	17.28	16.31	< 34.77
		1	0	17.28	16.31	< 34.77
670.5	15	39	19	17.68	16.71	< 34.77
		1	1	17.58	16.61	< 34.77
		1	77	17.70	16.73	< 34.77
		79	0	17.83	16.86	< 34.77
		1	78	17.70	16.73	< 34.77
		1	0	17.57	16.60	< 34.77
680.5	15	39	19	17.79	16.82	< 34.77
		1	1	17.60	16.63	< 34.77
		1	77	17.71	16.74	< 34.77
		79	0	17.78	16.81	< 34.77
		1	78	17.67	16.70	< 34.77
		1	0	17.70	16.73	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)	ERP (dBm)	Limit (dBm)
CP OFDM 256QAM						
690.5	15	39	19	17.76	16.79	< 34.77
		1	1	17.63	16.66	< 34.77
		1	77	17.46	16.49	< 34.77
		79	0	17.79	16.82	< 34.77
		1	78	17.54	16.57	< 34.77
		1	0	17.71	16.74	< 34.77
673.0	20	53	26	17.84	16.87	< 34.77
		1	1	17.44	16.47	< 34.77
		1	104	17.60	16.63	< 34.77
		106	0	17.83	16.86	< 34.77
		1	105	17.62	16.65	< 34.77
		1	0	17.38	16.41	< 34.77
680.5	20	53	26	17.77	16.80	< 34.77
		1	1	17.50	16.53	< 34.77
		1	104	17.69	16.72	< 34.77
		106	0	17.80	16.83	< 34.77
		1	105	17.63	16.66	< 34.77
		1	0	17.45	16.48	< 34.77
688.0	20	53	26	17.80	16.83	< 34.77
		1	1	17.74	16.77	< 34.77
		1	104	17.67	16.70	< 34.77
		106	0	17.87	16.90	< 34.77
		1	105	17.60	16.63	< 34.77
		1	0	17.83	16.86	< 34.77
Note: The ERP (dBm) = Output Power (dBm) + Antenna Gain (dBi) - 2.15						

Test Site	SIP-SR1	Test Engineer	Cloud Guo
Test Date	2022/05/25 ~ 2022/07/10	Test Band	n38_UL MIMO

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2575.0	10	12	6	19.51	19.22	22.38	24.45	< 33.01
		1	1	19.53	19.15	22.35	24.42	< 33.01
		1	22	19.44	19.46	22.46	24.53	< 33.01
		24	0	17.97	17.81	20.90	22.97	< 33.01
		1	0	17.88	17.76	20.83	22.90	< 33.01
		1	23	17.97	17.74	20.87	22.94	< 33.01
2595.0	10	12	6	19.54	19.25	22.41	24.48	< 33.01
		1	1	19.83	19.22	22.55	24.62	< 33.01
		1	22	19.72	19.35	22.55	24.62	< 33.01
		24	0	18.02	17.72	20.88	22.95	< 33.01
		1	0	18.06	17.75	20.92	22.99	< 33.01
		1	23	18.17	17.83	21.01	23.08	< 33.01
2615.0	10	12	6	19.53	19.44	22.50	24.57	< 33.01
		1	1	19.66	19.51	22.59	24.66	< 33.01
		1	22	19.52	19.45	22.49	24.56	< 33.01
		24	0	17.95	18.00	20.99	23.06	< 33.01
		1	0	18.26	17.94	21.11	23.18	< 33.01
		1	23	17.93	18.03	20.99	23.06	< 33.01
2577.5	15	19	9	19.65	19.27	22.48	24.55	< 33.01
		1	1	19.48	19.27	22.39	24.46	< 33.01
		1	36	19.85	19.42	22.65	24.72	< 33.01
		38	0	18.15	17.83	21.01	23.08	< 33.01
		1	0	18.02	17.71	20.88	22.95	< 33.01
		1	37	18.12	18.28	21.22	23.29	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2595.0	15	19	9	19.70	19.39	22.56	24.63	< 33.01
		1	1	19.80	19.64	22.73	24.80	< 33.01
		1	36	19.82	19.47	22.66	24.73	< 33.01
		38	0	18.20	17.93	21.08	23.15	< 33.01
		1	0	18.14	18.05	21.11	23.18	< 33.01
		1	37	18.26	18.10	21.19	23.26	< 33.01
2612.5	15	19	9	19.57	19.54	22.57	24.64	< 33.01
		1	1	19.79	19.72	22.76	24.83	< 33.01
		1	36	19.52	19.80	22.67	24.74	< 33.01
		38	0	18.16	18.10	21.14	23.21	< 33.01
		1	0	18.23	18.20	21.22	23.29	< 33.01
		1	37	17.94	18.27	21.12	23.19	< 33.01
2580.0	20	25	12	19.74	19.51	22.64	24.71	< 33.01
		1	1	19.61	19.40	22.52	24.59	< 33.01
		1	49	19.82	19.58	22.71	24.78	< 33.01
		51	0	18.15	17.89	21.03	23.10	< 33.01
		1	0	18.13	17.98	21.07	23.14	< 33.01
		1	50	18.27	18.02	21.16	23.23	< 33.01
2595.0	20	25	12	19.71	19.56	22.65	24.72	< 33.01
		1	1	19.79	19.52	22.67	24.74	< 33.01
		1	49	19.75	19.50	22.64	24.71	< 33.01
		51	0	18.21	18.01	21.12	23.19	< 33.01
		1	0	18.24	17.99	21.13	23.20	< 33.01
		1	50	18.19	18.20	21.21	23.28	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2610.0	20	25	12	19.64	19.61	22.64	24.71	< 33.01
		1	1	19.74	19.50	22.63	24.70	< 33.01
		1	49	19.56	19.68	22.63	24.70	< 33.01
		51	0	18.09	18.10	21.11	23.18	< 33.01
		1	0	18.31	18.05	21.19	23.26	< 33.01
		1	50	18.10	18.11	21.11	23.18	< 33.01
2585.0	30	36	79	19.66	19.50	22.59	24.66	< 33.01
		1	1	19.60	19.46	22.54	24.61	< 33.01
		1	76	19.91	19.70	22.82	24.89	< 33.01
		78	0	18.18	18.05	21.12	23.19	< 33.01
		1	0	18.19	17.98	21.09	23.16	< 33.01
		1	77	18.28	18.04	21.17	23.24	< 33.01
2595.0	30	36	79	19.61	19.48	22.55	24.62	< 33.01
		1	1	19.87	19.59	22.74	24.81	< 33.01
		1	76	19.98	19.70	22.85	24.92	< 33.01
		78	0	18.17	18.03	21.11	23.18	< 33.01
		1	0	18.20	18.06	21.14	23.21	< 33.01
		1	77	18.10	18.07	21.09	23.16	< 33.01
2605.0	30	36	79	19.68	19.52	22.61	24.68	< 33.01
		1	1	19.79	19.47	22.64	24.71	< 33.01
		1	76	19.77	19.74	22.76	24.83	< 33.01
		78	0	18.24	18.12	21.19	23.26	< 33.01
		1	0	18.31	18.02	21.17	23.24	< 33.01
		1	77	18.24	18.20	21.23	23.30	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2590.0	40	53	26	19.71	19.44	22.59	24.66	< 33.01
		1	1	19.63	19.44	22.55	24.62	< 33.01
		1	104	19.84	19.75	22.81	24.88	< 33.01
		106	0	18.14	17.98	21.07	23.14	< 33.01
		1	0	18.18	18.03	21.12	23.19	< 33.01
		1	105	18.26	18.02	21.15	23.22	< 33.01
2595.0	40	53	26	19.72	19.46	22.60	24.67	< 33.01
		1	1	19.82	19.67	22.76	24.83	< 33.01
		1	104	19.83	19.50	22.68	24.75	< 33.01
		106	0	18.17	18.01	21.10	23.17	< 33.01
		1	0	18.20	18.14	21.18	23.25	< 33.01
		1	105	18.15	18.28	21.22	23.29	< 33.01
2600.0	40	53	26	19.80	19.49	22.66	24.73	< 33.01
		1	1	19.80	19.50	22.66	24.73	< 33.01
		1	104	19.71	19.96	22.85	24.92	< 33.01
		106	0	18.25	18.12	21.19	23.26	< 33.01
		1	0	18.28	18.26	21.28	23.35	< 33.01
		1	105	18.17	18.22	21.20	23.27	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2575.0	10	12	6	18.98	18.90	21.95	24.02	< 33.01
		1	1	18.99	18.68	21.85	23.92	< 33.01
		1	22	19.06	18.65	21.87	23.94	< 33.01
		24	0	18.03	17.88	20.96	23.03	< 33.01
		1	0	17.94	17.91	20.94	23.01	< 33.01
		1	23	17.99	17.90	20.96	23.03	< 33.01
2595.0	10	12	6	19.16	18.83	22.01	24.08	< 33.01
		1	1	19.20	18.74	21.99	24.06	< 33.01
		1	22	19.15	18.78	21.98	24.05	< 33.01
		24	0	18.09	17.79	20.95	23.02	< 33.01
		1	0	18.10	17.85	20.99	23.06	< 33.01
		1	23	18.09	17.74	20.93	23.00	< 33.01
2615.0	10	12	6	19.01	19.05	22.04	24.11	< 33.01
		1	1	19.14	18.94	22.05	24.12	< 33.01
		1	22	19.02	18.94	21.99	24.06	< 33.01
		24	0	18.00	18.00	21.01	23.08	< 33.01
		1	0	18.08	17.88	20.99	23.06	< 33.01
		1	23	17.89	18.11	21.01	23.08	< 33.01
2577.5	15	19	9	19.19	18.82	22.02	24.09	< 33.01
		1	1	19.15	18.60	21.89	23.96	< 33.01
		1	36	19.27	18.85	22.07	24.14	< 33.01
		38	0	18.16	17.86	21.02	23.09	< 33.01
		1	0	18.17	18.17	21.18	23.25	< 33.01
		1	37	18.21	17.96	21.10	23.17	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2595.0	15	19	9	19.15	18.93	22.05	24.12	< 33.01
		1	1	19.31	19.05	22.19	24.26	< 33.01
		1	36	19.11	18.96	22.05	24.12	< 33.01
		38	0	18.14	17.97	21.07	23.14	< 33.01
		1	0	18.28	17.82	21.07	23.14	< 33.01
		1	37	18.29	18.02	21.17	23.24	< 33.01
2612.5	15	19	9	19.05	19.09	22.08	24.15	< 33.01
		1	1	19.29	19.26	22.29	24.36	< 33.01
		1	36	19.04	19.36	22.21	24.28	< 33.01
		38	0	18.09	18.16	21.14	23.21	< 33.01
		1	0	18.29	18.21	21.26	23.33	< 33.01
		1	37	18.10	17.93	21.02	23.09	< 33.01
2580.0	20	25	12	19.19	18.99	22.10	24.17	< 33.01
		1	1	19.08	18.83	21.97	24.04	< 33.01
		1	49	19.32	18.99	22.17	24.24	< 33.01
		51	0	18.17	17.97	21.08	23.15	< 33.01
		1	0	18.13	17.86	21.01	23.08	< 33.01
		1	50	18.29	17.89	21.10	23.17	< 33.01
2595.0	20	25	12	19.21	19.02	22.13	24.20	< 33.01
		1	1	19.17	19.06	22.13	24.20	< 33.01
		1	49	19.25	19.06	22.16	24.23	< 33.01
		51	0	18.17	17.97	21.08	23.15	< 33.01
		1	0	18.28	17.99	21.15	23.22	< 33.01
		1	50	18.16	18.11	21.14	23.21	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2610.0	20	25	12	19.10	19.10	22.11	24.18	< 33.01
		1	1	19.17	19.04	22.12	24.19	< 33.01
		1	49	18.94	19.07	22.02	24.09	< 33.01
		51	0	18.15	18.04	21.11	23.18	< 33.01
		1	0	18.15	18.00	21.09	23.16	< 33.01
		1	50	17.96	18.16	21.07	23.14	< 33.01
2585.0	30	36	79	19.21	18.97	22.11	24.18	< 33.01
		1	1	19.15	18.97	22.07	24.14	< 33.01
		1	76	19.47	18.95	22.23	24.30	< 33.01
		78	0	18.14	17.96	21.06	23.13	< 33.01
		1	0	18.16	18.14	21.16	23.23	< 33.01
		1	77	18.32	18.04	21.19	23.26	< 33.01
2595.0	30	36	79	19.24	19.07	22.16	24.23	< 33.01
		1	1	19.35	19.11	22.24	24.31	< 33.01
		1	76	19.35	18.93	22.16	24.23	< 33.01
		78	0	18.21	18.03	21.13	23.20	< 33.01
		1	0	18.09	18.17	21.14	23.21	< 33.01
		1	77	18.25	18.11	21.19	23.26	< 33.01
2605.0	30	36	79	19.25	19.11	22.19	24.26	< 33.01
		1	1	19.36	18.87	22.13	24.20	< 33.01
		1	76	19.20	19.09	22.16	24.23	< 33.01
		78	0	18.19	18.05	21.13	23.20	< 33.01
		1	0	18.30	18.12	21.22	23.29	< 33.01
		1	77	18.18	18.29	21.25	23.32	< 33.01
Note 1: Total Power (dBm) = 10*log{10 ^{^(Port 0 Output Power / 10)} + 10 ^{^(Port 1 Output Power / 10)} }								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2590.0	40	53	26	19.23	19.02	22.14	24.21	< 33.01
		1	1	19.22	19.10	22.17	24.24	< 33.01
		1	104	19.34	19.20	22.28	24.35	< 33.01
		106	0	18.12	17.93	21.04	23.11	< 33.01
		1	0	18.22	18.06	21.15	23.22	< 33.01
		1	105	18.49	18.08	21.30	23.37	< 33.01
2595.0	40	53	26	19.23	19.10	22.18	24.25	< 33.01
		1	1	19.37	19.32	22.36	24.43	< 33.01
		1	104	19.16	19.30	22.24	24.31	< 33.01
		106	0	18.16	18.04	21.11	23.18	< 33.01
		1	0	18.44	17.95	21.21	23.28	< 33.01
		1	105	18.36	18.11	21.25	23.32	< 33.01
2600.0	40	53	26	19.39	19.21	22.31	24.38	< 33.01
		1	1	19.36	18.98	22.19	24.26	< 33.01
		1	104	19.20	18.99	22.11	24.18	< 33.01
		106	0	18.23	18.05	21.15	23.22	< 33.01
		1	0	18.32	17.99	21.17	23.24	< 33.01
		1	105	18.26	17.95	21.12	23.19	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2575.0	10	12	6	17.46	17.26	20.37	22.44	< 33.01
		1	1	17.53	17.12	20.34	22.41	< 33.01
		1	22	17.56	17.15	20.37	22.44	< 33.01
		24	0	17.41	17.36	20.40	22.47	< 33.01
		1	0	17.51	17.13	20.33	22.40	< 33.01
		1	23	17.47	17.06	20.28	22.35	< 33.01
2595.0	10	12	6	17.66	17.30	20.49	22.56	< 33.01
		1	1	17.62	17.13	20.39	22.46	< 33.01
		1	22	17.58	17.12	20.37	22.44	< 33.01
		24	0	17.59	17.34	20.48	22.55	< 33.01
		1	0	17.62	17.17	20.41	22.48	< 33.01
		1	23	17.58	17.14	20.37	22.44	< 33.01
2615.0	10	12	6	17.54	17.52	20.54	22.61	< 33.01
		1	1	17.70	17.35	20.54	22.61	< 33.01
		1	22	17.50	17.62	20.57	22.64	< 33.01
		24	0	17.51	17.66	20.59	22.66	< 33.01
		1	0	17.58	17.40	20.50	22.57	< 33.01
		1	23	17.45	17.29	20.38	22.45	< 33.01
2577.5	15	19	9	18.82	17.30	20.51	22.58	< 33.01
		1	1	18.60	17.41	20.50	22.57	< 33.01
		1	36	18.85	17.42	20.61	22.68	< 33.01
		38	0	17.86	17.44	20.56	22.63	< 33.01
		1	0	18.17	17.37	20.41	22.48	< 33.01
		1	37	17.96	17.42	20.61	22.68	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2595.0	15	19	9	18.93	17.44	20.57	22.64	< 33.01
		1	1	19.05	17.44	20.71	22.78	< 33.01
		1	36	18.96	17.62	20.74	22.81	< 33.01
		38	0	17.97	17.58	20.65	22.72	< 33.01
		1	0	17.82	17.36	20.58	22.65	< 33.01
		1	37	18.02	17.67	20.81	22.88	< 33.01
2612.5	15	19	9	19.09	17.66	20.63	22.70	< 33.01
		1	1	19.26	17.58	20.76	22.83	< 33.01
		1	36	19.36	17.85	20.76	22.83	< 33.01
		38	0	18.16	17.69	20.67	22.74	< 33.01
		1	0	18.21	17.59	20.73	22.80	< 33.01
		1	37	17.93	17.81	20.77	22.84	< 33.01
2580.0	20	25	12	18.99	17.45	20.56	22.63	< 33.01
		1	1	18.83	17.45	20.64	22.71	< 33.01
		1	49	18.99	17.57	20.73	22.80	< 33.01
		51	0	17.97	17.43	20.58	22.65	< 33.01
		1	0	17.86	17.38	20.56	22.63	< 33.01
		1	50	17.89	17.60	20.82	22.89	< 33.01
2595.0	20	25	12	19.02	17.50	20.60	22.67	< 33.01
		1	1	19.06	17.45	20.64	22.71	< 33.01
		1	49	19.06	17.64	20.78	22.85	< 33.01
		51	0	17.97	17.57	20.67	22.74	< 33.01
		1	0	17.99	17.52	20.66	22.73	< 33.01
		1	50	18.11	17.72	20.82	22.89	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2610.0	20	25	12	19.10	17.59	20.61	22.68	< 33.01
		1	1	19.04	17.49	20.67	22.74	< 33.01
		1	49	19.07	17.61	20.59	22.66	< 33.01
		51	0	18.04	17.65	20.64	22.71	< 33.01
		1	0	18.00	17.53	20.69	22.76	< 33.01
		1	50	18.16	17.65	20.61	22.68	< 33.01
2585.0	30	36	79	18.97	17.44	20.59	22.66	< 33.01
		1	1	18.97	17.72	20.72	22.79	< 33.01
		1	76	18.95	17.71	20.87	22.94	< 33.01
		78	0	17.96	17.37	20.55	22.62	< 33.01
		1	0	18.14	17.80	20.82	22.89	< 33.01
		1	77	18.04	17.77	20.84	22.91	< 33.01
2595.0	30	36	79	19.07	17.45	20.59	22.66	< 33.01
		1	1	19.11	17.43	20.57	22.64	< 33.01
		1	76	18.93	17.35	20.62	22.69	< 33.01
		78	0	18.03	17.47	20.57	22.64	< 33.01
		1	0	18.17	17.46	20.58	22.65	< 33.01
		1	77	18.11	17.46	20.65	22.72	< 33.01
2605.0	30	36	79	19.11	17.57	20.68	22.75	< 33.01
		1	1	18.87	17.43	20.59	22.66	< 33.01
		1	76	19.09	17.51	20.60	22.67	< 33.01
		78	0	18.05	17.47	20.60	22.67	< 33.01
		1	0	18.12	17.39	20.56	22.63	< 33.01
		1	77	18.29	17.53	20.63	22.70	< 33.01
Note 1: Total Power (dBm) = 10*log{10 ^{^(Port 0 Output Power / 10)} + 10 ^{^(Port 1 Output Power / 10)} }								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2590.0	40	53	26	19.02	17.56	20.65	22.72	< 33.01
		1	1	19.10	17.56	20.62	22.69	< 33.01
		1	104	19.20	17.53	20.69	22.76	< 33.01
		106	0	17.93	17.49	20.57	22.64	< 33.01
		1	0	18.06	17.57	20.66	22.73	< 33.01
		1	105	18.08	17.76	20.78	22.85	< 33.01
2595.0	40	53	26	19.10	17.51	20.62	22.69	< 33.01
		1	1	19.32	17.48	20.63	22.70	< 33.01
		1	104	19.30	17.54	20.72	22.79	< 33.01
		106	0	18.04	17.52	20.60	22.67	< 33.01
		1	0	17.95	17.48	20.68	22.75	< 33.01
		1	105	18.11	17.67	20.80	22.87	< 33.01
2600.0	40	53	26	19.21	17.54	20.69	22.76	< 33.01
		1	1	18.98	17.46	20.65	22.72	< 33.01
		1	104	18.99	17.56	20.65	22.72	< 33.01
		106	0	18.05	17.54	20.65	22.72	< 33.01
		1	0	17.99	17.49	20.72	22.79	< 33.01
		1	105	17.95	17.64	20.72	22.79	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2575.0	10	12	6	14.67	14.07	17.39	19.46	< 33.01
		1	1	14.68	14.30	17.51	19.58	< 33.01
		1	22	14.46	14.23	17.36	19.43	< 33.01
		24	0	14.67	14.14	17.42	19.49	< 33.01
		1	0	14.53	14.25	17.40	19.47	< 33.01
		1	23	14.55	13.95	17.27	19.34	< 33.01
2595.0	10	12	6	14.83	14.16	17.52	19.59	< 33.01
		1	1	14.59	14.31	17.47	19.54	< 33.01
		1	22	14.79	14.42	17.62	19.69	< 33.01
		24	0	14.80	14.21	17.53	19.60	< 33.01
		1	0	14.57	14.18	17.39	19.46	< 33.01
		1	23	14.49	14.17	17.35	19.42	< 33.01
2615.0	10	12	6	14.74	14.32	17.54	19.61	< 33.01
		1	1	14.58	14.56	17.58	19.65	< 33.01
		1	22	14.49	14.46	17.49	19.56	< 33.01
		24	0	14.77	14.54	17.67	19.74	< 33.01
		1	0	14.62	14.62	17.63	19.70	< 33.01
		1	23	14.56	14.59	17.59	19.66	< 33.01
2577.5	15	19	9	14.84	14.37	17.62	19.69	< 33.01
		1	1	14.61	14.58	17.60	19.67	< 33.01
		1	36	14.76	14.37	17.58	19.65	< 33.01
		38	0	14.92	14.30	17.63	19.70	< 33.01
		1	0	14.58	14.30	17.46	19.53	< 33.01
		1	37	14.79	14.36	17.59	19.66	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2595.0	15	19	9	14.95	14.43	17.71	19.78	< 33.01
		1	1	14.65	14.29	17.48	19.55	< 33.01
		1	36	14.82	14.44	17.65	19.72	< 33.01
		38	0	15.01	14.48	17.76	19.83	< 33.01
		1	0	14.60	14.16	17.40	19.47	< 33.01
		1	37	14.68	14.58	17.64	19.71	< 33.01
2612.5	15	19	9	14.86	14.65	17.77	19.84	< 33.01
		1	1	14.81	14.61	17.72	19.79	< 33.01
		1	36	14.64	14.82	17.74	19.81	< 33.01
		38	0	14.90	14.56	17.75	19.82	< 33.01
		1	0	14.63	14.58	17.61	19.68	< 33.01
		1	37	14.62	14.70	17.67	19.74	< 33.01
2580.0	20	25	12	14.98	14.36	17.69	19.76	< 33.01
		1	1	14.55	14.05	17.32	19.39	< 33.01
		1	49	14.69	14.35	17.53	19.60	< 33.01
		51	0	14.95	14.38	17.69	19.76	< 33.01
		1	0	14.72	14.48	17.61	19.68	< 33.01
		1	50	14.64	14.45	17.56	19.63	< 33.01
2595.0	20	25	12	14.94	14.52	17.74	19.81	< 33.01
		1	1	14.80	14.30	17.57	19.64	< 33.01
		1	49	14.66	14.50	17.59	19.66	< 33.01
		51	0	14.93	14.43	17.70	19.77	< 33.01
		1	0	14.61	14.43	17.53	19.60	< 33.01
		1	50	14.55	14.47	17.52	19.59	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2610.0	20	25	12	14.87	14.58	17.74	19.81	< 33.01
		1	1	14.70	14.37	17.55	19.62	< 33.01
		1	49	14.68	14.60	17.65	19.72	< 33.01
		51	0	14.84	14.62	17.74	19.81	< 33.01
		1	0	14.80	14.46	17.65	19.72	< 33.01
		1	50	14.44	14.44	17.45	19.52	< 33.01
2585.0	30	36	79	14.88	14.41	17.66	19.73	< 33.01
		1	1	14.73	14.55	17.65	19.72	< 33.01
		1	76	14.77	14.43	17.62	19.69	< 33.01
		78	0	14.96	14.48	17.74	19.81	< 33.01
		1	0	14.69	14.46	17.58	19.65	< 33.01
		1	77	14.79	14.41	17.61	19.68	< 33.01
2595.0	30	36	79	14.99	14.36	17.70	19.77	< 33.01
		1	1	14.71	14.64	17.68	19.75	< 33.01
		1	76	14.73	14.50	17.63	19.70	< 33.01
		78	0	14.86	14.47	17.68	19.75	< 33.01
		1	0	14.67	14.59	17.64	19.71	< 33.01
		1	77	14.86	14.41	17.65	19.72	< 33.01
2605.0	30	36	79	14.92	14.47	17.71	19.78	< 33.01
		1	1	14.87	14.32	17.61	19.68	< 33.01
		1	76	14.56	14.73	17.66	19.73	< 33.01
		78	0	14.92	14.55	17.75	19.82	< 33.01
		1	0	14.88	14.28	17.60	19.67	< 33.01
		1	77	14.58	14.67	17.63	19.70	< 33.01
Note 1: Total Power (dBm) = 10*log{10 ^{^(Port 0 Output Power / 10)} + 10 ^{^(Port 1 Output Power / 10)} }								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2590.0	40	53	26	14.90	14.39	17.66	19.73	< 33.01
		1	1	14.78	14.55	17.67	19.74	< 33.01
		1	104	14.93	14.71	17.83	19.90	< 33.01
		106	0	14.92	14.46	17.71	19.78	< 33.01
		1	0	14.54	14.52	17.54	19.61	< 33.01
		1	105	14.87	14.62	17.76	19.83	< 33.01
2595.0	40	53	26	15.06	14.41	17.76	19.83	< 33.01
		1	1	14.90	14.46	17.70	19.77	< 33.01
		1	104	14.89	14.43	17.68	19.75	< 33.01
		106	0	14.86	14.50	17.69	19.76	< 33.01
		1	0	14.71	14.39	17.56	19.63	< 33.01
		1	105	14.67	14.52	17.61	19.68	< 33.01
2600.0	40	53	26	14.92	14.46	17.71	19.78	< 33.01
		1	1	14.91	14.52	17.73	19.80	< 33.01
		1	104	14.61	14.65	17.64	19.71	< 33.01
		106	0	14.85	14.62	17.75	19.82	< 33.01
		1	0	14.76	14.56	17.67	19.74	< 33.01
		1	105	14.61	14.58	17.60	19.67	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Test Site	SIP-SR1	Test Engineer	Cloud Guo
Test Date	2022/05/25 ~ 2022/08/17	Test Band	n38_UL MIMO_HPUE

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2575.0	10	12	6	22.99	22.54	25.78	27.85	< 33.01
		1	1	22.96	22.58	25.78	27.85	< 33.01
		1	22	23.23	22.50	25.89	27.96	< 33.01
		24	0	21.50	21.08	24.31	26.38	< 33.01
		1	0	20.98	20.40	23.71	25.78	< 33.01
		1	23	21.17	20.48	23.85	25.92	< 33.01
2595.0	10	12	6	23.16	22.63	25.91	27.98	< 33.01
		1	1	23.25	22.85	26.06	28.13	< 33.01
		1	22	23.18	22.73	25.97	28.04	< 33.01
		24	0	21.69	21.29	24.50	26.57	< 33.01
		1	0	21.03	20.78	23.92	25.99	< 33.01
		1	23	21.19	20.77	24.00	26.07	< 33.01
2615.0	10	12	6	23.30	22.72	26.03	28.10	< 33.01
		1	1	23.36	22.63	26.02	28.09	< 33.01
		1	22	23.15	22.76	25.97	28.04	< 33.01
		24	0	21.78	21.26	24.54	26.61	< 33.01
		1	0	21.13	20.90	24.03	26.10	< 33.01
		1	23	21.14	20.77	23.97	26.04	< 33.01
2577.5	15	19	9	23.11	22.62	25.88	27.95	< 33.01
		1	1	23.21	22.57	25.91	27.98	< 33.01
		1	36	23.25	22.76	26.02	28.09	< 33.01
		38	0	21.62	21.21	24.43	26.50	< 33.01
		1	0	21.34	20.58	23.99	26.06	< 33.01
		1	37	21.52	20.79	24.18	26.25	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2595.0	15	19	9	23.25	22.93	26.10	28.17	< 33.01
		1	1	23.36	22.76	26.08	28.15	< 33.01
		1	36	23.16	23.04	26.11	28.18	< 33.01
		38	0	21.74	21.46	24.61	26.68	< 33.01
		1	0	21.26	20.78	24.04	26.11	< 33.01
		1	37	21.33	20.97	24.16	26.23	< 33.01
2612.5	15	19	9	23.26	22.86	26.07	28.14	< 33.01
		1	1	23.21	22.87	26.05	28.12	< 33.01
		1	36	23.24	22.79	26.03	28.10	< 33.01
		38	0	21.74	21.39	24.58	26.65	< 33.01
		1	0	21.13	20.85	24.00	26.07	< 33.01
		1	37	21.20	20.86	24.04	26.11	< 33.01
2580.0	20	25	12	23.23	22.68	25.97	28.04	< 33.01
		1	1	23.25	22.51	25.91	27.98	< 33.01
		1	49	23.25	22.78	26.03	28.10	< 33.01
		51	0	21.69	21.22	24.47	26.54	< 33.01
		1	0	21.15	20.65	23.92	25.99	< 33.01
		1	50	21.29	20.81	24.07	26.14	< 33.01
2595.0	20	25	12	23.14	22.98	26.07	28.14	< 33.01
		1	1	23.34	22.91	26.14	28.21	< 33.01
		1	49	23.39	22.88	26.15	28.22	< 33.01
		51	0	21.65	21.45	24.56	26.63	< 33.01
		1	0	21.34	20.71	24.05	26.12	< 33.01
		1	50	21.37	20.96	24.18	26.25	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2610.0	20	25	12	23.30	22.89	26.11	28.18	< 33.01
		1	1	23.35	22.95	26.16	28.23	< 33.01
		1	49	23.43	22.97	26.22	28.29	< 33.01
		51	0	21.75	21.41	24.59	26.66	< 33.01
		1	0	21.38	20.89	24.15	26.22	< 33.01
		1	50	21.45	20.87	24.18	26.25	< 33.01
2585.0	30	36	79	23.24	22.72	26.00	28.07	< 33.01
		1	1	23.19	22.71	25.97	28.04	< 33.01
		1	76	23.44	23.16	26.31	28.38	< 33.01
		78	0	21.71	21.29	24.52	26.59	< 33.01
		1	0	21.31	20.71	24.03	26.10	< 33.01
		1	77	21.45	20.93	24.21	26.28	< 33.01
2595.0	30	36	79	23.20	22.85	26.04	28.11	< 33.01
		1	1	23.23	22.89	26.07	28.14	< 33.01
		1	76	23.38	23.33	26.37	28.44	< 33.01
		78	0	21.78	21.38	24.59	26.66	< 33.01
		1	0	21.44	20.80	24.14	26.21	< 33.01
		1	77	21.40	20.92	24.18	26.25	< 33.01
2605.0	30	36	79	23.36	22.86	26.13	28.20	< 33.01
		1	1	23.28	22.85	26.08	28.15	< 33.01
		1	76	23.66	23.05	26.38	28.45	< 33.01
		78	0	21.89	21.38	24.65	26.72	< 33.01
		1	0	21.29	20.81	24.07	26.14	< 33.01
		1	77	21.64	21.01	24.35	26.42	< 33.01
Note 1: Total Power (dBm) = 10*log{10 ^{^(Port 0 Output Power / 10)} + 10 ^{^(Port 1 Output Power / 10)} }								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM QPSK								
2590.0	40	53	26	23.20	22.77	26.00	28.07	< 33.01
		1	1	23.16	22.77	25.98	28.05	< 33.01
		1	104	23.38	22.88	26.15	28.22	< 33.01
		106	0	21.75	21.36	24.57	26.64	< 33.01
		1	0	21.23	20.81	24.04	26.11	< 33.01
		1	105	21.47	20.97	24.24	26.31	< 33.01
2595.0	40	53	26	23.20	22.86	26.04	28.11	< 33.01
		1	1	23.14	22.71	25.94	28.01	< 33.01
		1	104	23.46	22.93	26.21	28.28	< 33.01
		106	0	21.70	21.43	24.58	26.65	< 33.01
		1	0	21.33	20.78	24.07	26.14	< 33.01
		1	105	21.52	21.17	24.36	26.43	< 33.01
2600.0	40	53	26	23.34	22.88	26.13	28.20	< 33.01
		1	1	23.37	22.79	26.10	28.17	< 33.01
		1	104	23.55	22.97	26.28	28.35	< 33.01
		106	0	21.85	21.46	24.67	26.74	< 33.01
		1	0	21.35	20.88	24.13	26.20	< 33.01
		1	105	21.46	20.86	24.18	26.25	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2575.0	10	12	6	22.46	22.13	25.31	27.38	< 33.01
		1	1	22.46	22.05	25.27	27.34	< 33.01
		1	22	22.40	22.16	25.29	27.36	< 33.01
		24	0	21.49	21.12	24.32	26.39	< 33.01
		1	0	20.94	20.64	23.80	25.87	< 33.01
		1	23	21.05	20.40	23.75	25.82	< 33.01
2595.0	10	12	6	22.65	22.30	25.49	27.56	< 33.01
		1	1	22.76	22.52	25.65	27.72	< 33.01
		1	22	22.67	22.20	25.45	27.52	< 33.01
		24	0	21.64	21.20	24.44	26.51	< 33.01
		1	0	21.15	20.89	24.03	26.10	< 33.01
		1	23	21.22	20.73	23.99	26.06	< 33.01
2615.0	10	12	6	22.73	22.30	25.53	27.60	< 33.01
		1	1	22.82	22.38	25.62	27.69	< 33.01
		1	22	22.72	22.39	25.57	27.64	< 33.01
		24	0	21.74	21.28	24.53	26.60	< 33.01
		1	0	21.30	20.50	23.93	26.00	< 33.01
		1	23	21.29	20.69	24.01	26.08	< 33.01
2577.5	15	19	9	22.66	22.22	25.46	27.53	< 33.01
		1	1	22.76	22.20	25.50	27.57	< 33.01
		1	36	22.75	22.09	25.44	27.51	< 33.01
		38	0	21.64	21.21	24.44	26.51	< 33.01
		1	0	21.31	20.65	24.00	26.07	< 33.01
		1	37	21.32	20.71	24.04	26.11	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2595.0	15	19	9	22.67	22.37	25.53	27.60	< 33.01
		1	1	22.90	22.61	25.77	27.84	< 33.01
		1	36	22.74	22.58	25.67	27.74	< 33.01
		38	0	21.75	21.44	24.61	26.68	< 33.01
		1	0	21.30	20.89	24.11	26.18	< 33.01
		1	37	21.47	21.02	24.26	26.33	< 33.01
2612.5	15	19	9	22.67	22.35	25.52	27.59	< 33.01
		1	1	22.84	22.23	25.56	27.63	< 33.01
		1	36	22.92	22.53	25.74	27.81	< 33.01
		38	0	21.79	21.29	24.56	26.63	< 33.01
		1	0	21.37	20.71	24.06	26.13	< 33.01
		1	37	21.42	20.63	24.05	26.12	< 33.01
2580.0	20	25	12	22.66	22.21	25.45	27.52	< 33.01
		1	1	22.74	22.21	25.49	27.56	< 33.01
		1	49	22.75	22.33	25.56	27.63	< 33.01
		51	0	21.68	21.22	24.47	26.54	< 33.01
		1	0	21.26	20.70	24.00	26.07	< 33.01
		1	50	21.24	20.80	24.04	26.11	< 33.01
2595.0	20	25	12	22.77	22.40	25.60	27.67	< 33.01
		1	1	22.82	22.53	25.69	27.76	< 33.01
		1	49	22.88	22.50	25.70	27.77	< 33.01
		51	0	21.79	21.39	24.60	26.67	< 33.01
		1	0	21.25	20.72	24.00	26.07	< 33.01
		1	50	21.28	20.81	24.06	26.13	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2610.0	20	25	12	22.70	22.44	25.58	27.65	< 33.01
		1	1	22.74	22.44	25.60	27.67	< 33.01
		1	49	22.81	22.45	25.64	27.71	< 33.01
		51	0	21.70	21.37	24.55	26.62	< 33.01
		1	0	21.24	20.86	24.06	26.13	< 33.01
		1	50	21.26	20.87	24.08	26.15	< 33.01
2585.0	30	36	79	22.80	22.31	25.57	27.64	< 33.01
		1	1	22.78	22.11	25.47	27.54	< 33.01
		1	76	22.94	22.29	25.64	27.71	< 33.01
		78	0	21.70	21.26	24.50	26.57	< 33.01
		1	0	21.29	20.43	23.89	25.96	< 33.01
		1	77	21.46	20.71	24.11	26.18	< 33.01
2595.0	30	36	79	22.79	22.48	25.65	27.72	< 33.01
		1	1	22.83	22.46	25.66	27.73	< 33.01
		1	76	22.97	22.63	25.81	27.88	< 33.01
		78	0	21.75	21.39	24.58	26.65	< 33.01
		1	0	21.12	20.96	24.05	26.12	< 33.01
		1	77	21.33	20.81	24.09	26.16	< 33.01
2605.0	30	36	79	22.88	22.36	25.64	27.71	< 33.01
		1	1	22.88	22.37	25.64	27.71	< 33.01
		1	76	23.03	22.62	25.84	27.91	< 33.01
		78	0	21.83	21.42	24.64	26.71	< 33.01
		1	0	21.33	20.61	24.00	26.07	< 33.01
		1	77	21.49	20.58	24.07	26.14	< 33.01
Note 1: Total Power (dBm) = 10*log{10 ^{^(Port 0 Output Power / 10)} + 10 ^{^(Port 1 Output Power / 10)} }								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 16QAM								
2590.0	40	53	26	22.80	22.33	25.58	27.65	< 33.01
		1	1	22.65	22.32	25.50	27.57	< 33.01
		1	104	22.96	22.41	25.70	27.77	< 33.01
		106	0	21.78	21.31	24.56	26.63	< 33.01
		1	0	21.25	20.87	24.07	26.14	< 33.01
		1	105	21.46	20.86	24.18	26.25	< 33.01
2595.0	40	53	26	22.81	22.51	25.67	27.74	< 33.01
		1	1	22.80	22.14	25.49	27.56	< 33.01
		1	104	23.01	22.52	25.78	27.85	< 33.01
		106	0	21.78	21.36	24.59	26.66	< 33.01
		1	0	21.32	20.65	24.01	26.08	< 33.01
		1	105	21.46	20.89	24.19	26.26	< 33.01
2600.0	40	53	26	22.95	22.53	25.76	27.83	< 33.01
		1	1	22.89	22.28	25.61	27.68	< 33.01
		1	104	22.98	22.51	25.76	27.83	< 33.01
		106	0	21.82	21.47	24.66	26.73	< 33.01
		1	0	21.28	20.81	24.06	26.13	< 33.01
		1	105	21.47	20.81	24.16	26.23	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2575.0	10	12	6	20.99	20.63	23.82	25.89	< 33.01
		1	1	21.25	20.35	23.83	25.90	< 33.01
		1	22	21.22	20.69	23.97	26.04	< 33.01
		24	0	20.98	20.68	23.84	25.91	< 33.01
		1	0	21.13	20.30	23.75	25.82	< 33.01
		1	23	21.09	20.68	23.90	25.97	< 33.01
2595.0	10	12	6	21.17	20.71	23.96	26.03	< 33.01
		1	1	21.12	20.74	23.94	26.01	< 33.01
		1	22	21.36	20.75	24.08	26.15	< 33.01
		24	0	21.15	20.76	23.97	26.04	< 33.01
		1	0	21.26	20.67	23.99	26.06	< 33.01
		1	23	21.06	20.79	23.94	26.01	< 33.01
2615.0	10	12	6	21.25	20.80	24.04	26.11	< 33.01
		1	1	21.47	20.68	24.10	26.17	< 33.01
		1	22	21.14	20.74	23.95	26.02	< 33.01
		24	0	21.25	20.86	24.07	26.14	< 33.01
		1	0	21.37	20.61	24.02	26.09	< 33.01
		1	23	21.15	20.62	23.90	25.97	< 33.01
2577.5	15	19	9	21.14	20.74	23.95	26.02	< 33.01
		1	1	21.40	20.64	24.05	26.12	< 33.01
		1	36	21.55	20.87	24.23	26.30	< 33.01
		38	0	21.15	20.70	23.94	26.01	< 33.01
		1	0	21.34	20.69	24.04	26.11	< 33.01
		1	37	21.44	20.77	24.13	26.20	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2595.0	15	19	9	21.32	20.98	24.16	26.23	< 33.01
		1	1	21.48	20.60	24.07	26.14	< 33.01
		1	36	21.44	20.94	24.21	26.28	< 33.01
		38	0	21.30	21.02	24.17	26.24	< 33.01
		1	0	21.32	20.56	23.97	26.04	< 33.01
		1	37	21.24	21.03	24.15	26.22	< 33.01
2612.5	15	19	9	21.25	20.97	24.12	26.19	< 33.01
		1	1	21.58	20.93	24.28	26.35	< 33.01
		1	36	21.45	20.86	24.18	26.25	< 33.01
		38	0	21.23	21.01	24.13	26.20	< 33.01
		1	0	21.50	21.04	24.29	26.36	< 33.01
		1	37	21.55	20.94	24.27	26.34	< 33.01
2580.0	20	25	12	21.17	20.66	23.93	26.00	< 33.01
		1	1	21.42	20.51	24.00	26.07	< 33.01
		1	49	21.35	20.77	24.08	26.15	< 33.01
		51	0	21.20	20.70	23.97	26.04	< 33.01
		1	0	21.32	20.47	23.93	26.00	< 33.01
		1	50	21.43	20.72	24.10	26.17	< 33.01
2595.0	20	25	12	21.26	20.96	24.12	26.19	< 33.01
		1	1	21.42	20.44	23.97	26.04	< 33.01
		1	49	21.34	20.82	24.10	26.17	< 33.01
		51	0	21.32	20.97	24.16	26.23	< 33.01
		1	0	21.23	20.38	23.84	25.91	< 33.01
		1	50	21.41	20.87	24.16	26.23	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2610.0	20	25	12	21.26	20.96	24.12	26.19	< 33.01
		1	1	21.45	20.86	24.18	26.25	< 33.01
		1	49	21.45	20.70	24.10	26.17	< 33.01
		51	0	21.34	20.97	24.17	26.24	< 33.01
		1	0	21.44	20.81	24.15	26.22	< 33.01
		1	50	21.46	20.69	24.10	26.17	< 33.01
2585.0	30	36	79	21.30	20.74	24.04	26.11	< 33.01
		1	1	21.42	20.51	24.00	26.07	< 33.01
		1	76	21.55	20.85	24.22	26.29	< 33.01
		78	0	21.27	20.71	24.01	26.08	< 33.01
		1	0	21.40	20.52	23.99	26.06	< 33.01
		1	77	21.55	20.79	24.20	26.27	< 33.01
2595.0	30	36	79	21.27	20.95	24.12	26.19	< 33.01
		1	1	21.23	20.75	24.01	26.08	< 33.01
		1	76	21.52	21.28	24.41	26.48	< 33.01
		78	0	21.25	20.86	24.07	26.14	< 33.01
		1	0	21.46	20.63	24.08	26.15	< 33.01
		1	77	21.53	21.08	24.32	26.39	< 33.01
2605.0	30	36	79	21.35	20.81	24.10	26.17	< 33.01
		1	1	21.54	20.76	24.18	26.25	< 33.01
		1	76	21.66	20.77	24.25	26.32	< 33.01
		78	0	21.34	20.86	24.12	26.19	< 33.01
		1	0	21.42	20.76	24.11	26.18	< 33.01
		1	77	21.68	20.75	24.25	26.32	< 33.01
Note 1: Total Power (dBm) = 10*log{10 ^{^(Port 0 Output Power / 10)} + 10 ^{^(Port 1 Output Power / 10)} }								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 64QAM								
2590.0	40	53	26	21.26	20.83	24.06	26.13	< 33.01
		1	1	21.47	20.68	24.10	26.17	< 33.01
		1	104	21.54	20.98	24.28	26.35	< 33.01
		106	0	21.27	20.89	24.09	26.16	< 33.01
		1	0	21.41	20.60	24.03	26.10	< 33.01
		1	105	21.54	20.82	24.21	26.28	< 33.01
2595.0	40	53	26	21.29	20.93	24.12	26.19	< 33.01
		1	1	21.35	20.57	23.99	26.06	< 33.01
		1	104	21.55	20.83	24.22	26.29	< 33.01
		106	0	21.28	20.95	24.13	26.20	< 33.01
		1	0	21.40	20.64	24.05	26.12	< 33.01
		1	105	21.55	20.97	24.28	26.35	< 33.01
2600.0	40	53	26	21.34	20.96	24.16	26.23	< 33.01
		1	1	21.47	20.71	24.12	26.19	< 33.01
		1	104	21.68	20.87	24.30	26.37	< 33.01
		106	0	21.40	20.87	24.15	26.22	< 33.01
		1	0	21.53	20.69	24.14	26.21	< 33.01
		1	105	21.66	20.83	24.28	26.35	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2575.0	10	12	6	17.97	17.51	20.76	22.83	< 33.01
		1	1	17.73	17.63	20.69	22.76	< 33.01
		1	22	18.03	17.55	20.81	22.88	< 33.01
		24	0	17.99	17.58	20.80	22.87	< 33.01
		1	0	17.80	17.54	20.68	22.75	< 33.01
		1	23	17.79	17.54	20.68	22.75	< 33.01
2595.0	10	12	6	18.13	17.60	20.88	22.95	< 33.01
		1	1	17.85	17.67	20.77	22.84	< 33.01
		1	22	17.98	17.80	20.90	22.97	< 33.01
		24	0	18.17	17.68	20.94	23.01	< 33.01
		1	0	17.83	17.54	20.70	22.77	< 33.01
		1	23	17.97	17.90	20.95	23.02	< 33.01
2615.0	10	12	6	18.25	17.58	20.94	23.01	< 33.01
		1	1	18.40	17.74	21.09	23.16	< 33.01
		1	22	18.09	17.80	20.96	23.03	< 33.01
		24	0	18.25	17.71	21.00	23.07	< 33.01
		1	0	18.22	17.64	20.95	23.02	< 33.01
		1	23	18.04	17.81	20.94	23.01	< 33.01
2577.5	15	19	9	18.17	17.69	20.95	23.02	< 33.01
		1	1	18.06	17.77	20.93	23.00	< 33.01
		1	36	18.51	18.24	21.39	23.46	< 33.01
		38	0	18.19	17.73	20.98	23.05	< 33.01
		1	0	18.23	17.88	21.07	23.14	< 33.01
		1	37	18.05	17.62	20.85	22.92	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2595.0	15	19	9	18.30	17.92	21.12	23.19	< 33.01
		1	1	18.16	17.97	21.08	23.15	< 33.01
		1	36	18.04	17.94	21.00	23.07	< 33.01
		38	0	18.27	18.02	21.16	23.23	< 33.01
		1	0	18.05	17.96	21.02	23.09	< 33.01
		1	37	18.13	18.01	21.08	23.15	< 33.01
2612.5	15	19	9	18.23	17.91	21.08	23.15	< 33.01
		1	1	18.21	18.01	21.12	23.19	< 33.01
		1	36	18.18	17.86	21.03	23.10	< 33.01
		38	0	18.27	17.90	21.10	23.17	< 33.01
		1	0	18.31	17.98	21.16	23.23	< 33.01
		1	37	18.31	17.90	21.12	23.19	< 33.01
2580.0	20	25	12	18.23	17.72	20.99	23.06	< 33.01
		1	1	18.08	17.64	20.88	22.95	< 33.01
		1	49	18.23	17.69	20.98	23.05	< 33.01
		51	0	18.21	17.83	21.03	23.10	< 33.01
		1	0	18.17	17.55	20.88	22.95	< 33.01
		1	50	18.21	17.44	20.85	22.92	< 33.01
2595.0	20	25	12	18.24	18.00	21.13	23.20	< 33.01
		1	1	18.20	17.90	21.06	23.13	< 33.01
		1	49	18.22	18.06	21.15	23.22	< 33.01
		51	0	18.26	18.00	21.14	23.21	< 33.01
		1	0	17.88	17.75	20.83	22.90	< 33.01
		1	50	18.02	18.00	21.02	23.09	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								


Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2610.0	20	25	12	18.26	17.93	21.11	23.18	< 33.01
		1	1	17.91	17.81	20.87	22.94	< 33.01
		1	49	18.22	18.04	21.14	23.21	< 33.01
		51	0	18.26	17.92	21.10	23.17	< 33.01
		1	0	18.08	18.08	21.09	23.16	< 33.01
		1	50	18.09	17.92	21.02	23.09	< 33.01
2585.0	30	36	79	18.27	17.76	21.03	23.10	< 33.01
		1	1	17.98	17.82	20.91	22.98	< 33.01
		1	76	18.29	17.56	20.95	23.02	< 33.01
		78	0	18.23	17.90	21.08	23.15	< 33.01
		1	0	18.11	17.69	20.92	22.99	< 33.01
		1	77	18.31	17.58	20.97	23.04	< 33.01
2595.0	30	36	79	18.22	17.83	21.04	23.11	< 33.01
		1	1	18.27	17.49	20.91	22.98	< 33.01
		1	76	18.41	18.05	21.24	23.31	< 33.01
		78	0	18.30	17.96	21.14	23.21	< 33.01
		1	0	18.04	17.64	20.85	22.92	< 33.01
		1	77	18.11	17.68	20.91	22.98	< 33.01
2605.0	30	36	79	18.37	17.90	21.15	23.22	< 33.01
		1	1	18.03	18.42	21.24	23.31	< 33.01
		1	76	18.25	18.07	21.17	23.24	< 33.01
		78	0	18.31	18.00	21.17	23.24	< 33.01
		1	0	18.05	18.28	21.18	23.25	< 33.01
		1	77	18.45	18.03	21.26	23.33	< 33.01
Note 1: Total Power (dBm) = 10*log{10 ^{^(Port 0 Output Power / 10)} + 10 ^{^(Port 1 Output Power / 10)} }								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

Frequency (MHz)	Channel Bandwidth (MHz)	RB Size	RB Offset	Output Power (dBm)		Total Power (dBm)	EIRP (dBm)	Limit (dBm)
				Port 3	Port 0			
CP OFDM 256QAM								
2590.0	40	53	26	18.26	17.87	21.08	23.15	< 33.01
		1	1	18.02	17.83	20.94	23.01	< 33.01
		1	104	18.16	18.01	21.10	23.17	< 33.01
		106	0	18.20	17.84	21.03	23.10	< 33.01
		1	0	18.02	17.81	20.93	23.00	< 33.01
		1	105	18.40	17.95	21.19	23.26	< 33.01
2595.0	40	53	26	18.30	17.86	21.10	23.17	< 33.01
		1	1	18.19	17.87	21.04	23.11	< 33.01
		1	104	18.44	17.94	21.21	23.28	< 33.01
		106	0	18.22	17.92	21.08	23.15	< 33.01
		1	0	17.99	17.86	20.94	23.01	< 33.01
		1	105	18.23	18.07	21.16	23.23	< 33.01
2600.0	40	53	26	18.41	17.99	21.22	23.29	< 33.01
		1	1	18.23	17.33	20.81	22.88	< 33.01
		1	104	18.21	18.06	21.15	23.22	< 33.01
		106	0	18.37	17.94	21.17	23.24	< 33.01
		1	0	17.94	18.19	21.08	23.15	< 33.01
		1	105	18.40	17.91	21.17	23.24	< 33.01
Note 1: Total Power (dBm) = 10*log{10^(Port 0 Output Power / 10) + 10^(Port 1 Output Power / 10)}								
Note 2: The EIRP (dBm) = Total Power (dBm) + Antenna Gain (dBi)								

A.4 Peak to Average Ratio Test Result


Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2022/04/29	Test Band	n2_SA

Frequency (MHz)	Channel Bandwidth (MHz)	Peak to Average Ratio (dB)	Limit (dB)	Result
QPSK				
1880.0	20	6.57	≤ 13.00	Pass
16QAM				
1880.0	20	6.54	≤ 13.00	Pass
64QAM				
1880.0	20	6.89	≤ 13.00	Pass
256QAM				
1880.0	20	8.41	≤ 13.00	Pass




Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2022/04/29	Test Band	n5_SA

Frequency (MHz)	Channel Bandwidth (MHz)	Peak to Average Ratio (dB)	Limit (dB)	Result
QPSK				
836.5	20	7.42	≤ 13.00	Pass
16QAM				
836.5	20	7.28	≤ 13.00	Pass
64QAM				
836.5	20	7.59	≤ 13.00	Pass
256QAM				
836.5	20	7.29	≤ 13.00	Pass




Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2022/05/01	Test Band	n7_SA

Frequency (MHz)	Channel Bandwidth (MHz)	Peak to Average Ratio (dB)	Limit (dB)	Result
QPSK				
2535.0	40	6.84	≤ 13.00	Pass
16QAM				
2535.0	40	6.72	≤ 13.00	Pass
64QAM				
2535.0	40	7.12	≤ 13.00	Pass
256QAM				
2535.0	40	8.11	≤ 13.00	Pass




Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2022/04/29	Test Band	n12_SA

Frequency (MHz)	Channel Bandwidth (MHz)	Peak to Average Ratio (dB)	Limit (dB)	Result
QPSK				
707.5	15	6.74	≤ 13.00	Pass
16QAM				
707.5	15	6.64	≤ 13.00	Pass
64QAM				
707.5	15	7.19	≤ 13.00	Pass
256QAM				
707.5	15	8.20	≤ 13.00	Pass




Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2022/05/19	Test Band	n13_SA

Frequency (MHz)	Channel Bandwidth (MHz)	Peak to Average Ratio (dB)	Limit (dB)	Result
QPSK				
782.0	10	7.66	≤ 13.00	Pass
16QAM				
782.0	10	7.55	≤ 13.00	Pass
64QAM				
782.0	10	7.99	≤ 13.00	Pass
256QAM				
782.0	10	8.50	≤ 13.00	Pass




Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2022/05/12	Test Band	n25_SA

Frequency (MHz)	Channel Bandwidth (MHz)	Peak to Average Ratio (dB)	Limit (dB)	Result
QPSK				
1882.5	40	4.91	≤ 13.00	Pass
16QAM5				
1882.5	40	5.26	≤ 13.00	Pass
64QAM				
1882.5	40	5.30	≤ 13.00	Pass
256QAM				
1882.5	40	5.84	≤ 13.00	Pass




Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2022/04/29	Test Band	n66_SA

Frequency (MHz)	Channel Bandwidth (MHz)	Peak to Average Ratio (dB)	Limit (dB)	Result
QPSK				
1745.0	40	6.62	≤ 13.00	Pass
16QAM				
1745.0	40	6.65	≤ 13.00	Pass
64QAM				
1745.0	40	7.52	≤ 13.00	Pass
256QAM				
1745.0	40	8.36	≤ 13.00	Pass




Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2022/04/29	Test Band	n71_SA

Frequency (MHz)	Channel Bandwidth (MHz)	Peak to Average Ratio (dB)	Limit (dB)	Result
QPSK				
680.5	20	7.18	≤ 13.00	Pass
16QAM				
680.5	20	7.11	≤ 13.00	Pass
64QAM				
680.5	20	7.44	≤ 13.00	Pass
256QAM				
680.5	20	8.37	≤ 13.00	Pass




Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2022/05/19	Test Band	n38_SA_HPUE

Frequency (MHz)	Channel Bandwidth (MHz)	Peak to Average Ratio (dB)	Limit (dB)	Result
QPSK				
2595.0	40	6.28	≤ 13.00	Pass
16QAM				
2595.0	40	6.42	≤ 13.00	Pass
64QAM				
2595.0	40	6.84	≤ 13.00	Pass
256QAM				
2595.0	40	8.32	≤ 13.00	Pass



Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2022/04/30	Test Band	n41_SA_HPUE

Frequency (MHz)	Channel Bandwidth (MHz)	Peak to Average Ratio (dB)	Limit (dB)	Result
QPSK				
2592.99	100	7.08	≤ 13.00	Pass
16QAM				
2592.99	100	6.74	≤ 13.00	Pass
64QAM				
2592.99	100	7.29	≤ 13.00	Pass
256QAM				
2592.99	100	8.51	≤ 13.00	Pass



Test Site	SIP-SR1	Test Engineer	Candy Luo
Test Date	2022/05/20	Test Band	n77/n78_SA_HPUE (3450~3550MHz)

Frequency (MHz)	Channel Bandwidth (MHz)	Peak to Average Ratio (dB)	Limit (dB)	Result
QPSK				
3500.01	100	6.75	≤ 13.00	Pass
16QAM				
3500.01	100	7.08	≤ 13.00	Pass
64QAM				
3500.01	100	7.27	≤ 13.00	Pass
256QAM				
3500.01	100	8.50	≤ 13.00	Pass

