



Gimbal™ U-Series 5 Proximity Beacon

*Model 900-0004-000
Tamper Declaration*

358-0097-000 Revision A

Gimbal, Inc. Confidential and Proprietary

NO PUBLIC DISCLOSURE PERMITTED: Please report postings of this document on public servers or websites to: legal@gimbal.com

Restricted Distribution: Not to be distributed to anyone who is not an employee of either Gimbal, Inc. or its subsidiaries without the express approval by Gimbal, Inc.

Not to be used, copied, reproduced, or modified in whole or in part, nor its contents revealed in any manner to others without the express written permission of Gimbal, Inc.

This technical data may be subject to U.S. and international export, re-export or transfer ("export") laws. Diversion contrary to U.S. and international law is strictly prohibited.

Gimbal, Inc.
San Diego, California
U.S.A.

© 2015 Gimbal, Inc. All Rights Reserved.

Gimbal™ is a trademark of Gimbal, Inc. registered in the United States and other countries.

Revision History

Revision	Date	Description
A	28 March, 2015	Initial Release

The Gimbal Proximity Beacon U-Series 5 device is factory tuned, therefore, there is no consumer calibration or tuning required. The device is manufactured using an interlocking metallic crimped casing. Opening the device effectively destroys the unit, making it inoperable.



Figure 1.



Figure 2.