



REPORT No.: SZ15030133W01

FCC TEST REPORT

APPLICANT : GUANGDONG OPPO MOBILE
TELECOMMUNICATIONS CORP.,LTD

PRODUCT NAME : Mobile Phone

MODEL NAME : OPPO A11w

TRADE NAME : OPPO

BRAND NAME : OPPO

FCC ID : R9C-A11w

STANDARD(S) : 47 CFR Part 22 Subpart H
47 CFR Part 24 Subpart E

ISSUE DATE : 2015-04-30



SHENZHEN MORLAB COMMUNICATIONS TECHNOLOGY Co., Ltd.

NOTE: This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.

MORLAB GROUP

FL1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , Guangdong Province, P. R. China

Tel: 86-755-36698555
[Http://www.morlab.com](http://www.morlab.com)

Fax: 86-755-36698525
E-mail: service@morlab.cn



TABLE OF CONTENTS

1. GENERAL INFORMATION.....	4
1.1 EUT DESCRIPTION.....	4
1.2 TEST STANDARDS AND RESULTS	6
1.3 FACILITIES AND ACCREDITATIONS	7
2. 47 CFR PART 2, PART 22H & 24E REQUIREMENTS.....	8
2.1 CONDUCTED RF OUTPUT POWER.....	8
2.2 PEAK TO AVERAGE RADIO	20
2.3 99% OCCUPIED BANDWIDTH	26
2.4 FREQUENCY STABILITY.....	46
2.5 CONDUCTED OUT OF BAND EMISSIONS.....	52
2.6 BAND EDGE	84
2.7 TRANSMITTER RADIATED POWER (EIRP/ERP)	95
2.8 RADIATED OUT OF BAND EMISSIONS.....	105

Change History		
Issue	Date	Reason for change
1.0	April 30, 2015	First edition

**Test Report Declaration**

Applicant	GUANGDONG OPPO MOBILE TELECOMMUNICATIONS CORP.,LTD
Applicant Address	NO.18 HAIBIN ROAD, WUSHA, CHANG'AN, DONGGUAN, GUANGDONG,CHINA
Manufacturer	GUANGDONG OPPO MOBILE TELECOMMUNICATIONS CORP.,LTD
Manufacturer Address	NO.18 HAIBIN ROAD, WUSHA, CHANG'AN, DONGGUAN, GUANGDONG,CHINA
Product Name	Mobile Phone
Model Name	OPPO A11w
Brand Name	OPPO
HW Version	11
SW Version	ColorOS V2.0.1i
Test Standards	47 CFR Part 22 Subpart H 47 CFR Part 24 Subpart E
Test Date	2015-4-17 to 2015-4-30
Test Result	PASS

Tested by : Qiu Xiaojun
Qiu Xiaojun

Reviewed by : Peng Huarui
Peng Huarui

Approved by : Zeng Dexin
Zeng Dexin

1. GENERAL INFORMATION

1.1 EUT Description

Frequency Range : GSM 850MHz:
Tx: 824.20 - 848.80MHz (at intervals of 200kHz);
Rx: 869.20 - 893.80MHz (at intervals of 200kHz)
GSM 1900MHz:
Tx: 1850.20 - 1909.80MHz (at intervals of 200kHz);
Rx: 1930.20 - 1989.80MHz (at intervals of 200kHz)
WCDMA 850MHz
Tx: 826.4 - 846.6MHz (at intervals of 200kHz);
Rx: 871.4 - 891.6MHz (at intervals of 200kHz)
WCDMA 1900MHz
Tx: 1852.4 - 1907.6MHz (at intervals of 200kHz);
Rx: 1932.4 - 1987.6MHz (at intervals of 200kHz)
Modulation Type..... : GSM,GPRS Mode with GMSK Modulation
EDGE Mode with 8PSK Modulation
WCDMA Mode with QPSK Modulation
HSDPA Mode with QPSK Modulation
HSUPA Mode with QPSK Modulation
Multislot Class..... : GPRS: Multislot Class 12,EGPRS: Multislot Class 12
Antenna Type..... : PIFA Antenna
Emission Designators : GSM 850:251KGXW,GSM 1900:253KGXW
EGPRS850:256KG7W, EGPRS1900:247KG7W,
WCDMA 850:4M17F9W ,WCDMA1900:4M17F9W

Note 1: The transmitter (Tx) frequency arrangement of the Cellular 850MHz band used by the EUT can be represented with the formula $F(n)=824.2+0.2*(n-128)$, $128 \leq n \leq 251$; the lowest, middle, highest channel numbers (ARFCHs) used and tested in this report are separately 128 (824.2MHz), 190 (836.6MHz) and 251 (848.8MHz).

Note 2: The transmitter (Tx) frequency arrangement of the PCS 1900MHz band used by the EUT can be represented with the formula $F(n)=1850.2+0.2*(n-512)$, $512 \leq n \leq 810$; the lowest, middle and highest channel numbers (ARFCHs) used and tested in this report are separately 512 (1850.2MHz), 661 (1880.0MHz) and 810 (1909.8MHz).

Note 3: The transmitter (Tx) frequency arrangement of the WCDMA 850MHz band used by the EUT can be represented with the formula $F(n)=826.4+0.2*(n-4132)$, $4132 \leq n \leq 4233$; the lowest, middle and highest channel numbers (ARFCHs) used and tested in this report are separately 4132 (826.4MHz), 4175(835MHz) and 4233 (846.6MHz).

Note 4: The transmitter (Tx) frequency arrangement of the WCDMA 1900MHz band used by the EUT can be represented with the formula $F(n)=1852.4+0.2*(n-9262)$, $9262 \leq n \leq 9538$; the lowest, middle



REPORT No.: SZ15030133W01

and highest channel numbers (ARFCHs) used and tested in this report are separately 9262 (1852.4MHz), 9400 (1880MHz) and 9538 (1907.6MHz).

Note 5: For a more detailed description, please refer to Specification or User's Manual supplied by the applicant and/or manufacturer.

1.2 Test Standards and Results

The objective of the report is to perform testing according to 47 CFR Part 2, Part 22 and Part 24 for the EUT FCC ID Certification:

No.	Identity	Document Title
1	47 CFR Part 2 (10-1-13 Edition)	Frequency Allocations and Radio Treaty Matters; General Rules and Regulations
2	47 CFR Part 22 (10-1-13 Edition)	Public Mobile Services
3	47 CFR Part 24 (10-1-13 Edition)	Personal Communications Services

Test detailed items/section required by FCC rules and results are as below:

No.	Section	Description	Result
1	2.1046	Conducted RF Output Power	PASS
2.	24.232(d)	Peak to average radio	PASS
2	2.1049,22.917 24.238	99% Occupied Bandwidth	PASS
3	2.1055,22.355 24.235	Frequency Stability	PASS
4	2.1051,2.1057 22.917,24.238,	Conducted Out of Band Emissions	PASS
5	2.1051,2.1057 22.917,24.238	Band Edge	PASS
6	22.913,24.232	Transmitter Radiated Power (EIPR/ERP)	PASS
7	2.1053,2.1057 22.917,24.238	Radiated Out of Band Emissions	PASS

NOTE: Measurement method according to TIA/EIA 603.D-2010



1.3 Facilities and Accreditations

1.3.1 Facilities

All measurement facilities used to collect the measurement data are located at FL1, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China 518101. The test site is constructed in conformance with the requirements of ANSI C63.7, ANSI C63.4 and CISPR Publication 22; the FCC registration number is 695796.

1.3.2 Test Environment Conditions

During the measurement, the environmental conditions were within the listed ranges:

Temperature (°C):	15 - 35
Relative Humidity (%):	30 -60
Atmospheric Pressure (kPa):	86-106

2. 47 CFR PART 2, PART 22H & 24E REQUIREMENTS


2.1 Conducted RF Output Power

2.1.1 Requirement

According to FCC section 2.1046(a), for transmitters other than single sideband, independent sideband and controlled carrier radiotelephone, power output shall be measured at the RF output terminals when the transmitter is adjusted in accordance with the tune-up procedure to give the values of current and voltage on the circuit elements specified in FCC section 2.1033(c)(8).

2.1.2 Test Description

1. Test Setup:



The EUT, which is powered by the Battery, is coupled to the Spectrum Analyzer (SA) and the System Simulator (SS) with Attenuators through the Power Splitter; the RF load attached to the EUT antenna terminal is 50Ohm; the path loss as the factor is calibrated to correct the reading. The EUT is commanded by the SS to operate at the maximum output power i.e. Power Control Level (PCL) = 5 and Power Class = 4. A call is established between the EUT and the SS.

The Power Meter was just used for the Conducted RF Output Power test of WCDMA Model.

2. Equipments List:

Description	Manufacturer	Model	Serial No.	Cal. Date	Cal. Due
System Simulator	Agilent	E5515C	GB43130131	2015.02.26	2016.02.25
Spectrum Analyzer	Agilent	E7405A	US44210471	2015.02.26	2016.02.25
Power Meter	Agilent	E4418B	GB43318055	2015.02.26	2016.02.25
Power Sensor	Agilent	8482A	MY41091706	2015.02.26	2016.02.25
Power Splitter	Weinschel	1506A	NW521	2015.02.26	2016.02.25
Attenuator 1	Resnet	20dB	(n.a.)	2015.02.26	2016.02.25
Attenuator 2	Resnet	3dB	(n.a.)	2015.02.26	2016.02.25



2.1.3 Test Results

Here the lowest, middle and highest channels are selected to perform testing to verify the conducted RF output power of the EUT.

1. GSM Model Test Verdict:

Band	Channel	Frequency (MHz)	Measured Output Power		Limit dBm	Verdict
			dBm	Refer to Plot		
GSM 850MHz	128	824.2	33.22	Plot A1 to A3	35	PASS
	190	836.6	33.26			PASS
	251	848.8	33.23			PASS
GSM 1900MHz	512	1850.2	29.43	Plot B1 to B3	32	PASS
	661	1880.0	29.56			PASS
	810	1909.8	29.60			PASS
GPRS 850MHz	128	824.2	33.14	Plot C1 to C3Note 1	35	PASS
	190	836.6	33.15			PASS
	251	848.8	33.12			PASS
GPRS 1900MHz	512	1850.2	29.41	Plot D1 to D3Note 1	32	PASS
	661	1880.0	29.52			PASS
	810	1909.8	29.55			PASS
EGPRS 850MHz	128	824.2	32.58	Plot E1 to E3Note 1	35	PASS
	190	836.6	33.21			PASS
	251	848.8	33.17			PASS
EGPRS 1900MHz	512	1850.2	29.53	Plot F1 to F3Note 1	32	PASS
	661	1880.0	29.64			PASS
	810	1909.8	29.71			PASS


Note 1: For the GPRS and EGPRS model, all the slots were tested and just the worst data was record in this report.




2. WCDMA Model Test Verdict:

Item	band	WCDMA 850			WCDMA 1900		
	ARFCN	4132	4175	4233	9262	9400	9538
	subtest	dBm			dBm		
5.2(WCDMA)	non	22.10	22.12	22.37	22.26	22.36	22.08
HSDPA	1	21.08	21.10	21.38	21.22	21.38	21.24
	2	21.03	21.09	21.36	21.22	21.35	21.20
	3	20.59	20.61	20.91	20.76	20.90	20.67
	4	20.56	20.59	20.89	20.74	20.89	20.61
HSUPA	1	20.46	20.55	20.82	20.64	20.78	20.97
	2	18.51	18.59	18.91	18.75	18.83	19.02
	3	19.52	19.57	19.84	19.67	19.79	20.05
	4	18.53	18.59	18.93	18.75	18.83	19.02
	5	20.46	20.58	20.87	20.67	20.79	20.97
Note:	The Conducted RF Output Power test of WCDMA /HSDPA /HSUPA was tested by power meter.						


3. GSM Model Test Plots:




(Plot A1:GSM 850MHz Channel = 128)




(Plot A2:GSM 850MHz Channel = 190)




(Plot A3:GSM 850MHz Channel = 251)




(Plot B1: GSM 1900MHz Channel = 512)




(Plot B2: GSM 1900MHz Channel = 661)




(Plot B3: GSM 1900Hz Channel = 810)




(Plot C 1: GPRS 850MHz Channel = 128)




(Plot C 2: GPRS 850MHz Channel = 190)




(Plot C 3: GPRS 850MHz Channel = 251)




(Plot D 1: GPRS 1900MHz Channel = 512)




(Plot D 2: GPRS 1900MHz Channel = 661)




(Plot D 3: GPRS 1900MHz Channel = 810)




(Plot E1: EGPRS 850MHz Channel = 128)




(Plot E2: EGPRS 850MHz Channel = 190)




(Plot E3: EGPRS 850MHz Channel = 251)



(Plot F1:EGPRS 1900MHz Channel = 512)



(Plot F2:EGPRS 1900MHz Channel = 661)



(Plot F3:EGPRS 1900Hz Channel = 810)

2.2 Peak to Average Ratio

2.2.1 Definition

According to FCC section 2.1049 and FCC 24.232(d) the peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.

2.2.2 Test Description

See section 2.1.2 of this report.

2.2.3 Test Verdict

Here the lowest, middle and highest channels are selected to perform testing to verify the peak-to-average ratio.

Test procedures:

A .For GSM/EGPRS operating mode:


- Set RBW=1MHz, VBW=1MHz, peak detector in spectrum analyzer.
- Set EUT in maximum output power, and triggered the bust signal.
- Measured respectively the peak level and mean level, and the deviation was recorded as Peak to Average radio.

B. For UMTS operating mode:


- Set the CCDF (Complementary Cumulative Distribution Function) option in spectrum analyzer.
- The highest RF powers were measured and recorded the maximum PAPR level associated with a probability of 0.1%.

1. Test Verdict:

Band	Channel	Frequency (MHz)	Peak to Average radio		Limit dBm	Verdict
			dBm	Refer to Plot		
GSM 1900MHz	512	1850.2	0.03	Plot A1 to A3	13	PASS
	661	1880.0	0.02			PASS
	810	1909.8	0.04			PASS
EGPRS 1900MHz	512	1850.2	0.03	Plot B1 to B3	13	PASS
	661	1880.0	0.05			PASS
	810	1909.8	0.06			PASS
WCDMA 1900MHz	9262	1852.4	2.90	Plot C1 toC3	13	PASS
	9400	1880	2.90			PASS
	9538	1907.6	2.80			PASS




(Plot A1:GSM 1900 MHz Channel = 512)




(Plot A2:GSM 1900 MHz Channel = 661)




(Plot A3:GSM 1900MHz Channel = 810)




(Plot B1: EGPRS 1900MHz Channel = 512)




(Plot B2: EGPRS 1900MHz Channel = 661)




(Plot B3: EGPRS 1900MHz Channel = 810)



(Plot C1: WCDMA 1900MHz Channel = 9262)



(Plot C2: WCDMA 1900MHz Channel = 9400)



(Plot C3: WCDMA 1900MHz Channel = 9538)

2.3 99% Occupied Bandwidth

2.3.1 Definition

According to FCC section 2.1049 and FCC § 22.917 & 24.238 the occupied bandwidth is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission.

Occupied bandwidth is also known as the 99% emission bandwidth,

2.3.2 Test Description

See section 2.1.2 of this report.

2.3.3 Test Verdict

Here the lowest, middle and highest channels are selected to perform testing to verify the 99% occupied bandwidth.


2. Test Verdict:

Band	Channel	Frequency (MHz)	26dB bandwidth	99% Occupied Bandwidth	Refer to Plot
EDGE 850MHz	128	824.2	322.373 KHz	245.7802 KHz	Plot A
	190	836.6	329.592 KHz	255.5931 KHz	Plot B
	251	848.8	322.308 KHz	245.0814 KHz	Plot C
EDGE 1900MHz	512	1850.2	325.242 KHz	246.7338 KHz	Plot D
	661	1880.0	321.523 KHz	245.3003 KHz	Plot E
	810	1909.8	323.565 KHz	247.0058 KHz	Plot F
WCDMA 850MHz	4132	826.4	4.667 MHz	4.1684 MHz	Plot G
	4175	835	4.646 MHz	4.1640 MHz	Plot H
	4233	846.6	4.650 MHz	4.1630 MHz	Plot I
WCDMA 1900MHz	9262	1852.4	4.638 MHz	4.1587 MHz	Plot J
	9400	1880	4.652 MHz	4.1474 MHz	Plot K
	9538	1907.6	4.649 MHz	4.1483 MHz	Plot L
HSDPA 850MHz	4132	826.4	4.660 MHz	4.1607 MHz	Plot M
	4175	835	4.649 MHz	4.1592 MHz	Plot N
	4233	846.6	4.652 MHz	4.1589 MHz	Plot O
HSDPA 1900MHz	9262	1852.4	4.665 MHz	4.1463 MHz	Plot P
	9400	1880	4.647 MHz	4.1593 MHz	Plot Q
	9538	1907.6	4.659 MHz	4.1491 MHz	Plot R
HSUPA 850MHz	4132	826.4	4.670 MHz	4.1700 MHz	Plot S
	4175	835	4.636 MHz	4.1574 MHz	Plot T
	4233	846.6	4.686 MHz	4.1694 MHz	Plot U
HSUPA 1900MHz	9262	1852.4	4.651 MHz	4.1569 MHz	Plot V




Band	Channel	Frequency (MHz)	26dB bandwidth	99% Occupied Bandwidth	Refer to Plot
	9400	1880	4.632 MHz	4.1574 MHz	Plot W
	9538	1907.6	4.667 MHz	4.1650 MHz	Plot X
GSM 850MHz	128	824.2	315.658 KHz	251.2833 KHz	Plot Y
	190	836.6	312.742 KHz	242.1125 KHz	Plot Z
	251	848.8	315.640 KHz	248.9793 KHz	Plot A1
GSM 1900MHz	512	1850.2	318.450 KHz	247.5641 KHz	Plot B1
	661	1880.0	316.776 KHz	244.6874 KHz	Plot C1
	810	1909.8	316.133 KHz	244.8633 KHz	Plot D1
GPRS 850MHz	128	824.2	328.702 KHz	246.5462 KHz	Plot E1
	190	836.6	311.878 KHz	241.5901 KHz	Plot F1
	251	848.8	318.832 KHz	247.0609 KHz	Plot G1
GPRS 1900MHz	512	1850.2	313.005 KHz	244.6464 KHz	Plot H1
	661	1880.0	315.782 KHz	249.3203 KHz	Plot I1
	810	1909.8	322.242 KHz	252.7972 KHz	Plot J1


3. Test Plots:




(Plot A: EGPRS 850MHz Channel = 128)




(Plot B: EGPRS 850MHz Channel = 190)




(Plot C: EGPRS 850MHz Channel = 251)




(Plot D: EGPRS 1900MHz Channel = 512)




(Plot E: EGPRS1900MHz Channel = 661)




(Plot F: EGPRS 1900MHz Channel = 810)




(Plot G: WCDMA 850MHz Channel = 4132)




(Plot H: WCDMA 850 MHz Channel = 4175)




(Plot I: WCDMA 850MHz Channel = 4233)




(Plot J: WCDMA 1900MHz Channel = 9262)




(Plot K: WCDMA 1900 MHz Channel = 9400)




(Plot L: WCDMA1900MHz Channel = 9538)




(Plot M: HSDPA 850MHz Channel = 4132)




(Plot N: HSDPA850 MHz Channel = 4175)




(Plot O: HSDPA 850 MHz Channel = 4233)




(Plot P: HSDPA1900 MHz Channel = 9262)




(Plot Q: HSDPA1900 MHz Channel = 9400)




(Plot R: HSDPA 1900 MHz Channel = 9538)




(Plot S: HSUPA850 MHz Channel = 4132)




(Plot T: HSUPA850 MHz Channel = 4175)




(Plot U: HSUPA850 MHz Channel = 4233)




(Plot V: HSUPA1900 MHz Channel = 9262)




(Plot W: HSUPA1900 MHz Channel = 9400)




(Plot X: HSUPA1900 MHz Channel = 9538)




(Plot Y: GSM 850MHz Channel = 128)




(Plot Z: GSM 850MHz Channel = 190)




(Plot A1:GSM 850MHz Channel = 251)




(Plot B1: GSM 1900MHz Channel = 512)




(Plot C1: GSM 1900MHz Channel = 661)




(Plot D1: GSM 1900MHz Channel = 810)




(Plot E1: GPRS 850MHz Channel = 128)




(Plot F1:GPRS 850MHz Channel = 190)




(Plot G1: GPRS850MHz Channel = 251)



(Plot H1: GPRS 1900MHz Channel = 512)



(Plot I1: GPRS 1900MHz Channel = 661)



(Plot J1: GPRS 1900MHz Channel = 810)

2.4 Frequency Stability


2.4.1 Requirement

According to FCC section 22.355 and FCC section 24.235, the frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block. According to FCC section 2.1055, the test conditions are:

- The temperature is varied from -30°C to +50°C at intervals of not more than 10°C.
- For hand carried battery powered equipment, the primary supply voltage is reduced to the battery operating end point which shall be specified by the manufacture. The supply voltage shall be measured at the input to the cable normally provided with the equipment, or at the power supply terminals if cables are not normally provided.

2.4.2 Test Description

1. Test Setup:



The EUT, which is powered by the DC Power Supply directly, is located in the Temperature Chamber. The EUT is commanded by the System Simulator (SS) to operate at the maximum output power i.e. Power Control Level (PCL) = 5 and Power Class = 4. A call is established between the EUT and the SS via a Common Antenna.

2. Equipments List:

Description	Manufacturer	Model	Serial No.	Cal. Date	Cal. Due
System Simulator	Agilent	E5515C	GB43130131	2015.02.26	2016.02.25
DC Power Supply	Good Will	GPS-3030DD	EF920938	2015.02.26	2016.02.25
Temperature Chamber	YinHe Experimental Equip.	HL4003T	(n.a.)	2015.02.26	2016.02.25

2.4.3 Test Verdict

The nominal, highest and lowest extreme voltages are separately 3.8VDC, 4.2VDC and 3.45VDC, which are specified by the applicant; the normal temperature here used is 25°C. The frequency deviation limit of



850MHz band is $\pm 2.5\text{ppm}$, and 1900MHz is $\pm 1\text{ppm}$.

1. GSM 850MHz Band

Test Conditions		Frequency Deviation						Verdict
Power (VDC)	Temperature (°C)	Channel = 128 (824.2MHz)		Channel = 190 (836.6MHz)		Channel = 251 (848.8MHz)		
		Hz	Limits	Hz	Limits	Hz	Limits	
3.8	-30	-22.19	±2060.5	-16.88	±2091.5	11.15	±2122	<u>PASS</u>
	-20	26.21		19.32		-15.02		
	-10	-2.22		25.31		16.11		
	0	11.33		32.26		15.03		
	+10	21.29		-29.21		3.02		
	+20	-17.56		-16.88		10.76		
	+30	34.36		19.32		-16.53		
	+40	42.63		19.64		-2.13		
	+55	35.28		23.27		-12.89		
4.2	+25	-15.73		29.05		-7.55		
3.45	+25	-17.65		38.13		7.78		

2. GSM 1900MHz Band

Test Conditions		Frequency Deviation						Verdict
Power (VDC)	Temperature (°C)	Channel = 512 (1850.2MHz)		Channel = 661 (1880.0MHz)		Channel = 810 (1909.8MHz)		
		Hz	Limits	Hz	Limits	Hz	Limits	
3.8	-30	17.11	±1850.2	27.18	±1880.0	32.15	±1909.8	<u>PASS</u>
	-20	37.18		-21.48		-18.88		
	-10	-2.05		-13.76		-16.88		
	0	41.06		-18.38		19.32		
	+10	1.98		-21.61		25.31		
	+20	-19.76		15.52		32.26		
	+30	39.76		-0.78		-29.21		
	+40	45.16		37.37		19.33		
	+55	39.88		24.02		-19.37		
4.2	+25	37.88	23.72	28.09				
3.45	+25	-5.69	16.22	18.89				



3. EDGE 850MHz Band

Test Conditions		Frequency Deviation						Verdict
Power (VDC)	Temperature (°C)	Channel = 128 (824.2MHz)		Channel = 190 (836.6MHz)		Channel = 251 (848.8MHz)		
		Hz	Limits	Hz	Limits	Hz	Limits	
3.8	-30	-21.12	±2060.5	27.19	±2091.5	17.29	±2122	<u>PASS</u>
	-20	38.98		13.73		-15.83		
	-10	-3.25		-18.35		12.16		
	0	41.06		36.10		5.05		
	+10	1.99		-29.01		13.08		
	+20	-19.86		-16.11		10.76		
	+30	39.56		17.76		-16.51		
	+40	22.62		16.54		-12.15		
	+55	31.98		3.57		-12.89		
4.2	+25	-15.71		14.05		-7.83		
3.45	+25	-15.51		7.93		6.88		

4. EDGE 1900MHz Band

Test Conditions		Frequency Deviation						Verdict
Power (VDC)	Temperature (°C)	Channel = 512 (1850.2MHz)		Channel = 661 (1880.0MHz)		Channel = 810 (1909.8MHz)		
		Hz	Limits	Hz	Limits	Hz	Limits	
3.8	-30	-13.85	±1850.2	26.12	±1880.0	1.57	±1909.8	<u>PASS</u>
	-20	2.72		7.63		-13.76		
	-10	1.25		-25.78		-13.21		
	0	2.57		-1.36		13.23		
	+10	-10.78		-17.98		25.03		
	+20	-2.11		-21.61		35.81		
	+30	15.03		14.58		-27.81		
	+40	5.43		-0.78		19.34		
	+55	-2.46		39.87		-16.77		
4.2	+25	18.02	24.06	26.59				
3.45	+25	-7.19	14.13	19.03				



5. WCDMA 850MHz Band

Test Conditions		Frequency Deviation						Verdict
Power (VDC)	Temperature (°C)	Channel = 4123 (826.4MHz)		Channel = 4175 (835MHz)		Channel = 4233 (846.6MHz)		
		Hz	Limit	Hz	Limit	Hz	Limit	
3.8	-30	17.19	±2066	11.21	±2087.5	-1.10	±2116.5	<u>PASS</u>
	-20	-17.15		-10.61		-12.43		
	-10	-3.43		22.45		7.67		
	0	16.47		13.25		4.32		
	+10	30.18		1.31		-17.33		
	+20	32.07		-12.22		11.90		
	+30	-7.98		30.62		6.63		
	+40	26.31		13.45		30.93		
	+55	12.10		-12.42		16.72		
4.2	+25	-6.17		32.12		23.89		
3.45	+25	18.16		-17.80		-18.12		

6. WCDMA 1900MHz Band

Test Conditions		Frequency Deviation						Verdict
Power (VDC)	Temperature (°C)	Channel = 9262 (1852.4MHz)		Channel = 9400 (1880.0MHz)		Channel = 9538 (1907.6MHz)		
		Hz	Limits	Hz	Limits	Hz	Limits	
3.8	-30	-1.13	±1852.4	-11.67	±1880.0	-1.81	±1907.6	<u>PASS</u>
	-20	11.15		12.28		27.62		
	-10	5.35		-14.36		15.19		
	0	18.92		18.59		-13.15		
	+10	32.40		21.39		18.12		
	+20	13.55		39.27		-10.39		
	+30	2.31		2.37		15.49		
	+40	-12.52		-13.47		29.84		
	+55	-13.65		-5.81		-2.53		
4.2	+25	22.23	14.68	21.05				
3.45	+25	23.12	26.37	-25.11				

7. HSDPA 850MHz Band

Test Conditions		Frequency Deviation						Verdict
Power (VDC)	Temperature (°C)	Channel = 4123 (826.4MHz)		Channel = 4175 (835MHz)		Channel = 4233 (846.6MHz)		
		Hz	Limit	Hz	Limit	Hz	Limit	
3.8	-30	15.37	±2066	8.78	±2087.5	17.11	±2116.5	<u>PASS</u>
	-20	-12.21		-1.49		14.41		
	-10	10.60		17.14		21.57		
	0	-4.81		-23.61		-24.37		
	+10	37.11		-13.95		-13.96		
	+20	8.73		-24.37		34.11		
	+30	-15.49		12.88		-8.31		
	+40	17.14		-14.75		-13.95		
	+55	-23.61		23.37		25.37		
4.2	+25	38.03		7.93		7.98		
3.45	+25	17.14		-31.21		1.98		

8. HSDPA 1900MHz Band

Test Conditions		Frequency Deviation						Verdict
Power (VDC)	Temperature (°C)	Channel = 9262 (1852.4MHz)		Channel = 9400 (1880.0MHz)		Channel = 9538 (1907.6MHz)		
		Hz	Limits	Hz	Limits	Hz	Limits	
3.8	-30	-3.85	±1852.4	-3.51	±1880	6.57	±1907.6	<u>PASS</u>
	-20	9.57		23.71		-8.48		
	-10	29.32		15.37		-14.02		
	0	-12.42		-12.21		-9.01		
	+10	-2.83		10.60		5.64		
	+20	20.12		-4.81		-3.85		
	+30	-15.01		37.11		9.57		
	+40	24.71		8.46		29.32		
	+55	16.42		-24.88		-12.49		
4.2	+25	-11.25		27.53		-2.83		
3.45	+25	11.53		-2.17		14.31		

9. HSUPA 850MHz Band

Test Conditions		Frequency Deviation						Verdict
Power (VDC)	Temperature (°C)	Channel = 4123 (826.4MHz)		Channel = 4175 (835MHz)		Channel = 4233 (846.6MHz)		
		Hz	Limit	Hz	Limit	Hz	Limit	
3.8	-30	27.88	±2066	15.51	±2087.5	15.05	±2116.5	<u>PASS</u>
	-20	-15.40		-19.43		27.52		
	-10	-12.71		-12.79		39.71		
	0	-14.09		-0.44		-7.32		
	+10	-0.37		0.01		-4.91		
	+20	-11.85		-6.64		21.35		
	+30	29.57		25.25		-5.94		
	+40	-11.89		9.73		13.78		
	+55	-0.45		27.76		29.55		
4.2	+25	2.78	-4.67	31.31				
3.45	+25	3.65	5.65	-6.60				

10. HSUPA 1900MHz Band

Test Conditions		Frequency Deviation						Verdict
Power (VDC)	Temperature (°C)	Channel = 9262 (1852.4MHz)		Channel = 9400 (1880.0MHz)		Channel = 9538 (1907.6MHz)		
		Hz	Limits	Hz	Limits	Hz	Limits	
3.8	-30	34.54	±1852.4	-11.69	±1880	7.17	±1907.6	<u>PASS</u>
	-20	29.13		-0.74		2.12		
	-10	7.82		0.11		-4.85		
	0	2.41		14.82		17.08		
	+10	-4.73		-15.25		-1.86		
	+20	16.22		-11.79		23.52		
	+30	-1.55		-0.44		-0.48		
	+40	24.16		1.25		-12.05		
	+55	14.79		-7.84		-5.81		
4.2	+25	-8.08	6.72	28.38				
3.45	+25	22.78	-1.72	-15.45				

2.5 Conducted Out of Band Emissions

2.5.1 Requirement

According to FCC section 22.917(a) and FCC section 24.238(a) the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43+10\log(P)$ dB. This calculated to be -13dBm.

2.5.2 Test Description

See section 2.1.2 of this report.

2.5.3 Test Result

The measurement frequency range is from 30MHz to the 10th harmonic of the fundamental frequency. The lowest, middle and highest channels are tested to verify the out of band emissions.

1. Test Verdict:

Band	Channel	Frequency (MHz)	Measured Max. Spurious Emission (dBm)	Refer to Plot	Limit (dBm)	Verdict
GSM 850MHz	128	824.2	-19.28	Plot A1toA1.1	-13	<u>PASS</u>
	190	836.6	-19.35	Plot A2toA2.1		<u>PASS</u>
	251	848.8	-19.56	Plot A3toA3.1		<u>PASS</u>
GSM 1900MHz	512	1850.2	-19.95	Plot B1toB1.1	-13	<u>PASS</u>
	661	1880.0	-19.27	Plot B2toB2.1		<u>PASS</u>
	810	1909.8	-19.15	Plot B3toB3.1		<u>PASS</u>
EDGE 850MHz	128	824.2	-20.41	Plot C1toC1.1	-13	<u>PASS</u>
	190	836.6	-20.06	Plot C2toC2.1		<u>PASS</u>
	251	848.8	-20.73	Plot C3toC3.1		<u>PASS</u>
EDGE 1900MHz	512	1850.2	-20.13	Plot D1toD1.1	-13	<u>PASS</u>
	661	1880.0	-20.23	Plot D2toD2.1		<u>PASS</u>
	810	1909.8	-19.24	Plot D3toD3.1		<u>PASS</u>
WCDMA 850MHz	4132	826.4	<-25	Plot E1toE1.1	-13	<u>PASS</u>
	4175	835	<-25	Plot E2toE2.1		<u>PASS</u>
	4233	846.6	<-25	Plot E3toE3.1		<u>PASS</u>
WCDMA 1900MHz	9262	1852.4	<-25	Plot F1toF1.1	-13	<u>PASS</u>
	9400	1880	<-25	Plot F2toF2.1		<u>PASS</u>
	9538	1907.6	-24.78	Plot F3toF3.1		<u>PASS</u>
HSDPA	4132	826.4	<-25	Plot G1toG1.1	-13	<u>PASS</u>




REPORT No.: SZ15030133W01


Band	Channel	Frequency (MHz)	Measured Max. Spurious Emission (dBm)	Refer to Plot	Limit (dBm)	Verdict
850MHz	4175	835	<-25	Plot G2toG2.1		<u>PASS</u>
	4233	846.6	<-25	Plot G3toG3.1		<u>PASS</u>
HSDPA 1900MHz	9262	1852.4	-24.89	Plot H1toH1.1	-13	<u>PASS</u>
	9400	1880	<-25	Plot H2toH2.1		<u>PASS</u>
	9538	1907.6	<-25	Plot H3toH3.1		<u>PASS</u>
HSUPA 850MHz	4132	826.4	<-25	Plot I1toI1.1	-13	<u>PASS</u>
	4175	835	<-25	Plot I2toI2.1		<u>PASS</u>
	4233	846.6	<-25	Plot I3toI3.1		<u>PASS</u>
HSUPA 1900MHz	9262	1852.4	<-25	Plot J1toJ1.1	-13	<u>PASS</u>
	9400	1880	<-25	Plot J2toJ2.1		<u>PASS</u>
	9538	1907.6	<-25	Plot J3toJ3.1		<u>PASS</u>

2. Test Plots for the Whole Measurement Frequency Range:


Note: the power of the EUT transmitting frequency should be ignored.




(Plot A1:GSM 850MHz Channel = 128, 30MHz to 1GHz)




(Plot A1.1: GSM 850MHz Channel = 128, 1GHz to 9GHz)




(Plot A2: GSM 850MHz Channel = 190, 30MHz to 1GHz)




(Plot A2.1: GSM 850MHz Channel = 190, 1GHz to 9GHz)




(Plot A3:GSM 850MHz Channel = 251, 30MHz to 1GHz)




(Plot A3.1: GSM 850MHz Channel = 251, 1GHz to 9GHz)




(Plot B1: GSM 1900MHz Channel = 512, 30MHz to 1GHz)




(Plot B1.1: GSM 1900MHz Channel = 512, 1GHz to 20GHz)




(Plot B2: GSM 1900MHz Channel = 661, 30MHz to 1GHz)




(Plot B2.1: GSM 1900MHz Channel = 661, 1GHz to 20GHz)




(Plot B3: GSM 1900MHz Channel = 810, 30MHz to 1GHz)




(Plot B3.1: GSM 1900MHz Channel = 810, 1GHz to 20GHz)




(Plot C1: EDGE 850MHz Channel = 128, 30MHz to 1GHz)




(Plot C1.1: EDGE 850MHz Channel = 128, 1GHz to 9GHz)




(Plot C2: EDGE 850MHz Channel = 190, 30MHz to 1GHz)




(Plot C2.1: EDGE 850MHz Channel = 190, 1GHz to 9GHz)




(Plot C3: EDGE 850MHz Channel = 251, 30MHz to 1GHz)




(Plot C3.1: EDGE 850MHz Channel = 251, 1GHz to 9GHz)




(Plot D1: EDGE 1900MHz Channel = 512, 30MHz to 1GHz)




(Plot D1.1: EDGE 1900MHz Channel = 512, 1GHz to 20GHz)




(Plot D2: EDGE 1900MHz Channel = 661, 30MHz to 1GHz)




(Plot D2.1: EDGE 1900MHz Channel = 661, 1GHz to 20GHz)



(Plot D3: EDGE 1900MHz Channel = 810, 30MHz to 1GHz)




(Plot D3.1: EDGE 1900MHz Channel = 810, 1GHz to 20GHz)




(Plot E1: WCDMA850MHz Channel = 4132, 30MHz to 1GHz)




(Plot E1.1: WCDMA850MHz Channel = 4132, 1GHz to 9GHz)



(Plot E2: WCDMA850MHz Channel = 4175, 30MHz to 1GHz)




(Plot E2.1: WCDMA850MHz Channel = 4175, 1GHz to 9GHz)




(Plot E3: WCDMA850MHz Channel = 4233, 30MHz to 1GHz)




(Plot E3.1: WCDMA850MHz Channel = 4233, 1GHz to 9GHz)




(Plot F1:WCDMA1900MHz Channel = 9262, 30MHz to 1GHz)




(Plot F1.1: WCDMA1900MHz Channel = 9262, 1GHz to 20GHz)




(Plot F2:WCDMA1900MHz Channel = 9400, 30MHz to 1GHz)




(Plot F2.1: WCDMA1900MHz Channel = 9400, 1GHz to 20GHz)




(Plot F3:WCDMA1900MHz Channel = 9538, 30MHz to 1GHz)




(Plot F3.1: WCDMA1900MHz Channel = 9538 1GHz to 20GHz)



(Plot G1: HSDPA 850MHz Channel = 4132, 30MHz to 1GHz)




(Plot G1.1: HSDPA 850MHz Channel = 4132, 1GHz to 9GHz)



(Plot G2: HSDPA 850MHz Channel = 4175, 30MHz to 1GHz)




(Plot G2.1: HSDPA 850MHz Channel = 4175, 1GHz to 9GHz)




(Plot G3: HSDPA850MHz Channel = 4233, 30MHz to 1GHz)




(Plot G3.1: HSDPA850MHz Channel = 4233, 1GHz to 9GHz)




(Plot H1: HSDPA1900MHz Channel = 9262, 30MHz to 1GHz)




(Plot H1.1: HSDPA1900MHz Channel = 9262, 1GHz to 20GHz)




(Plot H2: HSDPA1900MHz Channel = 9400, 30MHz to 1GHz)




(Plot H2.1: HSDPA1900MHz Channel = 9400, 1GHz to 20GHz)



(Plot H3: HSDPA1900MHz Channel = 9538, 30MHz to 1GHz)




(Plot H3.1: HSDPA1900MHz Channel = 9538 1GHz to 20GHz)



(Plot I 1: HSUPA 850MHz Channel = 4132, 30MHz to 1GHz)




(Plot II.1: HSUPA 850MHz Channel = 4132, 1GHz to 9GHz)



(Plot I 2: HSUPA 850MHz Channel = 4175, 30MHz to 1GHz)




(Plot I2.1: HSUPA 850MHz Channel = 4175, 1GHz to 9GHz)




(Plot I 3: HSUPA850MHz Channel = 4233, 30MHz to 1GHz)




(Plot I3.1: HSUPA850MHz Channel = 4233, 1GHz to 9GHz)




(Plot J 1: HSUPA1900MHz Channel = 9262, 30MHz to 1GHz)




(Plot J1.1: HSUPA1900MHz Channel = 9262, 1GHz to 20GHz)




(Plot J 2: HSUPA1900MHz Channel = 9400, 30MHz to 1GHz)



(Plot J2.1: HSUPA1900MHz Channel = 9400, 1GHz to 20GHz)



(Plot J 3: HSUPA1900MHz Channel = 9538, 30MHz to 1GHz)



(Plot J3.1: HSUPA1900MHz Channel = 9538 1GHz to 20GHz)

2.6 Band Edge

2.6.1 Requirement

According to FCC section 22.917(b) and FCC section 24.238(b) in the 1MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth (26dB emission bandwidth) of the fundamental emission of the transmitter may be employed.

2.6.2 Test Description

See section 2.1.2 of this report.

2.6.3 Test Result

The lowest and highest channels are tested to verify the band edge emissions.


1. Test Verdict:

Band	Channel	Frequency (MHz)	Measured Max. Band Edge Emission (dBm)	Refer to Plot	Limit (dBm)	Verdict
GSM 850MHz	128	824.2	-19.73	Plat A	-13	<u>PASS</u>
	251	848.8	-18.63	Plot B		<u>PASS</u>
GSM 1900MHz	512	1850.2	-19.38	Plat C	-13	<u>PASS</u>
	810	1909.8	-21.09	Plot D		<u>PASS</u>
EDGE 850MHz	128	824.2	-18.40	Plat E	-13	<u>PASS</u>
	251	848.8	-18.43	Plot F		<u>PASS</u>
EDGE 1900MHz	512	1850.2	-22.15	Plat G	-13	<u>PASS</u>
	810	1909.8	-21.73	Plot H		<u>PASS</u>
WCDMA 850MHz	4132	826.4	-16.08	Plat I	-13	<u>PASS</u>
	4233	846.6	-16.91	Plot J		<u>PASS</u>
WCDMA 1900MHz	9262	1852.4	-21.23	Plat K	-13	<u>PASS</u>
	9538	1907.6	-21.72	Plot L		<u>PASS</u>
HSDPA 850MHz	4132	826.4	-16.40	Plat M	-13	<u>PASS</u>
	4233	846.6	-17.51	Plot N		<u>PASS</u>
HSDPA 1900MHz	9262	1852.4	-21.58	Plat O	-13	<u>PASS</u>
	9538	1907.6	-21.71	Plot P		<u>PASS</u>
HSUPA 850MHz	4132	826.4	-15.96	Plat Q	-13	<u>PASS</u>
	4233	846.6	-17.54	Plot R		<u>PASS</u>




HSUPA 1900MHz	9262	1852.4	-19.69	Plat S	-13	<u>PASS</u>
	9538	1907.6	-19.93	Plot T		<u>PASS</u>


2. Test Plots:




(Plot A: GSM 850 Channel = 128)




(Plot B: GSM 850 Channel = 251)




(Plot C: GSM 1900 Channel = 512)




(Plot D: GSM 1900 Channel = 810)




(Plot E: EGPRS 850 Channel = 128)




(Plot F: EGPRS 850 Channel = 251)



(Plot G: EGPRS 1900 Channel = 512)




(Plot H: EGPRS 1900 Channel = 810)



(Plot I: WCDMA 850 Channel = 4132)



(Plot J: WCDMA 850 Channel = 4233)



(Plot K: WCDMA 1900 Channel = 9262)



(Plot L: WCDMA 1900 Channel = 9538)



(Plot M: HSDPA 850 Channel = 4132)




(Plot N: HSDPA850 Channel = 4233)



(Plot O: HSDPA 1900 Channel = 9262)



(Plot P: HSDPA 1900 Channel = 9538)



(Plot Q: HSUPA 850 Channel = 4132)



(Plot R: HSUPA850 Channel = 4233)



(Plot S: HSUPA 1900 Channel = 9262)




2.7 Transmitter Radiated Power (EIRP/ERP)

2.7.1 Requirement

According to FCC section 22.913, the Effective Radiated Power (ERP) of mobile transmitters and auxiliary test transmitters must not exceed 7Watts, and FCC section 24.232, the broadband PCS mobile station is limited to 2 Watts e.i.r.p. peak power

2.7.2 Test Description

1. Test Setup:



The EUT, which is powered by the Battery charged with the AC Adapter, is located in a 3m Full-Anechoic Chamber; the cable loss, air loss and so on of the site as factors are pre-calibrated using the "Substitution" method, and calculated to correct the reading.

A call is established between the EUT and the SS via a Common Antenna. The EUT is commanded by the SS to operate at the maximum and minimum output power (i.e. GSM850MHz band Power Control Level (PCL) = 5/19 and Power Class = 4, GSM1900MHz band Power Control Level (PCL) = 0/15 and Power Class = 1), and only the test result of the maximum output power was recorded.

- GSM Maximum RF output power: GSM 850 33.26dBm, GSM 1900 29.60dBm, EGPRS 850 33.21dBm, EGPRS 1900 29.71dBm, WCDMA 850 22.37dBm, WCDMA 1900 22.36dBm, Please refer to section 2.1.3 of this report.

- Step size (dB): 3dB



- Minimum RF power: GSM 850 3.1dBm, GSM 1900 0.3dBm, EGPRS 850 3.1dBm, EGPRS 1900 0.21dBm, WCDMA 850 0.39dBm, WCDMA 1900 0.5dBm.

The Test Antenna is a Bi-Log one (used for 30MHz to 1GHz) or a Horn one (used for above 3GHz), and it's located at the same height as the EUT. The Filters consists of Notch Filters and High Pass Filter.

2. Equipments List:

Description	Manufacturer	Model	Serial No.	Cal. Date	Cal. Due
System Simulator	Agilent	E5515C	GB43130131	2015.02.26	2016.02.25
Spectrum Analyzer	Agilent	E7405A	US44210471	2015.02.26	2016.02.25
Full-Anechoic Chamber	Albatross	9m*6m*6m	(n.a.)	2015.02.26	2016.02.25
Test Antenna - Bi-Log	Schwarzbeck	VULB 9163	9163-274	2015.02.26	2016.02.25
Test Antenna - Horn	Schwarzbeck	BBHA 9120C	9120C-384	2015.02.26	2016.02.25
Substitution Antenna	Schwarzbeck	BBHA 9120C	9120C-384	2015.02.26	2016.02.25
Pre-AMPs	lucix	S10M100L3802	S020180L3203	2015.02.26	2016.02.25
Notch Filter	COM-MW	ZBSF-C836.5-25-X	NA	2015.02.26	2016.02.25
Notch Filter	COM-MW	ZBSF-C1747.5-75-X2	NA	2015.02.26	2016.02.25
Notch Filter	COM-MW	ZBSF-C1880-60-X2	NA	2015.02.26	2016.02.25

2.7.3 Test Result

The Turn Table is actuated to turn from 0° to 360°, and both horizontal and vertical polarizations of the Test Antenna are used to find the maximum radiated power. The lowest, middle and highest channels are tested.

The substitution corrections are obtained as described below:

$$A_{\text{SUBST}} = P_{\text{SUBST_TX}} - P_{\text{SUBST_RX}} - L_{\text{SUBST_CABLES}} + G_{\text{SUBST_TX_ANT}}$$

$$A_{\text{TOT}} = L_{\text{CABLES}} + A_{\text{SUBST}}$$

Where A_{SUBST} is the final substitution correction including receive antenna gain.

$P_{\text{SUBST_TX}}$ is signal generator level,

$P_{\text{SUBST_RX}}$ is receiver level,

$L_{\text{SUBST_CABLES}}$ is cable losses including TX cable,

$G_{\text{SUBST_TX_ANT}}$ is substitution antenna gain.

A_{TOT} is total correction factor including cable loss and substitution correction

During the test, the data of A_{TOT} was added in the Test Spectrum Analyze, so Spectrum Analyze reading is the final values which contain the data of A_{TOT} .



1. GSM Model Test Verdict:

Band	Channel	Frequency (MHz)	PCL	Measured ERP			Limit		Verdict
				dBm	W	Refer to Plot	dBm	W	
GSM 850MHz	128	824.20	5	29.57	0.9057	Plot A	38.5	7	PASS
	190	836.60	5	29.99	0.9977				PASS
	251	848.80	5	29.90	0.9772				PASS
GPRS 850MHz	128	824.20	5	29.29	0.8492	Plot B ^{Note 1}	38.5	7	PASS
	190	836.60	5	29.66	0.9247				PASS
	251	848.80	5	30.06	1.0139				PASS
EGPRS 850MHz	128	824.20	5	29.23	0.8375	Plot C ^{Note 1}	38.5	7	PASS
	190	836.60	5	29.60	0.9120				PASS
	251	848.80	5	29.88	0.9727				PASS

Band	Channel	Frequency (MHz)	PCL	Measured EIRP			Limit		Verdict
				dBm	W	Refer to Plot	dBm	W	
GSM 1900MHz	512	1850.2	0	27.04	0.5058	Plot D	33	2	PASS
	661	1880.0	0	26.96	0.4966				PASS
	810	1909.8	0	26.95	0.4955				PASS
GPRS 1900MHz	512	1850.2	0	26.91	0.4909	Plot E ^{Note 1}	33	2	PASS
	661	1880.0	0	26.97	0.4977				PASS
	810	1909.8	0	26.96	0.4966				PASS
EGPRS 1900MHz	512	1850.2	0	27.00	0.5012	Plot F ^{Note 1}	33	2	PASS
	661	1880.0	0	27.02	0.5035				PASS
	810	1909.8	0	26.75	0.4732				PASS


Note 1: For the GPRS and EGPRS model, all the slots were tested and just the worst data was record in this report.

2. WCDMA Model Test Verdict:


Band	Channel	Frequency (MHz)	Measured ERP			Limit		Verdict
			dBm	W	Refer to Plot	dBm	W	
WCDMA 850MHz	4132	826.4	24.04	0.2535	Plot G	38.5	7	PASS
	4175	835	23.51	0.2244				PASS
	4233	846.6	24.85	0.3055				PASS
HSDPA 850MHz	4132	826.4	23.74	0.2366	Plot H	38.5	7	PASS
	4175	835	23.51	0.2244				PASS
	4233	846.6	24.94	0.3119				PASS
HSUPA 850MHz	4132	826.4	24.16	0.2606	Plot I	38.5	7	PASS
	4175	835	23.38	0.2178				PASS
	4233	846.6	24.82	0.3034				PASS

Band	Channel	Frequency (MHz)	Measured EIRP			Limit		Verdict
			dBm	W		dBm	W	
WCDMA 1900MHz	9262	1852.4	24.08	0.2559	Plot J	33	2	PASS
	9400	1880	23.83	0.2415				PASS
	9538	1907.6	22.07	0.1611				PASS
HSDPA 1900MHz	9262	1852.4	23.83	0.2415	Plot K	33	2	PASS
	9400	1880	23.49	0.2234				PASS
	9538	1907.6	22.66	0.1845				PASS
HSUPA 1900MHz	9262	1852.4	23.84	0.2421	Plot L	33	2	PASS
	9400	1880	23.51	0.2244				PASS
	9538	1907.6	22.61	0.1824				PASS


3. Test Plots:




(Plot A: GSM 850MHz Channel = 128, 190, 251)




(Plot B: GPRS 850MHz Channel = 128, 190, 251)




(Plot C: EGPRS 850MHz Channel = 128, 190, 251)




(Plot D: GSM 1900MHz Channel = 512, 661, 810)




(Plot E: GPRS 1900MHz Channel = 512, 661, 810)




(Plot F: EGPRS 1900MHz Channel = 512, 661, 810)




(Plot G: WCDMA 850 MHz Channel = 4132, 4175, 4233)




(Plot H: HSDPA 850 MHz Channel = 4132, 4175, 4233)




(Plot I: HSUPA 850 MHz Channel = 4132, 4175, 4233)



(Plot J: WCDMA 1900 MHz Channel = 9262, 9400, 9538)



(Plot K: HSDPA1900 MHz Channel = 9262, 9400, 9538)



(Plot L: HSUPA1900 MHz Channel = 9262, 9400, 9538)

2.8 Radiated Out of Band Emissions

2.8.1 Requirement

According to FCC section 22.917(a) and section 24.238(a) the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43+10\log(P)$ dB. This calculated to be -13dBm.

The spurious emission with frequency band 1900 according to FCC section 2.1057.

2.8.2 Test Description

See section 2.7.2 of this report.

Equipment List:

Description	Manufacturer	Model	Serial No.	Cal. Date	Cal. Due
System Simulator	Agilent	E5515C	GB43130131	2015.02.26	2016.02.25
Spectrum Analyzer	Agilent	E7405A	US44210471	2015.02.26	2016.02.25
Full-Anechoic Chamber	Albatross	9m*6m*6m	(n.a.)	2015.02.26	2016.02.25
Test Antenna - Bi-Log	Schwarzbeck	VULB 9163	9163-274	2015.02.26	2016.02.25
Test Antenna - Horn	Schwarzbeck	BBHA 9120C	9120C-384	2015.02.26	2016.02.25
Substitution Antenna	Schwarzbeck	BBHA 9120C	9120C-384	2015.02.26	2016.02.25
Pre-AMPs	Lucix	S10M100L3802	S020180L3203	2015.02.26	2016.02.25
Notch Filter	COM-MW	ZBSF-C836.5-25-X	NA	2015.02.26	2016.02.25
Notch Filter	COM-MW	ZBSF-C1747.5-75-X2	NA	2015.02.26	2016.02.25
Notch Filter	COM-MW	ZBSF-C1880-60-X2	NA	2015.02.26	2016.02.25

Note: when doing measurements above 1GHz, the EUT has been within the 3dB cone width of the horn antenna during horizontal antenna.

2.8.3 Test Result

The measurement frequency range is from 30MHz to the 10th harmonic of the fundamental frequency. The Turn Table is actuated to turn from 0° to 360°, and both horizontal and vertical polarizations of the Test Antenna are used to find the maximum radiated power. The lowest, middle and highest channels are tested to verify the out of band emissions.

1. Test Verdict:




Band	Channel	Frequency (MHz)	Measured Max. Spurious Emission (dBm)		Refer to Plot	Limit (dBm)	Verdict
			Test Antenna Horizontal	Test Antenna Vertical			
GSM 850MHz	128	824.2	< -25	< -25	Plot A.1/A.2	-13	<u>PASS</u>
	190	836.6	< -25	< -25	Plot A.3/A.4		<u>PASS</u>
	251	848.8	< -25	< -25	Plot A.5/A.6		<u>PASS</u>
GSM 1900MHz	512	1850.2	< -25	< -25	Plot B.1/B.2	-13	<u>PASS</u>
	661	1880.0	< -25	< -25	Plot B.3/B.4		<u>PASS</u>
	810	1909.8	< -25	< -25	Plot B.5/B.6		<u>PASS</u>
EDGE 850MHz	128	824.2	< -25	< -25	Plot C.1/C.2	-13	<u>PASS</u>
	190	836.6	< -25	< -25	Plot C.3/C.4		<u>PASS</u>
	251	848.8	< -25	< -25	Plot C.5/C.6		<u>PASS</u>
EDGE 1900MHz	512	1850.2	< -25	< -25	Plot D.1/D.2	-13	<u>PASS</u>
	661	1880.0	< -25	< -25	Plot D.3/D.4		<u>PASS</u>
	810	1909.8	< -25	< -25	Plot D.5/D.6		<u>PASS</u>
WCDMA 850MHz	4132	826.4	< -25	< -25	Plot E.1/E.2	-13	<u>PASS</u>
	4175	835	< -25	< -25	Plot E.3/E.4		<u>PASS</u>
	4233	846.6	< -25	< -25	Plot E.5/E.6		<u>PASS</u>
WCDMA 1900MHz	9262	1852.4	< -25	< -25	Plot F.1/F.2	-13	<u>PASS</u>
	9400	1880	< -25	< -25	Plot F.3/F.4		<u>PASS</u>
	9538	1907.6	< -25	< -25	Plot F.5/F.6		<u>PASS</u>
HSDPA 850MHz	4132	826.4	< -25	< -25	Plot G.1/G.2	-13	<u>PASS</u>
	4175	835	< -25	< -25	Plot G.3/G.4		<u>PASS</u>
	4233	846.6	< -25	< -25	Plot G.5/G.6		<u>PASS</u>
HSDPA 1900MHz	9262	1852.4	< -25	< -25	Plot H.1/H.2	-13	<u>PASS</u>
	9400	1880	< -25	< -25	Plot H.3/H.4		<u>PASS</u>
	9538	1907.6	< -25	< -25	Plot H.5/H.6		<u>PASS</u>
HSUPA 850MHz	4132	826.4	< -25	< -25	Plot I.1/I.2	-13	<u>PASS</u>
	4175	835	< -25	< -25	Plot I.3/I.4		<u>PASS</u>
	4233	846.6	< -25	< -25	Plot I.5/I.6		<u>PASS</u>
HSUPA 1900MHz	9262	1852.4	< -25	< -25	Plot J.1/J.2	-13	<u>PASS</u>
	9400	1880	< -25	< -25	Plot J.3/J.4		<u>PASS</u>
	9538	1907.6	< -25	< -25	Plot J.5/J.6		<u>PASS</u>

2. Test Plots for the Whole Measurement Frequency Range:


Note1: the power of the EUT transmitting frequency should be ignored.

Note2: All Spurious Emission tests were performed in X, Y, Z axis direction. And only the worst axis test condition was recorded in this test report.




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
32.419	-78.16	-13.0	65.2	260.4	Horizontal	PASS
104.988	-62.36	-13.0	49.4	220.2	Horizontal	PASS
871.796	-42.52	-13.0	29.5	66.2	Horizontal	N/A
1648.379	-17.60	-13.0	4.6	355.5	Horizontal	PASS
2471.322	-31.18	-13.0	18.2	2.7	Horizontal	PASS
5431.421	-46.99	-13.0	34.0	61.9	Horizontal	PASS

(Plot A.1: GSM 850MHz Channel = 128, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
34.838	-68.78	-13.0	55.8	97.7	Vertical	PASS
83.217	-66.24	-13.0	53.2	134.4	Vertical	PASS
866.958	-44.36	-13.0	31.4	3.8	Vertical	N/A
1648.379	-18.42	-13.0	5.4	14.7	Vertical	PASS
2471.322	-35.55	-13.0	22.6	324.3	Vertical	PASS
8567.955	-44.40	-13.0	31.4	305.8	Vertical	PASS

(Plot A.2: GSM 850MHz Channel = 128, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
32.419	-76.38	-13.0	63.4	64.1	Horizontal	PASS
104.988	-63.06	-13.0	50.1	222.8	Horizontal	PASS
871.796	-42.97	-13.0	30.0	286.1	Horizontal	N/A
1673.317	-19.94	-13.0	6.9	357.1	Horizontal	PASS
2506.234	-33.42	-13.0	20.4	27.9	Horizontal	PASS
11120.948	-41.55	-13.0	28.5	11.9	Horizontal	PASS

(Plot A.3: GSM 850MHz Channel = 190, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
34.838	-67.48	-13.0	54.5	-0.0	Vertical	PASS
92.893	-65.82	-13.0	52.8	164.7	Vertical	PASS
879.052	-50.07	-13.0	37.1	0.0	Vertical	N/A
1673.317	-21.47	-13.0	8.5	151.5	Vertical	PASS
2506.234	-38.43	-13.0	25.4	-0.0	Vertical	PASS
8567.955	-44.05	-13.0	31.0	1.6	Vertical	PASS

(Plot A.4: GSM 850MHz Channel = 190, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
104.988	-63.51	-13.0	50.5	-0.0	Horizontal	PASS
453.317	-72.10	-13.0	59.1	231.1	Horizontal	PASS
871.796	-37.53	-13.0	24.5	93.0	Horizontal	N/A
1698.254	-20.79	-13.0	7.8	360.0	Horizontal	PASS
2541.147	-39.02	-13.0	26.0	156.3	Horizontal	PASS
11801.746	-41.60	-13.0	28.6	129.8	Horizontal	PASS

(Plot A.5: GSM 850MHz Channel = 251, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
34.838	-71.02	-13.0	58.0	217.8	Vertical	PASS
88.055	-66.33	-13.0	53.3	178.3	Vertical	PASS
879.052	-50.47	-13.0	37.5	336.7	Vertical	N/A
1698.254	-24.84	-13.0	11.8	146.8	Vertical	PASS
2541.147	-42.47	-13.0	29.5	100.4	Vertical	PASS
3389.027	-42.94	-13.0	29.9	-0.0	Vertical	PASS

(Plot A.6: GSM 850MHz Channel = 251, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
104.988	-63.59	-13.0	50.6	78.6	Horizontal	PASS
267.057	-79.08	-13.0	66.1	-0.0	Horizontal	PASS
453.317	-70.85	-13.0	57.9	0.4	Horizontal	PASS
1927.681	-41.20	-13.0	28.2	169.6	Horizontal	N/A
5458.853	-47.40	-13.0	34.4	319.6	Horizontal	PASS
17159.601	-37.97	-13.0	25.0	278.9	Horizontal	PASS

(Plot B.1: GSM 1900MHz Channel = 512, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
34.838	-69.98	-13.0	57.0	48.6	Vertical	PASS
85.636	-67.73	-13.0	54.7	96.5	Vertical	PASS
453.317	-70.74	-13.0	57.7	67.4	Vertical	PASS
1927.681	-40.54	-13.0	27.5	82.5	Vertical	N/A
5374.065	-47.79	-13.0	34.8	360.0	Vertical	PASS
18389.027	-37.02	-13.0	24.0	173.0	Vertical	PASS

(Plot B.2: GSM 1900MHz Channel = 512, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
104.988	-63.48	-13.0	50.5	262.3	Horizontal	PASS
267.057	-78.49	-13.0	65.5	2.4	Horizontal	PASS
453.317	-70.85	-13.0	57.9	324.5	Horizontal	PASS
1957.606	-36.43	-13.0	23.4	228.9	Horizontal	N/A
5289.277	-47.63	-13.0	34.6	216.9	Horizontal	PASS
17159.601	-37.67	-13.0	24.7	39.4	Horizontal	PASS

(Plot B.3: GSM 1900MHz Channel = 661, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
83.217	-64.53	-13.0	51.5	359.3	Vertical	PASS
218.678	-76.66	-13.0	63.7	0.4	Vertical	PASS
453.317	-70.92	-13.0	57.9	194.6	Vertical	PASS
1957.606	-38.00	-13.0	25.0	85.0	Vertical	N/A
3763.092	-48.09	-13.0	35.1	358.7	Vertical	PASS
17159.601	-37.37	-13.0	24.4	161.7	Vertical	PASS

(Plot B.4: GSM 1900MHz Channel = 661, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
104.988	-63.97	-13.0	51.0	90.3	Horizontal	PASS
267.057	-77.85	-13.0	64.8	274.6	Horizontal	PASS
453.317	-70.65	-13.0	57.6	43.7	Horizontal	PASS
1927.681	-41.24	-13.0	28.2	302.9	Horizontal	N/A
3847.880	-47.98	-13.0	35.0	237.5	Horizontal	PASS
17159.601	-38.17	-13.0	25.2	257.9	Horizontal	PASS

(Plot B.5: GSM 1900MHz Channel = 810, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
83.217	-67.09	-13.0	54.1	28.3	Vertical	PASS
209.002	-71.15	-13.0	58.1	160.3	Vertical	PASS
453.317	-71.38	-13.0	58.4	64.3	Vertical	PASS
1987.531	-39.23	-13.0	26.2	273.7	Vertical	N/A
5416.459	-47.38	-13.0	34.4	-0.0	Vertical	PASS
17159.601	-38.28	-13.0	25.3	29.1	Vertical	PASS

(Plot B.6: GSM 1900MHz Channel = 810, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
104.988	-62.62	-13.0	49.6	36.6	Horizontal	PASS
453.317	-71.79	-13.0	58.8	212.5	Horizontal	PASS
866.958	-41.82	-13.0	28.8	58.5	Horizontal	N/A
1648.379	-17.88	-13.0	4.9	-0.0	Horizontal	PASS
2471.322	-31.47	-13.0	18.5	8.7	Horizontal	PASS
11777.431	-40.98	-13.0	28.0	229.8	Horizontal	PASS

(Plot C.1: EGPRS 850MHz Channel = 128, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
34.838	-70.14	-13.0	57.1	317.5	Vertical	PASS
90.474	-66.16	-13.0	53.2	341.6	Vertical	PASS
866.958	-44.35	-13.0	31.4	355.5	Vertical	N/A
1648.379	-17.50	-13.0	4.5	325.6	Vertical	PASS
2471.322	-35.22	-13.0	22.2	333.9	Vertical	PASS
8567.955	-44.49	-13.0	31.5	3.0	Vertical	PASS

(Plot C.2: EGPRS 850MHz Channel = 128, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
32.419	-77.12	-13.0	64.1	264.1	Horizontal	PASS
104.988	-63.60	-13.0	50.6	226.4	Horizontal	PASS
871.796	-42.90	-13.0	29.9	69.6	Horizontal	N/A
1673.317	-20.06	-13.0	7.1	81.9	Horizontal	PASS
2506.234	-33.49	-13.0	20.5	358.3	Horizontal	PASS
11631.546	-40.17	-13.0	27.2	5.5	Horizontal	PASS

(Plot C.3: EGPRS 850MHz Channel = 190, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
95.312	-67.42	-13.0	54.4	105.4	Vertical	PASS
213.840	-71.94	-13.0	58.9	252.0	Vertical	PASS
879.052	-50.58	-13.0	37.6	339.1	Vertical	N/A
1673.317	-21.41	-13.0	8.4	339.1	Vertical	PASS
2506.234	-39.01	-13.0	26.0	270.0	Vertical	PASS
11655.860	-41.14	-13.0	28.1	70.9	Vertical	PASS

(Plot C.4: EGPRS 850MHz Channel = 190, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
104.988	-63.10	-13.0	50.1	32.6	Horizontal	PASS
453.317	-72.03	-13.0	59.0	254.5	Horizontal	PASS
879.052	-42.09	-13.0	29.1	223.3	Horizontal	N/A
1698.254	-21.24	-13.0	8.2	325.4	Horizontal	PASS
2541.147	-39.43	-13.0	26.4	358.1	Horizontal	PASS
11874.688	-40.60	-13.0	27.6	26.4	Horizontal	PASS

(Plot C.5: EGPRS 850MHz Channel = 251, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
85.636	-67.20	-13.0	54.2	168.4	Vertical	PASS
453.317	-70.86	-13.0	57.9	164.1	Vertical	PASS
879.052	-50.80	-13.0	37.8	168.4	Vertical	N/A
1698.254	-25.33	-13.0	12.3	42.8	Vertical	PASS
2541.147	-42.08	-13.0	29.1	164.7	Vertical	PASS
10683.292	-43.04	-13.0	30.0	78.6	Vertical	PASS

(Plot C.6: EGPRS 850MHz Channel = 251, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
104.988	-62.95	-13.0	50.0	46.8	Horizontal	PASS
199.327	-81.06	-13.0	68.1	97.4	Horizontal	PASS
453.317	-70.26	-13.0	57.3	7.7	Horizontal	PASS
1927.681	-41.18	-13.0	28.2	273.3	Horizontal	N/A
5458.853	-46.90	-13.0	33.9	143.8	Horizontal	PASS
17159.601	-38.07	-13.0	25.1	83.6	Horizontal	PASS

(Plot D.1: EGPRS 1900MHz Channel = 512, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
85.636	-67.34	-13.0	54.3	352.6	Vertical	PASS
213.840	-75.04	-13.0	62.0	135.3	Vertical	PASS
453.317	-70.64	-13.0	57.6	185.1	Vertical	PASS
1927.681	-40.20	-13.0	27.2	302.4	Vertical	N/A
6688.279	-47.17	-13.0	34.2	360.0	Vertical	PASS
17117.207	-37.13	-13.0	24.1	31.6	Vertical	PASS

(Plot D.2: EGPRS 1900MHz Channel = 512, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
104.988	-63.19	-13.0	50.2	61.0	Horizontal	PASS
267.057	-78.86	-13.0	65.9	211.0	Horizontal	PASS
453.317	-70.51	-13.0	57.5	43.7	Horizontal	PASS
1957.606	-36.25	-13.0	23.3	159.1	Horizontal	N/A
5374.065	-47.40	-13.0	34.4	157.9	Horizontal	PASS
17117.207	-38.40	-13.0	25.4	244.4	Horizontal	PASS

(Plot D.3: EGPRS 1900MHz Channel = 661, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
37.257	-71.04	-13.0	58.0	248.3	Vertical	PASS
83.217	-66.92	-13.0	53.9	134.1	Vertical	PASS
453.317	-72.03	-13.0	59.0	40.6	Vertical	PASS
1957.606	-37.70	-13.0	24.7	154.1	Vertical	N/A
5374.065	-47.14	-13.0	34.1	93.6	Vertical	PASS
18516.209	-37.06	-13.0	24.1	78.5	Vertical	PASS

(Plot D.4: EGPRS 1900MHz Channel = 661, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
104.988	-63.16	-13.0	50.2	313.2	Horizontal	PASS
267.057	-79.80	-13.0	66.8	264.7	Horizontal	PASS
453.317	-70.91	-13.0	57.9	36.9	Horizontal	PASS
1987.531	-36.49	-13.0	23.5	233.2	Horizontal	N/A
5458.853	-47.57	-13.0	34.6	18.3	Horizontal	PASS
17117.207	-37.22	-13.0	24.2	358.5	Horizontal	PASS

(Plot D.5: EGPRS 1900MHz Channel = 810, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
95.312	-65.95	-13.0	53.0	321.2	Vertical	PASS
211.421	-74.28	-13.0	61.3	166.6	Vertical	PASS
453.317	-71.37	-13.0	58.4	357.1	Vertical	PASS
1927.681	-40.06	-13.0	27.1	219.3	Vertical	N/A
3847.880	-44.90	-13.0	31.9	72.7	Vertical	PASS
18473.815	-37.78	-13.0	24.8	86.0	Vertical	PASS

(Plot D.6: EGPRS 1900MHz Channel = 810, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
85.636	-68.19	-13.0	55.2	69.9	Horizontal	PASS
300.923	-79.58	-13.0	66.6	74.6	Horizontal	PASS
871.796	-40.29	-13.0	27.3	167.5	Horizontal	N/A
1648.379	-42.95	-13.0	30.0	-0.0	Horizontal	PASS
3194.514	-50.48	-13.0	37.5	37.9	Horizontal	PASS
8227.556	-46.62	-13.0	33.6	317.8	Horizontal	PASS

(Plot E.1: WCDMA 850MHz Channel = 4132, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
34.838	-71.64	-13.0	58.6	35.6	Vertical	PASS
90.474	-65.72	-13.0	52.7	145.2	Vertical	PASS
209.002	-76.31	-13.0	63.3	10.3	Vertical	PASS
869.377	-45.91	-13.0	32.9	345.9	Vertical	N/A
1648.379	-48.60	-13.0	35.6	360.0	Vertical	PASS
5455.736	-47.68	-13.0	34.7	284.5	Vertical	PASS

(Plot E.2: WCDMA 850MHz Channel = 4132, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
85.636	-68.10	-13.0	55.1	81.0	Horizontal	PASS
453.317	-73.75	-13.0	60.8	73.0	Horizontal	PASS
879.052	-39.49	-13.0	26.5	60.3	Horizontal	N/A
1673.317	-39.54	-13.0	26.5	268.7	Horizontal	PASS
5407.107	-47.95	-13.0	35.0	272.5	Horizontal	PASS
10853.491	-43.46	-13.0	30.5	356.0	Horizontal	PASS

(Plot E.3: WCDMA 850MHz Channel = 4175, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
37.257	-72.48	-13.0	59.5	181.9	Vertical	PASS
85.636	-65.40	-13.0	52.4	186.0	Vertical	PASS
453.317	-73.18	-13.0	60.2	332.0	Vertical	PASS
876.633	-47.89	-13.0	34.9	345.0	Vertical	N/A
1673.317	-50.21	-13.0	37.2	310.8	Vertical	PASS
6647.132	-48.28	-13.0	35.3	359.4	Vertical	PASS

(Plot E.4: WCDMA 850MHz Channel = 4175, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
34.838	-80.82	-13.0	67.8	88.4	Horizontal	PASS
85.636	-68.79	-13.0	55.8	71.2	Horizontal	PASS
453.317	-74.35	-13.0	61.4	332.0	Horizontal	PASS
888.728	-39.96	-13.0	27.0	358.5	Horizontal	N/A
1693.267	-42.64	-13.0	29.6	11.0	Horizontal	PASS
11315.461	-43.00	-13.0	30.0	199.3	Horizontal	PASS

(Plot E.5: WCDMA 850MHz Channel = 4233, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
37.257	-69.43	-13.0	56.4	301.1	Vertical	PASS
85.636	-65.99	-13.0	53.0	148.3	Vertical	PASS
453.317	-73.51	-13.0	60.5	87.2	Vertical	PASS
888.728	-50.46	-13.0	37.5	340.4	Vertical	N/A
1693.267	-46.73	-13.0	33.7	281.1	Vertical	PASS
5455.736	-48.81	-13.0	35.8	239.4	Vertical	PASS

(Plot E.6: WCDMA 850MHz Channel = 4233, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
104.988	-66.48	-13.0	53.5	297.3	Horizontal	PASS
462.993	-70.54	-13.0	57.5	261.2	Horizontal	PASS
816.160	-66.62	-13.0	53.6	184.6	Horizontal	PASS
1927.681	-44.87	-13.0	31.9	345.7	Horizontal	N/A
6561.097	-47.24	-13.0	34.2	245.9	Horizontal	PASS
17117.207	-37.94	-13.0	24.9	37.0	Horizontal	PASS

(Plot F.1: WCDMA 1900MHz Channel = 9262, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
88.055	-61.32	-13.0	48.3	272.3	Vertical	PASS
206.584	-73.79	-13.0	60.8	359.5	Vertical	PASS
450.898	-73.12	-13.0	60.1	317.9	Vertical	PASS
1064.838	-57.57	-13.0	44.6	348.4	Vertical	PASS
1927.681	-47.01	-13.0	34.0	-0.0	Vertical	N/A
18346.633	-37.58	-13.0	24.6	257.4	Vertical	PASS

(Plot F.2: WCDMA 1900MHz Channel = 9262, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
104.988	-66.55	-13.0	53.6	268.2	Horizontal	PASS
250.125	-78.07	-13.0	65.1	308.8	Horizontal	PASS
475.087	-70.09	-13.0	57.1	295.5	Horizontal	PASS
1957.606	-43.52	-13.0	30.5	260.0	Horizontal	N/A
6603.491	-47.37	-13.0	34.4	302.5	Horizontal	PASS
17117.207	-38.30	-13.0	25.3	-0.0	Horizontal	PASS

(Plot F.3: WCDMA 1900MHz Channel = 9400, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
85.636	-61.47	-13.0	48.5	32.0	Vertical	PASS
213.840	-69.12	-13.0	56.1	218.0	Vertical	PASS
453.317	-69.29	-13.0	56.3	76.3	Vertical	PASS
808.903	-65.29	-13.0	52.3	148.6	Vertical	PASS
1957.606	-44.11	-13.0	31.1	360.0	Vertical	N/A
17117.207	-38.63	-13.0	25.6	129.6	Vertical	PASS

(Plot F.4: WCDMA 1900MHz Channel = 9400, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
104.988	-67.14	-13.0	54.1	131.4	Horizontal	PASS
462.993	-70.27	-13.0	57.3	62.7	Horizontal	PASS
833.092	-65.25	-13.0	52.3	311.1	Horizontal	PASS
1987.531	-42.44	-13.0	29.4	137.7	Horizontal	N/A
3805.486	-48.26	-13.0	35.3	217.5	Horizontal	PASS
18177.057	-38.93	-13.0	25.9	152.6	Horizontal	PASS

(Plot F.5: WCDMA 1900MHz Channel = 9538, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
85.636	-61.29	-13.0	48.3	155.4	Vertical	PASS
216.259	-70.97	-13.0	58.0	68.7	Vertical	PASS
455.736	-73.33	-13.0	60.3	326.1	Vertical	PASS
804.065	-66.30	-13.0	53.3	135.7	Vertical	PASS
1987.531	-42.61	-13.0	29.6	217.5	Vertical	N/A
3805.486	-46.88	-13.0	33.9	175.4	Vertical	PASS

(Plot F.6: WCDMA 1900MHz Channel = 9538, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
85.636	-68.02	-13.0	55.0	82.9	Horizontal	PASS
453.317	-75.13	-13.0	62.1	248.7	Horizontal	PASS
871.796	-39.17	-13.0	26.2	78.6	Horizontal	N/A
1648.379	-44.58	-13.0	31.6	203.6	Horizontal	PASS
2476.309	-49.20	-13.0	36.2	151.7	Horizontal	PASS
11655.860	-43.04	-13.0	30.0	112.8	Horizontal	PASS

(Plot G.1: HSDPA 850MHz Channel = 4132, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
37.257	-70.64	-13.0	57.6	73.1	Vertical	PASS
85.636	-65.26	-13.0	52.3	120.5	Vertical	PASS
453.317	-74.11	-13.0	61.1	76.2	Vertical	PASS
871.796	-48.82	-13.0	35.8	69.1	Vertical	N/A
1648.379	-51.14	-13.0	38.1	112.0	Vertical	PASS
5407.107	-48.49	-13.0	35.5	139.5	Vertical	PASS

(Plot G.2: HSDPA 850MHz Channel = 4132, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
34.838	-79.02	-13.0	66.0	76.7	Horizontal	PASS
85.636	-69.12	-13.0	56.1	272.7	Horizontal	PASS
453.317	-74.00	-13.0	61.0	67.5	Horizontal	PASS
879.052	-39.82	-13.0	26.8	360.0	Horizontal	N/A
1673.317	-40.72	-13.0	27.7	-0.0	Horizontal	PASS
11801.746	-42.95	-13.0	29.9	-0.0	Horizontal	PASS

(Plot G.3: HSDPA 850MHz Channel = 4175, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
85.636	-65.58	-13.0	52.6	204.4	Vertical	PASS
300.923	-78.48	-13.0	65.5	155.4	Vertical	PASS
453.317	-72.73	-13.0	59.7	68.7	Vertical	PASS
879.052	-48.19	-13.0	35.2	326.1	Vertical	N/A
1668.329	-49.81	-13.0	36.8	135.7	Vertical	PASS
11048.005	-43.00	-13.0	30.0	217.5	Vertical	PASS

(Plot G.4: HSDPA 850MHz Channel = 4175, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
44.514	-81.42	-13.0	68.4	80.7	Horizontal	PASS
85.636	-68.74	-13.0	55.7	80.7	Horizontal	PASS
453.317	-74.53	-13.0	61.5	3.9	Horizontal	PASS
891.147	-40.04	-13.0	27.0	115.0	Horizontal	N/A
1693.267	-44.34	-13.0	31.3	89.1	Horizontal	PASS
10950.748	-43.93	-13.0	30.9	225.2	Horizontal	PASS

(Plot G.5: HSDPA 850MHz Channel = 4233, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
34.838	-72.13	-13.0	59.1	209.4	Vertical	PASS
85.636	-65.53	-13.0	52.5	192.1	Vertical	PASS
216.259	-73.50	-13.0	60.5	86.9	Vertical	PASS
888.728	-51.63	-13.0	38.6	344.4	Vertical	N/A
1693.267	-50.03	-13.0	37.0	311.7	Vertical	PASS
5431.421	-47.85	-13.0	34.9	194.6	Vertical	PASS

(Plot G.6: HSDPA 850MHz Channel = 4233, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
34.838	-77.97	-13.0	65.0	268.3	Horizontal	PASS
104.988	-66.37	-13.0	53.4	268.3	Horizontal	PASS
462.993	-70.67	-13.0	57.7	156.5	Horizontal	PASS
823.416	-65.66	-13.0	52.7	341.5	Horizontal	PASS
1932.668	-42.65	-13.0	29.6	238.5	Horizontal	N/A
17117.207	-38.59	-13.0	25.6	227.1	Horizontal	PASS

(Plot H.1: HSDPA 1900 MHz Channel = 9262, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
85.636	-62.62	-13.0	49.6	164.6	Vertical	PASS
209.002	-70.38	-13.0	57.4	144.1	Vertical	PASS
492.020	-74.41	-13.0	61.4	341.1	Vertical	PASS
806.484	-62.91	-13.0	49.9	316.9	Vertical	PASS
1932.668	-41.53	-13.0	28.5	316.0	Vertical	N/A
17159.601	-39.05	-13.0	26.0	281.4	Vertical	PASS

(Plot H.2: HSDPA 1900 MHz Channel = 9262, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
104.988	-66.32	-13.0	53.3	73.0	Horizontal	PASS
206.584	-77.79	-13.0	64.8	358.2	Horizontal	PASS
455.736	-70.66	-13.0	57.7	206.4	Horizontal	PASS
1957.606	-43.67	-13.0	30.7	300.0	Horizontal	N/A
5416.459	-48.71	-13.0	35.7	55.3	Horizontal	PASS
18431.421	-37.43	-13.0	24.4	360.0	Horizontal	PASS

(Plot H.3: HSDPA 1900 MHz Channel = 9400, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
85.636	-61.30	-13.0	48.3	249.6	Vertical	PASS
211.421	-70.12	-13.0	57.1	190.3	Vertical	PASS
806.484	-62.95	-13.0	49.9	360.0	Vertical	PASS
1957.606	-44.23	-13.0	31.2	87.1	Vertical	N/A
5458.853	-48.28	-13.0	35.3	225.2	Vertical	PASS
18940.150	-38.37	-13.0	25.4	312.3	Vertical	PASS

(Plot H.4: HSDPA 1900 MHz Channel = 9400, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
104.988	-66.82	-13.0	53.8	252.6	Horizontal	PASS
250.125	-79.67	-13.0	66.7	277.1	Horizontal	PASS
465.411	-71.50	-13.0	58.5	232.2	Horizontal	PASS
857.282	-64.33	-13.0	51.3	60.7	Horizontal	PASS
1982.544	-42.24	-13.0	29.2	214.6	Horizontal	N/A
18177.057	-37.68	-13.0	24.7	285.4	Horizontal	PASS

(Plot H.5: HSDPA 1900 MHz Channel = 9538, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
85.636	-62.44	-13.0	49.4	64.9	Vertical	PASS
211.421	-69.43	-13.0	56.4	199.2	Vertical	PASS
811.322	-65.40	-13.0	52.4	280.3	Vertical	PASS
1982.544	-42.20	-13.0	29.2	142.0	Vertical	N/A
5416.459	-47.64	-13.0	34.6	353.3	Vertical	PASS
18304.239	-38.25	-13.0	25.3	314.3	Vertical	PASS

(Plot H.6: HSDPA 1900 MHz Channel = 9538, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
54.190	-76.79	-13.0	63.8	261.1	Horizontal	PASS
85.636	-67.00	-13.0	54.0	257.1	Horizontal	PASS
453.317	-73.62	-13.0	60.6	75.0	Horizontal	PASS
869.377	-40.00	-13.0	27.0	199.0	Horizontal	N/A
1648.379	-43.25	-13.0	30.3	266.8	Horizontal	PASS
11801.746	-43.04	-13.0	30.0	142.1	Horizontal	PASS

(Plot I.1: HSUPA 850MHz Channel = 4132, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
88.055	-65.39	-13.0	52.4	316.9	Vertical	PASS
213.840	-81.35	-13.0	68.4	168.3	Vertical	PASS
453.317	-73.78	-13.0	60.8	10.6	Vertical	PASS
871.796	-46.50	-13.0	33.5	333.9	Vertical	N/A
1648.379	-48.92	-13.0	35.9	309.5	Vertical	PASS
5407.107	-48.05	-13.0	35.0	179.9	Vertical	PASS

(Plot I.2: HSUPA 850 MHz Channel = 4132, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
88.055	-68.73	-13.0	55.7	79.5	Horizontal	PASS
238.030	-78.91	-13.0	65.9	268.1	Horizontal	PASS
453.317	-73.80	-13.0	60.8	75.2	Horizontal	PASS
879.052	-41.18	-13.0	28.2	88.5	Horizontal	N/A
1673.317	-41.38	-13.0	28.4	288.2	Horizontal	PASS
10975.062	-42.87	-13.0	29.9	264.1	Horizontal	PASS

(Plot I.3: HSUPA 850MHz Channel = 4175, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
85.636	-66.43	-13.0	53.4	285.8	Vertical	PASS
211.421	-72.84	-13.0	59.8	178.0	Vertical	PASS
453.317	-72.66	-13.0	59.7	2.0	Vertical	PASS
879.052	-48.86	-13.0	35.9	336.7	Vertical	N/A
1668.329	-50.13	-13.0	37.1	150.8	Vertical	PASS
11680.175	-42.52	-13.0	29.5	316.3	Vertical	PASS

(Plot I.4: HSUPA 850MHz Channel = 4175, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
85.636	-67.75	-13.0	54.8	63.1	Horizontal	PASS
100.150	-70.68	-13.0	57.7	268.7	Horizontal	PASS
453.317	-73.80	-13.0	60.8	58.5	Horizontal	PASS
891.147	-40.48	-13.0	27.5	-0.0	Horizontal	N/A
1693.267	-44.32	-13.0	31.3	40.6	Horizontal	PASS
11777.431	-42.13	-13.0	29.1	174.3	Horizontal	PASS

(Plot I.5: HSUPA 850MHz Channel = 4233, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
37.257	-73.06	-13.0	60.1	62.1	Vertical	PASS
85.636	-65.20	-13.0	52.2	208.5	Vertical	PASS
453.317	-73.41	-13.0	60.4	160.0	Vertical	PASS
888.728	-51.68	-13.0	38.7	127.3	Vertical	N/A
1693.267	-46.35	-13.0	33.4	139.6	Vertical	PASS
5431.421	-48.61	-13.0	35.6	133.0	Vertical	PASS

(Plot I.6: HSUPA 850MHz Channel = 4233, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
104.988	-67.39	-13.0	54.4	72.6	Horizontal	PASS
146.110	-70.27	-13.0	57.3	112.4	Horizontal	PASS
823.416	-64.96	-13.0	52.0	188.8	Horizontal	PASS
1932.668	-42.69	-13.0	29.7	103.2	Horizontal	N/A
5416.459	-48.32	-13.0	35.3	243.7	Horizontal	PASS
16481.297	-39.43	-13.0	26.4	122.2	Horizontal	PASS

(Plot J.1: HSUPA 1900 MHz Channel = 9262, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
88.055	-62.29	-13.0	49.3	118.2	Vertical	PASS
228.354	-71.72	-13.0	58.7	208.5	Vertical	PASS
450.898	-72.83	-13.0	59.8	360.0	Vertical	PASS
811.322	-63.26	-13.0	50.3	127.3	Vertical	PASS
1932.668	-45.09	-13.0	32.1	139.6	Vertical	N/A
18473.815	-38.22	-13.0	25.2	90.5	Vertical	PASS

(Plot J.2: HSUPA 1900 MHz Channel = 9262, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
34.838	-78.88	-13.0	65.9	235.0	Horizontal	PASS
104.988	-66.88	-13.0	53.9	263.5	Horizontal	PASS
465.411	-70.59	-13.0	57.6	75.0	Horizontal	PASS
1957.606	-44.96	-13.0	32.0	61.2	Horizontal	N/A
5416.459	-48.18	-13.0	35.2	89.2	Horizontal	PASS
18516.209	-37.12	-13.0	24.1	242.3	Horizontal	PASS

(Plot J.3: HSUPA 1900 MHz Channel = 9400, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
85.636	-61.46	-13.0	48.5	194.5	Vertical	PASS
211.421	-71.07	-13.0	58.1	346.9	Vertical	PASS
455.736	-71.92	-13.0	58.9	99.7	Vertical	PASS
1957.606	-45.82	-13.0	32.8	145.4	Vertical	N/A
5458.853	-48.38	-13.0	35.4	19.7	Vertical	PASS
17159.601	-38.50	-13.0	25.5	185.6	Vertical	PASS

(Plot J.4: HSUPA 1900 MHz Channel = 9400, Test Antenna Vertical)



Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
104.988	-66.72	-13.0	53.7	71.8	Horizontal	PASS
460.574	-70.38	-13.0	57.4	113.8	Horizontal	PASS
823.416	-66.84	-13.0	53.8	264.2	Horizontal	PASS
1987.531	-44.46	-13.0	31.5	282.7	Horizontal	N/A
3805.486	-47.25	-13.0	34.3	217.2	Horizontal	PASS
17117.207	-39.29	-13.0	26.3	320.9	Horizontal	PASS

(Plot J.5: HSUPA 1900 MHz Channel = 9538, Test Antenna Horizontal)



Fre. (MHz)	Peak	Limit(PK)	Margin	Degree	Antenna	Verdict
85.636	-61.84	-13.0	48.8	265.0	Vertical	PASS
216.259	-73.43	-13.0	60.4	164.9	Vertical	PASS
806.484	-65.61	-13.0	52.6	173.3	Vertical	PASS
1987.531	-42.58	-13.0	29.6	314.8	Vertical	N/A
5458.853	-48.56	-13.0	35.6	246.9	Vertical	PASS
17117.207	-38.95	-13.0	25.9	303.1	Vertical	PASS

(Plot J.6: HSUPA 1900 MHz Channel = 9538, Test Antenna Vertical)

** END OF REPORT **