





REPORT No.: SZ15060018W01




(Plot J3: HSDPA1900MHz Channel = 9538, 30MHz to 1GHz)




(Plot J3.1: HSDPA1900MHz Channel = 9538 1GHz to 20GHz)



REPORT No.: SZ15060018W01




(Plot K1: HSUPA 850MHz Channel = 4132, 30MHz to 1GHz)




(Plot K1.1: HSUPA 850MHz Channel = 4132, 1GHz to 9GHz)



REPORT No.: SZ15060018W01




(Plot K2: HSUPA 850MHz Channel = 4175, 30MHz to 1GHz)




(Plot K2.1: HSUPA 850MHz Channel = 4175, 1GHz to 9GHz)



REPORT No.: SZ15060018W01




(Plot K3: HSUPA 850MHz Channel = 4233, 30MHz to 1GHz)




(Plot K3.1: HSUPA 850MHz Channel = 4233, 1GHz to 9GHz)



REPORT No.: SZ15060018W01




(Plot L1: HSUPA 1900MHz Channel = 9262, 30MHz to 1GHz)




(Plot L1.1: HSUPA 1900MHz Channel = 9262, 1GHz to 20GHz)



REPORT No.: SZ15060018W01




(Plot L2: HSUPA 1900MHz Channel = 9400, 30MHz to 1GHz)




(Plot L2.1: HSUPA1900MHz Channel = 9400, 1GHz to 20GHz)



REPORT No.: SZ15060018W01




(Plot L3: HSUPA1900MHz Channel = 9538, 30MHz to 1GHz)




(Plot L3.1: HSUPA1900MHz Channel = 9538 1GHz to 20GHz)



REPORT No.: SZ15060018W01




(Plot M1: HSPA+ 850MHz Channel = 4132, 30MHz to 1GHz)




(Plot M1.1: HSPA+ 850MHz Channel = 4132, 1GHz to 9GHz)



REPORT No.: SZ15060018W01




(Plot M2: HSPA+ 850MHz Channel = 4175, 30MHz to 1GHz)




(Plot M2.1: HSPA+ 850MHz Channel = 4175, 1GHz to 9GHz)



REPORT No.: SZ15060018W01




(Plot M3: HSPA+ 850MHz Channel = 4233, 30MHz to 1GHz)




(Plot M3.1: HSPA+ 850MHz Channel = 4233, 1GHz to 9GHz)



REPORT No.: SZ15060018W01




(Plot N1: HSPA+ 1900MHz Channel = 9262, 30MHz to 1GHz)




(Plot N1.1: HSPA+ 1900MHz Channel = 9262, 1GHz to 20GHz)



REPORT No.: SZ15060018W01




(Plot N2: HSPA+ 1900MHz Channel = 9400, 30MHz to 1GHz)




(Plot N2.1: HSPA+ 1900MHz Channel = 9400, 1GHz to 20GHz)



REPORT No.: SZ15060018W01



(Plot N3: HSPA+ 1900MHz Channel = 9538, 30MHz to 1GHz)



(Plot N3.1: HSPA+ 1900MHz Channel = 9538 1GHz to 20GHz)



2.6 Band Edge

2.6.1 Requirement

According to FCC section 22.917(b) and FCC section 24.238(b) in the 1MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth (26dB emission bandwidth) of the fundamental emission of the transmitter may be employed.

2.6.2 Test Description

See section 2.1.2 of this report.

2.6.3 Test Result

The lowest and highest channels are tested to verify the band edge emissions.


Test Verdict:

Band	Channel	Frequency (MHz)	Measured Max. Band Edge Emission (dBm)	Refer to Plot	Limit (dBm)	Verdict
GSM 850MHz	128	824.2	-17.57	Plat A1	-13	PASS
	251	848.8	-19.08	Plot A2		PASS
GSM 1900MHz	512	1850.2	-21.5	Plat B1	-13	PASS
	810	1909.8	-20.61	Plot B2		PASS
EGPRS 850MHz	128	824.2	-26.31	Plat C1	-13	PASS
	251	848.8	-26.81	Plot C2		PASS
EGPRS 1900MHz	512	1850.2	-26.7	Plat D1	-13	PASS
	810	1909.8	-25.91	Plot D2		PASS
WCDMA 850MHz	4132	826.4	-21.82	Plat E1	-13	PASS
	4233	846.6	-21.85	Plot E2		PASS
WCDMA 1900MHz	9262	1852.4	-23.15	Plat F1	-13	PASS
	9538	1907.6	-24.75	Plot F2		PASS
HSDPA 850MHz	4132	826.4	-20.95	Plat G1	-13	PASS
	4233	846.6	-20.38	Plot G2		PASS
HSDPA 1900MHz	9262	1852.4	-21.96	Plat H1	-13	PASS
	9538	1907.6	-25.37	Plot H2		PASS
HSUPA 850MHz	4132	826.4	-21.77	Plat I1	-13	PASS
	4233	846.6	-20.37	Plot I2		PASS
HSUPA 1900MHz	9262	1852.4	-22.70	Plat J1	-13	PASS
	9538	1907.6	-25.23	Plot J2		PASS
HSPA+ 850MHz	4132	826.4	-21.78	Plat K1	-13	PASS
	4233	846.6	-20.98	Plot K2		PASS
HSPA + 1900MHz	9262	1852.4	-22.91	Plat L1	-13	PASS
	9538	1907.6	-25.05	Plot L2		PASS




REPORT No.: SZ15060018W01

Test Plots:




(Plot A1: GSM 850 Channel = 128)




(Plot A2: GSM 850 Channel = 251)



REPORT No.: SZ15060018W01




(Plot B1: GSM 1900 Channel = 512)




(Plot B2: GSM 1900 Channel = 810)



REPORT No.: SZ15060018W01




(Plot C1: EGPRS 850 Channel = 128)




(Plot C2: EGPRS 850 Channel = 251)



REPORT No.: SZ15060018W01




(Plot D1: EGPRS 1900 Channel = 512)




(Plot D2: EGPRS 1900 Channel = 810)



REPORT No.: SZ15060018W01




(Plot E1: WCDMA 850 Channel = 4132)




(Plot E2: WCDMA 850 Channel = 4233)



REPORT No.: SZ15060018W01




(Plot F1: WCDMA 1900 Channel = 9262)




(Plot F2: WCDMA 1900 Channel = 9538)



REPORT No.: SZ15060018W01




(Plot G1: HSDPA 850 Channel = 4132)




(Plot G2: HSDPA 850 Channel = 4233)



REPORT No.: SZ15060018W01




(Plot H1: HSDPA 1900 Channel = 9262)



(Plot H2: HSDPA 1900 Channel = 9538)



REPORT No.: SZ15060018W01




(Plot I1: HSUPA 850 Channel = 4132)




(Plot I2: HSUPA 850 Channel = 4233)



REPORT No.: SZ15060018W01




(Plot J1: HSUPA 1900 Channel = 9262)




(Plot J2: HSUPA 1900 Channel = 9538)



REPORT No.: SZ15060018W01




(Plot K1: HSPA+ 850 Channel = 4132)




(Plot K2: HSPA+ 850 Channel = 4233)



REPORT No.: SZ15060018W01



(Plot L1: HSPA+ 1900 Channel = 9262)



(Plot L2: HSPA+ 1900 Channel = 9538)


2.7 Transmitter Radiated Power (EIRP/ERP)

2.7.1 Requirement

According to FCC section 22.913, the Effective Radiated Power (ERP) of mobile transmitters and auxiliary test transmitters must not exceed 7Watts, and FCC section 24.232, the broadband PCS mobile station is limited to 2 Watts e.i.r.p. peak power.

2.7.2 Test Description

Test Setup:



The EUT, which is powered by the Battery charged with the AC Adapter, is located in a 3m Full-Anechoic Chamber; the cable loss, air loss and so on of the site as factors are pre-calibrated using the "Substitution" method, and calculated to correct the reading.

A call is established between the EUT and the SS via a Common Antenna. The EUT is commanded by the SS to operate at the maximum and minimum output power (i.e. GSM850MHz band Power Control Level (PCL) = 5/19 and Power Class = 4, GSM1900MHz band Power Control Level (PCL) = 0/15 and Power Class = 1), and only the test result of the maximum output power was recorded.

- GSM Maximum RF output power: GSM 850 32.57dBm, GSM 1900 29.88dBm. WCDMA 850 24.27 dBm, WCDMA 1900 24.10 dBm .Please refer to section 2.1.3 of this report.

- Step size (dB): 3dB

- Minimum RF power: GSM 850 2.7dBm, GSM 1900 0.6dBm, WCDMA 850 0.23dBm, WCDMA 1900 0.7dBm.



The Test Antenna is a Bi-Log one (used for 30MHz to 1GHz) or a Horn one (used for above 3GHz), and it's located at the same height as the EUT. The Filters consists of Notch Filters and High Pass Filter.

Equipments List:

Description	Manufacturer	Model	Serial No.	Cal. Date	Cal. Due
System Simulator	Agilent	E5515C	GB43130131	2015.02.26	2016.02.25
Spectrum Analyzer	Agilent	E7405A	US44210471	2015.02.26	2016.02.25
Full-Anechoic Chamber	Albatross	9m*6m*6m	(n.a.)	2015.02.26	2016.02.25
Test Antenna - Bi-Log	Schwarzbeck	VULB 9163	9163-274	2015.02.26	2016.02.25
Test Antenna - Horn	Schwarzbeck	BBHA 9120C	9120C-384	2015.02.26	2016.02.25
Substitution Antenna	Schwarzbeck	BBHA 9120C	9120C-384	2015.02.26	2016.02.25
Pre-AMPs	lucix	S10M100L3802	S020180L3203	2015.02.26	2016.02.25
Notch Filter	COM-MW	ZBSF-C836.5-2 5-X	NA	2015.02.26	2016.02.25
Notch Filter	COM-MW	ZBSF-C1747.5- 75-X2	NA	2015.02.26	2016.02.25
Notch Filter	COM-MW	ZBSF-C1880-60 -X2	NA	2015.02.26	2016.02.25

2.7.3 Test Result

The Turn Table is actuated to turn from 0° to 360°, and both horizontal and vertical polarizations of the Test Antenna are used to find the maximum radiated power. The lowest, middle and highest channels are tested.

The substitution corrections are obtained as described below:

$$A_{\text{SUBST}} = P_{\text{SUBST_TX}} - P_{\text{SUBST_RX}} - L_{\text{SUBST_CABLES}} + G_{\text{SUBST_TX_ANT}}$$

$$A_{\text{TOT}} = L_{\text{CABLES}} + A_{\text{SUBST}}$$

Where A_{SUBST} is the final substitution correction including receive antenna gain.

$P_{\text{SUBST_TX}}$ is signal generator level,

$P_{\text{SUBST_RX}}$ is receiver level,

$L_{\text{SUBST_CABLES}}$ is cable losses including TX cable,

$G_{\text{SUBST_TX_ANT}}$ is substitution antenna gain.



A_{TOT} is total correction factor including cable loss and substitution correction

During the test, the data of A_{TOT} was added in the Test Spectrum Analyze, so Spectrum Analyze reading is the final values which contain the data of A_{TOT} .

GSM Model Test Verdict:

Band	Channel	Frequency (MHz)	PCL	Measured ERP			Limit		Verdict
				dBm	W	Refer to Plot	dBm	W	
GSM 850MHz	128	824.20	5	32.96	1.977	Plot A	38.5	7	PASS
	190	836.60	5	32.58	1.811				PASS
	251	848.80	5	32.22	1.667				PASS
GPRS 850MHz	128	824.20	5	28.93	0.782	Plot B ^{Note 1}	38.5	7	PASS
	190	836.60	5	29.58	0.908				PASS
	251	848.80	5	30.00	1.000				PASS
EGPRS 850MHz	128	824.20	5	26.11	0.408	Plot C ^{Note 1}	38.5	7	PASS
	190	836.60	5	27.69	0.587				PASS
	251	848.80	5	27.88	0.614				PASS

Band	Channel	Frequency (MHz)	PCL	Measured EIRP			Limit		Verdict
				dBm	W	Refer to Plot	dBm	W	
GSM 1900MHz	512	1850.2	0	29.09	0.811	Plot D	33	2	PASS
	661	1880.0	0	28.61	0.726				PASS
	810	1909.8	0	28.24	0.667				PASS
GPRS 1900MHz	512	1850.2	0	26.52	0.449	Plot E ^{Note 1}	33	2	PASS
	661	1880.0	0	26.28	0.425				PASS
	810	1909.8	0	26.47	0.444				PASS
EGPRS 1900MHz	512	1850.2	0	25.34	0.342	Plot F ^{Note 1}	33	2	PASS
	661	1880.0	0	25.61	0.364				PASS
	810	1909.8	0	25.27	0.337				PASS

Note 1: For the GPRS and EGPRS model, all the slots were tested and just the worst data was record in this report.



REPORT No.: SZ15060018W01

WCDMA Model Test Verdict:


Band	Channel	Frequency (MHz)	Measured ERP			Limit		Verdict
			dBm	W	Refer to Plot	dBm	W	
WCDMA 850MHz	4132	826.4	27.82	0.605	Plot G	38.5	7	PASS
	4175	835.0	28.48	0.705				PASS
	4233	846.6	28.48	0.705				PASS
HSDPA 850MHz	4132	826.4	27.67	0.585	Plot H	38.5	7	PASS
	4175	835.0	28.17	0.656				PASS
	4233	846.6	28.20	0.661				PASS
HSUPA 850MHz	4132	826.4	27.60	0.575	Plot I	38.5	7	PASS
	4175	835.0	28.14	0.652				PASS
	4233	846.6	28.45	0.700				PASS
HSPA+ 850MHz	4132	826.4	27.74	0.594	Plot J	38.5	7	PASS
	4175	835.0	28.18	0.658				PASS
	4233	846.6	28.25	0.668				PASS

Band	Channel	Frequency (MHz)	Measured EIRP			Limit		Verdict
			dBm	W	Refer to Plot	dBm	W	
WCDMA 1900MHz	9262	1852.4	27.75	0.596	Plot K	33	2	PASS
	9400	1880.0	27.63	0.579				PASS
	9538	1907.6	26.73	0.471				PASS
HSDPA 1900MHz	9262	1852.4	27.86	0.611	Plot L	33	2	PASS
	9400	1880.0	27.50	0.562				PASS
	9538	1907.6	26.73	0.471				PASS
HSUPA 1900MHz	9262	1852.4	27.90	0.617	Plot M	33	2	PASS
	9400	1880.0	27.79	0.601				PASS
	9538	1907.6	26.56	0.453				PASS
HSPA+ 1900MHz	9262	1852.4	27.90	0.617	Plot N	33	2	PASS
	9400	1880.0	27.70	0.589				PASS
	9538	1907.6	26.60	0.457				PASS




REPORT No.: SZ15060018W01

Test Plots:




(Plot A: GSM 850MHz Channel = 128, 190, 251)




(Plot B: GPRS 850MHz Channel = 128, 190, 251)



REPORT No.: SZ15060018W01




(Plot C: EGPRS 850MHz Channel = 128, 190, 251)




(Plot D: GSM 1900MHz Channel = 512, 661, 810)



REPORT No.: SZ15060018W01




(Plot E: GPRS 1900MHz Channel = 512, 661, 810)




(Plot F: EGPRS 1900MHz Channel = 512, 661, 810)



REPORT No.: SZ15060018W01




(Plot G: WCDMA 850 MHz Channel = 4132, 4175, 4233)




(Plot H: HSDPA 850 MHz Channel = 4132, 4175, 4233)



REPORT No.: SZ15060018W01




(Plot I: HSUPA 850 MHz Channel = 4132, 4175, 4233)




(Plot J: HSPA+ 850 MHz Channel = 4132, 4175, 4233)



REPORT No.: SZ15060018W01




(Plot K: WCDMA 1900 MHz Channel = 9262, 9400, 9538)




(Plot L: HSDPA 1900 MHz Channel = 9262, 9400, 9538)



REPORT No.: SZ15060018W01



(Plot M: HSUPA1900 MHz Channel = 9262, 9400, 9538)



(Plot N: HSPA+ 1900 MHz Channel = 9262, 9400, 9538)



2.8 Radiated Out of Band Emissions

2.8.1 Requirement

According to FCC section 22.917(a) and section 24.238(a) the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43+10*\log(P)$ dB. This calculated to be -13dBm.

The spurious emission with frequency band 1900 according to FCC section 2.1057.

2.8.2 Test Description

See section 2.7.2 of this report.

Equipment List:

Description	Manufacturer	Model	Serial No.	Cal.Date	Cal.Due
System Simulator	Agilent	E5515C	GB43130131	2015.02.26	2016.02.25
Spectrum Analyzer	Agilent	E7405A	US44210471	2015.02.26	2016.02.25
Full-Anechoic Chamber	Albatross	9m*6m*6m	(n.a.)	2015.02.26	2016.02.25
Test Antenna - Bi-Log	Schwarzbeck	VULB 9163	9163-274	2015.02.26	2016.02.25
Test Antenna - Horn	Schwarzbeck	BBHA 9120C	9120C-384	2015.02.26	2016.02.25
Substitution Antenna	Schwarzbeck	BBHA 9120C	9120C-384	2015.02.26	2016.02.25
Pre-AMPs	lucix	S10M100L3802	S020180L3203	2015.02.26	2016.02.25
Notch Filter	COM-MW	ZBSF-C836.5-25-X	NA	2015.02.26	2016.02.25
Notch Filter	COM-MW	ZBSF-C1747.5-75-X2	NA	2015.02.26	2016.02.25
Notch Filter	COM-MW	ZBSF-C1880-60-X2	NA	2015.02.26	2016.02.25

Note: when doing measurements above 1GHz, the EUT has been within the 3dB cone width of the horn antenna during horizontal antenna.

2.8.3 Test Result

The measurement frequency range is from 30MHz to the 10th harmonic of the fundamental frequency. The Turn Table is actuated to turn from 0° to 360°, and both horizontal and vertical polarizations of the Test Antenna are used to find the maximum radiated power. The lowest, middle and highest channels are tested to verify the out of band emissions.

1. Test Verdict:



REPORT No.: SZ15060018W01

Band	Channel	Frequency (MHz)	Measured Max. Spurious Emission (dBm)		Refer to Plot	Limit (dBm)	Verdict
			Test Antenna Horizontal	Test Antenna Vertical			
GSM 850MHz	128	824.2	< -25	< -25	Plot A1/A2	-13	PASS
	190	836.6	< -25	< -25	Plot A3/A4		PASS
	251	848.8	< -25	< -25	Plot A5/A6		PASS
GSM 1900MHz	512	1850.2	< -25	< -25	Plot B1/B2	-13	PASS
	661	1880.0	< -25	< -25	Plot B3/B4		PASS
	810	1909.8	< -25	< -25	Plot B5/B6		PASS
EGPRS 850MHz	128	824.2	< -25	< -25	Plot C1/C2	-13	PASS
	190	836.6	< -25	< -25	Plot C3/C4		PASS
	251	848.8	< -25	< -25	Plot C5/C6		PASS
EGPRS 1900MHz	512	1850.2	< -25	< -25	Plot D1/D2	-13	PASS
	661	1880.0	< -25	< -25	Plot D3/D4		PASS
	810	1909.8	< -25	< -25	Plot D5/D6		PASS
WCDMA 850MHz	4132	826.4	< -25	< -25	Plot E1/E2	-13	PASS
	4175	835.0	< -25	< -25	Plot E3/E4		PASS
	4233	846.6	< -25	< -25	Plot E5/E6		PASS
WCDMA 1900MHz	9262	1852.4	< -25	< -25	Plot F1/F2	-13	PASS
	9400	1880.0	< -25	< -25	Plot F3/F4		PASS
	9538	1907.6	< -25	< -25	Plot F5/F6		PASS
HSDPA 850MHz	4132	826.4	< -25	< -25	Plot G1/G2	-13	PASS
	4175	835.0	< -25	< -25	Plot G3/G4		PASS
	4233	846.6	< -25	< -25	Plot G5/G6		PASS
HSDPA 1900MHz	9262	1852.4	< -25	< -25	Plot H1/H2	-13	PASS
	9400	1880.0	< -25	< -25	Plot H3/H4		PASS
	9538	1907.6	< -25	< -25	Plot H5/H6		PASS
HSUPA 850MHz	4132	826.4	< -25	< -25	Plot I1/I2	-13	PASS
	4175	835.0	< -25	< -25	Plot I3/I4		PASS
	4233	846.6	< -25	< -25	Plot I5/I6		PASS
HSUPA 1900MHz	9262	1852.4	< -25	< -25	Plot J1/J2	-13	PASS
	9400	1880.0	< -25	< -25	Plot J3/J4		PASS
	9538	1907.6	< -25	< -25	Plot J5/J6		PASS
HSPA+ 850MHz	4132	826.4	< -25	< -25	Plot K1/K2	-13	PASS
	4175	835.0	< -25	< -25	Plot K3/K4		PASS
	4233	846.6	< -25	< -25	Plot K5/K6		PASS




Band	Channel	Frequency (MHz)	Measured Max. Spurious Emission (dBm)		Refer to Plot	Limit (dBm)	Verdict
			Test Antenna Horizontal	Test Antenna Vertical			
HSPA+ 1900MHz	9262	1852.4	< -25	< -25	Plot L1/L2	-13	PASS
	9400	1880.0	< -25	< -25	Plot L3/L4		PASS
	9538	1907.6	< -25	< -25	Plot L5/L6		PASS


2. Test Plots for the Whole Measurement Frequency Range:

Note1: the power of the EUT transmitting frequency should be ignored.

Note2: All Spurious Emission tests were performed in X, Y, Z axis direction. And only the worst axis test condition was recorded in this test report.




(Plot A1: GSM 850MHz Channel = 128, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
117.082	-65.55	-13.0	52.6	Vertical	PASS
327.531	-70.29	-13.0	57.3	Vertical	PASS
871.796	-41.54	-13.0	28.5	Vertical	N.A
1423.940	-56.62	-13.0	43.6	Vertical	PASS
2471.322	-44.96	-13.0	32.0	Vertical	PASS
9710.723	-43.42	-13.0	30.4	Vertical	PASS

(Plot A2: GSM 850MHz Channel = 128, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
199.327	-65.21	-13.0	52.2	Horizontal	PASS
835.511	-39.09	-13.0	26.1	Horizontal	N.A
871.796	-32.27	-13.0	19.3	Horizontal	N.A
1673.317	-39.67	-13.0	26.7	Horizontal	PASS
2506.234	-40.43	-13.0	27.4	Horizontal	PASS
8592.269	-44.75	-13.0	31.7	Horizontal	PASS

(Plot A3: GSM850MHz Channel = 190, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
117.082	-66.22	-13.0	53.2	Vertical	PASS
871.796	-42.54	-13.0	29.5	Vertical	N.A
1673.317	-44.89	-13.0	31.9	Vertical	PASS
2506.234	-42.68	-13.0	29.7	Vertical	PASS
4580.424	-50.68	-13.0	37.7	Vertical	PASS
9710.723	-43.00	-13.0	30.0	Vertical	PASS

(Plot A4: GSM 850MHz Channel = 190, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
100.150	-63.86	-13.0	50.9	Horizontal	PASS
871.796	-32.08	-13.0	19.1	Horizontal	N.A
891.147	-36.07	-13.0	23.1	Horizontal	N.A
1698.254	-41.36	-13.0	28.4	Horizontal	PASS
2541.147	-45.13	-13.0	32.1	Horizontal	PASS
4896.509	-47.99	-13.0	35.0	Horizontal	PASS

(Plot A5: GSM 850MHz Channel = 251, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
95.312	-65.83	-13.0	52.8	Vertical	PASS
847.606	-48.08	-13.0	35.1	Vertical	N.A
871.796	-42.29	-13.0	29.3	Vertical	N.A
1698.254	-46.99	-13.0	34.0	Vertical	PASS
2541.147	-42.29	-13.0	29.3	Vertical	PASS
9710.723	-43.45	-13.0	30.4	Vertical	PASS

(Plot A6: GSM 850MHz Channel = 251, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
199.327	-65.40	-13.0	52.4	Horizontal	PASS
533.142	-68.98	-13.0	56.0	Horizontal	PASS
1847.880	-51.51	-13.0	38.5	Horizontal	N.A
1927.681	-40.80	-13.0	27.8	Horizontal	N.A
3720.698	-47.71	-13.0	34.7	Horizontal	PASS
9231.920	-43.22	-13.0	30.2	Horizontal	PASS

(Plot B1: GSM 1900MHz Channel = 512, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
100.150	-65.14	-13.0	52.1	Vertical	PASS
199.327	-68.67	-13.0	55.7	Vertical	PASS
1927.681	-43.58	-13.0	30.6	Vertical	N.A
3720.698	-46.07	-13.0	33.1	Vertical	PASS
5416.459	-46.75	-13.0	33.8	Vertical	PASS
17159.601	-38.26	-13.0	25.3	Vertical	PASS

(Plot B2: GSM 1900MHz Channel = 512, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
199.327	-66.14	-13.0	53.1	Horizontal	PASS
700.050	-67.47	-13.0	54.5	Horizontal	PASS
1957.606	-38.93	-13.0	25.9	Horizontal	N.A
3763.092	-39.47	-13.0	26.5	Horizontal	PASS
6561.097	-47.27	-13.0	34.3	Horizontal	PASS
14700.748	-40.04	-13.0	27.0	Horizontal	PASS

(Plot B3: GSM 1900MHz Channel = 661, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
117.082	-65.52	-13.0	52.5	Vertical	PASS
199.327	-69.47	-13.0	56.5	Vertical	PASS
533.142	-69.88	-13.0	56.9	Vertical	PASS
1957.606	-43.09	-13.0	30.1	Vertical	N.A
3254.364	-49.61	-13.0	36.6	Vertical	PASS
9231.920	-44.91	-13.0	31.9	Vertical	PASS

(Plot B4: GSM 1900MHz Channel = 661, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
199.327	-64.94	-13.0	51.9	Horizontal	PASS
1199.501	-55.17	-13.0	42.2	Horizontal	PASS
1987.531	-39.19	-13.0	26.2	Horizontal	N.A
3847.880	-38.86	-13.0	25.9	Horizontal	PASS
9231.920	-44.05	-13.0	31.0	Horizontal	PASS
17117.207	-37.91	-13.0	24.9	Horizontal	PASS

(Plot B5: GSM 1900MHz Channel = 810, Test Antenna Horizontal)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
114.663	-65.80	-13.0	52.8	Vertical	PASS
327.531	-70.79	-13.0	57.8	Vertical	PASS
700.050	-68.24	-13.0	55.2	Vertical	PASS
1987.531	-43.76	-13.0	30.8	Vertical	N.A
3847.880	-41.22	-13.0	28.2	Vertical	PASS
9274.314	-43.37	-13.0	30.4	Vertical	PASS

(Plot B6: GSM 1900MHz Channel = 810, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
199.327	-66.09	-13.0	53.1	Horizontal	PASS
823.416	-54.53	-13.0	41.5	Horizontal	N.A
866.958	-31.82	-13.0	18.8	Horizontal	N.A
1648.379	-36.88	-13.0	23.9	Horizontal	PASS
2471.322	-40.66	-13.0	27.7	Horizontal	PASS
8567.955	-44.58	-13.0	31.6	Horizontal	PASS

(Plot C1: EGPRS 850MHz Channel = 128, Test Antenna Horizontal)



Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
112.244	-65.61	-13.0	52.6	Vertical	PASS
327.531	-70.24	-13.0	57.2	Vertical	PASS
866.958	-43.24	-13.0	30.2	Vertical	N.A
1648.379	-41.10	-13.0	28.1	Vertical	PASS
3486.284	-50.59	-13.0	37.6	Vertical	PASS
9564.838	-43.60	-13.0	30.6	Vertical	PASS

(Plot C2: EGPRS 850MHz Channel = 128, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
835.511	-39.07	-13.0	26.1	Horizontal	N.A
871.796	-32.26	-13.0	19.3	Horizontal	N.A
1673.317	-40.07	-13.0	27.1	Horizontal	PASS
2506.234	-39.62	-13.0	26.6	Horizontal	PASS
5212.594	-49.08	-13.0	36.1	Horizontal	PASS
9686.409	-43.52	-13.0	30.5	Horizontal	PASS

(Plot C3: EGPRS 850MHz Channel = 190, Test Antenna Horizontal)




REPORT No.: SZ15060018W01



Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
109.825	-65.66	-13.0	52.7	Vertical	PASS
835.511	-49.57	-13.0	36.6	Vertical	N.A
871.796	-43.27	-13.0	30.3	Vertical	N.A
1673.317	-42.55	-13.0	29.6	Vertical	PASS
2506.234	-42.36	-13.0	29.4	Vertical	PASS
9564.838	-42.93	-13.0	29.9	Vertical	PASS

(Plot C4: EGPRS 850MHz Channel = 190, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
100.150	-66.29	-13.0	53.3	Horizontal	PASS
871.796	-32.00	-13.0	19.0	Horizontal	N.A
891.147	-35.42	-13.0	22.4	Horizontal	N.A
1698.254	-41.51	-13.0	28.5	Horizontal	PASS
2541.147	-44.83	-13.0	31.8	Horizontal	PASS
5771.820	-47.37	-13.0	34.4	Horizontal	PASS

(Plot C5: EGPRS 850MHz Channel = 251, Test Antenna Horizontal)




REPORT No.: SZ15060018W01



Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
112.244	-65.69	-13.0	52.7	Vertical	PASS
327.531	-69.97	-13.0	57.0	Vertical	PASS
871.796	-42.28	-13.0	29.3	Vertical	N.A
1698.254	-46.54	-13.0	33.5	Vertical	PASS
2541.147	-41.48	-13.0	28.5	Vertical	PASS
9710.723	-43.55	-13.0	30.6	Vertical	PASS

(Plot C6: EGPRS 850MHz Channel = 251, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
199.327	-66.78	-13.0	53.8	Horizontal	PASS
327.531	-69.73	-13.0	56.7	Horizontal	PASS
1927.681	-41.10	-13.0	28.1	Horizontal	N.A
3720.698	-46.74	-13.0	33.7	Horizontal	PASS
5374.065	-47.28	-13.0	34.3	Horizontal	PASS
12157.107	-41.77	-13.0	28.8	Horizontal	PASS

(Plot D1: EGPRS 1900MHz Channel = 512, Test Antenna Horizontal)




REPORT No.: SZ15060018W01



Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
117.082	-66.33	-13.0	53.3	Vertical	PASS
196.908	-69.32	-13.0	56.3	Vertical	PASS
1204.489	-58.70	-13.0	45.7	Vertical	PASS
1927.681	-42.35	-13.0	29.4	Vertical	N.A
5458.853	-48.04	-13.0	35.0	Vertical	PASS
11817.955	-42.39	-13.0	29.4	Vertical	PASS

(Plot D2: EGPRS 1900MHz Channel = 512, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
199.327	-66.45	-13.0	53.5	Horizontal	PASS
426.708	-69.38	-13.0	56.4	Horizontal	PASS
1877.805	-52.04	-13.0	39.0	Horizontal	N.A
1957.606	-38.06	-13.0	25.1	Horizontal	N.A
3763.092	-41.32	-13.0	28.3	Horizontal	PASS
11648.379	-42.03	-13.0	29.0	Horizontal	PASS

(Plot D3: EGPRS 1900MHz Channel = 661, Test Antenna Horizontal)




REPORT No.: SZ15060018W01



Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
112.244	-65.97	-13.0	53.0	Vertical	PASS
196.908	-69.32	-13.0	56.3	Vertical	PASS
700.050	-67.56	-13.0	54.6	Vertical	PASS
1957.606	-41.16	-13.0	28.2	Vertical	N.A
5416.459	-48.20	-13.0	35.2	Vertical	PASS
12962.594	-42.36	-13.0	29.4	Vertical	PASS

(Plot D4: EGPRS 1900MHz Channel = 661, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
199.327	-65.64	-13.0	52.6	Horizontal	PASS
426.708	-69.37	-13.0	56.4	Horizontal	PASS
1568.579	-54.90	-13.0	41.9	Horizontal	PASS
1987.531	-38.27	-13.0	25.3	Horizontal	N.A
3847.880	-36.91	-13.0	23.9	Horizontal	PASS
11817.955	-41.27	-13.0	28.3	Horizontal	PASS

(Plot D5: EGPRS 1900MHz Channel = 810, Test Antenna Horizontal)




REPORT No.: SZ15060018W01




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
114.663	-65.37	-13.0	52.4	Vertical	PASS
327.531	-70.08	-13.0	57.1	Vertical	PASS
700.050	-68.12	-13.0	55.1	Vertical	PASS
1987.531	-43.61	-13.0	30.6	Vertical	N.A
3847.880	-42.08	-13.0	29.1	Vertical	PASS
9274.314	-43.86	-13.0	30.9	Vertical	PASS

(Plot D6: EGPRS 1900MHz Channel = 810, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
194.489	-64.68	-13.0	51.7	Horizontal	PASS
453.317	-69.05	-13.0	56.1	Horizontal	PASS
816.160	-64.29	-13.0	51.3	Horizontal	N.A
869.377	-41.47	-13.0	28.5	Horizontal	N.A
1653.367	-54.09	-13.0	41.1	Horizontal	PASS
5188.279	-49.43	-13.0	36.4	Horizontal	PASS

(Plot E1: WCDMA 850MHz Channel = 4132, Test Antenna Horizontal)



Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
121.920	-65.72	-13.0	52.7	Vertical	PASS
453.317	-68.27	-13.0	55.3	Vertical	PASS
816.160	-65.71	-13.0	52.7	Vertical	N.A
869.377	-47.62	-13.0	34.6	Vertical	N.A
1648.379	-53.60	-13.0	40.6	Vertical	PASS
11364.090	-42.38	-13.0	29.4	Vertical	PASS

(Plot E2: WCDMA 850MHz Channel = 4132, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
95.312	-68.07	-13.0	55.1	Horizontal	PASS
196.908	-66.03	-13.0	53.0	Horizontal	PASS
833.092	-60.96	-13.0	48.0	Horizontal	N.A
876.633	-44.06	-13.0	31.1	Horizontal	N.A
1423.940	-56.02	-13.0	43.0	Horizontal	PASS
8227.556	-46.20	-13.0	33.2	Horizontal	PASS

(Plot E3: WCDMA 850MHz Channel = 4175, Test Antenna Horizontal)




REPORT No.: SZ15060018W01



Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
92.893	-69.62	-13.0	56.6	Vertical	PASS
453.317	-67.25	-13.0	54.3	Vertical	PASS
879.052	-50.86	-13.0	37.9	Vertical	N.A
2361.596	-52.97	-13.0	40.0	Vertical	PASS
4507.481	-49.93	-13.0	36.9	Vertical	PASS
11339.776	-43.06	-13.0	30.1	Vertical	PASS

(Plot E4: WCDMA 850MHz Channel = 4175, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
192.070	-66.54	-13.0	53.5	Horizontal	PASS
453.317	-68.15	-13.0	55.1	Horizontal	PASS
845.187	-62.36	-13.0	49.4	Horizontal	N.A
888.728	-40.28	-13.0	27.3	Horizontal	N.A
2346.633	-52.60	-13.0	39.6	Horizontal	PASS
9710.723	-42.53	-13.0	29.5	Horizontal	PASS

(Plot E5: WCDMA 850MHz Channel = 4233, Test Antenna Horizontal)




REPORT No.: SZ15060018W01



Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
124.339	-65.77	-13.0	52.8	Vertical	PASS
453.317	-67.83	-13.0	54.8	Vertical	PASS
845.187	-64.77	-13.0	51.8	Vertical	N.A
888.728	-53.89	-13.0	40.9	Vertical	N.A
3607.855	-50.10	-13.0	37.1	Vertical	PASS
9418.953	-44.08	-13.0	31.1	Vertical	PASS

(Plot E6: WCDMA 850MHz Channel = 4233, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
100.150	-72.10	-13.0	59.1	Horizontal	PASS
199.327	-73.68	-13.0	60.7	Horizontal	PASS
453.317	-68.66	-13.0	55.7	Horizontal	PASS
1932.668	-41.29	-13.0	28.3	Horizontal	N.A
3720.698	-48.32	-13.0	35.3	Horizontal	PASS
17117.207	-39.42	-13.0	26.4	Horizontal	PASS

(Plot F1: WCDMA 1900MHz Channel = 9262, Test Antenna Horizontal)




REPORT No.: SZ15060018W01



Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
95.312	-70.25	-13.0	57.2	Vertical	PASS
453.317	-67.80	-13.0	54.8	Vertical	PASS
1932.668	-45.35	-13.0	32.4	Vertical	N.A
3720.698	-46.96	-13.0	34.0	Vertical	PASS
5416.459	-47.61	-13.0	34.6	Vertical	PASS
17159.601	-38.75	-13.0	25.8	Vertical	PASS

(Plot F2: WCDMA 1900MHz Channel = 9262, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
100.150	-68.70	-13.0	55.7	Horizontal	PASS
192.070	-65.09	-13.0	52.1	Horizontal	PASS
453.317	-68.10	-13.0	55.1	Horizontal	PASS
1957.606	-42.45	-13.0	29.4	Horizontal	N.A
3763.092	-45.42	-13.0	32.4	Horizontal	PASS
15718.204	-40.78	-13.0	27.8	Horizontal	PASS

(Plot F3: WCDMA 1900MHz Channel = 9400, Test Antenna Horizontal)




REPORT No.: SZ15060018W01




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
121.920	-65.92	-13.0	52.9	Vertical	PASS
192.070	-67.39	-13.0	54.4	Vertical	PASS
453.317	-67.21	-13.0	54.2	Vertical	PASS
1957.606	-41.88	-13.0	28.9	Vertical	N.A
3763.092	-46.79	-13.0	33.8	Vertical	PASS
5416.459	-47.95	-13.0	35.0	Vertical	PASS

(Plot F4: WCDMA 1900MHz Channel = 9400, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
100.150	-70.19	-13.0	57.2	Horizontal	PASS
192.070	-74.45	-13.0	61.5	Horizontal	PASS
453.317	-68.34	-13.0	55.3	Horizontal	PASS
1987.531	-37.78	-13.0	24.8	Horizontal	N.A
3805.486	-48.69	-13.0	35.7	Horizontal	PASS
17159.601	-38.72	-13.0	25.7	Horizontal	PASS

(Plot F5: WCDMA 1900MHz Channel = 9538, Test Antenna Horizontal)



Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
34.838	-70.22	-13.0	57.2	Vertical	PASS
97.731	-70.45	-13.0	57.4	Vertical	PASS
453.317	-68.83	-13.0	55.8	Vertical	PASS
1982.544	-39.40	-13.0	26.4	Vertical	N.A
4102.244	-49.83	-13.0	36.8	Vertical	PASS
15718.204	-40.28	-13.0	27.3	Vertical	PASS

(Plot F6: WCDMA 1900MHz Channel = 9538, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
189.651	-64.61	-13.0	51.6	Horizontal	PASS
453.317	-68.11	-13.0	55.1	Horizontal	PASS
816.160	-62.34	-13.0	49.3	Horizontal	N.A
869.377	-42.07	-13.0	29.1	Horizontal	N.A
1648.379	-54.49	-13.0	41.5	Horizontal	PASS
3632.170	-49.86	-13.0	36.9	Horizontal	PASS

(Plot G1: HSDPA 850MHz Channel = 4132, Test Antenna Horizontal)




REPORT No.: SZ15060018W01




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
129.177	-66.01	-13.0	53.0	Vertical	PASS
453.317	-67.92	-13.0	54.9	Vertical	PASS
816.160	-66.21	-13.0	53.2	Vertical	N.A
871.796	-47.84	-13.0	34.8	Vertical	N.A
1648.379	-54.61	-13.0	41.6	Vertical	PASS
9370.324	-43.45	-13.0	30.4	Vertical	PASS

(Plot G2: HSDPA 850MHz Channel = 4132, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
194.489	-64.38	-13.0	51.4	Horizontal	PASS
453.317	-69.46	-13.0	56.5	Horizontal	PASS
833.092	-60.50	-13.0	47.5	Horizontal	N.A
879.052	-43.68	-13.0	30.7	Horizontal	N.A
1418.953	-57.07	-13.0	44.1	Horizontal	PASS
6671.446	-48.17	-13.0	35.2	Horizontal	PASS

(Plot G3: HSDPA 850MHz Channel = 4175, Test Antenna Horizontal)



Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
95.312	-68.09	-13.0	55.1	Vertical	PASS
453.317	-68.03	-13.0	55.0	Vertical	PASS
876.633	-50.99	-13.0	38.0	Vertical	N.A
2386.534	-53.38	-13.0	40.4	Vertical	PASS
4896.509	-49.26	-13.0	36.3	Vertical	PASS
11169.576	-42.62	-13.0	29.6	Vertical	PASS

(Plot G4: HSDPA 850MHz Channel = 4175, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
192.070	-68.34	-13.0	55.3	Horizontal	PASS
453.317	-67.72	-13.0	54.7	Horizontal	PASS
845.187	-63.14	-13.0	50.1	Horizontal	N.A
888.728	-41.50	-13.0	28.5	Horizontal	N.A
3632.170	-50.95	-13.0	38.0	Horizontal	PASS
10975.062	-43.73	-13.0	30.7	Horizontal	PASS

(Plot G5: HSDPA 850MHz Channel = 4233, Test Antenna Horizontal)




REPORT No.: SZ15060018W01



Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
121.920	-65.84	-13.0	52.8	Vertical	PASS
189.651	-67.54	-13.0	54.5	Vertical	PASS
845.187	-62.99	-13.0	50.0	Vertical	N.A
888.728	-51.93	-13.0	38.9	Vertical	N.A
2431.421	-53.52	-13.0	40.5	Vertical	PASS
9418.953	-44.01	-13.0	31.0	Vertical	PASS

(Plot G6: HSDPA 850MHz Channel = 4233, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
100.150	-71.31	-13.0	58.3	Horizontal	PASS
267.057	-73.94	-13.0	60.9	Horizontal	PASS
453.317	-68.29	-13.0	55.3	Horizontal	PASS
1927.681	-43.34	-13.0	30.3	Horizontal	N.A
3720.698	-47.61	-13.0	34.6	Horizontal	PASS
17159.601	-38.37	-13.0	25.4	Horizontal	PASS

(Plot H1: HSDPA 1900MHz Channel = 9262, Test Antenna Horizontal)




REPORT No.: SZ15060018W01



Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
92.893	-68.89	-13.0	55.9	Vertical	PASS
453.317	-68.58	-13.0	55.6	Vertical	PASS
1932.668	-48.91	-13.0	35.9	Vertical	N.A
5416.459	-48.61	-13.0	35.6	Vertical	PASS
9401.496	-43.14	-13.0	30.1	Vertical	PASS
18897.756	-38.40	-13.0	25.4	Vertical	PASS

(Plot H2: HSDPA 1900MHz Channel = 9262, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
192.070	-66.74	-13.0	53.7	Horizontal	PASS
453.317	-69.36	-13.0	56.4	Horizontal	PASS
1957.606	-40.90	-13.0	27.9	Horizontal	N.A
3763.092	-47.03	-13.0	34.0	Horizontal	PASS
5374.065	-48.24	-13.0	35.2	Horizontal	PASS
18516.209	-37.97	-13.0	25.0	Horizontal	PASS

(Plot H3: HSDPA 1900MHz Channel = 9400, Test Antenna Horizontal)




REPORT No.: SZ15060018W01



Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
121.920	-65.82	-13.0	52.8	Vertical	PASS
189.651	-67.58	-13.0	54.6	Vertical	PASS
453.317	-67.14	-13.0	54.1	Vertical	PASS
1957.606	-41.60	-13.0	28.6	Vertical	N.A
3763.092	-46.37	-13.0	33.4	Vertical	PASS
9231.920	-43.83	-13.0	30.8	Vertical	PASS

(Plot H4: HSDPA 1900MHz Channel = 9400, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
100.150	-71.19	-13.0	58.2	Horizontal	PASS
184.813	-74.35	-13.0	61.3	Horizontal	PASS
453.317	-68.29	-13.0	55.3	Horizontal	PASS
1987.531	-38.31	-13.0	25.3	Horizontal	N.A
3805.486	-47.87	-13.0	34.9	Horizontal	PASS
17159.601	-38.77	-13.0	25.8	Horizontal	PASS

(Plot H5: HSDPA 1900MHz Channel = 9538, Test Antenna Horizontal)




REPORT No.: SZ15060018W01



Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
92.893	-69.36	-13.0	56.4	Vertical	PASS
453.317	-68.78	-13.0	55.8	Vertical	PASS
1987.531	-39.77	-13.0	26.8	Vertical	N.A
3805.486	-48.08	-13.0	35.1	Vertical	PASS
5458.853	-47.92	-13.0	34.9	Vertical	PASS
15209.476	-40.40	-13.0	27.4	Vertical	PASS

(Plot H6: HSDPA 1900MHz Channel = 9538, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
192.070	-64.76	-13.0	51.8	Horizontal	PASS
453.317	-67.08	-13.0	54.1	Horizontal	PASS
816.160	-63.33	-13.0	50.3	Horizontal	N.A
869.377	-41.31	-13.0	28.3	Horizontal	N.A
1648.379	-54.03	-13.0	41.0	Horizontal	PASS
11315.461	-42.27	-13.0	29.3	Horizontal	PASS

(Plot I1: HSUPA 850MHz Channel = 4132, Test Antenna Horizontal)




REPORT No.: SZ15060018W01




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
124.339	-65.65	-13.0	52.6	Vertical	PASS
816.160	-66.53	-13.0	53.5	Vertical	N.A
869.377	-50.94	-13.0	37.9	Vertical	N.A
1653.367	-52.90	-13.0	39.9	Vertical	PASS
3194.514	-50.21	-13.0	37.2	Vertical	PASS
6598.504	-48.00	-13.0	35.0	Vertical	PASS

(Plot I2: HSUPA 850MHz Channel = 4132, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
196.908	-66.46	-13.0	53.5	Horizontal	PASS
453.317	-70.22	-13.0	57.2	Horizontal	PASS
835.511	-62.40	-13.0	49.4	Horizontal	N.A
879.052	-41.95	-13.0	28.9	Horizontal	N.A
1688.279	-56.35	-13.0	43.4	Horizontal	PASS
5212.594	-49.37	-13.0	36.4	Horizontal	PASS

(Plot I3: HSUPA 850MHz Channel = 4175, Test Antenna Horizontal)



Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
100.150	-66.19	-13.0	53.2	Vertical	PASS
453.317	-69.12	-13.0	56.1	Vertical	PASS
765.362	-69.38	-13.0	56.4	Vertical	PASS
879.052	-50.01	-13.0	37.0	Vertical	N.A
2700.748	-52.94	-13.0	39.9	Vertical	PASS
9418.953	-44.08	-13.0	31.1	Vertical	PASS

(Plot I4: HSUPA 850MHz Channel = 4175, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
189.651	-67.09	-13.0	54.1	Horizontal	PASS
453.317	-67.66	-13.0	54.7	Horizontal	PASS
845.187	-62.05	-13.0	49.1	Horizontal	N.A
891.147	-41.47	-13.0	28.5	Horizontal	N.A
2356.608	-52.93	-13.0	39.9	Horizontal	PASS
9710.723	-44.44	-13.0	31.4	Horizontal	PASS

(Plot I5: HSUPA 850MHz Channel = 4233, Test Antenna Horizontal)




REPORT No.: SZ15060018W01



Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
121.920	-66.10	-13.0	53.1	Vertical	PASS
192.070	-67.41	-13.0	54.4	Vertical	PASS
453.317	-67.38	-13.0	54.4	Vertical	PASS
842.768	-63.97	-13.0	51.0	Vertical	N.A
888.728	-52.71	-13.0	39.7	Vertical	N.A
2341.646	-53.17	-13.0	40.2	Vertical	PASS

(Plot I6: HSUPA 850MHz Channel = 4233, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
192.070	-69.91	-13.0	56.9	Horizontal	PASS
453.317	-68.43	-13.0	55.4	Horizontal	PASS
1932.668	-40.60	-13.0	27.6	Horizontal	N.A
3720.698	-48.35	-13.0	35.3	Horizontal	PASS
5374.065	-48.12	-13.0	35.1	Horizontal	PASS
18346.633	-38.39	-13.0	25.4	Horizontal	PASS

(Plot J1: HSUPA 1900MHz Channel = 9262, Test Antenna Horizontal)




REPORT No.: SZ15060018W01



Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
95.312	-69.74	-13.0	56.7	Vertical	PASS
267.057	-74.87	-13.0	61.9	Vertical	PASS
453.317	-68.00	-13.0	55.0	Vertical	PASS
1932.668	-45.18	-13.0	32.2	Vertical	N.A
3720.698	-48.33	-13.0	35.3	Vertical	PASS
17159.601	-38.48	-13.0	25.5	Vertical	PASS

(Plot J2: HSUPA 1900MHz Channel = 9262, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
192.070	-64.63	-13.0	51.6	Horizontal	PASS
453.317	-67.86	-13.0	54.9	Horizontal	PASS
1957.606	-41.23	-13.0	28.2	Horizontal	N.A
3763.092	-46.55	-13.0	33.5	Horizontal	PASS
5416.459	-48.51	-13.0	35.5	Horizontal	PASS
18177.057	-38.74	-13.0	25.7	Horizontal	PASS

(Plot J3: HSUPA 1900MHz Channel = 9400, Test Antenna Horizontal)




REPORT No.: SZ15060018W01




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
121.920	-65.73	-13.0	52.7	Vertical	PASS
453.317	-67.16	-13.0	54.2	Vertical	PASS
1957.606	-39.83	-13.0	26.8	Vertical	N.A
3763.092	-46.17	-13.0	33.2	Vertical	PASS
5416.459	-47.66	-13.0	34.7	Vertical	PASS
9231.920	-43.87	-13.0	30.9	Vertical	PASS

(Plot J4: HSUPA 1900MHz Channel = 9400, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
100.150	-71.73	-13.0	58.7	Horizontal	PASS
453.317	-68.26	-13.0	55.3	Horizontal	PASS
1987.531	-41.09	-13.0	28.1	Horizontal	N.A
3805.486	-45.63	-13.0	32.6	Horizontal	PASS
5416.459	-47.19	-13.0	34.2	Horizontal	PASS
17201.995	-39.49	-13.0	26.5	Horizontal	PASS

(Plot J5: HSUPA 1900MHz Channel = 9538, Test Antenna Horizontal)



Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
95.312	-69.35	-13.0	56.3	Vertical	PASS
199.327	-73.50	-13.0	60.5	Vertical	PASS
453.317	-67.67	-13.0	54.7	Vertical	PASS
1987.531	-40.12	-13.0	27.1	Vertical	N.A
3805.486	-47.96	-13.0	35.0	Vertical	PASS
17201.995	-39.53	-13.0	26.5	Vertical	PASS

(Plot J6: HSUPA 1900MHz Channel = 9538, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
192.070	-65.57	-13.0	52.6	Horizontal	PASS
453.317	-67.92	-13.0	54.9	Horizontal	PASS
813.741	-61.82	-13.0	48.8	Horizontal	N.A
869.377	-40.73	-13.0	27.7	Horizontal	N.A
1653.367	-53.31	-13.0	40.3	Horizontal	PASS
9710.723	-44.25	-13.0	31.2	Horizontal	PASS

(Plot K1: HSPA+ 850MHz Channel = 4132, Test Antenna Horizontal)




REPORT No.: SZ15060018W01



Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
121.920	-65.42	-13.0	52.4	Vertical	PASS
453.317	-67.25	-13.0	54.2	Vertical	PASS
816.160	-65.16	-13.0	52.2	Vertical	N.A
869.377	-49.82	-13.0	36.8	Vertical	N.A
1648.379	-53.56	-13.0	40.6	Vertical	PASS
4385.910	-49.87	-13.0	36.9	Vertical	PASS

(Plot K2: HSPA+ 850MHz Channel = 4132, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
194.489	-63.93	-13.0	50.9	Horizontal	PASS
453.317	-69.42	-13.0	56.4	Horizontal	PASS
835.511	-62.00	-13.0	49.0	Horizontal	N.A
879.052	-40.37	-13.0	27.4	Horizontal	N.A
1478.803	-57.21	-13.0	44.2	Horizontal	PASS
5723.192	-49.29	-13.0	36.3	Horizontal	PASS

(Plot K3: HSPA+ 850MHz Channel = 4175, Test Antenna Horizontal)




REPORT No.: SZ15060018W01



Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
100.150	-65.27	-13.0	52.3	Vertical	PASS
453.317	-67.78	-13.0	54.8	Vertical	PASS
876.633	-48.59	-13.0	35.6	Vertical	N.A
1523.691	-57.04	-13.0	44.0	Vertical	PASS
2670.823	-52.42	-13.0	39.4	Vertical	PASS
8543.641	-45.43	-13.0	32.4	Vertical	PASS

(Plot K4: HSPA+ 850MHz Channel = 4175, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
192.070	-68.12	-13.0	55.1	Horizontal	PASS
453.317	-68.29	-13.0	55.3	Horizontal	PASS
842.768	-60.37	-13.0	47.4	Horizontal	N.A
891.147	-41.72	-13.0	28.7	Horizontal	N.A
2615.960	-50.94	-13.0	37.9	Horizontal	PASS
8567.955	-45.16	-13.0	32.2	Horizontal	PASS

(Plot K5: HSPA+ 850MHz Channel = 4233, Test Antenna Horizontal)




REPORT No.: SZ15060018W01



Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
192.070	-66.73	-13.0	53.7	Vertical	PASS
453.317	-67.52	-13.0	54.5	Vertical	PASS
845.187	-64.50	-13.0	51.5	Vertical	N.A
888.728	-55.98	-13.0	43.0	Vertical	N.A
1688.279	-54.52	-13.0	41.5	Vertical	PASS
5723.192	-49.09	-13.0	36.1	Vertical	PASS

(Plot K6: HSPA+ 850MHz Channel = 4233, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
100.150	-70.97	-13.0	58.0	Horizontal	PASS
453.317	-68.45	-13.0	55.5	Horizontal	PASS
1932.668	-46.42	-13.0	33.4	Horizontal	N.A
3720.698	-49.27	-13.0	36.3	Horizontal	PASS
5374.065	-47.19	-13.0	34.2	Horizontal	PASS
17159.601	-38.61	-13.0	25.6	Horizontal	PASS

(Plot L1: HSPA+ 1900MHz Channel = 9262, Test Antenna Horizontal)




REPORT No.: SZ15060018W01



Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
37.257	-68.40	-13.0	55.4	Vertical	PASS
90.474	-70.21	-13.0	57.2	Vertical	PASS
453.317	-69.17	-13.0	56.2	Vertical	PASS
1932.668	-44.92	-13.0	31.9	Vertical	N.A
3551.122	-50.43	-13.0	37.4	Vertical	PASS
5374.065	-47.67	-13.0	34.7	Vertical	PASS

(Plot L2: HSPA+ 1900MHz Channel = 9262, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
189.651	-65.88	-13.0	52.9	Horizontal	PASS
453.317	-67.74	-13.0	54.7	Horizontal	PASS
1957.606	-43.39	-13.0	30.4	Horizontal	N.A
3763.092	-46.29	-13.0	33.3	Horizontal	PASS
5755.611	-48.98	-13.0	36.0	Horizontal	PASS
17159.601	-39.48	-13.0	26.5	Horizontal	PASS

(Plot L3: HSPA+ 1900MHz Channel = 9400, Test Antenna Horizontal)




REPORT No.: SZ15060018W01



Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
121.920	-65.63	-13.0	52.6	Vertical	PASS
453.317	-67.99	-13.0	55.0	Vertical	PASS
1957.606	-39.86	-13.0	26.9	Vertical	N.A
3763.092	-46.89	-13.0	33.9	Vertical	PASS
5416.459	-47.16	-13.0	34.2	Vertical	PASS
9274.314	-43.31	-13.0	30.3	Vertical	PASS

(Plot L4: HSPA+ 1900MHz Channel = 9400, Test Antenna Vertical)




Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
100.150	-71.57	-13.0	58.6	Horizontal	PASS
189.651	-73.70	-13.0	60.7	Horizontal	PASS
453.317	-68.45	-13.0	55.5	Horizontal	PASS
1987.531	-37.70	-13.0	24.7	Horizontal	N.A
3805.486	-48.01	-13.0	35.0	Horizontal	PASS
17159.601	-39.30	-13.0	26.3	Horizontal	PASS

(Plot L5: HSPA+ 1900MHz Channel = 9538, Test Antenna Horizontal)



REPORT No.: SZ15060018W01



Fre. (MHz)	Peak	Limit(PK)	Margin	Antenna	Verdict
92.893	-69.57	-13.0	56.6	Vertical	PASS
211.421	-74.19	-13.0	61.2	Vertical	PASS
453.317	-68.36	-13.0	55.4	Vertical	PASS
1987.531	-39.15	-13.0	26.2	Vertical	N.A
3805.486	-48.20	-13.0	35.2	Vertical	PASS
11351.621	-42.04	-13.0	29.0	Vertical	PASS

(Plot L6: HSPA+ 1900MHz Channel = 9538, Test Antenna Vertical)

***** END OF REPORT *****