



Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	15.10	500	Complies
157	5785	15.20	500	Complies
165	5825	15.05	500	Complies



Date: 10.APR.2020 10:33:45




Date: 10.APR.2020 10:34:34




Date: 10.APR.2020 10:35:23

Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	33.90	500	Complies
159	5795	33.90	500	Complies



Date: 10.APR.2020 10:59:13



Date: 10.APR.2020 11:00:20

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.85	0.15	15.00	24.00	0.25	Complies
40	5200	18.09	0.15	18.24	24.00	0.25	Complies
48	5240	18.18	0.15	18.33	24.00	0.25	Complies

Test Mode	UNII-1_TX N (HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.87	0.15	15.02	24.00	0.25	Complies
40	5200	17.96	0.15	18.11	24.00	0.25	Complies
48	5240	18.12	0.15	18.27	24.00	0.25	Complies

Test Mode	UNII-1_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.66	0.29	13.95	24.00	0.25	Complies
46	5230	16.66	0.29	16.95	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.04	0.15	18.19	24.00	0.25	Complies
60	5300	18.32	0.15	18.47	24.00	0.25	Complies
64	5320	15.31	0.15	15.46	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.07	0.15	18.22	24.00	0.25	Complies
60	5300	18.19	0.15	18.34	24.00	0.25	Complies
64	5320	15.23	0.15	15.38	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.86	0.29	17.15	24.00	0.25	Complies
62	5310	12.95	0.29	13.24	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.77	0.15	14.92	24.00	0.25	Complies
116	5580	17.75	0.15	17.90	24.00	0.25	Complies
140	5700	14.85	0.15	15.00	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.61	0.15	14.76	24.00	0.25	Complies
116	5580	17.64	0.15	17.79	24.00	0.25	Complies
140	5700	13.75	0.15	13.90	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	11.36	0.29	11.65	24.00	0.25	Complies
110	5550	16.13	0.29	16.42	24.00	0.25	Complies
134	5670	14.46	0.29	14.75	24.00	0.25	Complies

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.02	0.15	15.17	30.00	1.00	Complies
157	5785	17.99	0.15	18.14	30.00	1.00	Complies
165	5825	14.85	0.15	15.00	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	12.74	0.15	12.89	30.00	1.00	Complies
157	5785	17.82	0.15	17.97	30.00	1.00	Complies
165	5825	14.66	0.15	14.81	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	12.39	0.29	12.68	30.00	1.00	Complies
159	5795	14.41	0.29	14.70	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.01	0.15	15.16	24.00	0.25	Complies
40	5200	17.62	0.15	17.77	24.00	0.25	Complies
48	5240	17.85	0.15	18.00	24.00	0.25	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	14.19	0.29	14.48	24.00	0.25	Complies
46	5230	16.87	0.29	17.16	24.00	0.25	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	12.74	0.56	13.30	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.86	0.15	18.01	24.00	0.25	Complies
60	5300	18.23	0.15	18.38	24.00	0.25	Complies
64	5320	15.28	0.15	15.43	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.92	0.29	17.21	24.00	0.25	Complies
62	5310	14.11	0.29	14.40	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.54	0.56	12.10	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.21	0.15	14.36	24.00	0.25	Complies
116	5580	17.74	0.15	17.89	24.00	0.25	Complies
140	5700	13.88	0.15	14.03	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.67	0.29	13.96	24.00	0.25	Complies
110	5550	16.46	0.29	16.75	24.00	0.25	Complies
134	5670	14.42	0.29	14.71	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	10.85	0.56	11.41	24.00	0.25	Complies
122	5610	15.18	0.56	15.74	24.00	0.25	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	14.83	0.15	14.98	30.00	1.00	Complies
157	5785	17.92	0.15	18.07	30.00	1.00	Complies
165	5825	14.62	0.15	14.77	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	14.59	0.29	14.88	30.00	1.00	Complies
159	5795	14.45	0.29	14.74	30.00	1.00	Complies


Test Mode	UNII-3_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.25	0.56	16.81	30.00	1.00	Complies


APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.68	0.15	5.83	11.00	Complies
40	5200	8.57	0.15	8.72	11.00	Complies
48	5240	8.35	0.15	8.50	11.00	Complies



Date: 10.APR.2020 09:54:51




Date: 10.APR.2020 09:55:40




Date: 10.APR.2020 09:56:29

Test Mode	UNII-1_TX N (HT20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.25	0.15	5.40	11.00	Complies
40	5200	8.20	0.15	8.35	11.00	Complies
48	5240	7.48	0.15	7.63	11.00	Complies



Date: 10.APR.2020 10:11:06




Date: 10.APR.2020 10:11:58




Date: 10.APR.2020 10:13:54

Test Mode	UNII-1_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.99	0.29	1.28	11.00	Complies
46	5230	3.85	0.29	4.14	11.00	Complies




Date: 10.APR.2020 10:36:59




Date: 10.APR.2020 10:37:55

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.24	0.15	8.39	11.00	Complies
60	5300	8.01	0.15	8.16	11.00	Complies
64	5320	5.60	0.15	5.75	11.00	Complies



Date: 10.APR.2020 09:59:41




Date: 10.APR.2020 10:00:20




Date: 10.APR.2020 10:02:51

Test Mode	UNII-2A_TX N (HT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.83	0.15	7.98	11.00	Complies
60	5300	8.02	0.15	8.17	11.00	Complies
64	5320	5.23	0.15	5.38	11.00	Complies



Date: 10.APR.2020 10:14:32




Date: 10.APR.2020 10:15:14




Date: 10.APR.2020 10:16:04

Test Mode	UNII-2A_TX N (HT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.83	0.29	4.12	11.00	Complies
62	5310	0.07	0.29	0.36	11.00	Complies




Date: 10.APR.2020 10:38:53




Date: 10.APR.2020 10:40:58

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.15	0.15	5.30	11.00	Complies
116	5580	8.45	0.15	8.60	11.00	Complies
140	5700	4.84	0.15	4.99	11.00	Complies



Date: 10.APR.2020 10:03:38




Date: 10.APR.2020 10:04:29




Date: 10.APR.2020 10:06:55

Test Mode	UNII-2C_TX N (HT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	4.74	0.15	4.89	11.00	Complies
116	5580	8.05	0.15	8.20	11.00	Complies
140	5700	4.04	0.15	4.19	11.00	Complies



Date: 10.APR.2020 10:17:23




Date: 10.APR.2020 10:18:10




Date: 10.APR.2020 10:18:54

Test Mode	UNII-2C_TX N (HT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-1.43	0.29	-1.14	11.00	Complies
110	5550	4.17	0.29	4.46	11.00	Complies
134	5670	2.07	0.29	2.36	11.00	Complies



Date: 10.APR.2020 10:41:55




Date: 10.APR.2020 10:42:52




Date: 10.APR.2020 10:44:09

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.83	0.15	2.98	30.00	Complies
157	5785	5.64	0.15	5.79	30.00	Complies
165	5825	2.53	0.15	2.68	30.00	Complies



Date: 10.APR.2020 10:07:42




Date: 10.APR.2020 10:08:33




Date: 10.APR.2020 10:10:10

Test Mode	UNII-3_TX N (HT20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	0.32	0.15	0.47	30.00	Complies
157	5785	5.45	0.15	5.60	30.00	Complies
165	5825	2.26	0.15	2.41	30.00	Complies



Date: 10.APR.2020 10:20:32




Date: 10.APR.2020 10:21:24




Date: 10.APR.2020 10:22:16

Test Mode	UNII-3_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-2.68	0.29	-2.39	30.00	Complies
159	5795	-0.55	0.29	-0.26	30.00	Complies




Date: 10.APR.2020 10:45:49




Date: 10.APR.2020 10:47:24

Test Mode	UNII-1_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.27	0.15	5.42	11.00	Complies
40	5200	8.17	0.15	8.32	11.00	Complies
48	5240	7.85	0.15	8.00	11.00	Complies



Date: 10.APR.2020 10:23:58




Date: 10.APR.2020 10:24:46




Date: 10.APR.2020 10:25:22

Test Mode	UNII-1_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.50	0.29	1.79	11.00	Complies
46	5230	3.43	0.29	3.72	11.00	Complies



Date: 10.APR.2020 10:48:36




Date: 10.APR.2020 10:50:55

Test Mode	UNII-1_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-3.37	0.56	-2.81	11.00	Complies


CH42




Date: 10.APR.2020 11:00:49

Test Mode	UNII-2A_TX AC (VHT20) Mode
-----------	----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.90	0.15	8.05	11.00	Complies
60	5300	8.09	0.15	8.24	11.00	Complies
64	5320	5.31	0.15	5.46	11.00	Complies



Date: 10.APR.2020 10:25:58




Date: 10.APR.2020 10:27:19




Date: 10.APR.2020 10:28:07

Test Mode	UNII-2A_TX AC (VHT40) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.69	0.29	3.98	11.00	Complies
62	5310	1.11	0.29	1.40	11.00	Complies




Date: 10.APR.2020 10:51:42




Date: 10.APR.2020 10:52:41

Test Mode	UNII-2C_TX AC (VHT20) Mode
-----------	----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.82	0.15	3.97	11.00	Complies
116	5580	7.98	0.15	8.13	11.00	Complies
140	5700	3.98	0.15	4.13	11.00	Complies



Date: 10.APR.2020 10:30:00




Date: 10.APR.2020 10:30:47




Date: 10.APR.2020 10:31:38

Test Mode	UNII-2C_TX AC (VHT40) Mode
-----------	----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.78	0.29	1.07	11.00	Complies
110	5550	4.08	0.29	4.37	11.00	Complies
134	5670	2.08	0.29	2.37	11.00	Complies



Date: 10.APR.2020 10:55:22



Date: 10.APR.2020 10:56:24




Date: 10.APR.2020 10:57:24

Test Mode	UNII-2C_TX AC (VHT80) Mode
-----------	----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-5.00	0.56	-4.44	11.00	Complies
122	5610	-0.29	0.56	0.27	11.00	Complies

CH106



Date: 10.APR.2020 11:03:40


CH122




Date: 10.APR.2020 11:04:39

Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	2.40	0.15	2.55	30.00	Complies
157	5785	5.33	0.15	5.48	30.00	Complies
165	5825	2.19	0.15	2.34	30.00	Complies



Date: 10.APR.2020 10:33:19




Date: 10.APR.2020 10:34:05




Date: 10.APR.2020 10:34:53

Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-0.57	0.29	-0.28	30.00	Complies
159	5795	-0.71	0.29	-0.42	30.00	Complies



Date: 10.APR.2020 10:58:37




Date: 10.APR.2020 10:59:43

Test Mode	UNII-3_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-2.08	0.56	-1.52	30.00	Complies

CH155



Date: 10.APR.2020 11:05:37

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
4.45	5179.9856
3.87	5179.9828
3.50	5179.9812
Maximum Deviation (MHz)	0.0188
Maximum Deviation (ppm)	3.6293

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5179.9800
5	5179.9792
15	5179.9788
25	5179.9784
35	5179.9780
Maximum Deviation (MHz)	0.0220
Maximum Deviation (ppm)	4.2471

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
4.45	5259.9844
3.87	5259.9812
3.50	5259.9796
Maximum Deviation (MHz)	0.0204
Maximum Deviation (ppm)	3.8783

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5260.0000
0	5259.9784
5	5259.9780
15	5259.9776
25	5259.9772
35	5259.9768
Maximum Deviation (MHz)	0.0228
Maximum Deviation (ppm)	4.3346

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
4.45	5499.9804
3.87	5499.9780
3.50	5499.9768
Maximum Deviation (MHz)	0.0232
Maximum Deviation (ppm)	4.2182

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5500.0000
0	5499.9760
5	5499.9756
15	5499.9752
25	5499.9752
35	5499.9748
Maximum Deviation (MHz)	0.0252
Maximum Deviation (ppm)	4.5818

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
4.45	5744.9756
3.87	5744.9748
3.50	5744.9744
Maximum Deviation (MHz)	0.0256
Maximum Deviation (ppm)	4.4560

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5744.9740
5	5744.9740
15	5744.9740
25	5744.9736
35	5744.9736
Maximum Deviation (MHz)	0.0264
Maximum Deviation (ppm)	4.5953

End of Test Report