


Test Mode	UNII-2C_TX AC (VHT20) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	29.19	18.50
116	5580	28.80	18.40
140	5700	26.99	18.30

CH100




Date: 28.JUN.2020 14:40:16

CH116
26 dB Bandwidth




Date: 28.JUN.2020 14:41:53

CH140




Date: 28.JUN.2020 14:42:44


99 % Emission Bandwidth



Date: 28.JUN.2020 14:39:57



Date: 28.JUN.2020 14:41:34




Date: 28.JUN.2020 14:42:26

Test Mode	UNII-2C_TX AC (VHT40) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	41.79	37.00
110	5550	41.80	36.80
134	5670	42.30	36.80

CH102




Date: 28 JUN 2020 15:21:07

CH110
26 dB Bandwidth




Date: 28 JUN 2020 15:23:30

CH134




Date: 28 JUN 2020 15:26:41


99 % Emission Bandwidth



Date: 28 JUN 2020 15:20:36



Date: 28 JUN 2020 15:23:03




Date: 28 JUN 2020 15:26:12

Test Mode	UNII-2C_TX AC (VHT80) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
106	5530	84.20	76.00
122	5610	122.40	76.80

CH106




Date: 28.JUN.2020 15:36:32

CH122
26 dB Bandwidth




Date: 28.JUN.2020 15:38:20

99 % Emission Bandwidth



Date: 28.JUN.2020 15:36:07




Date: 28.JUN.2020 15:38:01


Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	15.40	18.30	500	Complies
157	5785	15.90	18.30	500	Complies
165	5825	16.10	18.20	500	Complies

CH149




Date: 28.JUN.2020 14:45:28

CH157
6 dB Bandwidth



Date: 28.JUN.2020 14:46:55

CH165




Date: 28.JUN.2020 14:47:52


99 % Emission Bandwidth



Date: 28.JUN.2020 14:45:04



Date: 28.JUN.2020 14:46:29




Date: 28.JUN.2020 14:47:29

Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	35.70	36.80	500	Complies
159	5795	36.00	36.80	500	Complies

CH151




Date: 28.JUN.2020 15:27:57

CH159
6 dB Bandwidth




Date: 28.JUN.2020 15:29:46

99 % Emission Bandwidth



Date: 28.JUN.2020 15:27:28




Date: 28.JUN.2020 15:29:18

Test Mode	UNII-3_TX AC (VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	75.60	76.40	500	Complies

CH155 6 dB Bandwidth



Date: 28 JUN 2020 15:40:02

99 % Emission Bandwidth



Date: 28 JUN 2020 15:39:32

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.15	0.00	17.15	24.00	0.25	Complies
40	5200	17.14	0.00	17.14	24.00	0.25	Complies
48	5240	17.24	0.00	17.24	24.00	0.25	Complies

Test Mode	UNII-1_TX N (HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.04	0.00	16.04	24.00	0.25	Complies
40	5200	16.08	0.00	16.08	24.00	0.25	Complies
48	5240	16.16	0.00	16.16	24.00	0.25	Complies

Test Mode	UNII-1_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.16	0.09	13.25	24.00	0.25	Complies
46	5230	15.59	0.09	15.68	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.22	0.00	17.22	24.00	0.25	Complies
60	5300	17.38	0.00	17.38	24.00	0.25	Complies
64	5320	17.43	0.00	17.43	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.11	0.00	16.11	24.00	0.25	Complies
60	5300	16.26	0.00	16.26	24.00	0.25	Complies
64	5320	16.32	0.00	16.32	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.67	0.09	15.76	24.00	0.25	Complies
62	5310	15.77	0.09	15.86	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.35	0.00	17.35	24.00	0.25	Complies
116	5580	17.48	0.00	17.48	24.00	0.25	Complies
140	5700	17.25	0.00	17.25	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.28	0.00	16.28	24.00	0.25	Complies
116	5580	16.41	0.00	16.41	24.00	0.25	Complies
140	5700	16.24	0.00	16.24	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.86	0.09	15.95	24.00	0.25	Complies
110	5550	15.88	0.09	15.97	24.00	0.25	Complies
134	5670	16.07	0.09	16.16	24.00	0.25	Complies

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.88	0.00	16.88	30.00	1.00	Complies
157	5785	16.93	0.00	16.93	30.00	1.00	Complies
165	5825	17.07	0.00	17.07	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	15.68	0.00	15.68	30.00	1.00	Complies
157	5785	15.73	0.00	15.73	30.00	1.00	Complies
165	5825	15.84	0.00	15.84	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.64	0.09	15.73	30.00	1.00	Complies
159	5795	15.05	0.09	15.14	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	17.03	0.00	17.03	24.00	0.25	Complies
40	5200	17.07	0.00	17.07	24.00	0.25	Complies
48	5240	17.12	0.00	17.12	24.00	0.25	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.14	0.16	13.30	24.00	0.25	Complies
46	5230	16.73	0.16	16.89	24.00	0.25	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	10.76	0.37	11.13	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.18	0.00	17.18	24.00	0.25	Complies
60	5300	17.23	0.00	17.23	24.00	0.25	Complies
64	5320	17.37	0.00	17.37	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.78	0.16	16.94	24.00	0.25	Complies
62	5310	15.19	0.16	15.35	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.82	0.37	13.19	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.25	0.00	17.25	24.00	0.25	Complies
116	5580	17.38	0.00	17.38	24.00	0.25	Complies
140	5700	16.27	0.00	16.27	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	15.82	0.16	15.98	24.00	0.25	Complies
110	5550	16.93	0.16	17.09	24.00	0.25	Complies
134	5670	17.16	0.16	17.32	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.03	0.37	13.40	24.00	0.25	Complies
122	5610	16.49	0.37	16.86	24.00	0.25	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.78	0.00	16.78	30.00	1.00	Complies
157	5785	16.83	0.00	16.83	30.00	1.00	Complies
165	5825	16.97	0.00	16.97	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.27	0.16	16.43	30.00	1.00	Complies
159	5795	16.11	0.16	16.27	30.00	1.00	Complies


Test Mode	UNII-3_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.78	0.37	16.15	30.00	1.00	Complies


APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.16	0.00	8.16	11.00	Complies
40	5200	8.09	0.00	8.09	11.00	Complies
48	5240	7.91	0.00	7.91	11.00	Complies



Date: 28 JUN 2020 10:52:39




Date: 28 JUN 2020 10:54:58




Date: 28 JUN 2020 10:55:46

Test Mode	UNII-1_TX N (HT20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.80	0.00	6.80	11.00	Complies
40	5200	6.80	0.00	6.80	11.00	Complies
48	5240	6.58	0.00	6.58	11.00	Complies



Date: 28 JUN 2020 11:09:41



Date: 28 JUN 2020 11:11:39




Date: 28 JUN 2020 11:13:42

Test Mode	UNII-1_TX N (HT40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.10	0.09	1.19	11.00	Complies
46	5230	3.03	0.09	3.12	11.00	Complies

CH38



Date: 28 JUN 2020 14:49:15


CH46




Date: 28 JUN 2020 14:50:14

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.87	0.00	7.87	11.00	Complies
60	5300	8.08	0.00	8.08	11.00	Complies
64	5320	8.42	0.00	8.42	11.00	Complies



Date: 28.JUN.2020 10:57:05




Date: 28.JUN.2020 10:58:09




Date: 28.JUN.2020 11:00:02

Test Mode	UNII-2A_TX N (HT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.53	0.00	6.53	11.00	Complies
60	5300	6.76	0.00	6.76	11.00	Complies
64	5320	6.97	0.00	6.97	11.00	Complies



Date: 28.JUN.2020 11:15:20



Date: 28.JUN.2020 11:16:36




Date: 28.JUN.2020 11:18:31

Test Mode	UNII-2A_TX N (HT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	2.96	0.09	3.05	11.00	Complies
62	5310	3.34	0.09	3.43	11.00	Complies

CH54



Date: 28 JUN 2020 14:52:41


CH62




Date: 28 JUN 2020 14:55:05

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	8.63	0.00	8.63	11.00	Complies
116	5580	8.70	0.00	8.70	11.00	Complies
140	5700	8.25	0.00	8.25	11.00	Complies



Date: 28.JUN.2020 11:01:16




Date: 28.JUN.2020 11:02:07




Date: 28.JUN.2020 11:02:55

Test Mode	UNII-2C_TX N (HT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.04	0.00	7.04	11.00	Complies
116	5580	7.21	0.00	7.21	11.00	Complies
140	5700	6.81	0.00	6.81	11.00	Complies



Date: 28.JUN.2020 14:15:28




Date: 28.JUN.2020 14:17:02




Date: 28.JUN.2020 14:18:39

Test Mode	UNII-2C_TX N (HT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.90	0.09	3.99	11.00	Complies
110	5550	3.96	0.09	4.05	11.00	Complies
134	5670	4.01	0.09	4.10	11.00	Complies



Date: 28.JUN.2020 14:57:51




Date: 28.JUN.2020 14:59:28




Date: 28.JUN.2020 15:03:54

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	4.97	0.00	4.97	30.00	Complies
157	5785	4.71	0.00	4.71	30.00	Complies
165	5825	4.78	0.00	4.78	30.00	Complies



Date: 28.JUN.2020 11:06:17




Date: 28.JUN.2020 11:07:14




Date: 28.JUN.2020 11:08:40

Test Mode	UNII-3_TX N (HT20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	3.32	0.00	3.32	30.00	Complies
157	5785	3.11	0.00	3.11	30.00	Complies
165	5825	3.13	0.00	3.13	30.00	Complies



Date: 28.JUN.2020 14:21:26





Date: 28.JUN.2020 14:24:23



Date: 28.JUN.2020 14:27:01

Test Mode	UNII-3_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	0.52	0.09	0.61	30.00	Complies
159	5795	-0.04	0.09	0.05	30.00	Complies




Date: 28.JUN.2020 15:06:29


Date: 28.JUN.2020 15:09:22

Test Mode	UNII-1_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.51	0.00	7.51	11.00	Complies
40	5200	7.46	0.00	7.46	11.00	Complies
48	5240	7.27	0.00	7.27	11.00	Complies



Date: 28 JUN 2020 14:30:20




Date: 28 JUN 2020 14:33:35




Date: 28 JUN 2020 14:34:24

Test Mode	UNII-1_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.09	0.16	1.25	11.00	Complies
46	5230	4.14	0.16	4.30	11.00	Complies




Date: 28 JUN 2020 15:12:13



Date: 28 JUN 2020 15:14:01

Test Mode	UNII-1_TX AC (VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-4.49	0.37	-4.12	11.00	Complies




Date: 28 JUN 2020 15:31:59

Test Mode	UNII-2A_TX AC (VHT20) Mode
-----------	----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.17	0.00	7.17	11.00	Complies
60	5300	7.43	0.00	7.43	11.00	Complies
64	5320	7.76	0.00	7.76	11.00	Complies



Date: 28 JUN 2020 14:35:50




Date: 28 JUN 2020 14:36:40




Date: 28 JUN 2020 14:39:36

Test Mode	UNII-2A_TX AC (VHT40) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	4.03	0.16	4.19	11.00	Complies
62	5310	2.71	0.16	2.87	11.00	Complies




Date: 28 JUN 2020 15:18:05



Date: 28 JUN 2020 15:19:42


Test Mode	UNII-2A_TX AC (VHT80) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-2.78	0.37	-2.41	11.00	Complies




Test Mode	UNII-2C_TX AC (VHT20) Mode
-----------	----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	7.95	0.00	7.95	11.00	Complies
116	5580	8.04	0.00	8.04	11.00	Complies
140	5700	6.83	0.00	6.83	11.00	Complies



Date: 28.JUN.2020 14:40:30




Date: 28.JUN.2020 14:42:07




Date: 28.JUN.2020 14:42:58

Test Mode	UNII-2C_TX AC (VHT40) Mode
-----------	----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.88	0.16	4.04	11.00	Complies
110	5550	5.02	0.16	5.18	11.00	Complies
134	5670	5.09	0.16	5.25	11.00	Complies



Date: 28.JUN.2020 15:21:26



Date: 28.JUN.2020 15:23:50




Date: 28.JUN.2020 15:27:01

Test Mode	UNII-2C_TX AC (VHT80) Mode
-----------	----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-2.01	0.37	-1.64	11.00	Complies
122	5610	1.25	0.37	1.62	11.00	Complies

CH106



Date: 28 JUN 2020 15:36:51




CH122



Date: 28 JUN 2020 15:38:39



Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	4.36	0.00	4.36	30.00	Complies
157	5785	4.15	0.00	4.15	30.00	Complies
165	5825	4.12	0.00	4.12	30.00	Complies




Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	1.12	0.16	1.28	30.00	Complies
159	5795	0.76	0.16	0.92	30.00	Complies



Test Mode	UNII-3_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-2.45	0.37	-2.08	30.00	Complies



Date: 28 JUN 2020 15:40:22

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
4.45	5179.9972
3.87	5179.9960
3.30	5179.9964
Maximum Deviation (MHz)	0.0040
Maximum Deviation (ppm)	0.7722

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5179.9960
10	5179.9960
20	5179.9952
30	5179.9960
35	5179.9964
Maximum Deviation (MHz)	0.0048
Maximum Deviation (ppm)	0.9266

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
4.45	5259.9972
3.87	5259.9972
3.30	5259.9968
Maximum Deviation (MHz)	0.0032
Maximum Deviation (ppm)	0.6084

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5260.0000
0	5259.9972
10	5259.9964
20	5259.9964
30	5259.9956
35	5259.9960
Maximum Deviation (MHz)	0.0044
Maximum Deviation (ppm)	0.8365

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
4.45	5499.9976
3.87	5499.9956
3.30	5499.9980
Maximum Deviation (MHz)	0.0044
Maximum Deviation (ppm)	0.8000

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5500.0000
0	5499.9976
10	5499.9972
20	5499.9960
30	5499.9972
35	5499.9960
Maximum Deviation (MHz)	0.0040
Maximum Deviation (ppm)	0.7273

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
4.45	5744.9968
3.87	5744.9964
3.30	5744.9972
Maximum Deviation (MHz)	0.0036
Maximum Deviation (ppm)	0.6266

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5744.9972
10	5744.9964
20	5744.9980
30	5744.9980
35	5744.9968
Maximum Deviation (MHz)	0.0036
Maximum Deviation (ppm)	0.6266

End of Test Report