


Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5550 MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5548.600	75.10	17.13	92.23	68.30	23.93	peak	No Limit
2	X	5548.800	68.46	17.13	85.59	68.30	17.29	AVG	No Limit


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
 (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5550 MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11099.2400	27.41	11.79	39.20	54.00	-14.80	AVG	
2	11103.2550	39.54	11.79	51.33	74.00	-22.67	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5550 MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	40.55	16.90	57.45	74.00	-16.55	peak	
2		5460.000	30.87	16.90	47.77	54.00	-6.23	AVG	
3		5470.000	40.40	16.92	57.32	68.30	-10.98	peak	
4	*	5548.600	87.98	17.13	105.11	68.30	36.81	peak	No Limit
5	X	5548.600	81.18	17.13	98.31	68.30	30.01	AVG	No Limit


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5550 MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11097.4200	27.55	11.78	39.33	54.00	-14.67	AVG	
2	11098.0599	39.53	11.78	51.31	74.00	-22.69	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5670 MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	5671.600	67.02	17.50	84.52	68.30	16.22	AVG	No Limit
2	*	5673.200	73.19	17.50	90.69	68.30	22.39	peak	No Limit
3		5725.000	36.28	17.65	53.93	68.30	-14.37	peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5670 MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11340.1650	39.48	12.06	51.54	74.00	-22.46	Peak	
2 *	11344.6250	27.56	12.07	39.63	54.00	-14.37	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5670 MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5660.000	88.65	17.47	106.12	68.30	37.82	peak	No Limit
2	X	5668.600	80.64	17.49	98.13	68.30	29.83	peak	No Limit
3		5725.000	43.49	17.65	61.14	68.30	-7.16	peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT40) Mode 5670 MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11335.6600	39.46	12.06	51.52	74.00	-22.48	Peak	
2 *	11341.0850	27.44	12.07	39.51	54.00	-14.49	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5530 MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	36.51	16.90	53.41	74.00	-20.59	peak	
2		5460.000	28.96	16.90	45.86	54.00	-8.14	AVG	
3		5470.000	37.94	16.92	54.86	68.30	-13.44	peak	
4	X	5527.200	62.45	17.06	79.51	68.30	11.21	AVG	No Limit
5	*	5527.600	70.49	17.06	87.55	68.30	19.25	peak	No Limit


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5530 MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11059.3350	26.95	12.07	39.02	54.00	-14.98	AVG	
2	11061.4050	38.43	12.08	50.51	74.00	-23.49	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5530 MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5457.600	39.27	16.88	56.15	74.00	-17.85	peak	
2		5457.600	30.71	16.88	47.59	54.00	-6.41	AVG	
3		5460.000	37.54	16.90	54.44	74.00	-19.56	peak	
4		5460.000	30.15	16.90	47.05	54.00	-6.95	AVG	
5		5470.000	40.01	16.92	56.93	68.30	-11.37	peak	
6	*	5520.400	80.65	17.04	97.69	68.30	29.39	peak	No Limit
7	X	5527.600	72.66	17.06	89.72	68.30	21.42	AVG	No Limit


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5530 MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11058.2550	27.09	12.07	39.16	54.00	-14.84	AVG	
2	11061.6550	38.27	12.08	50.35	74.00	-23.65	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5610 MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5612.800	70.41	17.32	87.73	68.30	19.43	peak	No Limit
2	X	5612.800	63.27	17.32	80.59	68.30	12.29	AVG	No Limit
3		5725.000	37.31	17.65	54.96	68.30	-13.34	peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5610 MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11220.1550	27.16	12.33	39.49	54.00	-14.51	AVG	
2	11222.0450	38.38	12.33	50.71	74.00	-23.29	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5610 MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5460.000	38.47	16.90	55.37	74.00	-18.63	peak	
2		5460.000	30.19	16.90	47.09	54.00	-6.91	AVG	
3	X	5607.600	75.76	17.31	93.07	68.30	24.77	AVG	No Limit
4	*	5608.400	83.36	17.31	100.67	68.30	32.37	peak	No Limit
5		5725.000	39.68	17.65	57.33	68.30	-10.97	peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-2C_TX AC (VHT80) Mode 5610 MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11219.8200	38.09	12.33	50.42	74.00	-23.58	Peak	
2 *	11222.4800	27.29	12.33	39.62	54.00	-14.38	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5745 MHz

Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.000	37.72	17.62	55.34	109.40	-54.06	peak	
2	5725.000	49.05	17.65	66.70	122.20	-55.50	peak	
3 *	5743.600	82.89	17.70	100.59	122.20	-21.61	peak	No Limit


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5745 MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11489.6650	40.69	12.24	52.93	74.00	-21.07	Peak	
2 *	11494.5050	28.57	12.24	40.81	54.00	-13.19	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5745 MHz

Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.000	48.28	17.62	65.90	109.40	-43.50	peak	
2	5725.000	55.88	17.65	73.53	122.20	-48.67	peak	
3 *	5745.800	89.51	17.71	107.22	122.20	-14.98	peak	No Limit


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5745 MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11487.5400	40.15	12.24	52.39	74.00	-21.61	Peak	
2 *	11489.4800	28.46	12.24	40.70	54.00	-13.30	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5785 MHz

Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5786.800	81.72	17.84	99.56	122.20	-22.64	peak	No Limit


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5785 MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11569.9200	40.67	12.34	53.01	74.00	-20.99	Peak	
2 *	11571.7550	28.42	12.34	40.76	54.00	-13.24	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5785 MHz

Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5786.000	87.60	17.83	105.43	122.20	-16.77	peak	No Limit


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5785 MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11574.3700	40.23	12.34	52.57	74.00	-21.43	Peak	
2 *	11574.8250	28.14	12.34	40.48	54.00	-13.52	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5824.000	83.05	17.95	101.00	122.20	-21.20	peak	No Limit
2		5850.000	46.22	18.03	64.25	122.20	-57.95	peak	
3		5860.000	38.98	18.06	57.04	109.40	-52.36	peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11650.8099	28.56	12.44	41.00	54.00	-13.00	AVG	
2	11652.8750	40.56	12.44	53.00	74.00	-21.00	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5826.400	86.72	17.96	104.68	122.20	-17.52	peak	No Limit
2		5850.000	48.22	18.03	66.25	122.20	-55.95	peak	
3		5860.000	43.16	18.06	61.22	109.40	-48.18	peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT20) Mode 5825 MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11650.2150	28.14	12.44	40.58	54.00	-13.42	AVG	
2	11652.6400	40.65	12.44	53.09	74.00	-20.91	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz

Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.000	48.05	17.62	65.67	109.40	-43.73	peak	
2	5725.000	52.74	17.65	70.39	122.20	-51.81	peak	
3 *	5753.000	81.47	17.74	99.21	122.20	-22.99	peak	No Limit


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11507.1550	39.53	12.26	51.79	74.00	-22.21	Peak	
2 *	11512.6950	27.52	12.27	39.79	54.00	-14.21	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	49.72	17.62	67.34	109.40	-42.06	peak	
2		5725.000	58.57	17.65	76.22	122.20	-45.98	peak	
3	*	5757.600	85.43	17.75	103.18	122.20	-19.02	peak	No Limit


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5755 MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11508.8700	39.40	12.26	51.66	74.00	-22.34	Peak	
2 *	11512.1849	27.57	12.27	39.84	54.00	-14.16	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Vertical



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	5796.400	81.61	17.86	99.47	122.20	-22.73	peak	No Limit
2	5850.000	40.85	18.03	58.88	122.20	-63.32	peak	
3	5860.000	40.28	18.06	58.34	109.40	-51.06	peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	11585.0250	27.83	12.36	40.19	54.00	-13.81	AVG	
2	11588.2050	39.85	12.36	52.21	74.00	-21.79	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	5796.800	85.05	17.86	102.91	122.20	-19.29	peak	No Limit
2		5850.000	40.15	18.03	58.18	122.20	-64.02	peak	
3		5860.000	38.70	18.06	56.76	109.40	-52.64	peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT40) Mode 5795 MHz

Horizontal

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11585.0400	39.73	12.36	52.09	74.00	-21.91	Peak	
2 *	11585.2100	27.44	12.36	39.80	54.00	-14.20	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		5715.000	49.03	17.62	66.65	109.40	-42.75	peak	
2		5725.000	49.08	17.65	66.73	122.20	-55.47	peak	
3	*	5768.200	79.11	17.78	96.89	122.20	-25.31	peak	No Limit
4		5850.000	46.41	18.03	64.44	122.20	-57.76	peak	
5		5860.000	44.77	18.06	62.83	109.40	-46.57	peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Vertical

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11548.7500	38.00	12.81	50.81	74.00	-23.19	Peak	
2 *	11551.0750	27.11	12.81	39.92	54.00	-14.08	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Horizontal



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	5715.000	54.58	17.62	72.20	109.40	-37.20	peak	
2	5725.000	59.10	17.65	76.75	122.20	-45.45	peak	
3 *	5773.400	83.78	17.79	101.57	122.20	-20.63	peak	No Limit
4	5850.000	49.00	18.03	67.03	122.20	-55.17	peak	
5	5860.000	47.54	18.06	65.60	109.40	-43.80	peak	


REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Orthogonal Axis	X
Test Mode	UNII-3_TX AC (VHT80) Mode 5775 MHz

Horizontal

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	11551.6500	37.95	12.81	50.76	74.00	-23.24	Peak	
2 *	11551.9750	27.17	12.81	39.98	54.00	-14.02	AVG	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	31.35	17.40
40	5200	31.15	17.30
48	5240	33.95	17.10

CH36




Date: 12.SEP.2020 13:40:45

CH40
26 dB Bandwidth




Date: 12.SEP.2020 13:41:37

CH48




Date: 12.SEP.2020 13:42:29


99 % Emission Bandwidth



Date: 12.SEP.2020 13:40:30



Date: 12.SEP.2020 13:41:20




Date: 19.SEP.2020 14:41:16

Test Mode	UNII-1_TX N (HT20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	32.75	17.90
40	5200	32.25	18.20
48	5240	31.90	18.40

CH36




Date: 12.SEP.2020 13:48:20

CH40
26 dB Bandwidth




Date: 12.SEP.2020 13:49:04

CH48




Date: 12.SEP.2020 13:49:48


99 % Emission Bandwidth



Date: 19.SEP.2020 14:48:56



Date: 12.SEP.2020 13:48:48




Date: 19.SEP.2020 14:49:58

Test Mode	UNII-1_TX N (HT40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	48.60	37.40
46	5230	51.20	37.60

CH38




Date: 12,SEP,2020 13:55:58

CH46
26 dB Bandwidth




Date: 12,SEP,2020 13:57:13

99 % Emission Bandwidth



Date: 12,SEP,2020 13:55:09




Date: 12,SEP,2020 13:56:32

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	29.80	17.30
60	5300	23.90	17.00
64	5320	20.40	16.80

CH52




Date: 19.SEP.2020 14:08:55

CH60
26 dB Bandwidth




Date: 19.SEP.2020 14:11:04

CH64




Date: 19.SEP.2020 14:12:51


99 % Emission Bandwidth



Date: 19.SEP.2020 14:08:12



Date: 19.SEP.2020 14:42:14




Date: 19.SEP.2020 14:12:06

Test Mode	UNII-2A_TX N (HT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	33.15	18.40
60	5300	23.70	18.00
64	5320	20.75	17.90

CH52




Date: 19.SEP.2020 14:20:00

CH60
26 dB Bandwidth




Date: 19.SEP.2020 14:21:15

CH64




Date: 19.SEP.2020 14:24:42


99 % Emission Bandwidth



Date: 19.SEP.2020 14:50:32



Date: 19.SEP.2020 14:51:14




Date: 19.SEP.2020 14:23:37

Test Mode	UNII-2A_TX N (HT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
54	5270	42.39	37.60
62	5310	40.51	36.40

CH54




Date: 19,SEP,2020 15:02:43

CH62
26 dB Bandwidth




Date: 19,SEP,2020 15:05:09

99 % Emission Bandwidth



Date: 19,SEP,2020 15:01:05




Date: 19,SEP,2020 15:03:33

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	20.21	16.80
116	5580	31.00	17.30
140	5700	20.25	16.80

CH100




Date: 19.SEP.2020 14:14:10

CH116
26 dB Bandwidth




Date: 19.SEP.2020 14:16:11

CH140




Date: 19.SEP.2020 14:17:29


99 % Emission Bandwidth



Date: 19.SEP.2020 14:42:54



Date: 19.SEP.2020 14:15:30




Date: 19.SEP.2020 14:43:35

Test Mode	UNII-2C_TX N (HT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	20.75	17.80
116	5580	31.59	18.40
140	5700	20.65	17.80

CH100




Date: 19.SEP.2020 14:28:11

CH116
26 dB Bandwidth




Date: 19.SEP.2020 14:30:38

CH140




Date: 19.SEP.2020 14:33:36


99 % Emission Bandwidth



Date: 19.SEP.2020 14:26:25



Date: 19.SEP.2020 14:29:46




Date: 19.SEP.2020 14:32:40

Test Mode	UNII-2C_TX N (HT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	40.40	36.80
110	5550	45.50	37.20
134	5670	40.31	36.80

CH102




Date: 19.SEP.2020 15:06:54

CH110
26 dB Bandwidth




Date: 19.SEP.2020 15:09:03

CH134




Date: 19.SEP.2020 15:10:49


99 % Emission Bandwidth



Date: 19.SEP.2020 15:05:59



Date: 19.SEP.2020 15:08:13




Date: 19.SEP.2020 15:09:55

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	15.25	17.20	500	Complies
157	5785	15.79	17.40	500	Complies
165	5825	15.19	17.00	500	Complies

CH149




Date: 12.SEP.2020 13:44:48

CH157
6 dB Bandwidth




Date: 12.SEP.2020 13:45:46

CH165




Date: 12.SEP.2020 13:46:40


99 % Emission Bandwidth



Date: 12.SEP.2020 13:44:26



Date: 19.SEP.2020 14:44:39




Date: 19.SEP.2020 14:45:07

Test Mode	UNII-3_TX N (HT20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	15.15	18.40	500	Complies
157	5785	15.29	18.40	500	Complies
165	5825	15.15	18.40	500	Complies

CH149




Date: 12.SEP.2020 13:51:07

CH157
6 dB Bandwidth




Date: 12.SEP.2020 13:52:00

CH165




Date: 12.SEP.2020 13:52:54


99 % Emission Bandwidth



Date: 19.SEP.2020 14:52:11



Date: 19.SEP.2020 14:52:45




Date: 19.SEP.2020 14:53:21

Test Mode	UNII-3_TX N (HT40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	35.10	37.40	500	Complies
159	5795	34.20	37.40	500	Complies

CH151




Date: 12,SEP,2020 13:58:30

CH159
6 dB Bandwidth




Date: 12,SEP,2020 13:59:36

99 % Emission Bandwidth



Date: 19,SEP,2020 14:57:28




Date: 12,SEP,2020 13:59:04

Test Mode	UNII-1_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
36	5180	31.69	18.20
40	5200	35.45	18.20
48	5240	34.20	18.20

CH36




Date: 12.SEP.2020 14:00:53

CH40
26 dB Bandwidth




Date: 12.SEP.2020 14:02:16

CH48




Date: 12.SEP.2020 14:02:57


99 % Emission Bandwidth



Date: 12.SEP.2020 14:00:51



Date: 12.SEP.2020 14:02:02




Date: 12.SEP.2020 14:02:42

Test Mode	UNII-1_TX AC (VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
38	5190	43.19	37.00
46	5230	49.60	37.20

CH38




Date: 12.SEP.2020 14:07:14

CH46
26 dB Bandwidth




Date: 12.SEP.2020 14:10:42

99 % Emission Bandwidth



Date: 12.SEP.2020 14:06:48




Date: 12.SEP.2020 14:10:24

Test Mode	UNII-1_TX AC (VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
42	5210	137.80	76.00

CH42 26 dB Bandwidth



Date: 12.SEP.2020 14:13:58

99 % Emission Bandwidth




Date: 12.SEP.2020 14:13:41

Test Mode	UNII-2A_TX AC (VHT20) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
52	5260	34.40	18.40
60	5300	26.29	18.00
64	5320	20.75	17.80

CH52




Date: 19.SEP.2020 15:14:46

CH60
26 dB Bandwidth




Date: 19.SEP.2020 15:16:57

CH64




Date: 19.SEP.2020 15:18:53


99 % Emission Bandwidth



Date: 19.SEP.2020 15:14:05



Date: 19.SEP.2020 15:16:00




Date: 19.SEP.2020 15:17:57

Test Mode	UNII-2A_TX AC (VHT40) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
54	5270	40.19	36.80
62	5310	40.61	36.40

CH54




Date: 19,SEP,2020 15:28:32

CH62
26 dB Bandwidth




Date: 19,SEP,2020 15:29:54

99 % Emission Bandwidth



Date: 19,SEP,2020 15:27:07




Date: 19,SEP,2020 15:29:10

Test Mode	UNII-2A_TX AC (VHT80) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
58	5290	81.80	75.60

CH58 26 dB Bandwidth



Date: 19.SEP.2020 15:44:26

99 % Emission Bandwidth




Date: 19.SEP.2020 15:43:30

Test Mode	UNII-2C_TX AC (VHT20) Mode
-----------	----------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
100	5500	20.90	17.80
116	5580	33.85	18.20
140	5700	20.75	17.80

CH100




Date: 19.SEP.2020 15:21:51

CH116
26 dB Bandwidth




Date: 19.SEP.2020 15:23:08

CH140




Date: 19.SEP.2020 15:25:56


99 % Emission Bandwidth



Date: 19.SEP.2020 15:20:56



Date: 19.SEP.2020 15:22:30



Date: 19.SEP.2020 15:25:01