



Test Mode	UNII-2C_TX AC (VHT40) Mode
-----------	----------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)
102	5510	40.20	36.40
110	5550	40.60	36.60
134	5670	41.19	37.20

CH102




Date: 19.SEP.2020 15:31:19

CH110
26 dB Bandwidth



Date: 19.SEP.2020 15:33:22

CH134




Date: 19.SEP.2020 15:35:02


99 % Emission Bandwidth



Date: 19.SEP.2020 15:30:32



Date: 19.SEP.2020 15:32:39




Date: 19.SEP.2020 15:34:09


Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
149	5745	15.10	18.20	500	Complies
157	5785	15.20	18.10	500	Complies
165	5825	15.15	18.20	500	Complies

CH149




Date: 12.SEP.2020 14:03:50

CH157
6 dB Bandwidth



Date: 12.SEP.2020 14:04:41

CH165




Date: 12.SEP.2020 14:06:11


99 % Emission Bandwidth



Date: 12.SEP.2020 14:03:27



Date: 12.SEP.2020 14:04:17




Date: 12.SEP.2020 14:05:48

Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
151	5755	30.30	36.80	500	Complies
159	5795	34.00	37.00	500	Complies

CH151




Date: 12,SEP,2020 14:11:48

CH159 6 dB Bandwidth




Date: 12,SEP,2020 14:12:53

99 % Emission Bandwidth



Date: 12,SEP,2020 14:11:15




Date: 12,SEP,2020 14:12:23

Test Mode	UNII-3_TX AC (VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Emission Bandwidth (MHz)	6 dB Bandwidth Min. Limit (kHz)	Result
155	5775	75.40	76.00	500	Complies

CH155 6 dB Bandwidth



Date: 12.SEP.2020 14:14:57

99 % Emission Bandwidth



Date: 12.SEP.2020 14:14:30

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.37	0.14	13.51	24.00	0.25	Complies
40	5200	16.92	0.14	17.06	24.00	0.25	Complies
48	5240	17.21	0.14	17.35	24.00	0.25	Complies

Test Mode	UNII-1_TX N (HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.09	0.15	13.24	24.00	0.25	Complies
40	5200	16.85	0.15	17.00	24.00	0.25	Complies
48	5240	17.04	0.15	17.19	24.00	0.25	Complies

Test Mode	UNII-1_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.72	0.29	14.01	24.00	0.25	Complies
46	5230	15.58	0.29	15.87	24.00	0.25	Complies

Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.19	0.14	17.33	24.00	0.25	Complies
60	5300	16.24	0.14	16.38	24.00	0.25	Complies
64	5320	13.17	0.14	13.31	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.11	0.15	17.26	24.00	0.25	Complies
60	5300	15.15	0.15	15.30	24.00	0.25	Complies
64	5320	12.03	0.15	12.18	24.00	0.25	Complies

Test Mode	UNII-2A_TX N (HT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.46	0.29	15.75	24.00	0.25	Complies
62	5310	10.39	0.29	10.68	24.00	0.25	Complies

Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.35	0.14	13.49	24.00	0.25	Complies
116	5580	17.45	0.14	17.59	24.00	0.25	Complies
140	5700	13.38	0.14	13.52	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT20) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.07	0.15	13.22	24.00	0.25	Complies
116	5580	17.26	0.15	17.41	24.00	0.25	Complies
140	5700	12.98	0.15	13.13	24.00	0.25	Complies

Test Mode	UNII-2C_TX N (HT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.56	0.29	10.85	24.00	0.25	Complies
110	5550	15.44	0.29	15.73	24.00	0.25	Complies
134	5670	13.02	0.29	13.31	24.00	0.25	Complies

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.47	0.14	17.61	30.00	1.00	Complies
157	5785	17.67	0.14	17.81	30.00	1.00	Complies
165	5825	17.61	0.14	17.75	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.58	0.15	17.73	30.00	1.00	Complies
157	5785	17.55	0.15	17.70	30.00	1.00	Complies
165	5825	17.48	0.15	17.63	30.00	1.00	Complies

Test Mode	UNII-3_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.23	0.29	16.52	30.00	1.00	Complies
159	5795	16.33	0.29	16.62	30.00	1.00	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.87	0.15	13.02	24.00	0.25	Complies
40	5200	16.24	0.15	16.39	24.00	0.25	Complies
48	5240	17.09	0.15	17.24	24.00	0.25	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.41	0.29	12.70	24.00	0.25	Complies
46	5230	15.57	0.29	15.86	24.00	0.25	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	11.36	0.56	11.92	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.15	0.15	17.30	24.00	0.25	Complies
60	5300	16.13	0.15	16.28	24.00	0.25	Complies
64	5320	11.57	0.15	11.72	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.48	0.29	14.77	24.00	0.25	Complies
62	5310	10.51	0.29	10.80	24.00	0.25	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	9.25	0.56	9.81	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.64	0.15	12.79	24.00	0.25	Complies
116	5580	17.23	0.15	17.38	24.00	0.25	Complies
140	5700	12.78	0.15	12.93	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.58	0.29	10.87	24.00	0.25	Complies
110	5550	14.68	0.29	14.97	24.00	0.25	Complies
134	5670	12.58	0.29	12.87	24.00	0.25	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	10.19	0.56	10.75	24.00	0.25	Complies
122	5610	14.22	0.56	14.78	24.00	0.25	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.66	0.15	17.81	30.00	1.00	Complies
157	5785	17.47	0.15	17.62	30.00	1.00	Complies
165	5825	17.38	0.15	17.53	30.00	1.00	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.89	0.29	16.18	30.00	1.00	Complies
159	5795	16.12	0.29	16.41	30.00	1.00	Complies


Test Mode	UNII-3_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	16.46	0.56	17.02	30.00	1.00	Complies


APPENDIX G - POWER SPECTRAL DENSITY

Test Mode	UNII-1_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.66	0.14	9.80	11.00	Complies
40	5200	9.67	0.14	9.81	11.00	Complies
48	5240	9.40	0.14	9.54	11.00	Complies



Date: 12.SEP.2020 13:40:58




Date: 12.SEP.2020 13:41:50




Date: 12.SEP.2020 13:42:42

Test Mode	UNII-1_TX N (HT20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.85	0.15	10.00	11.00	Complies
40	5200	9.86	0.15	10.01	11.00	Complies
48	5240	9.76	0.15	9.91	11.00	Complies



Date: 12.SEP.2020 13:48:33



Date: 12.SEP.2020 13:49:17




Date: 12.SEP.2020 13:50:02

Test Mode	UNII-1_TX N (HT40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.28	0.29	5.57	11.00	Complies
46	5230	-10.05	0.29	-9.76	11.00	Complies

CH38



Date: 12,SEP,2020 13:56:18

CH46




Date: 12,SEP,2020 13:57:32

Test Mode	UNII-2A_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.54	0.14	8.68	11.00	Complies
60	5300	6.06	0.14	6.20	11.00	Complies
64	5320	2.71	0.14	2.85	11.00	Complies

CH52




Date: 19,SEP,2020 14:09:50

CH60



Date: 19,SEP,2020 14:11:19


CH64




Date: 19,SEP,2020 14:13:06

Test Mode	UNII-2A_TX N (HT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	8.14	0.15	8.29	11.00	Complies
60	5300	4.97	0.15	5.12	11.00	Complies
64	5320	1.80	0.15	1.95	11.00	Complies



Date: 19,SEP,2020 14:20:14




Date: 19,SEP,2020 14:21:30




Date: 19,SEP,2020 14:24:57

Test Mode	UNII-2A_TX N (HT40) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.07	0.29	3.36	11.00	Complies
62	5310	-2.80	0.29	-2.51	11.00	Complies




Date: 19,SEP,2020 15:03:04




Date: 19,SEP,2020 15:05:30

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.41	0.14	3.55	11.00	Complies
116	5580	8.65	0.14	8.79	11.00	Complies
140	5700	3.90	0.14	4.04	11.00	Complies



Date: 19.SEP.2020 14:14:25




Date: 19.SEP.2020 14:16:25




Date: 19.SEP.2020 14:17:44

Test Mode	UNII-2C_TX N (HT20) Mode
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.60	0.15	3.75	11.00	Complies
116	5580	7.80	0.15	7.95	11.00	Complies
140	5700	3.13	0.15	3.28	11.00	Complies



Date: 19.SEP.2020 14:28:26




Date: 19.SEP.2020 14:31:39




Date: 19.SEP.2020 14:33:52

Test Mode	UNII-2C_TX N (HT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-1.01	0.29	-0.72	11.00	Complies
110	5550	3.15	0.29	3.44	11.00	Complies
134	5670	0.07	0.29	0.36	11.00	Complies



Date: 19.SEP.2020 15:07:15




Date: 19.SEP.2020 15:09:24




Date: 19.SEP.2020 15:12:35

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.76	0.14	7.90	30.00	Complies
157	5785	8.06	0.14	8.20	30.00	Complies
165	5825	7.41	0.14	7.55	30.00	Complies



Date: 12.SEP.2020 13:45:02




Date: 12.SEP.2020 13:46:00




Date: 12.SEP.2020 13:47:34

Test Mode	UNII-3_TX N (HT20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.64	0.15	7.79	30.00	Complies
157	5785	7.46	0.15	7.61	30.00	Complies
165	5825	7.44	0.15	7.59	30.00	Complies



Date: 12.SEP.2020 13:51:21




Date: 12.SEP.2020 13:52:13




Date: 12.SEP.2020 13:53:08

Test Mode	UNII-3_TX N (HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.73	0.29	3.02	30.00	Complies
159	5795	3.11	0.29	3.40	30.00	Complies




Date: 12.SEP.2020 13:58:50




Date: 12.SEP.2020 13:59:56

Test Mode	UNII-1_TX AC (VHT20) Mode
-----------	---------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	9.88	0.15	10.03	11.00	Complies
40	5200	9.88	0.15	10.03	11.00	Complies
48	5240	9.82	0.15	9.97	11.00	Complies



Date: 12,SEP,2020 14:01:48




Date: 12,SEP,2020 14:02:29




Date: 12,SEP,2020 14:03:11

Test Mode	UNII-1_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	5.82	0.29	6.11	11.00	Complies
46	5230	5.96	0.29	6.25	11.00	Complies



Date: 12,SEP,2020 14:07:34




Date: 12,SEP,2020 14:11:01

Test Mode	UNII-1_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	2.66	0.56	3.22	11.00	Complies

CH42




Date: 12.SEP.2020 14:14:17

Test Mode	UNII-2A_TX AC (VHT20) Mode
-----------	----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	7.61	0.15	7.76	11.00	Complies
60	5300	5.47	0.15	5.62	11.00	Complies
64	5320	1.27	0.15	1.42	11.00	Complies

CH52




Date: 19.SEP.2020 15:15:33

CH60



Date: 19.SEP.2020 15:17:12



CH64



Date: 19.SEP.2020 15:20:02

Test Mode	UNII-2A_TX AC (VHT40) Mode
-----------	----------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.68	0.29	1.97	11.00	Complies
62	5310	-2.79	0.29	-2.50	11.00	Complies




Date: 19_SEP.2020 15:28:52

Date: 19_SEP.2020 15:30:15

Test Mode	UNII-2A_TX AC (VHT80) Mode
-----------	----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-7.20	0.56	-6.64	11.00	Complies




Date: 19_SEP.2020 15:44:47

Test Mode	UNII-2C_TX AC (VHT20) Mode
-----------	----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.14	0.15	3.29	11.00	Complies
116	5580	7.86	0.15	8.01	11.00	Complies
140	5700	3.29	0.15	3.44	11.00	Complies



Date: 19.SEP.2020 15:22:06




Date: 19.SEP.2020 15:24:12




Date: 19.SEP.2020 15:26:12

Test Mode	UNII-2C_TX AC (VHT40) Mode
-----------	----------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-1.39	0.29	-1.10	11.00	Complies
110	5550	2.80	0.29	3.09	11.00	Complies
134	5670	4.49	0.29	4.78	11.00	Complies



Date: 19.SEP.2020 15:32:23



Date: 19.SEP.2020 15:33:43




Date: 19.SEP.2020 15:35:57

Test Mode UNII-2C_TX AC (VHT80) Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-9.93	0.56	-9.37	11.00	Complies
122	5610	-0.04	0.56	0.52	11.00	Complies

CH106



Date: 19,SEP,2020 15:46:31

CH122




Date: 21,SEP,2020 15:20:49

Test Mode UNII-3_TX AC (VHT20) Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.94	0.15	8.09	30.00	Complies
157	5785	7.70	0.15	7.85	30.00	Complies
165	5825	7.60	0.15	7.75	30.00	Complies

CH149




Date: 12,SEP,2020 14:04:04

CH157



Date: 12,SEP,2020 14:05:35


CH165




Date: 12,SEP,2020 14:06:24

Test Mode	UNII-3_TX AC (VHT40) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	3.29	0.29	3.58	30.00	Complies
159	5795	3.23	0.29	3.52	30.00	Complies

CH151



Date: 12.SEP.2020 14:12:07

CH159


Date: 12.SEP.2020 14:13:12

Test Mode	UNII-3_TX AC (VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-0.37	0.56	0.19	30.00	Complies

CH155


Date: 12.SEP.2020 14:15:17

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
4.40	5179.9952
3.85	5179.9944
3.60	5179.9940
Maximum Deviation (MHz)	0.0060
Maximum Deviation (ppm)	1.1583

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5179.9936
10	5179.9932
20	5179.9932
30	5179.9928
35	5179.9924
Maximum Deviation (MHz)	0.0076
Maximum Deviation (ppm)	1.4672

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
4.40	5259.9952
3.85	5259.9944
3.60	5259.9936
Maximum Deviation (MHz)	0.0064
Maximum Deviation (ppm)	1.2167

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5260.0000
0	5259.9932
10	5259.9928
20	5259.9924
30	5259.9920
35	5259.9916
Maximum Deviation (MHz)	0.0084
Maximum Deviation (ppm)	1.5970

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
4.40	5499.9940
3.85	5499.9932
3.60	5499.9924
Maximum Deviation (MHz)	0.0076
Maximum Deviation (ppm)	1.3818

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5500.0000
0	5499.9920
10	5499.9920
20	5499.9916
30	5499.9912
35	5499.9908
Maximum Deviation (MHz)	0.0092
Maximum Deviation (ppm)	1.6727

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
4.40	5744.9904
3.85	5744.9900
3.60	5744.9896
Maximum Deviation (MHz)	0.0104
Maximum Deviation (ppm)	1.8103

Temperature vs. Frequency Stability

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5744.9892
10	5744.9888
20	5744.9888
30	5744.9884
35	5744.9880
Maximum Deviation (MHz)	0.0120
Maximum Deviation (ppm)	2.0888

End of Test Report