


Test Mode	LTE Band 12_TX CH23095_10M_Second Antenna
-----------	---


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		89.655	-51.77	-15.79	-67.56	-13.00	-54.56	peak	
2	*	119.240	-51.98	-12.85	-64.83	-13.00	-51.83	peak	
3		169.680	-54.52	-12.03	-66.55	-13.00	-53.55	peak	
4		267.165	-56.75	-12.52	-69.27	-13.00	-56.27	peak	
5		455.830	-64.46	-7.59	-72.05	-13.00	-59.05	peak	
6		637.220	-65.00	-4.55	-69.55	-13.00	-56.55	peak	

Test Mode	LTE Band 12_TX CH23095_10M_Second Antenna
-----------	---


Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		
1		117.300	-56.99	-13.14	-70.13	-13.00	-57.13	peak	
2		156.585	-60.35	-11.11	-71.46	-13.00	-58.46	peak	
3		186.170	-57.02	-13.59	-70.61	-13.00	-57.61	peak	
4	*	286.565	-57.41	-11.72	-69.13	-13.00	-56.13	peak	
5		349.615	-59.99	-10.22	-70.21	-13.00	-57.21	peak	
6		435.945	-62.00	-8.02	-70.02	-13.00	-57.02	peak	

Test Mode	LTE Band 17_TX CH23790_5M_Second Antenna
-----------	--


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		67.830	-54.30	-15.44	-69.74	-13.00	-56.74	peak	
2		88.685	-50.44	-15.99	-66.43	-13.00	-53.43	peak	
3	*	119.240	-52.07	-12.85	-64.92	-13.00	-51.92	peak	
4		170.165	-53.67	-12.09	-65.76	-13.00	-52.76	peak	
5		265.225	-57.24	-12.44	-69.68	-13.00	-56.68	peak	
6		447.585	-64.18	-7.70	-71.88	-13.00	-58.88	peak	

Test Mode	LTE Band 17_TX CH23790_5M_Second Antenna
-----------	--


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		119.240	-57.94	-12.85	-70.79	-13.00	-57.79	peak	
2		154.645	-56.95	-11.36	-68.31	-13.00	-55.31	peak	
3		197.810	-52.97	-14.64	-67.61	-13.00	-54.61	peak	
4		260.860	-54.76	-12.26	-67.02	-13.00	-54.02	peak	
5	*	291.415	-54.98	-11.41	-66.39	-13.00	-53.39	peak	
6		354.950	-59.36	-10.08	-69.44	-13.00	-56.44	peak	

Test Mode	LTE Band 17_TX CH23790_10M_Second Antenna
-----------	---


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		66.860	-55.49	-15.25	-70.74	-13.00	-57.74	peak	
2		88.685	-50.59	-15.99	-66.58	-13.00	-53.58	peak	
3	*	119.725	-52.30	-12.78	-65.08	-13.00	-52.08	peak	
4		176.470	-53.82	-12.54	-66.36	-13.00	-53.36	peak	
5		241.460	-57.36	-13.54	-70.90	-13.00	-57.90	peak	
6		419.940	-64.40	-8.46	-72.86	-13.00	-59.86	peak	

Test Mode	LTE Band 17_TX CH23790_10M_Second Antenna
-----------	---


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		120.210	-59.17	-12.74	-71.91	-13.00	-58.91	peak	
2		157.070	-56.52	-11.05	-67.57	-13.00	-54.57	peak	
3		198.295	-52.58	-14.68	-67.26	-13.00	-54.26	peak	
4		259.890	-55.11	-12.23	-67.34	-13.00	-54.34	peak	
5	*	289.960	-54.86	-11.48	-66.34	-13.00	-53.34	peak	
6		347.675	-59.02	-10.25	-69.27	-13.00	-56.27	peak	

Test Mode	LTE Band 38_TX CH38000_5M_Second Antenna
-----------	--


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		67.345	-54.64	-15.35	-69.99	-25.00	-44.99	peak	
2		86.745	-49.24	-16.39	-65.63	-25.00	-40.63	peak	
3	*	119.725	-52.21	-12.78	-64.99	-25.00	-39.99	peak	
4		156.585	-56.82	-11.11	-67.93	-25.00	-42.93	peak	
5		175.015	-54.68	-12.43	-67.11	-25.00	-42.11	peak	
6		257.465	-58.12	-12.49	-70.61	-25.00	-45.61	peak	

Test Mode	LTE Band 38_TX CH38000_5M_Second Antenna
-----------	--


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		88.685	-58.45	-15.99	-74.44	-25.00	-49.44	peak	
2		118.755	-58.66	-12.92	-71.58	-25.00	-46.58	peak	
3		154.645	-57.82	-11.36	-69.18	-25.00	-44.18	peak	
4		203.145	-53.20	-14.94	-68.14	-25.00	-43.14	peak	
5		257.465	-55.14	-12.49	-67.63	-25.00	-42.63	peak	
6	*	289.960	-54.92	-11.48	-66.40	-25.00	-41.40	peak	

Test Mode	LTE Band 38_TX CH38000_20M_Second Antenna
-----------	---


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		66.375	-55.13	-15.15	-70.28	-25.00	-45.28	peak	
2	*	87.715	-49.84	-16.20	-66.04	-25.00	-41.04	peak	
3		119.725	-53.81	-12.78	-66.59	-25.00	-41.59	peak	
4		170.165	-54.80	-12.09	-66.89	-25.00	-41.89	peak	
5		266.195	-57.06	-12.48	-69.54	-25.00	-44.54	peak	
6		289.475	-58.13	-11.51	-69.64	-25.00	-44.64	peak	

Test Mode	LTE Band 38_TX CH38000_20M_Second Antenna
-----------	---

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		119.240	-56.79	-12.85	-69.64	-25.00	-44.64	peak	
2		157.070	-57.92	-11.05	-68.97	-25.00	-43.97	peak	
3		205.085	-53.46	-15.01	-68.47	-25.00	-43.47	peak	
4		259.890	-54.68	-12.23	-66.91	-25.00	-41.91	peak	
5	*	288.990	-55.24	-11.55	-66.79	-25.00	-41.79	peak	
6		362.225	-59.85	-9.91	-69.76	-25.00	-44.76	peak	

Test Mode	LTE Band 41_TX CH40640_5M_Second Antenna
-----------	--


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		64.435	-54.78	-14.82	-69.60	-25.00	-44.60	peak	
2		84.805	-52.14	-16.81	-68.95	-25.00	-43.95	peak	
3		117.300	-56.20	-13.14	-69.34	-25.00	-44.34	peak	
4	*	157.070	-57.54	-11.05	-68.59	-25.00	-43.59	peak	
5		202.660	-55.03	-14.92	-69.95	-25.00	-44.95	peak	
6		277.350	-59.92	-12.29	-72.21	-25.00	-47.21	peak	

Test Mode	LTE Band 41_TX CH40640_5M_Second Antenna
-----------	--

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		118.755	-57.31	-12.92	-70.23	-25.00	-45.23	peak	
2		159.495	-59.60	-10.74	-70.34	-25.00	-45.34	peak	
3		202.175	-56.46	-14.90	-71.36	-25.00	-46.36	peak	
4		255.525	-58.40	-12.71	-71.11	-25.00	-46.11	peak	
5	*	284.140	-56.88	-11.88	-68.76	-25.00	-43.76	peak	
6		363.195	-64.41	-9.89	-74.30	-25.00	-49.30	peak	


Test Mode	LTE Band 41_TX CH40640_20M_Second Antenna
-----------	---

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		64.435	-53.83	-14.82	-68.65	-25.00	-43.65	peak	
2	*	87.715	-52.08	-16.20	-68.28	-25.00	-43.28	peak	
3		117.300	-55.62	-13.14	-68.76	-25.00	-43.76	peak	
4		157.070	-58.87	-11.05	-69.92	-25.00	-44.92	peak	
5		202.175	-54.95	-14.90	-69.85	-25.00	-44.85	peak	
6		266.195	-60.97	-12.48	-73.45	-25.00	-48.45	peak	

Test Mode	LTE Band 41_TX CH40640_20M_Second Antenna
-----------	---



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		119.240	-57.40	-12.85	-70.25	-25.00	-45.25	peak	
2		162.890	-60.27	-11.08	-71.35	-25.00	-46.35	peak	
3		202.660	-55.71	-14.92	-70.63	-25.00	-45.63	peak	
4		256.010	-58.03	-12.65	-70.68	-25.00	-45.68	peak	
5	*	284.140	-56.38	-11.88	-68.26	-25.00	-43.26	peak	
6		361.740	-64.71	-9.92	-74.63	-25.00	-49.63	peak	


Test Mode	LTE Band 66_TX CH132272_5M_Second Antenna
-----------	---



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		62.010	-53.97	-14.65	-68.62	-13.00	-55.62	peak	
2	*	86.260	-50.40	-16.50	-66.90	-13.00	-53.90	peak	
3		117.300	-56.02	-13.14	-69.16	-13.00	-56.16	peak	
4		160.465	-60.32	-10.74	-71.06	-13.00	-58.06	peak	
5		201.205	-54.91	-14.85	-69.76	-13.00	-56.76	peak	
6		276.380	-59.94	-12.33	-72.27	-13.00	-59.27	peak	

Test Mode	LTE Band 66_TX CH132272_5M_Second Antenna
-----------	---


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		120.210	-58.00	-12.74	-70.74	-13.00	-57.74	peak	
2		161.920	-60.92	-10.94	-71.86	-13.00	-58.86	peak	
3		201.690	-55.30	-14.87	-70.17	-13.00	-57.17	peak	
4	*	284.625	-56.46	-11.85	-68.31	-13.00	-55.31	peak	
5		421.880	-66.40	-8.41	-74.81	-13.00	-61.81	peak	
6		603.270	-69.09	-5.28	-74.37	-13.00	-61.37	peak	


Test Mode	LTE Band 66_TX CH132272_20M_Second Antenna
-----------	--

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		63.465	-54.57	-14.76	-69.33	-13.00	-56.33	peak	
2	*	85.290	-49.97	-16.69	-66.66	-13.00	-53.66	peak	
3		117.785	-56.72	-13.07	-69.79	-13.00	-56.79	peak	
4		160.465	-60.13	-10.74	-70.87	-13.00	-57.87	peak	
5		202.175	-54.77	-14.90	-69.67	-13.00	-56.67	peak	
6		264.740	-61.02	-12.43	-73.45	-13.00	-60.45	peak	

Test Mode	LTE Band 66_TX CH132272_20M_Second Antenna
-----------	--




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		86.745	-59.73	-16.39	-76.12	-13.00	-63.12	peak	
2		119.725	-57.44	-12.78	-70.22	-13.00	-57.22	peak	
3		161.435	-61.10	-10.88	-71.98	-13.00	-58.98	peak	
4		201.205	-55.29	-14.85	-70.14	-13.00	-57.14	peak	
5		253.100	-58.03	-12.96	-70.99	-13.00	-57.99	peak	
6	*	280.745	-56.82	-12.12	-68.94	-13.00	-55.94	peak	

APPENDIX F - RADIATED SPURIOUS EMISSIONS (ABOVE 1GHZ)

Test Mode	WCDMA Band IV_TX CH1413_Main Antenna
-----------	--------------------------------------


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	13767.000	-56.03	18.55	-37.48	-13.00	-24.48	peak	

Test Mode	WCDMA Band IV_TX CH1413_Main Antenna
-----------	--------------------------------------


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14464.000	-57.58	19.11	-38.47	-13.00	-25.47	peak	

Test Mode	WCDMA Band IV_TX CH1413_Second Antenna
-----------	--


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14472.500	-57.45	19.11	-38.34	-13.00	-25.34	peak	


Test Mode	WCDMA Band IV_TX CH1413_Second Antenna
-----------	--

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	15084.500	-55.29	17.52	-37.77	-13.00	-24.77	peak	

Test Mode	LTE Band 4_TX CH20175_1.4M_Main Antenna
-----------	---




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14481.000	-56.54	19.11	-37.43	-13.00	-24.43	peak	

Test Mode	LTE Band 4_TX CH20175_1.4M_Main Antenna
-----------	---



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14192.000	-56.84	19.19	-37.65	-13.00	-24.65	peak	


Test Mode	LTE Band 4_TX CH20175_5M_Main Antenna
-----------	---------------------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14430.000	-56.87	19.12	-37.75	-13.00	-24.75	peak	


Test Mode	LTE Band 4_TX CH20175_5M_Main Antenna
-----------	---------------------------------------

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14455.500	-56.83	19.11	-37.72	-13.00	-24.72	peak	


Test Mode	LTE Band 4_TX CH20175_20M_Main Antenna
-----------	--



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	15841.000	-55.73	17.50	-38.23	-13.00	-25.23	peak	


Test Mode	LTE Band 4_TX CH20175_20M_Main Antenna
-----------	--

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	13945.500	-57.27	19.08	-38.19	-13.00	-25.19	peak	


Test Mode	LTE Band 7_TX CH21100_5M_Main Antenna
-----------	---------------------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	7604.500	-53.39	11.45	-41.94	-25.00	-16.94	peak	

Test Mode	LTE Band 7_TX CH21100_5M_Main Antenna
-----------	---------------------------------------


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	13979.500	-57.45	19.19	-38.26	-25.00	-13.26	peak	

Test Mode	LTE Band 7_TX CH21100_20M_Main Antenna
-----------	--


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	7579.000	-54.00	11.48	-42.52	-25.00	-17.52	peak	


Test Mode	LTE Band 7_TX CH21100_20M_Main Antenna
-----------	--

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	15241.750	-55.75	17.33	-38.42	-25.00	-13.42	peak	


Test Mode	LTE Band 12_TX CH23095_1.4M_Main Antenna
-----------	--



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14447.000	-57.38	19.12	-38.26	-13.00	-25.26	peak	

Test Mode	LTE Band 12_TX CH23095_1.4M_Main Antenna
-----------	--


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14166.500	-57.18	19.20	-37.98	-13.00	-24.98	peak	

Test Mode	LTE Band 12_TX CH23095_5M_Main Antenna
-----------	--


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14498.000	-55.98	19.10	-36.88	-13.00	-23.88	peak	

Test Mode	LTE Band 12_TX CH23095_5M_Main Antenna
-----------	--


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	13665.000	-56.73	18.25	-38.48	-13.00	-25.48	peak	

Test Mode	LTE Band 12_TX CH23095_10M_Main Antenna
-----------	---


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14481.000	-57.41	19.11	-38.30	-13.00	-25.30	peak	

Test Mode	LTE Band 12_TX CH23095_10M_Main Antenna
-----------	---


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14591.500	-56.79	18.83	-37.96	-13.00	-24.96	peak	

Test Mode	LTE Band 17_TX CH23790_5M_Main Antenna
-----------	--


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14192.000	-57.20	19.19	-38.01	-13.00	-25.01	peak	

Test Mode	LTE Band 17_TX CH23790_5M_Main Antenna
-----------	--


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14489.500	-56.80	19.10	-37.70	-13.00	-24.70	peak	

Test Mode	LTE Band 12_TX CH23790_10M_Main Antenna
-----------	---


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14532.000	-57.09	19.00	-38.09	-13.00	-25.09	peak	

Test Mode	LTE Band 12_TX CH23790_10M_Main Antenna
-----------	---


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14472.500	-57.21	19.11	-38.10	-13.00	-25.10	peak	


Test Mode	LTE Band 38_TX CH38000_5M_Main Antenna
-----------	--

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	7783.000	-53.19	11.39	-41.80	-25.00	-16.80	peak	


Test Mode	LTE Band 38_TX CH38000_5M_Main Antenna
-----------	--



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14553.250	-56.05	18.94	-37.11	-25.00	-12.11	peak	


Test Mode	LTE Band 38_TX CH38000_20M_Main Antenna
-----------	---

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	7757.500	-53.80	11.40	-42.40	-25.00	-17.40	peak	


Test Mode	LTE Band 38_TX CH38000_20M_Main Antenna
-----------	---



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14451.250	-57.86	19.11	-38.75	-25.00	-13.75	peak	


Test Mode	LTE Band 41_TX CH40640_5M_Main Antenna
-----------	--

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	7783.000	-53.93	11.39	-42.54	-25.00	-17.54	peak	


Test Mode	LTE Band 41_TX CH40640_5M_Main Antenna
-----------	--



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14400.250	-57.40	19.13	-38.27	-25.00	-13.27	peak	

Test Mode	LTE Band 41_TX CH40640_20M_Main Antenna
-----------	---


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	7757.500	-52.54	11.40	-41.14	-25.00	-16.14	peak	

Test Mode	LTE Band 41_TX CH40640_20M_Main Antenna
-----------	---


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	6546.250	-54.43	9.45	-44.98	-25.00	-19.98	peak	

Test Mode	LTE Band 66_TX CH132272_5M_Main Antenna
-----------	---


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14583.000	-56.83	18.86	-37.97	-13.00	-24.97	peak	

Test Mode	LTE Band 66_TX CH132272_5M_Main Antenna
-----------	---


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14515.000	-57.03	19.06	-37.97	-13.00	-24.97	peak	

Test Mode	LTE Band 66_TX CH132272_20M_Main Antenna
-----------	--


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14481.000	-57.35	19.11	-38.24	-13.00	-25.24	peak	

Test Mode	LTE Band 66_TX CH132272_20M_Main Antenna
-----------	--


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14243.000	-57.18	19.18	-38.00	-13.00	-25.00	peak	


Test Mode	LTE Band 4_TX CH20175_1.4M_Second Antenna
-----------	---

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	15220.500	-54.92	17.35	-37.57	-13.00	-24.57	peak	


Test Mode	LTE Band 4_TX CH20175_1.4M_Second Antenna
-----------	---



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	14396.000	-57.37	19.13	-38.24	-13.00	-25.24	peak	


Test Mode	LTE Band 4_TX CH20175_5M_Second Antenna
-----------	---

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14345.000	-56.71	19.15	-37.56	-13.00	-24.56	peak	


Test Mode	LTE Band 4_TX CH20175_5M_Second Antenna
-----------	---



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14396.000	-57.18	19.13	-38.05	-13.00	-25.05	peak	


Test Mode	LTE Band 4_TX CH20175_20M_Second Antenna
-----------	--

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	13894.500	-57.00	18.94	-38.06	-13.00	-25.06	peak	


Test Mode	LTE Band 4_TX CH20175_20M_Second Antenna
-----------	--



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14549.000	-56.96	18.96	-38.00	-13.00	-25.00	peak	


Test Mode	LTE Band 7_TX CH21100_5M_Second Antenna
-----------	---

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14527.750	-57.84	19.02	-38.82	-25.00	-13.82	peak	


Test Mode	LTE Band 7_TX CH21100_5M_Second Antenna
-----------	---



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	13762.750	-56.76	18.53	-38.23	-25.00	-13.23	peak	

Test Mode	LTE Band 7_TX CH21100_20M_Second Antenna
-----------	--


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	11671.750	-56.29	14.57	-41.72	-25.00	-16.72	peak	

Test Mode	LTE Band 7_TX CH21100_20M_Second Antenna
-----------	--


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14553.250	-57.59	18.94	-38.65	-25.00	-13.65	peak	

Test Mode	LTE Band 12_TX CH23095_1.4M_Second Antenna
-----------	--


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14319.500	-56.90	19.15	-37.75	-13.00	-24.75	peak	


Test Mode	LTE Band 12_TX CH23095_1.4M_Second Antenna
-----------	--

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14557.500	-56.74	18.92	-37.82	-13.00	-24.82	peak	


Test Mode	LTE Band 12_TX CH23095_5M_Second Antenna
-----------	--



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	13622.500	-56.53	18.12	-38.41	-13.00	-25.41	peak	

Test Mode	LTE Band 12_TX CH23095_5M_Second Antenna
-----------	--


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	14319.500	-57.67	19.15	-38.52	-13.00	-25.52	peak	


Test Mode	LTE Band 12_TX CH23095_10M_Second Antenna
-----------	---

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14489.500	-56.49	19.10	-37.39	-13.00	-24.39	peak	


Test Mode	LTE Band 12_TX CH23095_10M_Second Antenna
-----------	---



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14472.500	-57.36	19.11	-38.25	-13.00	-25.25	peak	

Test Mode	LTE Band 17_TX CH23790_5M_Second Antenna
-----------	--


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	15237.500	-55.32	17.33	-37.99	-13.00	-24.99	peak	

Test Mode	LTE Band 17_TX CH23790_5M_Second Antenna
-----------	--


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14489.500	-57.38	19.10	-38.28	-13.00	-25.28	peak	


Test Mode	LTE Band 17_TX CH23790_10M_Second Antenna
-----------	---

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	15127.000	-55.64	17.48	-38.16	-13.00	-25.16	peak	


Test Mode	LTE Band 17_TX CH23790_10M_Second Antenna
-----------	---



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14532.000	-56.97	19.00	-37.97	-13.00	-24.97	peak	

Test Mode	LTE Band 38_TX CH38000_5M_Second Antenna
-----------	--


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14413.000	-57.67	19.13	-38.54	-25.00	-13.54	peak	

Test Mode	LTE Band 38_TX CH38000_5M_Second Antenna
-----------	--


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14425.750	-56.90	19.12	-37.78	-25.00	-12.78	peak	


Test Mode	LTE Band 38_TX CH38000_20M_Second Antenna
-----------	---

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14374.750	-57.37	19.14	-38.23	-25.00	-13.23	peak	


Test Mode	LTE Band 38_TX CH38000_20M_Second Antenna
-----------	---



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	13762.750	-56.32	18.53	-37.79	-25.00	-12.79	peak	

Test Mode	LTE Band 41_TX CH40640_5M_Second Antenna
-----------	--


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	13877.500	-57.73	18.88	-38.85	-25.00	-13.85	peak	


Test Mode	LTE Band 41_TX CH40640_5M_Second Antenna
-----------	--

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14438.500	-57.31	19.12	-38.19	-25.00	-13.19	peak	


Test Mode	LTE Band 41_TX CH40640_20M_Second Antenna
-----------	---



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14425.750	-56.09	19.12	-36.97	-25.00	-11.97	peak	

Test Mode	LTE Band 41_TX CH40640_20M_Second Antenna
-----------	---


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14387.500	-57.14	19.14	-38.00	-25.00	-13.00	peak	


Test Mode	LTE Band 66_TX CH132272_5M_ Second Antenna
-----------	--

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14362.000	-57.45	19.14	-38.31	-13.00	-25.31	peak	


Test Mode	LTE Band 66_TX CH132272_5M_ Second Antenna
-----------	--



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14549.000	-57.08	18.96	-38.12	-13.00	-25.12	peak	


Test Mode	LTE Band 66_TX CH132272_20M_ Second Antenna
-----------	---

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14625.500	-57.20	18.73	-38.47	-13.00	-25.47	peak	

Test Mode	LTE Band 66_TX CH132272_20M_ Second Antenna
-----------	---



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14515.000	-56.81	19.06	-37.75	-13.00	-24.75	peak	

APPENDIX G - BAND EDGE

