



No. 24T04Z101591-016

For

Guangdong OPPO Mobile Telecommunications Corp., Ltd.

Mobile Phone

Model Name: CPH2659

with

Hardware Version: 11

Software Version: Color OS 15.0

FCC ID: R9C-OP23216

Issued Date: 2024-10-21

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

Test Laboratory:

CTTL, Telecommunication Technology Labs, CAICT


No. 52, Huayuan North Road, Haidian District, Beijing, P. R. China 100191.

Tel: +86(0)10-62304633-2512, Fax: +86(0)10-62304633-2504


Email: ctl_terminals@caict.ac.cn, website: www.caict.ac.cn




Picture 1: Constituents of the sample



Picture 2: Left Head Touch Cheek Position



Picture 3: Left Head Tilt 15° Position



Picture 4: Right Head Touch Cheek Position




Picture 5: Right Head Tilt 15° Position

Test positions for body:


The Body SAR is tested at the following 6 test positions all with the distance =10 mm between the EUT and the phantom bottom:



Picture 6: Front 10mm




Picture 7: Rear 10mm



Picture 8: Left 10mm



Picture 9: Right 10mm




Picture 10: Bottom 10mm




Picture 11: Top 10mm




Picture 12: Front PD 0mm




Picture 13: Rear PD 0mm




Picture 14: Left PD 0mm



Picture 15: Right PD 0mm



Picture 16: Top PD 0mm



Picture 17: Antenna Locations