


































Min emission bandwidth


Test Result


TestMode	Antenna	Freq(MHz)	6dB EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant8	5745	15.12	5737.44	5752.56	0.5	PASS
		5785	15.12	5777.44	5792.56	0.5	PASS
		5825	15.12	5817.44	5832.56	0.5	PASS
11N20SISO	Ant8	5745	15.12	5737.44	5752.56	0.5	PASS
		5785	15.12	5777.44	5792.56	0.5	PASS
		5825	15.12	5817.44	5832.56	0.5	PASS
11N40SISO	Ant8	5755	35.12	5737.40	5772.52	0.5	PASS
		5795	35.12	5777.40	5812.52	0.5	PASS
11AC80SISO	Ant8	5775	75.20	5737.40	5812.60	0.5	PASS





Test Graphs













Maximum power spectral density

Test Result


TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant8	5180	4.12	≤11.00	PASS
		5220	7.43	≤11.00	PASS
		5240	2.95	≤11.00	PASS
		5260	7.75	≤11.00	PASS
		5300	7.68	≤11.00	PASS
		5320	4.09	≤11.00	PASS
		5500	4.25	≤11.00	PASS
		5580	7.23	≤11.00	PASS
		5700	7.08	≤11.00	PASS
		5745	4.82	≤30.00	PASS
		5785	4.97	≤30.00	PASS
		5825	5.13	≤30.00	PASS
11N20SISO	Ant8	5180	3.23	≤11.00	PASS
		5220	7.04	≤11.00	PASS
		5240	3.90	≤11.00	PASS
		5260	6.96	≤11.00	PASS
		5300	7.41	≤11.00	PASS
		5320	5.09	≤11.00	PASS
		5500	4.14	≤11.00	PASS
		5580	6.88	≤11.00	PASS
		5700	6.85	≤11.00	PASS
		5745	4.50	≤30.00	PASS
		5785	4.39	≤30.00	PASS
		5825	4.01	≤30.00	PASS
11N40SISO	Ant8	5190	4.13	≤11.00	PASS
		5230	3.98	≤11.00	PASS
		5270	3.90	≤11.00	PASS
		5310	3.89	≤11.00	PASS
		5510	4.31	≤11.00	PASS
		5550	3.97	≤11.00	PASS
		5670	4.09	≤11.00	PASS
		5755	1.83	≤30.00	PASS
		5795	1.50	≤30.00	PASS
11AC80SISO	Ant8	5210	0.70	≤11.00	PASS
		5290	-0.61	≤11.00	PASS
		5530	-4.02	≤11.00	PASS
		5610	0.40	≤11.00	PASS
		5775	-1.73	≤30.00	PASS



Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.



2.The Duty Cycle Factor and is compensated in the graph.







Test Graphs



































































Appendix B. AC Conducted Emission Test Results





Test Engineer :	XuRuiBin	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : C002-SZ
Condition : FCC 15E_QP LISN_2025-N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.15	38.54	-17.46	56.00	18.80	9.55	10.19	Average
2 *	0.15	50.74	-15.26	66.00	31.00	9.55	10.19	QP
3	0.23	32.44	-20.04	52.48	12.60	9.65	10.19	Average
4	0.23	42.94	-19.54	62.48	23.10	9.65	10.19	QP
5	0.32	29.99	-19.81	49.80	10.00	9.78	10.21	Average
6	0.32	38.39	-21.41	59.80	18.40	9.78	10.21	QP
7	0.38	27.15	-21.15	48.30	7.20	9.73	10.22	Average
8	0.38	34.65	-23.65	58.30	14.70	9.73	10.22	QP
9	0.47	27.95	-18.54	46.49	7.69	10.02	10.24	Average
10	0.47	35.95	-20.54	56.49	15.69	10.02	10.24	QP
11	0.53	28.76	-17.24	46.00	8.90	9.62	10.24	Average
12	0.53	36.96	-19.04	56.00	17.10	9.62	10.24	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Shunping You	Relative Humidity :	48~49%
		Temperature :	24~25℃

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	8	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	8	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	8	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	8	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	8	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	8	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	8	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	8	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	8	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	8	802.11n HT20	36	5180	MCS0	Full	-
Mode 11	U-NII-1	5.15-5.25	8	802.11n HT20	44	5220	MCS0	Full	-
Mode 12	U-NII-1	5.15-5.25	8	802.11n HT20	48	5240	MCS0	Full	-
Mode 13	U-NII-2A	5.25-5.35	8	802.11n HT20	52	5260	MCS0	Full	-
Mode 14	U-NII-2A	5.25-5.35	8	802.11n HT20	60	5300	MCS0	Full	-
Mode 15	U-NII-2A	5.25-5.35	8	802.11n HT20	64	5320	MCS0	Full	-
Mode 16	U-NII-2C	5.47-5.725	8	802.11n HT20	100	5500	MCS0	Full	-
Mode 17	U-NII-2C	5.47-5.725	8	802.11n HT20	116	5580	MCS0	Full	-
Mode 18	U-NII-2C	5.47-5.725	8	802.11n HT20	140	5700	MCS0	Full	-
Mode 19	U-NII-1	5.15-5.25	8	802.11n HT40	38	5190	MCS0	Full	-
Mode 20	U-NII-1	5.15-5.25	8	802.11n HT40	46	5230	MCS0	Full	-
Mode 21	U-NII-2A	5.25-5.35	8	802.11n HT40	54	5270	MCS0	Full	-
Mode 22	U-NII-2A	5.25-5.35	8	802.11n HT40	62	5310	MCS0	Full	-
Mode 23	U-NII-2C	5.47-5.725	8	802.11n HT40	102	5510	MCS0	Full	-
Mode 24	U-NII-2C	5.47-5.725	8	802.11n HT40	134	5670	MCS0	Full	-
Mode 25	U-NII-1	5.15-5.25	8	802.11ac VHT80	42	5210	MCS0	Full	-
Mode 26	U-NII-2A	5.25-5.35	8	802.11ac VHT80	58	5290	MCS0	Full	-
Mode 27	U-NII-2C	5.47-5.725	8	802.11ac VHT80	106	5530	MCS0	Full	-
Mode 28	U-NII-2C	5.47-5.725	8	802.11ac VHT80	122	5610	MCS0	Full	-
Mode 29	U-NII-3	5.725-5.85	8	802.11a	149	5745	6Mbps	-	-
Mode 30	U-NII-3	5.725-5.85	8	802.11a	157	5785	6Mbps	-	-
Mode 31	U-NII-3	5.725-5.85	8	802.11a	165	5825	6Mbps	-	-
Mode 32	U-NII-3	5.725-5.85	8	802.11n HT20	149	5745	MCS0	Full	-
Mode 33	U-NII-3	5.725-5.85	8	802.11n HT20	157	5785	MCS0	Full	-
Mode 34	U-NII-3	5.725-5.85	8	802.11n HT20	165	5825	MCS0	Full	-
Mode 35	U-NII-3	5.725-5.85	8	802.11n HT40	151	5755	MCS0	Full	-
Mode 36	U-NII-3	5.725-5.85	8	802.11n HT40	159	5795	MCS0	Full	-
Mode 37	U-NII-3	5.725-5.85	8	802.11ac VHT80	155	5775	MCS0	Full	-
Mode 38	U-NII-1	5.15-5.25	8	802.11ac VHT80	42	LF	MCS0	Full	-
Mode 39	U-NII-3	5.725-5.85	8	802.11ac VHT80	155	LF	MCS0	Full	-
Mode 40	CO-TX	5.15-5.25	8	802.11ac VHT80	42	5210	MCS0	Full	-
		-	4	LTE B41	-	-	-	-	-
Mode 41	CO-TX	5.15-5.25	8	802.11ac VHT80	42	5210	MCS0	Full	-



		2400-2483.5	8	Bluetooth-LE	38	2478	2Mbps	-	-
		-	4	LTE B41	-	-	-	-	-
Mode 42	U-NII-2C	5.47-5.725	8	802.11n HT20	136	5680	MCS0	Full	-
Mode 43	U-NII-2C	5.47-5.725	8	802.11a	136	5680	6Mbps	Full	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	-	-	-	-	-	-	-	Band Edge
1	802.11a	36	10360.00	46.74	68.30	-21.56	V	Peak	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	46.49	68.30	-21.81	H	Peak	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	10480.00	45.95	68.30	-22.35	V	Peak	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	10520.00	45.06	68.30	-23.24	H	Peak	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	15900.00	47.04	74.00	-26.96	V	Peak	Pass	Harmonic
6	802.11a	64	-	-	-	-	-	-	-	Band Edge
6	802.11a	64	10640.00	47.67	74.00	-26.33	H	Peak	Pass	Harmonic
7	802.11a	100	-	-	-	-	-	-	-	Band Edge
7	802.11a	100	16500.00	46.29	68.30	-22.01	H	Peak	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	16740.00	47.49	68.30	-20.81	H	Peak	Pass	Harmonic
9	802.11a	140	-	-	-	-	-	-	-	Band Edge
9	802.11a	140	17100.00	45.51	68.30	-22.79	H	Peak	Pass	Harmonic
10	802.11n HT20	36	5149.40	47.26	54.00	-6.74	H	AVERAGE	Pass	Band Edge
10	802.11n HT20	36	10360.00	45.84	68.30	-22.46	V	Peak	Pass	Harmonic
11	802.11n HT20	44	-	-	-	-	-	-	-	Band Edge
11	802.11n HT20	44	10440.00	43.80	68.30	-24.50	V	Peak	Pass	Harmonic
12	802.11n HT20	48	5350.00	44.23	54.00	-9.77	H	AVERAGE	Pass	Band Edge
12	802.11n HT20	48	10480.00	45.23	68.30	-23.07	H	Peak	Pass	Harmonic
13	802.11n HT20	52	5352.80	44.49	54.00	-9.51	H	AVERAGE	Pass	Band Edge
13	802.11n HT20	52	10520.00	46.15	68.30	-22.15	H	Peak	Pass	Harmonic
14	802.11n HT20	60	-	-	-	-	-	-	-	Band Edge
14	802.11n HT20	60	15900.00	45.08	74.00	-28.92	V	Peak	Pass	Harmonic
15	802.11n HT20	64	5351.22	47.84	54.00	-6.16	H	AVERAGE	Pass	Band Edge
15	802.11n HT20	64	15960.00	44.80	74.00	-29.20	H	Peak	Pass	Harmonic
16	802.11n HT20	100	5464.60	62.47	68.30	-5.83	H	PEAK	Pass	Band Edge
16	802.11n HT20	100	16500.00	45.11	68.30	-23.19	V	Peak	Pass	Harmonic
17	802.11n HT20	116	-	-	-	-	-	-	-	Band Edge
17	802.11n HT20	116	16740.00	44.79	68.30	-23.51	V	Peak	Pass	Harmonic
18	802.11n HT20	140	5734.91	63.07	68.30	-5.23	H	PEAK	Pass	Band Edge
18	802.11n HT20	140	17100.00	45.98	68.30	-22.32	V	Peak	Pass	Harmonic
19	802.11n HT40	38	5146.49	48.13	54.00	-5.87	H	AVERAGE	Pass	Band Edge
19	802.11n HT40	38	-	-	-	-	-	-	-	Harmonic
20	802.11n HT40	46	5144.67	48.14	54.00	-5.86	H	AVERAGE	Pass	Band Edge
20	802.11n HT40	46	-	-	-	-	-	-	-	Harmonic
21	802.11n HT40	54	5361.58	48.05	54.00	-5.95	H	AVERAGE	Pass	Band Edge
21	802.11n HT40	54	-	-	-	-	-	-	-	Harmonic
22	802.11n HT40	62	5353.65	47.83	54.00	-6.17	H	AVERAGE	Pass	Band Edge



22	802.11n HT40	62	-	-	-	-	-	-	-	Harmonic
23	802.11n HT40	102	5469.68	62.20	68.30	-6.10	H	PEAK	Pass	Band Edge
23	802.11n HT40	102	-	-	-	-	-	-	-	Harmonic
24	802.11n HT40	134	5727.48	62.54	68.30	-5.76	H	PEAK	Pass	Band Edge
24	802.11n HT40	134	-	-	-	-	-	-	-	Harmonic
25	802.11ac VHT80	42	5149.73	48.99	54.00	-5.01	H	AVERAGE	Pass	Band Edge
25	802.11ac VHT80	42	10420.00	44.51	68.30	-23.79	H	Peak	Pass	Harmonic
26	802.11ac VHT80	58	5350.35	48.75	54.00	-5.25	H	AVERAGE	Pass	Band Edge
26	802.11ac VHT80	58	-	-	-	-	-	-	-	Harmonic
27	802.11ac VHT80	106	5458.36	47.99	54.00	-6.01	H	AVERAGE	Pass	Band Edge
27	802.11ac VHT80	106	-	-	-	-	-	-	-	Harmonic
28	802.11ac VHT80	122	5458.16	48.50	54.00	-5.50	H	AVERAGE	Pass	Band Edge
28	802.11ac VHT80	122	-	-	-	-	-	-	-	Harmonic
29	802.11a	149	-	-	-	-	-	-	-	Band Edge
29	802.11a	149	17235.00	46.09	68.30	-22.21	V	Peak	Pass	Harmonic
30	802.11a	157	-	-	-	-	-	-	-	Band Edge
30	802.11a	157	17355.00	46.21	68.30	-22.09	H	Peak	Pass	Harmonic
31	802.11a	165	-	-	-	-	-	-	-	Band Edge
31	802.11a	165	17475.00	47.02	68.30	-21.28	V	Peak	Pass	Harmonic
32	802.11n HT20	149	5637.27	52.40	68.30	-15.90	V	PEAK	Pass	Band Edge
32	802.11n HT20	149	17235.00	46.49	68.30	-21.81	V	Peak	Pass	Harmonic
33	802.11n HT20	157	-	-	-	-	-	-	-	Band Edge
33	802.11n HT20	157	17355.00	44.69	68.30	-23.61	H	Peak	Pass	Harmonic
34	802.11n HT20	165	5925.25	53.01	68.30	-15.29	V	PEAK	Pass	Band Edge
34	802.11n HT20	165	17475.00	47.25	68.30	-21.05	H	Peak	Pass	Harmonic
35	802.11n HT40	151	5647.43	53.66	68.30	-14.64	V	PEAK	Pass	Band Edge
35	802.11n HT40	151	-	-	-	-	-	-	-	Harmonic
36	802.11n HT40	159	5938.22	53.10	68.30	-15.20	H	PEAK	Pass	Band Edge
36	802.11n HT40	159	-	-	-	-	-	-	-	Harmonic
37	802.11ac VHT80	155	5642.53	60.34	68.30	-7.96	V	PEAK	Pass	Band Edge
37	802.11ac VHT80	155	17325.00	47.86	68.30	-20.44	V	Peak	Pass	Harmonic
38	802.11ac VHT80	42	782.72	30.63	46	-15.37	H	Peak	Pass	LF
39	802.11ac VHT80	155	948.59	31.41	46	-14.59	H	Peak	Pass	LF
40	CO_TX		5148.89	48.55	54.00	-5.45	H	AVERAGE	Pass	Band Edge
			10420.00	47.29	68.30	-21.01	V	Peak	Pass	Harmonic
41	CO_TX		5149.73	48.20	54.00	-5.80	H	AVERAGE	Pass	Band Edge
			10420.00	48.06	68.30	-20.24	V	Peak	Pass	Harmonic
42	802.11n HT20	136	5726.41	62.93	68.30	-5.37	H	PEAK	Pass	Band Edge
43	802.11a	136	5727.09	61.93	68.30	-6.37	H	PEAK	Pass	Band Edge





Mode	1																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																							
ANT	8																																																																																																																							
Pol.	Horizontal					Vertical																																																																																																																		
Peak Avg																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10360.00</td><td>46.56</td><td>68.30</td><td>-21.74</td><td>55.71</td><td>37.22</td><td>13.25</td><td>59.62</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>46.31</td><td>74.00</td><td>-27.69</td><td>48.12</td><td>40.22</td><td>15.86</td><td>57.89</td><td>--</td><td>Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10360.00	46.56	68.30	-21.74	55.71	37.22	13.25	59.62	--	Peak	2	15540.00	46.31	74.00	-27.69	48.12	40.22	15.86	57.89	--	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10360.00</td><td>46.74</td><td>68.30</td><td>-21.56</td><td>55.89</td><td>37.22</td><td>13.25</td><td>59.62</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>46.14</td><td>74.00</td><td>-27.86</td><td>47.95</td><td>40.22</td><td>15.86</td><td>57.89</td><td>--</td><td>Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10360.00	46.74	68.30	-21.56	55.89	37.22	13.25	59.62	--	Peak	2	15540.00	46.14	74.00	-27.86	47.95	40.22	15.86	57.89	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																															
1	10360.00	46.56	68.30	-21.74	55.71	37.22	13.25	59.62	--	Peak																																																																																																														
2	15540.00	46.31	74.00	-27.69	48.12	40.22	15.86	57.89	--	Peak																																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																															
1	10360.00	46.74	68.30	-21.56	55.89	37.22	13.25	59.62	--	Peak																																																																																																														
2	15540.00	46.14	74.00	-27.86	47.95	40.22	15.86	57.89	--	Peak																																																																																																														





Mode	2																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																																							
ANT	8																																																																																																																							
Pol.	Horizontal								Vertical																																																																																																															
Peak Avg																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>10440.00</td><td>46.49</td><td>68.30</td><td>-21.81</td><td>55.59</td><td>37.26</td><td>13.30</td><td>59.66</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>47.81</td><td>74.00</td><td>-26.19</td><td>49.81</td><td>40.30</td><td>15.85</td><td>58.15</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	46.49	68.30	-21.81	55.59	37.26	13.30	59.66	--	--	Peak	2	15660.00	47.81	74.00	-26.19	49.81	40.30	15.85	58.15	--	--	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>10440.00</td><td>45.73</td><td>68.30</td><td>-22.57</td><td>54.83</td><td>37.26</td><td>13.30</td><td>59.66</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>45.84</td><td>74.00</td><td>-28.16</td><td>47.84</td><td>40.30</td><td>15.85</td><td>58.15</td><td>--</td><td>--</td><td>Peak</td></tr></tbody></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	45.73	68.30	-22.57	54.83	37.26	13.30	59.66	--	--	Peak	2	15660.00	45.84	74.00	-28.16	47.84	40.30	15.85	58.15	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10440.00	46.49	68.30	-21.81	55.59	37.26	13.30	59.66	--	--	Peak																																																																																																													
2	15660.00	47.81	74.00	-26.19	49.81	40.30	15.85	58.15	--	--	Peak																																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	10440.00	45.73	68.30	-22.57	54.83	37.26	13.30	59.66	--	--	Peak																																																																																																													
2	15660.00	45.84	74.00	-28.16	47.84	40.30	15.85	58.15	--	--	Peak																																																																																																													





Mode	3																																																																																																									
	Harmonic																																																																																																									
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																									
ANT	8																																																																																																									
Pol.	Horizontal								Vertical																																																																																																	
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr><tr><td>1</td><td>10480.00</td><td>45.44</td><td>68.30</td><td>-22.86</td><td>54.48</td><td>37.29</td><td>13.36</td><td>59.69 -- Peak</td></tr><tr><td>2</td><td>15720.00</td><td>46.91</td><td>74.00</td><td>-27.09</td><td>48.99</td><td>40.33</td><td>15.87</td><td>58.28 -- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		1	10480.00	45.44	68.30	-22.86	54.48	37.29	13.36	59.69 -- Peak	2	15720.00	46.91	74.00	-27.09	48.99	40.33	15.87	58.28 -- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th></tr><tr><td>1</td><td>10480.00</td><td>45.95</td><td>68.30</td><td>-22.35</td><td>54.99</td><td>37.29</td><td>13.36</td><td>59.69 -- Peak</td></tr><tr><td>2</td><td>15720.00</td><td>47.48</td><td>74.00</td><td>-26.52</td><td>49.56</td><td>40.33</td><td>15.87</td><td>58.28 -- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		1	10480.00	45.95	68.30	-22.35	54.99	37.29	13.36	59.69 -- Peak	2	15720.00	47.48	74.00	-26.52	49.56	40.33	15.87	58.28 -- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																			
1	10480.00	45.44	68.30	-22.86	54.48	37.29	13.36	59.69 -- Peak																																																																																																		
2	15720.00	46.91	74.00	-27.09	48.99	40.33	15.87	58.28 -- Peak																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																			
1	10480.00	45.95	68.30	-22.35	54.99	37.29	13.36	59.69 -- Peak																																																																																																		
2	15720.00	47.48	74.00	-26.52	49.56	40.33	15.87	58.28 -- Peak																																																																																																		





Mode	4																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																																															
ANT	8																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10520.00</td><td>45.06</td><td>68.30</td><td>-23.24</td><td>53.99</td><td>37.32</td><td>13.41</td><td>59.66</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15780.00</td><td>48.38</td><td>74.00</td><td>-25.62</td><td>50.53</td><td>40.37</td><td>15.90</td><td>58.42</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10520.00	45.06	68.30	-23.24	53.99	37.32	13.41	59.66	--	--	Peak	2	15780.00	48.38	74.00	-25.62	50.53	40.37	15.90	58.42	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10520.00</td><td>44.82</td><td>68.30</td><td>-23.48</td><td>53.75</td><td>37.32</td><td>13.41</td><td>59.66</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15780.00</td><td>48.15</td><td>74.00</td><td>-25.85</td><td>50.30</td><td>40.37</td><td>15.90</td><td>58.42</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10520.00	44.82	68.30	-23.48	53.75	37.32	13.41	59.66	--	--	Peak	2	15780.00	48.15	74.00	-25.85	50.30	40.37	15.90	58.42	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	10520.00	45.06	68.30	-23.24	53.99	37.32	13.41	59.66	--	--	Peak																																																																																																																					
2	15780.00	48.38	74.00	-25.62	50.53	40.37	15.90	58.42	--	--	Peak																																																																																																																					
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	10520.00	44.82	68.30	-23.48	53.75	37.32	13.41	59.66	--	--	Peak																																																																																																																					
2	15780.00	48.15	74.00	-25.85	50.30	40.37	15.90	58.42	--	--	Peak																																																																																																																					





Mode	5																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																					
ANT	8																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																															
Peak Avg																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>45.86</td><td>74.00</td><td>-28.14</td><td>54.42</td><td>37.42</td><td>13.52</td><td>59.50</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15900.00</td><td>46.30</td><td>74.00</td><td>-27.70</td><td>48.53</td><td>40.44</td><td>16.01</td><td>58.68</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	45.86	74.00	-28.14	54.42	37.42	13.52	59.50	--	--	Peak	2	15900.00	46.30	74.00	-27.70	48.53	40.44	16.01	58.68	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10600.00</td><td>44.68</td><td>74.00</td><td>-29.32</td><td>53.24</td><td>37.42</td><td>13.52</td><td>59.50</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15900.00</td><td>47.04</td><td>74.00</td><td>-26.96</td><td>49.27</td><td>40.44</td><td>16.01</td><td>58.68</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10600.00	44.68	74.00	-29.32	53.24	37.42	13.52	59.50	--	--	Peak	2	15900.00	47.04	74.00	-26.96	49.27	40.44	16.01	58.68	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	10600.00	45.86	74.00	-28.14	54.42	37.42	13.52	59.50	--	--	Peak																																																																																																											
2	15900.00	46.30	74.00	-27.70	48.53	40.44	16.01	58.68	--	--	Peak																																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	10600.00	44.68	74.00	-29.32	53.24	37.42	13.52	59.50	--	--	Peak																																																																																																											
2	15900.00	47.04	74.00	-26.96	49.27	40.44	16.01	58.68	--	--	Peak																																																																																																											





Mode	6																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																	
ANT	8																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10640.00</td><td>47.67</td><td>74.00</td><td>-26.33</td><td>56.09</td><td>37.47</td><td>13.53</td><td>59.42</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>45.93</td><td>74.00</td><td>-28.07</td><td>48.19</td><td>40.48</td><td>16.07</td><td>58.81</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10640.00	47.67	74.00	-26.33	56.09	37.47	13.53	59.42	--	--	Peak	2	15960.00	45.93	74.00	-28.07	48.19	40.48	16.07	58.81	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>10640.00</td><td>44.43</td><td>74.00</td><td>-29.57</td><td>52.85</td><td>37.47</td><td>13.53</td><td>59.42</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>44.73</td><td>74.00</td><td>-29.27</td><td>46.99</td><td>40.48</td><td>16.07</td><td>58.81</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	10640.00	44.43	74.00	-29.57	52.85	37.47	13.53	59.42	--	--	Peak	2	15960.00	44.73	74.00	-29.27	46.99	40.48	16.07	58.81	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10640.00	47.67	74.00	-26.33	56.09	37.47	13.53	59.42	--	--	Peak																																																																																																																							
2	15960.00	45.93	74.00	-28.07	48.19	40.48	16.07	58.81	--	--	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	10640.00	44.43	74.00	-29.57	52.85	37.47	13.53	59.42	--	--	Peak																																																																																																																							
2	15960.00	44.73	74.00	-29.27	46.99	40.48	16.07	58.81	--	--	Peak																																																																																																																							





Mode	7																																																																					
	Harmonic																																																																					
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																					
ANT	8																																																																					
Pol.	Horizontal																																																																					
Peak Avg																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11000.00</td><td>47.42</td><td>74.00</td><td>-26.58</td><td>54.61</td><td>37.90</td><td>13.61</td><td>58.70</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>16500.00</td><td>46.29</td><td>68.30</td><td>-22.01</td><td>46.77</td><td>41.29</td><td>16.43</td><td>58.20</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11000.00	47.42	74.00	-26.58	54.61	37.90	13.61	58.70	--	--	Peak	2	16500.00	46.29	68.30	-22.01	46.77	41.29	16.43	58.20	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	11000.00	47.42	74.00	-26.58	54.61	37.90	13.61	58.70	--	--	Peak																																																											
2	16500.00	46.29	68.30	-22.01	46.77	41.29	16.43	58.20	--	--	Peak																																																											
	Vertical																																																																					
Peak Avg																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11000.00</td><td>44.20</td><td>74.00</td><td>-29.80</td><td>51.39</td><td>37.90</td><td>13.61</td><td>58.70</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>16500.00</td><td>45.49</td><td>68.30</td><td>-22.81</td><td>45.97</td><td>41.29</td><td>16.43</td><td>58.20</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11000.00	44.20	74.00	-29.80	51.39	37.90	13.61	58.70	--	--	Peak	2	16500.00	45.49	68.30	-22.81	45.97	41.29	16.43	58.20	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	11000.00	44.20	74.00	-29.80	51.39	37.90	13.61	58.70	--	--	Peak																																																											
2	16500.00	45.49	68.30	-22.81	45.97	41.29	16.43	58.20	--	--	Peak																																																											







Mode	8																																																																					
	Harmonic																																																																					
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																					
ANT	8																																																																					
Pol.	Horizontal						Vertical																																																															
Peak Avg																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11160.00</td><td>45.07</td><td>74.00</td><td>-28.93</td><td>51.69</td><td>38.06</td><td>13.73</td><td>58.41</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>16740.00</td><td>47.49</td><td>68.30</td><td>-20.81</td><td>47.00</td><td>41.92</td><td>16.58</td><td>58.01</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11160.00	45.07	74.00	-28.93	51.69	38.06	13.73	58.41	--	--	Peak	2	16740.00	47.49	68.30	-20.81	47.00	41.92	16.58	58.01	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	11160.00	45.07	74.00	-28.93	51.69	38.06	13.73	58.41	--	--	Peak																																																											
2	16740.00	47.49	68.30	-20.81	47.00	41.92	16.58	58.01	--	--	Peak																																																											
																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11160.00</td><td>43.22</td><td>74.00</td><td>-30.78</td><td>49.84</td><td>38.06</td><td>13.73</td><td>58.41</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>16740.00</td><td>44.35</td><td>68.30</td><td>-23.95</td><td>43.86</td><td>41.92</td><td>16.58</td><td>58.01</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11160.00	43.22	74.00	-30.78	49.84	38.06	13.73	58.41	--	--	Peak	2	16740.00	44.35	68.30	-23.95	43.86	41.92	16.58	58.01	--	--	Peak
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	11160.00	43.22	74.00	-30.78	49.84	38.06	13.73	58.41	--	--	Peak																																																											
2	16740.00	44.35	68.30	-23.95	43.86	41.92	16.58	58.01	--	--	Peak																																																											







Mode	9																																																																																																																				
	Harmonic																																																																																																																				
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																				
ANT	8																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																														
Peak Avg																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>47.91</td><td>74.00</td><td>-26.09</td><td>53.67</td><td>38.30</td><td>13.92</td><td>57.98</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>45.51</td><td>68.30</td><td>-22.79</td><td>44.07</td><td>42.54</td><td>16.76</td><td>57.86</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	47.91	74.00	-26.09	53.67	38.30	13.92	57.98	--	--	Peak	2	17100.00	45.51	68.30	-22.79	44.07	42.54	16.76	57.86	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>46.82</td><td>74.00</td><td>-27.18</td><td>52.58</td><td>38.30</td><td>13.92</td><td>57.98</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>44.51</td><td>68.30</td><td>-23.79</td><td>43.07</td><td>42.54</td><td>16.76</td><td>57.86</td><td>--</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	46.82	74.00	-27.18	52.58	38.30	13.92	57.98	--	--	Peak	2	17100.00	44.51	68.30	-23.79	43.07	42.54	16.76	57.86	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11400.00	47.91	74.00	-26.09	53.67	38.30	13.92	57.98	--	--	Peak																																																																																																										
2	17100.00	45.51	68.30	-22.79	44.07	42.54	16.76	57.86	--	--	Peak																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11400.00	46.82	74.00	-27.18	52.58	38.30	13.92	57.98	--	--	Peak																																																																																																										
2	17100.00	44.51	68.30	-23.79	43.07	42.54	16.76	57.86	--	--	Peak																																																																																																										





Mode	10																																																																																											
	Band Edge																																																																																											
	U-NII-1_5.15-5.25_802.11n HT20_CH36_Full_5180MHz																																																																																											
ANT	8																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-06-12  5000 5036 5072 5108 5144 5180 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.34</td><td>62.18</td><td>74.00</td><td>-11.82</td><td>49.53</td><td>34.95</td><td>9.95</td><td>32.25</td><td>100</td><td>304</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5146.34	62.18	74.00	-11.82	49.53	34.95	9.95	32.25	100	304	PEAK	Level (dBuV/m) Date: 2025-06-12  1000 2200 3400 4600 5800 7000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>106.84</td><td>-----</td><td>-----</td><td>94.11</td><td>34.98</td><td>9.97</td><td>32.22</td><td>100</td><td>304</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	106.84	-----	-----	94.11	34.98	9.97	32.22	100	304	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5146.34	62.18	74.00	-11.82	49.53	34.95	9.95	32.25	100	304	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5180.00	106.84	-----	-----	94.11	34.98	9.97	32.22	100	304	PEAK																																																																																	
Avg	Level (dBuV/m) Date: 2025-06-12  5000 5036 5072 5108 5144 5180 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.40</td><td>47.26</td><td>54.00</td><td>-6.74</td><td>34.60</td><td>34.95</td><td>9.96</td><td>32.25</td><td>100</td><td>304</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.40	47.26	54.00	-6.74	34.60	34.95	9.96	32.25	100	304	AVERAGE	Level (dBuV/m) Date: 2025-06-12  1000 2200 3400 4600 5800 7000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>100.84</td><td>-----</td><td>-----</td><td>88.10</td><td>34.98</td><td>9.98</td><td>32.22</td><td>100</td><td>304</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	100.84	-----	-----	88.10	34.98	9.98	32.22	100	304	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5149.40	47.26	54.00	-6.74	34.60	34.95	9.96	32.25	100	304	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5180.00	100.84	-----	-----	88.10	34.98	9.98	32.22	100	304	AVERAGE																																																																																	





Mode	10																																																																																									
	Band Edge																																																																																									
	U-NII-1_5.15-5.25_802.11n HT20_CH36_Full_5180MHz																																																																																									
ANT	8																																																																																									
Pol.	Vertical					Fundamental																																																																																				
Peak	 Date: 2025-06-12 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5139.14</td><td>54.42</td><td>74.00</td><td>-19.58</td><td>41.78</td><td>34.94</td><td>9.95</td><td>32.25</td><td>365</td><td>294</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5139.14	54.42	74.00	-19.58	41.78	34.94	9.95	32.25	365	294	PEAK	 Date: 2025-06-12 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>99.65</td><td>-----</td><td>-----</td><td>86.91</td><td>34.98</td><td>9.98</td><td>32.22</td><td>365</td><td>294</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	99.65	-----	-----	86.91	34.98	9.98	32.22	365	294	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5139.14	54.42	74.00	-19.58	41.78	34.94	9.95	32.25	365	294	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5180.00	99.65	-----	-----	86.91	34.98	9.98	32.22	365	294	PEAK																																																																															
Avg	 Date: 2025-06-12 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.40</td><td>43.79</td><td>54.00</td><td>-10.21</td><td>31.13</td><td>34.95</td><td>9.96</td><td>32.25</td><td>365</td><td>294</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.40	43.79	54.00	-10.21	31.13	34.95	9.96	32.25	365	294	AVERAGE	 Date: 2025-06-12 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>93.57</td><td>-----</td><td>-----</td><td>80.83</td><td>34.98</td><td>9.98</td><td>32.22</td><td>365</td><td>294</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5180.00	93.57	-----	-----	80.83	34.98	9.98	32.22	365	294	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5149.40	43.79	54.00	-10.21	31.13	34.95	9.96	32.25	365	294	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5180.00	93.57	-----	-----	80.83	34.98	9.98	32.22	365	294	AVERAGE																																																																															







Mode	10																																																																																																													
	Harmonic																																																																																																													
	U-NII-1_5.15-5.25_802.11n HT20_CH36_Full_5180MHz																																																																																																													
ANT	8																																																																																																													
Pol.	Horizontal					Vertical																																																																																																								
Peak Avg																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>45.20</td><td>68.30</td><td>-23.10</td><td>54.35</td><td>37.22</td><td>13.25</td><td>59.62</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>46.38</td><td>74.00</td><td>-27.62</td><td>48.19</td><td>40.22</td><td>15.86</td><td>57.89</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10360.00	45.20	68.30	-23.10	54.35	37.22	13.25	59.62	--	Peak	2	15540.00	46.38	74.00	-27.62	48.19	40.22	15.86	57.89	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10360.00</td><td>45.84</td><td>68.30</td><td>-22.46</td><td>54.99</td><td>37.22</td><td>13.25</td><td>59.62</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15540.00</td><td>46.80</td><td>74.00</td><td>-27.20</td><td>48.61</td><td>40.22</td><td>15.86</td><td>57.89</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	10360.00	45.84	68.30	-22.46	54.99	37.22	13.25	59.62	--	Peak	2	15540.00	46.80	74.00	-27.20	48.61	40.22	15.86	57.89	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																					
1	10360.00	45.20	68.30	-23.10	54.35	37.22	13.25	59.62	--	Peak																																																																																																				
2	15540.00	46.38	74.00	-27.62	48.19	40.22	15.86	57.89	--	Peak																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																					
1	10360.00	45.84	68.30	-22.46	54.99	37.22	13.25	59.62	--	Peak																																																																																																				
2	15540.00	46.80	74.00	-27.20	48.61	40.22	15.86	57.89	--	Peak																																																																																																				



Mode	11																																																																																																																				
	Harmonic																																																																																																																				
	U-NII-1_5.15-5.25_802.11n HT20_CH44_Full_5220MHz																																																																																																																				
ANT	8																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																														
Peak Avg																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>42.06</td><td>68.30</td><td>-26.24</td><td>51.16</td><td>37.26</td><td>13.30</td><td>59.66</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>44.25</td><td>74.00</td><td>-29.75</td><td>46.25</td><td>40.30</td><td>15.85</td><td>58.15</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	42.06	68.30	-26.24	51.16	37.26	13.30	59.66	--	--	Peak	2	15660.00	44.25	74.00	-29.75	46.25	40.30	15.85	58.15	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>43.80</td><td>68.30</td><td>-24.50</td><td>52.90</td><td>37.26</td><td>13.30</td><td>59.66</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15660.00</td><td>45.86</td><td>74.00</td><td>-28.14</td><td>47.86</td><td>40.30</td><td>15.85</td><td>58.15</td><td>--</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10440.00	43.80	68.30	-24.50	52.90	37.26	13.30	59.66	--	--	Peak	2	15660.00	45.86	74.00	-28.14	47.86	40.30	15.85	58.15	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	10440.00	42.06	68.30	-26.24	51.16	37.26	13.30	59.66	--	--	Peak																																																																																																										
2	15660.00	44.25	74.00	-29.75	46.25	40.30	15.85	58.15	--	--	Peak																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	10440.00	43.80	68.30	-24.50	52.90	37.26	13.30	59.66	--	--	Peak																																																																																																										
2	15660.00	45.86	74.00	-28.14	47.86	40.30	15.85	58.15	--	--	Peak																																																																																																										



		12																																																																																																	
Mode		Band Edge - L																																																																																																	
		U-NII-1_5.15-5.25_802.11n HT20_CH48_Full_5240MHz																																																																																																	
ANT		8																																																																																																	
Pol.	Horizontal										Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2025-06-12  Frequency (MHz)										Level (dBuV/m) Date: 2025-06-12  Frequency (MHz)																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5139.20</td><td>53.23</td><td>74.00</td><td>-20.77</td><td>40.59</td><td>34.94</td><td>9.95</td><td>32.25</td><td>100</td><td>302</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5139.20	53.23	74.00	-20.77	40.59	34.94	9.95	32.25	100	302	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>107.73</td><td>-----</td><td>-----</td><td>94.82</td><td>35.07</td><td>10.04</td><td>32.20</td><td>100</td><td>302</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5240.00	107.73	-----	-----	94.82	35.07	10.04	32.20	100	302
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	5139.20	53.23	74.00	-20.77	40.59	34.94	9.95	32.25	100	302	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	5240.00	107.73	-----	-----	94.82	35.07	10.04	32.20	100	302	PEAK																																																																																								
Avg	Level (dBuV/m) Date: 2025-06-12  Frequency (MHz)										Level (dBuV/m) Date: 2025-06-12  Frequency (MHz)																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5147.12</td><td>43.89</td><td>54.00</td><td>-10.11</td><td>31.24</td><td>34.95</td><td>9.95</td><td>32.25</td><td>100</td><td>302</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5147.12	43.89	54.00	-10.11	31.24	34.95	9.95	32.25	100	302	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>101.50</td><td>-----</td><td>-----</td><td>88.57</td><td>35.08</td><td>10.05</td><td>32.20</td><td>100</td><td>302</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5240.00	101.50	-----	-----	88.57	35.08	10.05	32.20	100	302
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	5147.12	43.89	54.00	-10.11	31.24	34.95	9.95	32.25	100	302	AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	5240.00	101.50	-----	-----	88.57	35.08	10.05	32.20	100	302	AVERAGE																																																																																								



Mode	12									
	Band Edge - R									
	U-NII-1_5.15-5.25_802.11n HT20_CH48_Full_5240MHz									
ANT	8									
Pol.	Horizontal					Fundamental				
Peak	</									





Mode	12	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11n HT20_CH48_Full_5240MHz	
ANT	8	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2025-06-12 1 5086.64 53.06 74.00 -20.94 40.51 34.89 9.91 32.25 358 254 PEAK	Level (dBuV/m) Date: 2025-06-12 1 5240.00 101.99 ----- 89.06 35.08 10.05 32.20 358 254 PEAK
	Level (dBuV/m) Date: 2025-06-12 1 5093.60 43.31 54.00 -10.69 30.74 34.90 9.92 32.25 358 254 AVERAGE	Level (dBuV/m) Date: 2025-06-12 1 5240.00 95.89 ----- 82.96 35.08 10.05 32.20 358 254 AVERAGE



Mode	12																																																		
	Band Edge - R																																																		
	U-NII-1_5.15-5.25_802.11n HT20_CH48_Full_5240MHz																																																		
ANT	8																																																		
Pol.	Vertical										Fundamental																																								
Peak	Level (dBuV/m) Date: 2025-06-12 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5416.00</td><td>51.84</td><td>74.00</td><td>-22.16</td><td>38.55</td><td>35.20</td><td>10.29</td><td>32.20</td><td>358</td><td>254</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5416.00	51.84	74.00	-22.16	38.55	35.20	10.29	32.20	358	254	PEAK	Blank
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5416.00	51.84	74.00	-22.16	38.55	35.20	10.29	32.20	358	254	PEAK																																								
Avg	Level (dBuV/m) Date: 2025-06-12 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.10</td><td>42.39</td><td>54.00</td><td>-11.61</td><td>29.15</td><td>35.20</td><td>10.21</td><td>32.17</td><td>358</td><td>254</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5351.10	42.39	54.00	-11.61	29.15	35.20	10.21	32.17	358	254	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5351.10	42.39	54.00	-11.61	29.15	35.20	10.21	32.17	358	254	AVERAGE																																								



Mode	12																																																																																																									
	Harmonic																																																																																																									
	U-NII-1_5.15-5.25_802.11n HT20_CH48_Full_5240MHz																																																																																																									
ANT	8																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10480.00</td><td>45.23</td><td>68.30</td><td>-23.07</td><td>54.27</td><td>37.29</td><td>13.36</td><td>59.69</td><td>-- -- Peak</td></tr><tr><td>2</td><td>15720.00</td><td>47.71</td><td>74.00</td><td>-26.29</td><td>49.79</td><td>40.33</td><td>15.87</td><td>58.28</td><td>-- -- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10480.00	45.23	68.30	-23.07	54.27	37.29	13.36	59.69	-- -- Peak	2	15720.00	47.71	74.00	-26.29	49.79	40.33	15.87	58.28	-- -- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10480.00</td><td>45.07</td><td>68.30</td><td>-23.23</td><td>54.11</td><td>37.29</td><td>13.36</td><td>59.69</td><td>-- -- Peak</td></tr><tr><td>2</td><td>15720.00</td><td>47.73</td><td>74.00</td><td>-26.27</td><td>49.81</td><td>40.33</td><td>15.87</td><td>58.28</td><td>-- -- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10480.00	45.07	68.30	-23.23	54.11	37.29	13.36	59.69	-- -- Peak	2	15720.00	47.73	74.00	-26.27	49.81	40.33	15.87	58.28	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																			
1	10480.00	45.23	68.30	-23.07	54.27	37.29	13.36	59.69	-- -- Peak																																																																																																	
2	15720.00	47.71	74.00	-26.29	49.79	40.33	15.87	58.28	-- -- Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																			
1	10480.00	45.07	68.30	-23.23	54.11	37.29	13.36	59.69	-- -- Peak																																																																																																	
2	15720.00	47.73	74.00	-26.27	49.81	40.33	15.87	58.28	-- -- Peak																																																																																																	