









Mode	13																																																																																
	Band Edge - L																																																																																
	U-NII-2A_5.25-5.35_802.11n HT20_CH52_Full_5260MHz																																																																																
ANT	8																																																																																
Pol.	Horizontal					Fundamental																																																																											
Peak	Date: 2025-06-12					Date: 2025-06-12																																																																											
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5071.24</td><td>52.93</td><td>74.00</td><td>-21.07</td><td>40.42</td><td>34.87</td><td>9.90</td><td>32.26</td><td>100</td><td>302</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5071.24	52.93	74.00	-21.07	40.42	34.87	9.90	32.26	100	302	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5260.00</td><td>110.57</td><td>-----</td><td>-----</td><td>97.59</td><td>35.11</td><td>10.07</td><td>32.20</td><td>100</td><td>302</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5260.00	110.57	-----	-----	97.59	35.11	10.07	32.20	100	302
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5071.24	52.93	74.00	-21.07	40.42	34.87	9.90	32.26	100	302	PEAK																																																																						
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5260.00	110.57	-----	-----	97.59	35.11	10.07	32.20	100	302	PEAK																																																																						
Avg	Date: 2025-06-12					Date: 2025-06-12																																																																											
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5147.16</td><td>43.79</td><td>54.00</td><td>-10.21</td><td>31.14</td><td>34.95</td><td>9.95</td><td>32.25</td><td>100</td><td>302</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5147.16	43.79	54.00	-10.21	31.14	34.95	9.95	32.25	100	302	AVERAGE	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5260.00</td><td>104.43</td><td>-----</td><td>-----</td><td>91.43</td><td>35.12</td><td>10.08</td><td>32.20</td><td>100</td><td>302</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5260.00	104.43	-----	-----	91.43	35.12	10.08	32.20	100	302
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5147.16	43.79	54.00	-10.21	31.14	34.95	9.95	32.25	100	302	AVERAGE																																																																						
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5260.00	104.43	-----	-----	91.43	35.12	10.08	32.20	100	302	AVERAGE																																																																						





Mode	13																																																																																											
	Band Edge - L																																																																																											
	U-NII-2A_5.25-5.35_802.11n HT20_CH52_Full_5260MHz																																																																																											
ANT	8																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	 Date: 2025-06-12 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5083.46</td><td>52.76</td><td>74.00</td><td>-21.24</td><td>40.21</td><td>34.89</td><td>9.91</td><td>32.25</td><td>357</td><td>253</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5083.46	52.76	74.00	-21.24	40.21	34.89	9.91	32.25	357	253	PEAK	 Date: 2025-06-12 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>105.51</td><td>-----</td><td>-----</td><td>92.51</td><td>35.12</td><td>10.08</td><td>32.20</td><td>357</td><td>253</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5260.00	105.51	-----	-----	92.51	35.12	10.08	32.20	357	253	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5083.46	52.76	74.00	-21.24	40.21	34.89	9.91	32.25	357	253	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5260.00	105.51	-----	-----	92.51	35.12	10.08	32.20	357	253	PEAK																																																																																	
Avg	 Date: 2025-06-12 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5098.54</td><td>43.34</td><td>54.00</td><td>-10.66</td><td>30.77</td><td>34.90</td><td>9.92</td><td>32.25</td><td>357</td><td>253</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5098.54	43.34	54.00	-10.66	30.77	34.90	9.92	32.25	357	253	AVERAGE	 Date: 2025-06-12 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>98.41</td><td>-----</td><td>-----</td><td>85.41</td><td>35.12</td><td>10.08</td><td>32.20</td><td>357</td><td>253</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5260.00	98.41	-----	-----	85.41	35.12	10.08	32.20	357	253	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5098.54	43.34	54.00	-10.66	30.77	34.90	9.92	32.25	357	253	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5260.00	98.41	-----	-----	85.41	35.12	10.08	32.20	357	253	AVERAGE																																																																																	







Mode	13																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2A_5.25-5.35_802.11n HT20_CH52_Full_5260MHz																																																																																																																																	
ANT	8																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10520.00</td><td>46.15</td><td>68.30</td><td>-22.15</td><td>55.08</td><td>37.32</td><td>13.41</td><td>59.66</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15780.00</td><td>47.55</td><td>74.00</td><td>-26.45</td><td>49.70</td><td>40.37</td><td>15.90</td><td>58.42</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10520.00	46.15	68.30	-22.15	55.08	37.32	13.41	59.66	--	--	Peak	2	15780.00	47.55	74.00	-26.45	49.70	40.37	15.90	58.42	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10520.00</td><td>43.64</td><td>68.30</td><td>-24.66</td><td>52.57</td><td>37.32</td><td>13.41</td><td>59.66</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15780.00</td><td>47.26</td><td>74.00</td><td>-26.74</td><td>49.41</td><td>40.37</td><td>15.90</td><td>58.42</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10520.00	43.64	68.30	-24.66	52.57	37.32	13.41	59.66	--	--	Peak	2	15780.00	47.26	74.00	-26.74	49.41	40.37	15.90	58.42	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	10520.00	46.15	68.30	-22.15	55.08	37.32	13.41	59.66	--	--	Peak																																																																																																																							
2	15780.00	47.55	74.00	-26.45	49.70	40.37	15.90	58.42	--	--	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	10520.00	43.64	68.30	-24.66	52.57	37.32	13.41	59.66	--	--	Peak																																																																																																																							
2	15780.00	47.26	74.00	-26.74	49.41	40.37	15.90	58.42	--	--	Peak																																																																																																																							



Mode	14																																																																																																									
	Harmonic																																																																																																									
	U-NII-2A_5.25-5.35_802.11n HT20_CH60_Full_5300MHz																																																																																																									
ANT	8																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10600.00</td><td>44.85</td><td>74.00</td><td>-29.15</td><td>53.41</td><td>37.42</td><td>13.52</td><td>59.50</td><td>-- -- Peak</td></tr><tr><td>2</td><td>15900.00</td><td>43.89</td><td>74.00</td><td>-30.11</td><td>46.12</td><td>40.44</td><td>16.01</td><td>58.68</td><td>-- -- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10600.00	44.85	74.00	-29.15	53.41	37.42	13.52	59.50	-- -- Peak	2	15900.00	43.89	74.00	-30.11	46.12	40.44	16.01	58.68	-- -- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10600.00</td><td>44.97</td><td>74.00</td><td>-29.03</td><td>53.53</td><td>37.42</td><td>13.52</td><td>59.50</td><td>-- -- Peak</td></tr><tr><td>2</td><td>15900.00</td><td>45.08</td><td>74.00</td><td>-28.92</td><td>47.31</td><td>40.44</td><td>16.01</td><td>58.68</td><td>-- -- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10600.00	44.97	74.00	-29.03	53.53	37.42	13.52	59.50	-- -- Peak	2	15900.00	45.08	74.00	-28.92	47.31	40.44	16.01	58.68	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																			
1	10600.00	44.85	74.00	-29.15	53.41	37.42	13.52	59.50	-- -- Peak																																																																																																	
2	15900.00	43.89	74.00	-30.11	46.12	40.44	16.01	58.68	-- -- Peak																																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																			
1	10600.00	44.97	74.00	-29.03	53.53	37.42	13.52	59.50	-- -- Peak																																																																																																	
2	15900.00	45.08	74.00	-28.92	47.31	40.44	16.01	58.68	-- -- Peak																																																																																																	





		15																																																																																
Mode		Band Edge																																																																																
		U-NII-2A_5.25-5.35_802.11n HT20_CH64_Full_5320MHz																																																																																
ANT		8																																																																																
Pol.		Horizontal					Fundamental																																																																											
Peak	 Level (dBuV/m) Date: 2025-06-12 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5353.88</td><td>65.37</td><td>74.00</td><td>-8.63</td><td>52.12</td><td>35.20</td><td>10.22</td><td>32.17</td><td>108 302 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5353.88	65.37	74.00	-8.63	52.12	35.20	10.22	32.17	108 302 PEAK	 Level (dBuV/m) Date: 2025-06-12 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>108.97</td><td>-----</td><td>-----</td><td>95.78</td><td>35.20</td><td>10.17</td><td>32.18</td><td>108 302 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5320.00	108.97	-----	-----	95.78	35.20	10.17	32.18	108 302 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1 5353.88	65.37	74.00	-8.63	52.12	35.20	10.22	32.17	108 302 PEAK																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1 5320.00	108.97	-----	-----	95.78	35.20	10.17	32.18	108 302 PEAK																																																																										
Avg	 Level (dBuV/m) Date: 2025-06-12 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5351.22</td><td>47.84</td><td>54.00</td><td>-6.16</td><td>34.60</td><td>35.20</td><td>10.21</td><td>32.17</td><td>108 302 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5351.22	47.84	54.00	-6.16	34.60	35.20	10.21	32.17	108 302 AVERAGE	 Level (dBuV/m) Date: 2025-06-12 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5320.00</td><td>101.74</td><td>-----</td><td>-----</td><td>88.55</td><td>35.20</td><td>10.17</td><td>32.18</td><td>108 302 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5320.00	101.74	-----	-----	88.55	35.20	10.17	32.18	108 302 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1 5351.22	47.84	54.00	-6.16	34.60	35.20	10.21	32.17	108 302 AVERAGE																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1 5320.00	101.74	-----	-----	88.55	35.20	10.17	32.18	108 302 AVERAGE																																																																										







		15																																																																																											
Mode		Band Edge																																																																																											
		U-NII-2A_5.25-5.35_802.11n HT20_CH64_Full_5320MHz																																																																																											
ANT		8																																																																																											
Pol.		Vertical					Fundamental																																																																																						
Peak		Level (dBuV/m) Date: 2025-06-12 PART 15.407 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Loss</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5350.94</td><td>58.50</td><td>74.00</td><td>-15.50</td><td>45.26</td><td>35.20</td><td>10.21</td><td>32.17</td><td>369</td><td>254</td><td>PEAK</td></tr></table>											Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5350.94	58.50	74.00	-15.50	45.26	35.20	10.21	32.17	369	254	PEAK	Level (dBuV/m) Date: 2025-06-12 PART 15.407 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Loss</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5320.00</td><td>103.93</td><td>-----</td><td>-----</td><td>90.74</td><td>35.20</td><td>10.17</td><td>32.18</td><td>369</td><td>254</td><td>PEAK</td></tr></table>											Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5320.00	103.93	-----	-----	90.74	35.20	10.17	32.18	369	254	PEAK
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5350.94	58.50	74.00	-15.50	45.26	35.20	10.21	32.17	369	254	PEAK																																																																																		
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5320.00	103.93	-----	-----	90.74	35.20	10.17	32.18	369	254	PEAK																																																																																		
Avg		Level (dBuV/m) Date: 2025-06-12 PART 15.407 AVG <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Loss</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5350.10</td><td>43.89</td><td>54.00</td><td>-10.11</td><td>30.65</td><td>35.20</td><td>10.21</td><td>32.17</td><td>369</td><td>254</td><td>AVERAGE</td></tr></table>											Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5350.10	43.89	54.00	-10.11	30.65	35.20	10.21	32.17	369	254	AVERAGE	Level (dBuV/m) Date: 2025-06-12 PART 15.407 AVG <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Loss</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5320.00</td><td>96.52</td><td>-----</td><td>-----</td><td>83.33</td><td>35.20</td><td>10.17</td><td>32.18</td><td>369</td><td>254</td><td>AVERAGE</td></tr></table>											Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5320.00	96.52	-----	-----	83.33	35.20	10.17	32.18	369	254	AVERAGE
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5350.10	43.89	54.00	-10.11	30.65	35.20	10.21	32.17	369	254	AVERAGE																																																																																		
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	APos	TPos	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5320.00	96.52	-----	-----	83.33	35.20	10.17	32.18	369	254	AVERAGE																																																																																		



Mode	15																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-2A_5.25-5.35_802.11n HT20_CH64_Full_5320MHz																																																																																																																									
ANT	8																																																																																																																									
Pol.	Horizontal										Vertical																																																																																																															
Peak Avg																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10640.00</td><td>44.04</td><td>74.00</td><td>-29.96</td><td>52.46</td><td>37.47</td><td>13.53</td><td>59.42</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>44.80</td><td>74.00</td><td>-29.20</td><td>47.06</td><td>40.48</td><td>16.07</td><td>58.81</td><td>--</td><td>--</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10640.00	44.04	74.00	-29.96	52.46	37.47	13.53	59.42	--	--	Peak	2	15960.00	44.80	74.00	-29.20	47.06	40.48	16.07	58.81	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10640.00</td><td>43.15</td><td>74.00</td><td>-30.85</td><td>51.57</td><td>37.47</td><td>13.53</td><td>59.42</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15960.00</td><td>44.25</td><td>74.00</td><td>-29.75</td><td>46.51</td><td>40.48</td><td>16.07</td><td>58.81</td><td>--</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10640.00	43.15	74.00	-30.85	51.57	37.47	13.53	59.42	--	--	Peak	2	15960.00	44.25	74.00	-29.75	46.51	40.48	16.07	58.81	--	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	10640.00	44.04	74.00	-29.96	52.46	37.47	13.53	59.42	--	--	Peak																																																																																																															
2	15960.00	44.80	74.00	-29.20	47.06	40.48	16.07	58.81	--	--	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	10640.00	43.15	74.00	-30.85	51.57	37.47	13.53	59.42	--	--	Peak																																																																																																															
2	15960.00	44.25	74.00	-29.75	46.51	40.48	16.07	58.81	--	--	Peak																																																																																																															





Mode	16																																																														
	Band Edge																																																														
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_Full_5500MHz																																																														
ANT	8																																																														
Pol.	Horizontal																																																														
Peak	Fundamental																																																														
	Level (dBuV/m) Date: 2025-06-12  Frequency (MHz)																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.50</td><td>57.31</td><td>74.00</td><td>-16.69</td><td>44.07</td><td>35.20</td><td>10.30</td><td>32.26</td><td>100</td><td>299</td><td>PEAK</td></tr><tr><td>2</td><td>5464.60</td><td>62.47</td><td>68.30</td><td>-5.83</td><td>49.23</td><td>35.20</td><td>10.30</td><td>32.26</td><td>100</td><td>299</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.50	57.31	74.00	-16.69	44.07	35.20	10.30	32.26	100	299	PEAK	2	5464.60	62.47	68.30	-5.83	49.23	35.20	10.30	32.26	100	299
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1	5459.50	57.31	74.00	-16.69	44.07	35.20	10.30	32.26	100	299	PEAK																																																				
2	5464.60	62.47	68.30	-5.83	49.23	35.20	10.30	32.26	100	299	PEAK																																																				
Avg	Level (dBuV/m) Date: 2025-06-12  Frequency (MHz)																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.50</td><td>45.22</td><td>54.00</td><td>-8.78</td><td>31.98</td><td>35.20</td><td>10.30</td><td>32.26</td><td>100</td><td>299</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.50	45.22	54.00	-8.78	31.98	35.20	10.30	32.26	100	299	AVERAGE											
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1	5459.50	45.22	54.00	-8.78	31.98	35.20	10.30	32.26	100	299	AVERAGE																																																				
Peak	Level (dBuV/m) Date: 2025-06-12  Frequency (MHz)																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>105.74</td><td>-----</td><td>-----</td><td>92.51</td><td>35.20</td><td>10.30</td><td>32.27</td><td>100</td><td>299</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	105.74	-----	-----	92.51	35.20	10.30	32.27	100	299	PEAK											
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1	5500.00	105.74	-----	-----	92.51	35.20	10.30	32.27	100	299	PEAK																																																				
Avg	Level (dBuV/m) Date: 2025-06-12  Frequency (MHz)																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>99.22</td><td>-----</td><td>-----</td><td>85.99</td><td>35.20</td><td>10.30</td><td>32.27</td><td>100</td><td>299</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	99.22	-----	-----	85.99	35.20	10.30	32.27	100	299	AVERAGE											
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1	5500.00	99.22	-----	-----	85.99	35.20	10.30	32.27	100	299	AVERAGE																																																				





Mode	16																																																																																																							
	Band Edge																																																																																																							
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_Full_5500MHz																																																																																																							
ANT	8																																																																																																							
Pol.	Vertical					Fundamental																																																																																																		
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.90</td><td>53.01</td><td>74.00</td><td>-20.99</td><td>39.77</td><td>35.20</td><td>10.30</td><td>32.26</td><td>365</td><td>258</td><td>PEAK</td></tr><tr><td>2</td><td>5467.00</td><td>56.37</td><td>68.30</td><td>-11.93</td><td>43.13</td><td>35.20</td><td>10.30</td><td>32.26</td><td>365</td><td>258</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.90	53.01	74.00	-20.99	39.77	35.20	10.30	32.26	365	258	PEAK	2	5467.00	56.37	68.30	-11.93	43.13	35.20	10.30	32.26	365	258	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>100.87</td><td>-----</td><td>-----</td><td>87.64</td><td>35.20</td><td>10.30</td><td>32.27</td><td>365</td><td>258</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.87	-----	-----	87.64	35.20	10.30	32.27	365	258	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5458.90	53.01	74.00	-20.99	39.77	35.20	10.30	32.26	365	258	PEAK																																																																																													
2	5467.00	56.37	68.30	-11.93	43.13	35.20	10.30	32.26	365	258	PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5500.00	100.87	-----	-----	87.64	35.20	10.30	32.27	365	258	PEAK																																																																																													
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.00</td><td>42.76</td><td>54.00</td><td>-11.24</td><td>29.52</td><td>35.20</td><td>10.30</td><td>32.26</td><td>365</td><td>258</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.00	42.76	54.00	-11.24	29.52	35.20	10.30	32.26	365	258	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>94.16</td><td>-----</td><td>-----</td><td>80.93</td><td>35.20</td><td>10.30</td><td>32.27</td><td>365</td><td>258</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	94.16	-----	-----	80.93	35.20	10.30	32.27	365	258	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5458.00	42.76	54.00	-11.24	29.52	35.20	10.30	32.26	365	258	AVERAGE																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	5500.00	94.16	-----	-----	80.93	35.20	10.30	32.27	365	258	AVERAGE																																																																																													






Mode	16																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.47-5.725_802.11n HT20_CH100_Full_5500MHz																																																																																																									
ANT	8																																																																																																									
Pol.	Horizontal												Vertical																																																																																													
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11000.00</td><td>44.05</td><td>74.00</td><td>-29.95</td><td>51.24</td><td>37.90</td><td>13.61</td><td>58.70</td></tr><tr><td>2</td><td>16500.00</td><td>43.76</td><td>68.30</td><td>-24.54</td><td>44.24</td><td>41.29</td><td>16.43</td><td>58.20</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11000.00	44.05	74.00	-29.95	51.24	37.90	13.61	58.70	2	16500.00	43.76	68.30	-24.54	44.24	41.29	16.43	58.20	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11000.00</td><td>43.86</td><td>74.00</td><td>-30.14</td><td>51.05</td><td>37.90</td><td>13.61</td><td>58.70</td></tr><tr><td>2</td><td>16500.00</td><td>45.11</td><td>68.30</td><td>-23.19</td><td>45.59</td><td>41.29</td><td>16.43</td><td>58.20</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11000.00	43.86	74.00	-30.14	51.05	37.90	13.61	58.70	2	16500.00	45.11	68.30	-23.19	45.59	41.29	16.43	58.20
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																			
1	11000.00	44.05	74.00	-29.95	51.24	37.90	13.61	58.70																																																																																																		
2	16500.00	43.76	68.30	-24.54	44.24	41.29	16.43	58.20																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																			
1	11000.00	43.86	74.00	-30.14	51.05	37.90	13.61	58.70																																																																																																		
2	16500.00	45.11	68.30	-23.19	45.59	41.29	16.43	58.20																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11000.00</td><td>44.05</td><td>74.00</td><td>-29.95</td><td>51.24</td><td>37.90</td><td>13.61</td><td>58.70</td></tr><tr><td>2</td><td>16500.00</td><td>43.76</td><td>68.30</td><td>-24.54</td><td>44.24</td><td>41.29</td><td>16.43</td><td>58.20</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11000.00	44.05	74.00	-29.95	51.24	37.90	13.61	58.70	2	16500.00	43.76	68.30	-24.54	44.24	41.29	16.43	58.20	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11000.00</td><td>43.86</td><td>74.00</td><td>-30.14</td><td>51.05</td><td>37.90</td><td>13.61</td><td>58.70</td></tr><tr><td>2</td><td>16500.00</td><td>45.11</td><td>68.30</td><td>-23.19</td><td>45.59</td><td>41.29</td><td>16.43</td><td>58.20</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11000.00	43.86	74.00	-30.14	51.05	37.90	13.61	58.70	2	16500.00	45.11	68.30	-23.19	45.59	41.29	16.43	58.20
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																			
1	11000.00	44.05	74.00	-29.95	51.24	37.90	13.61	58.70																																																																																																		
2	16500.00	43.76	68.30	-24.54	44.24	41.29	16.43	58.20																																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																			
1	11000.00	43.86	74.00	-30.14	51.05	37.90	13.61	58.70																																																																																																		
2	16500.00	45.11	68.30	-23.19	45.59	41.29	16.43	58.20																																																																																																		



Mode	17																																																																																																																				
	Harmonic																																																																																																																				
	U-NII-2C_5.47-5.725_802.11n HT20_CH116_Full_5580MHz																																																																																																																				
ANT	8																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																														
Peak Avg																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>43.90</td><td>74.00</td><td>-30.10</td><td>50.52</td><td>38.06</td><td>13.73</td><td>58.41</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>16740.00</td><td>44.34</td><td>68.30</td><td>-23.96</td><td>43.85</td><td>41.92</td><td>16.58</td><td>58.01</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	43.90	74.00	-30.10	50.52	38.06	13.73	58.41	--	--	Peak	2	16740.00	44.34	68.30	-23.96	43.85	41.92	16.58	58.01	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>41.79</td><td>74.00</td><td>-32.21</td><td>48.41</td><td>38.06</td><td>13.73</td><td>58.41</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>16740.00</td><td>44.79</td><td>68.30</td><td>-23.51</td><td>44.30</td><td>41.92</td><td>16.58</td><td>58.01</td><td>--</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	41.79	74.00	-32.21	48.41	38.06	13.73	58.41	--	--	Peak	2	16740.00	44.79	68.30	-23.51	44.30	41.92	16.58	58.01	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11160.00	43.90	74.00	-30.10	50.52	38.06	13.73	58.41	--	--	Peak																																																																																																										
2	16740.00	44.34	68.30	-23.96	43.85	41.92	16.58	58.01	--	--	Peak																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11160.00	41.79	74.00	-32.21	48.41	38.06	13.73	58.41	--	--	Peak																																																																																																										
2	16740.00	44.79	68.30	-23.51	44.30	41.92	16.58	58.01	--	--	Peak																																																																																																										





Mode	18																																																																																										
	Band Edge																																																																																										
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_Full_5700MHz																																																																																										
ANT	8																																																																																										
Pol.	Horizontal										Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-06-12  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5734.91</td><td>63.07</td><td>68.30</td><td>-5.23</td><td>49.47</td><td>35.58</td><td>10.38</td><td>32.36</td><td>100</td><td>296</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5734.91	63.07	68.30	-5.23	49.47	35.58	10.38	32.36	100	296	PEAK	Level (dBuV/m) Date: 2025-06-12  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>104.80</td><td>-----</td><td>-----</td><td>91.28</td><td>35.51</td><td>10.36</td><td>32.35</td><td>100</td><td>296</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	104.80	-----	-----	91.28	35.51	10.36	32.35	100	296	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5734.91	63.07	68.30	-5.23	49.47	35.58	10.38	32.36	100	296	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5700.00	104.80	-----	-----	91.28	35.51	10.36	32.35	100	296	PEAK																																																																																
Avg	Blank										Level (dBuV/m) Date: 2025-06-12  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>98.42</td><td>-----</td><td>-----</td><td>84.90</td><td>35.51</td><td>10.36</td><td>32.35</td><td>100</td><td>296</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	98.42	-----	-----	84.90	35.51	10.36	32.35	100	296	AVERAGE																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5700.00	98.42	-----	-----	84.90	35.51	10.36	32.35	100	296	AVERAGE																																																																																



Mode	18																																																																																										
	Band Edge																																																																																										
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_Full_5700MHz																																																																																										
ANT	8																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak	Date: 2025-06-12 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.58</td><td>56.88</td><td>68.30</td><td>-11.42</td><td>43.28</td><td>35.58</td><td>10.38</td><td>32.36</td><td>358</td><td>248</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5734.58	56.88	68.30	-11.42	43.28	35.58	10.38	32.36	358	248	PEAK	Date: 2025-06-12 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>99.31</td><td>-----</td><td>-----</td><td>85.79</td><td>35.51</td><td>10.36</td><td>32.35</td><td>358</td><td>248</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	99.31	-----	-----	85.79	35.51	10.36	32.35	358	248	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5734.58	56.88	68.30	-11.42	43.28	35.58	10.38	32.36	358	248	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5700.00	99.31	-----	-----	85.79	35.51	10.36	32.35	358	248	PEAK																																																																																
Avg	Blank						Date: 2025-06-12 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>93.33</td><td>-----</td><td>-----</td><td>79.81</td><td>35.51</td><td>10.36</td><td>32.35</td><td>358</td><td>248</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	93.33	-----	-----	79.81	35.51	10.36	32.35	358	248	AVERAGE																																								
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5700.00	93.33	-----	-----	79.81	35.51	10.36	32.35	358	248	AVERAGE																																																																																



Mode	18																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-2C_5.47-5.725_802.11n HT20_CH140_Full_5700MHz																																																																																																																																	
ANT	8																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11400.00</td><td>45.99</td><td>74.00</td><td>-28.01</td><td>51.75</td><td>38.30</td><td>13.92</td><td>57.98</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>43.45</td><td>68.30</td><td>-24.85</td><td>42.01</td><td>42.54</td><td>16.76</td><td>57.86</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11400.00	45.99	74.00	-28.01	51.75	38.30	13.92	57.98	--	--	Peak	2	17100.00	43.45	68.30	-24.85	42.01	42.54	16.76	57.86	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11400.00</td><td>43.52</td><td>74.00</td><td>-30.48</td><td>49.28</td><td>38.30</td><td>13.92</td><td>57.98</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>45.98</td><td>68.30</td><td>-22.32</td><td>44.54</td><td>42.54</td><td>16.76</td><td>57.86</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11400.00	43.52	74.00	-30.48	49.28	38.30	13.92	57.98	--	--	Peak	2	17100.00	45.98	68.30	-22.32	44.54	42.54	16.76	57.86	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11400.00	45.99	74.00	-28.01	51.75	38.30	13.92	57.98	--	--	Peak																																																																																																																							
2	17100.00	43.45	68.30	-24.85	42.01	42.54	16.76	57.86	--	--	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11400.00	43.52	74.00	-30.48	49.28	38.30	13.92	57.98	--	--	Peak																																																																																																																							
2	17100.00	45.98	68.30	-22.32	44.54	42.54	16.76	57.86	--	--	Peak																																																																																																																							







Mode	19																																																																																									
	Band Edge - L																																																																																									
	U-NII-1_5.15-5.25_802.11n HT40_CH38_Full_5190MHz																																																																																									
ANT	8																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2025-06-12 1 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5144.59</td><td>59.83</td><td>74.00</td><td>-14.17</td><td>47.18</td><td>34.95</td><td>9.95</td><td>32.25</td><td>104</td><td>304</td><td>PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5144.59	59.83	74.00	-14.17	47.18	34.95	9.95	32.25	104	304	PEAK	Level (dBuV/m) Date: 2025-06-12 1 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>101.93</td><td>-----</td><td>-----</td><td>89.17</td><td>34.99</td><td>9.98</td><td>32.21</td><td>104</td><td>304</td><td>PEAK</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5190.00	101.93	-----	-----	89.17	34.99	9.98	32.21	104	304	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5144.59	59.83	74.00	-14.17	47.18	34.95	9.95	32.25	104	304	PEAK																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5190.00	101.93	-----	-----	89.17	34.99	9.98	32.21	104	304	PEAK																																																																															
Avg	Level (dBuV/m) Date: 2025-06-12 1 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5146.49</td><td>48.13</td><td>54.00</td><td>-5.87</td><td>35.48</td><td>34.95</td><td>9.95</td><td>32.25</td><td>104</td><td>304</td><td>AVERAGE</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5146.49	48.13	54.00	-5.87	35.48	34.95	9.95	32.25	104	304	AVERAGE	Level (dBuV/m) Date: 2025-06-12 1 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>96.05</td><td>-----</td><td>-----</td><td>83.26</td><td>35.00</td><td>9.99</td><td>32.20</td><td>104</td><td>304</td><td>AVERAGE</td></tr></tbody></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5190.00	96.05	-----	-----	83.26	35.00	9.99	32.20	104	304	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5146.49	48.13	54.00	-5.87	35.48	34.95	9.95	32.25	104	304	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5190.00	96.05	-----	-----	83.26	35.00	9.99	32.20	104	304	AVERAGE																																																																															



Mode	19	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11n HT40_CH38_Full_5190MHz	
ANT	8	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2025-06-12 1 5137.37 52.90 74.00 -21.10 40.26 34.94 9.95 32.25 390 272 PEAK	Level (dBuV/m) Date: 2025-06-12 1 5190.00 95.00 ----- 82.24 34.99 9.98 32.21 390 272 PEAK
	Level (dBuV/m) Date: 2025-06-12 1 5144.02 43.62 54.00 -10.38 30.97 34.95 9.95 32.25 390 272 AVERAGE	Level (dBuV/m) Date: 2025-06-12 1 5190.00 88.66 ----- 75.90 34.99 9.98 32.21 390 272 AVERAGE







Mode	20																																																																																											
	Band Edge - L																																																																																											
	U-NII-1_5.15-5.25_802.11n HT40_CH46_Full_5230MHz																																																																																											
ANT	8																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	 Date: 2025-06-12 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.35</td><td>60.77</td><td>74.00</td><td>-13.23</td><td>48.11</td><td>34.95</td><td>9.96</td><td>32.25</td><td>104</td><td>303</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5148.35	60.77	74.00	-13.23	48.11	34.95	9.96	32.25	104	303	PEAK	 Date: 2025-06-12 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>107.01</td><td>-----</td><td>-----</td><td>94.11</td><td>35.06</td><td>10.04</td><td>32.20</td><td>104</td><td>303</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5230.00	107.01	-----	-----	94.11	35.06	10.04	32.20	104	303	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5148.35	60.77	74.00	-13.23	48.11	34.95	9.96	32.25	104	303	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5230.00	107.01	-----	-----	94.11	35.06	10.04	32.20	104	303	PEAK																																																																																	
Avg	 Date: 2025-06-12 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5144.67</td><td>48.14</td><td>54.00</td><td>-5.86</td><td>35.49</td><td>34.95</td><td>9.95</td><td>32.25</td><td>104</td><td>303</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5144.67	48.14	54.00	-5.86	35.49	34.95	9.95	32.25	104	303	AVERAGE	 Date: 2025-06-12 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>101.21</td><td>-----</td><td>-----</td><td>88.31</td><td>35.06</td><td>10.04</td><td>32.20</td><td>104</td><td>303</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5230.00	101.21	-----	-----	88.31	35.06	10.04	32.20	104	303	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5144.67	48.14	54.00	-5.86	35.49	34.95	9.95	32.25	104	303	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5230.00	101.21	-----	-----	88.31	35.06	10.04	32.20	104	303	AVERAGE																																																																																	







Mode	20																																																																																
	Band Edge - L																																																																																
	U-NII-1_5.15-5.25_802.11n HT40_CH46_Full_5230MHz																																																																																
ANT	8																																																																																
Pol.	Vertical					Fundamental																																																																											
Peak																																																																																	
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5143.29</td><td>53.14</td><td>74.00</td><td>-20.86</td><td>40.49</td><td>34.95</td><td>9.95</td><td>32.25</td><td>345</td><td>271</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5143.29	53.14	74.00	-20.86	40.49	34.95	9.95	32.25	345	271	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>99.14</td><td>-----</td><td>-----</td><td>86.24</td><td>35.06</td><td>10.04</td><td>32.20</td><td>345</td><td>271</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5230.00	99.14	-----	-----	86.24	35.06	10.04	32.20	345	271
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5143.29	53.14	74.00	-20.86	40.49	34.95	9.95	32.25	345	271	PEAK																																																																						
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5230.00	99.14	-----	-----	86.24	35.06	10.04	32.20	345	271	PEAK																																																																						
Avg																																																																																	
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5146.97</td><td>44.24</td><td>54.00</td><td>-9.76</td><td>31.59</td><td>34.95</td><td>9.95</td><td>32.25</td><td>345</td><td>271</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5146.97	44.24	54.00	-9.76	31.59	34.95	9.95	32.25	345	271	AVERAGE	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>93.19</td><td>-----</td><td>-----</td><td>80.29</td><td>35.06</td><td>10.04</td><td>32.20</td><td>345</td><td>271</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5230.00	93.19	-----	-----	80.29	35.06	10.04	32.20	345	271
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5146.97	44.24	54.00	-9.76	31.59	34.95	9.95	32.25	345	271	AVERAGE																																																																						
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5230.00	93.19	-----	-----	80.29	35.06	10.04	32.20	345	271	AVERAGE																																																																						







Mode	21																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_Full_5270MHz																																																																																																					
ANT	8																																																																																																					
Pol.	Horizontal																																																																																																					
Peak	Fundamental																																																																																																					
	Level (dBuV/m) Date: 2025-06-12  <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.58</td><td>54.82</td><td>74.00</td><td>-19.18</td><td>42.16</td><td>34.95</td><td>9.96</td><td>32.25</td><td>100</td><td>300</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.58	54.82	74.00	-19.18	42.16	34.95	9.96	32.25	100	300	PEAK	Level (dBuV/m) Date: 2025-06-12  <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5270.00</td><td>106.38</td><td>-----</td><td>-----</td><td>93.35</td><td>35.13</td><td>10.09</td><td>32.19</td><td>100</td><td>300</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5270.00	106.38	-----	-----	93.35	35.13	10.09	32.19	100	300	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5149.58	54.82	74.00	-19.18	42.16	34.95	9.96	32.25	100	300	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5270.00	106.38	-----	-----	93.35	35.13	10.09	32.19	100	300	PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2025-06-12  <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.50</td><td>44.87</td><td>54.00</td><td>-9.13</td><td>32.21</td><td>34.95</td><td>9.96</td><td>32.25</td><td>100</td><td>300</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5148.50	44.87	54.00	-9.13	32.21	34.95	9.96	32.25	100	300	AVERAGE	Level (dBuV/m) Date: 2025-06-12  <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5270.00</td><td>100.25</td><td>-----</td><td>-----</td><td>87.22</td><td>35.13</td><td>10.09</td><td>32.19</td><td>100</td><td>300</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5270.00	100.25	-----	-----	87.22	35.13	10.09	32.19	100	300	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
	Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5148.50	44.87	54.00	-9.13	32.21	34.95	9.96	32.25	100	300	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5270.00	100.25	-----	-----	87.22	35.13	10.09	32.19	100	300	AVERAGE																																																																																											







Mode	21																																																																																										
	Band Edge - L																																																																																										
	U-NII-2A_5.25-5.35_802.11n HT40_CH54_Full_5270MHz																																																																																										
ANT	8																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak	 Level (dBuV/m) Date: 2025-06-12 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5119.34</td><td>52.67</td><td>74.00</td><td>-21.33</td><td>40.06</td><td>34.92</td><td>9.94</td><td>32.25</td><td>387</td><td>264</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5119.34	52.67	74.00	-21.33	40.06	34.92	9.94	32.25	387	264	PEAK	 Level (dBuV/m) Date: 2025-06-12 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5270.00</td><td>99.57</td><td>-----</td><td>-----</td><td>86.52</td><td>35.14</td><td>10.10</td><td>32.19</td><td>387</td><td>264</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5270.00	99.57	-----	-----	86.52	35.14	10.10	32.19	387	264	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5119.34	52.67	74.00	-21.33	40.06	34.92	9.94	32.25	387	264	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5270.00	99.57	-----	-----	86.52	35.14	10.10	32.19	387	264	PEAK																																																																																
Avg	 Level (dBuV/m) Date: 2025-06-12 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5144.18</td><td>43.47</td><td>54.00</td><td>-10.53</td><td>30.82</td><td>34.95</td><td>9.95</td><td>32.25</td><td>387</td><td>264</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5144.18	43.47	54.00	-10.53	30.82	34.95	9.95	32.25	387	264	AVERAGE	 Level (dBuV/m) Date: 2025-06-12 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5270.00</td><td>92.76</td><td>-----</td><td>-----</td><td>79.73</td><td>35.13</td><td>10.09</td><td>32.19</td><td>387</td><td>264</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5270.00	92.76	-----	-----	79.73	35.13	10.09	32.19	387	264	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5144.18	43.47	54.00	-10.53	30.82	34.95	9.95	32.25	387	264	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5270.00	92.76	-----	-----	79.73	35.13	10.09	32.19	387	264	AVERAGE																																																																																



Mode	22																																																																																							
	Band Edge - L																																																																																							
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																																																							
ANT	8																																																																																							
Pol.	Horizontal					Fundamental																																																																																		
Peak	 Level (dBuV/m) Date: 2025-06-12 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5136.40</td><td>52.57</td><td>74.00</td><td>-21.43</td><td>39.93</td><td>34.94</td><td>9.95</td><td>32.25</td><td>100</td><td>300</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5136.40	52.57	74.00	-21.43	39.93	34.94	9.95	32.25	100	300	PEAK	 Level (dBuV/m) Date: 2025-06-12 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5310.00</td><td>101.32</td><td>-----</td><td>-----</td><td>88.15</td><td>35.20</td><td>10.15</td><td>32.18</td><td>100</td><td>300</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5310.00	101.32	-----	-----	88.15	35.20	10.15	32.18	100	300	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5136.40	52.57	74.00	-21.43	39.93	34.94	9.95	32.25	100	300	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5310.00	101.32	-----	-----	88.15	35.20	10.15	32.18	100	300	PEAK																																																																														
Avg	 Level (dBuV/m) Date: 2025-06-12 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5140.43</td><td>43.81</td><td>54.00</td><td>-10.19</td><td>31.17</td><td>34.94</td><td>9.95</td><td>32.25</td><td>100</td><td>300</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5140.43	43.81	54.00	-10.19	31.17	34.94	9.95	32.25	100	300	AVERAGE	 Level (dBuV/m) Date: 2025-06-12 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5310.00</td><td>95.09</td><td>-----</td><td>-----</td><td>81.92</td><td>35.20</td><td>10.15</td><td>32.18</td><td>100</td><td>300</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5310.00	95.09	-----	-----	81.92	35.20	10.15	32.18	100	300	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5140.43	43.81	54.00	-10.19	31.17	34.94	9.95	32.25	100	300	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5310.00	95.09	-----	-----	81.92	35.20	10.15	32.18	100	300	AVERAGE																																																																														



Mode	22																																																																																											
	Band Edge - L																																																																																											
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																																																																											
ANT	8																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	 Date: 2025-06-12 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5120.59</td><td>52.54</td><td>74.00</td><td>-21.46</td><td>39.93</td><td>34.92</td><td>9.94</td><td>32.25</td><td>390</td><td>253</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5120.59	52.54	74.00	-21.46	39.93	34.92	9.94	32.25	390	253	PEAK	 Date: 2025-06-12 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>95.65</td><td>-----</td><td>-----</td><td>82.46</td><td>35.20</td><td>10.17</td><td>32.18</td><td>390</td><td>253</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5310.00	95.65	-----	-----	82.46	35.20	10.17	32.18	390	253	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5120.59	52.54	74.00	-21.46	39.93	34.92	9.94	32.25	390	253	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5310.00	95.65	-----	-----	82.46	35.20	10.17	32.18	390	253	PEAK																																																																																	
Avg	 Date: 2025-06-12 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5098.27</td><td>43.59</td><td>54.00</td><td>-10.41</td><td>31.02</td><td>34.90</td><td>9.92</td><td>32.25</td><td>390</td><td>253</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5098.27	43.59	54.00	-10.41	31.02	34.90	9.92	32.25	390	253	AVERAGE	 Date: 2025-06-12 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5310.00</td><td>89.10</td><td>-----</td><td>-----</td><td>75.92</td><td>35.20</td><td>10.16</td><td>32.18</td><td>390</td><td>253</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5310.00	89.10	-----	-----	75.92	35.20	10.16	32.18	390	253	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5098.27	43.59	54.00	-10.41	31.02	34.90	9.92	32.25	390	253	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5310.00	89.10	-----	-----	75.92	35.20	10.16	32.18	390	253	AVERAGE																																																																																	



Mode	22																																
	Band Edge - R																																
	U-NII-2A_5.25-5.35_802.11n HT40_CH62_Full_5310MHz																																
ANT	8																																
Pol.	Vertical	Fundamental																															
Peak	Date: 2025-06-12 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5361.15</td><td>53.79</td><td>74.00</td><td>-20.21</td><td>40.53</td><td>35.20</td><td>10.23</td><td>32.17</td><td>390</td><td>253 PEAK</td></tr></table>	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5361.15	53.79	74.00	-20.21	40.53	35.20	10.23	32.17	390	253 PEAK	Blank
Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																								
1	5361.15	53.79	74.00	-20.21	40.53	35.20	10.23	32.17	390	253 PEAK																							
Avg	Date: 2025-06-12 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.65</td><td>44.16</td><td>54.00</td><td>-9.84</td><td>30.92</td><td>35.20</td><td>10.21</td><td>32.17</td><td>390</td><td>253 AVERAGE</td></tr></table>	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.65	44.16	54.00	-9.84	30.92	35.20	10.21	32.17	390	253 AVERAGE	Blank
Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																								
1	5350.65	44.16	54.00	-9.84	30.92	35.20	10.21	32.17	390	253 AVERAGE																							







Mode	23																																																																																							
	Band Edge - L																																																																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																																																							
ANT	8																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2025-06-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5459.76</td><td>57.69</td><td>74.00</td><td>-16.31</td><td>44.45</td><td>35.20</td><td>10.30</td><td>32.26</td><td>100</td><td>296 PEAK</td></tr><tr><td>2 5469.68</td><td>62.20</td><td>68.30</td><td>-6.10</td><td>48.96</td><td>35.20</td><td>10.30</td><td>32.26</td><td>100</td><td>296 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5459.76	57.69	74.00	-16.31	44.45	35.20	10.30	32.26	100	296 PEAK	2 5469.68	62.20	68.30	-6.10	48.96	35.20	10.30	32.26	100	296 PEAK	Level (dBuV/m) Date: 2025-06-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5510.00</td><td>101.85</td><td>-----</td><td>-----</td><td>88.62</td><td>35.20</td><td>10.30</td><td>32.27</td><td>100</td><td>296 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5510.00	101.85	-----	-----	88.62	35.20	10.30	32.27	100	296 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5459.76	57.69	74.00	-16.31	44.45	35.20	10.30	32.26	100	296 PEAK																																																																															
2 5469.68	62.20	68.30	-6.10	48.96	35.20	10.30	32.26	100	296 PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5510.00	101.85	-----	-----	88.62	35.20	10.30	32.27	100	296 PEAK																																																																															
Avg	Level (dBuV/m) Date: 2025-06-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5458.48</td><td>46.56</td><td>54.00</td><td>-7.44</td><td>33.32</td><td>35.20</td><td>10.30</td><td>32.26</td><td>100</td><td>296 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5458.48	46.56	54.00	-7.44	33.32	35.20	10.30	32.26	100	296 AVERAGE	Level (dBuV/m) Date: 2025-06-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5510.00</td><td>95.36</td><td>-----</td><td>-----</td><td>82.13</td><td>35.20</td><td>10.30</td><td>32.27</td><td>100</td><td>296 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5510.00	95.36	-----	-----	82.13	35.20	10.30	32.27	100	296 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5458.48	46.56	54.00	-7.44	33.32	35.20	10.30	32.26	100	296 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5510.00	95.36	-----	-----	82.13	35.20	10.30	32.27	100	296 AVERAGE																																																																															




Mode	23																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																									
ANT	8																																									
Pol.	Horizontal	Fundamental																																								
Peak	Date: 2025-06-14 <table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5761.18</td><td>52.86</td><td>68.30</td><td>-15.44</td><td>39.18</td><td>35.64</td><td>10.39</td><td>32.35</td><td>100</td><td>296 PEAK</td></tr></table>	Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5761.18	52.86	68.30	-15.44	39.18	35.64	10.39	32.35	100	296 PEAK	Blank
Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5761.18	52.86	68.30	-15.44	39.18	35.64	10.39	32.35	100	296 PEAK																																



Mode	23																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																																																																						
ANT	8																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.80</td><td>53.15</td><td>74.00</td><td>-20.85</td><td>39.91</td><td>35.20</td><td>10.30</td><td>32.26</td><td>327</td><td>283</td><td>PEAK</td></tr><tr><td>2</td><td>5469.04</td><td>56.54</td><td>68.30</td><td>-11.76</td><td>43.30</td><td>35.20</td><td>10.30</td><td>32.26</td><td>327</td><td>283</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5454.80	53.15	74.00	-20.85	39.91	35.20	10.30	32.26	327	283	PEAK	2	5469.04	56.54	68.30	-11.76	43.30	35.20	10.30	32.26	327	283	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>94.40</td><td>-----</td><td>-----</td><td>81.17</td><td>35.20</td><td>10.30</td><td>32.27</td><td>327</td><td>283</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5510.00	94.40	-----	-----	81.17	35.20	10.30	32.27	327	283
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5454.80	53.15	74.00	-20.85	39.91	35.20	10.30	32.26	327	283	PEAK																																																																																												
2	5469.04	56.54	68.30	-11.76	43.30	35.20	10.30	32.26	327	283	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5510.00	94.40	-----	-----	81.17	35.20	10.30	32.27	327	283	PEAK																																																																																												
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5456.88</td><td>43.89</td><td>54.00</td><td>-10.11</td><td>30.65</td><td>35.20</td><td>10.30</td><td>32.26</td><td>327</td><td>283</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5456.88	43.89	54.00	-10.11	30.65	35.20	10.30	32.26	327	283	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>87.97</td><td>-----</td><td>-----</td><td>74.74</td><td>35.20</td><td>10.30</td><td>32.27</td><td>327</td><td>283</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5510.00	87.97	-----	-----	74.74	35.20	10.30	32.27	327	283	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5456.88	43.89	54.00	-10.11	30.65	35.20	10.30	32.26	327	283	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5510.00	87.97	-----	-----	74.74	35.20	10.30	32.27	327	283	AVERAGE																																																																																												



Mode	23																																																		
	Band Edge - R																																																		
	U-NII-2C_5.47-5.725_802.11n HT40_CH102_Full_5510MHz																																																		
ANT	8																																																		
Pol.	Vertical						Fundamental																																												
Peak	Date: 2025-06-14 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5732.62</td><td>52.61</td><td>68.30</td><td>-15.69</td><td>39.01</td><td>35.58</td><td>10.38</td><td>32.36</td><td>327</td><td>283</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5732.62	52.61	68.30	-15.69	39.01	35.58	10.38	32.36	327	283	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5732.62	52.61	68.30	-15.69	39.01	35.58	10.38	32.36	327	283	PEAK																																								







Mode	24																																																																																							
	Band Edge - L																																																																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																																																																							
ANT	8																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2025-06-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5413.04</td><td>51.58</td><td>74.00</td><td>-22.42</td><td>38.29</td><td>35.20</td><td>10.29</td><td>32.20</td><td>103</td><td>294 PEAK</td></tr><tr><td>2 5469.36</td><td>51.81</td><td>68.30</td><td>-16.49</td><td>38.57</td><td>35.20</td><td>10.30</td><td>32.26</td><td>103</td><td>294 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5413.04	51.58	74.00	-22.42	38.29	35.20	10.29	32.20	103	294 PEAK	2 5469.36	51.81	68.30	-16.49	38.57	35.20	10.30	32.26	103	294 PEAK	Level (dBuV/m) Date: 2025-06-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5670.00</td><td>103.85</td><td>-----</td><td>-----</td><td>90.40</td><td>35.44</td><td>10.34</td><td>32.33</td><td>103</td><td>294 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5670.00	103.85	-----	-----	90.40	35.44	10.34	32.33	103	294 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5413.04	51.58	74.00	-22.42	38.29	35.20	10.29	32.20	103	294 PEAK																																																																															
2 5469.36	51.81	68.30	-16.49	38.57	35.20	10.30	32.26	103	294 PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5670.00	103.85	-----	-----	90.40	35.44	10.34	32.33	103	294 PEAK																																																																															
Avg	Level (dBuV/m) Date: 2025-06-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5437.68</td><td>43.19</td><td>54.00</td><td>-10.81</td><td>29.93</td><td>35.20</td><td>10.29</td><td>32.23</td><td>103</td><td>294 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5437.68	43.19	54.00	-10.81	29.93	35.20	10.29	32.23	103	294 AVERAGE	Level (dBuV/m) Date: 2025-06-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5670.00</td><td>96.66</td><td>-----</td><td>-----</td><td>83.18</td><td>35.46</td><td>10.35</td><td>32.33</td><td>103</td><td>294 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5670.00	96.66	-----	-----	83.18	35.46	10.35	32.33	103	294 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5437.68	43.19	54.00	-10.81	29.93	35.20	10.29	32.23	103	294 AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5670.00	96.66	-----	-----	83.18	35.46	10.35	32.33	103	294 AVERAGE																																																																															



Mode	24																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																									
ANT	8																																									
Pol.	Horizontal	Fundamental																																								
Peak	Date: 2025-06-14 <table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.48</td><td>62.54</td><td>68.30</td><td>-5.76</td><td>48.96</td><td>35.57</td><td>10.37</td><td>32.36</td><td>103</td><td>294 PEAK</td></tr></table>	Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5727.48	62.54	68.30	-5.76	48.96	35.57	10.37	32.36	103	294 PEAK	Blank
Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5727.48	62.54	68.30	-5.76	48.96	35.57	10.37	32.36	103	294 PEAK																																



Mode	24																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																																																																																					
ANT	8																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5386.80</td><td>51.80</td><td>74.00</td><td>-22.20</td><td>38.51</td><td>35.20</td><td>10.27</td><td>32.18</td><td>374</td><td>288</td><td>PEAK</td></tr><tr><td>2</td><td>5460.40</td><td>50.83</td><td>68.30</td><td>-17.47</td><td>37.59</td><td>35.20</td><td>10.30</td><td>32.26</td><td>374</td><td>288</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5386.80	51.80	74.00	-22.20	38.51	35.20	10.27	32.18	374	288	PEAK	2	5460.40	50.83	68.30	-17.47	37.59	35.20	10.30	32.26	374	288	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>93.63</td><td>-----</td><td>-----</td><td>80.15</td><td>35.46</td><td>10.35</td><td>32.33</td><td>374</td><td>288</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	93.63	-----	-----	80.15	35.46	10.35	32.33	374	288
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5386.80	51.80	74.00	-22.20	38.51	35.20	10.27	32.18	374	288	PEAK																																																																																											
2	5460.40	50.83	68.30	-17.47	37.59	35.20	10.30	32.26	374	288	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5670.00	93.63	-----	-----	80.15	35.46	10.35	32.33	374	288	PEAK																																																																																											
Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5452.40</td><td>42.82</td><td>54.00</td><td>-11.18</td><td>29.59</td><td>35.20</td><td>10.29</td><td>32.26</td><td>374</td><td>288</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5452.40	42.82	54.00	-11.18	29.59	35.20	10.29	32.26	374	288	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>86.56</td><td>-----</td><td>-----</td><td>73.08</td><td>35.46</td><td>10.35</td><td>32.33</td><td>374</td><td>288</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	86.56	-----	-----	73.08	35.46	10.35	32.33	374	288	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5452.40	42.82	54.00	-11.18	29.59	35.20	10.29	32.26	374	288	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	Apos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5670.00	86.56	-----	-----	73.08	35.46	10.35	32.33	374	288	AVERAGE																																																																																											



Mode	24																																												
	Band Edge - R																																												
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_Full_5670MHz																																												
ANT	8																																												
Pol.	Vertical	Fundamental																																											
Peak	Date: 2025-06-14 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5732.61</td><td>55.64</td><td>68.30</td><td>-12.66</td><td>42.04</td><td>35.58</td><td>10.38</td><td>32.36</td><td>374</td><td>288 PEAK</td></tr></table>			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5732.61	55.64	68.30	-12.66	42.04	35.58	10.38	32.36	374	288 PEAK	Blank
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5732.61	55.64	68.30	-12.66	42.04	35.58	10.38	32.36	374	288 PEAK																																			





Mode	25																																																																									
	Band Edge - L																																																																									
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full_5210MHz																																																																									
ANT	8																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-06-14 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5149.31</td><td>56.33</td><td>74.00</td><td>-17.67</td><td>43.67</td><td>34.95</td><td>9.96</td><td>32.25</td><td>104 301 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5149.31	56.33	74.00	-17.67	43.67	34.95	9.96	32.25	104 301 PEAK	Level (dBuV/m) Date: 2025-06-14 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5210.00</td><td>99.72</td><td>-----</td><td>-----</td><td>86.93</td><td>35.00</td><td>9.99</td><td>32.20</td><td>104 301 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5210.00	99.72	-----	-----	86.93	35.00	9.99	32.20	104 301 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 5149.31	56.33	74.00	-17.67	43.67	34.95	9.96	32.25	104 301 PEAK																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 5210.00	99.72	-----	-----	86.93	35.00	9.99	32.20	104 301 PEAK																																																																		
Avg	Level (dBuV/m) Date: 2025-06-14 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5149.73</td><td>48.99</td><td>54.00</td><td>-5.01</td><td>36.33</td><td>34.95</td><td>9.96</td><td>32.25</td><td>104 301 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5149.73	48.99	54.00	-5.01	36.33	34.95	9.96	32.25	104 301 AVERAGE	Level (dBuV/m) Date: 2025-06-14 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5210.00</td><td>93.05</td><td>-----</td><td>-----</td><td>80.24</td><td>35.01</td><td>10.00</td><td>32.20</td><td>104 301 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5210.00	93.05	-----	-----	80.24	35.01	10.00	32.20	104 301 AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 5149.73	48.99	54.00	-5.01	36.33	34.95	9.96	32.25	104 301 AVERAGE																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																		
1 5210.00	93.05	-----	-----	80.24	35.01	10.00	32.20	104 301 AVERAGE																																																																		







Mode	25																																																																																										
	Band Edge - L																																																																																										
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full_5210MHz																																																																																										
ANT	8																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-06-14 500050425084512651685210 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5077.28</td><td>52.68</td><td>74.00</td><td>-21.32</td><td>40.14</td><td>34.88</td><td>9.91</td><td>32.25</td><td>363</td><td>287</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5077.28	52.68	74.00	-21.32	40.14	34.88	9.91	32.25	363	287	PEAK	Level (dBuV/m) Date: 2025-06-14 100022003400460058007000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>90.66</td><td>-----</td><td>-----</td><td>77.85</td><td>35.01</td><td>10.00</td><td>32.20</td><td>363</td><td>287</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	90.66	-----	-----	77.85	35.01	10.00	32.20	363	287	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5077.28	52.68	74.00	-21.32	40.14	34.88	9.91	32.25	363	287	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5210.00	90.66	-----	-----	77.85	35.01	10.00	32.20	363	287	PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-06-14 500050425084512651685210 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5086.10</td><td>45.10</td><td>54.00</td><td>-8.90</td><td>32.55</td><td>34.89</td><td>9.91</td><td>32.25</td><td>363</td><td>287</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5086.10	45.10	54.00	-8.90	32.55	34.89	9.91	32.25	363	287	AVERAGE	Level (dBuV/m) Date: 2025-06-14 100022003400460058007000 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>84.62</td><td>-----</td><td>-----</td><td>71.78</td><td>35.03</td><td>10.01</td><td>32.20</td><td>363</td><td>287</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	84.62	-----	-----	71.78	35.03	10.01	32.20	363	287	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5086.10	45.10	54.00	-8.90	32.55	34.89	9.91	32.25	363	287	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5210.00	84.62	-----	-----	71.78	35.03	10.01	32.20	363	287	AVERAGE																																																																																



Mode	25																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full_5210MHz																																																																																																																															
ANT	8																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																									
Peak Avg																																																																																																																																
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10420.00</td><td>44.51</td><td>68.30</td><td>-23.79</td><td>53.63</td><td>37.25</td><td>13.28</td><td>59.65</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15630.00</td><td>44.87</td><td>74.00</td><td>-29.13</td><td>46.85</td><td>40.28</td><td>15.83</td><td>58.09</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10420.00	44.51	68.30	-23.79	53.63	37.25	13.28	59.65	--	--	Peak	2	15630.00	44.87	74.00	-29.13	46.85	40.28	15.83	58.09	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10420.00</td><td>43.58</td><td>68.30</td><td>-24.72</td><td>52.70</td><td>37.25</td><td>13.28</td><td>59.65</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>15630.00</td><td>46.51</td><td>74.00</td><td>-27.49</td><td>48.49</td><td>40.28</td><td>15.83</td><td>58.09</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	10420.00	43.58	68.30	-24.72	52.70	37.25	13.28	59.65	--	--	Peak	2	15630.00	46.51	74.00	-27.49	48.49	40.28	15.83	58.09	--	--
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	10420.00	44.51	68.30	-23.79	53.63	37.25	13.28	59.65	--	--	Peak																																																																																																																					
2	15630.00	44.87	74.00	-29.13	46.85	40.28	15.83	58.09	--	--	Peak																																																																																																																					
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	10420.00	43.58	68.30	-24.72	52.70	37.25	13.28	59.65	--	--	Peak																																																																																																																					
2	15630.00	46.51	74.00	-27.49	48.49	40.28	15.83	58.09	--	--	Peak																																																																																																																					



Mode	26																																																																																										
	Band Edge - L																																																																																										
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full_5290MHz																																																																																										
ANT	8																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak	 Level (dBuV/m) Date: 2025-06-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5130.79</td><td>53.13</td><td>74.00</td><td>-20.87</td><td>40.51</td><td>34.93</td><td>9.94</td><td>32.25</td><td>103</td><td>299</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5130.79	53.13	74.00	-20.87	40.51	34.93	9.94	32.25	103	299	PEAK	 Level (dBuV/m) Date: 2025-06-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>98.15</td><td>-----</td><td>-----</td><td>85.03</td><td>35.18</td><td>10.12</td><td>32.18</td><td>103</td><td>299</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	98.15	-----	-----	85.03	35.18	10.12	32.18	103	299	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5130.79	53.13	74.00	-20.87	40.51	34.93	9.94	32.25	103	299	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5290.00	98.15	-----	-----	85.03	35.18	10.12	32.18	103	299	PEAK																																																																																
Avg	 Level (dBuV/m) Date: 2025-06-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5142.39</td><td>45.20</td><td>54.00</td><td>-8.80</td><td>32.56</td><td>34.94</td><td>9.95</td><td>32.25</td><td>103</td><td>299</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.39	45.20	54.00	-8.80	32.56	34.94	9.95	32.25	103	299	AVERAGE	 Level (dBuV/m) Date: 2025-06-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>91.51</td><td>-----</td><td>-----</td><td>78.37</td><td>35.19</td><td>10.13</td><td>32.18</td><td>103</td><td>299</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	91.51	-----	-----	78.37	35.19	10.13	32.18	103	299	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5142.39	45.20	54.00	-8.80	32.56	34.94	9.95	32.25	103	299	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5290.00	91.51	-----	-----	78.37	35.19	10.13	32.18	103	299	AVERAGE																																																																																



Mode	26	
	Band Edge - L	
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_Full_5290MHz	
ANT	8	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2025-06-14 1 5119.77 52.86 74.00 -21.14 40.25 34.92 9.94 32.25 391 289 PEAK	Level (dBuV/m) Date: 2025-06-14 1 5290.00 89.65 ----- 76.49 35.20 10.14 32.18 391 289 PEAK
	Level (dBuV/m) Date: 2025-06-14 1 5071.63 44.94 54.00 -9.06 32.41 34.88 9.90 32.25 391 289 AVERAGE	Level (dBuV/m) Date: 2025-06-14 1 5290.00 83.44 ----- 70.30 35.19 10.13 32.18 391 289 AVERAGE



		27																																																																																																					
Mode	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full_5530MHz																																																																																																						
ANT	8																																																																																																						
Pol.																																																																																																							
Peak	Horizontal																																																																																																						
	Fundamental																																																																																																						
Peak	Level (dBuV/m) Date: 2025-06-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.90</td><td>56.17</td><td>74.00</td><td>-17.83</td><td>42.93</td><td>35.20</td><td>10.30</td><td>32.26</td><td>104</td><td>296</td><td>PEAK</td></tr><tr><td>2</td><td>5469.70</td><td>55.86</td><td>68.30</td><td>-12.44</td><td>42.62</td><td>35.20</td><td>10.30</td><td>32.26</td><td>104</td><td>296</td><td>PEAK</td></tr></tbody></table> Level (dBuV/m) Date: 2025-06-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>97.05</td><td>-----</td><td>-----</td><td>83.81</td><td>35.22</td><td>10.30</td><td>32.28</td><td>104</td><td>296</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5458.90	56.17	74.00	-17.83	42.93	35.20	10.30	32.26	104	296	PEAK	2	5469.70	55.86	68.30	-12.44	42.62	35.20	10.30	32.26	104	296	PEAK		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	97.05	-----	-----	83.81	35.22	10.30	32.28	104	296	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5458.90	56.17	74.00	-17.83	42.93	35.20	10.30	32.26	104	296	PEAK																																																																																												
2	5469.70	55.86	68.30	-12.44	42.62	35.20	10.30	32.26	104	296	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5530.00	97.05	-----	-----	83.81	35.22	10.30	32.28	104	296	PEAK																																																																																												
Avg	Horizontal																																																																																																						
	Fundamental																																																																																																						
Avg	Level (dBuV/m) Date: 2025-06-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.36</td><td>47.99</td><td>54.00</td><td>-6.01</td><td>34.75</td><td>35.20</td><td>10.30</td><td>32.26</td><td>104</td><td>296</td><td>AVERAGE</td></tr></tbody></table> Level (dBuV/m) Date: 2025-06-14 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>90.36</td><td>-----</td><td>-----</td><td>77.12</td><td>35.22</td><td>10.30</td><td>32.28</td><td>104</td><td>296</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5458.36	47.99	54.00	-6.01	34.75	35.20	10.30	32.26	104	296	AVERAGE		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	90.36	-----	-----	77.12	35.22	10.30	32.28	104	296	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5458.36	47.99	54.00	-6.01	34.75	35.20	10.30	32.26	104	296	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5530.00	90.36	-----	-----	77.12	35.22	10.30	32.28	104	296	AVERAGE																																																																																												







Mode	27																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full_5530MHz																																									
ANT	8																																									
Pol.	Horizontal	Fundamental																																								
Peak	Date: 2025-06-14 Level (dBuV/m) Frequency (MHz) <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5732.57</td><td>51.95</td><td>68.30</td><td>-16.35</td><td>38.35</td><td>35.58</td><td>10.38</td><td>32.36</td><td>104</td><td>296 PEAK</td></tr></table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5732.57	51.95	68.30	-16.35	38.35	35.58	10.38	32.36	104	296 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor			Remark																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5732.57	51.95	68.30	-16.35	38.35	35.58	10.38	32.36	104	296 PEAK																																




Mode	27																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full_5530MHz																																																																																																						
ANT	8																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2025-06-14 535053865422545854945530 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5354.32</td><td>51.53</td><td>74.00</td><td>-22.47</td><td>38.28</td><td>35.20</td><td>10.22</td><td>32.17</td><td>361</td><td>282</td><td>PEAK</td></tr><tr><td>2</td><td>5462.68</td><td>51.34</td><td>68.30</td><td>-16.96</td><td>38.10</td><td>35.20</td><td>10.30</td><td>32.26</td><td>361</td><td>282</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5354.32	51.53	74.00	-22.47	38.28	35.20	10.22	32.17	361	282	PEAK	2	5462.68	51.34	68.30	-16.96	38.10	35.20	10.30	32.26	361	282	PEAK	Level (dBuV/m) Date: 2025-06-14 100022003400460058007000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>88.34</td><td>-----</td><td>-----</td><td>75.11</td><td>35.21</td><td>10.30</td><td>32.28</td><td>361</td><td>282</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	88.34	-----	-----	75.11	35.21	10.30	32.28	361	282	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5354.32	51.53	74.00	-22.47	38.28	35.20	10.22	32.17	361	282	PEAK																																																																																												
2	5462.68	51.34	68.30	-16.96	38.10	35.20	10.30	32.26	361	282	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5530.00	88.34	-----	-----	75.11	35.21	10.30	32.28	361	282	PEAK																																																																																												
Avg	Level (dBuV/m) Date: 2025-06-14 535053865422545854945530 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5382.94</td><td>44.49</td><td>54.00</td><td>-9.51</td><td>31.21</td><td>35.20</td><td>10.26</td><td>32.18</td><td>361</td><td>282</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5382.94	44.49	54.00	-9.51	31.21	35.20	10.26	32.18	361	282	AVERAGE	Level (dBuV/m) Date: 2025-06-14 100022003400460058007000 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>82.16</td><td>-----</td><td>-----</td><td>68.93</td><td>35.21</td><td>10.30</td><td>32.28</td><td>361</td><td>282</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	82.16	-----	-----	68.93	35.21	10.30	32.28	361	282	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5382.94	44.49	54.00	-9.51	31.21	35.20	10.26	32.18	361	282	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5530.00	82.16	-----	-----	68.93	35.21	10.30	32.28	361	282	AVERAGE																																																																																												







Mode	28																																																																																																									
	Band Edge - L																																																																																																									
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full_5610MHz																																																																																																									
ANT	8																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																			
Peak																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5455.30</td><td>56.38</td><td>74.00</td><td>-17.62</td><td>43.14</td><td>35.20</td><td>10.30</td><td>32.26</td><td>104</td><td>296</td><td>PEAK</td></tr><tr><td>2</td><td>5463.62</td><td>57.32</td><td>68.30</td><td>-10.98</td><td>44.08</td><td>35.20</td><td>10.30</td><td>32.26</td><td>104</td><td>296</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5455.30	56.38	74.00	-17.62	43.14	35.20	10.30	32.26	104	296	PEAK	2	5463.62	57.32	68.30	-10.98	44.08	35.20	10.30	32.26	104	296	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5610.00</td><td>102.33</td><td>-----</td><td>-----</td><td>88.99</td><td>35.30</td><td>10.31</td><td>32.27</td><td>104</td><td>296</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	102.33	-----	-----	88.99	35.30	10.31	32.27	104	296
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5455.30	56.38	74.00	-17.62	43.14	35.20	10.30	32.26	104	296	PEAK																																																																																															
2	5463.62	57.32	68.30	-10.98	44.08	35.20	10.30	32.26	104	296	PEAK																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5610.00	102.33	-----	-----	88.99	35.30	10.31	32.27	104	296	PEAK																																																																																															
Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5458.16</td><td>48.50</td><td>54.00</td><td>-5.50</td><td>35.26</td><td>35.20</td><td>10.30</td><td>32.26</td><td>104</td><td>296</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5458.16	48.50	54.00	-5.50	35.26	35.20	10.30	32.26	104	296	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5610.00</td><td>95.32</td><td>-----</td><td>-----</td><td>81.98</td><td>35.30</td><td>10.31</td><td>32.27</td><td>104</td><td>296</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	95.32	-----	-----	81.98	35.30	10.31	32.27	104	296	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5458.16	48.50	54.00	-5.50	35.26	35.20	10.30	32.26	104	296	AVERAGE																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5610.00	95.32	-----	-----	81.98	35.30	10.31	32.27	104	296	AVERAGE																																																																																															




Mode	28																																																		
	Band Edge - R																																																		
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full_5610MHz																																																		
ANT	8																																																		
Pol.	Horizontal						Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5742.37</td><td>62.48</td><td>68.30</td><td>-5.82</td><td>48.86</td><td>35.60</td><td>10.38</td><td>32.36</td><td>104</td><td>296</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5742.37	62.48	68.30	-5.82	48.86	35.60	10.38	32.36	104	296	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5742.37	62.48	68.30	-5.82	48.86	35.60	10.38	32.36	104	296	PEAK																																								





Mode	28																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full_5610MHz																																																																																																	
ANT	8																																																																																																	
Pol.	Vertical					Fundamental																																																																																												
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5431.90</td><td>52.95</td><td>74.00</td><td>-21.05</td><td>39.69</td><td>35.20</td><td>10.29</td><td>32.23</td><td>355</td><td>251 PEAK</td></tr><tr><td>2</td><td>5460.50</td><td>51.49</td><td>68.30</td><td>-16.81</td><td>38.25</td><td>35.20</td><td>10.30</td><td>32.26</td><td>355</td><td>251 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5431.90	52.95	74.00	-21.05	39.69	35.20	10.29	32.23	355	251 PEAK	2	5460.50	51.49	68.30	-16.81	38.25	35.20	10.30	32.26	355	251 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>95.47</td><td>-----</td><td>-----</td><td>82.13</td><td>35.30</td><td>10.31</td><td>32.27</td><td>355</td><td>251 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5610.00	95.47	-----	-----	82.13	35.30	10.31	32.27	355
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5431.90	52.95	74.00	-21.05	39.69	35.20	10.29	32.23	355	251 PEAK																																																																																								
2	5460.50	51.49	68.30	-16.81	38.25	35.20	10.30	32.26	355	251 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5610.00	95.47	-----	-----	82.13	35.30	10.31	32.27	355	251 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.60</td><td>44.98</td><td>54.00</td><td>-9.02</td><td>31.74</td><td>35.20</td><td>10.30</td><td>32.26</td><td>355</td><td>251 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5456.60	44.98	54.00	-9.02	31.74	35.20	10.30	32.26	355	251 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>89.12</td><td>-----</td><td>-----</td><td>75.78</td><td>35.30</td><td>10.31</td><td>32.27</td><td>355</td><td>251 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5610.00	89.12	-----	-----	75.78	35.30	10.31	32.27	355	251 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5456.60	44.98	54.00	-9.02	31.74	35.20	10.30	32.26	355	251 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5610.00	89.12	-----	-----	75.78	35.30	10.31	32.27	355	251 AVERAGE																																																																																								





Mode	28																																																																	
	Band Edge - R																																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full_5610MHz																																																																	
ANT	8																																																																	
Pol.	Vertical	Fundamental																																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5726.41</td><td>57.42</td><td>68.30</td><td>-10.88</td><td>43.84</td><td>35.57</td><td>10.37</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>32.36</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>355</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>251</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5726.41	57.42	68.30	-10.88	43.84	35.57	10.37								32.36								355								251								PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																											
1	5726.41	57.42	68.30	-10.88	43.84	35.57	10.37																																																											
							32.36																																																											
							355																																																											
							251																																																											
							PEAK																																																											




Mode	29																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																					
ANT	8																																																																																																																					
Pol.	Horizontal						Vertical																																																																																																															
Peak Avg																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>44.16</td><td>74.00</td><td>-29.84</td><td>49.66</td><td>38.38</td><td>13.94</td><td>57.82</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17235.00</td><td>45.44</td><td>68.30</td><td>-22.86</td><td>44.08</td><td>42.46</td><td>16.84</td><td>57.94</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	44.16	74.00	-29.84	49.66	38.38	13.94	57.82	--	--	Peak	2	17235.00	45.44	68.30	-22.86	44.08	42.46	16.84	57.94	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>44.99</td><td>74.00</td><td>-29.01</td><td>50.49</td><td>38.38</td><td>13.94</td><td>57.82</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17235.00</td><td>46.09</td><td>68.30</td><td>-22.21</td><td>44.73</td><td>42.46</td><td>16.84</td><td>57.94</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	44.99	74.00	-29.01	50.49	38.38	13.94	57.82	--	--	Peak	2	17235.00	46.09	68.30	-22.21	44.73	42.46	16.84	57.94	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	11490.00	44.16	74.00	-29.84	49.66	38.38	13.94	57.82	--	--	Peak																																																																																																											
2	17235.00	45.44	68.30	-22.86	44.08	42.46	16.84	57.94	--	--	Peak																																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	11490.00	44.99	74.00	-29.01	50.49	38.38	13.94	57.82	--	--	Peak																																																																																																											
2	17235.00	46.09	68.30	-22.21	44.73	42.46	16.84	57.94	--	--	Peak																																																																																																											



Mode	30																																																																																																																				
	Harmonic																																																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																				
ANT	8																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																														
Peak Avg																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.19</td><td>74.00</td><td>-27.81</td><td>51.65</td><td>38.45</td><td>13.95</td><td>57.86</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17355.00</td><td>46.21</td><td>68.30</td><td>-22.09</td><td>44.97</td><td>42.39</td><td>16.86</td><td>58.01</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	46.19	74.00	-27.81	51.65	38.45	13.95	57.86	--	--	Peak	2	17355.00	46.21	68.30	-22.09	44.97	42.39	16.86	58.01	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>43.40</td><td>74.00</td><td>-30.60</td><td>48.86</td><td>38.45</td><td>13.95</td><td>57.86</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17355.00</td><td>44.03</td><td>68.30</td><td>-24.27</td><td>42.79</td><td>42.39</td><td>16.86</td><td>58.01</td><td>--</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	43.40	74.00	-30.60	48.86	38.45	13.95	57.86	--	--	Peak	2	17355.00	44.03	68.30	-24.27	42.79	42.39	16.86	58.01	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11570.00	46.19	74.00	-27.81	51.65	38.45	13.95	57.86	--	--	Peak																																																																																																										
2	17355.00	46.21	68.30	-22.09	44.97	42.39	16.86	58.01	--	--	Peak																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11570.00	43.40	74.00	-30.60	48.86	38.45	13.95	57.86	--	--	Peak																																																																																																										
2	17355.00	44.03	68.30	-24.27	42.79	42.39	16.86	58.01	--	--	Peak																																																																																																										



Mode	31																																																																					
	Harmonic																																																																					
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																					
ANT	8																																																																					
Pol.	Horizontal						Vertical																																																															
Peak Avg																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11650.00</td><td>45.21</td><td>74.00</td><td>-28.79</td><td>50.60</td><td>38.52</td><td>14.01</td><td>57.92</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17475.00</td><td>46.86</td><td>68.30</td><td>-21.44</td><td>45.71</td><td>42.32</td><td>16.91</td><td>58.08</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11650.00	45.21	74.00	-28.79	50.60	38.52	14.01	57.92	--	--	Peak	2	17475.00	46.86	68.30	-21.44	45.71	42.32	16.91	58.08	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	11650.00	45.21	74.00	-28.79	50.60	38.52	14.01	57.92	--	--	Peak																																																											
2	17475.00	46.86	68.30	-21.44	45.71	42.32	16.91	58.08	--	--	Peak																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11650.00</td><td>45.84</td><td>74.00</td><td>-28.16</td><td>51.23</td><td>38.52</td><td>14.01</td><td>57.92</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17475.00</td><td>47.02</td><td>68.30</td><td>-21.28</td><td>45.87</td><td>42.32</td><td>16.91</td><td>58.08</td><td>--</td><td>--</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11650.00	45.84	74.00	-28.16	51.23	38.52	14.01	57.92	--	--	Peak	2	17475.00	47.02	68.30	-21.28	45.87	42.32	16.91	58.08	--	--	Peak
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																												
1	11650.00	45.84	74.00	-28.16	51.23	38.52	14.01	57.92	--	--	Peak																																																											
2	17475.00	47.02	68.30	-21.28	45.87	42.32	16.91	58.08	--	--	Peak																																																											





Mode	32																																																																																																																			
	Band Edge																																																																																																																			
	U-NII-3_5.725-5.85_802.11n HT20_CH149_Full_5745MHz																																																																																																																			
ANT	8																																																																																																																			
Pol.	Horizontal					Fundamental																																																																																																														
Peak	Date: 2025-06-14 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5601.16</td><td>52.20</td><td>68.30</td><td>-16.10</td><td>38.87</td><td>35.29</td><td>10.31</td><td>32.27</td><td>225</td><td>38 PEAK</td></tr><tr><td>2 5650.61</td><td>52.15</td><td>68.75</td><td>-16.60</td><td>38.73</td><td>35.40</td><td>10.33</td><td>32.31</td><td>225</td><td>38 PEAK</td></tr><tr><td>3 5717.02</td><td>67.12</td><td>109.97</td><td>-42.85</td><td>53.55</td><td>35.55</td><td>10.37</td><td>32.35</td><td>225</td><td>38 PEAK</td></tr><tr><td>4 5720.93</td><td>67.40</td><td>112.92</td><td>-45.52</td><td>53.83</td><td>35.56</td><td>10.37</td><td>32.36</td><td>225</td><td>38 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5601.16	52.20	68.30	-16.10	38.87	35.29	10.31	32.27	225	38 PEAK	2 5650.61	52.15	68.75	-16.60	38.73	35.40	10.33	32.31	225	38 PEAK	3 5717.02	67.12	109.97	-42.85	53.55	35.55	10.37	32.35	225	38 PEAK	4 5720.93	67.40	112.92	-45.52	53.83	35.56	10.37	32.36	225	38 PEAK	Date: 2025-06-14 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>103.45</td><td>-----</td><td>-----</td><td>89.82</td><td>35.61</td><td>10.38</td><td>32.36</td><td>225</td><td>38 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5745.00	103.45	-----	-----	89.82	35.61	10.38	32.36	225	38 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1 5601.16	52.20	68.30	-16.10	38.87	35.29	10.31	32.27	225	38 PEAK																																																																																																											
2 5650.61	52.15	68.75	-16.60	38.73	35.40	10.33	32.31	225	38 PEAK																																																																																																											
3 5717.02	67.12	109.97	-42.85	53.55	35.55	10.37	32.35	225	38 PEAK																																																																																																											
4 5720.93	67.40	112.92	-45.52	53.83	35.56	10.37	32.36	225	38 PEAK																																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1 5745.00	103.45	-----	-----	89.82	35.61	10.38	32.36	225	38 PEAK																																																																																																											
Avg	Blank					Date: 2025-06-14 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>97.40</td><td>-----</td><td>-----</td><td>83.77</td><td>35.61</td><td>10.38</td><td>32.36</td><td>225</td><td>38 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5745.00	97.40	-----	-----	83.77	35.61	10.38	32.36	225	38 AVERAGE																																																																				
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1 5745.00	97.40	-----	-----	83.77	35.61	10.38	32.36	225	38 AVERAGE																																																																																																											





Mode	32																																																																																																																																
	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11n HT20_CH149_Full_5745MHz																																																																																																																																
ANT	8																																																																																																																																
Pol.	Vertical						Fundamental																																																																																																																										
Peak	Date: 2025-06-14 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5637.27</td><td>52.40</td><td>68.30</td><td>-15.90</td><td>39.00</td><td>35.37</td><td>10.33</td><td>32.30</td><td>223</td><td>122</td><td>PEAK</td></tr><tr><td>2</td><td>5651.19</td><td>52.28</td><td>69.18</td><td>-16.90</td><td>38.86</td><td>35.40</td><td>10.33</td><td>32.31</td><td>223</td><td>122</td><td>PEAK</td></tr><tr><td>3</td><td>5719.19</td><td>67.72</td><td>110.57</td><td>-42.85</td><td>54.16</td><td>35.55</td><td>10.37</td><td>32.36</td><td>223</td><td>122</td><td>PEAK</td></tr><tr><td>4</td><td>5720.35</td><td>68.26</td><td>111.60</td><td>-43.34</td><td>54.69</td><td>35.56</td><td>10.37</td><td>32.36</td><td>223</td><td>122</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5637.27	52.40	68.30	-15.90	39.00	35.37	10.33	32.30	223	122	PEAK	2	5651.19	52.28	69.18	-16.90	38.86	35.40	10.33	32.31	223	122	PEAK	3	5719.19	67.72	110.57	-42.85	54.16	35.55	10.37	32.36	223	122	PEAK	4	5720.35	68.26	111.60	-43.34	54.69	35.56	10.37	32.36	223	122	PEAK	Date: 2025-06-14 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>104.37</td><td>-----</td><td>-----</td><td>90.74</td><td>35.61</td><td>10.38</td><td>32.36</td><td>223</td><td>122</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	104.37	-----	-----	90.74	35.61	10.38	32.36	223	122	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5637.27	52.40	68.30	-15.90	39.00	35.37	10.33	32.30	223	122	PEAK																																																																																																																						
2	5651.19	52.28	69.18	-16.90	38.86	35.40	10.33	32.31	223	122	PEAK																																																																																																																						
3	5719.19	67.72	110.57	-42.85	54.16	35.55	10.37	32.36	223	122	PEAK																																																																																																																						
4	5720.35	68.26	111.60	-43.34	54.69	35.56	10.37	32.36	223	122	PEAK																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5745.00	104.37	-----	-----	90.74	35.61	10.38	32.36	223	122	PEAK																																																																																																																						
Avg	Blank						Date: 2025-06-14 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>98.09</td><td>-----</td><td>-----</td><td>84.46</td><td>35.61</td><td>10.38</td><td>32.36</td><td>223</td><td>122</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	98.09	-----	-----	84.46	35.61	10.38	32.36	223	122	AVERAGE																																																																													
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5745.00	98.09	-----	-----	84.46	35.61	10.38	32.36	223	122	AVERAGE																																																																																																																						



Mode	32																																																																																																																
	Harmonic																																																																																																																
	U-NII-3_5.725-5.85_802.11n HT20_CH149_Full_5745MHz																																																																																																																
ANT	8																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
Peak Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>44.94</td><td>74.00</td><td>-29.06</td><td>50.44</td><td>38.38</td><td>13.94</td><td>57.82</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>17235.00</td><td>44.40</td><td>68.30</td><td>-23.90</td><td>43.04</td><td>42.46</td><td>16.84</td><td>57.94</td><td>--</td><td>-- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	44.94	74.00	-29.06	50.44	38.38	13.94	57.82	--	-- Peak	2	17235.00	44.40	68.30	-23.90	43.04	42.46	16.84	57.94	--	-- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.00</td><td>74.00</td><td>-29.00</td><td>50.50</td><td>38.38</td><td>13.94</td><td>57.82</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>17235.00</td><td>46.49</td><td>68.30</td><td>-21.81</td><td>45.13</td><td>42.46</td><td>16.84</td><td>57.94</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	45.00	74.00	-29.00	50.50	38.38	13.94	57.82	--	-- Peak	2	17235.00	46.49	68.30	-21.81	45.13	42.46	16.84	57.94	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11490.00	44.94	74.00	-29.06	50.44	38.38	13.94	57.82	--	-- Peak																																																																																																							
2	17235.00	44.40	68.30	-23.90	43.04	42.46	16.84	57.94	--	-- Peak																																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11490.00	45.00	74.00	-29.00	50.50	38.38	13.94	57.82	--	-- Peak																																																																																																							
2	17235.00	46.49	68.30	-21.81	45.13	42.46	16.84	57.94	--	-- Peak																																																																																																							



Mode	33																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-3_5.725-5.85_802.11n HT20_CH157_Full_5785MHz																																																																																																																																	
ANT	8																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11570.00</td><td>44.42</td><td>74.00</td><td>-29.58</td><td>49.88</td><td>38.45</td><td>13.95</td><td>57.86</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17355.00</td><td>44.69</td><td>68.30</td><td>-23.61</td><td>43.45</td><td>42.39</td><td>16.86</td><td>58.01</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11570.00	44.42	74.00	-29.58	49.88	38.45	13.95	57.86	--	--	Peak	2	17355.00	44.69	68.30	-23.61	43.45	42.39	16.86	58.01	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11570.00</td><td>45.22</td><td>74.00</td><td>-28.78</td><td>50.68</td><td>38.45</td><td>13.95</td><td>57.86</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17355.00</td><td>44.59</td><td>68.30</td><td>-23.71</td><td>43.35</td><td>42.39</td><td>16.86</td><td>58.01</td><td>--</td><td>--</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11570.00	45.22	74.00	-28.78	50.68	38.45	13.95	57.86	--	--	Peak	2	17355.00	44.59	68.30	-23.71	43.35	42.39	16.86	58.01	--	--	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11570.00	44.42	74.00	-29.58	49.88	38.45	13.95	57.86	--	--	Peak																																																																																																																							
2	17355.00	44.69	68.30	-23.61	43.45	42.39	16.86	58.01	--	--	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11570.00	45.22	74.00	-28.78	50.68	38.45	13.95	57.86	--	--	Peak																																																																																																																							
2	17355.00	44.59	68.30	-23.71	43.35	42.39	16.86	58.01	--	--	Peak																																																																																																																							





Mode	34																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11n HT20_CH165_Full_5825MHz																																																																																																																														
ANT	8																																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																																								
Peak	Level (dBuV/m) Date: 2025-06-15 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.25</td><td>59.53</td><td>112.51</td><td>-52.98</td><td>45.59</td><td>35.88</td><td>10.46</td><td>32.40</td><td>228</td><td>30</td><td>PEAK</td></tr><tr><td>2</td><td>5857.25</td><td>63.67</td><td>110.17</td><td>-46.50</td><td>49.71</td><td>35.89</td><td>10.47</td><td>32.40</td><td>228</td><td>30</td><td>PEAK</td></tr><tr><td>3</td><td>5924.88</td><td>50.91</td><td>68.29</td><td>-17.38</td><td>36.81</td><td>36.03</td><td>10.53</td><td>32.46</td><td>228</td><td>30</td><td>PEAK</td></tr><tr><td>4</td><td>5947.75</td><td>52.63</td><td>68.30</td><td>-15.67</td><td>38.52</td><td>36.05</td><td>10.55</td><td>32.49</td><td>228</td><td>30</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5854.25	59.53	112.51	-52.98	45.59	35.88	10.46	32.40	228	30	PEAK	2	5857.25	63.67	110.17	-46.50	49.71	35.89	10.47	32.40	228	30	PEAK	3	5924.88	50.91	68.29	-17.38	36.81	36.03	10.53	32.46	228	30	PEAK	4	5947.75	52.63	68.30	-15.67	38.52	36.05	10.55	32.49	228	30	PEAK	Level (dBuV/m) Date: 2025-06-14 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>102.59</td><td>-----</td><td>-----</td><td>88.73</td><td>35.79</td><td>10.44</td><td>32.37</td><td>228</td><td>30</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5825.00	102.59	-----	-----	88.73	35.79	10.44	32.37	228	30	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5854.25	59.53	112.51	-52.98	45.59	35.88	10.46	32.40	228	30	PEAK																																																																																																																				
2	5857.25	63.67	110.17	-46.50	49.71	35.89	10.47	32.40	228	30	PEAK																																																																																																																				
3	5924.88	50.91	68.29	-17.38	36.81	36.03	10.53	32.46	228	30	PEAK																																																																																																																				
4	5947.75	52.63	68.30	-15.67	38.52	36.05	10.55	32.49	228	30	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5825.00	102.59	-----	-----	88.73	35.79	10.44	32.37	228	30	PEAK																																																																																																																				
Avg	Blank						Level (dBuV/m) Date: 2025-06-14 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>96.87</td><td>-----</td><td>-----</td><td>83.01</td><td>35.79</td><td>10.44</td><td>32.37</td><td>228</td><td>30</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5825.00	96.87	-----	-----	83.01	35.79	10.44	32.37	228	30	AVERAGE																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																						
1	5825.00	96.87	-----	-----	83.01	35.79	10.44	32.37	228	30	AVERAGE																																																																																																																				






Mode	34																																																																																																																														
	Band Edge																																																																																																																														
	U-NII-3_5.725-5.85_802.11n HT20_CH165_Full_5825MHz																																																																																																																														
ANT	8																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																								
Peak	Level (dBuV/m) Date: 2025-06-15 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.63</td><td>62.56</td><td>111.65</td><td>-49.09</td><td>48.62</td><td>35.88</td><td>10.46</td><td>32.40</td><td>225</td><td>120</td><td>PEAK</td></tr><tr><td>2</td><td>5857.38</td><td>61.59</td><td>110.13</td><td>-48.54</td><td>47.63</td><td>35.89</td><td>10.47</td><td>32.40</td><td>225</td><td>120</td><td>PEAK</td></tr><tr><td>3</td><td>5924.75</td><td>52.33</td><td>68.38</td><td>-16.05</td><td>38.23</td><td>36.03</td><td>10.53</td><td>32.46</td><td>225</td><td>120</td><td>PEAK</td></tr><tr><td>4</td><td>5925.25</td><td>53.01</td><td>68.30</td><td>-15.29</td><td>38.91</td><td>36.03</td><td>10.53</td><td>32.46</td><td>225</td><td>120</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.63	62.56	111.65	-49.09	48.62	35.88	10.46	32.40	225	120	PEAK	2	5857.38	61.59	110.13	-48.54	47.63	35.89	10.47	32.40	225	120	PEAK	3	5924.75	52.33	68.38	-16.05	38.23	36.03	10.53	32.46	225	120	PEAK	4	5925.25	53.01	68.30	-15.29	38.91	36.03	10.53	32.46	225	120	PEAK	Level (dBuV/m) Date: 2025-06-15 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>103.41</td><td>-----</td><td>-----</td><td>89.55</td><td>35.79</td><td>10.44</td><td>32.37</td><td>225</td><td>120</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	103.41	-----	-----	89.55	35.79	10.44	32.37	225	120	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5854.63	62.56	111.65	-49.09	48.62	35.88	10.46	32.40	225	120	PEAK																																																																																																																				
2	5857.38	61.59	110.13	-48.54	47.63	35.89	10.47	32.40	225	120	PEAK																																																																																																																				
3	5924.75	52.33	68.38	-16.05	38.23	36.03	10.53	32.46	225	120	PEAK																																																																																																																				
4	5925.25	53.01	68.30	-15.29	38.91	36.03	10.53	32.46	225	120	PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	103.41	-----	-----	89.55	35.79	10.44	32.37	225	120	PEAK																																																																																																																				
Avg	Blank						Level (dBuV/m) Date: 2025-06-15 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>97.78</td><td>-----</td><td>-----</td><td>83.92</td><td>35.79</td><td>10.44</td><td>32.37</td><td>225</td><td>120</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	97.78	-----	-----	83.92	35.79	10.44	32.37	225	120	AVERAGE																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																						
1	5825.00	97.78	-----	-----	83.92	35.79	10.44	32.37	225	120	AVERAGE																																																																																																																				






Mode	34																																																																																																																				
	Harmonic																																																																																																																				
	U-NII-3_5.725-5.85_802.11n HT20_CH165_Full_5825MHz																																																																																																																				
ANT	8																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																														
Peak Avg																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.37</td><td>74.00</td><td>-27.63</td><td>51.76</td><td>38.52</td><td>14.01</td><td>57.92</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17475.00</td><td>47.25</td><td>68.30</td><td>-21.05</td><td>46.10</td><td>42.32</td><td>16.91</td><td>58.08</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	46.37	74.00	-27.63	51.76	38.52	14.01	57.92	--	--	Peak	2	17475.00	47.25	68.30	-21.05	46.10	42.32	16.91	58.08	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>42.48</td><td>74.00</td><td>-31.52</td><td>47.87</td><td>38.52</td><td>14.01</td><td>57.92</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17475.00</td><td>46.76</td><td>68.30</td><td>-21.54</td><td>45.61</td><td>42.32</td><td>16.91</td><td>58.08</td><td>--</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	42.48	74.00	-31.52	47.87	38.52	14.01	57.92	--	--	Peak	2	17475.00	46.76	68.30	-21.54	45.61	42.32	16.91	58.08	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11650.00	46.37	74.00	-27.63	51.76	38.52	14.01	57.92	--	--	Peak																																																																																																										
2	17475.00	47.25	68.30	-21.05	46.10	42.32	16.91	58.08	--	--	Peak																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11650.00	42.48	74.00	-31.52	47.87	38.52	14.01	57.92	--	--	Peak																																																																																																										
2	17475.00	46.76	68.30	-21.54	45.61	42.32	16.91	58.08	--	--	Peak																																																																																																										



Mode	35																																																																																																																													
	Band Edge - L																																																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																																																													
ANT	8																																																																																																																													
Pol.	Horizontal					Fundamental																																																																																																																								
Peak	Date: 2025-06-15  Level (dBuV/m) vs Frequency (MHz) from 5600 to 5755 MHz. The plot shows a blue signal line with peaks at 5648.83, 5650.84, 5719.20, and 5721.06 MHz. A red limit line is shown. A peak is labeled 'PEAK_BER(B4)_16-24' at 5724 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5648.83</td><td>53.22</td><td>68.30</td><td>-15.08</td><td>39.80</td><td>35.40</td><td>10.33</td><td>32.31</td><td>212</td><td>36</td><td>PEAK</td></tr><tr><td>2</td><td>5650.84</td><td>54.19</td><td>68.92</td><td>-14.73</td><td>40.77</td><td>35.40</td><td>10.33</td><td>32.31</td><td>212</td><td>36</td><td>PEAK</td></tr><tr><td>3</td><td>5719.20</td><td>72.04</td><td>110.57</td><td>-38.53</td><td>58.48</td><td>35.55</td><td>10.37</td><td>32.36</td><td>212</td><td>36</td><td>PEAK</td></tr><tr><td>4</td><td>5721.06</td><td>74.29</td><td>113.21</td><td>-38.92</td><td>60.72</td><td>35.56</td><td>10.37</td><td>32.36</td><td>212</td><td>36</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5648.83	53.22	68.30	-15.08	39.80	35.40	10.33	32.31	212	36	PEAK	2	5650.84	54.19	68.92	-14.73	40.77	35.40	10.33	32.31	212	36	PEAK	3	5719.20	72.04	110.57	-38.53	58.48	35.55	10.37	32.36	212	36	PEAK	4	5721.06	74.29	113.21	-38.92	60.72	35.56	10.37	32.36	212	36	PEAK	Date: 2025-06-15  Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a blue signal line with a sharp peak at 5800 MHz. A red limit line is shown. A peak is labeled 'PART 15.407' at 5800 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>102.22</td><td>-----</td><td>-----</td><td>88.56</td><td>35.62</td><td>10.39</td><td>32.35</td><td>212</td><td>36</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	102.22	-----	-----	88.56	35.62	10.39	32.35	212	36	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5648.83	53.22	68.30	-15.08	39.80	35.40	10.33	32.31	212	36	PEAK																																																																																																																			
2	5650.84	54.19	68.92	-14.73	40.77	35.40	10.33	32.31	212	36	PEAK																																																																																																																			
3	5719.20	72.04	110.57	-38.53	58.48	35.55	10.37	32.36	212	36	PEAK																																																																																																																			
4	5721.06	74.29	113.21	-38.92	60.72	35.56	10.37	32.36	212	36	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5755.00	102.22	-----	-----	88.56	35.62	10.39	32.35	212	36	PEAK																																																																																																																			
Avg	Blank					Date: 2025-06-15  Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a blue signal line with a sharp peak at 5800 MHz. A red limit line is shown. A peak is labeled 'PART 15.407 AVG' at 5800 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>94.40</td><td>-----</td><td>-----</td><td>80.74</td><td>35.62</td><td>10.39</td><td>32.35</td><td>212</td><td>36</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	94.40	-----	-----	80.74	35.62	10.39	32.35	212	36	AVERAGE																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5755.00	94.40	-----	-----	80.74	35.62	10.39	32.35	212	36	AVERAGE																																																																																																																			



Mode	35																																																																																																																																
	Band Edge - L																																																																																																																																
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																																																																
ANT	8																																																																																																																																
Pol.	Vertical						Fundamental																																																																																																																										
Peak	Date: 2025-06-15  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5647.43</td><td>53.66</td><td>68.30</td><td>-14.64</td><td>40.24</td><td>35.40</td><td>10.33</td><td>32.31</td><td>227</td><td>124</td><td>PEAK</td></tr><tr><td>2</td><td>5651.46</td><td>53.35</td><td>69.38</td><td>-16.03</td><td>39.93</td><td>35.40</td><td>10.33</td><td>32.31</td><td>227</td><td>124</td><td>PEAK</td></tr><tr><td>3</td><td>5715.01</td><td>72.17</td><td>109.40</td><td>-37.23</td><td>58.60</td><td>35.55</td><td>10.37</td><td>32.35</td><td>227</td><td>124</td><td>PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>72.08</td><td>111.09</td><td>-39.01</td><td>58.51</td><td>35.56</td><td>10.37</td><td>32.36</td><td>227</td><td>124</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5647.43	53.66	68.30	-14.64	40.24	35.40	10.33	32.31	227	124	PEAK	2	5651.46	53.35	69.38	-16.03	39.93	35.40	10.33	32.31	227	124	PEAK	3	5715.01	72.17	109.40	-37.23	58.60	35.55	10.37	32.35	227	124	PEAK	4	5720.13	72.08	111.09	-39.01	58.51	35.56	10.37	32.36	227	124	PEAK	Date: 2025-06-15  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>101.21</td><td>-----</td><td>-----</td><td>87.54</td><td>35.63</td><td>10.39</td><td>32.35</td><td>227</td><td>124</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	101.21	-----	-----	87.54	35.63	10.39	32.35	227	124	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5647.43	53.66	68.30	-14.64	40.24	35.40	10.33	32.31	227	124	PEAK																																																																																																																						
2	5651.46	53.35	69.38	-16.03	39.93	35.40	10.33	32.31	227	124	PEAK																																																																																																																						
3	5715.01	72.17	109.40	-37.23	58.60	35.55	10.37	32.35	227	124	PEAK																																																																																																																						
4	5720.13	72.08	111.09	-39.01	58.51	35.56	10.37	32.36	227	124	PEAK																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5755.00	101.21	-----	-----	87.54	35.63	10.39	32.35	227	124	PEAK																																																																																																																						
Avg	Blank						Date: 2025-06-15  <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>94.83</td><td>-----</td><td>-----</td><td>81.17</td><td>35.62</td><td>10.39</td><td>32.35</td><td>227</td><td>124</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	94.83	-----	-----	81.17	35.62	10.39	32.35	227	124	AVERAGE																																																																													
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																							
1	5755.00	94.83	-----	-----	81.17	35.62	10.39	32.35	227	124	AVERAGE																																																																																																																						



Mode	35																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11n HT40_CH151_Full_5755MHz																																																																																						
ANT	8																																																																																						
Pol.	Vertical						Fundamental																																																																																
Peak	Date: 2025-06-15 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>51.89</td><td>111.17</td><td>-59.28</td><td>37.95</td><td>35.88</td><td>10.46</td><td>32.40</td><td>227</td><td>124</td><td>PEAK</td></tr><tr><td>2</td><td>5868.49</td><td>54.80</td><td>107.02</td><td>-52.22</td><td>40.81</td><td>35.92</td><td>10.48</td><td>32.41</td><td>227</td><td>124</td><td>PEAK</td></tr><tr><td>3</td><td>5923.48</td><td>52.24</td><td>69.32</td><td>-17.08</td><td>38.15</td><td>36.03</td><td>10.52</td><td>32.46</td><td>227</td><td>124</td><td>PEAK</td></tr><tr><td>4</td><td>5943.37</td><td>52.53</td><td>68.30</td><td>-15.77</td><td>38.43</td><td>36.05</td><td>10.54</td><td>32.49</td><td>227</td><td>124</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	51.89	111.17	-59.28	37.95	35.88	10.46	32.40	227	124	PEAK	2	5868.49	54.80	107.02	-52.22	40.81	35.92	10.48	32.41	227	124	PEAK	3	5923.48	52.24	69.32	-17.08	38.15	36.03	10.52	32.46	227	124	PEAK	4	5943.37	52.53	68.30	-15.77	38.43	36.05	10.54	32.49	227	124	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.84	51.89	111.17	-59.28	37.95	35.88	10.46	32.40	227	124	PEAK																																																																												
2	5868.49	54.80	107.02	-52.22	40.81	35.92	10.48	32.41	227	124	PEAK																																																																												
3	5923.48	52.24	69.32	-17.08	38.15	36.03	10.52	32.46	227	124	PEAK																																																																												
4	5943.37	52.53	68.30	-15.77	38.43	36.05	10.54	32.49	227	124	PEAK																																																																												



Mode	36																																																																													
	Band Edge - R																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz																																																																													
ANT	8																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	Date: 2025-06-15 Level (dBuV/m) Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.99</td><td>57.84</td><td>110.83</td><td>-52.99</td><td>43.90</td><td>35.88</td><td>10.46</td><td>32.40</td><td>211</td><td>38</td><td>PEAK</td></tr><tr><td>2</td><td>5869.25</td><td>59.25</td><td>106.81</td><td>-47.56</td><td>45.26</td><td>35.92</td><td>10.48</td><td>32.41</td><td>211</td><td>38</td><td>PEAK</td></tr><tr><td>3</td><td>5924.89</td><td>51.87</td><td>68.28</td><td>-16.41</td><td>37.77</td><td>36.03</td><td>10.53</td><td>32.46</td><td>211</td><td>38</td><td>PEAK</td></tr><tr><td>4</td><td>5938.22</td><td>53.10</td><td>68.30</td><td>-15.20</td><td>39.00</td><td>36.04</td><td>10.54</td><td>32.48</td><td>211</td><td>38</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.99	57.84	110.83	-52.99	43.90	35.88	10.46	32.40	211	38	PEAK	2	5869.25	59.25	106.81	-47.56	45.26	35.92	10.48	32.41	211	38	PEAK	3	5924.89	51.87	68.28	-16.41	37.77	36.03	10.53	32.46	211	38	PEAK	4	5938.22	53.10	68.30	-15.20	39.00	36.04	10.54	32.48	211	38	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.99	57.84	110.83	-52.99	43.90	35.88	10.46	32.40	211	38	PEAK																																																																			
2	5869.25	59.25	106.81	-47.56	45.26	35.92	10.48	32.41	211	38	PEAK																																																																			
3	5924.89	51.87	68.28	-16.41	37.77	36.03	10.53	32.46	211	38	PEAK																																																																			
4	5938.22	53.10	68.30	-15.20	39.00	36.04	10.54	32.48	211	38	PEAK																																																																			



Mode	36									
	Band Edge - L									
	U-NII-3_5.725-5.85_802.11n HT40_CH159_Full_5795MHz									
ANT	8									
Pol.	Vertical					Fundamental				
Peak	</									



Mode	37																																																																																																																								
	Band Edge - L																																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																																																								
ANT	8																																																																																																																								
Pol.	Horizontal					Fundamental																																																																																																																			
Peak	Date: 2025-06-15 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5649.35</td><td>57.19</td><td>68.30</td><td>-11.11</td><td>43.77</td><td>35.40</td><td>10.33</td><td>32.31</td><td>104</td><td>56 PEAK</td></tr><tr><td>2</td><td>5650.75</td><td>55.88</td><td>68.86</td><td>-12.98</td><td>42.46</td><td>35.40</td><td>10.33</td><td>32.31</td><td>104</td><td>56 PEAK</td></tr><tr><td>3</td><td>5701.85</td><td>67.11</td><td>105.72</td><td>-38.61</td><td>53.58</td><td>35.52</td><td>10.36</td><td>32.35</td><td>104</td><td>56 PEAK</td></tr><tr><td>4</td><td>5720.23</td><td>66.10</td><td>111.31</td><td>-45.21</td><td>52.53</td><td>35.56</td><td>10.37</td><td>32.36</td><td>104</td><td>56 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5649.35	57.19	68.30	-11.11	43.77	35.40	10.33	32.31	104	56 PEAK	2	5650.75	55.88	68.86	-12.98	42.46	35.40	10.33	32.31	104	56 PEAK	3	5701.85	67.11	105.72	-38.61	53.58	35.52	10.36	32.35	104	56 PEAK	4	5720.23	66.10	111.31	-45.21	52.53	35.56	10.37	32.36	104	56 PEAK	Date: 2025-06-15 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>96.49</td><td>-----</td><td>-----</td><td>82.78</td><td>35.65</td><td>10.40</td><td>32.34</td><td>104</td><td>56 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5775.00	96.49	-----	-----	82.78	35.65	10.40	32.34	104	56 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																
1	5649.35	57.19	68.30	-11.11	43.77	35.40	10.33	32.31	104	56 PEAK																																																																																																															
2	5650.75	55.88	68.86	-12.98	42.46	35.40	10.33	32.31	104	56 PEAK																																																																																																															
3	5701.85	67.11	105.72	-38.61	53.58	35.52	10.36	32.35	104	56 PEAK																																																																																																															
4	5720.23	66.10	111.31	-45.21	52.53	35.56	10.37	32.36	104	56 PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																
1	5775.00	96.49	-----	-----	82.78	35.65	10.40	32.34	104	56 PEAK																																																																																																															
Avg	Blank					Date: 2025-06-15 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>89.90</td><td>-----</td><td>-----</td><td>76.18</td><td>35.66</td><td>10.40</td><td>32.34</td><td>104</td><td>56 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5775.00	89.90	-----	-----	76.18	35.66	10.40	32.34	104	56 AVERAGE																																																																								
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																
1	5775.00	89.90	-----	-----	76.18	35.66	10.40	32.34	104	56 AVERAGE																																																																																																															





Mode	37																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																						
ANT	8																																																																																						
Pol.	Horizontal										Fundamental																																																																												
Peak	Date: 2025-06-15 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.98</td><td>70.50</td><td>110.86</td><td>-40.36</td><td>56.56</td><td>35.88</td><td>10.46</td><td>32.40</td><td>104</td><td>56</td><td>PEAK</td></tr><tr><td>2</td><td>5871.60</td><td>66.83</td><td>106.15</td><td>-39.32</td><td>52.83</td><td>35.93</td><td>10.48</td><td>32.41</td><td>104</td><td>56</td><td>PEAK</td></tr><tr><td>3</td><td>5923.23</td><td>55.61</td><td>69.51</td><td>-13.90</td><td>41.52</td><td>36.03</td><td>10.52</td><td>32.46</td><td>104</td><td>56</td><td>PEAK</td></tr><tr><td>4</td><td>5926.73</td><td>56.96</td><td>68.30</td><td>-11.34</td><td>42.86</td><td>36.03</td><td>10.53</td><td>32.46</td><td>104</td><td>56</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.98	70.50	110.86	-40.36	56.56	35.88	10.46	32.40	104	56	PEAK	2	5871.60	66.83	106.15	-39.32	52.83	35.93	10.48	32.41	104	56	PEAK	3	5923.23	55.61	69.51	-13.90	41.52	36.03	10.52	32.46	104	56	PEAK	4	5926.73	56.96	68.30	-11.34	42.86	36.03	10.53	32.46	104	56	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.98	70.50	110.86	-40.36	56.56	35.88	10.46	32.40	104	56	PEAK																																																																												
2	5871.60	66.83	106.15	-39.32	52.83	35.93	10.48	32.41	104	56	PEAK																																																																												
3	5923.23	55.61	69.51	-13.90	41.52	36.03	10.52	32.46	104	56	PEAK																																																																												
4	5926.73	56.96	68.30	-11.34	42.86	36.03	10.53	32.46	104	56	PEAK																																																																												





Mode	37									
	Band Edge - L									
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz									
ANT	8									
Pol.	Vertical					Fundamental				
Peak										





Mode	37																																																																																																																																																																	
	Harmonic																																																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																																																																																																	
ANT	8																																																																																																																																																																	
Pol.	Horizontal							Vertical																																																																																																																																																										
Peak Avg																																																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th></tr><tr><td>1</td><td>11550.00</td><td>46.42</td><td>74.00</td><td>-27.58</td><td>51.87</td><td>38.44</td><td>13.95</td><td>57.84</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17325.00</td><td>46.42</td><td>68.30</td><td>-21.88</td><td>45.14</td><td>42.41</td><td>16.86</td><td>57.99</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>									Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg				1	11550.00	46.42	74.00	-27.58	51.87	38.44	13.95	57.84	--	--	--	--	--	Peak	2	17325.00	46.42	68.30	-21.88	45.14	42.41	16.86	57.99	--	--	--	--	--	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th></tr><tr><td>1</td><td>11550.00</td><td>45.10</td><td>74.00</td><td>-28.90</td><td>50.55</td><td>38.44</td><td>13.95</td><td>57.84</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17325.00</td><td>47.86</td><td>68.30</td><td>-20.44</td><td>46.58</td><td>42.41</td><td>16.86</td><td>57.99</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>Peak</td></tr></table>									Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg				1	11550.00	45.10	74.00	-28.90	50.55	38.44	13.95	57.84	--	--	--	--	--	Peak	2	17325.00	47.86	68.30	-20.44	46.58	42.41	16.86	57.99	--	--	--	--	--	Peak
			Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																							
1	11550.00	46.42	74.00	-27.58	51.87	38.44	13.95	57.84	--	--	--	--	--	Peak																																																																																																																																																				
2	17325.00	46.42	68.30	-21.88	45.14	42.41	16.86	57.99	--	--	--	--	--	Peak																																																																																																																																																				
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																							
1	11550.00	45.10	74.00	-28.90	50.55	38.44	13.95	57.84	--	--	--	--	--	Peak																																																																																																																																																				
2	17325.00	47.86	68.30	-20.44	46.58	42.41	16.86	57.99	--	--	--	--	--	Peak																																																																																																																																																				







Mode	38																																																																																																																																																																																	
	LF																																																																																																																																																																																	
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_Full_LFMHz																																																																																																																																																																																	
ANT	8																																																																																																																																																																																	
Pol.	Horizontal								Vertical																																																																																																																																																																									
QP/ Peak																																																																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>54.25</td><td>22.40</td><td>40.00</td><td>-17.60</td><td>37.16</td><td>19.42</td><td>0.75</td><td>34.93 -- -- Peak</td></tr><tr><td>2</td><td>142.52</td><td>25.81</td><td>43.50</td><td>-17.69</td><td>40.93</td><td>18.35</td><td>1.25</td><td>34.72 -- -- Peak</td></tr><tr><td>3</td><td>287.05</td><td>24.91</td><td>46.00</td><td>-21.09</td><td>39.06</td><td>18.72</td><td>1.76</td><td>34.63 -- -- Peak</td></tr><tr><td>4</td><td>349.13</td><td>26.91</td><td>46.00</td><td>-19.09</td><td>39.37</td><td>20.20</td><td>1.94</td><td>34.60 -- -- Peak</td></tr><tr><td>5</td><td>580.96</td><td>27.61</td><td>46.00</td><td>-18.39</td><td>34.25</td><td>25.36</td><td>2.56</td><td>34.56 -- -- Peak</td></tr><tr><td>6</td><td>782.72</td><td>30.63</td><td>46.00</td><td>-15.37</td><td>34.22</td><td>27.75</td><td>3.00</td><td>34.34 -- -- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	54.25	22.40	40.00	-17.60	37.16	19.42	0.75	34.93 -- -- Peak	2	142.52	25.81	43.50	-17.69	40.93	18.35	1.25	34.72 -- -- Peak	3	287.05	24.91	46.00	-21.09	39.06	18.72	1.76	34.63 -- -- Peak	4	349.13	26.91	46.00	-19.09	39.37	20.20	1.94	34.60 -- -- Peak	5	580.96	27.61	46.00	-18.39	34.25	25.36	2.56	34.56 -- -- Peak	6	782.72	30.63	46.00	-15.37	34.22	27.75	3.00	34.34 -- -- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>34.85</td><td>23.73</td><td>40.00</td><td>-16.27</td><td>39.37</td><td>18.68</td><td>0.58</td><td>34.90 -- -- Peak</td></tr><tr><td>2</td><td>141.55</td><td>23.03</td><td>43.50</td><td>-20.47</td><td>38.23</td><td>18.27</td><td>1.25</td><td>34.72 -- -- Peak</td></tr><tr><td>3</td><td>198.78</td><td>23.84</td><td>43.50</td><td>-19.66</td><td>41.01</td><td>16.05</td><td>1.48</td><td>34.70 -- -- Peak</td></tr><tr><td>4</td><td>376.29</td><td>25.91</td><td>46.00</td><td>-20.09</td><td>37.58</td><td>20.85</td><td>2.03</td><td>34.55 -- -- Peak</td></tr><tr><td>5</td><td>598.42</td><td>26.24</td><td>46.00</td><td>-19.76</td><td>32.20</td><td>26.02</td><td>2.61</td><td>34.59 -- -- Peak</td></tr><tr><td>6</td><td>889.42</td><td>29.69</td><td>46.00</td><td>-16.31</td><td>32.18</td><td>28.67</td><td>3.14</td><td>34.30 -- -- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1	34.85	23.73	40.00	-16.27	39.37	18.68	0.58	34.90 -- -- Peak	2	141.55	23.03	43.50	-20.47	38.23	18.27	1.25	34.72 -- -- Peak	3	198.78	23.84	43.50	-19.66	41.01	16.05	1.48	34.70 -- -- Peak	4	376.29	25.91	46.00	-20.09	37.58	20.85	2.03	34.55 -- -- Peak	5	598.42	26.24	46.00	-19.76	32.20	26.02	2.61	34.59 -- -- Peak	6	889.42	29.69	46.00	-16.31	32.18	28.67	3.14	34.30 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																																																																																																										
1	54.25	22.40	40.00	-17.60	37.16	19.42	0.75	34.93 -- -- Peak																																																																																																																																																																										
2	142.52	25.81	43.50	-17.69	40.93	18.35	1.25	34.72 -- -- Peak																																																																																																																																																																										
3	287.05	24.91	46.00	-21.09	39.06	18.72	1.76	34.63 -- -- Peak																																																																																																																																																																										
4	349.13	26.91	46.00	-19.09	39.37	20.20	1.94	34.60 -- -- Peak																																																																																																																																																																										
5	580.96	27.61	46.00	-18.39	34.25	25.36	2.56	34.56 -- -- Peak																																																																																																																																																																										
6	782.72	30.63	46.00	-15.37	34.22	27.75	3.00	34.34 -- -- Peak																																																																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																																																																																																										
1	34.85	23.73	40.00	-16.27	39.37	18.68	0.58	34.90 -- -- Peak																																																																																																																																																																										
2	141.55	23.03	43.50	-20.47	38.23	18.27	1.25	34.72 -- -- Peak																																																																																																																																																																										
3	198.78	23.84	43.50	-19.66	41.01	16.05	1.48	34.70 -- -- Peak																																																																																																																																																																										
4	376.29	25.91	46.00	-20.09	37.58	20.85	2.03	34.55 -- -- Peak																																																																																																																																																																										
5	598.42	26.24	46.00	-19.76	32.20	26.02	2.61	34.59 -- -- Peak																																																																																																																																																																										
6	889.42	29.69	46.00	-16.31	32.18	28.67	3.14	34.30 -- -- Peak																																																																																																																																																																										



Mode	39																																																																																																																																																																																																			
	LF																																																																																																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_LFMHz																																																																																																																																																																																																			
ANT	8																																																																																																																																																																																																			
Pol.	Horizontal										Vertical																																																																																																																																																																																									
QPI/ Peak																																																																																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th colspan="2"></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>46.49</td><td>20.87</td><td>40.00</td><td>-19.13</td><td>35.56</td><td>19.62</td><td>0.69</td><td>35.00</td><td>-- Peak</td></tr><tr><td>2</td><td>119.24</td><td>21.64</td><td>43.50</td><td>-21.86</td><td>38.77</td><td>16.47</td><td>1.16</td><td>34.76</td><td>-- Peak</td></tr><tr><td>3</td><td>271.53</td><td>25.00</td><td>46.00</td><td>-21.00</td><td>39.71</td><td>18.24</td><td>1.71</td><td>34.66</td><td>-- Peak</td></tr><tr><td>4</td><td>349.13</td><td>28.91</td><td>46.00</td><td>-17.09</td><td>41.37</td><td>20.20</td><td>1.94</td><td>34.60</td><td>-- Peak</td></tr><tr><td>5</td><td>669.23</td><td>27.26</td><td>46.00</td><td>-18.74</td><td>32.40</td><td>26.58</td><td>2.74</td><td>34.46</td><td>-- Peak</td></tr><tr><td>6</td><td>948.59</td><td>31.41</td><td>46.00</td><td>-14.59</td><td>32.71</td><td>29.74</td><td>3.26</td><td>34.30</td><td>-- Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	46.49	20.87	40.00	-19.13	35.56	19.62	0.69	35.00	-- Peak	2	119.24	21.64	43.50	-21.86	38.77	16.47	1.16	34.76	-- Peak	3	271.53	25.00	46.00	-21.00	39.71	18.24	1.71	34.66	-- Peak	4	349.13	28.91	46.00	-17.09	41.37	20.20	1.94	34.60	-- Peak	5	669.23	27.26	46.00	-18.74	32.40	26.58	2.74	34.46	-- Peak	6	948.59	31.41	46.00	-14.59	32.71	29.74	3.26	34.30	-- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th colspan="2"></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>34.85</td><td>23.73</td><td>40.00</td><td>-16.27</td><td>39.37</td><td>18.68</td><td>0.58</td><td>34.90</td><td>-- Peak</td></tr><tr><td>2</td><td>141.55</td><td>27.03</td><td>43.50</td><td>-16.47</td><td>42.23</td><td>18.27</td><td>1.25</td><td>34.72</td><td>-- Peak</td></tr><tr><td>3</td><td>270.56</td><td>24.31</td><td>46.00</td><td>-21.69</td><td>39.05</td><td>18.21</td><td>1.71</td><td>34.66</td><td>-- Peak</td></tr><tr><td>4</td><td>448.07</td><td>23.62</td><td>46.00</td><td>-22.38</td><td>33.19</td><td>22.70</td><td>2.23</td><td>34.50</td><td>-- Peak</td></tr><tr><td>5</td><td>627.52</td><td>27.40</td><td>46.00</td><td>-18.60</td><td>33.10</td><td>26.18</td><td>2.66</td><td>34.54</td><td>-- Peak</td></tr><tr><td>6</td><td>844.80</td><td>29.81</td><td>46.00</td><td>-16.19</td><td>32.31</td><td>28.71</td><td>3.09</td><td>34.30</td><td>-- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	34.85	23.73	40.00	-16.27	39.37	18.68	0.58	34.90	-- Peak	2	141.55	27.03	43.50	-16.47	42.23	18.27	1.25	34.72	-- Peak	3	270.56	24.31	46.00	-21.69	39.05	18.21	1.71	34.66	-- Peak	4	448.07	23.62	46.00	-22.38	33.19	22.70	2.23	34.50	-- Peak	5	627.52	27.40	46.00	-18.60	33.10	26.18	2.66	34.54	-- Peak	6	844.80	29.81	46.00	-16.19	32.31	28.71	3.09	34.30	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																											
1	46.49	20.87	40.00	-19.13	35.56	19.62	0.69	35.00	-- Peak																																																																																																																																																																																											
2	119.24	21.64	43.50	-21.86	38.77	16.47	1.16	34.76	-- Peak																																																																																																																																																																																											
3	271.53	25.00	46.00	-21.00	39.71	18.24	1.71	34.66	-- Peak																																																																																																																																																																																											
4	349.13	28.91	46.00	-17.09	41.37	20.20	1.94	34.60	-- Peak																																																																																																																																																																																											
5	669.23	27.26	46.00	-18.74	32.40	26.58	2.74	34.46	-- Peak																																																																																																																																																																																											
6	948.59	31.41	46.00	-14.59	32.71	29.74	3.26	34.30	-- Peak																																																																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																											
1	34.85	23.73	40.00	-16.27	39.37	18.68	0.58	34.90	-- Peak																																																																																																																																																																																											
2	141.55	27.03	43.50	-16.47	42.23	18.27	1.25	34.72	-- Peak																																																																																																																																																																																											
3	270.56	24.31	46.00	-21.69	39.05	18.21	1.71	34.66	-- Peak																																																																																																																																																																																											
4	448.07	23.62	46.00	-22.38	33.19	22.70	2.23	34.50	-- Peak																																																																																																																																																																																											
5	627.52	27.40	46.00	-18.60	33.10	26.18	2.66	34.54	-- Peak																																																																																																																																																																																											
6	844.80	29.81	46.00	-16.19	32.31	28.71	3.09	34.30	-- Peak																																																																																																																																																																																											



Mode	40																																																																																										
	Band Edge - L																																																																																										
	CO-TX																																																																																										
ANT	8																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak	 Level (dBuV/m) Date: 2025-06-19 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5145.74</td><td>54.56</td><td>74.00</td><td>-19.44</td><td>41.91</td><td>34.95</td><td>9.95</td><td>32.25</td><td>113</td><td>302</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5145.74	54.56	74.00	-19.44	41.91	34.95	9.95	32.25	113	302	PEAK	 Level (dBuV/m) Date: 2025-06-19 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>98.29</td><td>-----</td><td>-----</td><td>90.97</td><td>32.19</td><td>8.56</td><td>33.43</td><td>113</td><td>302</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	98.29	-----	-----	90.97	32.19	8.56	33.43	113	302	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5145.74	54.56	74.00	-19.44	41.91	34.95	9.95	32.25	113	302	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5210.00	98.29	-----	-----	90.97	32.19	8.56	33.43	113	302	PEAK																																																																																
Avg	 Level (dBuV/m) Date: 2025-06-19 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.89</td><td>48.55</td><td>54.00</td><td>-5.45</td><td>35.89</td><td>34.95</td><td>9.96</td><td>32.25</td><td>113</td><td>302</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5148.89	48.55	54.00	-5.45	35.89	34.95	9.96	32.25	113	302	AVERAGE	 Level (dBuV/m) Date: 2025-06-19 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>92.58</td><td>-----</td><td>-----</td><td>85.26</td><td>32.19</td><td>8.56</td><td>33.43</td><td>113</td><td>302</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	92.58	-----	-----	85.26	32.19	8.56	33.43	113	302	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5148.89	48.55	54.00	-5.45	35.89	34.95	9.96	32.25	113	302	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5210.00	92.58	-----	-----	85.26	32.19	8.56	33.43	113	302	AVERAGE																																																																																



Mode	40																																																		
	Band Edge - R																																																		
	CO-TX																																																		
ANT	8																																																		
Pol.	Horizontal							Fundamental																																											
Peak	Level (dBuV/m) Date: 2025-06-19 15.407 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5395.75</td><td>52.79</td><td>74.00</td><td>-21.21</td><td>39.49</td><td>35.20</td><td>10.28</td><td>32.18</td><td>113</td><td>302</td><td>PEAK</td></tr></table> <td colspan="4">Blank</td>								Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5395.75	52.79	74.00	-21.21	39.49	35.20	10.28	32.18	113	302	PEAK	Blank			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5395.75	52.79	74.00	-21.21	39.49	35.20	10.28	32.18	113	302	PEAK																																								
Avg	Level (dBuV/m) Date: 2025-06-19 15.407 AVG <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.75</td><td>44.83</td><td>54.00</td><td>-9.17</td><td>31.59</td><td>35.20</td><td>10.21</td><td>32.17</td><td>113</td><td>302</td><td>AVERAGE</td></tr></table> <td colspan="4">Blank</td>								Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5351.75	44.83	54.00	-9.17	31.59	35.20	10.21	32.17	113	302	AVERAGE	Blank			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5351.75	44.83	54.00	-9.17	31.59	35.20	10.21	32.17	113	302	AVERAGE																																								







Mode	40	
	Band Edge - L	
	CO-TX	
ANT	8	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2025-06-19 1 5136.50 52.65 74.00 -21.35 40.01 34.94 9.95 32.25 352 242 PEAK	Level (dBuV/m) Date: 2025-06-19 1 5210.00 91.69 ----- 84.37 32.19 8.56 33.43 352 242 PEAK
	Level (dBuV/m) Date: 2025-06-19 1 5149.94 45.78 54.00 -8.22 33.12 34.95 9.96 32.25 352 242 AVERAGE	Level (dBuV/m) Date: 2025-06-19 1 5210.00 85.56 ----- 78.24 32.19 8.56 33.43 352 242 AVERAGE







Mode	40										
	Harmonic										
	CO-TX										
ANT	8										
Pol.	Horizontal										
Peak Avg	</										







Mode	41																																																		
	Band Edge																																																		
	CO-TX																																																		
ANT	8																																																		
Pol.	Horizontal																																																		
Peak																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.07</td><td>58.54</td><td>74.00</td><td>-15.46</td><td>51.44</td><td>32.10</td><td>8.45</td><td>33.45</td><td>338</td><td>309</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2497.07	58.54	74.00	-15.46	51.44	32.10	8.45	33.45	338	309	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	2497.07	58.54	74.00	-15.46	51.44	32.10	8.45	33.45	338	309	PEAK																																								
Fundamental																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>101.61</td><td>-----</td><td>-----</td><td>94.61</td><td>32.03</td><td>8.43</td><td>33.46</td><td>338</td><td>309</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2478.00	101.61	-----	-----	94.61	32.03	8.43	33.46	338	309	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	2478.00	101.61	-----	-----	94.61	32.03	8.43	33.46	338	309	PEAK																																								
Avg																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2491.90</td><td>47.75</td><td>54.00</td><td>-6.25</td><td>40.68</td><td>32.08</td><td>8.44</td><td>33.45</td><td>338</td><td>309</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2491.90	47.75	54.00	-6.25	40.68	32.08	8.44	33.45	338	309	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	2491.90	47.75	54.00	-6.25	40.68	32.08	8.44	33.45	338	309	AVERAGE																																								
Avg																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>99.70</td><td>-----</td><td>-----</td><td>92.70</td><td>32.03</td><td>8.43</td><td>33.46</td><td>338</td><td>309</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2478.00	99.70	-----	-----	92.70	32.03	8.43	33.46	338	309	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	2478.00	99.70	-----	-----	92.70	32.03	8.43	33.46	338	309	AVERAGE																																								



		41																																																																																									
Mode		Band Edge																																																																																									
		CO-TX																																																																																									
ANT		8																																																																																									
Pol.		Vertical					Fundamental																																																																																				
Peak																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 2495.78</td><td>58.18</td><td>74.00</td><td>-15.82</td><td>51.08</td><td>32.10</td><td>8.45</td><td>33.45</td><td>379 232 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1 2495.78	58.18	74.00	-15.82	51.08	32.10	8.45	33.45	379 232 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 2478.00</td><td>97.49</td><td>-----</td><td>-----</td><td>90.17</td><td>32.19</td><td>8.56</td><td>33.43</td><td>379 232 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1 2478.00	97.49	-----	-----	90.17	32.19	8.56	33.43
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																			
1 2495.78	58.18	74.00	-15.82	51.08	32.10	8.45	33.45	379 232 PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																			
1 2478.00	97.49	-----	-----	90.17	32.19	8.56	33.43	379 232 PEAK																																																																																			
Avg																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 2494.17</td><td>47.77</td><td>54.00</td><td>-6.23</td><td>40.68</td><td>32.09</td><td>8.45</td><td>33.45</td><td>379 232 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1 2494.17	47.77	54.00	-6.23	40.68	32.09	8.45	33.45	379 232 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 2478.00</td><td>92.26</td><td>-----</td><td>-----</td><td>84.94</td><td>32.19</td><td>8.56</td><td>33.43</td><td>379 232 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1 2478.00	92.26	-----	-----	84.94	32.19	8.56	33.43
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																			
1 2494.17	47.77	54.00	-6.23	40.68	32.09	8.45	33.45	379 232 AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																																			
1 2478.00	92.26	-----	-----	84.94	32.19	8.56	33.43	379 232 AVERAGE																																																																																			



Mode	41																																																																																										
	Band Edge - L																																																																																										
	CO-TX																																																																																										
ANT	8																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak	 Level (dBuV/m) Date: 2025-06-19 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.52</td><td>54.17</td><td>74.00</td><td>-19.83</td><td>41.51</td><td>34.95</td><td>9.96</td><td>32.25</td><td>100</td><td>298</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.52	54.17	74.00	-19.83	41.51	34.95	9.96	32.25	100	298	PEAK	 Level (dBuV/m) Date: 2025-06-19 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>98.93</td><td>-----</td><td>-----</td><td>91.61</td><td>32.19</td><td>8.56</td><td>33.43</td><td>100</td><td>298</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	98.93	-----	-----	91.61	32.19	8.56	33.43	100	298	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5149.52	54.17	74.00	-19.83	41.51	34.95	9.96	32.25	100	298	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5210.00	98.93	-----	-----	91.61	32.19	8.56	33.43	100	298	PEAK																																																																																
Avg	 Level (dBuV/m) Date: 2025-06-19 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.73</td><td>48.20</td><td>54.00</td><td>-5.80</td><td>35.54</td><td>34.95</td><td>9.96</td><td>32.25</td><td>100</td><td>298</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.73	48.20	54.00	-5.80	35.54	34.95	9.96	32.25	100	298	AVERAGE	 Level (dBuV/m) Date: 2025-06-19 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>92.09</td><td>-----</td><td>-----</td><td>84.77</td><td>32.19</td><td>8.56</td><td>33.43</td><td>100</td><td>298</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	92.09	-----	-----	84.77	32.19	8.56	33.43	100	298	AVERAGE
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5149.73	48.20	54.00	-5.80	35.54	34.95	9.96	32.25	100	298	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5210.00	92.09	-----	-----	84.77	32.19	8.56	33.43	100	298	AVERAGE																																																																																





Mode	41	
	Band Edge - L	
	CO-TX	
ANT	8	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2025-06-19 1 5097.86 52.98 74.00 -21.02 40.54 34.83 9.87 32.26 352 236 PEAK	Level (dBuV/m) Date: 2025-06-19 1 5210.00 91.58 ----- 84.26 32.19 8.56 33.43 352 236 PEAK
	Level (dBuV/m) Date: 2025-06-19 1 5097.86 45.26 54.00 -8.74 32.69 34.90 9.92 32.25 352 236 AVERAGE	Level (dBuV/m) Date: 2025-06-19 1 5210.00 85.68 ----- 78.36 32.19 8.56 33.43 352 236 AVERAGE



Mode	41										
	Band Edge - R										
	CO-TX										
ANT	8										
Pol.	Vertical										Fundamental
Peak	Level (dBuV/m) <										



Mode	41																																																																																																																																												
	Harmonic																																																																																																																																												
	CO-TX																																																																																																																																												
ANT	8																																																																																																																																												
Pol.	Horizontal								Vertical																																																																																																																																				
Peak Avg																																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4956.00</td><td>46.64</td><td>74.00</td><td>-27.36</td><td>58.92</td><td>34.38</td><td>9.86</td><td>56.52</td></tr><tr><td>2</td><td>7434.00</td><td>45.97</td><td>74.00</td><td>-28.03</td><td>57.97</td><td>35.74</td><td>11.53</td><td>59.27</td></tr><tr><td>3</td><td>10420.00</td><td>47.72</td><td>68.30</td><td>-20.58</td><td>56.84</td><td>37.25</td><td>13.28</td><td>59.65</td></tr><tr><td>4</td><td>15630.00</td><td>47.60</td><td>74.00</td><td>-26.40</td><td>49.58</td><td>40.28</td><td>15.83</td><td>58.09</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4956.00	46.64	74.00	-27.36	58.92	34.38	9.86	56.52	2	7434.00	45.97	74.00	-28.03	57.97	35.74	11.53	59.27	3	10420.00	47.72	68.30	-20.58	56.84	37.25	13.28	59.65	4	15630.00	47.60	74.00	-26.40	49.58	40.28	15.83	58.09	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>4956.00</td><td>45.28</td><td>74.00</td><td>-28.72</td><td>57.56</td><td>34.38</td><td>9.86</td><td>56.52</td></tr><tr><td>2</td><td>7434.00</td><td>46.07</td><td>74.00</td><td>-27.93</td><td>58.07</td><td>35.74</td><td>11.53</td><td>59.27</td></tr><tr><td>3</td><td>10420.00</td><td>48.06</td><td>68.30</td><td>-20.24</td><td>57.18</td><td>37.25</td><td>13.28</td><td>59.65</td></tr><tr><td>4</td><td>15630.00</td><td>47.72</td><td>74.00</td><td>-26.28</td><td>49.70</td><td>40.28</td><td>15.83</td><td>58.09</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	4956.00	45.28	74.00	-28.72	57.56	34.38	9.86	56.52	2	7434.00	46.07	74.00	-27.93	58.07	35.74	11.53	59.27	3	10420.00	48.06	68.30	-20.24	57.18	37.25	13.28	59.65	4	15630.00	47.72	74.00	-26.28	49.70	40.28	15.83
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																					
1	4956.00	46.64	74.00	-27.36	58.92	34.38	9.86	56.52																																																																																																																																					
2	7434.00	45.97	74.00	-28.03	57.97	35.74	11.53	59.27																																																																																																																																					
3	10420.00	47.72	68.30	-20.58	56.84	37.25	13.28	59.65																																																																																																																																					
4	15630.00	47.60	74.00	-26.40	49.58	40.28	15.83	58.09																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																					
1	4956.00	45.28	74.00	-28.72	57.56	34.38	9.86	56.52																																																																																																																																					
2	7434.00	46.07	74.00	-27.93	58.07	35.74	11.53	59.27																																																																																																																																					
3	10420.00	48.06	68.30	-20.24	57.18	37.25	13.28	59.65																																																																																																																																					
4	15630.00	47.72	74.00	-26.28	49.70	40.28	15.83	58.09																																																																																																																																					






Mode	42																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11n HT20_CH136_Full_5680MHz																																																																																											
ANT	8																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-06-16 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.41</td><td>62.93</td><td>68.30</td><td>-5.37</td><td>49.35</td><td>35.57</td><td>10.37</td><td>32.36</td><td>106</td><td>301</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5726.41	62.93	68.30	-5.37	49.35	35.57	10.37	32.36	106	301	PEAK	Level (dBuV/m) Date: 2025-06-16 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5680.00</td><td>108.06</td><td>-----</td><td>-----</td><td>94.58</td><td>35.47</td><td>10.35</td><td>32.34</td><td>106</td><td>301</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5680.00	108.06	-----	-----	94.58	35.47	10.35	32.34	106	301	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5726.41	62.93	68.30	-5.37	49.35	35.57	10.37	32.36	106	301	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5680.00	108.06	-----	-----	94.58	35.47	10.35	32.34	106	301	PEAK																																																																																	
Avg																																																																																												



Mode	42	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11n HT20_CH136_Full_5680MHz	
ANT	8	
Pol.	Vertical	Fundamental
Peak	Level (dBuV/m) Date: 2025-06-16 15726.84 60.97 68.30 -7.33 47.39 35.57 10.37 32.36 378 243 PEAK	Level (dBuV/m) Date: 2025-06-16 1 5680.00 103.02 ----- 89.54 35.47 10.35 32.34 378 243 PEAK
Avg	Blank	Level (dBuV/m) Date: 2025-06-16 1 5680.00 96.15 ----- 82.67 35.47 10.35 32.34 378 243 AVERAGE



Mode	43																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11a_CH136_Full_5680MHz																																																																																											
ANT	8																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	 Date: 2025-06-19 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.09</td><td>61.93</td><td>68.30</td><td>-6.37</td><td>48.35</td><td>35.57</td><td>10.37</td><td>32.36</td><td>100</td><td>296</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5727.09	61.93	68.30	-6.37	48.35	35.57	10.37	32.36	100	296	PEAK	 Date: 2025-06-19 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5680.00</td><td>108.20</td><td>-----</td><td>-----</td><td>94.72</td><td>35.47</td><td>10.35</td><td>32.34</td><td>100</td><td>296</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5680.00	108.20	-----	-----	94.72	35.47	10.35	32.34	100	296	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5727.09	61.93	68.30	-6.37	48.35	35.57	10.37	32.36	100	296	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5680.00	108.20	-----	-----	94.72	35.47	10.35	32.34	100	296	PEAK																																																																																	
Avg	Blank						 Date: 2025-06-19 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5680.00</td><td>101.18</td><td>-----</td><td>-----</td><td>87.70</td><td>35.47</td><td>10.35</td><td>32.34</td><td>100</td><td>296</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5680.00	101.18	-----	-----	87.70	35.47	10.35	32.34	100	296	AVERAGE																																								
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5680.00	101.18	-----	-----	87.70	35.47	10.35	32.34	100	296	AVERAGE																																																																																	




Mode	43																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11a_CH136_Full_5680MHz																																																																																											
ANT	8																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2025-06-19 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5727.94</td><td>56.46</td><td>68.30</td><td>-11.84</td><td>42.88</td><td>35.57</td><td>10.37</td><td>32.36</td><td>395</td><td>255</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5727.94	56.46	68.30	-11.84	42.88	35.57	10.37	32.36	395	255	PEAK	Level (dBuV/m) Date: 2025-06-19 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5680.00</td><td>102.71</td><td>-----</td><td>-----</td><td>89.23</td><td>35.47</td><td>10.35</td><td>32.34</td><td>395</td><td>255</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5680.00	102.71	-----	-----	89.23	35.47	10.35	32.34	395	255	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5727.94	56.46	68.30	-11.84	42.88	35.57	10.37	32.36	395	255	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5680.00	102.71	-----	-----	89.23	35.47	10.35	32.34	395	255	PEAK																																																																																	
Avg	Blank						Level (dBuV/m) Date: 2025-06-19 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5680.00</td><td>95.77</td><td>-----</td><td>-----</td><td>82.29</td><td>35.47</td><td>10.35</td><td>32.34</td><td>395</td><td>255</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5680.00	95.77	-----	-----	82.29	35.47	10.35	32.34	395	255	AVERAGE																																								
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5680.00	95.77	-----	-----	82.29	35.47	10.35	32.34	395	255	AVERAGE																																																																																	

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	96.50	1.380	0.725	1KHz
802.11n HT20	96.27	1.290	0.775	1KHz
802.11n HT40	95.31	0.610	1.639	3KHz
802.11ac VHT80	88.89	0.320	3.125	10KHz

802.11a






802.11n HT20



802.11n HT40





802.11ac VHT80

