

Transmitter Conducted Power Output for SA

Test Result


Ant 1

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	Limit (dBm)	Verdict
N26-814-824	15	5	DFT-PI2BPSK	L	1@1	24.85	50	PASS
N26-814-824	15	5	DFT-PI2BPSK	L	1@23	24.94	50	PASS
N26-814-824	15	5	DFT-PI2BPSK	L	25@0	24.45	50	PASS
N26-814-824	15	5	DFT-QPSK	L	1@1	24.97	50	PASS
N26-814-824	15	5	DFT-QPSK	L	1@23	25.03	50	PASS
N26-814-824	15	5	DFT-QPSK	L	25@0	23.95	50	PASS
N26-814-824	15	5	DFT-16QAM	L	1@1	23.67	50	PASS
N26-814-824	15	5	DFT-16QAM	L	1@23	23.79	50	PASS
N26-814-824	15	5	DFT-16QAM	L	25@0	22.94	50	PASS
N26-814-824	15	5	DFT-64QAM	L	1@1	22.35	50	PASS
N26-814-824	15	5	DFT-64QAM	L	1@23	22.42	50	PASS
N26-814-824	15	5	DFT-64QAM	L	25@0	22.42	50	PASS
N26-814-824	15	5	DFT-256QAM	L	1@1	22.26	50	PASS
N26-814-824	15	5	DFT-256QAM	L	1@23	22.31	50	PASS
N26-814-824	15	5	DFT-256QAM	L	25@0	22.43	50	PASS
N26-814-824	15	5	DFT-PI2BPSK	M	1@1	24.88	50	PASS
N26-814-824	15	5	DFT-PI2BPSK	M	1@23	24.94	50	PASS
N26-814-824	15	5	DFT-PI2BPSK	M	25@0	24.46	50	PASS
N26-814-824	15	5	DFT-QPSK	M	1@1	24.96	50	PASS
N26-814-824	15	5	DFT-QPSK	M	1@23	24.98	50	PASS
N26-814-824	15	5	DFT-QPSK	M	25@0	23.96	50	PASS
N26-814-824	15	5	DFT-16QAM	M	1@1	23.67	50	PASS
N26-814-824	15	5	DFT-16QAM	M	1@23	23.73	50	PASS
N26-814-824	15	5	DFT-16QAM	M	25@0	22.93	50	PASS
N26-814-824	15	5	DFT-64QAM	M	1@1	22.36	50	PASS
N26-814-824	15	5	DFT-64QAM	M	1@23	22.40	50	PASS
N26-814-824	15	5	DFT-64QAM	M	25@0	22.44	50	PASS
N26-814-824	15	5	DFT-256QAM	M	1@1	22.24	50	PASS
N26-814-824	15	5	DFT-256QAM	M	1@23	22.34	50	PASS
N26-814-824	15	5	DFT-256QAM	M	25@0	22.43	50	PASS
N26-814-824	15	5	DFT-PI2BPSK	H	1@1	24.90	50	PASS
N26-814-824	15	5	DFT-PI2BPSK	H	1@23	24.91	50	PASS
N26-814-824	15	5	DFT-PI2BPSK	H	25@0	24.42	50	PASS
N26-814-824	15	5	DFT-QPSK	H	1@1	24.98	50	PASS
N26-814-824	15	5	DFT-QPSK	H	1@23	24.98	50	PASS
N26-814-824	15	5	DFT-QPSK	H	25@0	23.91	50	PASS
N26-814-824	15	5	DFT-16QAM	H	1@1	23.73	50	PASS

N26-814-824	15	5	DFT-16QAM	H	1@23	23.73	50	PASS
N26-814-824	15	5	DFT-16QAM	H	25@0	22.94	50	PASS
N26-814-824	15	5	DFT-64QAM	H	1@1	22.40	50	PASS
N26-814-824	15	5	DFT-64QAM	H	1@23	22.39	50	PASS
N26-814-824	15	5	DFT-64QAM	H	25@0	22.41	50	PASS
N26-814-824	15	5	DFT-256QAM	H	1@1	22.34	50	PASS
N26-814-824	15	5	DFT-256QAM	H	1@23	22.32	50	PASS
N26-814-824	15	5	DFT-256QAM	H	25@0	22.41	50	PASS
N26-814-824	15	10	DFT-PI2BPSK	M	1@1	24.88	50	PASS
N26-814-824	15	10	DFT-PI2BPSK	M	1@50	24.96	50	PASS
N26-814-824	15	10	DFT-PI2BPSK	M	50@0	24.43	50	PASS
N26-814-824	15	10	DFT-QPSK	M	1@1	24.98	50	PASS
N26-814-824	15	10	DFT-QPSK	M	1@50	25.06	50	PASS
N26-814-824	15	10	DFT-QPSK	M	50@0	23.92	50	PASS
N26-814-824	15	10	DFT-16QAM	M	1@1	23.70	50	PASS
N26-814-824	15	10	DFT-16QAM	M	1@50	23.83	50	PASS
N26-814-824	15	10	DFT-16QAM	M	50@0	22.89	50	PASS
N26-814-824	15	10	DFT-64QAM	M	1@1	22.37	50	PASS
N26-814-824	15	10	DFT-64QAM	M	1@50	22.44	50	PASS
N26-814-824	15	10	DFT-64QAM	M	50@0	22.41	50	PASS
N26-814-824	15	10	DFT-256QAM	M	1@1	22.27	50	PASS
N26-814-824	15	10	DFT-256QAM	M	1@50	22.41	50	PASS
N26-814-824	15	10	DFT-256QAM	M	50@0	22.44	50	PASS

Peak-to-Average Ratio for SA

Test Graphs




26dB Bandwidth and Occupied Bandwidth for SA


Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	99% Result (MHz)	26dB Result (MHz)	Verdict
N26-814-824	15	5	DFT-QPSK	L	25@0	4.476	4.890	PASS
N26-814-824	15	5	DFT-PI2BPSK	L	25@0	4.476	4.900	PASS
N26-814-824	15	5	DFT-16QAM	L	25@0	4.486	4.830	PASS
N26-814-824	15	5	DFT-64QAM	L	25@0	4.486	4.850	PASS
N26-814-824	15	5	DFT-256QAM	L	25@0	4.476	4.850	PASS
N26-814-824	15	5	CP-QPSK	L	25@0	4.486	4.870	PASS
N26-814-824	15	5	CP-16QAM	L	25@0	4.476	4.840	PASS
N26-814-824	15	5	CP-64QAM	L	25@0	4.496	4.890	PASS
N26-814-824	15	5	CP-256QAM	L	25@0	4.476	4.920	PASS
N26-814-824	15	5	DFT-QPSK	M	25@0	4.476	4.830	PASS
N26-814-824	15	5	DFT-PI2BPSK	M	25@0	4.476	4.940	PASS
N26-814-824	15	5	DFT-16QAM	M	25@0	4.476	4.870	PASS
N26-814-824	15	5	DFT-64QAM	M	25@0	4.505	4.880	PASS
N26-814-824	15	5	DFT-256QAM	M	25@0	4.476	4.850	PASS
N26-814-824	15	5	CP-QPSK	M	25@0	4.456	4.870	PASS
N26-814-824	15	5	CP-16QAM	M	25@0	4.476	4.840	PASS
N26-814-824	15	5	CP-64QAM	M	25@0	4.466	4.780	PASS
N26-814-824	15	5	CP-256QAM	M	25@0	4.505	4.830	PASS
N26-814-824	15	5	DFT-QPSK	H	25@0	4.466	4.850	PASS
N26-814-824	15	5	DFT-PI2BPSK	H	25@0	4.466	4.850	PASS
N26-814-824	15	5	DFT-16QAM	H	25@0	4.486	4.880	PASS
N26-814-824	15	5	DFT-64QAM	H	25@0	4.486	4.890	PASS
N26-814-824	15	5	DFT-256QAM	H	25@0	4.505	4.850	PASS
N26-814-824	15	5	CP-QPSK	H	25@0	4.476	4.860	PASS
N26-814-824	15	5	CP-16QAM	H	25@0	4.456	4.800	PASS
N26-814-824	15	5	CP-64QAM	H	25@0	4.486	4.890	PASS
N26-814-824	15	5	CP-256QAM	H	25@0	4.486	4.920	PASS
N26-814-824	15	10	DFT-QPSK	M	50@0	8.951	9.520	PASS
N26-814-824	15	10	DFT-PI2BPSK	M	50@0	8.951	9.500	PASS
N26-814-824	15	10	DFT-16QAM	M	50@0	8.951	9.520	PASS
N26-814-824	15	10	DFT-64QAM	M	50@0	8.971	9.480	PASS
N26-814-824	15	10	DFT-256QAM	M	50@0	8.971	9.500	PASS
N26-814-824	15	10	CP-QPSK	M	52@0	9.271	9.800	PASS
N26-814-824	15	10	CP-16QAM	M	52@0	9.291	9.860	PASS
N26-814-824	15	10	CP-64QAM	M	52@0	9.291	9.860	PASS
N26-814-824	15	10	CP-256QAM	M	52@0	9.311	9.880	PASS


Test Graphs




1-N26-814-824-PC3-15-5-L-1-DFT-QPSK-Outer_Full-25@0-Ant1-4.476-4.890-≤5-PASS




1-N26-814-824-PC3-15-5-L-2-DFT-PI2BPSK-Outer_Full-25@0-Ant1-4.476-4.900-≤5-PASS




1-N26-814-824-PC3-15-5-L-3-DFT-16QAM-Outer_Full-25@0-Ant1-4.486-4.830-≤5-PASS




1-N26-814-824-PC3-15-5-L-4-DFT-64QAM-Outer_Full-25@0-Ant1-4.486-4.850-≤5-PASS




1-N26-814-824-PC3-15-5-L-5-DFT-256QAM-Outer_Full-25@0-Ant1-4.476-4.850-≤5-PASS




1-N26-814-824-PC3-15-5-L-6-CP-QPSK-Outer_Full-25@0-Ant1-4.486-4.870-≤5-PASS




1-N26-814-824-PC3-15-5-L-7-CP-16QAM-Outer_Full-25@0-Ant1-4.476-4.840-≤5-PASS




1-N26-814-824-PC3-15-5-L-8-CP-64QAM-Outer_Full-25@0-Ant1-4.496-4.890-≤5-PASS




1-N26-814-824-PC3-15-5-L-9-CP-256QAM-Outer_Full-25@0-Ant1-4.476-4.920-≤5-PASS




1-N26-814-824-PC3-15-5-M-1-DFT-QPSK-Outer_Full-25@0-Ant1-4.476-4.830-≤5-PASS




1-N26-814-824-PC3-15-5-M-2-DFT-PI2BPSK-Outer_Full-25@0-Ant1-4.476-4.940-≤5-PASS




1-N26-814-824-PC3-15-5-M-3-DFT-16QAM-Outer_Full-25@0-Ant1-4.476-4.870-≤5-PASS




1-N26-814-824-PC3-15-5-M-4-DFT-64QAM-Outer_Full-25@0-Ant1-4.505-4.880-≤5-PASS




1-N26-814-824-PC3-15-5-M-5-DFT-256QAM-Outer_Full-25@0-Ant1-4.476-4.850-≤5-PASS




1-N26-814-824-PC3-15-5-M-6-CP-QPSK-Outer_Full-25@0-Ant1-4.456-4.870-≤5-PASS




1-N26-814-824-PC3-15-5-M-7-CP-16QAM-Outer_Full-25@0-Ant1-4.476-4.840-≤5-PASS




1-N26-814-824-PC3-15-5-M-8-CP-64QAM-Outer_Full-25@0-Ant1-4.466-4.780-≤5-PASS




1-N26-814-824-PC3-15-5-M-9-CP-256QAM-Outer_Full-25@0-Ant1-4.505-4.830-≤5-PASS




1-N26-814-824-PC3-15-5-H-1-DFT-QPSK-Outer_Full-25@0-Ant1-4.466-4.850-≤5-PASS




1-N26-814-824-PC3-15-5-H-2-DFT-PI2BPSK-Outer_Full-25@0-Ant1-4.466-4.850-≤5-PASS




1-N26-814-824-PC3-15-5-H-3-DFT-16QAM-Outer_Full-25@0-Ant1-4.486-4.880-≤5-PASS




1-N26-814-824-PC3-15-5-H-4-DFT-64QAM-Outer_Full-25@0-Ant1-4.486-4.890-≤5-PASS




1-N26-814-824-PC3-15-5-H-5-DFT-256QAM-Outer_Full-25@0-Ant1-4.505-4.850-≤5-PASS




1-N26-814-824-PC3-15-5-H-6-CP-QPSK-Outer_Full-25@0-Ant1-4.476-4.860-≤5-PASS




1-N26-814-824-PC3-15-5-H-7-CP-16QAM-Outer_Full-25@0-Ant1-4.456-4.800-≤5-PASS




1-N26-814-824-PC3-15-5-H-8-CP-64QAM-Outer_Full-25@0-Ant1-4.486-4.890-≤5-PASS




1-N26-814-824-PC3-15-5-H-9-CP-256QAM-Outer_Full-25@0-Ant1-4.486-4.920-≤5-PASS




1-N26-814-824-PC3-15-10-M-1-DFT-QPSK-Outer_Full-50@0-Ant1-8.951-9.520-≤10-PASS




1-N26-814-824-PC3-15-10-M-2-DFT-PI2BPSK-Outer_Full-50@0-Ant1-8.951-9.500-≤10-PASS




1-N26-814-824-PC3-15-10-M-3-DFT-16QAM-Outer_Full-50@0-Ant1-8.951-9.520-≤10-PASS




1-N26-814-824-PC3-15-10-M-4-DFT-64QAM-Outer_Full-50@0-Ant1-8.971-9.480-≤10-PASS




1-N26-814-824-PC3-15-10-M-5-DFT-256QAM-Outer_Full-50@0-Ant1-8.971-9.500-≤10-PASS




1-N26-814-824-PC3-15-10-M-6-CP-QPSK-Outer_Full-52@0-Ant1-9.271-9.800-≤10-PASS



1-N26-814-824-PC3-15-10-M-7-CP-16QAM-Outer_Full-52@0-Ant1-9.291-9.860-≤10-PASS




1-N26-814-824-PC3-15-10-M-8-CP-64QAM-Outer_Full-52@0-Ant1-9.291-9.860-≤10-PASS




1-N26-814-824-PC3-15-10-M-9-CP-256QAM-Outer_Full-52@0-Ant1-9.311-9.880-≤10-PASS


Band Edge for SA

Test Graphs







1-N26-814-824-PC3-15-5-L-4-CP-QPSK-Edge_1RB_Left-1@0-Ant1-813.99-5.45--25.45-PASS




1-N26-814-824-PC3-15-5-L-6-CP-QPSK-Outer_Full-25@0-Ant1-819.17-16.99--29.99-PASS




1-N26-814-824-PC3-15-5-H-2-DFT-PI2BPSK-Edge_1RB_Right-1@24-Ant1-824.01-7.63--27.63-PASS




1-N26-814-824-PC3-15-5-H-3-DFT-PI2BPSK-Outter_Full-25@0-Ant1-824.00-14.69--34.69-PASS




1-N26-814-824-PC3-15-5-H-5-CP-QPSK-Edge_1RB_Right-1@24-Ant1-824.00-8.74--28.74-PASS




1-N26-814-824-PC3-15-5-H-6-CP-QPSK-Outter_Full-25@0-Ant1-818.96-17.73--30.73-PASS




1-N26-814-824-PC3-15-10-L-1-DFT-PI2BPSK-Edge_1RB_Left-1@0-Ant1-813.99-12.33--32.33-PASS




1-N26-814-824-PC3-15-10-L-3-DFT-PI2BPSK-Outer_Full-50@0-Ant1-813.96-21.60--34.60-PASS




1-N26-814-824-PC3-15-10-L-4-CP-QPSK-Edge_1RB_Left-1@0-Ant1-813.99-13.13--33.13-PASS




1-N26-814-824-PC3-15-10-L-6-CP-QPSK-Outer_Full-52@0-Ant1-824.14-21.98--34.98-PASS




1-N26-814-824-PC3-15-10-H-2-DFT-PI2BPSK-Edge_1RB_Right-1@51-Ant1-824.01-14.61--34.61-PASS



1-N26-814-824-PC3-15-10-H-3-DFT-PI2BPSK-Outer_Full-50@0-Ant1-813.96-21.63--34.63-PASS



1-N26-814-824-PC3-15-10-H-5-CP-QPSK-Edge_1RB_Right-1@51-Ant1-824.00-16.47--36.47-PASS




1-N26-814-824-PC3-15-10-H-6-CP-QPSK-Outer_Full-52@0-Ant1-824.09-21.96--34.96-PASS

Conducted Spurious Emission for SA


Test Result

Band	SCS	Bandwidth	Modulation	Channel	StartFreq	StopFreq	RB Config	Result (dBm)	Limit (dBm)	Verdict
N26-814-824	15	10	DFT-PI2BPSK	M	0.009	0.15	1@0	-56.67	-33	PASS
N26-814-824	15	10	DFT-PI2BPSK	M	0.15	30	1@0	-51.79	-23	PASS
N26-814-824	15	10	DFT-PI2BPSK	M	30	1000	1@0	-39.29	-13	PASS
N26-814-824	15	10	DFT-PI2BPSK	M	1000	3000	1@0	-39.25	-13	PASS
N26-814-824	15	10	DFT-PI2BPSK	M	3000	12000	1@0	-41.91	-13	PASS
N26-814-824	15	10	DFT-PI2BPSK	M	12000	20000	1@0	-44.06	-13	PASS


Test Graphs




1-N26-814-824-PC3-15-10-M-1-NS_01-DFT-PI2BPSK-Edge_1RB_Left-1@0-0.009-0.15-Ant1-0.03--56.67--3
3-PASS




1-N26-814-824-PC3-15-10-M-1-NS_01-DFT-PI2BPSK-Edge_1RB_Left-1@0-0.15-30-Ant1-0.15--51.79--23-P
ASS




1-N26-814-824-PC3-15-10-M-1-NS_01-DFT-PI2BPSK-Edge_1RB_Left-1@0-30-1000-Ant1-829.18--39.29--1
 3-PASS



1-N26-814-824-PC3-15-10-M-1-NS_01-DFT-PI2BPSK-Edge_1RB_Left-1@0-1000-3000-Ant1-2999.60--39.2
 5--13-PASS



1-N26-814-824-PC3-15-10-M-1-NS_01-DFT-PI2BPSK-Edge_1RB_Left-1@0-3000-12000-Ant1-6999.15--41.
 91--13-PASS



1-N26-814-824-PC3-15-10-M-1-NS_01-DFT-PI2BPSK-Edge_1RB_Left-1@0-12000-20000-Ant1-19924.00--
44.06--13-PASS

Frequency Stability for SA

Test Result

Frequency Error VS. Voltage

Voltage										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage (Vdc)	Temperature(℃)	Deviation(Hz)	Deviation (ppm)	Verdict
N26-814-824	15	10	DFT-PI2BPSK	M	50@0	HV	NT	-7.13	-0.00871	PASS
N26-814-824	15	10	DFT-PI2BPSK	M	50@0	NV	NT	-6.57	-0.00802	PASS
N26-814-824	15	10	DFT-PI2BPSK	M	50@0	LV	NT	-8.54	-0.01043	PASS
N26-814-824	15	10	CP-QPSK	M	52@0	HV	NT	-0.90	-0.00110	PASS
N26-814-824	15	10	CP-QPSK	M	52@0	NV	NT	0.91	0.00111	PASS
N26-814-824	15	10	CP-QPSK	M	52@0	LV	NT	0.41	0.00050	PASS

Frequency Error VS. Temperature

Temperature										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage (Vdc)	Temperature(℃)	Deviation(Hz)	Deviation (ppm)	Verdict
N26-814-824	15	10	DFT-PI2BPSK	M	50@0	NV	50	0.229000	0.000280	PASS
N26-814-824	15	10	DFT-PI2BPSK	M	50@0	NV	-20	-4.407000	-0.005381	PASS
N26-814-824	15	10	DFT-PI2BPSK	M	50@0	NV	-10	-5.646000	-0.006894	PASS
N26-814-824	15	10	DFT-PI2BPSK	M	50@0	NV	0	-3.582000	-0.004374	PASS
N26-814-824	15	10	DFT-PI2BPSK	M	50@0	NV	10	-3.342000	-0.004081	PASS
N26-814-824	15	10	DFT-PI2BPSK	M	50@0	NV	20	0.549000	0.000670	PASS
N26-814-824	15	10	DFT-PI2BPSK	M	50@0	NV	30	-2.554000	-0.003118	PASS
N26-814-824	15	10	DFT-PI2BPSK	M	50@0	NV	-30	-4.953000	-0.006048	PASS
N26-814-824	15	10	DFT-PI2BPSK	M	50@0	NV	40	-3.779000	-0.004614	PASS
N26-814-824	15	10	CP-QPSK	M	52@0	NV	50	-2.000000	-0.002442	PASS
N26-814-824	15	10	CP-QPSK	M	52@0	NV	-20	0.143000	0.000175	PASS
N26-814-824	15	10	CP-QPSK	M	52@0	NV	-10	-1.840000	-0.002247	PASS
N26-814-824	15	10	CP-QPSK	M	52@0	NV	0	-2.225000	-0.002717	PASS
N26-814-824	15	10	CP-QPSK	M	52@0	NV	10	-0.564000	-0.000689	PASS
N26-814-824	15	10	CP-QPSK	M	52@0	NV	20	1.364000	0.001665	PASS
N26-814-824	15	10	CP-QPSK	M	52@0	NV	30	-0.184000	-0.000225	PASS
N26-814-824	15	10	CP-QPSK	M	52@0	NV	40	-1.439000	-0.001757	PASS
N26-814-824	15	10	CP-QPSK	M	52@0	NV	-30	-0.857000	-0.001046	PASS

Field Strength of Spurious Radiation

NR N26 814-824 ANT1-Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1629.0	-70.18	-13	-57.18	-73.11	2.62	5.55	Horizontal	Pass
2443.5	-67.72	-13	-54.72	-70.36	3.04	5.68	Horizontal	Pass
3258.0	-66.97	-13	-53.97	-71.25	3.28	7.56	Horizontal	Pass
1629.0	-66.99	-13	-53.99	-69.92	2.62	5.55	Vertical	Pass
2443.5	-66.46	-13	-53.46	-69.1	3.04	5.68	Vertical	Pass
3258.0	-66.8	-13	-53.8	-71.08	3.28	7.56	Vertical	Pass

NSA_7A_n26A 814-824-Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3258.0	-66.59	-13	-53.59	-70.87	3.28	7.56	Horizontal	Pass
4072.5	-65.25	-13	-52.25	-70.26	3.91	8.92	Horizontal	Pass
4887.0	-63.72	-13	-50.72	-69.17	4.52	9.97	Horizontal	Pass
3258.0	-66.83	-13	-53.83	-71.11	3.28	7.56	Vertical	Pass
4072.5	-65.09	-13	-52.09	-70.1	3.91	8.92	Vertical	Pass
4887.0	-63.49	-13	-50.49	-68.94	4.52	9.97	Vertical	Pass