




CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2506 CC2:2525.8MHz_CC1: 100@0 CC2:
100@0




CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2506 CC2:2525.8MHz_CC1: 100@0 CC2:
100@0




CA 41C SISO NTNv CC1:20 CC2:20MHz CC1:16QAM CC2:16QAM CC1:2660.2 CC2:2680MHz CC1: 1@0 CC2: 1@0




CA 41C SISO NTNv CC1:20 CC2:20MHz CC1:16QAM CC2:16QAM CC1:2660.2 CC2:2680MHz CC1: 1@0 CC2: 1@0



CA_41C_SISO_NTNV_CC1:20 CC2:20MHz CC1:16QAM CC2:16QAM CC1:2660.2 CC2:2680MHz CC1: 1@0 CC2: 1@0




CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2660.2 CC2:2680MHz_CC1: 1@99 CC2: 1@99




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2650.1	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.030	-45.15	-10	Pass
2691	2695	1	CHP	2	2691.500	-44.85	-10	Pass
2695	2730.596	1	CHP	3	2708.715	-26.20	-13	Pass
2730.596	2735	1	CHP	4	2732.045	-47.83	-25	Pass

CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2660.2 CC2:2680MHz_CC1: 100@0 CC2:
100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2650.1	2690	0.1	/	/	/	/	/	/
2690	2691	0.812	CHP	1	2690.550	-36.15	-10	Pass
2691	2695	1	CHP	2	2694.950	-35.75	-10	Pass
2695	2730.596	1	CHP	3	2699.150	-34.85	-13	Pass
2730.596	2735	1	CHP	4	2730.750	-43.59	-25	Pass


CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2660.2 CC2:2680MHz_CC1: 100@0 CC2:
100@0




CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2660.2 CC2:2680MHz_CC1: 100@0 CC2:
100@0




CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2660.2 CC2:2680MHz_CC1: 100@0 CC2:
100@0




CA 41C SISO NTNv CC1:20 CC2:20MHz CC1:64QAM CC2:64QAM CC1:2506 CC2:2525.8MHz CC1: 1@0 CC2: 1@0




CA 41C SISO NTNv CC1:20 CC2:20MHz CC1:64QAM CC2:64QAM CC1:2506 CC2:2525.8MHz CC1: 1@0 CC2: 1@0




CA 41C SISO NTNv CC1:20 CC2:20MHz CC1:64QAM CC2:64QAM CC1:2506 CC2:2525.8MHz CC1: 1@0 CC2: 1@0



CA 41C SISO NTNv CC1:20 CC2:20MHz CC1:64QAM CC2:64QAM CC1:2506 CC2:2525.8MHz CC1: 1@0 CC2: 1@0




CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2506 CC2:2525.8MHz_CC1: 100@0 CC2:
100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2488.614	-39.72	-25	Pass
2490.5	2495	1	CHP	2	2491.312	-39.53	-13	Pass
2495	2496	0.405	CHP	3	2495.689	-41.76	-13	Pass
2496	2535.9	0.405	CHP	/	/	/	/	/


CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2506 CC2:2525.8MHz_CC1: 100@0 CC2:
100@0




CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2506 CC2:2525.8MHz_CC1: 100@0 CC2:
100@0




CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2506 CC2:2525.8MHz_CC1: 100@0 CC2:
100@0




CA 41C SISO NTNv CC1:20 CC2:20MHz CC1:64QAM CC2:64QAM CC1:2660.2 CC2:2680MHz CC1: 1@0 CC2: 1@0




CA 41C SISO NTNv CC1:20 CC2:20MHz CC1:64QAM CC2:64QAM CC1:2660.2 CC2:2680MHz CC1: 1@0 CC2: 1@0



CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2660.2 CC2:2680MHz_CC1: 1@0 CC2: 1@0




CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2660.2 CC2:2680MHz_CC1: 1@99 CC2: 1@99




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2650.1	2690	0.02	CHP	/	/	/	/	/
2690	2691	0.02	CHP	1	2690.010	-45.88	-10	Pass
2691	2695	1	CHP	2	2691.500	-42.58	-10	Pass
2695	2730.582	1	CHP	3	2708.650	-24.74	-13	Pass
2730.582	2735	1	CHP	4	2731.855	-43.62	-25	Pass

CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2660.2 CC2:2680MHz_CC1: 100@0 CC2:
100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2650.1	2690	0.1	/	/	/	/	/	/
2690	2691	0.812	CHP	1	2690.450	-38.24	-10	Pass
2691	2695	1	CHP	2	2693.100	-38.26	-10	Pass
2695	2730.582	1	CHP	3	2699.550	-37.59	-13	Pass
2730.582	2735	1	CHP	4	2730.800	-44.23	-25	Pass


CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2660.2 CC2:2680MHz_CC1: 100@0 CC2:
100@0



CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2660.2 CC2:2680MHz_CC1: 100@0 CC2:
100@0



CA_41C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2660.2 CC2:2680MHz_CC1: 100@0 CC2:
100@0



4. Field Strength of Spurious Radiation

CA_41C-Low channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
4994.0	-62.24	-25	-37.24	-67.8	4.57	10.13	Horizontal	Pass
7491.0	-60.57	-25	-35.57	-67.36	4.94	11.73	Horizontal	Pass
9988.0	-56.81	-25	-31.81	-64.39	5.46	13.04	Horizontal	Pass
4994.0	-62.5	-25	-37.5	-68.06	4.57	10.13	Vertical	Pass
7491.0	-60.75	-25	-35.75	-67.54	4.94	11.73	Vertical	Pass
9988.0	-57.13	-25	-32.13	-64.71	5.46	13.04	Vertical	Pass

CA_41C-Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5148.2	-63.2	-25	-38.2	-68.81	4.62	10.23	Horizontal	Pass
7722.3	-59.16	-25	-34.16	-66.2	4.96	12.0	Horizontal	Pass
10296.4	-56.04	-25	-31.04	-63.61	5.51	13.08	Horizontal	Pass
5148.2	-62.84	-25	-37.84	-68.45	4.62	10.23	Vertical	Pass
7722.3	-59.68	-25	-34.68	-66.72	4.96	12.0	Vertical	Pass
10296.4	-56.41	-25	-31.41	-63.98	5.51	13.08	Vertical	Pass

CA_41C-High channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5302.4	-63.32	-25	-38.32	-68.98	4.67	10.33	Horizontal	Pass
7953.6	-59.34	-25	-34.34	-66.64	4.98	12.28	Horizontal	Pass
10604.8	-55.96	-25	-30.96	-63.52	5.59	13.15	Horizontal	Pass
5302.4	-62.89	-25	-37.89	-68.55	4.67	10.33	Vertical	Pass
7953.6	-59.56	-25	-34.56	-66.86	4.98	12.28	Vertical	Pass
10604.8	-56.49	-25	-31.49	-64.05	5.59	13.15	Vertical	Pass

Test on the worst case :

CA_41C-Low channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
4994.0	-60.68	-25	-35.68	-66.24	4.57	10.13	Horizontal	Pass
7491.0	-58.12	-25	-33.12	-64.91	4.94	11.73	Horizontal	Pass
9988.0	-54.35	-25	-29.35	-61.93	5.46	13.04	Horizontal	Pass
4994.0	-60.09	-25	-35.09	-65.65	4.57	10.13	Vertical	Pass
7491.0	-58.16	-25	-33.16	-64.95	4.94	11.73	Vertical	Pass
9988.0	-55.81	-25	-30.81	-63.39	5.46	13.04	Vertical	Pass

CA_41C-Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5148.2	-61.45	-25	-36.45	-67.06	4.62	10.23	Horizontal	Pass
7722.3	-57.36	-25	-32.36	-64.4	4.96	12.0	Horizontal	Pass
10296.4	-55.34	-25	-30.34	-62.91	5.51	13.08	Horizontal	Pass
5148.2	-61.05	-25	-36.05	-66.66	4.62	10.23	Vertical	Pass
7722.3	-57.95	-25	-32.95	-64.99	4.96	12.0	Vertical	Pass
10296.4	-55.78	-25	-30.78	-63.35	5.51	13.08	Vertical	Pass

CA_41C-High channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
5302.4	-61.85	-25	-36.85	-67.51	4.67	10.33	Horizontal	Pass
7953.6	-57.69	-25	-32.69	-64.99	4.98	12.28	Horizontal	Pass
10604.8	-54.37	-25	-29.37	-61.93	5.59	13.15	Horizontal	Pass
5302.4	-60.63	-25	-35.63	-66.29	4.67	10.33	Vertical	Pass
7953.6	-57.12	-25	-32.12	-64.42	4.98	12.28	Vertical	Pass
10604.8	-58.79	-25	-33.79	-66.35	5.59	13.15	Vertical	Pass