









		6																																																	
Mode		Harmonic																																																	
		UNII-6_6.525-6.875_802.11a_CH113_6515MHz																																																	
ANT		CDD 8+9																																																	
Pol.		Horizontal					Vertical																																												
Peak Avg																																																			
		<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13030.00</td><td>47.86</td><td>88.20</td><td>-40.34</td><td>57.96</td><td>40.52</td><td>13.57</td><td>64.19</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13030.00	47.86	88.20	-40.34	57.96	40.52	13.57	64.19	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1 13030.00	47.86	88.20	-40.34	57.96	40.52	13.57	64.19	---	---	Peak																																									
																																																			
		<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13030.00</td><td>47.38</td><td>88.20</td><td>-40.82</td><td>57.48</td><td>40.52</td><td>13.57</td><td>64.19</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13030.00	47.38	88.20	-40.82	57.48	40.52	13.57	64.19	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1 13030.00	47.38	88.20	-40.82	57.48	40.52	13.57	64.19	---	---	Peak																																									





		10																																																								
Mode		Harmonic																																																								
		UNII-8_6.875-7.125_802.11a_CH189_6895MHz																																																								
ANT		CDD 8+9																																																								
Pol.		Horizontal					Vertical																																																			
Peak Avg																																																										
		<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13790.00</td><td>47.52</td><td>88.20</td><td>-40.68</td><td>56.78</td><td>40.97</td><td>13.81</td><td>64.04</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13790.00	47.52	88.20	-40.68	56.78	40.97	13.81	64.04	---	---	Peak
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	13790.00	47.52	88.20	-40.68	56.78	40.97	13.81	64.04	---	---	Peak																																															
																																																										
		<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13790.00</td><td>48.61</td><td>88.20</td><td>-39.59</td><td>57.87</td><td>40.97</td><td>13.81</td><td>64.04</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>												Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13790.00	48.61	88.20	-39.59	57.87	40.97	13.81	64.04	---	---	Peak
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	13790.00	48.61	88.20	-39.59	57.87	40.97	13.81	64.04	---	---	Peak																																															



Mode	11																																																																																										
	Harmonic																																																																																										
	UNII-8_6.875-7.125_802.11a_CH209_6995MHz																																																																																										
ANT	CDD 8+9																																																																																										
Pol.	Horizontal										Vertical																																																																																
Peak Avg																																																																																											
	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13990.00</td><td>48.37</td><td>88.20</td><td>-39.83</td><td>57.41</td><td>41.09</td><td>13.87</td><td>64.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13990.00	48.37	88.20	-39.83	57.41	41.09	13.87	64.00	---	---	Peak	<table><tr><th colspan="2"></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13990.00</td><td>49.53</td><td>88.20</td><td>-38.67</td><td>58.57</td><td>41.09</td><td>13.87</td><td>64.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13990.00	49.53	88.20	-38.67	58.57	41.09	13.87	64.00	---	---	Peak
			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 13990.00	48.37	88.20	-39.83	57.41	41.09	13.87	64.00	---	---	Peak																																																																																	
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 13990.00	49.53	88.20	-38.67	58.57	41.09	13.87	64.00	---	---	Peak																																																																																	





Mode	12																																																																																			
	Harmonic																																																																																			
	UNII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																			
ANT	CDD 8+9																																																																																			
Pol.	Horizontal						Vertical																																																																													
Peak Avg																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 14190.00</td><td>48.15</td><td>88.20</td><td>-40.05</td><td>57.11</td><td>41.08</td><td>13.96</td><td>64.00</td><td>--- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 14190.00	48.15	88.20	-40.05	57.11	41.08	13.96	64.00	--- --- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 14190.00</td><td>49.39</td><td>88.20</td><td>-38.81</td><td>58.35</td><td>41.08</td><td>13.96</td><td>64.00</td><td>--- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 14190.00	49.39	88.20	-38.81	58.35	41.08	13.96	64.00	--- --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																													
1 14190.00	48.15	88.20	-40.05	57.11	41.08	13.96	64.00	--- --- Peak																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																													
1 14190.00	49.39	88.20	-38.81	58.35	41.08	13.96	64.00	--- --- Peak																																																																												





Mode	17																																																			
	Harmonic																																																			
	U-NII-5_5.945-6.425_802.11ax HE20_CH105_6475MHz																																																			
ANT	CDD 8+9																																																			
Pol.	Horizontal																																																			
Peak Avg																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>47.96</td><td>88.20</td><td>-40.24</td><td>58.15</td><td>40.47</td><td>13.54</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	47.96	88.20	-40.24	58.15	40.47	13.54	64.20	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	12950.00	47.96	88.20	-40.24	58.15	40.47	13.54	64.20	---	---	Peak																																									
Vertical																																																				
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>46.82</td><td>88.20</td><td>-41.38</td><td>57.01</td><td>40.47</td><td>13.54</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	46.82	88.20	-41.38	57.01	40.47	13.54	64.20	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	12950.00	46.82	88.20	-41.38	57.01	40.47	13.54	64.20	---	---	Peak																																									





		18																																																	
Mode		Harmonic																																																	
		U-NII-5_5.945-6.425_802.11ax HE20_CH113_6515MHz																																																	
ANT		CDD 8+9																																																	
Pol.		Horizontal					Vertical																																												
Peak Avg																																																			
																																																			
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>48.28</td><td>88.20</td><td>-39.92</td><td>58.38</td><td>40.52</td><td>13.57</td><td>64.19</td><td>---</td><td>---</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13030.00	48.28	88.20	-39.92	58.38	40.52	13.57	64.19	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	13030.00	48.28	88.20	-39.92	58.38	40.52	13.57	64.19	---	---	Peak																																								
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13030.00</td><td>48.09</td><td>88.20</td><td>-40.11</td><td>58.19</td><td>40.52</td><td>13.57</td><td>64.19</td><td>---</td><td>---</td><td>Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13030.00	48.09	88.20	-40.11	58.19	40.52	13.57	64.19	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	13030.00	48.09	88.20	-40.11	58.19	40.52	13.57	64.19	---	---	Peak																																								



Mode	22																																																																																																								
	Harmonic																																																																																																								
	U-NII-8_6.875-7.125_802.11ax HE20_CH189_Full RU_6895MHz																																																																																																								
ANT	CDD 8+9																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13790.00</td><td>48.44</td><td>88.20</td><td>-39.76</td><td>57.70</td><td>40.97</td><td>13.81</td><td>64.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13790.00	48.44	88.20	-39.76	57.70	40.97	13.81	64.04	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13790.00</td><td>47.89</td><td>88.20</td><td>-40.31</td><td>57.15</td><td>40.97</td><td>13.81</td><td>64.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13790.00	47.89	88.20	-40.31	57.15	40.97	13.81	64.04	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13790.00	48.44	88.20	-39.76	57.70	40.97	13.81	64.04	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13790.00	47.89	88.20	-40.31	57.15	40.97	13.81	64.04	---	---	Peak																																																																																														



		23																																																			
Mode		Harmonic																																																			
		U-NII-8_6.875-7.125_802.11ax HE20_CH209_Full RU_6995MHz																																																			
ANT		CDD 8+9																																																			
Pol.		Horizontal					Vertical																																														
Peak Avg																																																					
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13990.00</td><td>49.14</td><td>88.20</td><td>-39.06</td><td>58.18</td><td>41.09</td><td>13.87</td><td>64.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13990.00	49.14	88.20	-39.06	58.18	41.09	13.87	64.00	---	---	Peak
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1 13990.00	49.14	88.20	-39.06	58.18	41.09	13.87	64.00	---	---	Peak																																											
																																																					
		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13990.00</td><td>48.48</td><td>88.20</td><td>-39.72</td><td>57.52</td><td>41.09</td><td>13.87</td><td>64.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13990.00	48.48	88.20	-39.72	57.52	41.09	13.87	64.00	---	---	Peak
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1 13990.00	48.48	88.20	-39.72	57.52	41.09	13.87	64.00	---	---	Peak																																											





Mode	24																																																																																																						
	Band Edge																																																																																																						
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz																																																																																																						
ANT	CDD 8+9																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak	Level (dBuV/m) Date: 2025-04-16 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7129.28</td><td>52.77</td><td>88.20</td><td>-35.43</td><td>39.88</td><td>37.07</td><td>10.19</td><td>34.37</td><td>272</td><td>287</td><td>PEAK</td></tr><tr><td>2</td><td>7289.48</td><td>51.40</td><td>74.00</td><td>-22.60</td><td>38.65</td><td>36.91</td><td>10.18</td><td>34.34</td><td>272</td><td>287</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7129.28	52.77	88.20	-35.43	39.88	37.07	10.19	34.37	272	287	PEAK	2	7289.48	51.40	74.00	-22.60	38.65	36.91	10.18	34.34	272	287	PEAK	Level (dBuV/m) Date: 2025-04-16 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>96.28</td><td>-----</td><td>-----</td><td>83.36</td><td>37.10</td><td>10.20</td><td>34.38</td><td>272</td><td>287</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	96.28	-----	-----	83.36	37.10	10.20	34.38	272	287	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7129.28	52.77	88.20	-35.43	39.88	37.07	10.19	34.37	272	287	PEAK																																																																																												
2	7289.48	51.40	74.00	-22.60	38.65	36.91	10.18	34.34	272	287	PEAK																																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7095.00	96.28	-----	-----	83.36	37.10	10.20	34.38	272	287	PEAK																																																																																												
Avg	Level (dBuV/m) Date: 2025-04-16 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>42.83</td><td>68.20</td><td>-25.37</td><td>29.93</td><td>37.07</td><td>10.20</td><td>34.37</td><td>272</td><td>287</td><td>AVERAGE</td></tr><tr><td>2</td><td>7251.66</td><td>41.70</td><td>54.00</td><td>-12.30</td><td>28.92</td><td>36.95</td><td>10.18</td><td>34.35</td><td>272</td><td>287</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.28	42.83	68.20	-25.37	29.93	37.07	10.20	34.37	272	287	AVERAGE	2	7251.66	41.70	54.00	-12.30	28.92	36.95	10.18	34.35	272	287	AVERAGE	Level (dBuV/m) Date: 2025-04-16 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>88.05</td><td>-----</td><td>-----</td><td>75.12</td><td>37.11</td><td>10.20</td><td>34.38</td><td>272</td><td>287</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	88.05	-----	-----	75.12	37.11	10.20	34.38	272	287	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7125.28	42.83	68.20	-25.37	29.93	37.07	10.20	34.37	272	287	AVERAGE																																																																																												
2	7251.66	41.70	54.00	-12.30	28.92	36.95	10.18	34.35	272	287	AVERAGE																																																																																												
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7095.00	88.05	-----	-----	75.12	37.11	10.20	34.38	272	287	AVERAGE																																																																																												





Mode	24																																																																																											
	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz																																																																																											
ANT	CDD 8+9																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-04-16 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7241.87</td><td>51.90</td><td>88.20</td><td>-36.30</td><td>39.11</td><td>36.96</td><td>10.18</td><td>34.35</td><td>400 6 PEAK</td></tr><tr><td>2</td><td>7313.07</td><td>51.88</td><td>74.00</td><td>-22.12</td><td>39.15</td><td>36.89</td><td>10.18</td><td>34.34</td><td>400 6 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7241.87	51.90	88.20	-36.30	39.11	36.96	10.18	34.35	400 6 PEAK	2	7313.07	51.88	74.00	-22.12	39.15	36.89	10.18	34.34	400 6 PEAK	Level (dBuV/m) Date: 2025-04-16 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>90.26</td><td>-----</td><td>-----</td><td>77.33</td><td>37.11</td><td>10.20</td><td>34.38</td><td>400 6 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	90.26	-----	-----	77.33	37.11	10.20	34.38	400 6 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7241.87	51.90	88.20	-36.30	39.11	36.96	10.18	34.35	400 6 PEAK																																																																																			
2	7313.07	51.88	74.00	-22.12	39.15	36.89	10.18	34.34	400 6 PEAK																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7095.00	90.26	-----	-----	77.33	37.11	10.20	34.38	400 6 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2025-04-16 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.72</td><td>42.01</td><td>68.20</td><td>-26.19</td><td>29.11</td><td>37.07</td><td>10.20</td><td>34.37</td><td>400 6 AVERAGE</td></tr><tr><td>2</td><td>7259.22</td><td>41.59</td><td>54.00</td><td>-12.41</td><td>28.82</td><td>36.94</td><td>10.18</td><td>34.35</td><td>400 6 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.72	42.01	68.20	-26.19	29.11	37.07	10.20	34.37	400 6 AVERAGE	2	7259.22	41.59	54.00	-12.41	28.82	36.94	10.18	34.35	400 6 AVERAGE	Level (dBuV/m) Date: 2025-04-16 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>82.65</td><td>-----</td><td>-----</td><td>69.72</td><td>37.11</td><td>10.20</td><td>34.38</td><td>400 6 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7095.00	82.65	-----	-----	69.72	37.11	10.20	34.38	400 6 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7125.72	42.01	68.20	-26.19	29.11	37.07	10.20	34.37	400 6 AVERAGE																																																																																			
2	7259.22	41.59	54.00	-12.41	28.82	36.94	10.18	34.35	400 6 AVERAGE																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																						
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7095.00	82.65	-----	-----	69.72	37.11	10.20	34.38	400 6 AVERAGE																																																																																			





Mode	24																																																																																														
	Harmonic																																																																																														
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full RU_7095MHz																																																																																														
ANT	CDD 8+9																																																																																														
Pol.	Horizontal						Vertical																																																																																								
Peak Avg																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>14190.00</td><td>48.01</td><td>88.20</td><td>-40.19</td><td>56.97</td><td>41.08</td><td>13.96</td><td>64.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	14190.00	48.01	88.20	-40.19	56.97	41.08	13.96	64.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>14190.00</td><td>48.00</td><td>88.20</td><td>-40.20</td><td>56.96</td><td>41.08</td><td>13.96</td><td>64.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	14190.00	48.00	88.20	-40.20	56.96	41.08	13.96	64.00	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	14190.00	48.01	88.20	-40.19	56.97	41.08	13.96	64.00	---	---	Peak																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	14190.00	48.00	88.20	-40.20	56.96	41.08	13.96	64.00	---	---	Peak																																																																																				





		28																																																																																								
Mode		Harmonic																																																																																								
		U-NII-6_5.945-6.425_802.11ax HE40_CH99_Full RU_6445MHz																																																																																								
ANT		CDD 8+9																																																																																								
Pol.		Horizontal						Vertical																																																																																		
Peak Avg																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12890.00</td><td>48.32</td><td>88.20</td><td>-39.88</td><td>58.58</td><td>40.42</td><td>13.52</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12890.00	48.32	88.20	-39.88	58.58	40.42	13.52	64.20	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12890.00</td><td>47.60</td><td>88.20</td><td>-40.60</td><td>57.86</td><td>40.42</td><td>13.52</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12890.00	47.60	88.20	-40.60	57.86	40.42	13.52	64.20	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	12890.00	48.32	88.20	-39.88	58.58	40.42	13.52	64.20	---	---	Peak																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	12890.00	47.60	88.20	-40.60	57.86	40.42	13.52	64.20	---	---	Peak																																																																															



		29																																																	
Mode		Harmonic																																																	
		U-NII-6_5.945-6.425_802.11ax HE40_CH107_Full RU_6485MHz																																																	
ANT		CDD 8+9																																																	
Pol.		Horizontal					Vertical																																												
Peak Avg																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>47.26</td><td>88.20</td><td>-40.94</td><td>57.43</td><td>40.48</td><td>13.55</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	47.26	88.20	-40.94	57.43	40.48	13.55	64.20	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1	12970.00	47.26	88.20	-40.94	57.43	40.48	13.55	64.20	---	---	Peak																																								
Peak Avg																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12970.00</td><td>47.70</td><td>88.20</td><td>-40.50</td><td>57.87</td><td>40.48</td><td>13.55</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12970.00	47.70	88.20	-40.50	57.87	40.48	13.55	64.20	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																									
1	12970.00	47.70	88.20	-40.50	57.87	40.48	13.55	64.20	---	---	Peak																																								







Mode	33																																																																																																	
	Harmonic																																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE40_CH195_Full RU_6925MHz																																																																																																	
ANT	CDD 8+9																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13850.00</td><td>48.69</td><td>88.20</td><td>-39.51</td><td>57.88</td><td>41.01</td><td>13.83</td><td>64.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13850.00	48.69	88.20	-39.51	57.88	41.01	13.83	64.03	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13850.00</td><td>49.04</td><td>88.20</td><td>-39.16</td><td>58.23</td><td>41.01</td><td>13.83</td><td>64.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13850.00	49.04	88.20	-39.16	58.23	41.01	13.83	64.03	---	---	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 13850.00	48.69	88.20	-39.51	57.88	41.01	13.83	64.03	---	---	Peak																																																																																								
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 13850.00	49.04	88.20	-39.16	58.23	41.01	13.83	64.03	---	---	Peak																																																																																								







		34																																																			
Mode		Harmonic																																																			
		U-NII-8_6.875-7.125_802.11ax HE40_CH203_Full RU_6965MHz																																																			
ANT		CDD 8+9																																																			
Pol.		Horizontal					Vertical																																														
Peak Avg																																																					
		<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13930.00</td><td>50.90</td><td>88.20</td><td>-37.30</td><td>60.00</td><td>41.06</td><td>13.85</td><td>64.01</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>												Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13930.00	50.90	88.20	-37.30	60.00	41.06	13.85	64.01	---	---	Peak
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1 13930.00	50.90	88.20	-37.30	60.00	41.06	13.85	64.01	---	---	Peak																																											
		<table><thead><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13930.00</td><td>50.29</td><td>88.20</td><td>-37.91</td><td>59.39</td><td>41.06</td><td>13.85</td><td>64.01</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>												Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13930.00	50.29	88.20	-37.91	59.39	41.06	13.85	64.01	---	---	Peak
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1 13930.00	50.29	88.20	-37.91	59.39	41.06	13.85	64.01	---	---	Peak																																											




		35																																																																																												
Mode		Band Edge																																																																																												
		U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																												
ANT		CDD 8+9																																																																																												
Pol.		Horizontal					Fundamental																																																																																							
Peak	 Level (dBuV/m) Date: 2025-04-16 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7130.55</td><td>54.63</td><td>88.20</td><td>-33.57</td><td>41.74</td><td>37.07</td><td>10.19</td><td>34.37</td><td>300</td><td>293</td><td>PEAK</td></tr><tr><td>2</td><td>7281.60</td><td>50.86</td><td>74.00</td><td>-23.14</td><td>38.10</td><td>36.92</td><td>10.18</td><td>34.34</td><td>300</td><td>293</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7130.55	54.63	88.20	-33.57	41.74	37.07	10.19	34.37	300	293	PEAK	2	7281.60	50.86	74.00	-23.14	38.10	36.92	10.18	34.34	300	293	PEAK	 Level (dBuV/m) Date: 2025-04-16 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>95.99</td><td>-----</td><td>-----</td><td>83.06</td><td>37.11</td><td>10.20</td><td>34.38</td><td>300</td><td>293</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7085.00	95.99	-----	-----	83.06	37.11	10.20	34.38	300	293	PEAK
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7130.55	54.63	88.20	-33.57	41.74	37.07	10.19	34.37	300	293	PEAK																																																																																			
2	7281.60	50.86	74.00	-23.14	38.10	36.92	10.18	34.34	300	293	PEAK																																																																																			
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7085.00	95.99	-----	-----	83.06	37.11	10.20	34.38	300	293	PEAK																																																																																			
Avg	 Level (dBuV/m) Date: 2025-04-16 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.71</td><td>45.51</td><td>68.20</td><td>-22.69</td><td>32.61</td><td>37.07</td><td>10.20</td><td>34.37</td><td>300</td><td>293</td><td>AVERAGE</td></tr><tr><td>2</td><td>7298.70</td><td>42.11</td><td>54.00</td><td>-11.89</td><td>29.37</td><td>36.90</td><td>10.18</td><td>34.34</td><td>300</td><td>293</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7125.71	45.51	68.20	-22.69	32.61	37.07	10.20	34.37	300	293	AVERAGE	2	7298.70	42.11	54.00	-11.89	29.37	36.90	10.18	34.34	300	293	AVERAGE	 Level (dBuV/m) Date: 2025-04-16 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>87.29</td><td>-----</td><td>-----</td><td>74.36</td><td>37.11</td><td>10.20</td><td>34.38</td><td>300</td><td>293</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7085.00	87.29	-----	-----	74.36	37.11	10.20	34.38	300	293	AVERAGE
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7125.71	45.51	68.20	-22.69	32.61	37.07	10.20	34.37	300	293	AVERAGE																																																																																			
2	7298.70	42.11	54.00	-11.89	29.37	36.90	10.18	34.34	300	293	AVERAGE																																																																																			
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7085.00	87.29	-----	-----	74.36	37.11	10.20	34.38	300	293	AVERAGE																																																																																			





Mode	35																																																																																																									
	Band Edge																																																																																																									
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																																																																									
ANT	CDD 8+9																																																																																																									
Pol.	Vertical					Fundamental																																																																																																				
Peak	 Level (dBuV/m) Date: 2025-04-16 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7131.69</td><td>51.76</td><td>88.20</td><td>-36.44</td><td>38.87</td><td>37.07</td><td>10.19</td><td>34.37</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>7348.01</td><td>51.38</td><td>74.00</td><td>-22.62</td><td>38.68</td><td>36.85</td><td>10.18</td><td>34.33</td><td>100</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7131.69	51.76	88.20	-36.44	38.87	37.07	10.19	34.37	100	360	PEAK	2	7348.01	51.38	74.00	-22.62	38.68	36.85	10.18	34.33	100	360	PEAK	 Level (dBuV/m) Date: 2025-04-16 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>93.51</td><td>-----</td><td>-----</td><td>80.58</td><td>37.11</td><td>10.20</td><td>34.38</td><td>100</td><td>360</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7085.00	93.51	-----	-----	80.58	37.11	10.20	34.38	100	360	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7131.69	51.76	88.20	-36.44	38.87	37.07	10.19	34.37	100	360	PEAK																																																																																															
2	7348.01	51.38	74.00	-22.62	38.68	36.85	10.18	34.33	100	360	PEAK																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7085.00	93.51	-----	-----	80.58	37.11	10.20	34.38	100	360	PEAK																																																																																															
Avg	 Level (dBuV/m) Date: 2025-04-16 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.99</td><td>43.83</td><td>68.20</td><td>-24.37</td><td>30.93</td><td>37.07</td><td>10.20</td><td>34.37</td><td>100</td><td>360</td><td>AVERAGE</td></tr><tr><td>2</td><td>7286.45</td><td>42.20</td><td>54.00</td><td>-11.80</td><td>29.45</td><td>36.91</td><td>10.18</td><td>34.34</td><td>100</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.99	43.83	68.20	-24.37	30.93	37.07	10.20	34.37	100	360	AVERAGE	2	7286.45	42.20	54.00	-11.80	29.45	36.91	10.18	34.34	100	360	AVERAGE	 Level (dBuV/m) Date: 2025-04-16 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>85.36</td><td>-----</td><td>-----</td><td>72.42</td><td>37.12</td><td>10.20</td><td>34.38</td><td>100</td><td>360</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7085.00	85.36	-----	-----	72.42	37.12	10.20	34.38	100	360	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7125.99	43.83	68.20	-24.37	30.93	37.07	10.20	34.37	100	360	AVERAGE																																																																																															
2	7286.45	42.20	54.00	-11.80	29.45	36.91	10.18	34.34	100	360	AVERAGE																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7085.00	85.36	-----	-----	72.42	37.12	10.20	34.38	100	360	AVERAGE																																																																																															



Mode	35																																																									
	Harmonic																																																									
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full RU_7085MHz																																																									
ANT	CDD 8+9																																																									
Pol.	Horizontal																																																									
Peak Avg																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>14170.00</td><td>47.84</td><td>88.20</td><td>-40.36</td><td>56.81</td><td>41.08</td><td>13.95</td><td>64.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	14170.00	47.84	88.20	-40.36	56.81	41.08	13.95	64.00	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	14170.00	47.84	88.20	-40.36	56.81	41.08	13.95	64.00	---	---	Peak																																															
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>14170.00</td><td>47.81</td><td>88.20</td><td>-40.39</td><td>56.78</td><td>41.08</td><td>13.95</td><td>64.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	14170.00	47.81	88.20	-40.39	56.78	41.08	13.95	64.00	---	---	Peak	
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	14170.00	47.81	88.20	-40.39	56.78	41.08	13.95	64.00	---	---	Peak																																															







Mode	39																																																																																																									
	Harmonic																																																																																																									
	U-NII-6_5.945-6.425_802.11ax HE80_CH103_Full RU_6465MHz																																																																																																									
ANT	CDD 8+9																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12930.00</td><td>47.22</td><td>88.20</td><td>-40.98</td><td>57.43</td><td>40.45</td><td>13.54</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12930.00	47.22	88.20	-40.98	57.43	40.45	13.54	64.20	---	---	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 12930.00</td><td>48.31</td><td>88.20</td><td>-39.89</td><td>58.52</td><td>40.45</td><td>13.54</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 12930.00	48.31	88.20	-39.89	58.52	40.45	13.54	64.20	---	---	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 12930.00	47.22	88.20	-40.98	57.43	40.45	13.54	64.20	---	---	Peak																																																																																																
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 12930.00	48.31	88.20	-39.89	58.52	40.45	13.54	64.20	---	---	Peak																																																																																																



		43																																																				
Mode		Harmonic																																																				
		U-NII-8_6.875-7.125_802.11ax HE80_CH199_Full RU_6945MHz																																																				
ANT		CDD 8+9																																																				
Pol.		Horizontal																																																				
Peak Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13890.00</td><td>49.50</td><td>88.20</td><td>-38.70</td><td>58.65</td><td>41.03</td><td>13.84</td><td>64.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13890.00	49.50	88.20	-38.70	58.65	41.03	13.84	64.02	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	13890.00	49.50	88.20	-38.70	58.65	41.03	13.84	64.02	---	---	Peak																																											
		Vertical																																																				
Peak Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13890.00</td><td>48.83</td><td>88.20</td><td>-39.37</td><td>57.98</td><td>41.03</td><td>13.84</td><td>64.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13890.00	48.83	88.20	-39.37	57.98	41.03	13.84	64.02	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																														
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	13890.00	48.83	88.20	-39.37	57.98	41.03	13.84	64.02	---	---	Peak																																											





		44																																																																																																								
Mode		Band Edge																																																																																																								
		U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																																								
ANT		CDD 8+9																																																																																																								
Pol.		Horizontal					Fundamental																																																																																																			
Peak	 Level (dBuV/m) Date: 2025-04-16 Frequency (MHz) PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7133.92</td><td>51.50</td><td>88.20</td><td>-36.70</td><td>38.61</td><td>37.07</td><td>10.19</td><td>34.37</td><td>283</td><td>290</td><td>PEAK</td></tr><tr><td>2</td><td>7288.32</td><td>51.95</td><td>74.00</td><td>-22.05</td><td>39.20</td><td>36.91</td><td>10.18</td><td>34.34</td><td>283</td><td>290</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7133.92	51.50	88.20	-36.70	38.61	37.07	10.19	34.37	283	290	PEAK	2	7288.32	51.95	74.00	-22.05	39.20	36.91	10.18	34.34	283	290	PEAK	 Level (dBuV/m) Date: 2025-04-16 Frequency (MHz) PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>91.54</td><td>-----</td><td>-----</td><td>78.55</td><td>37.17</td><td>10.21</td><td>34.39</td><td>283</td><td>290</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	91.54	-----	-----	78.55	37.17	10.21	34.39	283	290	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7133.92	51.50	88.20	-36.70	38.61	37.07	10.19	34.37	283	290	PEAK																																																																																															
2	7288.32	51.95	74.00	-22.05	39.20	36.91	10.18	34.34	283	290	PEAK																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7025.00	91.54	-----	-----	78.55	37.17	10.21	34.39	283	290	PEAK																																																																																															
Avg	 Level (dBuV/m) Date: 2025-04-16 Frequency (MHz) AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7127.72</td><td>44.40</td><td>68.20</td><td>-23.80</td><td>31.50</td><td>37.07</td><td>10.20</td><td>34.37</td><td>283</td><td>290</td><td>AVERAGE</td></tr><tr><td>2</td><td>7341.61</td><td>43.65</td><td>54.00</td><td>-10.35</td><td>30.94</td><td>36.86</td><td>10.18</td><td>34.33</td><td>283</td><td>290</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7127.72	44.40	68.20	-23.80	31.50	37.07	10.20	34.37	283	290	AVERAGE	2	7341.61	43.65	54.00	-10.35	30.94	36.86	10.18	34.33	283	290	AVERAGE	 Level (dBuV/m) Date: 2025-04-16 Frequency (MHz) AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>84.96</td><td>-----</td><td>-----</td><td>71.97</td><td>37.17</td><td>10.21</td><td>34.39</td><td>283</td><td>290</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7025.00	84.96	-----	-----	71.97	37.17	10.21	34.39	283	290	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7127.72	44.40	68.20	-23.80	31.50	37.07	10.20	34.37	283	290	AVERAGE																																																																																															
2	7341.61	43.65	54.00	-10.35	30.94	36.86	10.18	34.33	283	290	AVERAGE																																																																																															
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	7025.00	84.96	-----	-----	71.97	37.17	10.21	34.39	283	290	AVERAGE																																																																																															





Mode	44																																																																																																			
	Band Edge																																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																																			
ANT	CDD 8+9																																																																																																			
Pol.	Vertical					Fundamental																																																																																														
Peak	Level (dBuV/m) Date: 2025-04-16 PEAK_BE(UNII_6E) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7138.67</td><td>51.71</td><td>88.20</td><td>-36.49</td><td>38.83</td><td>37.06</td><td>10.19</td><td>34.37</td><td>200 16 PEAK</td></tr><tr><td>2</td><td>7316.42</td><td>51.10</td><td>74.00</td><td>-22.90</td><td>38.38</td><td>36.88</td><td>10.18</td><td>34.34</td><td>200 16 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7138.67	51.71	88.20	-36.49	38.83	37.06	10.19	34.37	200 16 PEAK	2	7316.42	51.10	74.00	-22.90	38.38	36.88	10.18	34.34	200 16 PEAK	Level (dBuV/m) Date: 2025-04-16 PEAK_BE(UNII_6E) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>87.16</td><td>-----</td><td>-----</td><td>74.18</td><td>37.16</td><td>10.21</td><td>34.39</td><td>200 16 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	87.16	-----	-----	74.18	37.16	10.21	34.39	200 16 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7138.67	51.71	88.20	-36.49	38.83	37.06	10.19	34.37	200 16 PEAK																																																																																											
2	7316.42	51.10	74.00	-22.90	38.38	36.88	10.18	34.34	200 16 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7025.00	87.16	-----	-----	74.18	37.16	10.21	34.39	200 16 PEAK																																																																																											
Avg	Level (dBuV/m) Date: 2025-04-16 AVG_BE(UNII_6E) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7126.62</td><td>43.95</td><td>68.20</td><td>-24.25</td><td>31.05</td><td>37.07</td><td>10.20</td><td>34.37</td><td>200 16 AVERAGE</td></tr><tr><td>2</td><td>7279.56</td><td>43.74</td><td>54.00</td><td>-10.26</td><td>30.98</td><td>36.92</td><td>10.18</td><td>34.34</td><td>200 16 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7126.62	43.95	68.20	-24.25	31.05	37.07	10.20	34.37	200 16 AVERAGE	2	7279.56	43.74	54.00	-10.26	30.98	36.92	10.18	34.34	200 16 AVERAGE	Level (dBuV/m) Date: 2025-04-16 AVG_BE(UNII_6E) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7025.00</td><td>79.05</td><td>-----</td><td>-----</td><td>66.07</td><td>37.16</td><td>10.21</td><td>34.39</td><td>200 16 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	79.05	-----	-----	66.07	37.16	10.21	34.39	200 16 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7126.62	43.95	68.20	-24.25	31.05	37.07	10.20	34.37	200 16 AVERAGE																																																																																											
2	7279.56	43.74	54.00	-10.26	30.98	36.92	10.18	34.34	200 16 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	7025.00	79.05	-----	-----	66.07	37.16	10.21	34.39	200 16 AVERAGE																																																																																											



Mode	44																																																																																												
	Harmonic																																																																																												
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full RU_7025MHz																																																																																												
ANT	CDD 8+9																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>49.23</td><td>88.20</td><td>-38.97</td><td>58.24</td><td>41.09</td><td>13.90</td><td>64.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14050.00	49.23	88.20	-38.97	58.24	41.09	13.90	64.00	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14050.00</td><td>48.67</td><td>88.20</td><td>-39.53</td><td>57.68</td><td>41.09</td><td>13.90</td><td>64.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14050.00	48.67	88.20	-39.53	57.68	41.09	13.90	64.00	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	14050.00	49.23	88.20	-38.97	58.24	41.09	13.90	64.00	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	14050.00	48.67	88.20	-39.53	57.68	41.09	13.90	64.00	---	---	Peak																																																																																		



Mode	59																																																																																																								
	Harmonic																																																																																																								
	U-NII-8_6.875-7.125_802.11a_CH185_6875MHz																																																																																																								
ANT	CDD 8+9																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13750.00</td><td>47.23</td><td>88.20</td><td>-40.97</td><td>56.54</td><td>40.95</td><td>13.79</td><td>64.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13750.00	47.23	88.20	-40.97	56.54	40.95	13.79	64.05	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13750.00</td><td>49.05</td><td>88.20</td><td>-39.15</td><td>58.36</td><td>40.95</td><td>13.79</td><td>64.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13750.00	49.05	88.20	-39.15	58.36	40.95	13.79	64.05	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13750.00	47.23	88.20	-40.97	56.54	40.95	13.79	64.05	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13750.00	49.05	88.20	-39.15	58.36	40.95	13.79	64.05	---	---	Peak																																																																																														



<Co-location>

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 64	CO_TX	6.875-7.125	9	802.11ax HE20	233	7115	MCS0	Full RU	-
		2.4-2.4835	12	802.11ax HE20	11	2462	MCS0	Full RU	
		-	1	LTE B13					
Mode 65	CO_TX	6.875-7.125	CDD 8+9	802.11ax HE20	233	7115	MCS0	Full RU	-
		2.4-2.4835	12	Bluetooth-LE_GSKF	01	2404	2Mbps		
		-	1	LTE B13					





Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
64	CO_TX		2483.60	47.33	54.00	-6.67	H	Average	Pass	Band Edge
			7386.00	44.03	74.00	-29.97	H	Peak	Pass	Harmonic
65	CO_TX		7125.00	62.39	68.20	-5.81	H	Average	Pass	Band Edge
			4808.00	43.69	74.00	-30.31	V	Peak	Pass	Harmonic







Mode	64																																																																																													
	Band Edge																																																																																													
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz+11ax HE20_CH11+LTE B13 Link CO_TX																																																																																													
ANT	9																																																																																													
Pol.	Horizontal					Fundamental																																																																																								
Peak	Data: 3 Level (dBuV/m) <table><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>ReadAntenna Level</th><th>Antenna Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 *</td><td>7125.00</td><td>69.08</td><td>-19.12</td><td>88.20</td><td>56.18</td><td>37.08</td><td>10.20</td><td>34.38</td><td>144</td><td>64</td><td>Peak</td></tr><tr><td>2</td><td>7280.58</td><td>51.22</td><td>-22.78</td><td>74.00</td><td>38.46</td><td>36.92</td><td>10.18</td><td>34.34</td><td>144</td><td>64</td><td>Peak</td></tr></table>						Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 *	7125.00	69.08	-19.12	88.20	56.18	37.08	10.20	34.38	144	64	Peak	2	7280.58	51.22	-22.78	74.00	38.46	36.92	10.18	34.34	144	64	Peak	Level (dBuV/m) <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit Line</th><th>Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7115.00</td><td>75.30</td><td>-----</td><td>-----</td><td>62.40</td><td>37.08</td><td>10.20</td><td>34.38</td><td>144</td><td>64</td><td>Peak</td></tr></table>						Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7115.00	75.30	-----	-----	62.40	37.08	10.20	34.38	144	64	Peak
		Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	A/Pos	T/Pos	Remark																																																																																		
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 *	7125.00	69.08	-19.12	88.20	56.18	37.08	10.20	34.38	144	64	Peak																																																																																			
2	7280.58	51.22	-22.78	74.00	38.46	36.92	10.18	34.34	144	64	Peak																																																																																			
	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7115.00	75.30	-----	-----	62.40	37.08	10.20	34.38	144	64	Peak																																																																																			
Avg	Data: 4 Level (dBuV/m) <table><tr><th></th><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>ReadAntenna Level</th><th>Antenna Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 *</td><td>7125.00</td><td>58.10</td><td>-10.10</td><td>68.20</td><td>45.20</td><td>37.08</td><td>10.20</td><td>34.38</td><td>144</td><td>64</td><td>Peak</td></tr><tr><td>2</td><td>7286.76</td><td>41.21</td><td>-12.79</td><td>54.00</td><td>28.46</td><td>36.91</td><td>10.18</td><td>34.34</td><td>144</td><td>64</td><td>Average</td></tr></table>						Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 *	7125.00	58.10	-10.10	68.20	45.20	37.08	10.20	34.38	144	64	Peak	2	7286.76	41.21	-12.79	54.00	28.46	36.91	10.18	34.34	144	64	Average	Level (dBuV/m) <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit Line</th><th>Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7115.00</td><td>67.04</td><td>-----</td><td>-----</td><td>54.14</td><td>37.08</td><td>10.20</td><td>34.38</td><td>144</td><td>64</td><td>Average</td></tr></table>						Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7115.00	67.04	-----	-----	54.14	37.08	10.20	34.38	144	64	Average
		Freq	Level	Over Limit	Limit Line	ReadAntenna Level	Antenna Factor	Cable Loss	Preamp Factor	A/Pos	T/Pos	Remark																																																																																		
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 *	7125.00	58.10	-10.10	68.20	45.20	37.08	10.20	34.38	144	64	Peak																																																																																			
2	7286.76	41.21	-12.79	54.00	28.46	36.91	10.18	34.34	144	64	Average																																																																																			
	Freq	Level	Limit Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7115.00	67.04	-----	-----	54.14	37.08	10.20	34.38	144	64	Average																																																																																			







Mode	64																																																																																																														
	Band Edge																																																																																																														
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz+11ax HE20_CH11+LTE B13 Link CO_TX																																																																																																														
ANT	9																																																																																																														
Pol.	Vertical																																																																																																														
Peak	Data: 7  Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a red limit line and a blue trace. A peak is labeled 'PEAK(U-NII_6E)' at 7261 MHz.											Level (dBuV/m)  Vertical Fundamental Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a red limit line and a blue trace. A peak is labeled 'PEAK(U-NII_6E)' at 7200 MHz.																																																																																																			
	<table><thead><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>65.54</td><td>-22.66</td><td>88.20</td><td>52.64</td><td>37.08</td><td>10.20</td><td>34.38</td><td>200</td><td>281</td><td>Peak</td></tr><tr><td>2 *</td><td>7258.78</td><td>51.90</td><td>-22.10</td><td>74.00</td><td>39.13</td><td>36.94</td><td>10.18</td><td>34.35</td><td>200</td><td>281</td><td>Peak</td></tr></tbody></table>												Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	1	7125.00	65.54	-22.66	88.20	52.64	37.08	10.20	34.38	200	281	Peak	2 *	7258.78	51.90	-22.10	74.00	39.13	36.94	10.18	34.35	200	281	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>72.41</td><td>-----</td><td>59.51</td><td>37.08</td><td>10.20</td><td>34.38</td><td>200</td><td>281</td><td>Peak</td></tr></tbody></table>												Limit	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	dB	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7115.00	72.41	-----	59.51	37.08	10.20	34.38	200	281	Peak
		Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																																							
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm																																																																																																								
1	7125.00	65.54	-22.66	88.20	52.64	37.08	10.20	34.38	200	281	Peak																																																																																																				
2 *	7258.78	51.90	-22.10	74.00	39.13	36.94	10.18	34.35	200	281	Peak																																																																																																				
	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	dB	cm	deg																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	7115.00	72.41	-----	59.51	37.08	10.20	34.38	200	281	Peak																																																																																																					
Avg	Data: 8  Vertical Avg Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a red limit line and a blue trace. A peak is labeled 'AVG(U-NII_6E)' at 7257 MHz.											Level (dBuV/m)  Vertical Fundamental Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a red limit line and a blue trace. A peak is labeled 'AVG(U-NII_6E)' at 7200 MHz.																																																																																																			
	<table><thead><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 *</td><td>7125.00</td><td>55.76</td><td>-12.44</td><td>68.20</td><td>42.86</td><td>37.08</td><td>10.20</td><td>34.38</td><td>200</td><td>281</td><td>Peak</td></tr><tr><td>2</td><td>7261.65</td><td>41.58</td><td>-12.42</td><td>54.00</td><td>28.81</td><td>36.94</td><td>10.18</td><td>34.35</td><td>200</td><td>281</td><td>Average</td></tr></tbody></table>												Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Limit	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	1 *	7125.00	55.76	-12.44	68.20	42.86	37.08	10.20	34.38	200	281	Peak	2	7261.65	41.58	-12.42	54.00	28.81	36.94	10.18	34.35	200	281	Average	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>64.79</td><td>-----</td><td>51.89</td><td>37.08</td><td>10.20</td><td>34.38</td><td>200</td><td>281</td><td>Average</td></tr></tbody></table>												Limit	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	dB	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	7115.00	64.79	-----	51.89	37.08	10.20	34.38	200	281	Average
		Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																																							
Freq	Level	Limit	Level	Factor	Loss	Factor																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm																																																																																																								
1 *	7125.00	55.76	-12.44	68.20	42.86	37.08	10.20	34.38	200	281	Peak																																																																																																				
2	7261.65	41.58	-12.42	54.00	28.81	36.94	10.18	34.35	200	281	Average																																																																																																				
	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	dB	cm	deg																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	7115.00	64.79	-----	51.89	37.08	10.20	34.38	200	281	Average																																																																																																					





Mode	64																																																																																										
	Band Edge																																																																																										
	2400-2483.5_802.11ax HE20_CH11_2462MHz+11ax HE20_CH233+LTE B13 Link CO_TX																																																																																										
ANT	12																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.04</td><td>63.40</td><td>74.00</td><td>-10.60</td><td>61.25</td><td>30.80</td><td>5.46</td><td>34.11</td><td>200</td><td>125</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2484.04	63.40	74.00	-10.60	61.25	30.80	5.46	34.11	200	125	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>105.13</td><td>-----</td><td>-----</td><td>103.02</td><td>30.79</td><td>5.44</td><td>34.12</td><td>200</td><td>125</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	105.13	-----	-----	103.02	30.79	5.44	34.12	200	125
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2484.04	63.40	74.00	-10.60	61.25	30.80	5.46	34.11	200	125	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2462.00	105.13	-----	-----	103.02	30.79	5.44	34.12	200	125	Peak																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.60</td><td>47.33</td><td>54.00</td><td>-6.67</td><td>45.18</td><td>30.80</td><td>5.46</td><td>34.11</td><td>200</td><td>125</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.60	47.33	54.00	-6.67	45.18	30.80	5.46	34.11	200	125	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>95.60</td><td>-----</td><td>-----</td><td>93.49</td><td>30.79</td><td>5.44</td><td>34.12</td><td>200</td><td>125</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	95.60	-----	-----	93.49	30.79	5.44	34.12	200	125
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2483.60	47.33	54.00	-6.67	45.18	30.80	5.46	34.11	200	125	Average																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	2462.00	95.60	-----	-----	93.49	30.79	5.44	34.12	200	125	Average																																																																																







Mode	64																																																																																							
	Band Edge																																																																																							
	2400-2483.5_802.11ax HE20_CH11_2462MHz11ax HE20_CH233+LTE B13 Link CO_TX																																																																																							
ANT	12																																																																																							
Pol.	Vertical						Fundamental																																																																																	
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>57.22</td><td>74.00</td><td>-16.78</td><td>55.07</td><td>30.80</td><td>5.46</td><td>34.11</td><td>372</td><td>195 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.56	57.22	74.00	-16.78	55.07	30.80	5.46	34.11	372	195 Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>100.68</td><td>-----</td><td>-----</td><td>98.57</td><td>30.79</td><td>5.44</td><td>34.12</td><td>372</td><td>195 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	100.68	-----	-----	98.57	30.79	5.44	34.12	372
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	2483.56	57.22	74.00	-16.78	55.07	30.80	5.46	34.11	372	195 Peak																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	2462.00	100.68	-----	-----	98.57	30.79	5.44	34.12	372	195 Peak																																																																														
Avg																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>43.82</td><td>54.00</td><td>-10.18</td><td>41.67</td><td>30.80</td><td>5.46</td><td>34.11</td><td>372</td><td>195 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2483.52	43.82	54.00	-10.18	41.67	30.80	5.46	34.11	372	195 Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>90.23</td><td>-----</td><td>-----</td><td>88.12</td><td>30.79</td><td>5.44</td><td>34.12</td><td>372</td><td>195 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2462.00	90.23	-----	-----	88.12	30.79	5.44	34.12	372
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	2483.52	43.82	54.00	-10.18	41.67	30.80	5.46	34.11	372	195 Average																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																															
1	2462.00	90.23	-----	-----	88.12	30.79	5.44	34.12	372	195 Average																																																																														







Mode	64																																																																																																																																										
	Harmonic																																																																																																																																										
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz11ax HE20_CH11+LTE B13 Link CO_TX																																																																																																																																										
ANT	9																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																				
Peak Avg	Data: 1 						Data: 2 																																																																																																																																				
	<table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamplifier</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>43.69</td><td>-30.31</td><td>74.00</td><td>63.40</td><td>36.58</td><td>8.53</td><td>64.82</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 *</td><td>7386.00</td><td>44.03</td><td>-29.97</td><td>74.00</td><td>62.02</td><td>36.81</td><td>10.18</td><td>64.98</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>14230.00</td><td>46.45</td><td>-41.75</td><td>88.20</td><td>55.39</td><td>41.08</td><td>13.98</td><td>64.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	43.69	-30.31	74.00	63.40	36.58	8.53	64.82	---	---	Peak	2 *	7386.00	44.03	-29.97	74.00	62.02	36.81	10.18	64.98	---	---	Peak	3	14230.00	46.45	-41.75	88.20	55.39	41.08	13.98	64.00	---	---	Peak	<table><tr><th></th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamplifier</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4924.00</td><td>42.58</td><td>-31.42</td><td>74.00</td><td>62.29</td><td>36.58</td><td>8.53</td><td>64.82</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 *</td><td>7386.00</td><td>42.78</td><td>-31.22</td><td>74.00</td><td>60.77</td><td>36.81</td><td>10.18</td><td>64.98</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>14230.00</td><td>46.67</td><td>-41.53</td><td>88.20</td><td>55.61</td><td>41.08</td><td>13.98</td><td>64.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark	Freq	Level	Limit	Line	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4924.00	42.58	-31.42	74.00	62.29	36.58	8.53	64.82	---	---	Peak	2 *	7386.00	42.78	-31.22	74.00	60.77	36.81	10.18	64.98	---	---	Peak	3	14230.00	46.67	-41.53	88.20	55.61	41.08	13.98	64.00	---	---
	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark																																																																																																																																			
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	4924.00	43.69	-30.31	74.00	63.40	36.58	8.53	64.82	---	---	Peak																																																																																																																																
2 *	7386.00	44.03	-29.97	74.00	62.02	36.81	10.18	64.98	---	---	Peak																																																																																																																																
3	14230.00	46.45	-41.75	88.20	55.39	41.08	13.98	64.00	---	---	Peak																																																																																																																																
	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark																																																																																																																																			
Freq	Level	Limit	Line	Level	Factor	Loss	Factor																																																																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																		
1	4924.00	42.58	-31.42	74.00	62.29	36.58	8.53	64.82	---	---	Peak																																																																																																																																
2 *	7386.00	42.78	-31.22	74.00	60.77	36.81	10.18	64.98	---	---	Peak																																																																																																																																
3	14230.00	46.67	-41.53	88.20	55.61	41.08	13.98	64.00	---	---	Peak																																																																																																																																







Mode	65																																																																																		
	Band Edge																																																																																		
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz+BLE 2M CH01+LTE B13 Link CO_TX																																																																																		
ANT	CDD 8+9																																																																																		
Pol.	Horizontal					Fundamental																																																																													
Peak	Data: 3  Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Over Freq</th><th>Limit Level</th><th>Read Level</th><th>Antenna Factor</th><th>Cable Loss</th><th>Preamp Gain</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 * 7125.00</td><td>77.54</td><td>-10.66</td><td>88.20</td><td>64.64</td><td>37.08</td><td>10.20</td><td>34.38</td><td>301 267 Peak</td></tr><tr><td>2 7329.09</td><td>51.38</td><td>-22.62</td><td>74.00</td><td>38.66</td><td>36.87</td><td>10.18</td><td>34.33</td><td>301 267 Peak</td></tr></tbody></table>					Over Freq	Limit Level	Read Level	Antenna Factor	Cable Loss	Preamp Gain	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1 * 7125.00	77.54	-10.66	88.20	64.64	37.08	10.20	34.38	301 267 Peak	2 7329.09	51.38	-22.62	74.00	38.66	36.87	10.18	34.33	301 267 Peak	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Gain</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 7115.00</td><td>86.82</td><td>-----</td><td>-----</td><td>73.92</td><td>37.08</td><td>10.20</td><td>34.38</td><td>301</td><td>267</td><td>Peak</td></tr></tbody></table>					Limit Freq	Level	Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Gain	A/Pos	T/Pos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 7115.00	86.82	-----	-----	73.92	37.08	10.20	34.38	301	267	Peak				
	Over Freq	Limit Level	Read Level	Antenna Factor	Cable Loss	Preamp Gain	A/Pos	T/Pos	Remark																																																																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																											
1 * 7125.00	77.54	-10.66	88.20	64.64	37.08	10.20	34.38	301 267 Peak																																																																											
2 7329.09	51.38	-22.62	74.00	38.66	36.87	10.18	34.33	301 267 Peak																																																																											
Limit Freq	Level	Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Gain	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 7115.00	86.82	-----	-----	73.92	37.08	10.20	34.38	301	267	Peak																																																																									
Avg	Data: 4  Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Over Freq</th><th>Limit Level</th><th>Read Level</th><th>Antenna Factor</th><th>Cable Loss</th><th>Preamp Gain</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.00</td><td>62.39</td><td>-5.81</td><td>68.20</td><td>49.49</td><td>37.08</td><td>10.20</td><td>34.38</td><td>301</td><td>267</td><td>Average</td></tr><tr><td>2 7260.26</td><td>41.52</td><td>-12.48</td><td>54.00</td><td>28.75</td><td>36.94</td><td>10.18</td><td>34.35</td><td>301</td><td>267</td><td>Average</td></tr></tbody></table>					Over Freq	Limit Level	Read Level	Antenna Factor	Cable Loss	Preamp Gain	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg	1 7125.00	62.39	-5.81	68.20	49.49	37.08	10.20	34.38	301	267	Average	2 7260.26	41.52	-12.48	54.00	28.75	36.94	10.18	34.35	301	267	Average	 Level (dBuV/m) Frequency (MHz) <table><thead><tr><th>Limit Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Gain</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 7115.00</td><td>77.81</td><td>-----</td><td>-----</td><td>64.91</td><td>37.08</td><td>10.20</td><td>34.38</td><td>301</td><td>267</td><td>Average</td></tr></tbody></table>					Limit Freq	Level	Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Gain	A/Pos	T/Pos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 7115.00	77.81	-----	-----	64.91	37.08	10.20	34.38	301	267	Average
	Over Freq	Limit Level	Read Level	Antenna Factor	Cable Loss	Preamp Gain	A/Pos	T/Pos	Remark																																																																										
MHz	dBuV/m	dB	dBuV/m	dB	dB	dB	cm	deg																																																																											
1 7125.00	62.39	-5.81	68.20	49.49	37.08	10.20	34.38	301	267	Average																																																																									
2 7260.26	41.52	-12.48	54.00	28.75	36.94	10.18	34.35	301	267	Average																																																																									
Limit Freq	Level	Line	Margin	Read Level	Ant Factor	Cable Loss	Preamp Gain	A/Pos	T/Pos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 7115.00	77.81	-----	-----	64.91	37.08	10.20	34.38	301	267	Average																																																																									







		65																																																																																																										
Mode	ANT	Band Edge																																																																																																										
		U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz+BLE 2M CH01+LTE B13 Link CO_TX																																																																																																										
CDD 8+9																																																																																																												
Pol.		Vertical					Fundamental																																																																																																					
Peak		Data: 7  <table><thead><tr><th></th><th>Over Limit</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 *</td><td>7125.00</td><td>78.61</td><td>-9.59</td><td>88.20</td><td>65.71</td><td>37.08</td><td>10.20</td><td>34.38</td><td>400</td><td>14</td><td>Peak</td></tr><tr><td>2</td><td>7305.50</td><td>51.17</td><td>-22.83</td><td>74.00</td><td>38.44</td><td>36.89</td><td>10.18</td><td>34.34</td><td>400</td><td>14</td><td>Peak</td></tr></tbody></table>											Over Limit	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	1 *	7125.00	78.61	-9.59	88.20	65.71	37.08	10.20	34.38	400	14	Peak	2	7305.50	51.17	-22.83	74.00	38.44	36.89	10.18	34.34	400	14	Peak	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>85.88</td><td>-----</td><td>-----</td><td>72.98</td><td>37.08</td><td>10.20</td><td>34.38</td><td>400</td><td>14</td><td>Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	85.88	-----	-----	72.98	37.08	10.20	34.38	400	14	Peak
		Over Limit	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																																							
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																																																																				
1 *	7125.00	78.61	-9.59	88.20	65.71	37.08	10.20	34.38	400	14	Peak																																																																																																	
2	7305.50	51.17	-22.83	74.00	38.44	36.89	10.18	34.34	400	14	Peak																																																																																																	
	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	7115.00	85.88	-----	-----	72.98	37.08	10.20	34.38	400	14	Peak																																																																																																	
Avg		Data: 8  <table><thead><tr><th></th><th>Over Limit</th><th>Limit</th><th>ReadAntenna</th><th>Cable Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>62.10</td><td>-6.10</td><td>68.20</td><td>49.20</td><td>37.08</td><td>10.20</td><td>34.38</td><td>400</td><td>14</td><td>Average</td></tr><tr><td>2</td><td>7274.21</td><td>41.62</td><td>-12.38</td><td>54.00</td><td>28.86</td><td>36.93</td><td>10.18</td><td>34.35</td><td>400</td><td>14</td><td>Average</td></tr></tbody></table>											Over Limit	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Freq	Level	Line	Level	Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg	1	7125.00	62.10	-6.10	68.20	49.20	37.08	10.20	34.38	400	14	Average	2	7274.21	41.62	-12.38	54.00	28.86	36.93	10.18	34.35	400	14	Average	 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>76.66</td><td>-----</td><td>-----</td><td>63.76</td><td>37.08</td><td>10.20</td><td>34.38</td><td>400</td><td>14</td><td>Average</td></tr></tbody></table>											Limit	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	76.66	-----	-----	63.76	37.08	10.20	34.38	400	14	Average
		Over Limit	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark																																																																																																				
Freq	Level	Line	Level	Factor	Loss Factor																																																																																																							
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																																																																				
1	7125.00	62.10	-6.10	68.20	49.20	37.08	10.20	34.38	400	14	Average																																																																																																	
2	7274.21	41.62	-12.38	54.00	28.86	36.93	10.18	34.35	400	14	Average																																																																																																	
	Limit	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	7115.00	76.66	-----	-----	63.76	37.08	10.20	34.38	400	14	Average																																																																																																	





Mode	65																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE_GSKF_CH01_2404MHz+11ax HE20_CH233+ LTE B13 Link CO_TX																																																																																									
ANT	12																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2377.41</td><td>43.39</td><td>74.00</td><td>-30.61</td><td>41.41</td><td>30.78</td><td>5.35</td><td>34.15</td><td>163</td><td>360</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2377.41	43.39	74.00	-30.61	41.41	30.78	5.35	34.15	163	360	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>102.21</td><td>-----</td><td>-----</td><td>100.20</td><td>30.78</td><td>5.37</td><td>34.14</td><td>163</td><td>360</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2404.00	102.21	-----	-----	100.20	30.78	5.37	34.14	163	360
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2377.41	43.39	74.00	-30.61	41.41	30.78	5.35	34.15	163	360	Peak																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2404.00	102.21	-----	-----	100.20	30.78	5.37	34.14	163	360	Peak																																																																															
Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2368.28</td><td>35.47</td><td>54.00</td><td>-18.53</td><td>33.51</td><td>30.77</td><td>5.34</td><td>34.15</td><td>163</td><td>360</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2368.28	35.47	54.00	-18.53	33.51	30.77	5.34	34.15	163	360	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>100.52</td><td>-----</td><td>-----</td><td>98.51</td><td>30.78</td><td>5.37</td><td>34.14</td><td>163</td><td>360</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2404.00	100.52	-----	-----	98.51	30.78	5.37	34.14	163	360
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2368.28	35.47	54.00	-18.53	33.51	30.77	5.34	34.15	163	360	Average																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2404.00	100.52	-----	-----	98.51	30.78	5.37	34.14	163	360	Average																																																																															



Mode	65																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE_GSKF_CH01_2404MHz+11ax HE20_CH233+ LTE B13 Link CO_TX																																																																																									
ANT	12																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2373.84</td><td>43.27</td><td>74.00</td><td>-30.73</td><td>41.30</td><td>30.77</td><td>5.35</td><td>34.15</td><td>160</td><td>215</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2373.84	43.27	74.00	-30.73	41.30	30.77	5.35	34.15	160	215	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>99.07</td><td>-----</td><td>-----</td><td>97.06</td><td>30.78</td><td>5.37</td><td>34.14</td><td>160</td><td>215</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2404.00	99.07	-----	-----	97.06	30.78	5.37	34.14	160	215
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2373.84	43.27	74.00	-30.73	41.30	30.77	5.35	34.15	160	215	Peak																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2404.00	99.07	-----	-----	97.06	30.78	5.37	34.14	160	215	Peak																																																																															
Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2369.64</td><td>35.63</td><td>54.00</td><td>-18.37</td><td>33.67</td><td>30.77</td><td>5.34</td><td>34.15</td><td>160</td><td>215</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2369.64	35.63	54.00	-18.37	33.67	30.77	5.34	34.15	160	215	Average	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>97.32</td><td>-----</td><td>-----</td><td>95.31</td><td>30.78</td><td>5.37</td><td>34.14</td><td>160</td><td>215</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	2404.00	97.32	-----	-----	95.31	30.78	5.37	34.14	160	215
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2369.64	35.63	54.00	-18.37	33.67	30.77	5.34	34.15	160	215	Average																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	2404.00	97.32	-----	-----	95.31	30.78	5.37	34.14	160	215	Average																																																																															




Mode	65																																																																																													
	Harmonic																																																																																													
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz+BLE 2M CH01+ LTE B13 Link CO_TX																																																																																													
ANT	CDD 8+9																																																																																													
Pol.	Horizontal					Vertical																																																																																								
Peak Avg																																																																																														
	<table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 * 4808.00</td><td>43.23</td><td>-30.77</td><td>74.00</td><td>62.80</td><td>36.39</td><td>8.88</td><td>64.84</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 14230.00</td><td>44.52</td><td>-43.68</td><td>88.20</td><td>53.46</td><td>41.08</td><td>13.98</td><td>64.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Freq	Level	Over Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 * 4808.00	43.23	-30.77	74.00	62.80	36.39	8.88	64.84	---	---	Peak	2 14230.00	44.52	-43.68	88.20	53.46	41.08	13.98	64.00	---	---	Peak	<table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 * 4808.00</td><td>43.69</td><td>-30.31</td><td>74.00</td><td>63.26</td><td>36.39</td><td>8.88</td><td>64.84</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2 14230.00</td><td>45.88</td><td>-42.32</td><td>88.20</td><td>54.82</td><td>41.08</td><td>13.98</td><td>64.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Freq	Level	Over Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 * 4808.00	43.69	-30.31	74.00	63.26	36.39	8.88	64.84	---	---	Peak	2 14230.00	45.88	-42.32	88.20	54.82	41.08	13.98	64.00	---	---	Peak
	Freq	Level	Over Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																				
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 * 4808.00	43.23	-30.77	74.00	62.80	36.39	8.88	64.84	---	---	Peak																																																																																				
2 14230.00	44.52	-43.68	88.20	53.46	41.08	13.98	64.00	---	---	Peak																																																																																				
Freq	Level	Over Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 * 4808.00	43.69	-30.31	74.00	63.26	36.39	8.88	64.84	---	---	Peak																																																																																				
2 14230.00	45.88	-42.32	88.20	54.82	41.08	13.98	64.00	---	---	Peak																																																																																				

Appendix D. Duty Cycle Plots


Band	ANT	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	8/9	96.97	1.391	0.719	1KHz
802.11ax HE20 (Partial RU/Full RU)	8/9	95.89	1.015	0.986	1KHz
802.11ax HE40	8/9	92.50	0.536	1.865	3KHz
802.11ax HE80	8/9	86.84	0.287	3.485	10KHZ
802.11ax HE160	8/9	80.27	0.171	5.848	10KHZ

802.11a






802.11ax HE20 (Partial RU/Full RU)




802.11ax HE40





802.11ax HE80



802.11ax HE160

