



## 2.4GHz CORDLESS CALLER ID TELEPHONE WITH CALL WAITING

40 CHANNEL AUTOSCAN

**Model GH9620**

**OWNER'S MANUAL  
INSTALLATION AND  
OPERATING  
INSTRUCTIONS**

**PLEASE READ THIS  
MANUAL CAREFULLY  
BEFORE USE.  
KEEP FOR YOUR  
REFERENCE.**



This system can be expanded to 9 handsets maximum.

*For installation information, please  
see "Getting Started" instructions  
on or your separate Quick Start  
Guide.*

Visit Us on the Web:  
[www.uselectronics.info](http://www.uselectronics.info)

©2004 BellSouth Corporation

## Special Features

Congratulations on your selection of a quality **BellSouth** product. With proper care, and by following the set-up and user instructions in this manual. This unit will provide you with years of trouble-free service.

**BellSouth** is committed to providing quality products that fit your needs. We would like to have any comments or suggestions you might have on this product. You may mail your comments to:

**U.S. Electronics  
105 Madison Avenue  
New York, NY 10016**

When examining your new **BellSouth** cordless telephone, you will find an array of special features including:

### **CORDLESS TELEPHONE FEATURES**

**Filtered Sound™ System** – Gets considerably less noise than conventional cordless telephones because of a special circuit which delivers the clearest possible reception.

**40 Channel Auto Scan** – Press the button on the **HANDSET** to find and lock on the clearest channel for any call.

**Desk or Wall Mount** – Use this equipment as a desk phone or as a wall phone.

**Tone or PULSE Dialing** – Use this phone for either TONE or push-button PULSE (rotary) dialing.

**Automated Functions** – Redial the last number called and automatic STANDBY mode.

**Security** – Ensures greater privacy because a built-in security code with 65,536 combinations prevents use of your telephone line by another nearby cordless phone.

**Dependable Battery** – Recharge your BATTERY PACK many times with the built-in charger. The battery low warning tone tells you when the BATTERY PACK needs recharging.)

**Special Services** – Use the button to access special services such as Call Waiting supplied by your Telephone Company or company switchboard.

**STANDBY Mode** – When in STANDBY mode (ON-HOOK), the phone is capable of receiving a call.

When the **HANDSET** is on the **BASE UNIT**, it is automatically in the STANDBY mode (ON-HOOK).

When the **HANDSET** is taken off the **BASE UNIT**, it remains in the STANDBY mode until you activate the .

**Battery Power Saver** – Once fully charged, in STANDBY mode, the HANDSET can receive/send calls for a maximum of 5 days without the need for recharging. Length of charge depends on frequency of use.

**Luminous LCD Screen** – The LCD Screen emits light for 5 seconds every time you press any of the buttons on the **HANDSET**, or when calls come in.

**HANDSET Ringer Level** – Select the ringer volume level (HI, LOW, OFF).

**HANDSET VOLUME CONTROL Switch** – Select the receiver volume level (HI, MID, LOW).

**HEADSET JACK** – Your telephone can utilize a headset for hands-free communication.

**BELT CLIP** – Use the BELT CLIP to hang your **HANDSET** on your belt.

## Special Features

### **CALLER ID SYSTEM**

**Multi-Function Large LCD Screen** – Shows the number you are dialing, and with Caller ID services (available through subscription from your local telephone company), display information about the caller before you answer the call.

**Name and Number DIRECTORY** – Stores up to 40 names and numbers so that you can call them with a single key stroke.

**Caller List** – Available with Caller ID services. Stores up to 80 Calls to keep track of everyone who called. The name, phone number, time and date of the call are recorded. Allows you to return their calls with a single key stroke.

**Preferred Calls** – You can mark the name and number of a welcome caller in the DIRECTORY. When that number calls in, the caller's name will appear on the DISPLAY and a special ring sound will be heard.

**Blocked Calls** – You can mark the name and number of an unwelcome caller in the DIRECTORY. When that number calls in, the caller's name will appear on the DISPLAY and the ringer will be disabled.

**Repeat Caller Indicator** – Shows if a new incoming call has called more than once.


**Out of Area Call Indicator** – Advises you that the incoming call is not in a Caller ID service area, or does not support the Caller ID system.

**Private Call Indicator** – Advises you that the caller's name and /or telephone number of the incoming call is blocked by system.

**Call Waiting Services** – Displays the name and number of the second caller, if you have subscribed to call waiting service from your local telephone company.

**Voice Mail** – Indicates message waiting signal if you subscribed to Voice Mail message services and requested Visual Message Indication from your local telephone company. This telephone also detects a Stutter Dial Tone signal every time there is a Voice Mail Message for your Voice Mail message provider if you have subscribed to Voice Mail message services.

## HANDSET Controls




### **HANDSET Control**

1. **HANDSET ANTENNA**
2. **LCD Screen:** Shows call information, phone status, prompts and directory items.
3. **PHONEBOOK (DIRECTORY)**  **Button:** Press to access names and numbers stored in the DIRECTORY.
4. **HANDSET VOLUME CONTROL (HI, MID, LOW) Switch:** Select the receiver volume level (HI, MID, LOW).

## HANDSET Controls

5. **REDIAL /SAVE/PAUSE**  **Button:** (REDIAL) Press to redial the last number you dialed. (SAVE) Press and hold down to save the changes on the listed items. (PAUSE) Press to insert a pause while dialing. (You will need the  button to dial numbers which use an alternative Long Distance Access Code.)
6. **DIAL 10**  **Button:** (Dial 10) Press and hold down to place a local call with Area Code.
7. **DIAL 7/TEMPORARY TONE**  **Button:** (Dial 7) Press and hold down to place a local call. (\*)Press to temporarily change the dialing mode from Pulse to Tone for rotary service users. (Press once before entering numbers to access the answering system or electronic banking service, etc.)
8. **FLASH**  **Button:** Press to answer a call if you have call waiting.
9. **NEW CALL/MSG (MESSAGE) WAITING LED Indicator:** Blinks when recording a new incoming call or when receiving Message Waiting signal. If you have subscribed to a Voice Mail message service from your local telephone company.
10. **SCROLL UP-DOWN, SHIFT LEFT-RIGHT**  **Button:** Press to move around the Large LCD Screen.
11. **TALK**  **Button:** Press to answer an incoming call or to place a call. Press to end a call.
12. **DELETE/SCAN**  **Button:** (Delete) Press and hold down to delete items or individual characters. (Scan) Press to change the operating channel when you hear interference.
13. **MENU (Function)/VOICE MAIL**  **Button:** (FUNCTION) Press to access special function operation in Standby mode.  
(Voice Mail)-Press to automatically dial the Voice Mail Post Code in your area to access your Voice Mail message.
14. **HEADSET JACK:** For connecting your headset plug to enjoy hands-free communication.
15. **TELEPHONE KEYPAD:** Allows you to make a call depending on pressed button.
16. **DIAL 1+/#**  **Button:** (Dial 1+) Press and hold down to place a long distance call.  
(Automatically adds the number 1 at the beginning of the displayed telephone number.)
17. **EDIT/Call Transfer**  **Button:** Press to edit listed items. (Call Transfer) This allows you to transfer a call from one handset to another.
18. **CHARGE CONTACTS:** For charging the BATTERY PACK inside the **HANDSET**. We recommend cleaning the CHARGE CONTACTS periodically with a damp cloth.

## BASE UNIT Controls



## BASE UNIT Controls

1. **BASE UNIT ANTENNA**
2. **POWER LED Indicator:** (POWER) Lights up RED to indicate that the power supply is working normally.
3. **CHARGE/ IN USE LED Indicator:** (IN USE) Lights up RED to indicate that the **HANDSET** is talking over the line. (CHARGE) Lights up GREEN when the **HANDSET** is placing on the BASE UNIT for charging.
4. **PAGE**  **Button:** Press to page the **HANDSET**
5. **TELEPHONE LINE CONNECTION JACK**
6. **POWER-IN CONNECTION JACK**
7. **Mounting Bracket:** It made the user put the telephone on the wall easily.
8. **CHARGER:** For charging the Handset.

**IMPORTANT**  
Placing your **BASE UNIT** near appliances such as televisions, refrigerators, radios, or microwave ovens may cause interference.

## Contents

Safety Instructions.....	3
Getting Started .....	5
Choosing A Location .....	9
Desk Mounting .....	10
Wall Mounting .....	11
Cordless Telephone Operation.....	13
Preparing for use .....	13
NO LINE Indicator .....	13
Receiving Calls.....	13
Placing Calls.....	14
Call Transfer .....	15
Headset Feature.....	15
Redial Feature .....	15
Caller ID System Operation.....	16
Caller ID System.....	16
Viewing Caller Information During Incoming Calls.....	16
MSG WAITING (Message Waiting) .....	16
Call Waiting.....	17
Voice Mail Function.....	17
C.F. (Forwarded Call).....	17
L.D.C. (Long Distance Call).....	17
Caller List.....	17
Viewing the Caller List .....	18
Placing a Call for the Caller List.....	18
Editing the Caller List before Dialing.....	18
Saving the Name and Number in the Caller List into the DIRECTORY.....	19
Deleting All Recordings in the Caller List.....	19
Selective Deleting in the Caller List .....	19
Name and Telephone Number DIRECTORY .....	19
View the DIRECTORY .....	19
Speed Viewing the DIRECTORY .....	20
Saving in the DIRECTORY .....	20
PREFETERRED CALLS.....	20
BLOCKED CALLS .....	20
Editing a Name and Number in the DIRECTORY.....	21
Editing the Number in the DIRECTORY before Dialing.....	22
Placing Calls form the DIRECTORY.....	23

## Contents

Deleting All Recordings in the DIRECTORY.....	23
Selecting Deleting in the DIRECTORY .....	23
Function Operation .....	24
1. Language .....	25
2. Silent On/Off .....	25
3. Time Set.....	25
4. Ringer Volume .....	25
5. LCD Contrast .....	26
6. PBX Number .....	26
7. Flash Time .....	27
8. Pause Time .....	27
9. Voice Mail.....	28
0. MSG Waiting (Message Waiting) .....	28
*. TONE/PULSE Setting .....	29
Telephone Keypad Character .....	30
Security .....	31
Recharging the Battery Pack .....	32
Changing the Battery Pack .....	33
Problem Solving .....	34
Technical Information .....	35
FCC Requirements .....	36
Warranty .....	38
Wall Mounting Template .....	40

## Safety Instructions

### IMPORTANT SAFETY INSTRUCTIONS

**To reduce the risk of fire, electric shock and /or injury, always follow these basic safety precautions when using your cordless telephone equipment.**

1. Read and understand all instructions.
2. Follow all warnings and instructions marked on the telephone.
3. Unplug this telephone from the wall outlet before cleaning or replacing the Battery Pack. Do not use liquid cleaners or aerosol cleaners. Use a damp cloth for cleaning.
4. Do not use this telephone near water, for example, near a bath tub, wash bowl, kitchen sink, or laundry tub, in a wet basement, or near a swimming pool.
5. Place this telephone on a table surface. Serious damage and/or injury may result if the telephone falls.
6. Do not cover the slots and openings on this telephone. This telephone should not be placed near or over a radiator or heat register. This telephone should not be placed in a built-in installation unless proper ventilation is provided.
7. Operate this telephone using the electrical voltage as stated on the Base Unit of the telephone or the Owner's Manual. If you are not sure of the voltage in your home, consult your dealer or local power company.
8. Do not place anything on the power cord. Install the telephone where no one will step or trip on the cord.
9. Do not overload wall outlets or extension cords as this can increase the risk of fire or electric shock.
10. Never push objects of any kind through slots in the telephone. They could touch dangerous voltage points or short out parts that could result in a risk of fire or electric shock. Never spill liquid of any kind on the telephone.
11. To reduce the risk of electric shock do not disassemble this telephone. Take it to a qualified serviceman when service or repair work is required. Opening or removing covers may expose you to dangerous voltages or other risks. Incorrect reassembly can cause electric shock when the telephone is subsequently used.
12. Unplug this telephone from the wall outlet and consult a qualified service representative in any of the following situations:
  - A. When the power supply cord is frayed or damaged.
  - B. If liquid has been spilled into the telephone.
  - C. If the telephone has been exposed to rain or water.
  - D. If the telephone does not operate normally by following the operating instructions. Adjust only those controls that are covered by the operating instructions. Improper adjustment of other controls may result in damage and will often require extensive work by a qualified technician to restore the telephone to normal operation.
  - E. If the telephone has been dropped or the case has been damaged.

## Safety Instructions

- F. If the telephone exhibits a distinct change in performance.
13. Do not use the telephone to report a gas leak in the vicinity of the leak.
14. Never install telephone wiring during a lightning storm.
15. Never install telephone jacks in wet locations unless the jack is specifically designed for wet locations.
16. Never touch uninsulated telephone wires or terminals unless the telephone line has been disconnected at the network interface.
17. Use caution when installing or modifying telephone lines.

### Battery Safety

**CAUTION:**

**Danger of explosion if the BATTERY PACK is replaced with incorrect type. Replace only with the same or equivalent type. To reduce the risk of fire or personal injury, read and follow these instructions:**

1. Use only the following type and size of BATTERY PACK:
  - Cordless Telephone Battery pack
  - 3.6V, 600mAh
  - U.S. Electronics Inc.
  - Ni-MH Battery pack: Model B655
2. Do not dispose of the Battery Pack in a fire. It may explode. Check with local codes for possible special disposal instructions.
3. Do not open or mutilate the Battery Pack. Released electrolyte is corrosive and may cause damage to the eyes or skin. Electrolyte may be toxic if swallowed.
4. Exercise care in handling the Battery Pack to prevent shorting the Battery Pack with conductive materials such as rings, bracelets, and keys. The Battery Pack or with conductive materials such as rings, bracelets, and keys. The Battery Pack or conductor may overheat and cause burns.
5. Charge the Battery pack provided with (or identified for use with )this telephone only in accordance with the instructions and limitations specified in this manual.
6. Observe proper polarity orientation between the Battery Pack and Battery Charger.

### SAVE THESE INSTRUCTIONS

**ATTENTION:**


The telephone that you have purchased contains a rechargeable BATTERY PACK. The BATTERY PACK is recyclable. At the end of its useful life, under various state and local laws, it may be illegal dispose of this BATTERY PACK into the municipal waste stream. Check with your local solid waste officials for details in your area for proper disposal.

## Getting Started

### Connecting Your Phone

This section is a reference guide to the basic functions and operations of your cordless telephone. For more detailed descriptions of the operations and features of this telephone,

1. Carefully remove your cordless telephone from its shipping carton. If there is any visible damage, do not attempt to operate this equipment. Return it to the place of purchase.
2. Check to be sure you have all items that come with this cordless telephone system. You should have a **HANDSET**, **BASE UNIT**, AC ADAPTER, MOUNTING BRACKET, TELEPHONE LINE CORD, SHORT TELEPHONE LINE CORD, BELT CLIP, and an OWNER'S MANUAL.




3. Insert the small plug on the end of the AC Adapter into the Power-in Connection Jack at the back of the master Base Unit.
4. Plug the AC Adapter into a 120V AC wall outlet.
5. Insert the small plug on the end of the AC Adapter into the Power-in Connection Jack at the back of the charger Base Unit. And plug the AC Adapter into a 120V AC wall outlet.

**! USE ONLY WITH CLASS 2 POWER SOURCE 9V AC, 300mA for master base units, 200mA for charger Base.**

6. Insert one plug of the TELEPHONE LINE CORD into the house TELEPHONE JACK and the other end into the Telephone line connection jack at the back of the **BASE UNIT**. (If you have an older 4-prong TELEPHONE JACK, you will need an RJ-11C TELEPHONE JACK ADAPTER. This adapter is available at the same place you purchased your telephone.)
7. We recommend not placing this unit next to appliances. Doing so may cause interference.

## Getting Started



## Getting Started


After the battery is installed, the handset LCD will display "PLS REGIST." put the handset onto the charge cradle and seat in the cradle for minimum of 6 seconds for master base to complete the charge ID code exchange and handset registration process. Confirmation beep for notifies the success of the registration. After registration is complete the LCD display change to Idle mode display" RING:HI, HS#, Date/Time, CH#... etc.

If 3 error beeps is appear which means the charge and registration is not completed user may lift the handset and put the handset back to cradle again until the single beep confirmation tone is appear.

Warning label to be put on that handset. "The handset charge on the master base will be automatically registered. Place the extra handset from the small charger base to the master base charge cradle." "Wait minimum of 6 seconds before removing the handset."

If a total empty battery is installed the first time, put the handset on to the cradle and charge for 12 hrs or until the battery low ICON is disappear, when battery low ICON is disappear the handset will show lift the handset, until the user lift the handset, the display will show "PLS REGIST." user will follow the register process to complete the registration process.


## Getting Started



13. Set the date and time on the HANDSET



Press **talk** button to confirm that you have a dial tone. If you do not get a dial tone, review step 3 through 11. If you still do not have a dial tone, refer to the Problem solving section.



With the back of the **HANDSET** facing up, insert one side of the **BELT CLIP HOOK** into the matching slot at the top side of the **HANDSET**. Press down on the opposite side of the **BELT CLIP** until the other **HOOK** locks into the slot on the side of the **HANDSET**.

**You are now ready to use your new  
BellSouth Cordless Telephone**


### IMPORTANT

In order to utilize the Caller ID feature, you must subscribe to Caller ID service from your local telephone company.

## Choosing A Location

### **Do the following:**

- Choose the best location
- Connect the base phone
- Choose the dialing mode



Where you place the base phone affects the reception quality of the handset. If you have multiple handsets system, please keep all handsets approx same distance from the base. In order to ensure all handsets perform uniformly.

- Away from another cordless telephone.
- Do not put more than 1 handset in the 1 meter proximity area to avoid unexpected interferences.
- Place the base near an AC electrical outlet and near telephone line jacks.
- Place the base away from metal walls and metal file cabinets.

**CAUTION:** The cordless telephone operates at a frequency that may cause interference to nearby TVs and VCRs or PC, the base phone should not be placed near, or on top of a TV or VCR or PC. If interference is experienced, moving the cordless telephone farther away from the TV or VCR or PC will often reduce or eliminate the interference.

## Desk Mounting

### **Desk Mounting**

One of the special features of your telephone is the unique design if the MOUNTING BRACKET which can hold your phone at an angle of 30° when desk mounting.

#### 1. 30°Position (See Figure 1):

With the back of the **BASE UNIT** facing up, insert the hooks of the MOUNTING BRACKET (following the arrow direction for the DESK MOUNT) into the matching slots of the **BASE UNIT** (as shown in Figure 2). Then slide the MOUNTING BRASCKET into place as indicated by the arrows.




FIGURE 1




FIGURE 2

**IMPORTANT:** Attach the MOUNTING BRACKET when using your phone on a desk.

### **IMPORTANT**


Placing your **BASE UNIT** near appliances such as television, refrigerators, radios, or microwave ovens may cause interference.

## Wall Mounting

### Wall Mounting

You may choose to put the **BASE UNIT** of your cordless telephone on a wall.

1. With the back of the **BASE UNIT** facing up, connect the **SHORT TELEPHONE LINE CORD** to the **TELEPHONE LINE CONNECTION JACK**.
2. Insert the free end of the **SHORT TELEPHONE LINE CORD** through the hole of the **MOUNTING BRACKET**.
3. Insert the hooks of the **MOUNTING BRACKET** (following the arrow direction for the **WALL MOUNT**) into the matching slots of the **BASE UNIT** (as shown below). Then slide the **MOUNTING BRACKET** into place as indicated by the arrows. Plug the free end of the **SHORT TELEPHONE LINE CORD** into the **MODULAR WALL JACK**.
4. Insert the tabs into the slot on one side of the base then press the tabs on the other side & snap into the slot.
5. Align the upper keyhole on the **MOUNTING BRACKET** with the upper stud of the wall plate, so that the opening end of the **MOUNTING BRACKET** matches the lower stud, then pull the **BASE UNIT** down until it is securely seated
6. Place the **HANDSET** in the **CHARGE CRADLE** with its **LCD Screen** facing you. (See Figure 1)



## Wall Mounting




FIGURE 1

**IMPORTANT:** A “beep” will be heard when the **HANDSET** is properly positioned in the **BASE UNIT** **CHARGE CRADLE** and charging. Securely positioning the **HANDSET** in the **BASE UNIT** will also prevent the **HANDSET** from falling

## Cordless Telephone Operation

### Preparing for Use

Before you can use your cordless telephone, you must charge the **HANDSET** for 12 hours. Failure to do so will require recharging of the **BATTERY PACK** more often. See more information on the **BATTERY PACK**.

1. Place the **HANDSET** on the **BASE UNIT** for 12 hours.
2. After 12 hours, remove the **HANDSET** from the **BASE UNIT**.

#### NOTE:

Depending on the frequency of use, once the **HANDSET** is fully charged, it remains functional for approximately 4 hours of continuous use and approximately 5 days when the **HANDSET** is off the **BASE UNIT** in STANDBY mode.

### IMPORTANT

In order to keep all **HANDSET** synchronize all the times, the function of charge, channel changes...etc. will take longer time.

### NO LINE Indicator

This telephone checks for an active TELEPHONE LINE connection. If "NO LINE" appears on the LCD Screen, when the **HANDSET** is in STANDBY mode, no calls can be made or received from this telephone. Check that the TELEPHONE LINE CORD plugs are connected to the wall TELEPHONE JACK and the **BASE UNIT** TELEPHONE LINE CONNECTION JACK. If "NO LINE" continues to be displayed, check that the other phones in the house are working. If none of the phones work, contact your local phone company.

### Receiving Calls


1. When the phone rings lift the any one of the **HANDSET** and press the **talk** button. The **HANDSET** LCD Screen will display "CALLS" and "TALKING", and the **BASE UNIT** IN USE LED indicator will light up.
2. Start your conversation.
3. To end your conversation, either press the **talk** button or place the **HANDSET** on the **BASE UNIT**. If you place the **HANDSET** on the **BASE UNIT** CHARGE CRADLE, you activate the automatic STANDBY feature.



## Cordless Telephone Operation

### NOTE:

1. The Call Timer will start to count once you press the **talk** button.
2. The LCD Screen emits light for 5 seconds every time you press any buttons on the **HANDSET**.
3. When "CALLS" appears on the LCD Screen, it means that the **HANDSET** is off-hook (connected to the telephone line).



### Placing Calls

1. Press the **talk** button, the Call Timer starts to count. The **HANDSET** LCD Screen will display "Calls", and "Talking", and the **BASE UNIT** IN USE LED indicator will light up.
2. Listen for a dial tone.
3. Dial the phone number.
4. When you have finished with your call, press the **talk** button again or place the **HANDSET** on the **BASE UNIT**.

#### OR

1. Dial the phone number.
2. Press and hold down the DIAL 7 **7 \*** or the **10 OPER 0** or the DIAL 1+ **#** button. The **BASE UNIT** IN USE LED indicator will light up.
3. When you have finished with your call, press the **talk** button again or place the **HANDSET** on the **BASE UNIT**.





## Caller ID System Operation

### Call Waiting

When you subscribe to a Call Waiting service from your local telephone company, this telephone will display the name and number of the second caller while you are having a conversation with your first caller.

1. When you are having a conversation, this telephone will automatically display the name and number of the second caller. The name will be blinking.

e.g.

JOHN BROWN  
2 3 5 - 6 0 7 - 5 5 1 2  
10:00<sup>AM</sup> 8/24 NEW #13  
1<sup>st</sup> Caller

2. Press the **FLASH** button to answer the second caller. The first caller's name and number will be displayed. The name will be blinking.
3. When you have finished, press the **FLASH** button to continue with your conversation with the first caller

If you do not want to interrupt your phone conversation with the first caller, you can advise the second caller to leave a Voice Mail message instead.

e.g.

ALEX BROWTH  
5 0 4 - 5 5 5 - 1 2 1 2  
10:00<sup>AM</sup> 8/24 NEW #14  
2<sup>nd</sup> Caller

### Voice Mail Function

When there is a Voice Mail message for you, this telephone detects a Stutter Dial Tone (if applicable) and the "MSG" icon on the LCD Screen and the MESSAGE WAITING LED indicator will blink.

1. To access your Voice Mail message, press the **talk** button.
2. After you hear a dial tone, press the **voice mail menu** button. This will automatically dial the Voice Mail Post Code in your area and connect you to the Voice Mail service provider.

**NOTE:** You must store the Voice Mail Post Code number by using the Voice Mail function. You can also call your Voice Mail service provider by dialing the Voice Mail Access Code number after pressing the **talk** button.

### C-F (Forwarded Call)

Appears on the upper left hand side, when the incoming call has been assigned to your telephone number.

### L-D-C (Long Distance Call)

Appears on the upper left hand side, when the incoming call is a long distance call and the service is provided by your local telephone company.

### Caller List

Record call information for up to 80 incoming calls such as caller's name and telephone number together with the date and time of the call. After recording a new incoming call, the New Call indicator will blink and the LCD Screen will look as shown below:

RING:HI  
10:00<sup>AM</sup> 8/24 NEW #13 TOTAL 42  
No. of new calls  
Maximum calls = 80

## Caller ID System Operation

### Viewing the Caller List

1. Press the SCROLL DOWN **▼** button to view the last Caller ID record, or press the SCROLL UP **▲** button to view the first Caller ID record, press the SHIFT RIGHT **▶** button if the name has more than 11 characters.

MICHAEL BROW  
6 0 4 - 5 5 5 - 1 2 1 2  
10:00<sup>AM</sup> 8/24 NEW #1  
◀ ▶

2. Press the **phone book** button to go back to STANDBY mode. (If no active buttons are pressed for 20 seconds or you have viewed the last Caller ID record in the Caller's List, the LCD Screen will automatically return to STANDBY mode.)

### Placing a Call for the Caller List

1. Press the SCROLL DOWN **▼** button to select from the latest Caller ID record, or press the SCROLL UP **▲** button to select from the first Caller ID record.
2. Press and hold down the DIAL 7 **\*** button for a local call, or the DIAL 10 **10 OPER 0** button for a local call with area code, or the DIAL 1+ **#** button for a long distance call.
3. To end your conversation, either press the **talk** button or place the **HANDSET** on the **BASE UNIT**.

To place a call from the Caller List in Talk mode, press the **talk** button, then follow step 1 to 3.

**NOTE:** You can edit the number before dialing, but you can not **SAVE** any changes in the Caller List.

### Editing the Caller List before Dialing

1. Press the Scroll UP **▲** or DOWN **▼** button to find the caller.
2. Press the **edit** button.
3. Move the cursor by pressing the SHIFT LEFT **◀** or RIGHT **▶** button to the digit you want to change. To erase digits, press the **scan delete** button. To add digits, use the TELEPHONE KEYPAD **10 OPER 0** ~ **wxyz9** buttons.
4. Press and hold down the DIAL 7 **\*** button for a local call, or the DIAL 10 **10 OPER 0** button for a local call with area code, or the DIAL 1+ **#** button for a long distance call.
5. To end your conversation, either press the **talk** button or place the **HANDSET** on the **BASE UNIT**.

To save the edited record from the Caller List, follow steps 1 to 3 then press and hold down the **save/pause redial** button.

## Caller ID System Operation

### Saving the Name and Number in the Caller List into the DIRECTORY

1. Press the SCROLL UP  or DOWN  button to find the caller.

2. Press and hold down the  button.

**NOTE:** It is advisable to save a telephone number without the corresponding name. This will lead to improper display on PRIVATE and OUT OF AREA calls.

### Deleting All Recordings in the Caller List

1. Press and hold down the  button for at least 3 seconds while in STANDBY mode.
2. The LCD Screen will automatically return to STANDBY mode.



### Selective Deleting in the Caller List

1. Press the SCROLL UP  or DOWN  button to find the Caller ID record while in STANDBY mode.
2. Press and hold down the  button for at least 3 seconds, then the LCD Screen will display the next Caller ID record in the Caller List.
3. Press the  button to return to standby mode.




### Name and Telephone Number DIRECTORY


This DIRECTORY lets you scroll through the list to find the record you need for one touch dialing. You can store up 40 names and telephone numbers in the memory.

### Viewing the DIRECTORY

1. Press the  button.



2. Press the SCROLL UP  or DOWN  button to find the one you need, press the SHIFT RIGHT  button if the name or telephone number is more than 11 characters.



**NOTE:** To exit the DIRECTORY List at anytime, press the

 button



## Caller ID System Operation

### Speed Viewing the DIRECTORY

1. Press the  button.
2. Enter the first letter of a name.
3. Press the SCROLL UP  button to find all names with same first letter.

### Saving in the DIRECTORY

1. Press the  button.
2. Press the  button.
3. Use the TELEPHONE KEYPAD  ~  button to enter the name. You can store up to 15 characters. To move the cursor to the right, create a space, or to enter a new letter, press the SHIFT RIGHT  button.
4. Press the SCROLL DOWN  button once.
5. Enter the telephone number using the TELEPHONE KEYPAD  ~  buttons. You can store up to 16 digits.
6. Press and hold down the  button.
7. Press the  button to go back to STANDBY mode.  
(If no active buttons are pressed for 20 seconds, the LCD Screen will automatically return to STANDBY mode.)

**NOTE:** 1. It will not save a duplicate telephone number or a name without the corresponding telephone number in the DIRECTORY.

2. To delete a character or number inside the cursor, press the  button.

### PREFERRED CALLS

You can assign PREFERRED CALL which will generate a special ringer sound at the start of the second ring to any welcome caller in the DIRECTORY.

When you are saving the name and number into the DIRECTORY, add a "#" mark at the beginning of the name by pressing the .

### BLOCKED CALLS

You can assign BLOCKED CALL which will disable the ringer sound from the second ring to any caller in the DIRECTORY.

When you are saving the name and number into the DIRECTORY, add an "\*" mark at the beginning of the name by pressing the .

## Caller ID System Operation


### Editing a Name and Number in the DIRECTORY

1. Press the  button.
2. Press the SCROLL UP  button or DOWN  button to find the record you want to edit.



3. Press the  button to edit the name.



4. Press the SCROLL LEFT  or RIGHT  button to move the cursor to the letter or number you want to change. To erase, press the  button. To add, use the TELEPHONE KEYPAD  ~  buttons.
5. Press the SCROLL UP  or DOWN  button to edit the number.
6. Press the SCROLL LEFT  or RIGHT  button to move the cursor to the number you want to change. To erase, press the  button. To add, use the TELEPHONE KEYPAD  ~ .



7. Press and hold down the  button to confirm.

**IMPORTANT:** It is not advisable to save a telephone number without the corresponding name in the DIRECTORY. This will lead to improper displays on PRIVATE and OUT OF AREA calls.

**NOTE:** When no active buttons are pressed for 20 seconds, the LCD Screen will automatically return to STANDBY mode.

## Caller ID System Operation

### Editing the Number in the DIRECTORY before Dialing

1. Press the  button.
2. Press the SCROLL UP  button or DOWN  button to find caller.
3. Press the  button to edit the name.
4. Press the SCROLL DOWN  button.

e.g.



6 cursor is blinking

5. Press the SCROLL LEFT  or RIGHT  button to move the cursor to the number you want to change.  
To erase, press the  button.  
To add, use the TELEPHONE KEYPAD  ~  buttons.
6. Press and hold down the DIAL 7  button for a local call, or press and hold down the DIAL 10  button for a local call with area code, or press and hold down the DIAL 1+  button for a long distance call.
7. To end your conversation, either press the  button or place the **HANDSET** on the **BASE UNIT**.

**NOTE:** If you want to save the edited number in the DIRECTORY, follow steps 1 through 5 and then press and hold down the  button.

### IMPORTANT

Placing your **BASE UNIT** near appliances such as television, refrigerators, radios, or microwave ovens may cause interference.

## Caller ID System Operation

### Placing Calls from the DIRECTORY

1. Press the  button.
2. Press the SCROLL UP  or DOWN  button to find the record you want to call.
3. Press and hold down the DIAL 7  button for a local call, or press and hold down the DIAL  button for a local call with area code, or press and hold down the DIAL 1+  button for a long distance call.
4. To end your conversation, either press the  button or place the **HANDSET** on the **BASE UNIT**.

### Deleting All Records in the DIRECTORY

1. Press the  button. The LCD Screen will display "DIRECTORY".
2. Press and hold down the  button for at least 3 seconds while in DIRECTORY mode.  

3. Press the  button to return to STANDBY mode.

### Selecting Deleting in the DIRECTORY

1. Press the  button. The LCD Screen will display "DIRECTORY".
2. Press the SCROLL UP  or DOWN  button to find the record you want to delete.
3. Press and hold down the  button for at least 3 seconds, then the LCD Screen will display the next record in the DIRECTORY.



4. Press the  button to return to STANDBY mode.


## Caller ID System Operation

### Function Operation

This unit contains the following special functions:

1. LANGUAGE	7. FLASH TIME
2. SILENT ON/OFF	8. PAUSE TIME
3. TIME SET	9. VOICE MAIL
4. RINGER VOLUME	0. MSG WAITING
5. LCD CONTRAST	*. TONE/PULSE
6. PBX NUMBER	

To access, press the  button at STANDBY mode, then press the TELEPHONE KEYPAD  ~  &  button or the SCROLL UP  or DOWN  button. The menu setting will be display cycled by SCROLL UP  or DOWN  button



## Caller ID System Operation

### 1. Language

This telephone offers English, Spanish, and French languages for your convenience

1. Press the  button.
2. Press the TELEPHONE KEYPAD  button or the SCROLL UP  or DOWN  button until the "LANGUAGE" option display.
3. Press the .
4. Press the SCROLL UP  or DOWN  button to select the language you desire. You can also set the language by pressing the following TELEPHONE KEYPAD buttons;  for English, or  for Spanish, or  for French. English is the preset language.
5. Press and hold down the  button.
6. Press the  button to return to STANDBY mode.

### 2. First Ring/Silent On or Off

This telephone will generate the first ring sound even in the BLOCKED CALL mode to indicate that you have an incoming call. To keep the ringer silent in BLOCKED CALL mode, you can turn off the first ring sound.

1. Press the  button.
2. Press the TELEPHONE KEYPAD  button or the SCROLL UP  or DOWN  button until the "SILENT" option display.
3. Press the .
4. Press the SCROLL UP  or DOWN  button to select the SILENT ON/OFF setting. You can also press the TELEPHONE KEYPAD buttons;  for ON or  for OFF.
5. Press and hold down the  button.
6. Press the  button to return to STANDBY mode.

### 3. Time Set

Set the date and time.

1. Press the  button.
2. Press the TELEPHONE KEYPAD  button or the SCROLL UP  or DOWN  button until the "TIME SET" option display.
3. Press the .
4. Use the TELEPHONE KEYPAD button to enter the month, date, hour, and minute. The cursor moves automatically after entering each item. Press the TELEPHONE KEYPAD  for AM setting, or press the TELEPHONE KEYPAD  for PM setting.

## Caller ID System Operation

5. Press and hold down the  button.

6. Press the  button to return to STANDBY mode.

**NOTE:** The date and time will automatically set, if you have subscribed to the Caller ID service from your local telephone company.

### 4. Ringer Volume

This function enables you to adjust the ringer volume from HI, LOW, and OFF as desired.

1. Press the  button.
2. Press the TELEPHONE KEYPAD  button or the SCROLL UP  or DOWN  button until the "RING:HI" option display.
3. Press the .
4. Press the SCROLL UP  or DOWN  button to adjust the ringer volume suitable for your convenience. You can also adjust the ringer volume by pressing the following TELEPHONE KEYPAD buttons;  for HI,  for LOW,  for OFF. HI is the preset ringer volume.
5. Press and hold down the  button.
6. Press the  button to go back to STANDBY mode.

### 5. LCD Contrast

This unit enables you to select 8 brightness levels for the Large LCD Screen.

1. Press the  button.
2. Press the TELEPHONE KEYPAD  button or the SCROLL UP  or DOWN  button until the "CONTRAST" option display.
3. Press the .
4. Press the SCROLL UP  or DOWN  button to adjust the brightness of the LCD Screen. You can also set the contrast by entering the contrast level using the TELEPHONE KEYPAD  ~  buttons. Level 1 is the preset brightness.
5. Press and hold down the  button.
6. Press the  button to go back to STANDBY mode.

### 6. PBX Number

This unit enables you to set the PBX number for each handset to preset the PBX number (such as an 8 or 9) while you are using a switch board system.

1. Press the  button.

## Caller ID System Operation

2. Press the TELEPHONE KEYPAD  button or the SCROLL UP  or DOWN  button until the "PBX NO." option display.
3. Press the  button.
4. Press the SCROLL UP  or DOWN  button. (OFF is the preset PBX number.)  
(PBX MODE OFF – set for direct line access.)
5. Press and hold down the  button.
6. Press the  button to go back to STANDBY mode.

**NOTE:** When placing a call by using the DIAL 7  button, or the DIAL 10  button, or the DIAL 10  button, this telephone will automatically add the PBX number and a pause time before the dialed telephone numbers.

### 7. Flash Time

This unit enables you to select the standard FLASH TIME application to your calling area. If you are not sure of the FLASH TIME you are using, call your local telephone company.

1. Press the  button.
2. Press the TELEPHONE KEYPAD  button or the SCROLL UP  or DOWN  button until the "FLASH" option display.
3. Press the  button.
4. Press the SCROLL UP  or DOWN  button to select the FLASH TIME. You can also set the FLASH TIME by entering the FLASH TIME number using the TELEPHONE KEYPAD  ~  buttons. The preset FLASH TIME is 600 milliseconds.
5. Press and hold down the  button.
6. Press the  button to go back to STANDBY mode.

### 8. Pause Time

This unit enables you to adjust the PAUSE TIME when placing a call using a switchboard system or dialing long distance calls.

1. Press the  button.
2. Press the TELEPHONE KEYPAD  button or the SCROLL UP  or DOWN  button until the "PAUSE" option display.
3. Press the  button.

## Caller ID System Operation

4. Press the SCROLL UP  or DOWN  button to select the PAUSE TIME. You can also set the PAUSE TIME by entering the PAUSE TIME number using the TELEPHONE KEYPAD  ~  buttons. The preset PAUSE TIME is 4 seconds.
5. Press and hold down the  button.
6. Press the  button to go back to STANDBY mode.

### 9. Voice Mail

This telephone enables you to store the Voice Mail Access Code number in your area. This will automatically connect you to the Voice Mail service provider with one-touch dialing.

1. Press the  button.
2. Press the TELEPHONE KEYPAD  button or the SCROLL UP  or DOWN  button until the "VOICE MAIL" option display.
3. Press the  button.
4. Enter the VOICE MAIL Post Code number by using the TELEPHONE KEYPAD  ~  buttons.
5. Press and hold down the  button.
6. Press the  button to go back to STANDBY mode.

### 0. MSG Waiting (Message Waiting)

To turn off the Message Waiting LCD Screen indicator.

1. Press the  button.
2. Press the TELEPHONE KEYPAD  button or the SCROLL UP  or DOWN  button until the "MSG WAITING" option display.
3. Press the  button.
4. Press the SCROLL UP  or DOWN  button.
5. Press and hold down the  button.
6. Press the  button to go back to STANDBY mode.

**IMPORTANT:** The Message Waiting LCD indicator will automatically turn ON, if you have subscribed to Voice Mail message service and if you have Visual Message Indication from your local telephone company.

## Caller ID System Operation

### \*. TONE/PULSE Setting

Set the TONE or PULSE dialing system. (Depending on the user's service type.)

1. Press the  button.
2. Press the TELEPHONE KEYPAD  button or the SCROLL UP  or DOWN  button until the "TONE/PULSE" option display.
3. Press the  button.
4. Press the SCROLL UP  or DOWN  button to select the TONE/PULSE dialing mode. You can also set the dialing mode by pressing the following TELEPHONE KEYPAD buttons;  for TONE,  for PULSE. TONE is the preset dialing mode.
5. Press and hold down the  button.
6. Press the  button to go back to STANDBY mode.

### IMPORTANT

In order to utilize the Caller ID feature, you must subscribe to Caller ID service from your local telephone company

## Caller ID System Operation

### Telephone Keypad Character

The TELEPHONE KEYPAD  ~  buttons are used to enter characters when entering names. Press the appropriate TELEPHONE KEYPAD button to get the following characters.

KEYPAD BUTTONS	CHARACTERS
1	SPACE & ' ( ) * . 1
2	A B C 2
3	D E F 3
4	G H I 4
5	J K L 5
6	M N O 6
7	P Q R S 7
8	T U V 8
9	W X Y Z 9
*	*
0	0
#	#

### EXAMPLE:

If you want to enter the characters "ACE" on the HANDSET LCD Screen.

1. Press the  button. The LCD Screen will display "DIRECTORY".
2. Press the  button.
3. Press the TELEPHONE KEYPAD  button, "A" will be displayed. Press the SHIFT RIGHT  button to move the cursor to the right to enter the next character (See NOTES below).
4. Press the TELEPHONE KEYPAD  button three times to display "C".
5. Press the TELEPHONE KEYPAD  button two times to display "E".

### NOTES:

1. To enter the next characters, press the appropriate button. If, however, the next character is on the same button as the previous character, you will first need to press the SHIFT RIGHT  button. Pressing the SHIFT RIGHT  button a second time will produce a space.
2. If you want to change any character, you can go back to the incorrect character by pressing the SHIFT LEFT  button. To delete the character inside the cursor " ", press the 
3. You can store a maximum of 15 characters on the letter icon.
4. You can store a maximum of 16 characters on the number icon.

## Security

### Security System

Your cordless telephone uses a digital coding security system to prevent unauthorized use of your telephone line by another nearby cordless telephone. The system has its own identifying signal created by microcomputers in both the **BASE UNIT** and the **HANDSET**.

### Security Code

This telephone has an internal security code with 65,536 possible combinations.

### Resetting Security Code and Channel Information

Communication between the **HANDSET** and the **BASE UNIT** may not be possible in any of the following situations:

1. After a power failure
2. After relocating the **BASE UNIT** by disconnecting the AC ADAPTER.
3. After replacing the **HANDSET** BATTERY PACK.

To reset, place the **HANDSET** on the **BASE UNIT** for 2 to 5 seconds.

### Multi- Channel Access

Your cordless telephone lets you select a channel from the 40 frequencies available to transmit signals between the **BASE UNIT** and **HANDSET**. When you notice interference from other cordless telephone, change to another channel by pressing the  button on the **HANDSET**.

### IMPORTANT

When you hear interference, press the  button to change the operating channel.

## Recharging the BATTERY PACK

### BATTERY Type

Use the following type and size of BATTERY PACK:

Cordless Telephone BATTERY PACK  
3.6V,600mAh  
U.S. Electronics Inc.  
Ni-MH Battery Pack: model B655

This BATTERY PACK is available through:

U.S. Electronics Service Center  
105 Madison Avenue  
New York ,NY 10016  
1-800-825-5208

NOTES: 1. During a power interruption, the **BASE UNIT** does not operate, and a phone conversation cannot be made on the **HANDSET**.  
2. A "beep" will be heard when the **HANDSET** is properly positioned in the **BASE UNIT** CHARGE CRADLE and charging. Securely positioning the **HANDSET**, KEYPAD face up, in the **BASE UNIT** will also prevent the **HANDSET** from falling.

### Recharging the BATTERY PACK

The nickel metal hydride (Ni-MH) BATTERY PACK in the **HANDSET** can be recharged many times using the built-in charger in the **BASE UNIT**.

When the BATT LOW symbol appears on the LCD Screen, a "beep" sound will be heard every 10 seconds. This indicates that the BATTERY PACK needs to be recharged.

Charge the BATTERY PACK at least once every 90 days of non-use to avoid battery failure. When the BATTERY PACK can no longer be charged, replacement of the BATTERY PACK will be necessary.

The BATTERY PACK used in your telephone may develop a condition known as "MEMORY". Once subjected to a regular short discharging routine, the BATTERY PACK assumes the discharging pattern it was subjected to. This is known as a "MEMORY" condition which cause rapid discharging thereby shortening the BATTERY PACK charge span. If you believe your BATTERY PACK has developed a "MEMORY" condition, do not charge the **HANDSET** until the BATT LOW symbol appears on the LCD Screen. When the BATT LOW symbol appears on the LCD Screen, charge the **HANDSET** fully for 12 hours.

### IMPORTANT

In order to get maximum life from the **HANDSET** BATTERY PACK, be sure to charge the **HANDSET** for 12 hours before initial use.

## Changing the BATTERY PACK

### Changing the BATTERY PACK


The BATTERY PACK provides power for the **HANDSET** of your cordless telephone.

#### To Replace BATTERY PACK:

1. Remove the **HANDSET** BATTERY COMPARTMENT COVER by sliding it down.
2. Pull out the BATTERY PACK PLUG and remove the BATTERY PACK.
3. Plug the new BATTERY PACK into the BATTERY CONNECTOR.
4. Slide the **HANDSET** BATTERY COMPARTMENT COVER firmly into place in its closed position.
5. Before use, charge the new BATTERY PACK for 12 hours.

#### ATTENTION

The telephone that you have purchased contains a rechargeable BATTERY PACK. The BATTERY PACK is recyclable. At the end of its useful life, under various state and local laws, it may be illegal to dispose of this BATTERY PACK into the municipal waste stream. Check with your local solid waste officials for details in your area for proper disposal.



Remove the **HANDSET** battery compartment cover by sliding it down

#### IMPORTANT

In order to get maximum life from the **HANDSET** BATTERY PACK, be sure to charge the **HANDSET** for 12 hours before initial use.

## Problem Solving

### Problem Solving Section

For your assistance, we have listed below a few common problems.

#### Phone does not work, check the following:

1. **BASE UNIT** is plugged into a power source.
2. **HANDSET** is charged.
3. TELEPHONE LINE CORD is plugged into the TELEPHONE JACK.

#### Range of phone limited, check the following:

1. **BASE UNIT** is centrally located in your residence.
2. **BASE UNIT** is not located near appliances.

#### No dial tone, check the following:

1. TELEPHONE LINE CORD plugs are connected to the TELEPHONE JACK and TELEPHONE LINE CONNECTION JACK.
2. **BASE UNIT** is plugged into power source.,
3. If you had a power failure or had unplugged the **BASE UNIT**, replace the **HANDSET** on the **BASE UNIT** for 2 to 5 seconds to reset the system.

#### Received signal flutters or fades, check the following:

1. BATTERY PACK in the **HANDSET** is fully charged.
2. **HANDSET** is not too far from the **BASE UNIT**.

#### Interference on reception, check the following:

1. Noise may be picked up from electrical products in the home or electrical storms. Generally, this noise is a minor annoyance and should not be interpreted as a defect in your system.
2. Choose an alternate channel using the  Button on the **HANDSET**.
3. Do not use this telephone within 20ft. Of a microwave oven while it is working. As you may experience interference. This is a normal occurrence with 2.4 GHZ phones and should not be interpreted as a defect in the product.

#### Long Distance "L-D-C" indicator is not ON when receiving a long distance call, check the following:

1. Your local telephone company can provide the Area Code on an incoming long distance call.

#### Excess static, check the following:

1. Check to see that the ANTENNA is not touching another metal object.

#### If after pressing the button, you receive three "beeps" and no dial tone, check the following:

1. **BASE UNIT** is plugged into a power source.
2. If you had a power failure or had unplugged the **BASE UNIT**, replace the **HANDSET** on the **BASE UNIT** for 2 to 5 seconds to reset the system.

## Technical Information

### Technical information

This cordless telephone uses radio frequencies to allow mobility. There are certain difficulties, in using radio frequencies with a cordless telephone. While these are normal, the following could affect the operation of your system.

#### Noise

Electrical pulse noise is present in most homes at one time of another. This noise is most intense during electrical storms. Certain kinds of electrical equipment such as light dimmers, fluorescent bulbs, motors, and fans also generate noise pulses. Because radio frequencies are susceptible to these noise pulses, you may occasionally hear them in your HANDSET. Generally they are a minor annoyance and should not be interpreted as a defect in your system.

#### Range

Because radio frequency is used, the location of the BASE UNIT can affect the operating range. Try several locations in your home or office and pick the one that gives you the clearest signal to the HANDSET.

#### Interference

Electronic circuits activate a relay to connect the cordless telephone to your telephone line. These electronic circuits operate in the radio frequency spectrum. While several protection circuits are used to prevent unwanted signals, there may be periods when these unwanted signals enter the BASE UNIT. You may hear clicks or hear the relay activate while you are not using the HANDSET. If the interference occurs frequently, it can be minimized or eliminated by relocating the BASE UNIT. You can check for interference before selecting the final BASE UNIT location by plugging in the telephone.

#### NOTICE:

This cordless telephone uses radio communication between the **HANDSET** and the **BASE UNIT** and may not ensure privacy of communication. Other devices, including another cordless telephone, may interfere with the operation of this cordless telephone or cause noise during operation. Units not containing coded access may be accessed by other radio communication systems. Cordless telephones must not cause interference to any licensed radio service.

### IMPORTANT

When you hear interference, press the  
 button to change the operating channel.

## FCC Requirements

### Federal Communications Commission Requirements

This equipment complies with Part 68 of the FCC rules. A label on the BASE UNIT of the equipment contains, among other information, the FCC Registration Number and the ringer equivalence number (REN) for this equipment. You must, upon request, provide this information to your telephone company.

The REN is also useful in determining the number of devices that you may connect to your telephone line and still allow all of these devices to ring when your telephone number is called. In most, but not all areas, the sum of the RENS of all devices connected to one line should not exceed five (5.0). To be certain of the number of devices that you may connect to your line, contact your local telephone company.

If your equipment should cause harm to the telephone network, the telephone company may temporarily disconnect your service. If possible, they will notify you in advance that temporarily discontinue of service may be required.

However, when advance written notice is not possible, the telephone company may temporarily discontinue service without notice if such action is necessary under the circumstances. The telephone company may make changes in its communication facilities, equipment, operations or procedures where such action is reasonably required in the operation of its business and is not inconsistent with the rules and regulations of the Federal Communications Commission.

#### Do not attempt to repair or modify this equipment.

**Warning:** Changes of modifications not expressly approved by the party responsible for its compliance could void the user's authority to operate the equipment.

Some cordless telephones operate at frequencies that may cause interference to nearby TV's and VCR's. To minimize or prevent such interference, the BASE UNIT of the cordless telephone should not be placed on or near a TV or VCR. If interference is experienced, moving the cordless telephone farther away from the TV or VCR will often reduce or eliminate the interference.

This equipment should not be used on coin telephone lines. Connection to party line service is subject to state tariffs. If trouble is experienced, disconnect this equipment from the telephone line to determine if it is causing the malfunction. If the equipment is determined to be malfunctioning, its use should be discontinued until the problem has been corrected.

### IMPORTANT

Placing your **BASE UNIT** near appliances such as television, refrigerators radio, or microwave oven may cause interference.

## FCC Requirements

### Federal Communications Commission Requirements (continued)

**NOTE:** This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction, may cause harmful interference to radio communication. However, there is no guarantee that interference will not occur in a particular installation. If the equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving ANTENNA.
- Increase the distance between the equipment and the receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with Part 15 of the FCC Rules. Operation is subjected to the following two conditions:

- (1) this device may not cause harmful interference, and
- (2) this device must accept any interference received including interference that may cause undesired operation.

## Warranty

### Warranty information

#### **BellSouth Products**

##### One-Year Limited Warranty

This limited warranty sets forth all **BellSouth Products** responsibilities regarding your telephone. There are no other expressed or implied warranties from **Bell South Products**.

### Warranty Service Provided

If you purchased the telephone new from a retail vendor, **BellSouth Products** warrants the telephone against defects in material and workmanship for a period of one (1) year from the original date of purchase. This warranty is in lieu of all other express warranties. This warranty begins when you purchase the telephone and continues for one (1) year unless you sell or rent the telephone, in which case the warranty stops.

**BellSouth Products** disclaims any implied warranty, including the warranty of merchantability and the warranty of fitness for a particular purpose, as of the date of 90 days from your original purchase of the telephone. **BellSouth Products** assumes no responsibility for any special, incidental, or consequential damages.

This warranty gives you specific legal rights and you may have other rights which vary from state to state. Some states do not allow the exclusion or limitations of special, incidental or consequential damages, or limitations on how long a warranty lasts, so the above exclusion and limitation may not apply to you.

### Warranty Service Not Provided

This warranty does not cover damage resulting from accident, misuse, abuse, improper installation or operation, lack of reasonable care, unauthorized modification, or the affixing of any attachment not provided by **Bell South Products** with the telephone, and/or loss of parts. This warranty is voided in the event any unauthorized person opens, alters or repairs the telephone.

All **Bell South Products** equipment being returned for repair must be suitably packaged.

Telephone companies use different types of equipment and offer various types of services to customers. **BellSouth Products** does not warrant that this telephone is compatible with the type of equipment of any particular telephone company or the services provided by it.

## Warranty

### What To Do for Warranty Service

During the first thirty (30) days, a defective product is eligible for over-the-counter exchange at the retailer from whom it was purchased. After thirty (30) days, the defective product should be returned to the authorized service center. Please allow 2-3 weeks for the return of your telephone product. The shipping address of the authorized service center is:

U.S. Electronics Consumer Center  
C/O Southern Bonded Warehouse  
7137 Southlake Parkway  
Morrow, GA30260

**NOTE:** A telephone product received which was not made for BellSouth Products or which is not defective as determined by our test procedures will not be repaired and will be returned to you C.O.D. freight collect.

### To Obtain Warranty Service

- Provide proof of the date of purchase within the package.
- Prepay all shipping costs to the authorized service center.
- Include a return shipping address within the package.
- Please retain your sales receipt, the carton, the packing materials, and printed

Please retain your sales receipt, the carton, the packing materials, and the printed material. The original carton is the best shipping container for the telephone should you have to return it.

For your reference:

Serial Number \_\_\_\_\_

Date of Purchase \_\_\_\_\_

Name of Dealer \_\_\_\_\_

### Customer Service Telephone Number:


**1-800-210-8950**

**OUTSIDE THE U.S.A CALL 1-212-242-6978**

*Visit Us on the Web:*

[www.uselectronics.info](http://www.uselectronics.info)

## Wall Mounting Template



## IMPORTANT

In order to get maximum life from the **HANDSET BATTERY PACK**, be sure to charge the HANDSET for 12 hours before initial use.

## IMPORTANT

Placing your **BASE UNIT** near appliances such as televisions, refrigerators, radios, or microwave ovens May cause interference.

## IMPORTANT

When you hear interference, press the  button to change the operating channel.

## IMPORTANT


The AC ADAPTER must always be plugged into an electrical outlet.

## IMPORTANT

If you live in an area which gets frequent thunderstorms, we strongly recommend plugging your AC ADAPTER into a surge protector.

## IMPORTANT

In order to utilize the Caller ID Feature, you must subscribe to Caller ID service from your local telephone company.



**Make certain you receive the best performance from your telephone.  
Read this manual first.**

 **BELLSOUTH**

Visit Us on the Web  
[www.uselectronics.info](http://www.uselectronics.info)

Made in China

