

Report No.: 06141731
Talk (1 Handset) Mode
(AC Adaptor)

Tested By: Hong, Report No.: 06141731

Scan Settings (1 Range)

Frequencies				Receiver Settings			
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF 60dB


Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2 1	9k	30M	EW0699
12	9k	30M	EW0192



Report No.: 06141731
Talk (1 Handset) Mode
(AC Adaptor)

Tested By:Hong, Report No.:06141731
Scan Settings (1 Range)
|----- Frequencies -----||----- Receiver Settings -----|
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge
150k 30M 5k 10k PK+AV 10ms AUTO LN OFF 60dB
Final Measurement Results:

no Results

Report No.: 06141731
Talk (1 Handset) Mode
(Switching Mode Adaptor)

Tested By: Hong, Report No.: 06141731

Scan Settings (1 Range)

Frequencies				Receiver Settings			
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF 60dB


Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2 1	9k	30M	EW0699
12	9k	30M	EW0192



Report No.: 06141731
Talk (1 Handset) Mode
(Switching Mode Adaptor)

Tested By: Hong, Report No.: 06141731

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV

0.26500	39.7	61.3
0.30500	40.0	60.1
0.54500	42.9	56.0
0.59000	39.0	56.0
0.80000	39.0	56.0
1.29500	29.9	56.0
1.94500	37.2	56.0
2.66500	39.8	56.0
4.10500	44.0	56.0
4.31500	43.6	56.0
6.11000	39.9	60.0

Frequency	AV Level	AV Limit
MHz	dBuV	dBuV

0.54000	30.1	46.0
0.67500	30.0	46.0
0.81000	27.4	46.0
1.84500	26.1	46.0
2.66500	29.4	46.0
4.06000	33.4	46.0
4.85500	33.9	46.0
5.78500	32.6	50.0

* limit